

4-683

MINERAL SURVEY No. 4085

ARIZONA Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

D. P. SKOUSEN

KNOWN AS THE

LAST CHANCE NO. 1 and LAST CHANCE NO. 2 Lodes,

SQUAW PEAK Mining District,

MARICOPA County, ARIZONA

Sections 2 and 11, Township 2 North, Range 3 East

Surveyed under instructions dated December 13th, 19 28,

by HARRY E. JONES, U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced December 21st, 19 28,

Survey completed December 28th, 19 28,

Address of claimant 410 Fleming Bldg. Phoenix, Arizona,

DATES OF AMENDED LOCATIONS.

-1-

Feet

MINERAL SURVEY NO.4085

Last Chance No. 1 Lode

Beginning at Cor. No. 1, identical with the loc. mon. and Cor. 1 Last Chance No.2 lode of this survey, a 3ft. $\frac{3}{4}$ in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO. 4085-LCNo.1-1; LCNo.2-1; set 20 ins. in ground and surrounded with a substantial mound of earth and rock.

The $\frac{1}{4}$ corner common to Sections 2 and 11, T. 2 N. R. 3 E. G&SRB&M. bears S.15°38'E. 651.65 ft. No other suitable bearings available.

Thence S. 42° 04' W.

545.00 Cross center of 10 ft. wash, course SWly.

857.97 Intersect the line common to Sections 2 and 11, T. 2 N. R. 3 E. at S.89°17'W. 750.50 ft. from the $\frac{1}{4}$ corner common to said sections.

960.00 Cross center of road, course NEly. and SWly.

1100.00 Cross center of 10 ft. wash, course SWly.

1260.00 Cross center of 10 ft. wash, course SWly.

1500.00 To Cor. No. 2, a 3ft. $\frac{3}{4}$ in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.4085-LCNo.1-2; set 24 ins. in ground and surrounded with a substantial mound of earth and rock, whence the loc. mon. bears S.42°04'W. 36.5 ft. No suitable bearings available.

Thence N. 45° 08' W.

52.00 Cross center of 10 ft. wash, course, SWly.

300.36 To Southwest End Center, a substantial mound of earth and rock, whence the loc. mon. bears S.44°35'W. 255 ft.

600.72 To Cor. No. 3, a 3ft. $\frac{3}{4}$ in. pipe with a 2 in. brass cap marked U.S.MINERAL SURVEY NO.4085-LCNo.1-3; set 20 ins. in ground and surrounded with a substantial mound of earth and rock, whence the loc. mon. bears S.56°15'W. 268 ft. No suitable bearings available.

Thence N. 42° 04'E.

57.42 Intersect the line common to Sections 2 and 11, T. 2 N. R. 3 E. at S.89°17'W. 1568.00 ft. from the $\frac{1}{4}$ corner common to said sections.

Feet
1500.00 To Cor. No. 4, identical with Cor. 2 Last Chance No. 2 lode
a 3ft. $\frac{1}{2}$ in. pipe with a 2in. brass cap marked U.S. MINERAL
SURVEY NO. 4085-LC No. 1-4; LC No. 2-2; set 24 ins. in loose
rock and surrounded with a substantial mound of earth and
rock, whence the loc. mon. bears N. 45° 08' W. 70 ft.
No suitable bearings available.

Thence S. 45° 08' E.

Along line 2-1 Last Chance No. 2 lode,

300.36 To Northeast End Center, a substantial mound of earth and
rock, identical with the Southwest End Center, Last Chance
No. 2, lode and the loc. mon.

600.72 To Cor. No. 1 the place of beginning.

Last Chance No. 2 Lode

Beginning at Cor. No. 1, identical with the loc. mon. and
Cor. 1 Last Chance No. 1 lode of this survey previously
described.

The $\frac{1}{4}$ corner common to Sections 2 and 11, T. 2 N. R. 3 E.
G&SRB&M. bears S. 15° 38' E. 651.65 ft.

Thence N. 45° 08' W.

Along line 1-4 Last Chance No. 1 lode.

300.36 To Southwest End Center, a substantial mound of earth and
rock, identical with the Northeast End Center, Last Chance
No. 1 lode, and the loc. mon.

600.72 To Cor. No. 2, identical with Cor. 4, Last Chance No. 1
lode of this survey, previously described, whence the loc.
mon. bears N. 45° 08' W. 70 ft.

Thence N. 32° 12' E.

1500.00 To Cor. No. 3, a 3 ft. $\frac{1}{2}$ in. pipe with a 2in. brass cap
marked U.S. MINERAL SURVEY NO. 4085-LC No. 2-3; set 20 ins. in
ground and surrounded with a substantial mound of earth and
rock, whence the loc. mon. bears N. 32° 12' E. 160 ft.

Thence S. 45° 08' E.

300.36 To Northeast End Center, a substantial mound of earth and
rock, whence the loc. mon. bears N. 48° 15' E. 190 ft.

600.72 To Cor. No. 4, a 3ft. $\frac{1}{2}$ in. pipe with a 2 in. brass cap

Feet

marked U.S. MINERAL SURVEY NO. 4085-LC No. 2-4; set 20 ins. in ground and surrounded with a substantial mound of earth and rock, whence the loc. mon. bears East 350 ft. No suitable bearings available.

Thence S. 32° 12' W.

1500.00 To Cor. No. 1 the place of beginning.

The mean magnetic variation at all corners is 15° 00' E.

Lode Lines

As near as can be determined from the present developments the veins of the locations embraced in this claim extend as follows from their discovery points:

Last Chance No. 1 lode, N. 42° 04' E. 26 ft. and S. 42° 04' W. 1474 ft.

Last Chance No. 2 lode, N. 32° 12' E. 235 ft. and S. 32° 12' W. 1265 ft.

Area

Total area Last Chance No. 1 lode, 20.661 Acres

Area in conflict with:

NW 1/4 Sec. 11, T. 2 N. R. 3 E. 4.817

Total area Last Chance No. 2 lode, 20.182 Acres

Location

This survey is located in the NW 1/4 of Section 11, and the S 1/2 of Section 2, T. 2 N. R. 3 E. Gila and Salt River Base and Meridian, Squaw Peak Mining District, Maricopa County, Arizona.

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon, or for the benefit of the locations embraced in said mining claim by the claimant or his grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

Last Chance No. 1 lode

No.1 Disc. cut 5x25x16 ft. face^{course NW}, with an incline shaft 4x5x12 ft. deep below the cut floor at the back face, with a side open cut 9x5x16 ft. face^{course NE}, from which a tunnel 4x6x20 ft. long runs NEly. A point on the center line and 10 ft. in from the mouth of the first above cut bears S. 42°04'W. 26 ft. from the NE. end center.

Value \$ 1075.00

As the tunnel of the foregoing improvement crosses the common line of the two lodes embraced in this claim, and the development was done with a view to being a common improvement, therefore each lode shares in an equal division of the total value of same.

An undivided $\frac{1}{2}$ interest in this improvement is accredited to this lode.

Value \$ 537.50

No.2 shaft 4x4x11 ft. deep bears N.73°35'W. 322 ft. from Cor.1,

Value \$ 100.00

Last Chance No.2 Lode

No.1 Disc. shaft 5x6x8 ft. deep bears S.32°12'W. 235 ft. from the NE. end center.

Value \$ 100.00

No.2 cut 4x5.5x6 ft. faces SEly, the mouth of which bears N.15°25'W. 420 ft. from Cor.1;

Value \$35.00

No.3 cut 3x6x4 ft. facing SEly. the mouth of which bears N.16°10'W. 412 ft. from Cor.1;

Value \$18.00

No.4 cut 4x9x6 ft. facing SEly. the mouth of which bears N.19°55'W. 385 ft. from Cor.1;

Value \$55.00

No.5 cut 6x17x6 ft. facing SEly. the mouth of which bears N.22°35'W. 360 ft. from Cor.1;

Value \$160.00

An undivided $\frac{1}{2}$ interest in improvement No.1 Last Chance No.1 lode of this survey is accredited to this lode.

Value \$ 537.50

Other Improvements

An open cut 6x22x7 ft. facing SWly. the NE. end^{or face} of which bears N.45°08'W. 10 ft. from NE. end center Last Chance No.1 lode.

An open cut 6x13x2 ft. facing SEly. the mouth of which bears N.19°15'W. 398 ft. from Cor.1 Last Chance No.2 lode.

Adjoining Claims

This claim lies within public domain designated as State School Land, and that portion in conflict with the NW $\frac{1}{4}$ of Section 11, T. 2 N. R. 3 E. (~~which~~) is patented land.

Instrument


This survey was made with a C.L. Berger & Sons light mountain transit.

The courses were deflected from a true meridian as determined by direct solar observations.

The distances were measured with a 660 ft. steel tape.

Report

The public land corner to which this claim is tied, is one which has been re-established by private survey and a brass cap set in rock in place, in lieu of the original $\frac{1}{4}$ mark fixed on rock in place by the GLO.


U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones,

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

D. P. Skousen,

known as the Last Chance No. 1, and Last Chance No. 2 Lodes,

and showing the respective capacities in which they acted.

Neil Byers, _____, *Chainman.*

Ivin G. Smith, _____, *Chainman.*

_____, *Acman.*

_____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, Neil Byers,

and Ivin G. Smith, do solemnly swear that we assisted _____

Harry E. Jones, _____, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of _____

D. P. Skousen,

known as the Last Chance No. 1 and Last Chance No. 2 Lodes,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at _____

Phoenix, Arizona,

Neil Byers _____, *Chainman.*
Ivin G. Smith _____, *Chainman.*

_____, *Acman.*

_____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 9th.

day of January, 1929.

Louis A. Phillip

Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Harry E. Jones, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona, dated December 13th. 1928,
I have, in strict conformity to the laws of the United States, the official regula-
tions and instructions thereunder, and the instructions of said Office Cadastral
Engineer, faithfully and correctly executed the survey of the Mining Claim of
D. P. Skousen, known as the
Last Chance No. 1 and Last Chance No. 2, lodes,
situate in Squaw Peak, Mining District,
Maricopa County, Arizona, in Sections
2 and 11, Township No. 2 North, Range No. 3 East,
and designated as Survey No. 4085, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Office Cadastral Engi-
neer with said instructions, and that all corners of said survey have been established
and perpetuated in strict accordance with the law, official regulations and instruc-
tions thereunder; and I do further solemnly swear that the foregoing are the true and
original field notes of said survey and my report therein, and that the labor expended
and improvements made upon said mining claim by claimant or his grantors,
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones,
U. S. Mineral Surveyor, before me a Notary Public in and for the County
of Maricopa, State of Arizona this 9th.
day of January, 1929,

Ralph A. Phillip
Notary Public.

My commission expires June 23rd. 1931.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

January 25, 1929

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

D. P. Skousen

known as the LAST CHANCE NO. 1 and LAST CHANCE NO. 2 lodes

situate in Squaw Peak

Mining District Maricopa County Arizona

in Section 2 & 11, Township No. 2 North, Range No. 3 East, and

designated as Survey No. 4085, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant

or his grantors,

and that said improvements consist of 6 cuts, 3 shafts and 1 tunnel,

total value \$1543.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

January 25, 1929

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of _____

D. P. Skousen

_____, known as the

LAST CHANCE NO. 1 and LAST CHANCE NO. 2 lodes

situate in Squaw Peak mining district,

Maricopa County, Arizona

in Sections 2 and 11, Township No. 2 North, Range No. 3 East

_____, designated as Survey No. 4085

executed by Harry E. Jones, U. S. Mineral

Surveyor, December 21 - 28, 1928, under my instructions dated


December 13, 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.


Office Cadastral Engineer.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 4085
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Last Chance No. 1 and No. 2 lodes, Mineral Survey No. 4085, located in sections 2 and 11, Township 2 North, Range 3 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Last Chance No. 1 and No. 2 lodes, M.S. 4085 were canceled April 13, 1999, by memo 9605 (952) M.S. 4085, which is now a part of the original field notes."

April 13, 1999
Date



Chief Cadastral Surveyor of Arizona