

MINERAL SURVEY No. 4142

WALLAPAI

ARIZONA Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

MINNIE C. BUBACH

KNOWN AS THE

Golden Treasure and Golden Treasure Fraction lodes

Wallapai Mining District,

MOHAVE County, ARIZONA

Section 13 & 18, Township 23 N., Range 18 & 17 W.

Surveyed under instructions dated January 6, 1931

By L. H. Foster U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced January 10th., 1931

Survey completed January 20th., 1931

Address of claimant Smith & Faulkner, Attys. Kingman, Arizona

DATES OF AMENDED LOCATIONS

Golden Treasure Fraction lode December 31st. 1930

GENERAL SURVEY No. 4133

Golden Treasure lode located July 1st. 1923
 Golden Treasure Fraction lode " " " "

WILLIAM C. KIRBY

KNOW AS THE

Golden Treasure and Golden Treasure Fraction lodes

located in the

ARIZONA

Section 13 & 14 Township 23 N. Range 10 E. T. 13 N.

County of Mohave, State of Arizona

By I. H. Foster

Surveyor

located in the

Golden Treasure lode

Golden Treasure Fraction lode

located in the

ARIZONA

Section 13 & 14 Township 23 N. Range 10 E. T. 13 N.

County of Mohave, State of Arizona

By I. H. Foster

Surveyor

Mineral Survey No. 4142

feet	
	Golden Treasure lode Beginning at Cor. No. 1. A granite stone, 6 by 10 ins. above ground, with a cross cut at the exact corner, marked GT- SB-I-4142-3356. A granite boulder, 2 by 3 ft. by 2 ft. above ground, marked BR-1-3356, with a cross cut for the exact point, bears N. 80° 52' E. 29.01 ft. A granite boulder, 3 by 7 ft. by 3 ft. high, marked BR-1-3356, with a cross cut for the exact point, bears S. 2° 48' W. 29.59 ft. Identical with Cors. No. 1, Sabbath Bell and Hurrah Fraction lodes, Sur. No. 3356 and with Cor. No. 1 Golden Treasure Fraction lode, this survey. The 1/4 corner, east line of section 13, T. 23 N. R. 18 W. G. & S. R. B. & M. bears N. 34° 16' W. 610.40 ft. Thence S. 41° 40' E. Intersect line 3-4, Hurrah Fraction lode, Sur. No. 3356, at N. 58° 29' W. 37.65 ft. and S. 58° 29' E. 871.07 ft. from Cors. No. 3 and 4, respectively. To Cor. No. 3, Golden Treasure Fraction lode, this survey. To Cor. No. 2, also Cor. No. 2, Sabbath Bell lode, Sur. No. 3356. A granite stone, 6 by 18 ins. by 12 ins. above ground, with a cross cut for the exact corner, marked GT-SB-2-4142-3356. A granite boulder, 5 by 8 ft. by 7 ft. high, marked BR-2-3356, with a cross cut for the exact point, bears N. 1° 40' E. 15.10 ft. A granite boulder, 3 by 5 ft. by 3 ft. high, marked BR-2-3356 with a cross cut for the exact point, bears N. 75° 30' W. 24.12 ft. Thence S. 36° 39' W.
930.72	
970.94	
1341.17	

Mineral Survey No. 4142, cont.,

feet	Golden Treasure lode, cont.,
299.10	To the south east end center stone of the location, also, the south east end center stone, Sabbath Bell lode, Sur. No. 3356.
599.30	To Cor. No. 3, also Cor. No. 3, Sabbath Bell lode, Sur. No. 3356.
	A granite stone, 4 by 12 ins. by 15 ins. above ground, with a cross cut for the exact point, marked GT-SB-3-4142-3356.
	A granite boulder, 2 by 4 ft. by 1½ ft. above ground, marked BR-3-3356 with a cross-cut for the exact point, bears N. 44° 12' W. 31.52 ft.
	A granite boulder, 6 by 3 ft. by 2 ft. above ground, marked BR-3-3356 with a cross cut for the exact point, bears S. 83° 20' W. 39.71 ft.
	Thence N. 42° 05' W.
1422.81	To Cor. No. 4, also Cor. No. 4, Sabbath Bell lode, Sur. No. 3356.
	A granite stone, 5 by 9 ins. by 15 ins. above ground, with a cross cut for the exact corner, marked GT-SB-4-4142-3356.
	A granite boulder, 6 by 8 ft. by 6 ft. above ground, marked BR-4-3356 with a cross cut for the exact point, bears N. 57° 15' W. 58.90 ft.
	Thence N. 36° 39' E.
306.17	To Cor. No. 5, also the north west end center of the location and Cor. No. 5 and the north west end center of the Sabbath Bell lode, Sur. No. 3356.
	A granite stone, 7 by 10 ins. by 15 ins. above ground, with a cross cut for the exact corner, marked GT-SB-5-4142-3356.
	Thence N. 52° 38' E.
298.41	To Cor. No. 1, the place of beginning. All corners are identical with the location and with like numbered corners of the Sabbath Bell lode, Sur. No. 3356.

Mineral Survey No. 4142. cont.,

feet Golden Treasure lode cont.,

Variation, all corners, 15° 30' East.

* * * * *

Golden Treasure Fraction lode.

Beginning at Cor. No. -1.

A granite stone, previously described, marked GTF-HF-1-4142-3356,

Identical with Cor. No. 1, Sabbath Bell and Hurrah Fraction lodes, Sur. No. 3356 and with Cor. No. 1, Golden Treasure lode, this survey.

The 1/4 corner, east line of section 13, T. 23 N. R. 18 W. G. & S. R. B. & M. bears N. 134° - 16' W. 610.40 ft.

Thence S. 59° 08' 30" E.

907.98 To Cor. No. 2, also Cor. No. 2, Hurrah Fraction lode, Sur. No. 3356.

A granite stone, 60 by 10 ins. by 12 ins. above ground, with a cross cut for the exact corner, marked GTF-HF-2-4142-3356.

A granite boulder, 4 by 4 ft. by 2 ft. above ground, marked BR-2-3356 with a cross cut for the exact point, bears S. 85° 35' W. 13.65 ft.

A granite boulder, 4 by 4 ft. by 1 1/2 ft. above ground, marked BR-2-3356 with a cross cut for the exact point, bears S. 17° 51' W. 18.60 ft.

100.00 Thence S. 27° 18' W. To the south east end center monument of the location.

135.00 To the south east end center, Hurrah Fraction lode, Sur. No. 3356.

280.40 To Cor. No. 3, Hurrah Fraction lode, Sur. No. 3356.

292.07 To Cor. No. 3.

A granite stone, 6 by 8 ins. by 24 ins. long, set 12 ins. in the ground, in a mound of earth and stone, marked GTF-3-4142, with a cross cut for the exact corner.

Mineral Survey No. 4142, cont.,

feet

Golden Treasure Fraction lode, cont.,

On line I-2, Golden Treasure lode, this survey, at S. 41° 40' E. 970.94 ft. from Cor. No. I.

A granite boulder, 3 by 4½ ft. by 18 ins. above ground, marked BR-3-3356 with a cross cut for the exact point, bears N. 13° 58' W. 18.89 ft.

Thence N. 57° 45' W.

909.64 To Cor. No. 4, also Cor. No. 4, Hurrah Fraction lode, Sur. No. 3356.

A granite stone, 6 by 12 ins. by 15 ins. above ground, with a cross cut for the exact corner, marked GTF-HF-4-4142-3356.

A granite boulder, 10 by 10 ft. by 5 ft. above ground, marked BR-4-3356 with a cross cut for the exact point, bears N. 67° 45' E. 3.68 ft.

Cor. No. 3, Hurrah Fraction lode, Sur. No. 3356 bears S. 58° 29' E. 908.72 ft.

Thence N. 27° 18' E.

130.00 To the north west end center of the Hurrah Fraction lode, Sur. No. 3356.

170.00 To the north west end center monument of the location.

270.00 To Cor. No. I, the place of beginning.

All corners are identical with the location, and with the exception of Cor. No. 3, with like numbered corners of Hurrah Fraction lode, Sur. No. 3356.

Variation, all corners, 15° 30' East.

* * * * *

Location

This survey is located in the Wallapai Mining District, in the S. W. quarter of section 18 T. 23 N. R. 17 W. and the S. E. quarter of section 13, T. 23 N. R. 18 W. G. & S. R. B. & M. in Mohave County, Arizona, about one mile north east of the town of Mineral Park.

Mineral Survey No. 4142, cont.,

LODE LINES.

As near as can be determined from present development the lode lines of the two claims of this survey, extend from their respective discovery points, as follows:-

Golden Treasure lode.

N. 41° 49' 30" W. 674.17 ft. and S. 41° 49' 30" E. 750 ft. from the discovery cut.

Golden Treasure Fraction lode.

N. 59° 08' 30" W. 560 ft. and S. 59° 08' 30" E. 347.98 ft. from the discovery cut.

* * * * *

Areas

	acres	acres
Golden Treasure lode-----	19.084	
Area in conflict with Sabbath Bell lode, Sur. No. 3356 -----		19.084
Area in conflict with Golden Treasure Fraction lode, this survey -----		2.809
Area in conflict with Hurrah Fraction lode, Sur. No. 3356 -----		2.692
Golden Treasure Fraction lode 5.847		
Area in conflict with Hurrah Fraction lode, Sur. No. 3356 -----		5.726
Area in conflict with Golden Treasure lode, this survey -----		2.809

* * * * *

Five Hundred Dollar Expenditure

I hereby certify that the value of the labor and improvements, made upon or for the benefit of each claim of this survey, by the Claimant or her Grantor, is not less than Five Hundred Dollars and that said improvements consist of the following.

Golden Treasure lode.

No. 1:- The discovery cut, 4 ft. wide, 8 ft. face, extends S. 42° E. 12 ft. to its mouth. Center of face is on the lode line at 750 ft. from the south east end center. Value ----- \$35.00

Mineral Survey No. 4142, cont.,

Improvements, cont.,

No. 2:- A shaft, 5 by 7 ft. by 50 ft. deep. Center of shaft bears S. 58° 30' E. 740.00 ft. from Cor. No. 4.

Value \$1000.00 1/2 interest ----- \$500.00

No. 3:- An open cut, 4 ft. wide, 9 ft. face, extends S. 30° E. 30 ft. to mouth. From the face, a 4 by 6 ft. tunnel, runs N. 30° W. 10 ft, Center of face of cut bears S. 53° 15' E. 750 ft. from Cor. No. 4.

Value ----- \$150.00

No. 4:- An open cut, 4 ft. wide, 9 ft. face, extends N. 15° W. 27 ft. to mouth. From face, a 4 by 6 ft. tunnel runs S. 15° E. 47 ft. Center of face of cut bears N. 32° W. 428 ft. from Cor. No. 3.

Value ----- \$500.00

Golden Treasure Fraction lode.

No. 1:- The discovery cut, 5 ft. wide, 9 ft. face, S. 25° E. 20 ft. to mouth. Center of face is on the lode line at 347.98 ft. from the south east end center.

Value ----- \$50.00

No. 2:- A shaft, 10 by 10 ft. by 8 ft. deep. center of shaft bears N. 49° W. 355 ft. from Cor. No. 3.

Value ----- \$90.00

1/2 interest in Improvement No. 2, Golden Treasure lode, this survey ----- \$500.00

Other Improvements.

Golden Treasure lode.

A house, 12 by 24 ft. Course of long side is S. 42° E. The south west corner bears S. 72° E. 390 ft. from Cor. No. 4.

An engine house, 12 by 12 ft. S. 42° E.

The south west corner bears S. 64° 35' E. 685 ft. from Cor. No. 4.

A deep shaft, 5 by 7 ft. On the lode line at 720 ft. from the south east end center.

Mineral Survey No. 4142, cont.,

Conflicting Reports

The side and end lines and all other lines were measured directly on the ground.

Improvement No. 2, Golden Treasure lode, is a shaft, 5 by 7 ft. by 50 ft. deep and it is the intention of the claimant to sink this shaft to a depth sufficient to cross cut and drift on the veins of the two claims of this survey. As a common improvement, the value of \$1000.00 is divided equally between the two claims, or \$500.00 to each.

The 1/4 corner on the east line of section 13, T. 23 N. R. 18 W. G. & S. R. B. & M. tied to in this survey is a one inch iron pipe, properly set and marked.

I find Sur. No. 3356 in error in some courses and distances and error in ties to bearing rocks.

Improvements No. 2, 4 & 5, Sabbath Bell lode, Sur. No. 3356 were small shafts at the time of its survey and are now caved or covered up so that there is nothing to measure. The building shown on plat of above claim is now decayed so it can not be listed as an improvement.

Improvement No. 1, Hurrah Fraction lode, has been converted into a cut and used as the discovery work for the Golden Treasure Fraction lode, this survey.

Instrument and Meridian

This survey was made with a 100 and 300 ft. steel tape and with a C.L. Berger & Sons' Mining transit.

Meridian was determined by direct observation on the Sun.

Adjoining and Conflicting Claims

This survey is joined on all sides by Public Domain.

The Golden Treasure lode conflicts in its entirety with the Sabbath Bell lode, Sur. No. 3356 and the Golden Treasure Fraction lode conflicts with the

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by L. H. Foster
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Minnie C. Bubach
 known as the Golden Treasure and Golden Treasure Fraction lodes
 and showing the respective capacities in which they acted.

- Martin T. Alger _____, Chainman.
- XXXXXXXXXXXXXXXXXXXX _____, Chainman.
- XXXXXXXXXXXXXXXXXXXX _____, Axman.
- XXXXXXXXXXXXXXXXXXXX _____, Flagman.

FINAL OATHS OF ASSISTANTS

~~XXX~~ I, Martin T. Alger
 and XXXXXXXXXXXX, do solemnly swear that ~~we~~ assisted
L. H. Foster, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Minnie C. Bubach
 known as the Golden Treasure and Golden Treasure Fraction lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

- Martin T. Alger _____, Chainman.
- _____ _____, Chainman.
- _____ _____, Axman.
- _____ _____, Flagman

Subscribed and sworn to by the above-named persons before me this 21st

day of January, 1921

Mary E. Jarrett
Harry R. ...

Com. Ref. No 20-1931
Nov.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, L. H. Foster, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated January 6 1931. I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Minnie C. Bubach, known as the Golden Treasure and Golden Treasure Fraction lodes, situate in Wallapai Mining District, Mohave County, Arizona, in Section 13 & 18, Township No. 23 N., Range No. 18 & 17 W. G. & S. R. B. & M., and designated as Survey No. 4142, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

L. H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said L. H. Foster
U. S. Mineral Surveyor, before me Mary E. Carrow
Notary Public this 21st
day of January, 1931

Mary E. Carrow
Notary Public

GOVERNMENT PRINTING OFFICE

Cover up
Nov 20 - 1931
Nov.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona.

March 13, 1931

I, Office Cadastral Engineer, at Phoenix, Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Minnie C. Bubach

known as the GOLDEN TREASURE and GOLDEN TREASURE FRACTION lodes

situate in Wallapai

Mining District Mohave County Arizona

in Section 13 18, Township No. 23 N. 23 S., Range No. 18 W. and 17 W., and

designated as Survey No. 4142, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or her grantors, and that said improvements consist of 2 shafts, 4 cuts and 2 tunnels, total value \$1825.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

John D. Adams

Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,
March 13, 1931

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

Minnie C. Rubach

_____, known as the

GOLDEN TREASURE and GOLDEN TREASURE FRACTION lodes

situate in Wallapai mining district,

Mohave County, Arizona,

in Sections 13
18, Township No. 23 N., Range No. 18 W., and
23 N., Range No. 17 W.

_____, designated as Survey No. 4142

executed by L. H. Foster, U. S. Mineral

Surveyor, January 10 - 20, 1931, under my instructions dated


January 6, 1931, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.


Office Cadastral Engineer.