

18/6/32 F.

MINERAL SURVEY No. 4159

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Oceanic Gold Mining Company

KNOWN AS THE

OVERSIGHT lode

Arivaca Mining District,

Pima County, Arizona

Section 34, Township 21 S., R. 9 E., Range 9 E., G. & S. R. M.

Surveyed under instructions dated July 27, 1932

By [Signature] U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced July 30, 1932, 19

Survey completed July 31, 1932, 19

Address of claimant Francis M. Hartman, Box 710, Tucson, Ariz. Attorney for claimant.

DATES OF AMENDED LOCATIONS

[Empty lines for amended locations]

Feet.

MINERAL SURVEY NO. 4159

Mineral survey No. 4159 was made with a Gurley mountain transit with horizontal limb 6.5 ins. diam, having two opposite verniers and full vertical circle, 5 ins. diam. having one double vernier, the verniers read to one minute of arc.

The instrument was in good condition at the time of the survey and all adjustments were in good order. An AM altitude observation for azimuth and at noon on the meridian for latitude and time were made at a corner of the survey, the details of which observations are shown in the calculation sheets herewith submitted for examination.

All azimuths in this record are referred to the true meridian, by the method of deflection angles, and calculated courses.

The lines were measured with a Lufkin steel tape, 500 ft. in length graduated every foot, with the first and last foot graduations to tenths and hundredths.

The tape was correct at the time of the survey. All lines and connections of this survey were run directly upon the ground.

The magnetic variation observed at each corner gave a uniform value of 13°30'E.

OVERSIGHT lode.

Beginning at Cor. No. 1 of the Oversight lode, identical with Loc. Mon. on the section line bet. Secs. 33-34 T.21 S., R.9 E., G. & S.R.M.

where I- Set an iron pipe 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md of stone, stamped 1,0 - 4159 ; from which the Cor. to Secs. 27, 28, 33 and 34 T.21 S., R.9 E. brs. N.0°21'W, 496.6 ft. dist.

A mesquite tree 14 ins. diam. brs. N.21°30'W, 5.0 ft. dist., blazed and scribed 1-4159 B.T.

No other bearings are available.

Thence N. 89°39'E.

- 40.0 Gulch brs. northwesterly.
- 260.0 Road brs. northwesterly.
- 300.0 To N. end center, identical with Loc. Mon.

Feet.	MINERAL SURVEY NO. 4159 OVERSIGHT LODE.	Feet
	A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone, scribed N. Cr. 01	
600.00	To Cor. No.2, identical with loc. Mon. Where I-	
	Set an iron pipe 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2, 0 - 4159 and surrounded with md of stone .	
	Cor. No.2, Sur. No.3685 Democrat lode, claimant herein, brs.N.34°108E 1254.3 ft.	
	No other bearings are available. Thence S. 0°21'E.,	
360.00	Road brs. southeasterly.	
1310.00	Enter sand wash.	
1410.00	Leave sand wash.	
1500.00	To Cor. No.3, identical with Loc. Mon. Where I-	
	Set an iron pipe 2 ins. diam, with cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3, 0- 4159 and surrounded with md of stone.	
	No bearings are available. Thence S. 89°39'W.	
300.00	To S. end center, identical with Loc. Mon.	
	A mesquite post 3 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone, scribed S. Cr. 0.	
600.00	To Cor. No.4, identical with loc. Mon. on the Section line bet. Secs. 33 and 34 , T.21S., R. 9 E. from which the Cor. to Secs. 33 and 34 on the Tp line bet. Tps. 21 and 22 S., R. 9 E. brs. S. 0°21' E., 3380.7 ft. dist.	
	A mesquite tree 6 ins. diam. brs. N. 55°30'E., 6.2 ft., blazed and scribed 4 - 4159 B T.	
	No other bearings are available. Thence N. 0°21'W.,	
75.00	Enter sand wash.	
230.00	Leave sand wash.	
550.00	Ruins of adobe house.	
800.00	Gulch brs. westerly.	

Omission
See Supplemental
Sheet

Feet.

MINERAL SURVEY NO. 4159
OVERSIGHT lode.

980.00 Old road brs. northwesterly.

1500.00 To Cor. No.1, the place of beginning.

LODE LINE

The presumed course of the vein of the location embraced in this survey, counted from its discovery, is as follows.

N.0°21'W., 560 ft. and 940. ft. S.0°21'E.,

AREA.

Total area, Oversight lode ----- Acres. 20.661

LOCATION.

This survey is located in the W 1/2 of the N.W. 1/4 Sec. 34,

T.21 S., R. 9 E. G. & S. R. M.

EXPENDITURE OF \$500

I certify that the value of the labor and improvements made upon or for the benefit of the lode location embraced in said mining claim, by the claimant or its grantors is not less than \$500 and that said improvements consist of.

No.1 The discovery point, on the center line, 560 ft. from the center of line 1-2. A md of stone on cropping.
No Value.

No.2 A shaft, the center of which brs. from Cor. No.1, S.26°15'E, 630. ft. 4 x 6 ft. 10 ft. deep.
Value \$100

No.3 A shaft, the center of which brs. from Cor. No.1, S.40°E., 550. ft. 4 x 6 ft. 10 ft. deep.
Value \$100.

No.4 A shaft, the center of which brs. from Cor. No.1 S.17°30'E., 860 ft. 4 x 6 ft. 4 ft. deep (caved)
Value \$40.00

No.5 A shaft, the center of which brs. from Cor. No.1 S.16°30'E., 845 ft., 4 x 6 ft. 10 ft. deep.
Value \$100.

No.6 A shaft, the center of which brs. from Cor. No.1 S.15°45'E., 850.0 ft. 4 x 6 ft. 4 ft. deep (caved)
Value \$40.00

No.7 A shaft, the center of which brs. from Cor. No.4 N.42°30'E., 340.0

MINERAL SURVEY NO. 4159
EXPENDITURE OF \$500

ft. 4 x 6 ft. 10 ft. deep. Value \$100.0

No. 8 A shaft, the center of which brs. from Cor. No. 4 N. 85° 40' E., 168 ft. 4 x 6 ft. 10 ft. deep. Value \$100.0

OTHER CORNER DESCRIPTIONS.

Cor. No. 2, Sur. No. 3685 Democrat Lode, consists of an iron post 1 in. diam. with brass cap, stamped with the number of the corner and the survey.

Adjoining Claims.

There are no adjoining or conflicting claims known.

MERIDIAN OBSERVATION FOR TIME AND LATITUDE.

Sunday, July 31, 1932 in approx. Lat. 31° 40' and Lon. 111° 19'

Setting	90°
φ (-)	31° 40' 36.7"
δ (+)	18° 11' 24.7"
γ	76° 30' 48"

Position of telescope: Position of sun; watch time; Observed Ver. Ang.

Direct	11h 59m	76° 22'
Reversed	12h 01m	76° 40'
Mean	12h 00m	76° 31'
Refraction		- 14"
Parallax		+ 2"
		76° 30' 48"

$$\delta = 18^{\circ} 11' 24.7''$$

$$\phi = 90^{\circ} + \delta - h = 108^{\circ} 11' 24.7''$$

$$76^{\circ} 30' 48''$$

$$31^{\circ} 40' 36.7'' = \phi$$

Watch time of apparent noon	12h 00m 00s.
Apparent noon	12h 00m 00s.
Equation of time	06 12.7
Local mean time of apparent noon	12h 06m 13s.
Watch slow of local mean time	6m 13s.

OATH OF ASSISTANT.

There being no Notary Public available within long distance I proceeded to administer the necessary oath.

Equation of time is
See Ephemeris.

m. 12.7s

MINERAL SURVEY No.4159

Oversight Lode.

SUPPLEMENTAL SHEET

Presenting a complete description of Corner No.4 of the Oversight lode claim, to correct error of omission in the foregoing field notes. The portion of the said cor. description omitted is underlined on this supplemental sheet.

600.00 To Cor. No.4, identical with Loc. Mon. on the Section line bet. Secs. 33 and 34, T.21 S.,R.9 E.,

where I

set an iron pipe, 2 ins. diam., with cap on top, 24 ins. above ground, set 18 ins. in the ground and surrounded with md. of stone, stamped 4 0 -4159

from which

the Cor. to Secs. 33 and 34 on the Tp. line bet. Tps. 21 and 22 S., R.9 E. brs. S.0°21'E.,3380.7 ft. dist.

A mesquite tree, 6 ins. diam., brs. N.55°30'E., 6.2 ft., blazed and scribed 4 - 4159 B T

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Oceanic Gold Mining Company

known as the OVERSIGHT lode

and showing the respective capacities in which they acted.

Dan B. Geming, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS

~~We~~, I Dan B. Geming

~~and~~, do solemnly swear that ~~we~~ ^I assisted

T.N. Stevens, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Oceanic Gold Mining Company

known as the OVERSIGHT lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the Office Cadastral Engineer, at Phoenix, Ariz.

Dan B. Geming, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 1st

day of August, 1932

T.N. Stevens

Mineral Surveyor

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stevens, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Ariz., dated July 27, 1932, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of Oceanic Gold Mining Co., known as the OVERSIGHT lode, situate in Arivaca Mining District, Pima County, Arizona, in Section 34, Township No. 21-S., Range No. 9-E. G. & S. R. M., and designated as Survey No. 4159, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

T.N. Stevens
U. S. Mineral Surveyor.

Subscribed and sworn to by the said T.N. Stevens, U. S. Mineral Surveyor, before me Tom Richey, a Notary Public this 5th day of August, 1932.

Tom Richey
Notary Public

My Commission Expires Jan 30, 1934

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona

August 13, 1932

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Oceanic Gold Mining Company

known as the OVERSIGHT lode

situate in Arivaca

Mining District Pima County Arizona

in Section 34, Township No. 21 S., Range No. 9 E., G. & S. R. M., and

designated as Survey No. 4159, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or its grantors,

and that said improvements consist of

7 shafts Total value \$580.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams
Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR PUBLIC SURVEY OFFICE

At Phoenix, Arizona

August 13, 1932

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Oceanic Gold Mining Company

, known as the

Oversight lode

situate in Arivaca mining district,

Pima County, Arizona

in Section 34, Township No. 21 S., Range No. 9 E.

, designated as Survey No. 4159

executed by T. N. Stevens, U. S. Mineral

Surveyor, July 30 - 31, 1932, under my instructions dated

July 27, 1932, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

John D. Adams Office Cadastral Engineer.