

11/27/42
17 added

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 4265.

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

F. N. Bard

Known As The

RINCON lode

Tip Top Mining District,

Yavapai County, Arizona.

Section 8, Township 8 N, Range 1 E.

Surveyed under instructions dated September 18, 1942.

by Harlow D. Phelps,
Mineral Surveyor.

Claim located May 12, 1936.

Survey commenced Sept. 23, 1942.

Survey completed Sept. 25, 1942.

Address of claimant's Attys; Moeur & Moeur, Phoenix, Ariz.

DATES OF AMENDED LOCATIONS

MINERAL SURVEY NO. 4265,

Feet

Mineral Survey No. 4265 was made with a Gurley Precise Transit No. 241014, model No. 92, with horizontal limb 5.65 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc. Extra eye piece equipped with color glass was used for making direct observation upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order. An a.m. altitude observation of the sun for azimuth and at noon, on the meridian, for latitude and time, were made at the corner of survey No. 4265, the details of which observations are shown in the calculated sheets submitted for examination with these field notes.

All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot for the entire length, each end foot being graduated to tenths and hundredths; the tape was compared with a Lufkin standard at a time before the beginning of the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of the survey gave a uniform value of $14^{\circ} 45' E.$

RINCON LODGE

Beginning at Cor. No. 1 of the Rincon lode, where I -

Cut a cross on a permanent, granite outcropping rock, 12 ins. wide, 14 ins. long and 13 ins. high, for Cor. No. 1 mkd. X R-1-4265; from which

The cor. of Secs. 4, 5, 8 and 9, T. 8 N., R. 1 E., G. & S. R. ~~B. & M.~~, bears $N. 33^{\circ} 09' E.$, 828.3 ft. dist.; an iron post, 2 ins. diam., 12 ins. above ground, with mound of stone, firmly set, marked on brass cap and as described in the official records.

A corner of the location bears $N. 10^{\circ} E.$, 3.0 ft. dist.

A cone-shaped granite outcropping rock, 24 ins. high, 18 ins. diam. at base, bears $N. 73^{\circ} 10' E.$, 2.3 ft. dist., mkd. X BR R-1-4265.

Thence $N. 80^{\circ} 26' W.$

100.0 Center line of wash, 15 ft. wide, course $S. 10^{\circ} W.$

300. Intersect the lode line at
the north end center, being a point from which

The north end center of the location bears $N. 10^{\circ} E.$ 2 ft. dist. being a monument of stone, 3 ft. high, 3 ft. base.

600. Cor. No. 2

Set a galvanized iron post 3 ft. long, 1 in. diam., 22 ins. in ground to solid rock and in mound of stone to top, for Cor. No. 2, with brass surfaced iron cap, mkd. U. S. Min. Sur. X R-2-4265.

MINERAL SURVEY NO. 4265, ARIZONA

Feet	A corner of the location bears N. 50° W. 5 ft. dist. The east face of an outcropping mica schist ledge, 2 ft. high, bears S. 72° W., 11.7 ft. dist., mkd. X BR R-2-4265. THENCE S. 9° 34' W.
400.	Road, to Tip Top Mine and Little Joe Mine, bears S. 50° E. and N. 50° W.
700	Center line of wash, 10 ft. wide, course S. 50° E.
1456.6	Cor. No. 3 Set a galvanized iron post 3 ft. long, 1 in. diam., 12 ins. in ground to solid rock and in mound of stone to top, for Cor. No. 3, with brass surfaced iron cap, mkd. U. S. Min. Sur. X R-3-4265. A corner of the location bears S. 16° W., 33 ft. dist. The south face of a vertical granite face 4 ft. high and 15 ft. long, bears S. 17° 06' E., 26.8 ft. dist., mkd. X BR R-3-4265. Thence S. 80° 26' E.
300	Intersect the lode line at /the south end center, being a point, from which The south end center of the location bears S. 10° W., 17 ft. dist.
600.	Cor. No. 4 Set a galvanized iron post 3 ft. long, 1 in. diam., 18 ins. in ground and in mound of stone to top, for Cor. No. 4, with brass cap mkd. U. S. Min. Sur. X R-4-4265. A corner of the location, bears S. 80° E., 4 ft. dist. The west face of a quartz porphyry ledge, 6 ft. high, 100 ft. or more long, bears S. 58° E., 18.1 ft. dist., mkd. X BR R-4-4265. Thence N. 9° 34' E.
950.	Center line of wash, 20 ft. wide, course S. 70° E.
1020	Road, to Tip Top Mine, and Little Joe Mine, bears S. 55° E. and N. 55° W.
1456.6	Cor. No. 1, and place of beginning. LODE LINE: The presumed course of the vein of the lode location of this survey counting from the point of discovery, is as follows: Rincon lode, N. 9° 34' E., 706.6 ft.; and S. 9° 34' W., 750 ft.
	AREA
	Total area, Rincon lode - - - - - Acres 20.063

MINERAL SURVEY No. 4265, ARIZONA

LOCATION

This survey is located in the NE quarter of Sec. 8, T. 8 N., R. 1 E., G. & S. R. ~~S. & M.~~, Arizona.

EXPENDITURE of \$500.

I certify that the value of the labor and improvements made upon or for the benefit of the lode location embraced in said mining claim by the claimant or its grantors is not less than \$500., and that said improvements consist of :

No. 1 The discovery of the Rincon lode, being a point on the presumed course of the vein, S. $9^{\circ} 34'$ W., 706.6 ft. from the north end center and marked by a post 4 x 4 in., 4 ft. high.

No. 2 A tunnel, 4 x 7 ft. in size, the portal of which bears N. 80° W., 25 ft. from the No. 1 discovery point, Rincon lode, and runs N. 10° W., 7 ft., thence, N. 30° E. 28 ft. to face; timbered.

Value \$525.00

OTHER IMPROVEMENTS

An old cut, caved so that no measurement could be taken, bears S. $9^{\circ} 34'$ E., 100 ft. from the north end center, Rincon lode.

Claimant unknown.

A frame house, the N. W. Cor. of which bears N. 85° E., 95 ft. from No. 1 discovery point, Rincon lode, 14 x 26 ft., the long side of which bears, N. 65° E.

Claimant herein.

A small spring bears approximately S. 54° W. 115 ft. from the discovery point. From this spring a pipe line extends easterly down the gulch to a small covered reservoir, water from which is used for household purposes.

ADJOINING CLAIMS.

This claim is joined on the northeast and conflicts with the Coin lode, unsurveyed, claimant unknown.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Harlow D. Phelps

Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of F. N. Bard

known as the Rincon lode

and showing the respective capacities in which they acted.

Floyd Grain, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS

We, Floyd Grain

and _____, do solemnly swear that we assisted _____

Harlow D. Phelps, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of F. N. Bard

known as the Rincon lode,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

Floyd Grain, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of October, 19 42

My commission expires 2/20/46
W. J. Green
Notary Public

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATH OF MINERAL SURVEYOR

I, Harlow D. Phelps, Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona., dated September 18, 1942.,
I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of _____
F. N. Bard, known as the
RINCON lode _____,
situate in Tip Top Mining District,
Yavapai County, Arizona., in Section
8, Township No. 8 N., Range No. 1 E.
and designated as Survey No. 4265, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of
the location certificate, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimant or his
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been included
in the estimate of expenditures upon any other claim.

Harlow D. Phelps
(Mineral Surveyor)

Subscribed and sworn to by the said Harlow D. Phelps
Mineral Surveyor, before me Florence Ainsworth,

this 13th
day of October, 1942

Florence Ainsworth
Notary Public

My Commission Expires October 15, 1944.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

United States
Department of the Interior
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

January 14, 1943

I, Office Cadastral Engineer at Phoenix, Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of

F. N. Bard

known as the RINGON lode

situate in Tip Top

Mining District Yavapai County Arizona

in Section 8, Township No. 3 N., Range No. 1 E., and

designated as Survey No. 4265, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements
made upon, or for the benefit of, each location embraced in said mining claim by claimant
or his grantors,
and that said improvements consist of 1 tunnel, value \$525.00

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the District Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

E. A. Thompson
Acting Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

January 14, 1943

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____

F. N. Bard

_____, known as the

RINCON lode

situate in _____ Tip Top _____ mining district,

Yavapai County, _____ Arizona

in Section 8, Township No. 8 N., Range No. 1 E.

_____, designated as Survey No. 4265

executed by Harlow D. Phelps, Mineral

Surveyor, Sept. 23 - 25, 1942, under my instructions dated

Sept. 18, 1942, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

E. A. Thompson
Acting Office Cadastral Engineer.