

UNITED STATES
DEPARTMENT OF THE INTERIOR
~~GENERAL LAND OFFICE~~
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4304

ARIZONA Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

W.D. Merrill

Known As The

Onest Deal, Gold Bar and Arizona Placers, and Diagonal Lode

Weaver Mining District,

Yavapai County, Arizona

Section 6, Township 9 N., Range 4 W., G. & S. R. M.

Surveyed under instructions dated July 29th, 1946.

by Richard L. Merritt
Mineral Surveyor.

Claim located January 1, 1916, May 17, 1933,
October 17, 1899 and February 15, 1898,
respectively

Survey commenced August 15th, 1946

Survey completed September 30th, 1946

Address of claimant 2850 Griffin Ave., Los Angeles, Cal.

DATES OF AMENDED LOCATIONS

Gold Bar Placer, July 6, 1946

Arizona Placer, May 28, 1917

Diagonal Lode, May 28, 1917

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
BUREAU OF LAND MANAGEMENT

TIPPERAL SURVEY NO. 4304

STATE OF _____

FIELD NOTES

ON THE SURVEY OF THE MINERAL CLAIM OF

W. D. BERTH

KNOWN AS THE

Great Bend, Gold Hill and Wilson Bluffs, and Mineral Lots

_____ County, _____

Section _____ Township _____ Range _____

Surveyed under restrictions dated July 28, 1917

by _____
Mineral Surveyor

January 1, 1918, May 2, 1917
and October 11, 1917 and February 15, 1918,
respectively

Survey conducted _____

Survey conducted _____

Office of Assistant Surveyor, Los Angeles, Cal.

DATE OF MINED LOCATIONS

_____ July 2, 1916

_____ May 25, 1917

_____ May 28, 1917

Survey No. 4304

1.

Feet

Mineral Survey No. 4304 was made with a Lietz Transit No. 10256, model No. 11-E, with horizontal limb 5 ins. diam., having two double opposite verniers, and full vertical circle 4 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eyepiece with colored glass shade was attached to the eyepiece of the transit for the solar observations. The instrument was in good condition at the time of the survey and all adjustments were in good order. An a.m. altitude observation of the sun for azimuth, and at noon on the meridian for time and latitude, were made, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 500 feet in length, graduated every foot, the first foot being graduated to tenths and hundredths.

All lines and connections of this survey were run by direct methods.

The magnetic variation observed at each corner of this survey gave a uniform value of 15° E.

ARIZONA PLACER.

Beginning at Cor. No. 1 of the Arizona Placer, where I-

Set a granite rock, 8x8x32 ins., 18 ins. in the ground, on line 4-1, Sur. No. 3853, New Weaver Placer, mkd. 1.A.P.-4304; from which

The one-quarter sec. cor. of secs. 5 and 6, T. 9 N., R. 4 W., G. and S.R.M., bears N. 30° 03' 20" E., 1114.62 ft. dist.; an iron post, 1 in. in diam., with a brass cap mkd. $\frac{1}{4}$ S5 S6.

Cor. No. 4, Sur. No. 3853, New Weaver Placer, bears S. 58° 10' E., 76.1 ft. dist.

A granite rock in place, 2x1 $\frac{1}{2}$ x $\frac{1}{2}$ ft. above the ground, bears S. 30° 51' W., 7 ft. dist., mkd. B.x R., 1.A.P.-4304.

A granite rock in place, 2x2x $\frac{1}{2}$ ft. above the ground, bears N. 83° 50' W., 5.73 ft. dist., mkd. B.x R., 1.A.P.-4304.

A corner of the location, a mound of stones, 3 ft. base by 3 ft. high, bears N. 11° 30' E., 164.05 ft. dist.

Thence S. 11° 30' W.

431.95 ✓ Cor. No. 2, which is identical with the location cor.

Set a granite rock, 8x10x26 ins., 16 ins. in the ground, mkd. X.2.A.P., 3.D., -4304, with a mound of stones, 3 ft. base by 3 ft. high, rebuilt alongside; from which

A granite rock in place 2x3x1 ft. above the ground, bears N. 24° 20' E., 6.25 ft. dist., mkd. B.x R., A.P. 2., 3.D.-4304.

Thence S. 87° 51' W.

615 ✓ Center of road bears N. 38° 30' E., and S. 38° 30' W.

1463.3 ✓ Cor. No. 3, which is identical with a cor. of the location.

2.

Survey No. 4304

Feet

On line 2-3, Onest Deal Placer, of this survey.

A schist stone in place 18x16x6 ins. above the ground, mkd. X.3.A.P., 2.D.-4304, with a mound of stones, 3 ft. base by 3 ft. high, rebuilt alongside; from which

A granite rock in place 3x6x3 ft. above the ground, bears S.49° 15' E., 115.8 ft. dist., mkd. B.x R., A.P. 3., D.2.-4304.

Thence N. 11° 30' E.

25 ✓ Bank of Weaver Creek, course S. 45° W.

373 ✓ Bank of Weaver Creek, course S. 41° W.

555.97 ✓ Cor. No. 2, Onest Deal Placer of this survey.

596.0 ✓ Cor. No. 4, which is identical with a cor. of the location.

Set a granite rock 8x12x30 ins., 18 ins. in the ground, mkd. X. A. P. 4-4304, with a mound of stones, 3 ft. base by 3 ft. high rebuilt alongside; from which

A granite rock in place 3x4x2 ft. above the ground, bears S. 66° 18' W., 10.05 ft. dist., mkd. B.x R., A.P. 4.-4304.

A granite rock in place 2x3x½ ft. above the ground, bears N. 9° 05' E., 11.95 ft. dist., mkd. B.x R., 4.-4304.

Thence N. 87° 51' E.

90 Bank of Weaver Creek, course S. 23° 00' W.

265.35 ✓ Cor. No. 5.

On line 4-1, Survey No. 3853, Coyote Placer.

Set a diorite rock 8x10x26 ins., 16 ins. in the ground, mkd. X.A.P.5.-4304, with a mound of stones, 3 ft. base by 3 ft. high rebuilt alongside; from which

Cor. No. 1, Survey No. 3853, Coyote Placer, bears N. 56° 22' W., 84.7 ft. dist.

No bearings available.

Thence S. 56° 22' E.

168 Bank of Weaver Creek, course S. 34° W.

435.0 ✓ Cor. No. 6, which is identical with Cor. No. 4, Survey No. 3853, Coyote Placer.

A granite rock in place 16x16x2 ins. above the ground, mkd. X.6.A.P.-4304, and 4.C.P.-3853, with a mound of stones, 3 ft. base by 3 ft. high alongside; from which

A granite rock in place 4x5x3 ft. above the ground, bears S.11° 10' E., 19.1 ft., mkd. B.x R., A.P. 6.-4304 and C.P. 4.-3853.

A granite rock in place 4x4x3 ft. above the ground, bears S. 27° W., 15.6 ft. dist., mkd. B.x R., A.P. 6.,-4304, and C.P. 4., 3853.

Survey No. 4304

3.

Feet	
	Thence N. 39° 09' E.
338.57	Cor. No. 7.
	On line 3-4, Survey No. 3853, Coyote Placer.
	Set a granite rock, 10x12x26 ins., 16 ins. in the ground, mkd. X.A.P.7-4304, with a mound of stones, 3 ft. high by 3 ft. base alongside; from which
	A granite rock in place 2x3x½ ft. above the ground, bears N. 71° 53' W., 11.95 ft. dist., mkd. B.x R., A.P.7-4304.
	A granite rock 2x2x½ ft. above the ground, bears S. 17° 40' W., 8.2 ft. dist., mkd. B.x R., A.P. 7.-4304.
	Thence N. 87° 51' E.
346.35	Cor. No. 8.
	On line 4-1, Survey No. 3853, New Weaver Placer.
	Set a granite rock, 10x14x30 ins., 18 ins. in the ground, mkd. X.8.A.P.-4304, with a mound of stones, 3 ft. base by 3 ft. high alongside; from which
	Cor. No. 1, Survey No. 3853, New Weaver Placer, bears N.58° 10' W., 243.97 ft. dist.
	A granite rock in place 2x2x1 ft. above the ground, bears S. 88° 32' W., 26.15 ft. dist., mkd. B.x R., A.P. 8.-4304.
	A granite rock in place 3x2x½ ft. above the ground, bears N. 1° 05' W., 25.4 ft. dist., mkd. B.x R., A.P. 8.-4304.
	A corner of the location bears N. 87° 51' E., 275.25 ft. dist.
	Thence S. 58° 10' E.
10	Center of road bears N.39° E. and S. 39° W.
285.3	Cor. No. 1, and place of beginning.
	ONEST DEAL PLACER.
	Beginning at Cor. No. 1 of the Onest Deal Placer, which is identical with a cor. of the location.
	Set a granite rock 5x7x26 ins., 18 ins. in the ground, mkd. X. O.D.P.1.-4304, with a mound of stones, 3 ft. base by 3 ft. high rebuilt alongside; from which
	The east one-quarter sec. cor., sec. 1, T. 9 N., R. 5 W., bears N.40°34'45"W., 979.66 ft. dist., an iron pipe 1 in. in diam., 12 ins. above the ground, with brass cap mkd. ¼ S1.
	A granite rock in place 18x24x10 ins. above the ground, bears S. 80° 42' E., 15.95 ft. dist., mkd. B.x R., O.D.P.1.-4304.
	A granite rock in place 18x36x6 ins. above the ground, bears S. 11° 18' W., 7.67 ft. dist., mkd. B. x R., O.D.P.1.-4304.

4.

Survey No. 4304.

Feet	
	Thence S. 63° 45' E.
334	Center of road bears S. 30° 30' W., and N. 30° 30' E.
474	Power line, course N. 46° 43' E., and S. 46° 43' W.
744.0	Cor. No. 2. On line 3-4, Arizona Placer of this survey. Set a granite rock 10x16x30 ins., 18 ins. in the ground, mkd. X.2.O.D.P.-4304, with a mound of stones, 3 ft. base by 3 ft. high alongside; from which A granite rock in place 4x3x1 ft. above the ground, bears N. 61° 16' W., 15.45 ft. dist., mkd. B.x R., 2.O.D.P.-4304. A cor. of the location, a mound of stones, 3 ft. base by 3 ft. high, bears S. 63° 45' E., 623.52 ft. dist. Thence S. 11° 30' W.
182.97	Bank of Weaver Creek, course S. 41° W.
530.97	Bank of Weaver Creek, course S. 45° W.
555.97	Cor. No. 3, Arizona Placer, identical with Cor. No. 2, Diagonal Lode, both of this survey.
649.67	Cor. No. 3. On line 1-2, Diagonal Lode of this survey. This corner falls on a pile of loose rocks, where a permanent monument cannot be established; from this point A cor. of the location, a mound of stones, 3 ft. base by 3 ft. high, bears S. 63° 45' E., 458.46 ft. dist. The witness cor. for Cor. No. 3, identical with the witness cor. for Cor. No. 4 Gold Bar Placer of this survey, a schist stone 6x10x26 ins., 16 ins. in the ground, bears S. 63° 45' E., 45 ft. dist., mkd. X. W.C., 3-O.D.P., 4.G.B.P.-4304, with a mound of stones, 3 ft. base by 3 ft. high alongside; from which A granite rock in place 3x3x1.5 ft. above the ground, bears N. 76° 15' E., 33.55 ft. dist., mkd. B.x R., W.C., 3 O.D.P., 4.G.B.P.-4304. A granite rock in place 4x5x3 ft. above the ground, bears S. 17° 51' E., 62.35 ft. dist., mkd. B.x R., W.C., 3 O.D.P., 4.G.B.P.-4304. Thence N. 63° 45' W.
60	Bank of Weaver Creek, course S. 37° W.
250	Bank of Weaver Creek, course S. 48° W.
535	Center of road, bears N. 36° E., and S. 36° W.
678	Power line, course N. 46° 43' E.
909.4	Cor. No. 4, which is identical with a cor. of the location. On a granite rock in place 2x3x1.5 ft. above the ground,

Survey No. 4304

5.

Feet	
	<p>point for Cor. No. 4, mkd. X.4.O.D.P., 3.G.B.P.-4304, with a mound of stones, 3 ft. base by 3 ft. high rebuilt alongside; from which</p> <p>A granite rock in place 3x4x2 ft. above the ground, bears S. 31° 03' E., 14.85 ft. dist., mkd. B.x R., 4.O.D.P., 3 G.B.P.-4304.</p> <p>A granite rock in place 3x3x1 ft. above the ground, bears N. 42° 05' E., 12.7 ft. dist., mkd. B. x R., 4 O.D.P., 3.G.B.P.-4304.</p> <p>Thence N. 26° 15' E.</p>
628.25	<p>Cor. No. 1, and place of beginning.</p> <p>GOLD BAR PLACER.</p> <p>Beginning at Cor. No. 1 of the Gold Bar Placer, where I- Set a granite rock 8x10x26 ins., 16 ins. in the ground, on line 2-3, Survey No. 1248, Dun Billy Lode, mkd. X.l.G.B.P.-4304; from which</p> <p>The one-quarter sec. cor. of secs. 6 and 7, T. 9 N., R. 4 W., G. and S.R.M., bears S. 46° 58' W., 628.65 ft. dist., an iron pipe 1 in. diam., 10 ins. above the ground, with a brass cap mkd. 4 S6-S7.</p> <p>A granite rock in place 3x3x1 ft. above the ground, bears N. 53° 45' W., 12.22 ft. dist., mkd. B. x R., 1 G.B.P.-4304.</p> <p>A granite rock in place 2x3x1 ft. above the ground, bears N. 74° 40' E., 12.32 ft. dist., mkd. B.x R., 1.G.B.P.-4304.</p> <p>A cor. of the location, a mound of stones, 3 ft. base by 3 ft. high, bears S. 63° 45' E., 206.69 ft. dist.</p> <p>Thence N. 63° 45' W.</p>
308	Bank of Weaver Creek, course S. 25° W.
624	Bank of Weaver Creek, course S. 27° W.
1008.8	Center of road, bears N. 52° 24' E., and S. 52° 24' W.
1161.05	<p>Cor. No. 2, which is identical with a cor. of the location.</p> <p>Set a granite rock 4x8x28 ins., 16 ins. in the ground, mkd. X. 2.G.B.P.-4304, with a mound of stones, 3 ft. base by 3 ft. high rebuilt alongside; from which</p> <p>A malpais rock in place 3x3x1 ft. above the ground bears N. 42° 35' W., 2.02 ft. dist., mkd. B. x R., 2.G.B.P.-4304.</p> <p>A granite rock in place 2x3x½ ft. above the ground, bears N. 60° 50' E., 12.22 ft. dist., mkd. B.x R., 2 G.B.P.-4304.</p> <p>Thence N. 26° 15' E.</p>
50	Power line, course N. 46° 43' E.
629.8	Cor. No. 3, which is identical with Cor. No. 4, Onest Deal Placer of this survey, and with a corner of the location.

6.

Survey No. 4304

Feet	
	Thence S. 63° 45' E.
231.4	Power line, course N. 46° 43' E., and S. 46° 43' W.
374.4	Center of road, course N. 36° E. and S. 36° W.
659.4	Bank of Weaver Creek, course S. 48° W.
849.4	Bank of Weaver Creek, course S. 37° W.
909.4	Cor. No. 4, which is identical with Cor. No. 3, Onest Deal Placer of this survey, from which A cor. of the location bears S. 63° 45' E., 458.46 ft. dist. Thence S. 11° 30' W.
186.7	Center of road, bears N. 54° W. and S. 54° E.
214.5	West end center of Diagonal Lode of this survey.
522.7	Cor. No. 5, which is identical with Cor. No. 3, Survey No. 1248, Dun Billy Lode. A granite rock 6x8x12 ins. above the ground, mkd. X.G.B. P. 5., D.1.-4304, and D.B. No. 3.-1248, with a mound of stones, 3 ft. base by 3 ft. high alongside; from which A granite rock in place 3x4x3 ft. above the ground, bears S. 16° 28' E., 18.53 ft. dist., mkd. B. x R., D.B. No. 3.-1248, and 1.D., 5.G.B.-4304. A granite rock in place 2x3x2 ft. above the ground, bears N. 24° 16' W., 36.25 ft. dist., mkd. B. x R., D.B. No. 3.-1248, and 1.D., 5.G.B.-4304. Thence S. 17° 24' E.
171.8	Cor. No. 1, and place of beginning. DIAGONAL LODGE. Beginning at Cor. No. 1 of the Diagonal Lode which is identical with Cor. No. 5, Gold Bar Placer of this survey, and Cor. No. 3, Survey No. 1248, Dun Billy lode; from which The one-quarter sec. cor. secs. 6 and 7, T. 9 N., R. 4 W., G. & S.R.M., bears S. 34° 32' W., 719.9 ft. dist.; previously described. Thence N. 11° 30' E.
308.2	West end center, a mound of stones, 3 ft. base by 3 ft. high, identical with the location monument.
336	Center of road, bears N. 54° W. and S. 54° E.
522.7	Cor. No. 4, Gold Bar, identical with Cor. No. 3, Onest Deal, placers of this survey.
616.4	Cor. No. 2, which is identical with Cor. No. 3, Arizona Placer of this survey. Thence N. 87° 51' E.
848.3	Center of road, bears N. 38° 30' E. and S. 38° 30' W.
1463.3	Cor. No. 3, which is identical with Cor. No. 2, Arizona Placer of this survey.

Survey No. 4304

7.

Feet

- 308.2 Thence S.11° 30' W., East end center, a mound of stones, 3 ft. base by 3 ft. high, identical with the location monument.
- 590 Center of Yucca Wash, 20 ft. wide, course S. 26° W.
- 616.4 Cor. No. 4, which is identical with Cor. No. 3, Grey Devell, and Cor. No. 4, Dun Billy, lodes of survey No. 1248.
A granite rock 4x15x6 ins. above the ground, mkd. X.G.D. No. 3, D.B. No. 4.-1248, and D.4., 4304, with a mound of stones, 3 ft. base by 3 ft. high alongside; from which
A granite rock in place 3x4x2 ft. above the ground, bears S.21° 56' E., 105.23 ft. dist., mkd. B.x R., G.D.3., D.B.4.-1248, and D.4-4304.
- 34 Thence S.87° 51' W. Center of Yucca Wash, 20 ft. wide, course S.25°W.
- 1004 Center of road, bears N.38°E. and S.38° W.
- 1342 Center of road, bears N.8° W. and S. 8° E.
- 1463.3 Cor. No. 1, and place of beginning.

LODE LINE.

The presumed course of the vein of the lode location embraced in this survey, counted from the point of discovery, is as follows:

Diagonal lode, N. 87° 51' E., 10 ft., and S.87° 51' W., 1453.3 ft.

AREAS.

Acres.

- Total area, Arizona placer - - - - - 17.270
- Total area, Onest Deal placer - - - - - 11.923
- Total area, Gold Bar placer - - - - - 14.469
- Total area, Diagonal lode - - - - - 20.122

LOCATION.

This survey is located in S½ Sec. 6, T. 9 N., R. 4 W., G. & S.R.M., Yavapai County, Arizona.

The survey of the Diagonal Lode is identical with its location as marked on the ground.

EXPENDITURE OF \$500.

I certify that the value of the labor and improvements made upon or for the benefit of each of the three placer locations embraced in said mining claim by the claimant or his grantors is not less than \$500., and that said improvements consist of:

8.

Survey No. 4304.

No. 1	The discovery workings of the Arizona Placer, which is an excavation, 150 ft. in diam., by 6 ft. deep, the center of which bears S.60° 30' E., 189 ft. from Cor. No. 4. Value, \$2000.
No. 2	A shaft, the center of which bears S.13° 30' W., 193 ft. from Cor. No. 8, Arizona Placer, 12x12 ft., 7 ft. deep. Value, \$200.
No. 3	A shaft, the center of which bears S.7° 45' E., 324 ft. from Cor. No. 8, Arizona Placer, 5x8 ft., 30 ft. deep. Value, \$400.
No. 4	A shaft, the center of which bears S.31° 42' W., 253 ft. from Cor. No. 1, Arizona Placer, 4x8 ft., 7 ft. deep. Value, \$70.
No. 5	A shaft, the center of which bears S.25° W., 258 ft. from Cor. No. 1, Arizona Placer, 6x8 ft., 7 ft. deep. Value, \$80.
No. 6	A shaft, the center of which bears S.22° 10' W., 258 ft. from Cor. No. 1, Arizona Placer, 6x8 ft., 6 ft. deep. Value, \$60.
No. 7	A shaft, the center of which bears S.22° 10' W., 284 ft. dist. from Cor. No. 1 of the Arizona Placer, 6x10 ft., 9 ft. deep. Value, \$100.
No. 1	The discovery workings of the Gold Bar placer, which is a mined area, the southeast corner of which bears N.63° 45' W., 308 ft. from Cor. No. 1; thence N.63° 45' W., 316 ft. to the southwest cor.; thence N.37° 15' E., 641.57 ft. to the northwest cor.; thence S.63° 45' E., 190 ft. to the northeast cor.; thence S.25° 55' W., 629.8 ft. to the southeast cor., the place of beginning. This area has been mined to an average depth of 5 ft. Value, \$2000.
No. 1	The discovery workings of the Onest Deal placer, which is a mined area, the southeast corner of which bears N.63° 45' W., 60 ft. from Cor. No. 3; thence N.63° 45' W., 190 ft. to the southwest cor.; thence N.42° 27' 30" E., 469.99 ft. to the northwest cor.; thence S.11° 30' W., 348 ft. to the northeast cor.; thence S.40° 47' 30" W., 118.59 ft. to the southeast cor., and the place of beginning. This area has been mined to an average depth of 5 ft. Value, \$1000.
No. 1	The discovery shaft of the Diagonal lode is on the lode line 10 ft. from a point on line 3-4, 308.2 ft. from Cor. No. 3, 4 x 6 ft., 2 ft. deep. No value.
	Other Improvements.
	A frame house, the northwest cor. of which bears S.20° 12' E., 375 ft. dist., from Cor. No. 3, Gold Bar Placer, 18x24 ft. in size, the long side bears S.26° W.
	An old rock house, the southwest cor. of which bears N.83° 50' E., 303 ft. dist., from Cor. No. 3, Arizona Placer, 10x20 ft. in size, the long side bears east.
	An old rock cabin, the northwest cor. of which bears S.6° 30' W., 255. ft. dist. from Cor. No. 5, Arizona Placer, 10x12 ft. in size, the long side bears S.80° E.
	Claimant of each herein.

OTHER CORNER DESCRIPTIONS.

Cor. No. 1, Coyote Placer, Survey No. 3853, is a granite rock 10x10x16 ins. above the ground, mkd. X.1.C.P.-3853.

Lines 3-4 and 4-1 are approximately correct as approved.

Cor. No. 1, New Weaver Placer, is a granite rock 8x10x16 ins. in the ground, mkd. X.N.W.P.1.-3853.

Cor. No. 4, New Weaver Placer, Survey No. 3853, is a granite rock in place 2x1.5x1 ft. above the ground, mkd. X.N.W.P.4.-3853.

Line 4-1, New Weaver Placer, Survey No. 3853, was found to be N.58°10'W., 605.37 ft. instead of N.58°09'W., 605 ft., as approved.

Line 3-4, Survey No. 1248, Dun Billy Lode, was found to be N.87° 51' E., 1463.3 ft., instead of N.88° 15' E., 1500 ft., as approved.

Line 2-3, Survey No. 1248, Dun Billy Lode, was found to be N.17° 24' W., 582.8 ft., instead of N.17° 26' W., 600 ft. as approved.

It was impractical to set W.C. Cor. Nos. 3 and 4, Onest Deal and Gold Bar Placers, on lines 3-4 because of the mined area hereinbefore described.

Note: The discrepancies between these field notes and the amended location certificates are due to errors in the latter.

Survey No. 450A

OTHER CORNER DESCRIPTIONS.

Cor. No. 1, Coyote Place, Survey No. 3855, is a granite rock 10x10x12 ins. above the ground, mkb. X.I.C.P.-3855. Lines 2-1 and 4-1 are approximately correct as approved.

Cor. No. 2, New Weaver Place, Survey No. 3855, is a granite rock in place 2x1 ft. above the ground, mkb. X.I.C.P.-3855.

Line 4-1, New Weaver Place, Survey No. 3855, was found to be N. 89° 10' W., 605.77 ft. instead of N. 89° 10' W., 605 ft. as approved.

Line 3-4, Survey No. 1243, Dan Hill Lodge, was found to be N. 87° 51' E., 1403.5 ft. instead of N. 88° 12' E., 1500 ft. as approved.

Line 2-3, Survey No. 1243, Dan Hill Lodge, was found to be N. 17° 24' W., 582.8 ft. instead of N. 17° 20' W., 600 ft. as approved.

It was impractical to set W.C. Cor. Nos. 3 and 4, Great Deal and Gold Bar Places, on lines 3-4 because of the small area hereinbefore described.

Note: The discrepancies between these field notes and the amended location certificates are due to errors in the latter.

UNITED STATES
DEPARTMENT OF THE INTERIOR
~~GENERAL LAND OFFICE~~
Bureau of Land Management

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by Richard L. Merritt

Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

W.D. Merrill,

known as the Onest Deal, Gold Bar, Arizona placers & Diagonal
Lode Mining Claim.
and showing the respective capacities in which they acted.

Albert Greene, Chairman.

F. McKay, Chairman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS

We, Albert Greene

and F. McKay, do solemnly swear that we assisted Richard

L. Merritt, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of W.D. Merrill,

known as the Onest Deal, Gold Bar, Arizona placers and
Diagonal Lode Mining Claim.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona

Albert Greene, Chairman.

F. McKay, Chairman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 11

day of Oct, 1946

[Signature]
Notary Public

UNITED STATES
DEPARTMENT OF THE INTERIOR
~~GENERAL LAND OFFICE~~
Bureau of ~~Land Management~~

FINAL OATH OF MINERAL SURVEYOR

I, Richard L. Merritt, Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona, dated July 29th 1946,
I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of _____
W.D. Merrill, known as the
Onest Deal, Gold Bar, Arizona placers and Diagonal Lode
Mining Claim.
situate in Weaver Mining District,
Yavapai County, Arizona, in Section
6, Township No. 9N, Range No. 4W, G & SR B & M.
and designated as Survey No. 4304, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of
the location certificate, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimant or his
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been included
in the estimate of expenditures upon any other claim.

Richard L. Merritt
(Mineral Surveyor)

Subscribed and sworn to by the said Richard L. Merritt
Mineral Surveyor, before me J. J. Bauer

this 11
day of Oct, 1946

J. J. Bauer
Notary Public

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF
MINING CLAIM

UNITED STATES
DEPARTMENT OF THE INTERIOR
Bureau of Land Management
~~GENERAL LAND OFFICE~~
PUBLIC SURVEY OFFICE

At Phoenix, Arizona

_____ January 21 _____, 19 47

I, Office Cadastral Engineer at Phoenix, Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of W.D. Merrill

_____, known as the
Onest Deal, Gold Bar and Arizona Placers, and Diagonal Lode

situate in Weaver mining district,

Yavapai County Arizona

in Section 6, Township No. 9 N., Range No. 4 W., G. & S. R. M.

_____, designated as Survey No. 4304

executed by Richard L. Merritt, Mineral

Surveyor, Aug. 15th to Sept. 30th, 1946, under my instructions dated

July 29th, 1946, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Frank W. Chapin

Office Cadastral Engineer.

4-694.

Title Page to Report under Paragraph ¹⁶⁷~~66~~, Mining Circular, Approved April 11, 1922

REPORT

Under paragraph ¹⁶⁷~~66~~, General Mining Circular, approved ~~May 21, 1907~~ ^{April 11, 1922}, upon the Placer Mining Claim

known as the *Onest Deal, Gold Bar and Arizona Placers*

....., claimed by

W.D. Merrill

situate in *Weaver* Mining District

Yavapai County, *Arizona*, embracing

Onest Deal placer 11.923 Acres,

Gold Bar placer 14.469 Acres,

Arizona placer 17.270 Acres

Total 43.662 Acres

in Sec. *6*, Town. *9 N*, Range *4 W, G & S. R. B & M*

Examination made *Aug. 20th*, 19*46*

By *Richard L. Merrill*

U.S. Mineral Surveyor. B. of L.M.

Survey No. 4304.

REPORT.

- A. There is very little soil on this claim, and what soil there is, is mixed with gravel and boulders. No timber. Scattered growth of Palo Verde, Mesquite, Catclaw and cacti.
- B. Weaver Creek crosses the Arizona, Onest Deal and the Gold Bar Placers.
- C. The following is a list of the work on these claims:
- No. 1. An excavation, 150. ft. in diam., by 6. ft. deep, the center of which bears S.60°30'E., 189. ft. from Cor. No. 4 of the Arizona Placer.
 - No. 2. A shaft, the center of which bears S.13°30'W., 193. ft. from Cor. No. 8, Arizona Placer, 12x12 ft., 7. ft. deep.
 - No. 3. A shaft, the center of which bears S.7°45'E., 324. ft. from Cor. No. 8, Arizona Placer, 5x8 ft., 30 ft. deep.
 - No. 4. A shaft, the center of which bears S.31°42'W., 253. ft. from Cor. No. 1, Arizona Placer, 4x8 ft., 7. ft. deep.
 - No. 5. A shaft, the center of which bears S.25°W., 258. ft. from Cor. No. 1, Arizona Placer, 6x8 ft., 7. ft. deep.
 - No. 6. A shaft, the center of which bears S.22°10'W., 258. ft. from Cor. No. 1, Arizona Placer, 6x8 ft., 6. ft. deep.
 - No. 7. A shaft, the center of which bears S.22°10'W., 284. ft. dist. from Cor. No. 1 of the Arizona Placer, 6x10 ft., 9. ft. deep.
- No. 1. A mined area, the southeast cor. of which bears N.63°45'W., 308. ft. from Cor. No. 1 of the Gold Bar Placer; thence N.63°45'W., 316. ft. to the southwest cor.; thence N.37°15'E., 641.57 ft. to the northwest cor.; thence S.63°45'E., 190. ft. to the northeast cor.; thence S.25°55'W., 629.8 ft. to the southeast cor., the place of beginning. This area has been mined to an average depth of 5. ft.
- No. 1. A mined area, the southeast cor. of which bears N.63°45'W., 60. ft. from Cor. No. 3 of the Onest Deal Placer; thence N.63°45'W., 190. ft. to the southwest cor.; thence N.42°27'30"E., 469.99 ft. to the northwest cor.; thence S.11°30'E., 348. ft. to the northeast cor.; thence S.40°47'30"W., 118.59 ft. to the southeast cor., and the place of beginning. This area has been mined to an average depth of 5. ft.
- All the above works are in gravel formation.
- D. The closest trading center is Congress Junction, a town on the Santa Fe Railroad and U. S. Highway No. 89.
- A fair county road, ten miles in length, connects the property with Congress Junction.
- E. Survey No. 1248, Dun Billy Lode, lies south and east of this survey, joining the Diagonal Lode on line 4-1, and the Gold Bar Placer on line 5-1.
- No extensive mining has been done on this claim.
- Extensive mining has been done on the Octave Mine, the main workings of which are located about one-quarter of a mile in a southeast direction.

Survey No. 4304.

.F. The claim is adaptable to placer mining, as the surface of the claims contains gravel, and large amounts of gravel have been deposited in Weaver Creek. Water for gravel washing can be obtained from Weaver Creek, which has a drainage area of 5. sq. miles above this claim. Weaver Creek runs considerable water in rainy seasons. When the creek bed is dry, sufficient water for gravel washing can be obtained from wells near the creek bed.

G. The value of the work made on these claims by the claimant amounts to \$5910., as described under paragraph "C" herein.

H. No lode mines, salt licks, salt springs, or mill sites are located on this claim.

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 167, General Mining Circular, approved April 11, 1922

I, Richard L. Merritt, U. S. Mineral Surveyor, ^{Office Cadastral} ~~U. S. Surveyor~~ do solemnly swear that in pursuance of an order received from the ~~U. S. Surveyor~~ ^{Engineer} General for Arizona, dated July 29th, 1946,

I have made, under the provisions of paragraph 167, General Mining Circular, approved ~~March 29, 1909~~ ^{April 11, 1922}, a personal and thorough examination, upon the premises, of the placer mining claim of W.D. Merrill

known as the Onest Deal placer, Gold Bar placer and Arizona placer situate in Weaver Mining District,

Yavapai County, Arizona, embracing
Onest Deal placer, 11.923 Acres,
Gold Bar placer, 14.469 Acres,
Arizona placer, 17.270 Acres,
Total 43.662

in Township No. 9 N, Range No. 4 W, G & S R B & M, and that my report of such examination, hereto attached, is specific and in detail, and is a full and true statement of the facts upon all the points specified in the paragraph referred to.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt, U. S. Mineral Surveyor,

before me J. Gauer
this 11 day of Oct, 1946

J. Gauer
Notary Public

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH ¹⁶⁷~~00~~, GENERAL MINING CIRCULAR.
APPROVED April 11, 1922.

State of Arizona
COUNTY OF Yavapai } ss:

Albert Greene and *P. J. McNulty*,
being first duly sworn, severally depose and say that he is
personally and well acquainted with the placer-mining claim of
..... *W.D. Merrill*
....., known as the *Onest Deal, Gold Bar and*
Arizona Placers....., situate in
Weaver..... Mining District,
Yavapai..... County, *Arizona*....., embracing
.....
..... *43.662* acres.....

..... in *S. 1/2* Section *6*....., in Township No. *9 N.*,
Range No. *4 W.*.....; and also with the character of
all the land included in said claim, and has been so acquainted
for *one* year..... last past; that his knowledge
of said claim and land is derived from *observation*
while working on the claims.....

..... and is such as to enable him
to testify understandingly with regard thereto; that he has care-
fully read the foregoing report of *Richard L. Merritt*.....,
~~U.S.~~ Mineral Surveyor, and that to his own personal knowledge
said report is in all respects true and accurate.

Albert Greene
P. J. McNulty

Subscribed and sworn to by the above-named persons before
me this *20th* day of *January*....., 19*47*

J. Bauer
Notary Public

187
CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 40, GENERAL MINING CIRCULAR,
APPROVED APRIL 11, 1922.

State of _____
County of _____

and _____
being first duly sworn, severally depose and say that he is
personally and well acquainted with the placer-mining claim of

known as the _____, Gold Bar and
situate in _____
Mining District
County, _____, embracing

_____ in Section _____, Township No. _____, Range No. _____, and also with the character of

all the land included in said claim, and has been so acquainted
for _____ year last past; that his knowledge
of said claim and land is derived from _____

and is such as to enable him
to testify understandingly with regard thereto; that he has care-
fully read the foregoing report of _____
U. S. Mineral Surveyor, and that to his own personal knowledge
said report is in all respects true and accurate.

Subscribed and sworn to by the above-named persons before
me this _____ day of _____, 1917.



9632 (942)
M.S. 4304
Group No. 611, Arizona


NOTICE OF CANCELLATION OF MINERAL SURVEY

The Diagonal lode claim, Mineral Survey No. 4304 in Section 6, Township 9 North, Range 4 West, Gila and Salt River Meridian, Arizona, is hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 U.S.C. 1744,

The Chief, Branch of Lands and Minerals Operations, requested this cancellation by Memorandum dated May 23, 1983, for administrative purposes.

June 1, 1983
Date


Chief Cadastral Surveyor of Arizona

