

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4488

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

FRED GIBBS

Known As The

VICTORIA NOS. 1, 2, 3, COPPER BROOM FRACTION,
COPPER BROOM EXTENSION and MONOPOLY lodes

Copper Basin Mining District,

Yavapai County, Arizona

Sections 16, 17, 20 & 21 Township 13 North, Range 3 West, G&SRM

Surveyed under order dated May 18, 1959

by Richard L. Merritt
Mineral Surveyor.

Victoria Nos. 1, 2, 3--10-1-50

Copper Broom Fraction--2-5-07

Claim located Copper Broom Extension--9-16-24, 19

Monopoly--2-19-10

Survey commenced May 19, 1959

Survey completed June 26, 1959

Address of claimant c/o Locklear & Wolfinger, Attorneys

P. O. Box 27

Prescott, Arizona

DATES OF AMENDED LOCATIONS

Victoria Nos. 1 & 2--December 17, 1957

Victoria No. 3 --March 1, 1955

Copper Broom Fraction--March 15, 1909

Copper Broom Extension--September 20, 1935

Monopoly--September 4, 1928

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

STATE OF MONTANA

Section 10

PLAT

Section 10

Feet

This survey was made with a Burger Transit No. 17503, with horizontal limb 5 1/8 ins. diam., having two double opposite verniers and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; a prismatic eyepiece with colored glass was attached to the eyepiece of the transit for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian established by direct observation on the sun: May 30, 1959 at cor. No.3 of the Victoria No. 2 lode, in latitude $34^{\circ}29'20''$ N., longitude $112^{\circ}35'$ W., turning from a reference point to the sun.

True bearing of reference point $S.80^{\circ}53'E$.

True bearing of line 3 - 2, Victoria No. 2 lode $S.80^{\circ}53'E$.

The lines were measured with a Lufkin steel tape 300 feet in length, graduated every foot, the first and last foot being graduated to tenths and hundredths. The tape was compared with a Lufkin standard tape at the time of beginning of the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $15^{\circ}E$.

Survey No. 4488

VICTORIA NO. 3 LODE

At cor. No. 1 of the Victoria No. 3 lode,

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. V-3-1-4488; from which

Northwest cor. sec. 21, T.13 N, R.3 W, Gila and Salt River meridian, bears $S.63^{\circ}26'20'' E.$, 674.05 ft. dist.,

An iron post, 2 ins. diam., 6 ins. above the ground, mkd. and witnessed as described in the official record.

Thence $S.81^{\circ}39'40'' E.$

1485.0 Center of road, bears $N.25^{\circ}20'E$ and $S.25^{\circ}20'W$.

1500.0 Cor. No. 2

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd V-3-2-4488.

Thence $S.15^{\circ}37'W$.

270.0 Center of road, bears $N.2^{\circ}30'W$ and $S.2^{\circ}30'E$.

301.94 Lode line, discovery point bears $N.81^{\circ}39'40''W$., 20. ft. dist.

483.0 Center of wash, 20. ft. wide, course $S.21^{\circ}30'E$.

3,

Survey No. 4488

Survey No. 4488

Feet

603.88

Cor. No. 3.

On line 1 - 2 Victoria No. 1 lode of this survey

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground
mkd. V - 3 - 3 - 4488.

Thence N.81°39'40"W.

1210.48

Cor. No. 1 Victoria No. 1 lode of this survey.

1255.0

Center of road, bears N.42°30'W. and S.42°30'E.

1500.0

Cor. No. 4.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground,
mkd. V - 3 - 4 - 4488, from whichA juniper, 14 ins. diam., bears S.65°E., 17.05 ft. dist., mkd
X V-3-4-4488 BT.

Thence N.15°37'E.

301.94

Lode line, discovery point bears S.81°39'40"E., 1480 ft. dist.

400.0

Center of wash, 10 ft. wide, course West.

603.88

Cor. No. 1, and place of beginning.

VICTORIA NO. 1 LODE

At Cor. No. 1 of the Victoria No. 1 lode

On line 3 - 4 Victoria No. 3 lode of this survey.

Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd.
V-1-1-4488; from whichNorthwest cor. sec. 21, T.13 N, R.3 W, Gila and Salt River
meridian, bears N.56°04'30"E., 577.28 ft. dist.

Thence S.81°39'40"E.

1210.48

Cor. No. 3 Victoria No. 3 lode of this survey.

1236.0

Center of road, bears N.7°E and S.7°W.

1292.0

Center of wash, 20 ft. wide, course S.5°W.

1500.0

Cor. No. 2, identical with Cor. No. 4 Victoria No. 2 lode of this
survey.Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground
mkd V-1-2, V-2-4-4488; from whichCor. No. 5, Sur. No. 513 Bronze Statue lode bears S.89°41'45"E.,
889.61 ft. dist.

Thence S.15°37'W.

8844, No. Survey No. 4488

Chains Feet		Chains Feet
301.94	Lode line, discovery point bears N.81°39'40"W., 10 ft. dist.	
603.88	Cor. No. 3, identical with Cor. No. 3 Victoria No. 2 lode of this survey. On line 5 - 6, Sur. No. 512 Bonnie Doon lode. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. V-1-3, V-2-3-4488. Thence N.81°39'40"W.	
97.0	Center of wash, 20 ft. wide, course S.20°W.	
110.0	Center of road, bears N.20°E and S.20°W.	
644.51	Cor. No. 6 Sur. No. 512 Bonnie Doon lode, identical with Cor. No. 6 Sur. No. 510 Red Bird lode.	
1500.0	Cor. No. 4. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. V-1-4-4488. Thence N.15°37'E.	
9.94	Intersect line 5 - 6, Sur. No. 510 Red Bird lode at a point from which Cor. No. 6 bears S.81°E., 854.29 ft. dist.	
301.94	Lode line, discovery point bears S.81°39'40"E., 1490 ft. dist.	
569.0	Center of road, bears N.46°W., and S.46° E.	
603.88	Cor. No. 1, and place of beginning.	
	VICTORIA NO. 2 LODE At Cor. No. 1 of the Victoria No. 2 lode. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd. V-2-1-4488; from which The north quarter cor. sec. 21, T.13 N., R.3 W, Gila and Salt River meridian, bears N.11°08'40"E., 792.33 ft. dist. An iron post, 3/4 ins. diam., 12 ins. above the ground, mkd. and witnessed as described in the official record. Cor. No. 2, Sur. No. 514 Head Center lode, bears S.37°27'E., 268.74 ft. dist. Thence S.15°37'W.	
33.0	Intersect Line 2 - 3 Sur. No. 514 Head Center lode at a point from which Cor. No. 2 bears S.43°30'E., 250.3 ft. dist.	
301.94	Lode line, discovery point bears N.80°53'W., 1450 ft. dist.	
509.35	Intersect line 6 - 1 Sur. No. 514 Head Center lode at a point from which Cor. No. 6 bears S.47°18'45"W., 195.70 ft. dist.	
603.88	Cor. No. 2.	

5

Survey No. 4488

Chains	
Feet	On line 1 - 2 Copper Broom Extension lode of this survey
	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. V-2-2-4488; from which
	Cor. No. 6 Sur. No. 514 Head Center lode bears S.70°37'25"W., 125.51 ft. dist.
63.20	Thence N.80°53'W. Intersect line 6 - 1 Sur. No. 514 Head Center lode at a point from which Cor. No. 6 bears S.47°18'45"W., 76.19 ft. dist.
177.15	Center of road bears N.25°E and S.34°W.
188.67	Intersect line 5 - 6 Sur. No. 514 Head Center lode at a point from which Cor. No. 6 bears S.43°30'E., 98.62 ft. dist.
652.15	Cor. No. 1 Copper Broom Extension lode of this survey.
	Intersect line 4 - 5 Sur. No. 512 Bonnie Doon lode at a point from which Cor. No. 5 bears N.8°13'40"E., 11.51 ft. dist.
1415.0	Center of road bears N.23°E and S.23°W.
1500.0	Cor. No. 3, identical with Cor. No. 3 Victoria No. 1 lode of this survey.
	Thence N.15°37'E.
301.94	Lode line, discovery point bears S.80°53'E., 50 ft. dist.
603.88	Cor. No. 4, identical with Cor. No. 2, Victoria No. 1 lode of this survey.
	Thence S.80°53'E.
457.73	Intersect line 5 - 6 Sur. No. 514 Head Center lode at a point from which Cor. No. 6 bears S.43°30'E., 1086.86 ft. dist.
560.0	Center of road, bears N.57°E and S.57°W.
1453.35	Intersect line 2 - 3 Sur. No. 514 Head Center lode at a point from which Cor. No. 2 bears S.43°30'E., 304.3 ft. dist.
1500.0	Cor. No. 1; and place of beginning.
	COPPER BROOM EXTENSION LODE
	At Cor. No. 1 of the Copper Broom Extension lode; on line 2-3 of the Victoria No. 2 lode of this survey.
	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd CBE-1-4488; from which
	The north quarter cor. sec. 21, T.13N., R.3W., Gila and Salt River meridian bears N.37°23'20"E., 1580.36 ft. dist.
	Cor. No. 5 Sur. No. 512 Bonnie Doon lode bears N.8°13'40"E., 11.51 ft. dist.
	An oak, 14 ins. diam., bears N.67°E., 45.94 ft. dist., mkd X CBE-1-4488 BT.
	Thence/80°53'E
463.48	Intersect line 5 - 6 Sur. No. 514 Head Center lode at a point from which Cor. No. 6 bears S.43°30'E., 98.62 ft. dist.
475.0	Center of road bears N.25°E and S.34°W.

8244 .on Survey No. 4488

Chains Feet		Chains Feet
588.95	Intersect line 6 - 1 Sur. No. 514 Head Center lode at a point from which Cor. No. 6 bears S.47°18'45"W., 76.19 ft. dist.	304.84
652.15	Cor. No. 2 Victoria No. 2 lode of this survey.	
1500.0	Cor. No. 2. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. CBE-2-4488. Thence S.8°13'40"W.	1208.96
288.57	Lode line, discovery point bears N.80°53'W., 1125 ft. dist.	1389.0
588.57	Cor. No. 3. Set an iron pipe 2 ft. long, 1 in. diam., 18 ins. in the ground mkd CBE-3-4488; from which Cor. No. 2 Monopoly lode of this survey bears N.58°11'50"W., 536.38 ft. dist. Thence N.80°53'W.	1200.0
285.83	Intersect line 2 - 3 Monopoly lode of this survey at a point from which Cor. No. 2 bears N.36°11'W., 294.1 ft. dist.	300.0
699.59	Intersect line 1 - 2 Monopoly lode of this survey at a point from which Cor. No. 2 bears N.53°49'E., 291.04 ft. dist.	600.0
1253.80	Cor. No. 3 Copper Broom Fraction lode of this survey.	
1500.0	Cor. No. 4, identical with Cor. No. 3 Sur. No. 512 Bonnie Doon lode. On line 2 - 3 Copper Broom Fraction lode of this survey. Set an iron pipe 2 ft. long, 1 in. diam., 18 ins. in the ground mkd CBE-4-4488. Thence N.8°13'40"E.	1200.0
300.0	Lode line, discovery point bears S.80°53'E., 375 ft. dist.	
387.0	Center of road, bears S.82°W and N.82°E.	
588.57	Cor. No. 1, and place of beginning.	
	MONOPOLY LODGE	
	At Cor. No. 1 of the Monopoly lode.	
	On line 5 - 6 Sur. No. 515 Copper Bell lode. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd M-1-4488; from which The west quarter cor. sec. 21, T.13N., R.3W., Gila and Salt River meridian bears N.88°25'30"W., 1408.99 ft. dist. An iron post, 3/4 ins. diam., 12 ins. above the ground mkd. and witnessed as described in the official record. Cor. No. 4 Copper Broom Fraction lode of this survey bears N.59°26'20"E., 406.18 ft. dist.	

Survey No. 4488

Chains	Feet	
		Thence N.53°49'E.
	364.84	Intersect line 4 - 1 Copper Broom Fraction lode of this survey, at a point from which Cor. No. 4 bears S.80°53'E., 56 ft. dist. Center of road bears N.18°30'W and S.18°30'E.
	442.31	Intersect line 3 - 4 Copper Broom Fraction lode of this survey at a point from which Cor. No. 4 bears S.7°32'40"W., 55.08 ft. dist.
	1208.96	Intersect line 3 - 4 Copper Broom Extension lode of this survey, at a point from which Cor. No. 3 bears S.80°53'E., 699.59 ft. dist.
	1389.0	Center wash, 10 ft. wide, course S.81°E.
	1500.0	Cor. No. 2. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground, mkd M-2-4488.
		Thence S.36°11'E.
	11.0	Center wash, 10 ft. wide, course N.72°E.
	294.1	Intersect line 3 - 4 Copper Broom Extension lode of this survey, at a point from which Cor. No. 3 bears S.80°53'E., 285.83 ft. dist.
	300.0	Lode line, discovery point bears S.53°49'W., 350 ft. dist.
	600.0	Cor. No. 3. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd M-3-4488.
		Thence S.53°49'W
	1462.0	Center of wash, 10 ft. wide, course S.65°19'W.
	1500.0	Cor. No. 4. On line 5 - 6. Sur. No. 515 Copper Bell lode. Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd M-4-4488; from which Point for Cor. No. 6 Sur. No. 515 Copper Bell lode bears S.36°11'E., 194.0 ft. dist.
		Thence N.36°11'W.
	7.0	Center of wash, 10 ft. wide, course S.65°W.
	283.0	Center of wash, 20 ft. wide, course S.42°W.
	300.0	Lode line, discovery point bears N.53°49'E., 1150. ft. dist.
	391.0	Center of road, bears S.43°W and N.43°E.
	600.0	Cor. No. 1, and place of beginning.

Survey No. 4488

Chains Feet	
	COPPER BROOM FRACTION LODE
	At Cor. No. 1 of the Copper Broom Fraction lode, identical with Cor. No. 3 Sur. No. 486 Aztec lode.
	On line 3 - 5 Sur. No. 515 Copper Bell lode, 4 - 1 Sur. No. 3425 Rob Roy lode.
	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. CBF-1-4488, A-3-486; from which
	The west quarter cor. sec. 21, T.13N., R.3W., Gila and Salt River Meridian bears S.67°03'35"W.; 837.05 ft. dist.
	Cor. No. 1 Sur. No. 3425 Rob Roy lode, bears S.63°48'E., 95.52 ft. dist.
	Cor. No. 5 Sur. No. 515 Copper Bell lode, bears N.53°49'E., 299.17 ft. dist.
	Thence N.7°32'40"E.
61.0	Center of wash, 20 ft. wide, course S.57°W.
300.11	Lode line, discovery point bears S.80°53'E., 350 ft. dist.
587.87	Intersect line 2 - 3 Sur. No. 512 Bonnie Doon lode, at a point from which Cor. No. 3 bears S.81°49'20"E., 753.56 ft. dist.
600.22	Cor. No. 2.
	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. CBF-2-4488; from which
	Cor. No. 1 Sur. No. 486 Aztec lode, bears N.7°32'40"E., 1.64 ft. dist.
	A juniper tree, 34 ins. diam., bears S.11°30'E., 11.45 ft. dist. mkd. CBF-2-4488 BP.
	Thence S.80°53'E.
753.80	Cor. No. 3 Sur. No. 512 Bonnie Doon lode, identical with Cor. No. 4 Copper Broom Extension lode of this survey.
1000.0	Cor. No. 3.
	On line 3 - 4 Copper Broom Extension lode of this survey.
	Set an iron pipe, 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. CBF-3-4488.

Survey No. 4488

Chains	
	Thence S.7°32'40"W.
55.0	Center of wash, 20 ft. wide, course S.50°W.
300.11	Lode line, discovery point bears N.80°53'W., 650.ft..dist.
545.14	Intersect line 1 - 2 Monopoly lode of this survey at a point from which Cor. No. 1 bears S.53°49'W., 442.31 ft. dist.
600.22	Cor. No. 4. Set an iron pipe 2 ft. long, 1 in. diam., 18 ins. in the ground mkd. CBF-4-4488.
	Thence N.80°53'W
56.0	Intersect line 1 - 2 Monopoly lode of this survey, at a point from which Cor. No. 1 bears S.53°49'W., 364.84 ft. dist. Center of road bears N.19°W., and S:19°E.
574.68	Intersect line 5 - 6 Sur. No. 515 Copper Bell lode, at a point from which Cor. No. 5 bears N.36°11'W., 302.33 ft. dist.
997.0	Center of road Bears S.49°07'W., and N.49°07'E.
1000.0	Cor. No. 1, and place of beginning.

Survey No. 4488

AREAS	Acres
Total area, Victoria No. 3 lode	20.627
Total area, Victoria No. 1 lode	20.627
Area in conflict with-	
Sur. No. 510 Red Bird lode	0.097
Total area, Victoria No. 2 lode	20.661
Area in conflict with-	
Sur. No. 514 Head Center lode	8.392
Area in conflict with-	
Sur. No. 512 Bonnie Doon lode	0.112
Total area, Copper Broom Fraction lode	13.774
Area in conflict with-	
Sur. No. 515 Copper Bell lode	1.038

Contents	Feet	Acres
Sur. No. 512; Bonnie Doon lode		0.107
Total area, Monopoly lode		20.661
Area in conflict with Copper Broom Fraction lode of this survey		0.035
Total area; Copper Broom Extension lode		20.265
Area in conflict with Monopoly lode of this survey		0.983
Sur. No. 514, Head Center lode		0.086
LOCATION		
This survey is located in the SW $\frac{1}{4}$ of Sec. 16, SE $\frac{1}{4}$ of Sec. 17, NE $\frac{1}{4}$ of Sec. 20, NW $\frac{1}{4}$, SW $\frac{1}{4}$ and NE $\frac{1}{4}$ of Sec. 21, T. 13 N., R. 3 W., Gila and Salt River Meridian, within the Prescott National Forest.		
The survey of all lodes of this claim is identical with the location notices as marked on the ground. The location monuments, all mounds of stone, 3 ft. base by 3 ft. high, were rebuilt alongside at the four corners of each lode.		
EXPENDITURES		
The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claims by the claimant, or his grantors are as follows:		
No. 1	The discovery point of the Victoria No. 3 lode is on the lode line N. 81° 39' 40" W., 20 ft. dist. from the center of line 2-3.	No value.
No. 2	A shaft, the center of which bears S. 34° 30' W., 45 ft. from the center of line 2-3, Victoria No. 3 lode, 6 x 12 ft., 10 ft. deep. Value, \$100.	
No. 3	A tunnel, 3 x 5 ft. in size, the portal of which bears N. 7° E., 82 ft. from Cor. No. 3 of the Victoria No. 3 lode, and runs N. 88° W. 30 ft. Value, \$250.	
No. 4	A drill hole, 4 in. diam., 100 ft. deep, the center of which bears N. 66° 20' E., 440 ft. from Cor. No. 4 of the Victoria No. 3 lode. Value, \$500.	
No. 1	The discovery point of the Victoria No. 1 lode is on the lode line N. 81° 39' 40" W., 10 ft. from the center of line 2-3. No value.	
No. 2	A shaft, the center of which bears S. 77° 30' W., 47 ft. from the center of line 2-3, Victoria No. 1 lode, 6 x 6 ft., 15 ft. deep. Value, \$200.	
No. 3	A tunnel, 4 x 6 ft. in size, the portal of which bears N. 2° 30' W., 165 ft. from Cor. No. 3, Victoria No. 1 lode, and runs S. 86° E., 75 ft. Value, \$750.	
No. 4	A shaft, the center of which bears S. 55° E., 337 ft. from Cor. No. 1 of the Victoria No. 1 lode, 5 x 8 ft., 31.0 ft. deep. Value, \$350.	
No. 1	The discovery point of the Victoria No. 2 lode is on the lode line S. 80° 53' E., 50 ft. from the center of line 3-4. No value.	

Chains	
No. 2 100.00	A shaft, the center of which bears N. 22° 30' E., 270. ft. from Cor. No. 3, 16 x 19 ft., 26 ft. deep. Value, \$520.
No. 1 280.00	The discovery point of the Copper Broom Extension is on the lode line S. 80° 53' E., 375 ft. from a point on line 4-1, 300 ft. from Cor. No. 4. No value.
No. 2 11.00	A trench, the south end of which bears N. 57° E., 452 ft. from Cor. No. 4 of the Copper Broom Extension lode, 12 ft. wide, 15 ft. deep, running N. 18° E., 120 ft. Value, \$250.
No. 3 11.00	A trench, the north end of which bears S. 42° E., 422 ft. from Cor. No. 4 of the Copper Broom Extension lode, 10 ft. wide, 8.0 ft. deep, running S. 18° W., 12.0 ft. Value, \$100.
No. 4	A shaft, the center of which bears S. 31° 15' E., 76 ft., 4 x 5 ft., 25 ft. deep, from Cor. No. 1, Copper Broom Extension lode. Value, \$250.
No. 5	A tunnel, 4 x 5 ft. in size, the portal of which bears S. 2° E., 215 ft. from Cor. No. 1 of the Copper Broom Extension lode, and runs S. 55° E., 36 ft. Value, \$200.
No. 6	A tunnel, 4 x 5 ft. in size, the portal of which bears S. 26° 30' E., 71 ft. from a point on line 4-1, 300 ft. from Cor. No. 4, Copper Broom Extension lode and runs N. 12° E., 30 ft. Value, \$180.
No. 7	A tunnel, 5 x 7 ft. in size, the portal of which bears N. 24° 30' E., 208 ft. from Cor. No. 4 of the Copper Broom Extension lode, and runs N. 19° W., 20 ft. Value, \$200.
No. 8	A tunnel, 3 x 5 ft. in size, the portal of which bears N. 32° E., 222 ft. from Cor. No. 4 of the Copper Broom Extension lode, and runs N. 29° W., 30 ft. Value, \$250.
No. 9	A tunnel, 3 x 5 ft. in size, the portal of which bears N. 42° 30' E., 226 ft. from Cor. No. 4 of the Copper Broom Extension lode, and runs N. 13° E., 30 ft. Value, \$250.
No. 10	A tunnel, 3 x 5 ft. in size, the portal of which bears N. 40° E., 114 ft. from Cor. No. 4 of the Copper Broom Extension lode, and runs N. 7° W., 50 ft. Value, \$350.
No. 11	A tunnel, 4 x 5 ft. in size, the portal of which bears N. 27° E., 160 ft. from Cor. No. 4 of the Copper Broom Extension lode and runs N. 36° W., 70 ft. Value, \$600.
No. 1	The discovery point of the Monopoly lode is on the lode line S. 53° 49' W., 350 ft. from the center of line 2-3. No value.
No. 2	A tunnel, 3 x 5 ft. in size, the portal of which bears S. 1° W., 422 ft. from Cor. No. 2 of the Monopoly lode and runs N. 76° E., 26 ft. Value, \$200.

Survey No. 4488

Chains Feet	
No. 3	A tunnel, 4 x 5 ft. in size, the portal of which bears N.42°30'E., 1220 ft. from Cor. No. 4 of the Monopoly lode, and runs N.70°E., 40 ft. Value, \$350.
No. 4	A tunnel, 4 x 5 ft. in size, the portal of which bears N.88°15'W., 335 ft. from Cor. No. 3 of the Monopoly lode, and runs N.47°E., 25 ft. Value, \$200.
No. 5	A tunnel, 3 x 5 ft. in size, the portal of which bears S.77°W., 362 ft. from Cor. No. 3 of the Monopoly lode, and runs S.35°E., 20 ft. Value, \$150.
No. 6	A tunnel, 3 x 5 ft. in size, the portal of which bears S.86°15'E., 395 ft. from Cor. No. 1 of the Monopoly lode, and runs S.70°E., 25 ft. Value, \$200.
No. 1	The discovery point of the Copper Broom Fraction lode is on the lode line, N.80°53'W., 650 ft. from the center of line 3 - 4. No value.
No. 2	A tunnel, 4 x 5 ft. in size, the portal of which bears N.79°30'E., 335 ft. from Cor. No. 1 of the Copper Broom Fraction lode and runs N.15°E., 30 ft. Value, \$200.
No. 3	A shaft, the center of which bears N.71°30'E., 330 ft. from Cor. No. 1 of the Copper Broom Fraction lode, 9 x 9 ft., 4 ft. deep. Value, \$50.
No. 4	A tunnel, 4 x 6 ft. in size, the portal of which bears N.59°50'E., 306 ft. from Cor. No. 1 of the Copper Broom Fraction lode, and runs N.16°E., 20 ft. Value, \$150.
No. 5	A tunnel, 3 x 5 ft. in size, the portal of which bears N.21°E., 295 ft. from Cor. No. 1 of the Copper Broom Fraction lode, and runs S.32°E., 40 ft. Value, \$300.
No. 6	A tunnel, 3 x 5 ft. in size, the portal of which bears S.3°30'W., 184 ft. from Cor. No. 2 of the Copper Broom Fraction lode, and runs S.24°E., 50 ft. Value, \$400.
No. 7	A tunnel, 3 x 5 ft. in size, the portal of which bears S.7°E., 165 ft. from Cor. No. 2 of the Copper Broom Fraction lode, and runs S.37°E., 70 ft. Value, \$500.
No. 8	A tunnel, 3 x 5 ft. in size, the portal of which bears S.20°30'E., 190 ft. from Cor. No. 2 of the Copper Broom Fraction lode, and runs S.47°E., 60 ft. and S.88°E., 60 ft. Value, \$1200.
No. 9	A shaft, the center of which bears S.38°E., 30 ft. from Cor. No. 2 of the Copper Broom Fraction lode 4 x 4 ft., 18 ft. deep. Value, \$180.

Survey No. 4488

Chains
Feet

No. 10 A tunnel, 3 x 5 ft. in size, the portal of which bears S.13°E., 160 ft. from Cor. No. 2 of the Copper Broom Fraction lode, and runs S.39°E., 30 ft.
Value, \$200.

No. 11 A shaft, the center of which bears S.37°30'E., 463 ft. from Cor. No.2 of the Copper Broom Fraction lode 15 x 9 ft., 5 ft. deep.
Value, \$60.

OTHER IMPROVEMENTS

None

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 3425 Rob Roy lode: Cors. 1 and 4 are granite stones firmly set and properly marked. The course of line 4 - 1 was found to be S.63°48'E., instead of S.63°55'E as approved.

Sur. No. 515 Copper Bell lode: Cors. 3 and 5 are mounds of stones. Cor. No. 6 has been destroyed. Line 3 - 5 was found to be N.53°49'E instead of N.53°42'E as shown on Sur. No. 3425. Line 5 - 6 was determined by turning a right angle from line 5 - 3 and found to be S.36°11'E.

Sur. No. 486 Aztec lode: Cors. No. 7 and 3 are mounds of stone. Line 3 - 7 was found to be N.7°32'40"E., 601.86 ft, instead of N.9°E., 600 ft. as approved.

Sur. No. 512 Bonnie Doon lode: Cors. No. 2,3,5 and 6 are mounds of stones. Cors. 1 and 4 could not be found. Line 3 - 5 was found to be N.8°13'40"E., 600.08 ft. instead of N.9°E., 600 ft. as approved. Line 2 - 3 was found to be S.81°49'20"E., 1488.57 ft., instead of S.81°E., 1500 ft, as approved. Line 6 - 2 was found to be S.7°52'40"W 604.31 ft., instead of S.9°W., 600 ft. as approved. Line 5 - 6 was found to be N.81°39'40"W., 1492.26 ft., instead of N.81°W., 1500 ft. as approved.

Sur. No. 510 Red Bird lode: Cors. No. 6 and 2 are mounds of stone. Line 6 - 2 was found to be S.7°52'40"W., 604.31 ft. instead of S.9°W., 600 ft., as approved. Cor. No.5 could not be found. Line 5 - 6 shown as approved.

Sur. No. 514 Head Center lode: Cors. No. 2 and 6 are mounds of stones. Cors. No. 1,3,4 and 5 could not be found. Line 2 - 6 was found to be S.47°18'45"W., 604.53 ft., instead of S.46°30'W., 600 ft. as approved. Cor. No. 5 Sur. No. 513 Bronze Statue lode is a mound of stones. Cor. No. 6 could not be found. Line 5 - 6 shown as approved.

FIELD ASSISTANTS

Name

Capacity

J. B. Sarvis
Keith Bunn

Chainman
Chainman

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE FOR PATENT APPLICATION ON MINERAL

SURVEY NO. 4488,

ARIZONA

(State)

Cadastral Surveys Office

(Office)

Phoenix, Arizona

(Place)

November 16, 1959

(Date)

I hereby certify that the record of mineral survey No. 4488, on file in this office, furnishes such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such references are made therein to natural objects or permanent monuments as would perpetuate or fix the locus thereof, and I further certify that the record shows \$500 worth of labor has been expended for improvements upon, or for the benefit of, each of the lode locations embraced in said mining claim by the claimant, or his grantors, and that no portion of, or interest in, said labor or improvements has been included in the estimate of expenditures upon any other claim.

Lester S. Mann

Lester S. Mann

Office Cadastral Engineer

(Title)

(This form to be attached to the claimant's copy of the field notes only in case the record shows expenditures to equal or exceed \$500.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE FOR PATENT APPLICATION ON MINERAL

SURVEY NO. _____

I hereby certify that the record of mineral survey No. _____ on file in this office furnishes such an accurate description and containing also a well delineated map into a patent, serve fully to identify the premises, and that such references are made therein to natural objects or permanent monuments as would perpetuate the same thereof, and I further certify that the record shows \$1000 worth of labor has been expended for improvements upon, or for the benefit of, each of the claims included in said mining claim by the claimant, or his assigns, and that the portion of the interest in said labor he has expended has been vested in the claimant, or his assigns, upon any other claim.

(This form to be attached to the claimant's copy of the land survey map, if any, the record shows expenditures for labor on each claim.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

June 26, 1959

I, Richard L. Merritt

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the _____

Office of Cadastral Engineer, at Phoenix, Arizona

dated May 18th, 1959, I have faithfully and correctly executed the survey of the mining claim of Fred Gibbs

known as the Victoria Nos. 1, 2, 3, Copper Broom Fraction, Copper Broom Extension and Monopoly lodes.
(Lode, placer, or mill site)

situate in Sections 16, 17, 20 and 21

T. 13 N., R. 3 W., Gila and Salt River Meridian, Arizona, and
(State)

designated as Survey No. 4488, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the lode location(s) embraced in the said mining claim by
(Lode or placer)

claimant(s) or his grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Prescott, Arizona
(Place)

Richard L. Merritt
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management--Survey Office

Phoenix, Arizona (Office) November 16, 1959
(Place) (Date)

The foregoing field notes of mineral survey No. 4488, in _____

Secs. 16, 17, 20 & 21, T. 13 North, R. 3 West, Gila & Salt River Meridian,

Arizona, executed by Richard L. Merritt, Mineral Surveyor,
(State)

under order dated May 18, 1959, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

Lester S. Mann
Lester S. Mann

Office Cadastral Engineer
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.

Office Cadastral Engineer
(Title)

