

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 4536

Arizona Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Frank P. Vallely, Sr.

Known As The

Blue Jay No. 1, Blue Jay No. 2, Blue Jay No. 3, Blue Jay No. 4, Hidden Treasure,  
Vallely Fraction and Silver Dollar No. 1 lodes

Hassayampa Mining District,

Yavapai County, Arizona

Section 25, Township 13 N., Range 2 W.

Surveyed under order dated July 18, 1960  
July 26, 1960  
Nov. 28, 1960

by J. WILLIAM WAARA  
Mineral Surveyor.

Blue Jay Nos. 2 and 3, 7-28-48; Blue Jay No. 1, 5-28-48;  
Blue Jay No. 4, 9-15-54; Silver Dollar No. 1, 4-9-60;  
Claim located Vallely Fraction, 6-8-60; Hidden Treasure, 7-1-29.

Survey commenced July 18, 1960

Survey completed December 8, 1960

Address of claimant George M. Ireland, Attorney for Claimant,  
Prescott, Arizona

DATES OF AMENDED LOCATIONS

Blue Jay Nos. 2, 3, 4 and Silver Dollar No. 1 on 6-1-60

Vallely Fraction on 7-22-60; Blue Jay No. 1 on 11-9-60.

DEPT. OF THE INTERIOR  
BUREAU OF LAND MGMT  
FEB 3 8 16 AM '61  
SALT LAKE CITY, UTAH  
AREA OFFICE



Survey No. 4536

1

CHANGES  
Feet

This survey was made with a Lietz Light Mountain transit No. 9503, with horizontal limb five inches in diameter, having two double opposite verniers reading to thirty seconds of arc; and full vertical circle five inches in diameter, having double opposite verniers reading to one minute of arc; the eyepiece is equipped to receive a prismatic eyepiece with colored shade for direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian established by direct observations on the sun, August 6, 1960 at the north center end of the Hidden Treasure lode, Latitude  $34^{\circ} 28' 30''$  N., Longitude  $112^{\circ} 25' 30''$  W., turning from a reference point southwest clockwise to the sun in the southeast direction.

True bearing of the reference point S.  $86^{\circ} 00'$  W.

The lines were measured with a steel tape, 500 ft. long,  $1/8$  in. diam., graduated every foot. This tape was compared with a standard 100 foot steel tape at the time of the beginning of the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $14^{\circ} 30'$  E.

Survey No. 4536

## BLUE JAY NO. 1 LODE

At Cor. No. 1 of the Blue Jay No. 1 lode.

Set an iron pipe, 36 ins. long,  $1/2$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 1-1-4536 with its center for exact corner point; from which

The W.  $1/4$  cor. of Sec. 25, T. 13 N., R. 2 W. of the Gila and Salt River Meridian bears S.  $36^{\circ} 50'$  W., 1410.3 ft. dist.

No other bearings available.

Thence N.  $64^{\circ} 23'$  E.

300.0 Lode line, built a substantial mound of stone; the discovery cut bears S.  $26^{\circ} 11'$  E., 1400 ft. dist.

600.0 Cor. No. 2.

Set an iron pipe, 36 ins. long,  $1/2$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 1-2-4536 with its center for exact cor. point.

No bearings available.

Thence S.  $26^{\circ} 11'$  E.

CUMULATIVE Feet	
588.86	Intersect line 4-1, Sur. No. 3746, Prince Albert No. 6 lode, at a point from which Cor. No. 4 bears S. 41° 17' W., 193.95 ft. dist.
1222.93	Intersect line 2-3, Sur. No. 3746, Prince Albert No. 6 lode, at a point from which Cor. No. 3 bears S. 41° 17' W., 523.78 ft. dist.
1500.0	Cor. No. 3, on line 3-4 of the Blue Jay No. 4 lode of this survey.
	Set an iron pipe, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 1-3-4536 with its center for exact cor. point; from which
	Cor. No. 4, Sur. No. 3746, Prince Albert No. 6 lode, bears N. 38° 16' W., 855.78 ft. dist.
	Cor. No. 3, Sur. No. 3746, Prince Albert No. 6 lode, bears S. 72° 47' W., 489.78 ft. dist.
	No other bearings available.
	Thence S. 64° 23' W.
291.0	Witness monument for south center end of this lode, a substantial mound of stone.
300.0	Lode line falls on a trail; discovery cut bears N. 26° 11' W., 100.0 ft. dist.
559.7	Witness cor. for Cor. No. 4, identical with witness cor. for Cor. No. 3, Blue Jay No. 4 lode of this survey.
	Set an iron pipe, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked W C B J 1-4, B J 4-3-4536 with its center for exact cor. point.
	No bearings available.
600.0	Cor. No. 4, on line 3-4 of the Blue Jay No. 4 lode of this survey.
	This cor. point falls on a traveled road where it was impracticable to set a permanent cor. monument; from which
	Cor. No. 3, Sur. No. 2410, Monte Cristo lode, bears N. 2° 02' 30" E., 747.49 ft. dist.
	Thence N. 26° 11' W.
76.02	Intersect line 3-4, Sur. No. 2410, Monte Cristo lode, at a point from which Cor. No. 3 bears N. 5° 04' E., 681.45 ft. dist.
809.26	Intersect line 3-4, Blue Jay No. 3 lode of this survey, identical with its intersection with line 2-3, Sur. No. 2410, Monte Cristo lode, at a point from which Cor. No. 3 bears N. 86° 54' E., 384.28 ft. dist.
1375.25	Intersect line 2-3 of the Blue Jay No. 3 lode of this survey.
1500.0	Cor. No. 1 and place of beginning.

Chains  
Feet

BLUE JAY NO. 2 LODGE

Beginning at Cor. No. 1 of the Blue Jay No. 2 lode, identical with Cor. No. 1 of the Silver Dollar No. 1 lode of this survey.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 2-1, S D 1-1 4536 with its center for exact cor. point; from which

The W.  $\frac{1}{4}$  cor. of Sec. 25, T. 13 N., R. 2 W., bears N.  $24^{\circ} 43'$  W., 575.5 ft. dist.

No other bearings available.

Thence N.  $4^{\circ} 38'$  W.

145.0 Groom Creek, flows northwesterly.

185.0 Road, bears SE. & NW.

1499.1 Cor. No. 2.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 2-2-4536 with its center for exact cor. point.

No bearings available.

Thence N.  $85^{\circ} 43'$  E.

300.0 Lode line, built a substantial mound of stone; discovery shaft bears S.  $4^{\circ} 38'$  E., 1474.1 ft. dist.

453.9 Intersect line 1-2 of the Blue Jay No. 3 lode of this survey.

600.0 Cor. No. 3

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 2-3-4536 with its center for exact cor. point.

No bearings available.

Thence S.  $4^{\circ} 38'$  E.

1499.1 Cor. No. 4, identical with Cor. No. 2 of the Silver Dollar No. 1 lode and on line 4-1 of the Blue Jay No. 3 lode, identical with line 1-2 of the Vallely Fraction lode, all of this survey.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 2-4, S D 1-2-4536 with its center for exact cor. point.

No bearings available.

Thence S.  $85^{\circ} 43'$  W.

179.1 Intersect line 4-1 of the Vallely Fraction lode of this survey.

CHANGES  
Feet

300.0 Lode line, built a substantial mound of stone; discovery shaft bears N.  $4^{\circ} 38'$  W., 25.0 ft. dist.

470.0 Road, bears SE. & NW.

490.0 Groom Creek, flows northwesterly.

600.0 Cor. No. 1 and the place of beginning.

BLUE JAY NO. 3 LODE.

Beginning at Cor. No. 1. of the Blue Jay No. 3 lode.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 3-1-4536 with its center for exact cor. point; from which

The W.  $\frac{1}{4}$  cor. of Sec. 25, T. 13 N., R. 2 W., bears N.  $52^{\circ} 02'$  W., 670.7 ft. dist.

No other bearings available.

Thence N.  $1^{\circ} 42'$  E.

1417.9 Intersect line 2-3 of the Blue Jay No. 2 lode of this survey.

1499.0 Cor. No. 2.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 3-2-4536 with its center for exact cor. point.

No bearings available.

Thence S.  $78^{\circ} 07'$  E.

304.5 Lode line, built a substantial mound of stone; discovery cut bears S.  $1^{\circ} 42'$  W., 1000 ft. dist.

334.81 Intersect line 4-1 of the Blue Jay No. 1 lode of this survey.

609.0 Cor. No. 3.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 3-3-4536 with its center for exact cor. point.

No bearings available.

Thence S.  $2^{\circ} 21'$  W.

452.2 Intersect line 4-1 of the Blue Jay No. 1 lode of this survey, identical with its intersection with line 2-3, Sur. No. 2410, Monte Cristo lode at a point from which Cor. No. 2 bears S.  $86^{\circ} 54'$  W., 221.92 ft. dist.

1490.0 Road, bears E. & W.

1496.5 Cor. No. 4, identical with Cor. No. 2 of the Vallely Fraction lode of this survey.

CHAINS Feet	
	Set an iron pipe, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 3-4, S V F 2-4536 with its center for exact cor. point; from which
	Cor. No. 2, Sur. No. 2410, Monte Cristo lode, bears N. 9° 50' W., 1046.81 ft. dist.
	No other bearings available.
60.0	Thence N. 78° 07' W. Road, bears E. and W.
243.53	Intersect line 1-2, Sur. No. 2410, Monte Cristo lode at a point from which Cor. No. 2 bears N. 3° 30' 30" E., 982.71 ft. dist.
267.0	Lode line monument, Vallely Fraction lode of this survey.
275.0	Cor. No. 4 of the Blue Jay No. 2 lode, identical with Cor. No. 2 of the Silver Dollar No. 1 lode, both of this survey.
287.50	Lode line, built a substantial mound of stone; discovery cut bears N. 1° 42' E., 499.0 ft. dist.
462.0	Cor. No. 1 of the Vallely Fraction lode of this survey.
592.0	Cor. No. 1 and place of beginning.
	<b>BLUE JAY NO. 4 LODE</b>
	Beginning at Cor. No. 1 of the Blue Jay No. 4 lode.
	Set an iron pipe, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 4-1-4536 with its center for exact cor. point; from which
	The S. $\frac{1}{4}$ cor. of Sec. 25, T. 13 N., R. 2° W. bears S. 14° 38' E., 1187.7 ft. dist.
	Cor. No. 3, Sur. No. 1569, Douglas No. 2 lode, bears N. 62° 25' W., 384.34 ft. dist.
	Cor. No. 2, Sur. No. 1636, Carlos lode, bears S. 4° 36' W., 216.58 ft. dist.
	No other bearings available.
	Thence S. 64° 23' W.
23.91	Intersect line 2-3, Sur. No. 1636, Carlos lode, at a point from which Cor. No. 2 bears S. 1° 10' E., 205.66 ft. dist.
317.0	Lode line, built a substantial mound of stone; discovery shaft bears N. 6° 39' W., 1461.9 ft. dist.
429.58	Intersect line 2-3, Sur. No. 1569, Douglas No. 2 lode at a point from which Cor. No. 3 bears N. 7° 19' E., 366.68 ft. dist.
514.53	Intersect line 4-1 of the Hidden Treasure lode of this survey.
634.0	Cor. No. 2.

Feet

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 4-2-4536 with its center for exact cor. point.

No bearings available.

Thence N.  $6^{\circ} 39'$  W.

- 721.8 Intersect line 4-1 of the Hidden Treasure lode of this survey.  
 1430.0 Road, bears E. and W.  
 1465.0 Road, bears SW. and NE.  
 1471.9 Cor. No. 3

This cor. point falls on the edge of a traveled road where it is impracticable to set a permanent cor. monument.

Thence N.  $64^{\circ} 23'$  E.

- 17.0 Cor. No. 4 of the Blue Jay No. 1 lode of this survey.  
 57.3 Witness cor. for Cor. No. 3 of this lode, identical with witness cor. for Cor. No. 4 of the Blue Jay No. 1 lode of this survey, heretofore described.

- 317.0 Lode line, point falls on a trail; discovery shaft bears S.  $6^{\circ} 39'$  E., 10.0 ft. dist.  
 326.0 Witness monument for north center end of this lode, a substantial mound of stone, identical with witness monument for south center end of the Blue Jay No. 1 lode, previously described.  
 617.0 Cor. No. 3 of the Blue Jay No. 1 lode of this survey.  
 634.0 Cor. No. 4.

Set an iron pipe, 36 ins. long,  $\frac{1}{2}$  in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked B J 4-4-4536 with its center for exact cor. point.

No bearings available.

Thence S.  $6^{\circ} 39'$  E.

- 1244.19 Intersect line 2-3, Sur. No. 1636, Carlos lode, at a point from which Cor. No. 2 bears S.  $1^{\circ} 10'$  E., 442.29 ft. dist.  
 1363.44 Intersect line 3-4, Sur. No. 1569, Douglas No. 2 lode, at a point from which Cor. No. 3 bears N.  $77^{\circ} 55'$  W., 335.53 ft. dist.  
 1471.9 Cor. No. 1 and place of beginning.

#### HIDDEN TREASURE LODE

Beginning at Cor. No. 1 of the Hidden Treasure lode.

Chain Feet	
	<p>Set an iron pipe, 36 ins. long, <math>\frac{1}{2}</math> in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked H T 1-4536 with its center for exact cor. point; from which</p> <p>The S. <math>\frac{1}{4}</math> cor. of Sec. 25, T. 13 N., R. 2 W., bears S. <math>48^{\circ} 17'</math> E., 896.2 ft. dist.</p> <p>Cor. No. 3, Sur. No. 1569, Douglas No. 2 lode, bears N. <math>2^{\circ} 13'</math> E., 731.30 ft. dist.</p> <p>No other bearings available.</p> <p>Thence S. <math>86^{\circ} 27'</math> W.</p>
66.51	Intersect line 2-3, Sur. No. 1569, Douglas No. 2 lode, at a point from which Cor. No. 3 bears N. $7^{\circ} 19'$ E., 741.05 ft. dist.
307.0	Lode line, built a substantial mound of stone; discovery cut bears N. $16^{\circ} 03'$ W., 1443.9 ft. dist.
450.0	Road, bears S. and N.
614.0	Cor. No. 2, identical with Cor. No. 3 of the Vallely Fraction lode of this survey.
	<p>Set an iron pipe, 36 ins. long, <math>\frac{1}{2}</math> in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked H T-2, V F-3-4536 with its center for exact cor. point.</p> <p>No bearings available.</p> <p>Thence N. <math>14^{\circ} 42'</math> W.</p>
375.0	Groom Creek, flows northwesterly.
545.0	Road, bears SE. and NW.
1486.7	Cor. No. 3, identical with Cor. No. 1, Sur. No. 2410, Monte Cristo lode.
	<p>Set an iron pipe, 36 ins. long, <math>\frac{1}{2}</math> in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked H T-3-4536, M C-1-2410 with its center for exact cor. point; from which</p> <p>A porphyry rock in place, marked BxR M C 1 2410, bears S. <math>53^{\circ} 15'</math> E., 39.6 ft. dist.</p> <p>No other bearings available.</p> <p>Thence N. <math>86^{\circ} 127'</math> E.</p>
246.75	Intersect line 2-3 of the Vallely Fraction lode of this survey.
271.3	Lode line, built a substantial mound of stone; discovery cut bears S. $16^{\circ} 03'$ E., 50.0 ft. dist.
578.3	Cor. No. 4, identical with Cor. No. 4, Sur. No. 2410, Monte Cristo lode.

Chains Feet	
	Set an iron post, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked H T 4-4536, M C 4-2410 with its center for exact cor. point; from which
	A pine tree, .30 ins. diam., marked BxT M.C 4-2410, bears S. $44^{\circ} 45'$ W., 52.5 ft. dist.
	No other bearings available.
	Thence S. $16^{\circ} 03'$ E.
457.9	Intersect line 2-3 of the Blue Jay No. 4 lode of this survey.
1150.2	Intersect line 1-2 of the Blue Jay No. 4 lode of this survey.
1190.0	Road, bears NE. and SW.
1216.0	Groom Creek, flows southwesterly.
1329.36	Intersect line 2-3, Sur. No. 1569, Douglas No. 2 lode, at a point from which Cor. No. 3 bears N. $7^{\circ} 19'$ E., 577.32 ft. dist.
1493.9	Cor. No. 1 and place of beginning.
	VALLELY FRACTION LODE
	Beginning at Cor. No. 1 of the Vallely Fraction lode, on line 4-1 of the Blue Jay No. 3 lode of this survey.
	Set an iron pipe, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked V F-1-4536 with its center for exact cor. point; from which
	The W. $\frac{1}{4}$ cor. of Sec. 25, T. 13 N., R. 2 W., bears N. $56^{\circ} 11'$ W., 789.5 ft. dist.
	No other bearings available.
	Thence S. $78^{\circ} 07'$ E.
174.5	Lode line monument of the Blue Jay No. 3 lode of this survey.
187.0	Cor. No. 4 of the Blue Jay No. 2 lode, identical with Cor. No. 2 of the Silver Dollar No. 1 lode, both of this survey.
195.0	Lode line, built a substantial mound of stone; discovery cut bears S. $4^{\circ} 51'$ E., 1032.8 ft. dist.
217.06	Intersect line 1-2, Sur. No. 2410, Monte Cristo lode, at a point from which Cor. No. 1 bears S. $3^{\circ} 30' 30''$ W., 91.69 ft. dist.
402.0	Road, bears E. and W.
462.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Jay No. 3 lode of this survey; from which
	Cor. No. 1, Sur. No. 2410, Monte Cristo lode, identical with Cor. No. 3 of the Hidden Treasure lode of this survey bears S. $80^{\circ} 22' 30''$ W., 247.41 ft. dist.
	Thence S. $5^{\circ} 09'$ E.

Chain Feet	
26.20	Intersect line 3-4 of the Hidden Treasure lode of this survey, identical with line 4-1, Sur. No. 2410, Monte Cristo lode, at a point from which Cor. No. 1 bears S. 86° 27' W., 246.75 ft. dist.
1140.0	Road, bears SE. and NW.
1175.0	Groom Creek, flows northwesterly.
1485.4	Cor. No. 3, identical with Cor. No. 2 of the Hidden Treasure lode of this survey. Thence N. 78° 07' W.
275.34	Lode line, built a substantial mound of stone; discovery cut bears N. 4° 51' W., 450.0 ft. dist.
288.0	Intersect line 2-3 of the Silver Dollar No. 1 lode of this survey.
470.34	Cor. No. 4. Set an iron pipe, 36 ins. long, $\frac{1}{2}$ in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked V F-4-4536 with its center for exact cor. point. No bearings available. Thence N. 4° 51' W.
530.0	Road, bears SE. and NW.
660.0	Road, bears S. and N.
790.0	Road, bears northwesterly.
840.0	Groom Creek, flows northwesterly.
1050.0	Road, bears SW. and NE.
1080.0	Groom Creek, flows northeasterly.
1130.0	Groom Creek, flows northwesterly.
1142.0	Road, bears SE. and NW.
1337.0	Road, bears E. and W.
1430.73	Intersect line 4-1 of the Blue Jay No. 2 lode, identical with line 1-2 of the Silver Dollar No. 1 lode, both of this survey.
1482.8	Cor. No. 1 and place of beginning.
	SILVER DOLLAR NO. 1 LODE
	Beginning at Cor. No. 1 of the Silver Dollar No. 1 lode, identical with Cor. No. 1 of the Blue Jay No. 2 lode of this survey; from which The W. $\frac{1}{4}$ cor. of Sec. 25, T. 13 N., R. 2 W., bears N. 24° 43' W., 575.5 ft. dist. Thence N. 85° 43' E.

110.0	Groom Creek, flows northwesterly.
130.0	Road, bears SE. and NW.
300.0	Lode line, built a substantial mound of stone; discovery shaft bears S. 4° 40' E., 25.0 ft. dist.
420.9	Intersect line 4-1 of the Vallely Fraction lode of this survey.
600.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Jay No. 2 lode and located on line 4-1 of the Blue Jay No. 3 lode, both of this survey.
	Thence S. 4° 40' E.
50.0	Road, bears E. and W.
979.0	Road, bears E. and W.
999.0	Groom Creek, flows northwesterly.
1481.35	Intersect line 3-4 of the Vallely Fraction lode of this survey.
1499.1	Cor. No. 3.
	Set an iron pipe, 36 ins. long, 1/2 in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked S D 1-3-4536 with its center for exact cor. point.
	No bearing available.
	Thence S. 85° 43' W.
300.0	Lode line, built a substantial mound of stone; discovery shaft bears N. 4° 40' W., 1474.1 ft. dist.
600.0	Cor. No. 4.
	Set an iron pipe, 36 ins. long, 1/2 in. diam., 18 ins. in the ground, surrounded by a substantial mound of stone, fitted with a three inch floor flange with copper plate bolted thereon, marked S D 1-4-4536 with its center for exact cor. point.
	No bearings available.
	Thence N. 4° 40' W.
1499.1	Cor. No. 1 and place of beginning.

AREAS

	Acres
Total area Blue Jay No. 1 lode	20.660
Area in conflict with	
Sur. No. 2410, Monte Cristo lode	2.975
Sur. No. 3746, Prince Albert No. 6 lode	4.824
Blue Jay No. 3 lode of this survey	1.404
Total area Blue Jay No. 2 lode	20.649
Total area Blue Jay No. 3 lode	20.342
Area in conflict with	
Sur. No. 2410, Monte Cristo lode	5.367
Blue Jay No. 2 lode of this survey	7.592

Survey No. 4536

11

C016326

Acres

Total area Blue Jay No. 4 lode	20.260
Area in conflict with	
Sur. No. 1569, Douglas No. 2 lode	1.913
Sur. No. 1636, Carlo lode	0.059
Sur. No. 1636, Carlo lode exclusive of its conflict with Sur. No. 1569, Douglas No. 2 lode	0.057
Hidden Treasure lode of this survey	0.936
Total area Hidden Treasure lode	19.961
Area in conflict with	
Sur. No. 1569, Douglas No. 2 lode	0.123
Total area Vallely Fraction lode	15.199
Area in conflict with	
Sur. No. 2410, Monte Cristo lode	0.328
Blue Jay No. 2 lode of this survey	0.107
Hidden Treasure lode of this survey	4.131
Total area Silver Dollar No. 1 lode	20.648
Area in conflict with	
Vallely Fraction lode of this survey	5.913

## LOCATION

This survey is located in the NW $\frac{1}{4}$  and SW $\frac{1}{4}$  of Sec. 25, T. 13 N., R. 2 W., Gila and Salt River Meridian, Hassayampa Mining District, Prescott National Forest, Yavapai County, State of Arizona.

## EXPENDITURES

	The improvements and the value of the labor and improvements made upon or for the benefit of the locations embraced in said mining claim of the claimant or his grantors are as follows:
No. 1	The discovery cut and tunnel of the Blue Jay No. 1 lode, the center of face of cut is on the lode line, 100.0 ft. from the center of line 3-4, cut 6x33x15 foot face, tunnel 4x6x40 ft. long, caved, bears N. 26° W., rehabilitated. Value cut, \$300. Value tunnel, 400.
No. 2	A cut and tunnel, the mouth of cut bears N. 48° E., 235 ft. from Cor. No. 4, cut 4x15x12 foot face, tunnel 4x6x30 ft. long, caved, bears northerly. Value cut, \$150. Value tunnel, 300.
No. 1	The discovery shaft of the Blue Jay No. 2 lode, the center of which is on the lode line, 25 ft. from the center of line 4-1, shaft 4x6x30 ft. deep, intersects a tunnel, extending southerly 25.0 ft. and northerly 45 ft., 4x6 ft. size, rehabilitated. Value shaft, \$300. Value tunnel, 700.
No. 2	A shaft, the center of which bears N. 18° 30' W., 645 ft. from Cor. No. 4, shaft 4x6x25 ft. deep. Value, \$250.
No. 3	A cut, the center of which bears S. 4° W., 285 ft. from Cor. No. 3, cut 4x10x6 foot face, caved. Value, \$40.

Schedule	Remarks
No. 4	A shaft, the center of which bears S. 70° E., 560 ft. from Cor. No. 2, shaft 4x6x8 ft. deep. Value, \$80.
No. 5	A cut, the face of which bears S. 68° E., 565 ft. from Cor. No. 2, cut 4x25x8 foot face, bears northerly. Value, \$150.
No. 1	The discovery cut and tunnel of the Blue Jay No. 3 lode, the center of which is on the lode line N. 1° 42' E., 499.0 ft. from a point on line 4-1, 287.5 ft. from Cor. No. 4, cut 4x20x10 foot face, tunnel 4x6x40 ft. bears northerly, rehabilitated. Value cut, \$150. Value tunnel, 400.
No. 2	A shaft, the center of which bears S. 57° E., 125 ft. from Cor. No. 2, shaft 4x6x30 ft. deep. Value, \$300.
No. 3	A shaft, the center of which bears S. 65° E., 120 ft. from Cor. No. 2, shaft 4x6x15 ft. deep. Value, \$150.
No. 1	The discovery shaft of the Blue Jay No. 4 lode, the center of which is on the lode line, 10.0 ft. from the center of line 3-4, shaft 4x6x20 ft. deep, timbered. Value, \$200.
No. 2	A cut, the mouth of which bears S. 72° E., 155 ft. from Cor. No. 3, cut 8x22x15 foot face, caved, bears southerly. Value, \$150.
No. 3	A cut and shaft, the mouth of cut bears S. 58° E., 130 ft. from Cor. No. 3, cut 4x19x10 foot face and tunnel 4x6x20 ft. of crosscut, bears southeasterly, thence tunnel 4x6x100 ft. southwesterly, rehabilitated. Value cut, \$150. Value tunnel, 400.
No. 4	A shaft, the center of which bears S. 28° 45' E., 305 ft. from Cor. No. 3, shaft 4x6x8 ft. deep. Value, \$80.
No. 5	A cut, the mouth of which bears S. 21° E., 255 ft. from Cor. No. 3, cut 4x14x6 foot face, caved, bears southeast. Value, \$40.
No. 6	A shaft, the center of which bears S. 17° 45' E., 372 ft. from Cor. No. 3, shaft 4x6x8 ft. deep. Value, \$80.
No. 7	A shaft, the center of which bears N. 9° 30' E., 570 ft. from Cor. No. 2, shaft 4x6x8 ft. deep. Value, \$80.
No. 8	A cut, the mouth of which bears N. 14° 30' E., 440 ft. from Cor. No. 2, cut 5x55x6 ft. deep, bears northerly. Value, \$250.

- ~~CHANG~~
- No. 1 The discovery cut and tunnel of the Hidden Treasure lode, the face of cut is on the lode line, bears S. 16° 03' E., 50 ft. from a point on line 3-4, 271.3 ft. from Cor. No. 3, cut 4x25x10 foot face, tunnel 4x6 running southerly 49 ft. to point whence drift 4x6 bears southeasterly 33 ft.; also main running southerly 61 ft. to winze, thence continuing same course 190 ft. to face.  
Value cut, \$200.  
Value tunnel, 3000.
- No. 1 The discovery cut and shaft of the Vallely Fraction lode, the center of the cut is on the lode line, bears N. 4° 51' W., 450 ft. from a point on line 3-4, 275.34 ft. from Cor. No. 3, cut 4x8x6 foot face with shaft 4x6x4 ft. deep therein.  
Value cut, \$80.  
Value shaft, 40.
- No. 2 A cut and tunnel, the mouth of cut bears N. 1° 15' E., 440 ft. from Cor. No. 4, cut 4x10x12 foot face, tunnel 4x6x40 ft. bears southerly, rehabilitated.  
Value cut, \$ 80.  
Value tunnel 400.
- No. 3 A cut, the face of which bears N. 5° E., 365 ft. from Cor. No. 4, 4x18x10 foot face, bears southerly.  
Value, None
- No. 1 The discovery shaft of the Silver Dollar No. 1 lode, the center of which is on the lode line, 25 ft. from the center of line 1-2, shaft 4x6x8 ft. deep.  
Value, \$100.
- No. 2 Cut and tunnel, the mouth of cut bears S. 4° 40' E., 110 ft. from intersection of lode line with line 1-2, cut 4x20x10 foot face, tunnel 4x6x90 ft. (however, continuing into Blue Jay No. 2 lode as reported), rehabilitated.  
Value cut, \$150.  
Value tunnel, 400.

## OTHER IMPROVEMENTS

None.

## OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The corners of the Public Survey are iron posts with brass cap as described in the official field notes.

The original location monuments are substantial mounds of stone.

Survey No. 1569, Douglas No. 2 lode - Cors. to this survey are stones properly set and marked. Lines are correct as approved.

Survey No. 1636, Carlo lode - Cors. to this survey are stones properly set and marked. Lines are correct as approved.

Survey No. 2410, Monte Cristo lode - Cors. 2 and 3 are stones properly set and marked. Cor. No. 1 is buried under mine dump. Cor. No. 4 is a stone loose on the ground. I was able to reestablish the loci of these cors. from the bearing rock and bearing tree respectively. Line 1-2 was found to be N. 3° 30' 30" E., 1074.4 ft.

**DESCRIPTION**

instead of N. 3° 49' 30" E., 1081.77 ft. as approved. Line 2-3 was found to be N. 86° 54' E., 606.2 ft. instead of N. 86° 45' E., 600 ft. as approved. Line 3-4 was found to be S. 5° 04' W., 1073.1 ft. instead of S. 4° 43' W., 1084 ft. as approved. Line 4-1 was found to be S. 86° 27' W., 578.3 ft. instead of S. 86° 45' W., 583 ft. as approved.

Survey No. 3746, Prince Albert No. 6 lode - Cors. to this survey are stones properly set and marked. Line 3-4 was found to be N. 4° 21' W., 819.2 ft. instead of N. 4° 28' W., 820.0 ft. as approved. Line 2-3 and 4-1 are shown as approved.

**FIELD ASSISTANTS**

Raymond W. White  
Robert Burns

Chainman  
Flagman

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Dec. 11, 1960

I, J. WILLIAM WAARA,

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the \_\_\_\_\_  
Office Cadastral Engineer, at Phoenix Arizona

dated July 18, July 26, Nov. 28, 1960, I have faithfully and correctly executed the survey of

the mining claim of FRANK P. VALLELY Sr.  
Blue Jay No.1, Blue Jay No.2, Blue Jay No.3, Blue Jay No.4  
known as the Hidden Treasure, Vallely Fraction and Silver Dollar No.1 lodes  
(Lode, placer, or mill site)

situate in Hassayampa Mining District, Yavapai County,

T. 13 N., R. 2 W., G & S. R. Meridian, Arizona, and  
(State)

designated as Survey No. 4536, which is represented in the foregoing field notes as having been  
executed by me and under my direction, and that said survey has been made in strict conformity with said order,  
the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner  
described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the lodes location(s) embraced in the said mining claim by  
(Lode or placer)

claimant(s) or his grantors are fully stated in my report therein, and that the character,  
extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no  
portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Prescott Arizona.  
(Place)

J. William Waara  
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Bureau of Land Management, Survey Office  
(Office)

Phoenix, Arizona June 15, 1961  
(Place) (Date)

The foregoing field notes of mineral survey No. 4536, in Sec. 25

T. 13 N., R. 2 W., Gila & Salt River Meridian,

Arizona, executed by J. William Waara, Mineral Surveyor,  
(State)

under order dated 7-18-60; Amd. 7-26-60 & 11-28-60, having been critically examined and the necessary  
corrections made prior to their certification by the surveyor, the field notes and the survey therein described  
are hereby approved.

Fred J. Weiler  
Fred J. Weiler

State Director  
(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. \_\_\_\_\_  
is a true copy of the original field notes.

(Title)



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 4536  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The BLUE JAY NO. 1, BLUE JAY NO. 2, BLUE JAY NO. 3, BLUE JAY NO. 4, Hidden Treasure, VALLELY FRACTION and SILVER DOLLAR NO. 1 lodes, Mineral Survey No. 4536, located in section 25, Township 13 North, Range 2 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"BLUE JAY NO. 1, BLUE JAY NO. 2, BLUE JAY NO. 3, BLUE JAY NO. 4, Hidden Treasure, VALLELY FRACTION and SILVER DOLLAR NO. 1 lodes, M.S. 4536, were canceled June 30, 2008, by memo 9605 (956) M.S. 4536, which is now a part of the original field notes."

June 30, 2008  
Date

Stephen K. Hansen  
Chief Cadastral Surveyor of Arizona

