

Form 4-683
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

| | |
|-----------------------|---------|
| Mineral Survey number | 4622 |
| State | Arizona |
| Land District | Arizona |

Of the Survey of the Mining Claim of *(name and address of Claimant)*

H. M. Osborne, P. O. Box 1623, Parker, Arizona

Known as the *(name of group, if any)*

Sue

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

| NAME OF LOCATION | DATE | |
|------------------|---------|---------|
| | LOCATED | AMENDED |
| Sue #1 Lode | 4/26/28 | 5/11/64 |
| Sue #2 Lode | 4/26/28 | 5/11/64 |
| Dewey Lode | 2/17/10 | 5/9/64 |

| | | | | | |
|------------------|----------|------------------|-------------------|--------------------------|------|
| Mining district | | Cienega | County | | Yuma |
| Section s | Township | Range | Meridian | Survey under order dated | |
| 22 and 23 | 10 North | 19 West | Gila & Salt River | June 26, 1964 | |
| Survey commenced | | Survey completed | | Name of Mineral Surveyor | |
| July 6, 1964 | | October 7, 1964 | | Louis A. Cornejo | |

1. Name of the party
 2. Address
 3. City
 4. State
 5. Zip

The undersigned hereby certifies that the above is a true and correct copy of the original as filed in the office of the Secretary of State of the State of New York on this 10th day of February, 1964.

000

| Quantity | Unit | Description | Price | Total |
|----------|-------|--------------|-------|--------|
| 100 | Yards | Blue Denim | 1.50 | 150.00 |
| 100 | Yards | White Cotton | 1.25 | 125.00 |
| 100 | Yards | Red Flannel | 1.75 | 175.00 |

I hereby certify that the above is a true and correct copy of the original as filed in the office of the Secretary of State of the State of New York on this 10th day of February, 1964.

Survey No. 4622

1

FEET

This survey was made with a Wild T-16 Theodolite No. 54727, with horizontal limb 3.125 ins. diam., having one optical reading vernier and a full vertical circle 3.125 ins. diam., having one optical reading vernier; the verniers read to 15 seconds of arc; the eyepiece is equipped with a colored shade set in the dust shutter and a reticle with a solar circle for making direct observations upon the sun's center. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by method of deflection angles referred to the meridian determined by the following observation:

July 7, 1964, at the East 1/4 Cor. of Section 22, Township 10 North, Range 19 West, Gila and Salt River Meridian, in latitude $34^{\circ} 11' 47''$ N., and longitude $114^{\circ} 13' 27''$ W., I made a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing the sun's center, and reading the horizontal angle from a reference point about 600 ft. dist. to the right to the sun.

Mean time of observation,
105th meridian standard time = 9h 17m 15s A. M.

Declination of the sun at mean
time of observation = $22^{\circ} 32' 08''$ N.

Mean observed vertical angle
to the sun's center = $43^{\circ} 51' 49''$

Mean horizontal angle from
reference point to the sun's
center = $139^{\circ} 54' 26''$

True bearing to reference point = N. $49^{\circ} 19' 15''$ W.

The lines were measured with a K & E steel tape 501 feet in length, graduated every foot for 500 ft., and the remainder graduated in tenths and hundredths; the tape was compared with a Lufkin standard at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 15° E.

Survey No. 4622

SUE #1 LODE

At Cor. No. 1 of the Sue #1 lode.

Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. S1-1-4622; from which

| FEET | |
|--------|--|
| | <p>The 1/4 corner of sections 22 and 23, T. 10 N., R. 19 W., G. & S.R.M., bears N. 14° 01' W., 740.98 ft. dist; an iron post, 1 in. diam., 10 ins. above the ground, firmly set, marked and witnessed as described in the official record.</p> <p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears North, 5 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 89° 59' 35" W.</p> |
| 105 | Draw, 5 ft. wide, bears N. 73° E., drains S. 73° W. |
| 180.0 | Intersect the line bet. secs. 22 and 23, at a point from which the 1/4 cor. of secs. 22 and 23 bears N. 0° 01' 12" E., 718.94 ft. dist.; previously described. |
| 390.0 | Cor. No. 4 of the Dewey lode, on line 1-2 of the Sue #2 lode, both of this survey; at a point from which Cor. No. 2 Sue #2 lode bears S. 0° 00' 25" E., 600 ft. dist. |
| 930 | Ridge, bears N. 41° E. and S. 41° W. |
| 1225 | Draw, 10 ft. wide, bears S. 67° E., drains N. 67° W. |
| 1400 | Ridge, bears S. 66° E. and N. 66° W. |
| 1500.0 | <p>Cor. No. 2, identical with Cor. No. 3 of the Dewey lode of this survey.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. S1-2-D-3-4622; from which</p> <p>A stone monument, 3 ft. diam. at the base and 4 ft. high, bears West, 6 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 0° 00' 25" E.</p> |
| 200 | Ridge, bears S. 82° E. and N. 82° W. |
| 300.0 | Lode line; discovery point bears N. 89° 59' 35" E., 1450 ft. dist. |
| 370 | Draw, 10 ft. wide, bears East and drains West. |
| 445 | Ridge, bears S. 70° E. and N. 72° W. |
| 495 | Draw, 5 ft. wide, bears S. 62° E., drains N. 62° W. |
| 575 | Road, 14 ft. wide, bears S. 65° E. and N. 65° W. |
| 600.0 | <p>Cor. No. 3.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. S1-3-4622; from which</p> <p>A pine pst, 4 x 4 ins., firmly set, extending 4 ft. above the surface, bears North, 5 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> |

| FEET | |
|--------|--|
| | Thence N. 89° 59' 35" E. |
| 50 | Road, 14 ft. wide, bears S. 64° E. and N. 64° W. |
| 310 | Ridge, bears N. 10° E. and S. 10° W. |
| 505 | Draw, 5 ft. wide, bears S. 10° E., drains N. 10° W. |
| 705 | Ridge, bears North and South. |
| 835 | Draw, 5 ft. wide, bears S. 10° E., drains N. 8° W. |
| 920 | Ridge, bears S. 30° E. and N. 30° W. |
| 1090 | Road, 14 ft. wide, bears N. 73° E. and S. 55° W. |
| 1110.0 | Cor. No. 2 of Sue #2 lode of this survey. |
| 1320.0 | A point for the S. 1/16 sec. cor. of secs. 22 and 23, an iron post, 2 1/2 ins. diam., 20 ins. above the ground, firmly set, marked and witnessed as described in the official record. |
| 1410.0 | Lode line of the Sue #2 lode of this survey. |
| 1500.0 | Cor. No. 4. |
| | This corner falls on a rock slide where a permanent monument can not be established; from this point N. 89° 59' 35" E., 8.69 ft. dist., set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap, for witness Cor. No. 4, mkd. WC-S1-4-4622. |
| | Thence N. 0° 00' 25" W. |
| 90 | Draw, 10 ft. wide, bears N. 40° W., drains S. 40° E. |
| 300.0 | Lode line; the discovery point bears S. 89° 59' 35" W., 50 ft. dist. |
| 430 | Ridge, bears N. 47° E. and S. 47° W. |
| 600.0 | Cor. No. 1, and place of beginning. |
| | SUE #2 LODE |
| | At Cor. No. 1 of the Sue #2 lode. |
| | Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. S2-1-4622; from which |
| | The 1/4 cor. of secs. 22 and 23, bears S. 49° 19' 15" E., 277.76 ft. dist., previously described. |
| | A stone monument, 3 ft. diam. at the base and 3 ft. high, bears North, 7 ft. dist. |
| | No local bearing objects or bearing trees available. |
| | Thence S. 0° 00' 25" E. |
| 125 | Draw, 5 ft. wide, bears S. 60° E., drains N. 60° W. |

| FEET | |
|--------|---|
| 300.0 | Cor. No. 1 of Dewey lode of this survey. |
| 385 | Draw, 5 ft. wide, bears S. 47° E., drains N. 47° W. |
| 600.0 | Lode line of Dewey lode of this survey. |
| 715 | Ridge, bears N. 85° E. and West. |
| 900.0 | Cor. No. 4 of Dewey lode and intersect line 1-2 of Sue #1 lode, both of this survey, at a point from which Cor. No. 1 Sue #1 lode bears N. 89° 59' 35" E., 390 ft. dist. |
| 975 | Draw, 10 ft. wide, bears N. 75° E., drains S. 65° W. |
| 1045 | Ridge, bears N. 75° E. and S. 69° W. |
| 1125 | Draw, 5 ft. wide, bears N. 85° E., drains West. |
| 1250 | Ridge, bears N. 80° E. and S. 80° W. |
| 1425 | Draw, 5 ft. wide, bears East, drains N. 65° W. |
| 1485 | Road, 14 ft. wide, bears N. 73° E. and S. 73° W. |
| 1500.0 | <p>Cor. No. 2, on line 3-4 of Sue #1 lode of this survey.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. S2-2-4622; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. diam. at the base and 2 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">No local bearing objects or bearing trees available.</p> <p style="padding-left: 80px;">Thence N. 89° 59' 35" E.</p> |
| 210.0 | The S. 1/16 sec. cor. of secs. 22 and 23, previously described. |
| 300.0 | Lode line; discovery point bears N. 0° 00' 25" W., 400 ft. dist. |
| 390.0 | True point for Cor. No. 4 of Sue #1 lode of this survey, previously described. |
| 398.69 | Witness Cor. No. 4 of Sue #1 lode of this survey, previously described. |
| 460 | Draw, 10 ft. wide, bears N. 40° W., drains S. 20° W. |
| 560 | Draw, 15 ft. wide, bears North, drains S. 10° E. |
| 600.0 | <p>Cor. No. 3.</p> <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. S2-3-4622; from which</p> <p style="padding-left: 40px;">A stone monument, 3 ft. diam. at the base and 30 ins. high, bears East, 6 ft. dist.</p> <p style="padding-left: 40px;">No local bearing objects or bearing trees available.</p> <p style="padding-left: 80px;">Thence N. 0° 00' 25" W.</p> |
| 150 | Ridge, bears N. 78° E. and S. 5° W. |

| FEET | |
|-------------|--|
| 550 | Draw, 5 ft. wide, bears N. 72° E., drains S. 72° W. |
| 800 | Ridge, bears S. 60° E. and S. 80° W. |
| 936.68 | Intersect line 1-4 Sur. No. 4406-A Sue lode at a point from which Cor. No. 1 bears N. 38° 23' W., 308.63 ft. dist. |
| 1330.56 | Intersect line 1-2 Sur. No. 4406-A Sue lode at a point from which Cor. No. 1 bears S. 51° 37' W., 244.41 ft. dist. |
| 1500.0 | Cor. No. 4. |
| | Set an iron post, 26 ins. long, 2 ins. diam., 12 ins. in the ground to bedrock, mounted in cement, with a brass cap mkd. S2-4-4622; from which |
| | A stone monument, 2 ft. diam. at the base and 3 ft. high, bears North, 7 ft. dist. |
| | No local bearing objects or bearing trees available. |
| | Thence S. 89° 59' 35" W. |
| 105 | Draw, 5 ft. wide, bears S. 10° E., drains N. 10° W. |
| 300.0 | Lode line; discovery point bears S. 0° 00' 25" E., 1100 ft. dist. |
| 590 | Ridge, bears S. 80° E. and N. 70° W. |
| 600.0 | Cor. No. 1, and place of beginning. |
| DEWEY LODGE | |
| | At Cor. No. 1 of the Dewey lode, on line 1-2 of Sue #2 lode of this survey. |
| | Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. D-1-4622; from which |
| | The 1/4 sec. cor. of secs. 22 and 23, bears N. 60° 32' 30" E., 241.87 ft. dist. |
| | A stone monument, 3 ft. diam. at the base and 3 ft. high, bears East, 6 ft. dist. |
| | No local bearing trees available. |
| | Thence S. 89° 59' 35" W. |
| 90 | Draw, 10 ft. wide, bears S. 25° W., drains N. 25° E. |
| 670 | Ridge, bears N. 30° W. and S. 30° E. |
| 1110.0 | Cor. No. 2. |
| | Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. D-2-4622; from which |
| | A stone monument, 3 ft. diam. at the base and 3 ft. high, bears West, 6 ft. dist. |

| FEET | |
|--|--|
| | <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 0° 00' 25" E.</p> |
| 300.0 | Lode line; discovery point bears N. 89° 59' 35" E., 1100 ft. dist. |
| 430 | Draw, 15 ft. wide, bears S. 40° E., drains N. 40° W. |
| 480 | Ridge, bears S. 20° E. and N. 20° W. |
| 600.0 | Cor. No. 3, identical with Cor. No. 2 of the Sue #1 lode, previously described. |
| | Thence N. 89° 59' 35" E. |
| 100 | Ridge, bears S. 66° E. and N. 66° W. |
| 275 | Draw, 10 ft. wide, bears S. 67° E., drains N. 67° W. |
| 570 | Ridge, bears N. 41° E. and S. 41° W. |
| 1110.0 | Cor. No. 4, on line 1-2 Sue #2 lode of this survey. |
| | <p>Set an iron post, 26 ins. long, 2 ins. diam., 20 ins. in the ground, mounted in cement, with a brass cap mkd. D-4-4622; from which</p> <p>A stone monument, 3 ft. diam. at the base and 3 ft. high, bears North, 7 ft. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 0° 00' 25" W.</p> |
| 185 | Ridge, bears N. 85° E. and West. |
| 300.0 | Lode line; discovery point bears S. 89° 59' 35" W., 10 ft. dist. |
| 515 | Draw, 5 ft. wide, bears S. 47° E., drains N. 47° W. |
| 600.0 | Cor. No. 1, and place of beginning. |
| Survey No. 4622 | |
| AREAS | |
| | Acres |
| Total area, Sue #1 lode..... | 20.661 |
| Total area, Sue #2 lode..... | 20.661 |
| Area in conflict with-- | |
| Sue #1 lode of this survey..... | 5.372 |
| Sur. No. 4406 A Sue lode..... | 0.865 |
| Total area, Dewey lode..... | 15.289 |
| LOCATION | |
| <p>This survey is located in the NE$\frac{1}{4}$ and SE$\frac{1}{4}$ sec. 22, and NW$\frac{1}{4}$ and SW$\frac{1}{4}$ sec. 23, T. 10 N., R. 19 W., of the Gila and Salt River Meridian.</p> <p>The survey of the Sue #1, Sue #2 and the Dewey lodes is identical with the respective amended location as marked on the ground.</p> | |

| FEET | EXPENDITURES |
|-------|---|
| | <p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p> |
| No. 1 | <p>The discovery point of the Sue #1 lode is on the lode line 50 ft., S. 89° 59' 35" W., from the center of line 1-4. Value, None.</p> |
| No. 2 | <p>A cut, the mouth of which bears West, 106.5 ft. dist. from the center of line 1-4 of Sue #1 lode; 4 ft. wide, runs N. 89° E., 10 ft. to the face, 8 ft. high. Value, \$100.</p> |
| No. 1 | <p>The discovery shaft of the Sue #2 lode, the center of which being the discovery point, is on the lode line, N. 0° 00' 25" W., 400 ft. from the center of line 2-3; 4 x 5 ft. in size, 7 ft. deep. Value, \$100</p> |
| No. 1 | <p>The discovery point of the Dewey lode is on the lode line, 10 ft., S. 89° 59' 35" W., from the center of line 1-4. Value, None.</p> |
| No. 2 | <p>A cut, the mouth of which bears N. 71° 30' E., 514.5 ft. dist. from Cor. No. 3 Dewey lode; 6 ft. wide, runs N. 55° E., 16 ft. to the face, 7 ft. high. Value, \$160.</p> |
| No. 3 | <p>A cut, the mouth of which bears N. 21° 35' E., 191.5 ft. dist. from Cor. No. 3 Dewey lode; 4 ft. wide, runs N. 40° W., 10 ft. to the face, 5 ft. high. Value, \$50.</p> <p>An interest in a common improvement described as follows:</p> <p>An inclined shaft, the center of which bears N. 69° 09' 30" E., 943.78 ft. dist. from Cor. No. 1 of Sue #1 lode, 6 x 8 ft. in size, long sides bears N. 20° W.; thence S. 60° 05' W., on an inclined line of Minus 60° 15' from the horizontal, at 63.7 ft. to Sta. 1, at 104.2 ft. to Sta. 2, and at 108.2 to water level.</p> <p>At Sta. 1, a drift 5 x 6 ft. in size, runs N. 19° W., 30 ft. to point 1; thence N. 32° W., 18 ft., at this point the timbers are broken and the drift is caved. At point 1, a raise 3 x 4 ft. in size, partly timbered; 38 ft. high.</p> <p>At Sta. 1, a drift 5 x 6 ft. in size, runs S. 25° E., 40 ft. to breast.</p> <p>At Sta. 2, a drift 5 x 6 ft. in size, runs N. 25° W., 37 ft. to breast.</p> <p>At Sta. 2, a crosscut, bears S. 59° W., unknown length; it is filled with rock materials.</p> <p>At Sta. 2, a drift 6 x 7 ft. in size, runs S. 24° E., 71.5 ft.; thence S. 32° E., 35 ft. to point 2; thence S. 34° E., 13.2 ft. to point 3; thence S. 51° E., 33.2 ft., at this point the drift is caved and the survey was discontinued, considered the</p> |

FEET

remaining workings as unaccessible. At point 2, a crosscut 4 x 5 ft. in size, runs S. 42° W., 33 ft. to breast. At point 3, a crosscut 4 x 5 ft. in size, runs S. 30° W., 17 ft. to breast. At point 3, a raise 4 x 5 ft. in size, 108 ft. high to the surface.

Value of shaft, drifts, crosscuts and raises, \$10,050.

Value of one-fourth interest, \$2,512.50.

This improvement is for the development of the Sue #1, Sue #2 and Dewey lodes of this survey and M. S. No. 4406-A Sue lode, which are all contiguous lode claims owned in common within the range of benefit of said excavations.

This development affords the most practical and economical means of developing each of the stated lodes at depth.

Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-fourth interest in its value is hereby credited to each of the said lodes and a like interest apportioned to M. S. No. 4406-A Sue lode.

Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditures to any lode claim.

OTHER IMPROVEMENTS

An access road, 14 ft. wide, that connects the Sue #2 lode with the County road, about 2600 ft. long.
Claimant herein.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 4406-A Sue Lode: Cors, No. 1 and No. 2 are iron pipes, 3/4 in. diam., firmly set and properly marked; Cor. No. 4 is a porphyry rock, firmly set and properly marked. Line 1-2 and 1-4 are correct as approved. The connection line from Cor. No. 1 to the 1/4 Sec. Cor. of Secs. 22 and 23 is correct as approved.

The section line, from the S. 1/16 Sec. Cor. of Secs. 22 and 23 to the 1/4 Sec. Cor. of Secs. 22 and 23 bears N. 0° 01' 12" E., 1318.94 ft., instead of N. 0° 01' W., 1320.66 ft., as approved.

FIELD ASSISTANTS

| Name | Capacity |
|----------------|----------|
| Dennis M. Vore | Chainman |

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

10

CERTIFICATE OF SURVEYOR

| | |
|---|--------------------------------|
| Name of Mineral Surveyor Louis A. Cornejo | Date October 7, 1964 |
|---|--------------------------------|

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated June 26, 1964, I have carefully executed the survey of the claim of H. M. Osborne, known as the (lode, placer, or mill site) Sue #1, Sue #2 and Dewey lodes situated in Section 22 and 23 Township 10 North, Range 19 West, Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4622, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lodes location(s) embraced in the said mining claim by claimant(s) or his grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

| | |
|--------------------------------------|--|
| Parker, Arizona (Location) | <i>Louis A. Cornejo</i> (Signature of Mineral Surveyor) |
|--------------------------------------|--|

CERTIFICATE OF APPROVAL

| |
|--|
| Office Bureau of Land Management Arizona State Office Location Phoenix, Arizona |
| Date October 19, 1964 |

The foregoing field notes of mineral survey number 4622, in Sections 22 & 23 Township 10 N., Range 19 W., Gila & Salt River Meridian, in the State of Arizona, executed by Louis A. Cornejo, Mineral Surveyor, under order dated June 26, 1964, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

| | |
|---|----------------------------------|
| <i>Raymond C. Cleghorn</i> Raymond C. Cleghorn (Authorized Signature) | Acting State Director (Title) |
|---|----------------------------------|

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

| | |
|------------------------|---------|
| (Authorized Signature) | (Title) |
|------------------------|---------|

Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE ARMY
OFFICE OF THE ADJUTANT GENERAL

October 7, 1954

Fort S. S. [illegible]

[illegible text]



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

ARIZONA STATE OFFICE
2400 VALLEY BANK CENTER
PHOENIX, ARIZONA 85073

IN REPLY REFER TO

9632 (942)
M.S. 4622
A 17000 I & J

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Dewey, Sue #1 and Sue #2 lode claims, Mineral Survey No. 4622 in Sections 22 and 23, Township 10 North, Range 19 West, Gila and Salt River Meridian, Arizona, is hereby cancelled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 USC 1744.

The Acting Chief, Branch of Lands and Minerals Operations, requested this cancellation by memorandum dated March 10, 1983, to expedite the transfer of lands to the State of Arizona under State Selection Application Serial Number A 17000 I and J.

MAR 25 1983

Date

Chief Cadastral Surveyor of Arizona

