

Form 4-683  
(January 1963)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number

4628

State

Arizona

Land District

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Nettie G. Harper  
c/o Edward E. Williams, Attorney at Law,  
Suite 220, 111 West Osborn Road  
Phoenix, Arizona 85013

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
MORNING STARR #1	7/1/50	8/10/65
MORNING STARR #2	7/1/50	8/10/65
MORNING STARR #3	7/1/50	8/10/65

Mining district Hassayampa			County Yavapai	
Section 36	Township 13 North	Range 2 West	Meridian Gila & Salt River	Survey under order dated June 29, 1965 & Amended
Survey commenced November 1, 1965		Survey completed December 14, 1965	Name of Mineral Surveyor Thomas H. Barkdull	

UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 BUREAU OF LAND MANAGEMENT  
 FIELD NOTES

Form 1000  
 (January 1953)

Project Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Location: \_\_\_\_\_

In the interest of the public interest, these notes should be preserved.

Notes by \_\_\_\_\_  
 of the \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_  
 \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

Notes on the \_\_\_\_\_

CONTENTS BY LOCATION NAMED AND LISTED IN TABLE

Page	Location	Remarks
1	_____	_____
2	_____	_____
3	_____	_____

State: \_\_\_\_\_  
 County: \_\_\_\_\_  
 Section: \_\_\_\_\_  
 Township: \_\_\_\_\_  
 Range: \_\_\_\_\_  
 Name of landowner: \_\_\_\_\_  
 Date of purchase: \_\_\_\_\_  
 Name of purchaser: \_\_\_\_\_

FEET

This survey was made with a Keuffel & Esser light mountain transit No. 5077F, with horizontal limb 5 ins. diam., having opposite-direct verniers and full vertical circle 4 ins. diam.; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

July 14, 1965, at cor. No. 1 of the MORNING STARR #1 lode, in latitude 34°28'12" N., and longitude 112°25'42" W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 816 ft. north-eastward SE. to the sun.

Mean time of observation, 105th meridian standard time = 10<sup>h</sup>05<sup>m</sup>07<sup>s</sup> a.m.

Declination of sun at mean time of observation = 21°51'42" S.

Mean observed vertical angle to sun's center = 54°39'00"

True bearing to reference point = N. 45°44'41" E.

The lines were measured with a Keuffel & Esser steel tape 300 ft. in length, graduated every foot with the first and last foot graduated in tenths and hundredths. The tape was compared with a standard 100 ft. invar tape at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 14°30' E.

Survey No. 4628

MORNING STARR #1 LODE

At cor. No. 1 of the MORNING STARR #1 lode.

Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by a mound of stone, bearing an aluminum plate, 3 ins. x 6 ins., stamped Corner No. 1 MORNING STARR #1 MS 4628; from which

FEET	
	<p>The cor. of secs. 25, 26, 35 and 36, T. 13 N., R. 2 W., G&amp;SR Meridian, bears N. 36°32'15" W., 1404.40 ft. dist.; a GLO iron post, 3 ft. long, 2 ins. diam., 18 ins. in ground, firmly set and marked as described in the official record.</p> <p>An oak, 16 ins. diam., bears S. 24°30' E., 20.90 ft. dist., blazed and bearing an aluminum plate stamped MS1-1-4628 BT.</p> <p>A juniper, 18 ins. diam., bears N. 78°00' W., 42.85 ft. dist., blazed and bearing an aluminum plate stamped MS1-1-4628 BT.</p> <p>Cor. No. 2 Sur. No. 1465 King Kelly lode bears N. 11°31'07" E., 87.79 ft. dist.</p> <p>Cor. No. 3 Sur. No. 2980 New Haven lode bears N. 13°22'12" E., 127.66 ft. dist.</p> <p style="text-align: center;">Thence N. 65°12'15" E.</p>
289.11	Intersect line 2-3 Sur. No. 1465 King Kelly lode at a point from which Cor. No. 2 bears S. 81°48'48" W., 247.45 ft. dist.
300.00	Lode line; discovery point bears S. 24°47'45" E., 160 ft. dist.
352.42	Center of road, bears N. 3°41'17" W. and S. 3°41'17" E.
402.50	Center of road, bears N. 55°02'17" W. and S. 55°02'17" E.
446.85	Intersect line 5-6 Sur. No. 1471 Empire lode at a point from which Cor. No. 6 bears N. 15°00' W., 13.50 ft. dist.
580.17	Intersect line 6-7 Sur. No. 1471 Empire lode at a point from which Cor. No. 6 bears S. 71°00' W., 131.70 ft. dist.
600.00	<p>Cor. No. 2, on line 1-4 MORNING STARR #2 lode of this survey.</p> <p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by a mound of stone, bearing an aluminum plate, 3 ins. x 6 ins., stamped Corner No. 2 MORNING STARR #1 MS 4628; from which</p> <p>Cor. No. 3 Sur. No. 1465 King Kelly lode bears S. 36°09'33" E., 100.62 ft.</p> <p>A pine, 18 ins. diam., bears S. 20°00' W., 24.20 ft. dist., blazed and bearing an aluminum plate stamped MS1-2-4628 BT.</p> <p>A pine, 16 ins. diam., bears N. 84°00' W., 35.60 ft. dist., blazed and bearing an aluminum plate stamped MS1-2-4628 BT.</p> <p style="text-align: center;">Thence S. 24°47'45" E.</p>

FEET	
2.01	Intersect line 6-7 Sur. No. 1471 Empire lode at a point from which Cor. No. 7 bears N. 71°00' E., 27.97 ft. dist.
92.73	Intersect line 2-3 Sur. No. 1465 King Kelly lode at a point from which Cor. No. 3 bears N. 81°48'48" E., 20.68 ft. dist.
303.20	Center of road, bears N. 67°35'17" W. and S. 67°35'17" E.
519.52	Intersect line 4-5 Sur. No. 1471 Empire lode at a point from which Cor. No. 5 bears N. 86°00' W., 253.10 ft. dist.
1122.44	Cor. No. 4, MORNING STARR #2 lode of this survey.
1231.37	Center of road, bears N. 6°04'43" E. and S. 6°04'43" W.
1499.05	<p>Cor. No. 3, identical with Cor. No. 2 of the MORNING STARR #3 lode of this survey.</p> <p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by a mound of stone, with an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 3 MORNING STARR #1 MS 4628 Cor. No. 2 MORNING STARR #3 MS 4628; from which</p> <p>A fir, 18 ins. diam., bears S. 88°30' W., 20.30 ft. dist., blazed and bearing an aluminum plate stamped MS1-3-4628 BT.</p> <p>An oak, 12 ins. diam., bears S. 19°30' E., 17.48 ft. dist., blazed and bearing an aluminum plate stamped MS1-3-4628 BT.</p> <p>Thence S. 65°12'15" W.</p>
136.97	Center of road, bears N. 12°35'43" E. and S. 12°35'43" W.
300.00	Lode line; discovery point bears N. 24°47'45" W., 1339.05 ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. No. 1 of the MORNING STARR #3 lode of this survey.</p> <p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by mound of stone, bearing an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 4 MORNING STARR #1 MS 4628 Cor. No. 1 MORNING STARR #3 MS 4628; from which</p> <p>A pine, 12 ins. diam., bears N. 9°45' W., 21.9 ft. dist., blazed and bearing an aluminum plate stamped MS1-4-4628 BT.</p> <p>A pine, 14 ins. diam., bears S. 61°15' E., 30.15 ft. dist., blazed and bearing an aluminum plate stamped MS1-4-4628 BT.</p> <p>Thence N. 24°47'45" W.</p>
1499.05	Cor. No. 1, and place of beginning.

FEET	MORNING STARR #2 LODE
	<p>At Cor. No. 1 of the MORNING STARR #2 lode.</p> <p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by a mound of stone, bearing an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 1 MORNING STARR #2 MS 4628; from which</p> <p>The cor. of secs. 25, 26, 35 and 36, bears N. 66°24'09" W., 1334.00 ft. dist., previously described.</p> <p>An oak, 16 ins. diam., bears N. 65°30' E., 25.92 ft. dist., blazed and bearing an aluminum plate stamped MS2-1-4628 BT.</p> <p>An oak, 14 ins. diam., bears S. 41°00' E., 15.16 ft. dist., blazed and bearing an aluminum plate stamped MS2-1-4628 BT.</p> <p>Thence N. 65°12'15" E.</p>
150.05	Intersect line 3-4 Sur. No. 1465 King Kelly lode at a point from which Cor. No. 3 bears S. 9°30' E., 493.69 ft. dist.
157.98	Intersect line 7-1 Sur. No. 1471 Empire lode at a point from which Cor. No. 7 bears S. 6°00' E., 403.93 ft. dist.
300.00	Lode line; discovery point bears S. 24°47'45" E., 300.00 ft. dist.
600.00	<p>Cor. No. 2</p> <p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by a mound of stone, with an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 2 MORNING STARR #2 MS 4628; from which</p> <p>A fir, 16 ins. diam., bears S. 67°30' W., 23.73 ft. dist., blazed and bearing and aluminum plate stamped MS2-2-4628 BT.</p> <p>A pine, 24 ins. diam., bears N. 37°30' W., 29.0 ft. dist., blazed and bearing an aluminum plate stamped MS2-2-4628 BT.</p> <p>Thence S. 24°47'45" E.</p>
18.77	Intersect line 2-3 Sur. No. 1471 Empire lode at a point from which Cor. No. 3 bears S. 4°00' W., 349.58 ft. dist.
360.13	Center of road; bears S. 81°50'43" W. and N. 81°50'43" E.
1500.00	<p>Cor. No. 3</p> <p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by mound of stone, with an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 3 MORNING STARR #2 MS 4628; from which</p>

FEET	
	<p>A pine, 12 ins. diam., bears N. 89°30' E., 22.93 ft. dist., blazed and bearing an aluminum plate stamped MS2-3-4628-BT.</p> <p>A pine, 12 ins. diam., bears N. 13°00' W., 30.61 ft. dist., blazed and bearing an aluminum plate stamped MS2-3-4628 BT.</p> <p style="text-align: center;">Thence S. 65°12'15" W.</p>
300.00	Lode line; discovery point bears N. 24°47'45" W., 1200 ft. dist.
540.60	Center of road, bears N. 2°41'17" W. and S. 2°41'17" E.
600.00	Cor. No. 4, on line 2-3 MORNING STARR #1 lode of this survey.
	<p>Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by a mound of stone, with an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 4 MORNING STARR #2 MS 4628; from which</p> <p>A pine, 8 ins. diam., bears S. 1°00' E., 23.78 ft. dist., blazed and bearing an aluminum plate stamped MS2-4-4628 BT.</p> <p>A pine, 10 ins. diam., bears S. 79°30' E., 19.0 ft. dist., blazed and bearing an aluminum plate stamped MS2-4-4628 BT.</p> <p style="text-align: center;">Thence N. 24°47'45" W.</p>
602.92	Intersect line 4-5 Sur. No. 1471 Empire lode at a point from which Cor. No. 4 bears S. 86°00' E., 346.90 ft. dist.
819.24	Center of road, bears N. 67°35'17" W. and S. 67°35'17" E.
1029.71	Intersect line 2-3 Sur. No. 1465 King Kelly lode at a point from which Cor. No. 3 bears N. 81°48'48" E., 20.68 ft. dist.
1120.43	Intersect line 6-7 Sur. No. 1471 Empire lode at a point from which Cor. No. 7 bears N. 71°00' E., 27.97 ft. dist.
1122.44	Cor. No. 2 MORNING STARR #1 lode of this survey.
1500.00	Cor. No. 1, and place of beginning
	<p><b>MORNING STARR #3 LODE</b></p>
	<p>Beginning at Cor. No. 1 of the MORNING STARR #3 lode, identical with Cor. No. 4 of the MORNING STARR #1 lode of this survey; from which</p> <p>The cor. of secs. 25, 26, 35 and 36, bears N. 30°28'29" W., 2888.24 ft. dist.; previously described.</p> <p style="text-align: center;">Thence N. 65°12'15" E.</p>

FEET	
300.00	Lode line; discovery point bears S. 24°47'45" E., 15 ft. dist.
463.03	Center of road, bears S. 12°35'43" W. and N. 12°35'43" E.
600.00	Cor. No. 2, identical with Cor. No. 3 of the MORNING STARR #1 lode of this survey.  Thence S. 24°47'45" E.
661.33	Center of road, bears N. 58°02'17" W. and S. 58°02'17" E.
714.57	Center of road, bears N. 54°23'43" E. and S. 54°23'43" W.
920.82	Cor. No. 3.  Set a pine post, 5 ft. long, 4 ins. square, 2 ft. in the ground, surrounded by mound of stone, with an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 3 MORNING STARR #3 MS 4628; from which  A pine, 10 ins. diam., bears S. 16°00' E., 29.9 ft. dist., blazed and bearing an aluminum plate stamped MS3-3-4628 BT.  A pine, 10 ins. diam., bears S. 64°00' W., 30.85 ft. dist., blazed and bearing an aluminum plate stamped MS3-3-4628 BT.  Thence S. 65°12'15" W.
300.00	Lode line; discovery point bears N. 24°47'45" W., 905.82 ft. dist.
600.00	Cor. No. 4.  Set a pine post, 5 ft long, 4 ins. square, 2 ft. in the ground, surrounded by mound of stone, with an aluminum plate, 3 ins. x 6 ins., stamped Cor. No. 4 MORNING STARR #3 MS 4628; from which  A pine, 12 ins. diam., bears S. 26°00' W., 31.55 ft. dist., blazed and bearing an aluminum plate stamped MS3-4-4628 BT.  A pine, 10 ins. diam., bears N. 79°00' W., 22.85 ft. dist., blazed and bearing an aluminum plate stamped MS3-4-4628 BT.  Thence N. 24°47'45" W.
920.82	Cor. No. 1, and place of beginning.

FEET	Survey No. 4628
	<b>AREAS</b>
	Acres
	Total area, MORNING STARR #1 lode -- 20.648
	Area in conflict with --
	Sur. No. 1471 Empire lode ----- 2.021
	Sur. No. 1465 King Kelly lode ----- 0.331
	Sur. No. 1471 Empire lode, exclusive of its conflict with
	Sur. No. 1465 King Kelly lode ----- 1.772
	 Total area, MORNING STARR #2 lode -- 20.661
	Area in conflict with --
	Sur. No. 1471 Empire lode ----- 8.729
	Sur. No. 1465 King Kelly lode ----- 0.927
	Sur. No. 1471 Empire lode, exclusive of its conflict with
	Sur. No. 1465 King Kelly lode ----- 8.606
	 Total area, MORNING STARR #3 lode -- 12.683
	<b>LOCATION</b>
	This survey is located in the W $\frac{1}{2}$ sec. 36, T. 13 N., R. 2 W., Gila and Salt River Meridian.
	The survey of the MORNING STARR #1, MORNING STARR #2 and MORNING STARR #3 lodes is identical with the amended locations as marked on the ground.
	<b>EXPENDITURES</b>
	The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or her grantors are as follows:
No. 1.	The discovery point of the MORNING STARR #1 lode is on the lode line 160 ft., S. 24°47'45" E., from the center of line 1-2. Value, none
No. 2.	discovery A/cut, 10 ft. wide at top, 2 ft. wide at bottom, the toe of which bears S. 6°49'20" E., 152 ft. dist. from the North end center MORNING STARR #1 lode, runs S. 49°05' E., 22 ft. to 8 ft. face. Value, \$25.00
No. 3.	A tunnel, 3 $\frac{1}{2}$ ft. x 6 ft., the portal of which bears S. 24°56'44" E., 181.65 ft. from the North end center of MORNING STARR #1 lode, runs S. 24°47'45" E., along the center line of said MORNING STARR #1 lode, a distance of 527 ft. to its heading. At 170 ft. from the portal an overhead stope, 3 $\frac{1}{2}$ ft. x 6 ft., runs for 42 ft.; at 242 ft. from the portal a 3 $\frac{1}{2}$ ft. x 6 ft. drift bears easterly for 35 ft.; at 274 ft. from the portal a 3 $\frac{1}{2}$ ft. x 6 ft. drift bears westerly for 35 ft.; at 353 ft. from the portal a 3 $\frac{1}{2}$ ft. x 6 ft. drift bears westerly for 40 ft. and at the same station in the tunnel is an overhead winze, 3 $\frac{1}{2}$ ft. diam., extending for 10 ft. above the roof of the

(This form bound on left side)

FEET	
	<p>tunnel; at 447 ft. from the portal an overhead winze 3½ ft. diam. extends for 10 ft. above the roof of the tunnel. A narrow gauge railway extends the entire length of said tunnel.</p> <p>Value, \$3,500.00</p>
No. 1.	<p>The discovery point of the MORNING STARR #2 lode is on the lode line 300 ft., S. 24°47'45" E., from the center of line 1-2.</p> <p>Value, none</p> <p>discovery</p>
No. 2.	<p>A shaft, the center of which bears N. 85°24' E., 259.0 ft. from Cor. No. 2 MORNING STARR #2 lode; 6 x 6 ft., 52 ft. deep.</p> <p>Value, \$200.00</p>
No. 3.	<p>A trench, the south end of which bears N. 82°33' E., 267.0 ft. from Cor. No. 1 MORNING STARR #2 lode; 5 ft. wide, 3 ft. deep, running North, 30 feet.</p> <p>Value, \$60.00</p>
No. 4.	<p>A shaft, the center of which bears S. 59°29' W., 325 ft. from Cor. No. 2 MORNING STARR #2 lode; 10 x 10 ft., 8 ft. deep.</p> <p>Value, \$60.00</p>
No. 5.	<p>A cut, the south end of which bears N. 67°42'30" E., 286.0 ft. from Cor. No. 1 MORNING STARR #2 lode; 12 ft. wide, 8 ft. deep, running due North, crossing northerly line out of claim.</p> <p>Value, \$50.00</p>
No. 6.	<p>A shaft, the center of which bears S. 37°06' E. 476 ft. from Cor. No. 1 MORNING STARR #2 lode; 10 x 15 ft., 15 ft. deep.</p> <p>Value, \$95.00</p>
No. 7.	<p>A shaft, the center of which bears N. 35°52' W., 378 ft. from Cor. No. 3 MORNING STARR #2 lode; 8 x 8 ft., 5 ft. deep.</p> <p>Value, \$35.00</p>
No. 1.	<p>The discovery point of the MORNING STARR #3 lode is on the lode line 15 ft., S. 24°47'45" E., from the center of line 1-2.</p> <p>Value, none</p> <p>discovery</p>
No. 2.	<p>A shaft, the center of which bears S. 8°42'35" W., 395.4 ft. from Cor. No. 2 MORNING STARR #3 lode; 10 x 12 ft., 8 ft. deep.</p> <p>Value, \$200.00</p>
No. 3.	<p>A shaft, the center of which bears S. 22°54'20" W., 454.4 ft. from Cor. No. 2 MORNING STARR #3 lode; 8 x 8 ft., 8 ft. deep.</p> <p>Value, \$35.00</p>
No. 4.	<p>A shaft, the center of which bears S. 7°51' W., 365.8 ft. from Cor. No. 2 MORNING STARR #3 lode; 8 x 8 ft., 6 ft. deep.</p> <p>Value, \$150.00</p>
No. 5.	<p>A tunnel, the portal of which is caved in, making determination of size or length impossible,</p>

FEET

bears S. 1°28' W., 475 ft. from Cor. No. 2  
MORNING STARR #3 lode.  
Value, \$125.00

An interest in a common improvement described  
as follows:

A graded road, average width 15 ft., lies 7.5  
ft. on each side of the following described  
centerline: Beginning at a point which bears  
S. 25°27'27" E., 131.86 ft. from the North  
end center of MORNING STARR #1 lode; thence  
N. 3°41'17" W., 196.73 ft.; thence S. 55°02'17"  
E., 340.77 ft.; thence S. 67°35'17" E., 282.19  
ft. to a point hereinafter designated as  
Point "A"; thence S. 32°07'17" E., 200.57 ft.;  
thence S. 5°39'17" E., 147.12 ft.; thence  
S. 33°21'17" E., 149.52 ft.; thence S. 2°41'17"  
E., 233.95 ft.; thence S. 6°04'43" W., 144.05  
ft.; thence S. 6°30'17" E., 146.15 ft.; thence  
S. 12°35'43" W., 198.96 ft.; thence S.  
32°35'43" W., 104.36 ft. to a point hereinafter  
designated as Point "B"; thence S. 22°55'43"  
W., 125.24 ft.; thence S. 40°48'17" E., 140  
ft.; thence N. 61°11'43" E., 132 ft.; thence  
S. 81°52'17" E., 129.20 ft.; thence S.  
40°21'17" E., 193.20 ft.; thence S. 58°02'17"  
E., 134.84 ft.; thence S. 54°23'43" W., 172.52  
ft.; thence S. 15°03'43" W., 69.15 ft.; thence  
S. 31°30'43" W., 113.05 ft. to the end of  
road.

Also: Beginning at a point hereinabove  
designated as Point "B"; thence N. 55°48'17"  
W., 134.36 ft. to end of road.

Also: Beginning at point hereinabove  
designated as Point "A"; thence N. 21°13'17"  
W., 115.06 ft.; thence N. 34°01'17" W., 101.56  
ft. to a point hereinafter designated as  
Point "C"; thence N. 13°05'17" W., 198.30 ft.;  
thence N. 0°11'17" W., 181 ft. to a point  
hereinafter designated as Point "D"; thence  
N. 3°49'43" E., 196 ft.; thence S. 58°04'17"  
E., 154.13 ft.; thence S. 59°52'17" E., 148.70  
ft.; thence N. 81°50'43" E., 98 ft. to inter-  
section of line 2-3 MORNING STARR #2 lode at  
a point from which Cor. No. 2 bears N. 24°47'  
45" W., 360.13 ft. dist.

Also: Beginning at point hereinabove  
designated as Point "C"; thence N. 34°01'17"  
W., 187 ft. to end of road.

Also: Beginning at point hereinabove  
designated as Point "D"; thence N. 33°05'17"  
W., 111.27 ft. to the end of road.

Value, \$1,000.00

Value of 1/3 interest, \$333.33

This improvement is in course of construction  
for the development of the three lodes of this  
survey, which are all the contiguous lode claims  
owned in common within the range of benefit of  
said road.

FEET

## OTHER IMPROVEMENTS

A frame building, 16½ ft. x 20 ft., the north end of which bears N. 64°56'45" E.; 87.5 ft. from the North end center of MORNING STARR #1 lode.

Claimant Sur. No. 1465 King Kelly lode.

A tool shed, 4 ft. x 5 ft. bears S. 19°42' E., 168.6 ft. dist. from the North end center MORNING STARR #1 lode.

Claimant herein.

A well, 3 ft. square, bears S. 12°16'20" E., 151.4 ft. dist. from the North end center MORNING STARR #1 lode.

Claimant herein.

## OTHER CORNER DESCRIPTIONS &amp; SUPPLEMENTAL DATA

Sur. No. 1465 King Kelly lode: Cors. Nos. 1, 2, 3 and 4 are granite stones, firmly set and properly marked.

Sur. No. 2980 New Haven lode: Cor. No. 2 is a granite stone, firmly set and properly marked.

Sur. No. 1471 Empire lode: No corners could be found. All lines shown as approved. This survey has not been patented and there are no records of improvement or assessment work on file in the Recorder's Office, Yavapai County, Arizona.

## FIELD ASSISTANTS

Name	Capacity
Tom Barkdull, Jr.	Chainman
Robert Lyons	Chainman

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor  Thomas H. Barkdull	Date  March 24, 1966
--	----------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated June 29, 1965 & Amended October 28, 1965, I have carefully executed the survey of the claim of Nettie G. Harper, known as the (lode, placer, or mill site) MORNING STARR #1, MORNING STARR #2 and MORNING STARR #3 lodes, situated in Section 36, Township 13 N., Range 2 W., Gila and Salt River Meridian, in the State of Arizona.

This survey, designated as number 4628, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or her grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.


Prescott, Arizona (Location)	 (Signature of Mineral Surveyor)
---------------------------------	---

CERTIFICATE OF APPROVAL

Bureau of Land Management

Office Arizona State Office
Location Phoenix, Arizona
Date March 13, 1968

The foregoing field notes of mineral survey number 4628, in Section 36, Township 13 N., Range 2 W., Gila and Salt River Meridian, in the State of Arizona,  surveyed  unsurveyed, executed by Thomas H. Barkdull, Mineral Surveyor, under order dated June 29, 1965 & Amended October 28, 1965, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 Riley E. Foyeman (Authorized Signature)	Acting State Director (Title)
---	----------------------------------

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U. S. C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

STATE OF TEXAS  
COUNTY OF DALLAS

Know all men by these presents, that the undersigned, the State of Texas, do hereby certify that the following is a true and correct copy of the original as the same appears in the records of the County of Dallas, State of Texas, to-wit:

*[Handwritten Signature]*

County Clerk

Witness my hand and seal of office this 1st day of June, 1901.

Attest:  
County Clerk

Witness my hand and seal of office this 1st day of June, 1901.

Attest:  
County Clerk

*[Handwritten Signature]*  
County Clerk

~~Witness my hand and seal of office this 1st day of June, 1901.~~

~~Attest:  
County Clerk~~

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 4628  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The MORNING STARR #1, MORNING STARR #2 and MORNING STARR #3, lodes, Mineral Survey No. 4628, located in section 36, Township 13 North, Range 2 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"MORNING STARR #1, MORNING STARR #2 and MORNING STARR #3 lodes, M.S. 4628, were canceled June 30, 2008, by memo 9605 (956) M.S. 4628, which is now a part of the original field notes."

June 30, 2008  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona

