

Form 4-683  
(January 1963)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Mineral Survey number  
4659 A&B

State  
Arizona

Land District  
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

McAlester Fuel Company, a Delaware Corporation  
c/o R. Lauren Moran, Attorney at Law  
1201 First National Bank Building  
Denver, Colorado 80202

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Cuprite	5/10/1897	12/2/12 2/15/67 4/26/67 10/22/69
Fraction	2/15/67	10/22/69
Zonia	2/15/67	10/22/69
Black Prince	5/10/1897	2/15/67 10/22/69
Shamrock	10/20/03	2/15/67 10/22/69
Victor Copper	1/16/45	
Victory Copper No. 1, One	1/16/45	
ZONIA MILLSITE NO. 1	2/15/67	10/22/69
ZONIA MILLSITE NO. 2	2/15/67	10/22/69
ZONIA MILLSITE NO. 3	2/15/67	10/22/69
ZONIA MILLSITE NO. 4	2/15/67	10/22/69
ZONIA MILLSITE NO. 5	2/15/67	4/12/67 10/22/69
ZONIA MILLSITE NO. 6	2/15/67	10/22/69
ZONIA MILLSITE NO. 7	2/15/67	10/22/69
ZONIA MILLSITE NO. 8	2/15/67	10/22/69
ZONIA MILLSITE NO. 9	2/15/67	10/22/69
ZONIA MILLSITE NO. 10	2/15/67	10/22/69
ZONIA MILLSITE NO. 11	2/15/67	10/22/69
ZONIA MILLSITE NO. 12	2/15/67	4/12/67 10/22/69
ZONIA MILLSITE NO. 13	2/15/67	10/22/69

(Cont'd. on Page 2)

Mining district Walnut Grove			County Yavapai	
Section s 11, 12, 13 & 14	Township 11 North	Range 4 West	Meridian Gila & Salt River	Survey under order dated 8/5/69 & Amd. 12/22/69
Survey commenced August 5, 1969		Survey completed December 30, 1969	Name of Mineral Surveyor Harvey W. Smith	



MINERAL SURVEY No. 4659 A&B

CONSISTING OF LCCATIONS NAMED AND LOCATED AS FOLLOWS


NAME OF LOCATION	DATE	
	LOCATED	AMENDED
ZONIA MILLSITE NO. 14	2/15/67	10/22/69
ZONIA MILLSITE NO. 15	2/15/67	<del>4/12/67</del> 10/22/69
ZONIA MILLSITE NO. 16	2/15/67	4/12/67 10/22/69
ZONIA MILLSITE NO. 17	2/15/67	4/12/67 10/22/69
ZONIA MILLSITE NO. 18	2/15/67	10/22/69
ZONIA MILLSITE NO. 19	2/15/67	10/22/69
ZONIA MILLSITE NO. 20	2/15/67	10/22/69
ZONIA MILLSITE NO. 21	2/15/67	10/22/69
ZONIA MILLSITE NO. 22	2/15/67	10/22/69
ZONIA MILLSITE NO. 23	2/15/67	10/22/69
ZONIA MILLSITE NO. 24	2/15/67	10/22/69
ZONIA MILLSITE NO. 25	2/15/67	10/22/69
ZONIA MILLSITE NO. 26	2/15/67	10/22/69
ZONIA MILLSITE NO. 27	2/15/67	10/22/69
ZONIA MILLSITE NO. 28	2/15/67	10/22/69
ZONIA MILLSITE NO. 29	2/15/67	10/22/69
ZONIA MILLSITE NO. 30	2/15/67	4/12/67 10/22/69
ZONIA MILLSITE NO. 31	2/15/67	10/22/69
ZONIA MILLSITE NO. 32	2/15/67	4/12/67 10/22/69
ZONIA MILLSITE NO. 33	2/15/67	10/22/69
ZONIA MILLSITE NO. 34	2/15/67	10/22/69
ZONIA MILLSITE NO. 35	2/15/67	10/22/69
ZONIA MILLSITE NO. 36	2/15/67	10/22/69
ZONIA MILLSITE NO. 37	10/22/69	
ZONIA MILLSITE NO. 38	10/22/69	
ZONIA MILLSITE NO. 39	10/22/69	
ZONIA MILLSITE NO. 40	10/22/69	
ZONIA MILLSITE NO. 41	10/22/69	
ZONIA MILLSITE NO. 42	10/22/69	
ZONIA MILLSITE NO. 43	10/22/69	
ZONIA MILLSITE NO. 44	10/22/69	
ZONIA MILLSITE NO. 45	10/22/69	
ZONIA MILLSITE NO. 46	10/22/69	



## MINERAL SURVEY No. 4659 A&amp;B

. CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
ZONIA MILLSITE NO. 47	10/22/69	
ZONIA MILLSITE NO. 48	2/15/67	10/22/69
ZONIA MILLSITE NO. 49	10/22/69	
ZONIA MILLSITE NO. 50	10/22/69	
ZONIA MILLSITE NO. 51	10/22/69	
ZONIA MILLSITE NO. 52	10/22/69	
ZONIA MILLSITE NO. 53	10/22/69	
ZONIA MILLSITE NO. 54	10/22/69	
ZONIA MILLSITE NO. 55	10/22/69	
ZONIA MILLSITE NO. 56	10/22/69	
ZONIA MILLSITE NO. 57	10/22/69	
ZONIA MILLSITE NO. 58	10/22/69	
ZONIA MILLSITE NO. 59	10/22/69	
ZONIA MILLSITE NO. 60	10/22/69	
ZONIA MILLSITE NO. 61	10/22/69	
ZONIA MILLSITE NO. 62	10/22/69	
ZONIA MILLSITE NO. 63	10/22/69	
ZONIA MILLSITE NO. 64	10/22/69	
ZONIA MILLSITE NO. 65	10/22/69	
ZONIA MILLSITE NO. 66	10/22/69	
ZONIA MILLSITE NO. 67	10/22/69	
ZONIA MILLSITE NO. 68	10/22/69	
ZONIA MILLSITE NO. 69	10/22/69	



FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles, 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to ten-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey, and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation of the sun. At 8:23 a.m. on August 12, 1969, at Cor. No. 3 of the Fraction lode, latitude  $34^{\circ} 35'$  N., longitude  $112^{\circ} 39' 09.6''$  W., turning from a reference point about 1100 ft. southeasterly, clockwise to the sun in an easterly direction.

True bearing of reference point: S.  $52^{\circ} 37'$  E.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. One additional foot at the zero end is also graduated in tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $13^{\circ} 30'$  East.

SURVEY NO. 4659A

Cuprite LODE

At Cor. No. 1 of the Cuprite Lode.

Set an iron post,  $3/4$  in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A C 1 X; from which

The  $1/4$  cor. of secs. 11 and 12, T. 11 N., R. 4 W., G.&S.R. Mer., bears N.  $1^{\circ} 28' 35''$  W., 2358.33 ft. dist.; a stone 8 ins. x 14 ins., 2 ins. above ground mkd.  $1/4$ .

Cor. No. 2 Sur. No. 1324 Fairplay lode bears S.  $44^{\circ} 41' 55''$  W., 106.96 ft. dist.

A mound of stones sets adjacent to the iron post.

FEET		
	Thence S. 52° 37' E.	
300.0	Lode line; discovery pt. bears S. 43° 21' W., 1450.0 ft. dist.	
592.08	Intersect line 3-4 Sur. No. 1324 Fairplay lode, identical with line 1-2 Sur. No. 1324 Copperopolis lode, at a point from which Cor. No. 3, identical with Cor. No. 1 Sur. No. 1324 Defiance Lode and Cor. No. 2 Sur. No. 1324 Copperopolis lode, bears S. 40° 09' W., 123.16 ft. dist.	
600.0	Cor. No. 2  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A C 2 X; from which  Cor. No. 3 Sur. No. 1324 Fairplay lode, identical with Cor. No. 1 Sur. No. 1324 Defiance lode and Cor. No. 2 Sur. No. 1324 Copperopolis lode, bears S. 43° 48' 40" W., 123.79 ft. dist.  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence S. 43° 21' W.	
123.71	Intersect line 2-3 Sur. No. 1324 Copperopolis lode, identical with line 4-1 Sur. No. 1324 Defiance lode, at a point from which Cor. No. 2, identical with Cor. No. 1 Sur. No. 1324 Defiance lode and Cor. No. 3 Sur. No. 1324 Fairplay lode bears N. 51° W., 1.00 ft.	
1450.0	Cor. No. 3  On line 2-3 Zonia lode of this survey  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A C 3 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence N. 52° 37' W.	
0.28	Intersect line 1-2 Sur. No. 1324 Defiance lode at a point from which Cor. No. 2 bears S. 43° 19' 35" W., 43.01 ft. dist.	
2.50	Cor. No. 2 Zonia lode, identical with Cor. No. 4 Fraction lode, both of this survey.	

FEET	
300.0	Lode line and discovery point.
599.03	Intersect line 1-2 ZONIA MILLSITE NO. 25 of this survey.
600.0	Cor. No. 4  On line 3-4 Fraction lode of this survey  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A C 4 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence N. 43° 21' E.
9.24	Intersect line 4-1 ZONIA MILLSITE NO. 25, identical with line 1-2 ZONIA MILLSITE NO. 15, both of this survey.
712.02	Intersect line 3-4 ZONIA MILLSITE NO. 15, identical with line 2-3 ZONIA MILLSITE NO. 14, both of this survey.
1343.26	Intersect line 2-3 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears N. 51° W., 2.53 ft. dist.
1414.81	Intersect line 4-1 ZONIA MILLSITE NO. 14 of this survey.
1450.0	Cor. No. 1, and place of beginning.
<p><b>Fraction LODE</b></p> <p>At Cor. No. 1 of the Fraction Lode, identical with Cor. No. 1 of the Zonia lode, Cor. No. 1 of the Black Prince lode and Cor. No. 1 of the Shamrock lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A F 1 Z 1 B P 1 S 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12, bears, N. 8° 16' 35" E., 3946.66 ft. dist.; previously described.</p>	

(This form bound on left side)

FEET		
	<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Lode line; discovery point bears N. 40° 28' 45" E., 170.0 ft. dist.</p>	
597.38	<p>Intersect line 1-2 ZONIA MILLSITE NO. 25 of this survey.</p>	
600.0	<p>Cor. No. 2, identical with Cor. No. 4 of the Black Prince lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A F 2 BP 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
170.0	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A F 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
2.50	<p>Cor. No. 4 Cuprite lode of this survey.</p>	
3.47	<p>Intersect line 1-2 ZONIA MILLSITE NO. 25 of this survey.</p>	
300.0	<p>Lode line and discovery point.</p>	
600.0	<p>Cor. No. 4, identical with Cor. No. 2 of the Zonia lode of this survey.</p> <p>On line 3-4 Cuprite lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A F 4 Z 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	

FEET		
170.0	<p style="text-align: center;">Thence S. 40° 28' 45" W.</p> <p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">Zonia LODE</p>	
	<p>Beginning at Cor. No. 1 of the Zonia Lode, identical with Cor. No. 1 of the Fraction Lode, Cor. No. 1 of the Black Prince lode and Cor. No. 1 of the Shamrock lode, all of this survey.</p>	
170.0	<p style="text-align: center;">Thence N. 40° 28' 45" E.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the Fraction lode of this survey.</p>	
	<p>On line 3-4 Cuprite lode of this survey.</p>	
	<p style="text-align: center;">Thence S. 52° 37' E.</p>	
2.22	<p>Intersect line 1-2 Sur. No. 1324 Defiance lode at a point from which Cor. No. 2 bears S. 43° 19' 35" W., 43.01 ft. dist.</p>	
2.50	<p>Cor. No. 3 Cuprite lode of this survey.</p>	
300.0	<p>Lode line; discovery point bears S. 40° 28' 45" W., 170.0 ft. dist.</p>	
578.71	<p>Intersect line 4-1 Sur. No. 3866 Sunrise No. 3 lode at a point from which Cor. No. 4 bears S. 42° 10' 30" W., 838.91 ft. dist.</p>	
586.74	<p>Cor. No. 3</p>	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A Z 3 X; from which</p>	
	<p style="text-align: center;">Cor. No. 3 Sur. No. 1324 Defiance lode bears S. 40° 28' 45" W., 59.40 ft. dist.</p>	
	<p style="text-align: center;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
	<p style="text-align: center;">Thence S. 40° 28' 45" W.</p>	
59.40	<p>Cor. No. 3 Sur. No. 1324 Defiance lode</p>	
170.0	<p>Cor. No. 4, identical with Cor. No. 2 of the Shamrock lode of this survey.</p>	

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A Z 4 S 2 X; from which</p> <p>Cor. No. 4 Sur. No. 3866 Sunrise No. 3 lode bears S. 43° 17' 20" W., 669.79 ft. dist.</p> <p>A wood post, 4 ins. x 6 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>
13.07	Intersect line 4-1 Sur. No. 3866 Sunrise No. 3 lode at a point from which Cor. No. 4 bears S. 42° 10' 30" W., 668.57 ft. dist.
286.74	Lode line and discovery point.
586.74	Cor. No. 1, and place of beginning.
Black Prince LODE	
	<p>Beginning at Cor. No. 1 of the Black Prince Lode, identical with Cor. No. 1 of the Fraction lode, Cor. No. 1 of the Zonia lode and Cor. No. 1 of the Shamrock lode, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>
1497.75	<p>Cor. No. 2, identical with Cor. No. 4 of the Shamrock lode, Cor. No. 1 of the Victor Copper lode and Cor. No. 1 of the Victory Copper No. 1, One lode, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A BP 2 S 4 VC 1 VC 1 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12, bears N. 16° 58' 50" E., 5274.77 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 6 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>
300.0	Lode line and discovery point.
600.0	Cor. No. 3, identical with Cor. No. 4 of the Victor Copper lode of this survey.

FEET	
	<p>On line 2-3 ZONIA MILLSITE NO. 37 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A BP 3 VC 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence N. 40° 28' 45" E.</p>
276.95	Cor. No. 2 ZONIA MILLSITE NO. 37, identical with Cor. No. 4 ZONIA MILLSITE NO. 26, both of this survey.
976.95	Cor. No. 3 ZONIA MILLSITE NO. 26, identical with Cor. No. 2 ZONIA MILLSITE NO. 25, both of this survey.
1497.75	Cor. No. 4, identical with Cor. No. 2 of the Fraction lode of this survey.
	Thence S. 52° 37' E.
2.62	Intersect line 1-2 ZONIA MILLSITE NO. 25 of this survey.
300.0	Lode line; discovery point bears S. 40° 28' 45" W., 1497.75 ft. dist.
600.0	Cor. No. 1, and place of beginning.
<hr/>	
	Shamrock LODE
	<p>Beginning at Cor. No. 1 of the Shamrock Lode, identical with Cor. No. 1 of the Fraction lode, Cor. No. 1 of the Zonia lode and Cor. No. 1 of the Black Prince lode, all of this survey.</p> <p style="padding-left: 80px;">Thence S. 52° 37' E.</p>
300.0	Lode line; discovery point bears S. 40° 28' 45" W., 1497.75 ft. dist.
573.67	Intersect line 4-1 Sur. No. 3866 Sunrise No. 3 lode at a point from which Cor. No. 4 bears S. 42° 10' 30" W., 668.57 ft. dist.
586.74	Cor. No. 2, identical with Cor. No. 4 of the Zonia lode of this survey.
	Thence S. 40° 28' 45" W.

FEET	
669.73	Intersect line 3-4 Sur. No. 3866 Sunrise No. 3 lode at a point from which Cor. No. 4 bears N. 48° 13' 15" W., 32.84 ft. dist.
1497.75	<p>Cor. No. 3, identical with Cor. No. 2 of the Victory Copper No. 1, One lode of this survey.</p> <p>This corner falls in a tailings pond where a permanent monument cannot be established.</p> <p>Thence N. 52° 37' W.</p>
259.27	<p>A point for witness Cor. No. 3, identical with <sup>witness</sup> Cor. No. 2 of the Victory Copper No. 1, One lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A S 3 W.C. VC 1 2 W.C. X; from which</p> <p>A wood post 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>
286.74	Lode line and discovery point.
586.74	<p>Cor. No. 4, identical with Cor. No. 2 of the Black Prince lode, Cor. No. 1 of the Victor Copper and Cor. No. 1 of the Victory Copper No. 1, One lode, all of this survey.</p> <p>Thence N. 40° 28' 45" E.</p>
1497.75	Cor. No. 1, and place of beginning.
<hr/> <p>Victor Copper LODE</p>	
	<p>Beginning at Cor. No. 1 of the Victor Copper Lode, identical with Cor. No. 2 of the Black Prince lode, Cor. No. 4 of the Shamrock lode and Cor. No. 1 of the Victory Copper No. 1, One lode, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>
1498.45	<p>Cor. No. 2, identical with Cor. No. 4 of the Victory Copper No. 1, One lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A VC 2 VC 1 4 X; from which</p>

FEET		
	<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>	
300.0	Lode line; (identical with Cor. No. 3 ZONIA MILLSITE NO. 58 of this survey) discovery point bears N. 40° 28' 45" E., 898.45 ft. dist.	
600.0	<p>Cor. No. 3, identical with Cor. No. 2 ZONIA MILLSITE NO. 58 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 59 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A &amp; B VC 3 ZMS 58 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
75.30	Cor. No. 2 ZONIA MILLSITE NO. 59, identical with Cor. No. 4 ZONIA MILLSITE NO. 52, both of this survey.	
775.30	Cor. No. 3 ZONIA MILLSITE NO. 52, identical with Cor. No. 3 ZONIA MILLSITE NO. 51, both of this survey.	
1075.40	Cor. No. 2 ZONIA MILLSITE NO. 51, identical with Cor. No. 3 ZONIA MILLSITE NO. 37, both of this survey.	
1498.45	<p>Cor. No. 4, identical with Cor. No. 3 of the Black Prince lode of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 37 of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	Lode line; discovery point bears S. 40° 28' 45" W., 600.0 ft. dist.	
600.0	Cor. No. 1, and place of beginning.	
<p>Victory Copper No. 1, One LODE</p> <p>Beginning at Cor. No. 1 of the Victory Copper No. 1, One Lode, identical with Cor. No. 2 of the Black Prince lode, Cor. No. 4 of the Shamrock lode and Cor. No. 1 of the Victor Copper lode, all of this survey.</p>		

(This form bound on left side)

FEET		
	Thence S. 52° 37' E.	
300.0	Lode line; discovery point bears S. 40° 28' 45" W., 1200 ft. dist.	
327.47	A point for witness Cor. No. 2, identical with <sup>witness</sup> Cor. No. 3 of the Shamrock lode of this survey.	
586.74	Cor. No. 2, identical with Cor. No. 3 of the Sham- rock lode of this survey.	
	Thence S. 40° 28' 45" W.	
1449.34	Intersect line 3-4 Sur. No. 1495 Contact No. 1 lode at a point from which Cor. No. 3 bears N. 56° 10' W., 176.21 ft. dist.	
1498.45	Cor. No. 3  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 A VC 1 3 X; from which  Cor. No. 3 Sur. No. 1495 Contact No. 1 lode bears N. 40° 12' 10" W., 177.37 ft. dist.  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence N. 52° 37' W.	
188.40	Intersect line 2-3 Sur. No. 1495 Contact No. 1 lode at a point from which Cor. No. 3 bears N. 59° 05' E., 41.04 ft. dist.	
286.74	Lode line; discovery point bears N. 40° 28' 45" E., 298.45 ft. dist.	
586.74	Cor. No. 4, identical with Cor. No. 2 of the Victor Copper lode of this survey.	
	Thence N. 40° 28' 45" E.	
1498.45	Cor. No. 1, and place of beginning.	
SURVEY NO. 4659 B		
ZONIA MILLSITE NO. 1		
At Cor. No. 1 of the ZONIA MILLSITE NO. 1, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 2 of this survey.		

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 1 1 ZMS 2 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears, N. 30° 51' 50" E., 476.40 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 40° 28' 45" W.</p>	
160.0	Pipeline, 6 ins. diam., bears N. 25° W. and S. 35° E.	
310.0	Power line bears S. 40° E. and N. 40° W.	
410.0	Dirt road bears S. 10° E. and N. 10° E.	
540.0	Pipeline, 8 ins. diam., bears S. 30° E. and N. 30° W.	
700.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 2, Cor. No. 3 of the ZONIA MILLSITE NO. 7 and Cor. No. 3 of the ZONIA MILLSITE NO. 8, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 1 2 ZMS 2 4 ZMS 7 3 ZMS 8 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>	
10.0	Power line bears N. 18° E. and S. 18° W.	
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 8, Cor. No. 4 of the ZONIA MILLSITE NO. 35 and Cor. No. 3 of the ZONIA MILLSITE NO. 36, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 1 3 ZMS 8 2 ZMS 35 4 ZMS 36 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	

FEET		
250.0	Pipeline, 6 ins. diam., bears N. 80° W. and S. 55° E.	
285.0	Pipeline, 8 ins. diam., bears N. 35° W. and S. 35° E.	
470.0	Power line bears N. 32° W. and S. 32° E.	
700.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 36 of this survey.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 1 4 ZMS 36 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
30.0	Dirt road bears N. 35° W. and S. 30° E.	
90.0	Pipeline, 6 ins. diam., bears N. 30° W. and S. 20° E.	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 1 contains 4.814 acres.</p>	
	ZONIA MILLSITE NO. 2	
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 2, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 1 of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 3 of this survey.	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 2 2 ZMS 3 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 40° 28' 45" W.</p>	
205.0	Pipeline, 6 ins. diam., bears N. 30° W. and S. 10° E.	
515.0	Dirt road bears N. 55° W. and S. 55° E.	
550.0	Pipeline, 8 ins. diam., bears S. 50° E. and N. 60° W.	

FEET		
700.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 3, Cor. No. 2 of the ZONIA MILLSITE NO. 6 and Cor. No. 4 of the ZONIA MILLSITE NO. 7, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 2 3 ZMS 3 3 ZMS 6 2 ZMS 7 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 1, Cor. No. 3 of the ZONIA MILLSITE NO. 7 and Cor. No. 3 of the ZONIA MILLSITE NO. 8, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 40° 28' 45" E.</p>	
160.0	<p>Pipeline, 8 ins. diam., bears N. 30° W. and S. 30° E.</p>	
290.0	<p>Dirt road bears N. 10° E. and S. 10° E.</p>	
390.0	<p>Power line bears S. 40° E. and N. 40° W.</p>	
540.0	<p>Pipeline, 6 ins. diam., bears N. 25° W. and S. 35° E.</p>	
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 2 contains 4.814 acres.</p>	
<hr/>		
<p>ZONIA MILLSITE NO. 3</p>		
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 3, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 4 of this survey.</p>		
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 3 1 ZMS 4 1 X; from which</p>		
<p style="padding-left: 40px;">The 1/4 cor. of secs. 11 and 12, bears N. 16° 43' 30" W., 807.37 ft. dist.; previously described.</p>		
<p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>		
<p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>		

(This form bound on left side)

FEET		
300.0	Dirt road bears S. 80° W. and N. 70° E.	
645.0	Pipeline, 8 ins. diam., bears N. 85° W. and S. 85° E.	
700.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 4, Cor. No. 3 of the ZONIA MILLSITE NO. 5 and Cor. No. 3 of the ZONIA MILLSITE NO. 6, all of this survey.</p> <p>This corner falls in the collection area of the pregnant copper solutions where a permanent monument cannot be constructed.</p> <p>Thence N. 52° 37' W.</p>	
63.69	<p>A point for witness Cor. No. 2, identical with witness Cor. No. 4 of the ZONIA MILLSITE NO. 4, witness Cor. No. 3 of the ZONIA MILLSITE NO. 5 and witness Cor. No. 3 of the ZONIA MILLSITE NO. 6, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 3 2 W.C. ZMS 4 4 W.C. ZMS 5 3 W.C. ZMS 6 3 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
120.0	Pipeline, 6 ins. diam., bears N. 17° E. and S. 17° W.	
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 2, Cor. No. 2 of the ZONIA MILLSITE NO. 6 and Cor. No. 4 of the ZONIA MILLSITE NO. 7, all of this survey.</p> <p>Thence N. 40° 28' 45" E.</p>	
150.0	Pipeline, 8 ins. diam., bears S. 50° E. and N. 60° W.	
185.0	Dirt road bears N. 55° W. and S. 55° E.	
495.0	Pipeline, 6 ins. diam., bears N. 30° W. and S. 10° E.	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 2 of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 3 contains 4.814 acres.</p>	

FEET	
	<p>ZONIA MILLSITE NO. 4</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 4, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 3 of this survey.</p> <p style="text-align: center;">Thence S. 52° 37' E.</p>
180.0	Dirt road bears N. 80° E. and S. 70° W.
300.0	<p>Cor. No. 2</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 4 2 X; from which</p> <p style="text-align: center;">A wood post 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 40° 28' 45" W.</p>
121.74	Intersect line 3-4 Sur. No. 1321 Quartette lode at a point from which Cor. No. 3 bears S. 55° 28' 15" W., 524.06 ft. dist.
230.0	Enter water storage pond.
430.0	Leave water storage pond.
674.00	Cor. No. 2 ZONIA MILLSITE NO. 30 of this survey.
694.87	Intersect line 2-3 Sur. No. 1321 Quartette lode at a point from which Cor. No. 3 bears N. 23° 15' W., 151.18 ft. dist.
700.0	<p>Cor. No. 3, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 5 lode of this survey.</p> <p>On line 1-2 of the ZONIA MILLSITE NO. 30 lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 4 3 ZMS 5 4 X; from which</p> <p style="text-align: center;">Cor. No. 3 Sur. No. 1321 Quartette lode bears N. 21° 32' 05" W., 153.52 ft. dist.</p> <p style="text-align: center;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 3, Cor. No. 3 of the ZONIA MILLSITE NO. 5 and Cor. No. 3 of the ZONIA MILLSITE NO. 6, all of this survey.</p> <p style="text-align: center;">N. 40° 28' 45" E.</p>

FEET	
55.0	Pipeline, 8 ins. diam., bears N. 85° W. and S. 85° E.
400.0	Dirt road bears N. 70° E. and S. 80° W.
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 4 contains 4.814 acres.</p>
<hr/>	
<p>ZONIA MILLSITE NO. 5</p>	
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 5, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 12, Cor. No. 1 of the ZONIA MILLSITE NO. 13 and Cor. No. 1 of the ZONIA MILLSITE NO. 30, all of this survey.</p>	
<p>This cor. falls in a leach basin where a permanent monument would be obliterated.</p>	
<p>From this point--</p>	
<p style="padding-left: 40px;">The 1/4 cor. of secs. 11 and 12 bears N. 12° 14' 10" E., 2067.23 ft. dist.; previously described.</p>	
<p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 6, Cor. No. 2 of the ZONIA MILLSITE NO. 11 and Cor. No. 4 of the ZONIA MILLSITE NO. 12, all of this survey.</p>
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 5 2 ZMS 6 4 ZMS 11 2 ZMS 12 4 X; from which</p>	
<p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
<p style="padding-left: 40px;">Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 3, Cor. No. 4 of the ZONIA MILLSITE NO. 4 and Cor. No. 3 of the ZONIA MILLSITE NO. 6, all of this survey.</p>
<p style="padding-left: 40px;">Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 4 of this survey.</p> <p>On line 1-2 ZONIA MILLSITE NO. 30 of this survey.</p>

FEET		
700.0	<p>Thence S. 40° 28' 45" W.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 5 contains 4.814 acres.</p>	
<hr/>		
<p>ZONIA MILLSITE NO. 6</p>		
	<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 6, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 7, Cor. No. 1 of the ZONIA MILLSITE NO. 10 and Cor. No. 1 of the ZONIA MILLSITE NO. 11, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 6 1 ZMS 7 1 ZMS 10 1 ZMS 11 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 28° 55' 10" E., 1891.90 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
145.0	<p>Power line bears N. 7° E. and S. 7° W.</p>	
700.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 2, Cor. No. 3 of the ZONIA MILLSITE NO. 3 and Cor. No. 4 of the ZONIA MILLSITE NO. 7, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
180.0	<p>Pipeline, 6 ins. diam., bears N. 17° E. and S. 17° W.</p>	
236.31	<p>A point for witness Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 3, Cor. No. 4 of the ZONIA MILLSITE NO. 4 and Cor. No. 3 of the ZONIA MILLSITE NO. 5, all of this survey.</p>	
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 3, Cor. No. 4 of the ZONIA MILLSITE NO. 4 and Cor. No. 3 of the ZONIA MILLSITE NO. 5, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 5, Cor. No. 2 of the ZONIA</p>	

(This form bound on left side)

FEET		
	<p>MILLSITE NO. 11 and Cor. No. 4 of the ZONIA MILLSITE NO. 12, all of this survey.</p> <p>Thence N. 52° 37' W.</p>	
120.0	Pipeline, 6 ins. diam., bears N. 66° E. and S. 75° W.	
195.0	Power line bears N. 7° E. and S. 7° W.	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 6 contains 4.814 acres.</p>	
<hr/> <p>ZONIA MILLSITE NO. 7</p>		
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 7, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 6, Cor. No. 1 of the ZONIA MILLSITE NO. 10 and Cor. No. 1 of the ZONIA MILLSITE NO. 11, all of this survey.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 8, Cor. No. 2 of the ZONIA MILLSITE NO. 9 and Cor. No. 4 of the ZONIA MILLSITE NO. 10, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 7 2 ZMS 8 4 ZMS 9 2 ZMS 10 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
670.0	Power line bears S. 18° W. and N. 18° E.	
700.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 1, Cor. No. 4 of the ZONIA MILLSITE NO. 2 and Cor. No. 3 of the ZONIA MILLSITE NO. 8, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 2, Cor. No. 3 of the ZONIA MILLSITE NO. 3 and Cor. No. 2 of the ZONIA MILLSITE NO. 6, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	

FEET		
555.0	Power line bears N. 7° E. and S. 7° W.	
700.0	Cor. No. 1, and place of beginning.	
	The ZONIA MILLSITE NO. 7 contains 4.814 acres.	
	ZONIA MILLSITE NO. 8	
	At Cor. No. 1 of the ZONIA MILLSITE NO. 8, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 9, Cor. No. 1 of the ZONIA MILLSITE NO. 34 and Cor. No. 1 of the ZONIA MILLSITE NO. 35, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 8 1 ZMS 9 1 ZMS 34 1 ZMS 35 1 X; from which	
	The 1/4 cor. of secs. 11 and 12 bears N. 47° 07' 55" E., 1898.72 ft. dist.; previously described.	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 40° 28' 45" E.	
700.0	Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 1, Cor. No. 4 of the ZONIA MILLSITE NO. 35 and Cor. No. 3 of the ZONIA MILLSITE NO. 36, all of this survey.	
	Thence S. 52° 37' E.	
290.0	Power line bears N. 18° E. and S. 18° W.	
300.0	Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 1, Cor. No. 4 of the ZONIA MILLSITE NO. 2 and Cor. No. 3 of the ZONIA MILLSITE NO. 7.	
	Thence S. 40° 28' 45" W.	
30.0	Power line bears N. 18° E. and S. 18° W.	
700.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 7, Cor. No. 2 of the ZONIA MILLSITE NO. 9 and Cor. No. 4 of the ZONIA MILLSITE NO. 10, all of this survey.	
	Thence N. 52° 37' W.	
300.0	Cor. No. 1, and place of beginning.	

(This form bound on left side)

FEET		
	The ZONIA MILLSITE NO. 8 contains 4.814 acres.	
	ZONIA MILLSITE NO. 9	
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 9, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 8, Cor. No. 1 of the ZONIA MILLSITE NO. 34 and Cor. No. 1 of the ZONIA MILLSITE NO. 35, all of this survey.	
	Thence S. 52° 37' E.	
300.0	Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 7, Cor. No. 4 of the ZONIA MILLSITE NO. 8 and Cor. No. 4 of the ZONIA MILLSITE NO. 10, all of this survey.	
	Thence S. 43° 25' 40" W.	
420.0	Pipeline, 8 ins. diam., bears North and S. 15° W.	
702.88	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 10, Cor. No. 3 of the ZONIA MILLSITE NO. 19 and Cor. No. 3 of the ZONIA MILLSITE NO. 20, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 9 3 ZMS 10 3 ZMS 19 3 ZMS 20 3 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 52° 37' W.	
300.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 20, Cor. No. 4 of the ZONIA MILLSITE NO. 33 and Cor. No. 2 of the ZONIA MILLSITE NO. 34, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 9 4 ZMS 20 2 ZMS 33 4 ZMS 34 2X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 43° 25' 40" E.	
530.0	Pipeline, 8 ins. diam., bears S. 20° E. and N. 20° W.	

<p>F E E T</p> <p>702.88</p>	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 9 contains 4.814 acres.</p> <hr/> <p style="text-align: center;">ZONIA MILLSITE NO. 10</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 10, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 6, Cor. No. 1 of the ZONIA MILLSITE NO. 7 and Cor. No. 1 of the ZONIA MILLSITE NO. 11, all of this survey.</p> <p style="text-align: center;">Thence S. 43° 25' 40" W.</p>
<p>702.88</p>	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 11, Cor. No. 2 of the ZONIA MILLSITE NO. 18 and Cor. No. 4 of the ZONIA MILLSITE NO. 19, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 10 2 ZMS 11 4 ZMS 18 2 ZMS 19 4 X; from which</p> <p style="text-align: center;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 52° 37' W.</p>
<p>160.0</p>	<p>Pipeline, 8 ins. diam., bears N. 15° E. and S. 7° E.</p>
<p>300.0</p>	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 9, Cor. No. 3 of the ZONIA MILLSITE NO. 19 and Cor. No. 3 of the ZONIA MILLSITE NO. 20, all of this survey.</p> <p style="text-align: center;">Thence N. 43° 25' 40" E.</p>
<p>282.88</p>	<p>Pipeline, 8 ins. diam., bears North and S. 15° W.</p>
<p>702.88</p>	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 7, Cor. No. 4 of the ZONIA MILLSITE NO. 8 and Cor. No. 2 of the ZONIA MILLSITE NO. 9, all of this survey.</p> <p style="text-align: center;">Thence S. 52° 37' E.</p>
<p>300.0</p>	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 10 contains 4.814 acres.</p> <hr/> <p style="text-align: center;">ZONIA MILLSITE NO. 11</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 11, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 6, Cor. No. 1 of the ZONIA MILLSITE NO. 7 and Cor. No. 1 of the ZONIA MILLSITE NO. 10, all of this survey.</p> <p style="text-align: center;">Thence S. 52° 37' E.</p>

FEET	
105.0	Power line bears S. 7° W. and N. 7° E.
180.0	Pipeline, 6 ins. diam., bears N. 66° E. and S. 75° W.
300.0	Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 5, Cor. No. 4 of the ZONIA MILLSITE NO. 6 and Cor. No. 4 of the ZONIA MILLSITE NO. 12, all of this survey.  Thence S. 43° 25' 40" W.
285.0	Power line bears N. 7° E. and S. 7° W.
325.0	Pipeline, 6 ins. diam., bears N. 35° W. and S. 45° E.
702.88	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 12, Cor. No. 3 of the ZONIA MILLSITE NO. 17 and Cor. No. 3 of the ZONIA MILLSITE NO. 18, all of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 11 3 ZMS 12 3 ZMS 17 3 ZMS 18 3 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence N. 52° 37' W.
300.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 10, Cor. No. 2 of the ZONIA MILLSITE NO. 18 and Cor. No. 4 of the ZONIA MILLSITE NO. 19, all of this survey.  Thence N. 43° 25' 40" E.
702.88	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 11 contains 4.814 acres.
ZONIA MILLSITE NO. 12	
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 12, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 5, Cor. No. 1 of the ZONIA MILLSITE NO. 13 and Cor. No. 1 of the ZONIA MILLSITE NO. 30, all of this survey.  Thence S. 43° 25' 40" W.
232.95	A point selected for witness Cor. No. 1, identical with witness Cor. No. 1 of the ZONIA MILLSITE NO. 5, witness Cor. No. 1 of the ZONIA MILLSITE NO. 13 and witness Cor. No. 1 of the ZONIA MILLSITE NO. 30, all of this survey.

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 12 1 W.C. ZMS 5 1 W.C. ZMS 13 1 W.C. ZMS 30 1 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
400.0	Pipeline, 6 ins. diam., bears N. 30° W. and S. 20° W.	
702.88	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 13, Cor. No. 2 of the ZONIA MILLSITE NO. 16 and Cor. No. 4 of the ZONIA MILLSITE NO. 17, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 12 2 ZMS 13 4 ZMS 16 2 ZMS 17 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>	
45.0	Power line bears S. 30° W. and N. 30° E.	
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 11, Cor. No. 3 of the ZONIA MILLSITE NO. 17 and Cor. No. 3 of the ZONIA MILLSITE NO. 18, all of this survey.</p> <p>Thence N. 43° 25' 40" E.</p>	
377.88	Pipeline, 6 ins. diam., bears N. 35° W. and S. 45° E.	
417.88	Power line bears N. 7° E. and S. 7° W.	
702.88	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 5, Cor. No. 4 of the ZONIA MILLSITE NO. 6 and Cor. No. 2 of the ZONIA MILLSITE NO. 11, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 12 contains 4.814 acres.</p> <hr/>	

FEET		

FEET	ZONIA MILLSITE NO. 13	
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 13, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 5, Cor. No. 1 of the ZONIA MILLSITE NO. 12 and Cor. No. 1 of the ZONIA MILLSITE NO. 30, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 14, Cor. No. 4 of the ZONIA MILLSITE NO. 30 and Cor. No. 2 of the ZONIA MILLSITE NO. 31, all of this survey.</p> <p>This corner falls in a leach basin where a permanent monument would be obliterated.</p> <p>Thence S. 43° 25' 40" W.</p>	
702.88	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 14, Cor. No. 3 of the ZONIA MILLSITE NO. 15 and Cor. No. 3 of the ZONIA MILLSITE NO. 16, all of this survey.</p> <p>This corner falls in a leach basin where a permanent monument would be obliterated.</p> <p>Thence N. 52° 37' W.</p>	
16.27	<p>A point for witness Cor. No. 3, identical with <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 14, <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 15 and <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 16, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 13 3 W.C. ZMS 14 3 W.C. ZMS 15 3 W.C. ZMS 16 3 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
200.0	<p>Pipeline, 6 ins. diam., bears N. 30° W. and S. 30° E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 12, Cor. No. 2 of the ZONIA MILLSITE NO. 16 and Cor. No. 4 of the ZONIA MILLSITE NO. 17, all of this survey.</p> <p>Thence N. 43° 25' 40" E.</p>	
302.88	<p>Pipeline, 6 ins. diam., bears N. 30° W. and S. 20° W.</p>	

(This form bound on left side)

FEET	
469.93	A point for witness Cor. No. 1, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 5, Cor. No. 1 of the ZONIA MILLSITE NO. 12 and Cor. No. 1 of the ZONIA MILLSITE NO. 30, all of this survey.
702.88	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 13 contains 4.814 acres.
<hr/> <b>ZONIA MILLSITE NO. 14</b>	
At Cor. No. 1 of the ZONIA MILLSITE NO. 14	
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 14 1 X; from which	
The 1/4 cor. of secs. 11 and 12 bears N. 0° 58' 30" W., 2386.39 ft. dist.; previously described.	
Cor. No. 2 Sur. No. 1324 Fairplay lode bears S. 47° 17' 30" W., 72.17 ft. dist.	
A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
Thence S. 43° 25' 40" W.	
71.62	Intersect line 2-3 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears N. 51° W., 4.88 ft. dist.
702.88	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 15 of this survey.
Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam., firmly secured to the iron post, mkd. MS 4659 B ZMS 14 2 ZMS 15 4 X; from which	
A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
Thence N. 52° 37' W.	
1.49	Intersect line 4-1 Cuprite lode of this survey.
302.50	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 13, Cor. No. 3 of the ZONIA MILLSITE NO. 15 and Cor. No. 3 of the ZONIA MILLSITE NO. 16, all of this survey.

FEET	
	Thence N. 43° 25' 40" E.
702.88	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 13, Cor. No. 4 of the ZONIA MILLSITE NO. 30 and Cor. No. 2 of the ZONIA MILLSITE NO. 31, all of this survey.
	Thence S. 52° 37' E.
171.93	A point for witness Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 13, Cor. No. 4 of the ZONIA MILLSITE NO. 30 and witness Cor. No. 2 of the ZONIA MILLSITE NO. 31, all of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 14 4 W.C. ZMS 13 2 W.C. ZMS 30 4 W.C. ZMS 31 2 W.C. X; from which
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
293.52	Intersect line 1-2 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears S. 40° 09' W., 71.17 ft. dist.
300.0	Cor. No. 1 ZONIA MILLSITE NO. 31 of this survey.
300.05	Intersect line 4-1 Cuprite lode of this survey.
302.50	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 14 contains 4.854 acres.
<hr/>	
ZONIA MILLSITE NO. 15	
	At Cor. No. 1 of the ZONIA MILLSITE NO. 15, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 25 of this survey
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 15 1 ZMS 25 1 X; from which
	The 1/4 cor. of secs. 11 and 12 bears N. 15° 12' 05" E., 3530.52 ft. dist.; previously described.
	A wood post, 4 in. x 4 in., 4 ft. long, sets adjacent to the iron post.

(This form bound on left side)

FEET		
	Thence N. 52° 37' W.	
0.54	Intersect line 4-1 Cuprite lode of this survey.	
223.58	A point for witness Cor. No. 2, identical with witness Cor. No. 4 of the ZONIA MILLSITE NO. 16, witness Cor. No. 4 of the ZONIA MILLSITE NO. 25 and Cor. No. 2 of the ZONIA MILLSITE NO. 24, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 15 2 W.C. ZMS 16 4 W.C. ZMS 24 2 W.C. ZMS 25 4 W.C. X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
302.50	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 16, Cor. No. 2 of the ZONIA MILLSITE NO. 24 and Cor. No. 4 of the ZONIA MILLSITE NO. 25, all of this survey.	
	This corner falls in a leach basin where a permanent monument would be obliterated.	
	Thence N. 43° 25' 40" E.	
200.0	Power line bears N. 57° 30' W. and S. 57° 30' E.	
702.89	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 13, Cor. No. 3 of the ZONIA MILLSITE NO. 14 and Cor. No. 3 of the ZONIA MILLSITE NO. 16, all of this survey.	
	Thence S. 52° 37' E.	
301.01	Intersect line 4-1 Cuprite lode of this survey.	
302.50	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 14 of this survey.	
	Thence S. 43° 25' 40" W.	
702.89	Cor. No. 1, and place of beginning.	
	The ZONIA MILLSITE NO. 15 contains 4.854 acres.	
<hr/>		
ZONIA MILLSITE NO. 16		
At Cor. No. 1 of the ZONIA MILLSITE NO. 16, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 17, Cor. No. 1 of the ZONIA MILLSITE NO. 23 and Cor. No. 1 of the		

FEET		
	<p>ZONIA MILLSITE NO. 24, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 16 1 ZMS 17 1 ZMS 23 1 ZMS 24 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 24° 47' 20" E., 3349.84 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 43° 25' 40" E.</p>	
212.89 495.0	<p>Pipeline, 6 ins. diam., bears N. 41° W. and S. 41° E. Power line bears N. 30° E. and S. 30° W.</p>	
702.89	<p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 12, Cor. No. 4 of the ZONIA MILLSITE NO. 13 and Cor. No. 4 of the ZONIA MILLSITE NO. 17, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
100.0	<p>Pipeline, 6 ins. diam., bears N. 30° W. and S. 30° E.</p>	
283.73	<p>A point for witness Cor. No. 3, identical with witness Cor. No. 3 of the ZONIA MILLSITE NO. 13, witness Cor. No. 3 of the ZONIA MILLSITE NO. 14 and witness Cor. No. 3 of the ZONIA MILLSITE NO. 15, all of this survey.</p>	
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 13, Cor. No. 3 of the ZONIA MILLSITE NO. 14 and Cor. No. 3 of the ZONIA MILLSITE NO. 15, all of this survey.</p> <p>Thence S. 43° 25' 40" W.</p>	
502.89	<p>Power line bears N. 57° 30' W. and S. 57° 30' E.</p>	
702.89	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 15, Cor. No. 2 of the ZONIA MILLSITE NO. 24 and Cor. No. 4 of the ZONIA MILLSITE NO. 25, all of this survey.</p> <p>Thence N. 52° 37' W.</p>	
220.0	<p>Pipeline, 6 ins. diam., bears S. 55° W. and N. 43° E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 16 contains 4.814 acres.</p>	

FEET	ZONIA MILLSITE NO. 17
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 17, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 16, Cor. No. 1 of the ZONIA MILLSITE NO. 23 and Cor. No. 1 of the ZONIA MILLSITE NO. 24, all of this survey.</p> <p>Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 18, Cor. No. 2 of the ZONIA MILLSITE NO. 22 and Cor. No. 4 of the ZONIA MILLSITE NO. 23, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 17 2 ZMS 18 4 ZMS 22 2 ZMS 23 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 43° 25' 40" E.</p>
260.0	Pipeline, 8 ins. diam., bears N. 5° W. and S. 10° E.
702.89	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 11, Cor. No. 3 of the ZONIA MILLSITE NO. 12 and Cor. No. 3 of the ZONIA MILLSITE NO. 18, all of this survey.</p> <p>Thence S. 52° 37' E.</p>
255.0	Power line bears N. 30° E. and S. 30° W.
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 12, Cor. No. 4 of the ZONIA MILLSITE NO. 13 and Cor. No. 2 of the ZONIA MILLSITE NO. 16, all of this survey.</p> <p>Thence S. 43° 25' 40" W.</p>
207.89	Power line bears S. 30° W. and N. 30° E.
490.0	Pipeline, 6 ins. diam., bears N. 41° W. and S. 41° E.
702.89	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 17 contains 4.814 acres.</p>
	<hr/> <p>ZONIA MILLSITE NO. 18</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 18, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 19, Cor. No. 1 of the ZONIA</p>

FEET	
	<p>MILLSITE NO. 21 and Cor. No. 1 of the ZONIA MILLSITE NO. 22, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 18 1 ZMS 19 1 ZMS 21 1 ZMS 22 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 35° 05' 55" E., 3271.87 ft. dist.; previously described.</p> <p>A wood post, 4 in. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 43° 25' 40" E.</p>
540.0	<p>Pipeline, 8 ins. diam., bears N. 5° W. and S. 5° E.</p>
702.89	<p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 10, Cor. No. 4 of the ZONIA MILLSITE NO. 11 and Cor. No. 4 of the ZONIA MILLSITE NO. 19, all of this survey.</p> <p>Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 11, Cor. No. 3 of the ZONIA MILLSITE NO. 12 and Cor. No. 3 of the ZONIA MILLSITE NO. 17, all of this survey.</p> <p>Thence S. 43° 25' 40" W.</p>
442.89	<p>Pipeline, 8 ins. diam., bears N. 5° W. and S. 10° E.</p>
702.89	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 17, Cor. No. 2 of the ZONIA MILLSITE NO. 22 and Cor. No. 4 of the ZONIA MILLSITE NO. 23, all of this survey.</p> <p>Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 18 contains 4.814 acres.</p>
	<p>ZONIA MILLSITE NO. 19</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 19, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 18, Cor. No. 1 of the ZONIA MILLSITE NO. 21 and Cor. No. 1 of the ZONIA MILLSITE NO. 22, all of this survey.</p> <p>Thence N. 52° 37' W.</p>

(This form bound on left side)

FEET		
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 20, Cor. No. 4 of the ZONIA MILLSITE NO. 21 and Cor. No. 2 of the ZONIA MILLSITE NO. 48, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 19 2 ZMS 20 4 ZMS 21 4 ZMS 48 2 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 43° 25' 40" E.</p>	
702.89	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 9, Cor. No. 3 of the ZONIA MILLSITE NO. 10 and Cor. No. 3 of the ZONIA MILLSITE NO. 20, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 52° 37' E.</p>	
140.0	<p>Pipeline, 8 ins. diam., bears N. 15° E. and S. 7° E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 10, Cor. No. 4 of the ZONIA MILLSITE NO. 11 and Cor. No. 2 of the ZONIA MILLSITE NO. 18, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 43° 25' 40" W.</p>	
162.89	<p>Pipeline, 8 ins. diam., bears N. 5° W. and S. 5° E.</p>	
702.89	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 19 contains 4.814 acres.</p>	
<hr/>		
<p>ZONIA MILLSITE NO. 20</p>		
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 20, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 33 and Cor. No. 1 of the ZONIA MILLSITE NO. 48, all of this survey.</p>		
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 20 1 ZMS 33 1 ZMS 48 1 X; from which</p>		
<p style="padding-left: 40px;">The 1/4 cor. of secs. 11 and 12 bears N. 45° 33' 25" E., 3302.74 ft. dist.; previously described.</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>		

FEET		
	Thence N. 43° 25' 40" E.	
380.0	Pipeline, 6 ins. diam., bears N. 20° E. and S. 15° W.	
702.89	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 9, Cor. No. 4 of the ZONIA MILLSITE NO. 33 and Cor. No. 2 of the ZONIA MILLSITE NO. 34, all of this survey.	
	Thence S. 52° 37' E.	
300.0	Cor. No. 3, identical with Cor. No. 3 of ZONIA MILLSITE NO. 9, Cor. No. 3 of the ZONIA MILLSITE NO. 10 and Cor. No. 3 of the ZONIA MILLSITE NO. 19, all of this survey.	
	Thence S. 43° 25' 40" W.	
702.89	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 19, Cor. No. 4 of the ZONIA MILLSITE NO. 21 and Cor. No. 2 of the ZONIA MILLSITE NO. 48, all of this survey.	
	Thence N. 52° 37' W.	
1.0	Pipeline, 6 ins. diam., bears S. 5° E. and N. 5° W.	
300.0	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 20 contains 4.814 acres.	
<b>ZONIA MILLSITE NO. 21</b>		
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 21, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 18, Cor. No. 1 of the ZONIA MILLSITE NO. 19 and Cor. No. 1 of the ZONIA MILLSITE NO. 22, all of this survey.	
	Thence S. 40° 33' 40" W.	
300.0	Pipeline, 6 ins. diam., bears N. 10° W. and S. 10° E.	
700.06	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 22, Cor. No. 3 of the ZONIA MILLSITE NO. 29 and Cor. No. 3 of the ZONIA MILLSITE NO. 46, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 21 2 ZMS 22 4 ZMS 29 3 ZMS 46 3 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	

(This form bound on left side)

FEET	Description
265.96	<p>Thence N. 52° 37' W.</p> <p>A point for witness Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 46, Cor. No. 4 of the ZONIA MILLSITE NO. 47 and Cor. No. 3 of the ZONIA MILLSITE NO. 48, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 21 3 W.C. ZMS 46 2 W.C. ZMS 47 4 W.C. ZMS 48 3 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 46, Cor. No. 4 of the ZONIA MILLSITE NO. 47 and Cor. No. 3 of the ZONIA MILLSITE NO. 48, all of this survey.</p> <p>This cor. falls on the talus slope of a waste dump where a permanent monument cannot be constructed.</p> <p>Thence N. 40° 33' 40" E.</p>
699.0	<p>Pipeline, 6 ins. diam., bears N. 5° W. and S. 5° E.</p>
700.06	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 19, Cor. No. 4 of the ZONIA MILLSITE NO. 20 and Cor. No. 2 of the ZONIA MILLSITE NO. 48, all of this survey.</p> <p>Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 21 contains 4.814 acres.</p>
<p>ZONIA MILLSITE NO. 22</p>	
300.0	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 22, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 18, Cor. No. 1 of the ZONIA MILLSITE NO. 19 and Cor. No. 1 of the ZONIA MILLSITE NO. 21, all of this survey.</p> <p>Thence S. 52° 37' E.</p> <p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 17, Cor. No. 4 of the ZONIA MILLSITE NO. 18 and Cor. No. 4 of the ZONIA MILLSITE NO. 23, all of this survey.</p> <p>Thence S. 40° 33' 40" W.</p>

FEET		
700.06	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 23, Cor. No. 2 of the ZONIA MILLSITE NO. 28 and Cor. No. 4 of the ZONIA MILLSITE NO. 29, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 22 3 ZMS 23 3 ZMS 28 2 ZMS 29 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 21, Cor. No. 3 of the ZONIA MILLSITE NO. 29 and Cor. No. 3 of the ZONIA MILLSITE NO. 46, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 40° 33' 40" E.</p>	
400.06	<p>Pipeline, 6 ins. diam., bears N. 10° W. and S. 10° E.</p>	
700.06	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 22 contains 4.814 acres.</p> <hr/> <p style="text-align: center;">ZONIA MILLSITE NO. 23</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 23, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 16, Cor. No. 1 of the ZONIA MILLSITE NO. 17 and Cor. No. 1 of the ZONIA MILLSITE NO. 24, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 40° 33' 40" W.</p>	
320.0	<p>Pipeline, 6 ins. diam., bears S. 52° W. and N. 55° E.</p>	
575.0	<p>Pipeline, 6 ins. diam., bears N. 20° E. and S. 10° W.</p>	
700.06	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 24, Cor. No. 3 of the ZONIA MILLSITE NO. 27 and Cor. No. 3 of the ZONIA MILLSITE NO. 28, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 23 2 ZMS 24 4 ZMS 27 3 ZMS 28 3 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	

(This form bound on left side)

FEET		
	Thence N. 52° 37' W.	
300.0	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 22, Cor. No. 2 of the ZONIA MILLSITE NO. 28 and Cor. No. 4 of the ZONIA MILLSITE NO. 29, all of this survey.	
	Thence N. 40° 33' 40" E.	
700.06	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 17, Cor. No. 4 of the ZONIA MILLSITE NO. 18 and Cor. No. 2 of the ZONIA MILLSITE NO. 22, all of this survey.	
	Thence S. 52° 37' E.	
300.0	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 23 contains 4.814 acres.	
ZONIA MILLSITE NO. 24		
Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 24, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 16, Cor. No. 1 of the ZONIA MILLSITE NO. 17 and Cor. No. 1 of the ZONIA MILLSITE NO. 23, all of this survey.		
Thence S. 52° 37' E.		
80.0	Pipeline, 6 ins. diam., bears S. 55° W. and N. 43° E.	
300.0	Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 15, Cor. No. 4 of the ZONIA MILLSITE NO. 16 and Cor. No. 4 of the ZONIA MILLSITE NO. 25, all of this survey.	
Thence S. 40° 33' 40" W.		
700.06	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 25, Cor. No. 2 of the ZONIA MILLSITE NO. 26 and Cor. No. 4 of the ZONIA MILLSITE NO. 27, all of this survey.	
This corner falls in the center of a temporary access road where a permanent monument cannot be constructed.		
Thence N. 52° 37' W.		
185.0	Pipeline, 6 ins. diam., bears N. 10° W. and S. 10° E.	
300.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 23, Cor. No. 3 of the ZONIA MILLSITE NO. 27 and Cor. No. 3 of the ZONIA MILLSITE NO. 28, all of this survey.	

FEET	
	Thence N. 40° 33' 40" E.
125.06	Pipeline, 6 ins. diam., bears N. 20° E. and S. 10° W.
380.06	Pipeline, 6 ins. diam., bears N. 55° E. and S. 52° W.
700.06	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 24 contains 4.814 acres.
<hr/>	
ZONIA MILLSITE NO. 25	
Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 25, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 15 of this survey.	
Thence S. 40° 46' W.	
9.21	Intersect line 3-4 Cuprite lode, identical with line 3-4 Fraction lode, both of this survey.
179.25	Intersect line 1-2 Fraction lode, identical with line 4-1 Black Prince lode, both of this survey.
700.20	Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 26 of this survey.  On line 3-4 Black Prince lode of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 25 2 ZMS 26 3 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
Thence N. 52° 37' W.	
258.76	A point for witness Cor. No. 3, identical with <sup>witness</sup> Cor. No. 3 of the ZONIA MILLSITE NO. 24, <sup>witness</sup> Cor. No. 2 of the ZONIA MILLSITE NO. 26 and <sup>witness</sup> Cor. No. 4 of the ZONIA MILLSITE NO. 27, all of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 25 3 W.C. ZMS 24 3 W.C. ZMS 26 2 W.C. ZMS 27 4 W.C. X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.

(This form bound on left side)

FEET	
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 24, Cor. No. 2 of the ZONIA MILLSITE NO. 26 and Cor. No. 4 of the ZONIA MILLSITE NO. 27, all of this survey.</p> <p>Thence N. 40° 33' 40" E.</p>
700.06	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 15, Cor. No. 4 of the ZONIA MILLSITE NO. 16 and Cor. No. 2 of the ZONIA MILLSITE NO. 24, all of this survey.</p> <p>Thence S. 52° 37' E.</p>
78.92	<p>A point for witness Cor. No. 4, identical with <sup>witness</sup>Cor. No. 2 of the ZONIA MILLSITE NO. 15, <sup>witness</sup>Cor. No. 4 of the ZONIA MILLSITE NO. 16 and <sup>witness</sup>Cor. No. 2 of the ZONIA MILLSITE NO. 24, all of this survey.</p>
301.96	<p>Intersect line 4-1 Cuprite lode of this survey.</p>
302.50	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 25 contains 4.834 acres.</p>
<p>ZONIA MILLSITE NO. 26</p>	
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 26, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 27, Cor. No. 1 of the ZONIA MILLSITE NO. 37 and Cor. No. 1 of the ZONIA MILLSITE NO. 38, all of this survey.</p>	
<p>This corner falls in a leach basin where a permanent monument would be obliterated. From this point</p>	
<p>The 1/4 cor. of secs. 11 and 12 bears N. 25° 50' E., 4763.75 ft. dist.; previously described.</p>	
<p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 24, Cor. No. 3 of the ZONIA MILLSITE NO. 25 and Cor. No. 4 of the ZONIA MILLSITE NO. 27, all of this survey.</p> <p>Thence S. 52° 37' E.</p>
41.24	<p>A point for witness Cor. No. 2, identical with <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 24, <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 25 and <sup>witness</sup>Cor. No. 4 of the ZONIA MILLSITE NO. 27, all of this survey.</p>

FEET		
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 25 of this survey.</p> <p>On line 3-4 Black Prince lode of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 37 of this survey.</p> <p>On line 3-4 Black Prince lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 26 4 ZMS 37 2 X; from which</p> <p>A wood post, 4 ins. x 6 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>	
173.41	<p>A point <sup>selected</sup> for witness Cor. No. 1, identical with <sup>witness</sup> Cor. No. 1 of the ZONIA MILLSITE NO. 27, <sup>witness</sup> Cor. No. 1 of the ZONIA MILLSITE NO. 37 and <sup>witness</sup> Cor. No. 1 of the ZONIA MILLSITE NO. 38, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 26 1 W.C. ZMS 27 1 W.C. ZMS 37 1 W.C. ZMS 38 1 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 26 contains 4.814 acres.</p>	
<hr/>		
<p>ZONIA MILLSITE NO. 27</p>		
<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 27, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 26, Cor. No. 1 of the ZONIA MILLSITE NO. 37 and Cor. No. 1 of the ZONIA MILLSITE NO. 38, all of this survey.</p>		
<p>Thence N. 52° 37' W.</p>		
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 28, Cor. No. 4 of the ZONIA</p>	

(This form bound on left side)

FEET		
	<p>MILLSITE NO. 38 and Cor. No. 2 of the ZONIA MILLSITE NO. 39, all of this survey.</p> <p>This corner falls in a leach basin where a permanent monument would be obliterated.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 23, Cor. No. 4 of the ZONIA MILLSITE NO. 24 and Cor. No. 3 of the ZONIA MILLSITE NO. 28, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
115.0	<p>Pipeline, 6 ins. diam., bears N. 10° W. and S. 10° E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 24, Cor. No. 3 of the ZONIA MILLSITE NO. 25 and Cor. No. 2 of the ZONIA MILLSITE NO. 26, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 27 contains 4.814 acres.</p>	
	<p style="text-align: center;">ZONIA MILLSITE NO. 28</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 28, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 29 and Cor. No. 1 of the ZONIA MILLSITE NO. 39, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 28 1 ZMS 29 1 ZMS 39 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 33° 02' 55" E., 4680.72 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 22, Cor. No. 3 of the ZONIA MILLSITE NO. 23 and Cor. No. 4 of the ZONIA MILLSITE NO. 29, all of this survey.</p>	

FEET		
	<p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 23, Cor. No. 4 of the ZONIA MILLSITE NO. 24 and Cor. No. 3 of the ZONIA MILLSITE NO. 27, all of this survey.</p>	
	<p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 27, Cor. No. 4 of the ZONIA MILLSITE NO. 38 and Cor. No. 2 of the ZONIA MILLSITE NO. 39, all of this survey.</p>	
	<p>Thence N. 52° 37' W.</p>	
111.87	<p>A point for witness Cor. No. 4, identical with/<sup>witness</sup> Cor. No. 2 of the ZONIA MILLSITE NO. 27,/<sup>witness</sup> Cor. No. 4 of the ZONIA MILLSITE NO. 38 and/<sup>witness</sup> Cor. No. 2 of the ZONIA MILLSITE NO. 39, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 28 4 W.C. ZMS 27 2 W.C. ZMS 38 4 W.C. ZMS 39 2 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 28 contains 4.814 acres.</p>	
	<p style="text-align: center;">ZONIA MILLSITE NO. 29</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 29, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 28 and Cor. No. 1 of the ZONIA MILLSITE NO. 39, both of this survey.</p> <p style="text-align: center;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 46 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 29 2 ZMS 46 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	

(This form bound on left side)

FEET	Thence N. 40° 28' 45" E.
700.0	Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 21, Cor. No. 4 of the ZONIA MILLSITE NO. 22 and Cor. No. 3 of the ZONIA MILLSITE NO. 46, all of this survey.
	Thence S. 52° 37' E.
300.0	Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 22, Cor. No. 3 of the ZONIA MILLSITE NO. 23 and Cor. No. 2 of the ZONIA MILLSITE NO. 28, all of this survey.
	Thence S. 40° 28' 45" W.
700.0	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 29 contains 4.814 acres.
	<hr/>
	ZONIA MILLSITE NO. 30
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 30, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 5, Cor. No. 1 of the ZONIA MILLSITE NO. 12 and Cor. No. 1 of the ZONIA MILLSITE NO. 13, all of this survey.
	Thence N. 40° 28' 45" E.
700.0	Cor. No. 3 ZONIA MILLSITE NO. 4, identical with Cor. No. 4 ZONIA MILLSITE NO. 5, both of this survey.
705.13	Intersect line 2-3 Sur. No. 1321 Quartette lode at a point from which Cor. No. 2 bears S. 23° 15' E., 448.82 ft. dist.
726.0	Cor. No. 2
	On line 2-3 ZONIA MILLSITE NO. 4 of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 30 2 X; from which
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
	Thence S. 52° 37' E.
240.0	Enter water storage pond.
300.0	Cor. No. 3 identical with Cor. No. 3 of the ZONIA MILLSITE NO. 31 of this survey.

FEET	
	<p>This corner falls in small water storage pond where a permanent monument cannot be constructed.</p> <p style="text-align: center;">Thence S. 40° 28' 45" W.</p>
60.0	Leave water storage pond.
184.93	Intersect line 2-3 Sur. No. 1321 Quartette lode at a point from which Cor. No. 2 bears S. 23° 15' E., 114.75 ft. dist.
726.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 13, Cor. No. 4 of the ZONIA MILLSITE NO. 14 and Cor. No. 2 of the ZONIA MILLSITE NO. 31, all of this survey.
	Thence N. 52° 37' W.
300.0	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 30 contains 4.993 acres.
<hr/>	
	ZONIA MILLSITE NO. 31
	At Cor. No. 1 of the ZONIA MILLSITE NO. 31.
	On line 4-1 ZONIA MILLSITE NO. 14 of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 31 1 X; from which
	The 1/4 cor. of secs. 11 and 12 bears N. 0° 55' 40" W., 2384.85 ft. dist.; previously described.
	Cor. No. 2 Sur. No. 1324 Fairplay lode bears S. 45° 19' 40" W., 71.72 ft. dist.
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
	Thence N. 52° 37' W.
6.48	Intersect line 1-2 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears S. 40° 09' W., 71.17 ft. dist.
128.07	A point for witness Cor. No. 2, identical with/ <sup>witness</sup> Cor. No. 2 of the ZONIA MILLSITE NO. 13,/ <sup>witness</sup> Cor. No. 4 of the ZONIA MILLSITE NO. 14 and/ <sup>witness</sup> Cor. No. 4 of the ZONIA MILLSITE NO. 30, all of this survey.

(This form bound on left side)

FEET		
300.0	Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 13, Cor. No. 4 of the ZONIA MILLSITE NO. 14 and Cor. No. 4 of the ZONIA MILLSITE NO. 30, all of this survey.	
	Thence N. 40° 28' 45" E.	
541.07	Intersect line 2-3 Sur. No. 1321 Quartette lode at a point from which Cor. No. 2 bears S. 23° 15' E., 114.75 ft. dist.	
660.0	Enter water storage pond.	
726.0	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 30 of this survey.	
	Thence S. 52° 37' E.	
60.0	Leave water storage pond.	
153.50	A point for witness Cor. No. 3, identical with <sup>witness</sup> Cor. No. 3 of the ZONIA MILLSITE NO. 30 and Cor. No. 4 of the ZONIA MILLSITE NO. 32.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 31 3 W.C. ZMS 30 3 W.C. ZMS 32 4 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
168.71	Intersect line 1-2 Sur. No. 1321 Quartette lode at a point from which Cor. No. 2 bears S. 55° 28' 15" W., 253.47 ft. dist.	
289.34	Intersect line 1-2 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears S. 40° 09' W., 796.97 ft. dist.	
300.0	Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 32 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 31 4 ZMS 32 3 X; from which	
	Cor. No. 2 Sur. No. 1321 Quartette lode bears S. 78° 27' 20" W., 319.60 ft. dist.	
	Cor. No. 2 Sur. No. 1324 Fairplay lode bears S. 40° 54' 55" W., 797.56 ft. dist.	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence S. 40° 28' 45" W.	
726.0	Cor. No. 1, and place of beginning.	

FEET	
	The ZONIA MILLSITE NO. 31 contains 4.993 acres.
	ZONIA MILLSITE NO. 32
	At Cor. No. 1 of the ZONIA MILLSITE NO. 32.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 32 1 X; from which
	The 1/4 cor. of secs. 11 and 12 bears N. 26° 04' 30" W., 1559.84 ft. dist.; previously described.
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
	Thence S. 52° 37' E.
133.25	Intersect line 1-2 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears S. 40° 09' W., 1246.85 ft. dist.
137.67	Intersect line 1-2 Sur. No. 1321 Quartette lode at a point from which Cor. No. 2 bears S. 55° 28' 15" W., 726.19 ft. dist.
146.50	Cor. No. 2
	This corner falls on the talus slope of a waste dump where a permanent monument cannot be constructed.
	Thence S. 40° 28' 45" W.
298.06	A point for witness Cor. No. 2.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 32 2 W.C. X; from which
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
450.0	Cor. No. 3, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 31 of this survey.
	Thence N. 52° 37' W.
10.66	Intersect line 1-2 Sur. No. 1324 Fairplay lode at a point from which Cor. No. 2 bears S. 40° 09' W., 796.97 ft. dist.

(This form bound on left side)

FEET		
131.29	Intersect line 1-2 Sur. No. 1321 Quartette lode at a point from which Cor. No. 2 bears S. 55° 28' 15" W., 253.47 ft. dist.	
146.50	Cor. No. 4, identical with a point for witness Cor. No. 3 of the ZONIA MILLSITE NO. 30 and <sup>witness</sup> Cor. No. 3 of the ZONIA MILLSITE NO. 31, both of this survey.  Thence N. 40° 28' 45" E.	
450.0	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 32 contains 1.511 acres.	
ZONIA MILLSITE NO. 33		
300.0	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 33, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 20 and Cor. No. 1 of the ZONIA MILLSITE NO. 48, both of this survey.  Thence N. 52° 37' W.  Cor. No. 2  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 33 2 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence N. 43° 25' 40" E.	
702.89	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 34 of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 33 3 ZMS 34 3 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.  Thence S. 52° 37' E.	
160.0	Pipeline, 6 ins. diam., bears N. 30° E. and S. 20° W.	
300.0	Cor. No. 4, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 9, Cor. No. 2 of the ZONIA	

FEET	
	<p>MILLSITE NO. 20 and Cor. No. 2 of the ZONIA MILLSITE NO. 34, all of this survey.</p> <p style="text-align: center;">Thence S. 43° 25' 40" W.</p>
322.89	Pipeline, 6 ins. diam., bears N. 20° E. and S. 15° W.
702.89	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 33 contains 4.814 acres.
ZONIA MILLSITE NO. 34	
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 34, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 8, Cor. No. 1 of the ZONIA MILLSITE NO. 9 and Cor. No. 1 of the ZONIA MILLSITE NO. 35, all of this survey.</p> <p style="text-align: center;">Thence S. 43° 25' 40" W.</p>
172.88	Pipeline, 8 ins. diam., bears S. 20° E. and N. 20° W.
702.88	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 9, Cor. No. 2 of the ZONIA MILLSITE NO. 20 and Cor. No. 4 of the ZONIA MILLSITE NO. 33, all of this survey.
	Thence N. 52° 37' W.
140.0	Pipeline, 6 ins. diam., bears N. 30° E. and S. 20° W.
300.0	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 33 of this survey.
	Thence N. 43° 25' 40" E.
380.0	Pipeline, 6 ins. diam., bears North and South.
702.88	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 35 of this survey.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 34 4 ZMS 35 2 X; from which</p> <p style="text-align: center;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 52° 37' E.</p>
105.0	Pipeline, 8 ins. diam., bears N. 20° E. and S. 20° W.

(This form bound on left side)

FEET	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 34 contains 4.814 acres.</p>
<hr/>	
<p>ZONIA MILLSITE NO. 35</p>	
<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 35, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 8, Cor. No. 1 of the ZONIA MILLSITE NO. 9 and Cor. No. 1 of the ZONIA MILLSITE NO. 34, all of this survey.</p>	
<p>Thence N. 52° 37' W.</p>	
195.0	<p>Pipeline, 8 ins. diam., bears N. 20° E. and S. 20° W.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 34 of this survey.</p>
<p>Thence N. 40° 28' 45" E.</p>	
40.0	<p>Pipeline, 6 ins. diam., bears N. 75° E. and S. 75° W.</p>
700.0	<p>Cor. No. 3, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 36 and Cor. No. 2 of the ZONIA MILLSITE NO. 40, both of this survey.</p>
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 35 3 ZMS 36 4 ZMS 40 2 X; from which</p>	
<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
<p>Thence S. 52° 37' E.</p>	
90.0	<p>Pipeline, 8 ins. diam., bears N. 37° E. and S. 37° W.</p>
135.0	<p>Pipeline, 6 ins. diam., bears N. 45° E. and S. 45° W.</p>
300.0	<p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 1, Cor. No. 2 of the ZONIA MILLSITE NO. 8 and Cor. No. 3 of the ZONIA MILLSITE NO. 36, all of this survey.</p>
<p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 35 contains 4.814 acres.</p>
<hr/>	

FEET	
	<p>ZONIA MILLSITE NO. 36</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 36, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 40 and Cor. No. 3 of the ZONIA MILLSITE NO. 41, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 36 1 ZMS 40 1 ZMS 41 3 X; from which</p> <p style="padding-left: 40px;">The 1/4 cor. of secs. 11 and 12 bears N. 86° 27' 20" E., 722.52 ft. dist.; previously described.</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 1 of this survey.</p> <p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>
230.0	<p>Power line bears S. 32° E. and N. 32° W.</p>
415.0	<p>Pipeline, 8 ins. diam., bears N. 35° W. and S. 35° E.</p>
450.0	<p>Pipeline, 6 ins. diam., bears N. 80° W. and S. 55° E.</p>
700.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 1, Cor. No. 2 of the ZONIA MILLSITE NO. 8 and Cor. No. 4 of the ZONIA MILLSITE NO. 35, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>
165.0	<p>Pipeline, 6 ins. diam., bears N. 45° E. and S. 45° W.</p>
210.0	<p>Pipeline, 8 ins. diam., bears N. 37° E. and S. 37° W.</p>
300.0	<p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 35 and Cor. No. 2 of the ZONIA MILLSITE NO. 40, both of this survey.</p> <p style="padding-left: 40px;">Thence N. 40° 28' 45" E.</p>
380.0	<p>Pipeline, 8 ins. diam., bears S. 25° E. and N. 25° W.</p>
575.0	<p>Power line, bears N. 32° W. and S. 32° E.</p>
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 36 contains 4.814 acres.</p>

(This form bound on left side)

FEET		
	<b>ZONIA MILLSITE NO. 37</b>	
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 37, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 26, Cor. No. 1 of the ZONIA MILLSITE NO. 27 and Cor. No. 1 of the ZONIA MILLSITE NO. 38, all of this survey.	
	Thence S. 52° 37' E.	
126.59	A point for witness Cor. No. 1 of the ZONIA MILLSITE NO. 37, Cor. No. 1 of the ZONIA MILLSITE NO. 26, Cor. No. 1 of the ZONIA MILLSITE NO. 27 and Cor. No. 1 of the ZONIA MILLSITE NO. 38, all of this survey.	
300.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 26 of this survey.	
	On line 3-4 Black Prince lode of this survey.	
	Thence S. 40° 28' 45" W.	
276.95	Cor. No. 3 Black Prince lode, identical with Cor. No. 4 Victor Copper lode, both of this survey.	
700.0	Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 51 lode of this survey.	
	On line 3-4 Victor Copper lode of this survey.	
	This corner falls in a leach basin where a permanent monument cannot be constructed.	
	Thence N. 52° 37' W.	
220.05	A point for witness Cor. No. 3, identical with/ <sup>witness</sup> Cor. No. 2 of the ZONIA MILLSITE NO. 51 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 37 3 W.C. ZMS 51 2 W.C. X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
300.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 38 of this survey.	
	On line 1-2 ZONIA MILLSITE NO. 51 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS	

FEET		
700.0	<p>37 4 ZMS 38 2 X; from which</p> <p>A wood post, 4 in. x 4 in., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 37 contains 4.814 acres.</p>	
700.0	<p style="text-align: center;">ZONIA MILLSITE NO. 38</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 38, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 26, Cor. No. 1 of the ZONIA MILLSITE NO. 27 and Cor. No. 1 of the ZONIA MILLSITE NO. 37, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 37 of this survey.</p> <p>On line 1-2 ZONIA MILLSITE NO. 51 of this survey.</p>	
300.0	<p>Thence N. 52° 37' W.</p> <p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 39 of this survey.</p> <p>On line 1-2 ZONIA MILLSITE NO. 51 of this survey.</p>	
700.0	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 38 3 ZMS 39 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p> <p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 27, Cor. No. 4 of the ZONIA MILLSITE NO. 28 and Cor. No. 2 of the ZONIA MILLSITE NO. 39, all of this survey.</p>	
300.0	<p>Thence S. 52° 37' E.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 38 contains 4.814 acres.</p>	

(This form bound on left side)

FEET		
	ZONIA MILLSITE NO. 39	
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 39, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 28 and Cor. No. 1 of the ZONIA MILLSITE NO. 29, both of this survey.	
	Thence S. 52° 37' E.	
188.13	A point for witness Cor. No. 2, identical with <sup>witness</sup> Cor. No. 2 of the ZONIA MILLSITE NO. 27, <sup>witness</sup> Cor. No. 4 of the ZONIA MILLSITE NO. 28 and <sup>witness</sup> Cor. No. 4 of the ZONIA MILLSITE NO. 38, all of this survey.	
300.0	Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 27, Cor. No. 4 of the ZONIA MILLSITE NO. 28 and Cor. No. 4 of the ZONIA MILLSITE NO. 38, all of this survey.	
	Thence S. 40° 28' 45" W.	
700.0	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 38 of this survey.	
	On line 1-2 ZONIA MILLSITE NO. 51 of this survey.	
	Thence N. 52° 37' W.	
126.0	Cor. No. 1 ZONIA MILLSITE NO. 51, identical with Cor. No. 1 ZONIA MILLSITE NO. 57, both of this survey.	
300.0	Cor. No. 4	
	On line 4-1 ZONIA MILLSITE NO. 57 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 39 4 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 40° 28' 45" E.	
700.0	Cor. No. 1, and place of beginning.	
	The ZONIA MILLSITE NO. 39 contains 4.814 acres.	

FEET	
	<b>ZONIA MILLSITE NO. 40</b>
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 40, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 36 and Cor. No. 3 of the ZONIA MILLSITE NO. 41, both of this survey.
	Thence S. $40^{\circ} 28' 45''$ W.
125.0	Power line bears N. $32^{\circ}$ W. and S. $32^{\circ}$ E.
320.0	Pipeline, 8 ins. diam., bears N. $25^{\circ}$ W. and S. $25^{\circ}$ E.
700.0	Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 35 and Cor. No. 4 of the ZONIA MILLSITE NO. 36, both of this survey.
	Thence N. $52^{\circ} 37'$ W.
300.0	Cor. No. 3
	Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 40 3 X; from which
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
	Thence N. $40^{\circ} 28' 45''$ E.
575.0	Pipeline, 8 ins. diam., bears N. $16^{\circ}$ W. and S. $16^{\circ}$ E.
700.0	Cor. No. 4, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 41 and Cor. No. 2 of the ZONIA MILLSITE NO. 42, both of this survey.
	Set an iron post, $3/4$ in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 40 4 ZMS 41 4 ZMS 42 2 X; from which
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
	Thence S. $52^{\circ} 37'$ E.
45.0	Power line bears N. $0^{\circ} 38'$ E. and S. $0^{\circ} 30'$ W.
300.0	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 40 contains 4.814 acres.

FEET		
	<b>ZONIA MILLSITE NO. 41</b>	
	At Cor. No. 1 of the ZONIA MILLSITE NO. 41, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 42, Cor. No. 1 of the ZONIA MILLSITE NO. 43 and Cor. No. 1 of the ZONIA MILLSITE NO. 44, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 41 1 ZMS 42 1 ZMS 43 1 ZMS 44 1 X; from which	
	The 1/4 cor. of secs. 11 and 12 bears S. 37° 00' 50" E., 839.01 ft. dist.; previously described.	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence S. 52° 37' E.	
300.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 44 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 41 2 ZMS 44 4 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence S. 40° 28' 45" W.	
580.0	Pipeline, 6 ins. diam., bears N. 20° W. and S. 20° E.	
600.0	Dirt road bears N. 10° W. and S. 10° E.	
700.0	Cor. No. 3, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 36 and Cor. No. 1 of the ZONIA MILLSITE NO. 40, both of this survey.	
	Thence N. 52° 37' W.	
255.0	Power line bears N. 0° 38' E. and S. 0° 30' W.	
300.0	Cor. No. 4, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 40 and Cor. No. 2 of the ZONIA MILLSITE NO. 42, both of this survey.	
	Thence N. 40° 28' 45" E.	
50.0	Power line bears N. 0° 30' E. and S. 0° 30' W.	
95.0	Dirt road bears S. 85° E. and N. 65° W.	

FEET	
435.0	Pipeline, 6 ins. diam., bears N. 5° E. and S. 5° W.
700.0	Cor. No. 1, and place of beginning.  The ZONIA MILLSITE NO. 41 contains 4.814 acres.
<hr/>	
ZONIA MILLSITE NO. 42	
Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 42, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 41, Cor. No. 1 of the ZONIA MILLSITE NO. 43 and Cor. No. 1 of the ZONIA MILLSITE NO. 44, all of this survey.	
Thence S. 40° 28' 45" W.	
265.0	Pipeline, 6 ins. diam., bears N. 5° E. and S. 5° W.
605.0	Dirt road bears S. 85° E. and N. 65° W.
650.0	Power line bears N. 0° 30' E. and S. 0° 30' W.
700.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 40 and Cor. No. 4 of the ZONIA MILLSITE NO. 41, both of this survey.
Thence N. 52° 37' W.	
175.0	Pipeline, 8 ins. diam., bears S. 5° E. and N. 5° W.
300.0	Cor. No. 3  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 42 3 X; from which  A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
Thence N. 40° 28' 45" E.	
95.0	Pipeline, 8 ins. diam., bears North and S. 5° E.
195.0	Dirt road bears North and S. 5° E.
425.0	Power line bears N. 0° 30' E. and S. 0° 30' E.
700.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 43 and Cor. No. 2 of the ZONIA MILLSITE NO. 49, both of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the

(This form bound on left side)

FEET	
	<p>ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 42 4 ZMS 43 2 ZMS 49 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>
140.0	Pipeline, 6 ins. diam., bears N. 30° E. and S. 20° W.
300.0	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 42 contains 4.814 acres.
ZONIA MILLSITE NO. 43	
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 43, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 41, Cor. No. 1 of the ZONIA MILLSITE NO. 42 and Cor. No. 1 of the ZONIA MILLSITE NO. 44, all of this survey.</p> <p>Thence N. 52° 37' W.</p>
160.0	Pipeline, 6 ins. diam., bears N. 30° E. and S. 20° W.
300.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 42 and Cor. No. 2 of the ZONIA MILLSITE NO. 49, both of this survey.
	Thence N. 40° 28' 45" E.
180.0	Enter waste water pond.
350.0	Cor. No. 1 ZONIA MILLSITE NO. 49, identical with Cor. No. 1 ZONIA MILLSITE NO. 50, both of this survey.
627.90	Leave waste water pond.
697.90	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 45 and Cor. No. 4 of the ZONIA MILLSITE NO. 50, both of this survey.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 43 3 ZMS 45 3 ZMS 50 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>
300.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 44 of this survey.

FEET		
	<p>On line 2-3 ZONIA MILLSITE NO. 45 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 43 4 ZMS 44 2 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence S. 40° 28' 45" W.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 43 contains 4.799 acres.</p>	
697.90	<p style="text-align: center;"><b>ZONIA MILLSITE NO. 44</b></p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 44, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 41, Cor. No. 1 of ZONIA MILLSITE NO. 42 and Cor. No. 1 of the ZONIA MILLSITE NO. 43, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 40° 28' 45" E.</p>	
697.90	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 43 of this survey.</p>	
	<p>On line 2-3 ZONIA MILLSITE NO. 45 of this survey.</p> <p style="padding-left: 40px;">Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 45 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 44 3 ZMS 45 2 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence S. 40° 28' 45" W.</p>	
697.90	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 41 of this survey.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p>	

(This form bound on left side)

FEET		
	<p>The ZONIA MILLSITE NO. 44 contains 4.799 acres.</p> <hr/> <p style="text-align: center;">ZONIA MILLSITE NO. 45</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 45.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 45 1 X; from which</p> <p style="padding-left: 40px;">The 1/4 cor. of secs. of 11 and 12 bears S. 16° 59' 45" W., 1303.77 ft. dist.; previously described.</p> <p style="padding-left: 80px;">Thence S. 40° 28' 45" W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 44 of this survey.</p> <p style="padding-left: 80px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 2 ZONIA MILLSITE NO. 44, identical with Cor. No. 4 ZONIA MILLSITE NO. 43, both of this survey.</p>	
600.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 43 and Cor. No. 4 of the ZONIA MILLSITE NO. 50, both of this survey.</p> <p style="padding-left: 80px;">Thence N. 40° 28' 45" E.</p>	
300.0	<p>Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 45 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence S. 52° 37' E.</p>	
600.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 45 contains 4.126 acres.</p> <hr/>	

FEET		
	<p>ZONIA MILLSITE NO. 46</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 46, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 47 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 46 1 ZMS 47 1 X; from which</p> <p style="padding-left: 40px;">The 1/4 cor. of secs. 11 and 12 bears N. 40° 24' 10" E., 4673.81 ft. dist.; previously described.</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 21, Cor. No. 4 of the ZONIA MILLSITE NO. 47 and Cor. No. 3 of the ZONIA MILLSITE NO. 48, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 52° 37' E.</p>	
34.04	<p>A point for witness Cor. No. 2, identical with <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 21, <sup>witness</sup>Cor. No. 4 of the ZONIA MILLSITE NO. 47 and <sup>witness</sup>Cor. No. 3 of the ZONIA MILLSITE NO. 48, all of this survey.</p>	
300.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 21, Cor. No. 4 of the ZONIA MILLSITE NO. 22 and Cor. No. 3 of the ZONIA MILLSITE NO. 29, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 29 of this survey.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 46 contains 4.814 acres.</p>	
	<p>ZONIA MILLSITE NO. 47</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 47, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 46 of this survey.</p>	

(This form bound on left side)

FEET		
300.0	<p>Thence N. 52° 37' W.</p> <p>Cor. No. 2</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 47 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
700.0	<p>Thence N. 40° 28' 45" E.</p> <p>Cor. No. 3, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 48 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 47 3 ZMS 48 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
300.0	<p>Thence S. 52° 37' E.</p> <p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 21, Cor. No. 2 of the ZONIA MILLSITE NO. 46 and Cor. No. 3 of the ZONIA MILLSITE NO. 48, all of this survey.</p>	
700.0	<p>Thence S. 40° 28' 45" W.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 47 contains 4.814 acres.</p>	
	<p>ZONIA MILLSITE NO. 48</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 48, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 20 and Cor. No. 1 of the ZONIA MILLSITE NO. 33, both of this survey.</p>	
299.0	<p>Thence S. 52° 37' E.</p> <p>Pipeline, 6 ins. diam., bears S. 5° E. and N. 5° W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 19, Cor. No. 4 of the ZONIA MILLSITE NO. 20 and Cor. No. 4 of the ZONIA MILLSITE NO. 21, all of this survey.</p>	

FEET	
	Thence S. 40° 33' 40" W.
1.06	Pipeline, 6 ins. diam., bears S. 5° E. and N. 5° W.
700.06	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 21, Cor. No. 2 of the ZONIA MILLSITE NO. 46 and Cor. No. 4 of the ZONIA MILLSITE NO. 47, all of this survey.
	Thence N. 52° 37' W.
300.0	Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 47 of this survey.
	Thence N. 40° 33' 40" E.
700.06	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 48 contains 4.814 acres.
<hr/>	
	ZONIA MILLSITE NO. 49
	At Cor. No. 1 of the ZONIA MILLSITE NO. 49, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 50 of this survey.
	On line 2-3 ZONIA MILLSITE NO. 43 of this survey.
	This corner falls in a tailings pond where a permanent monument cannot be constructed; from this point
	The 1/4 cor. of secs. 11 and 12 bears S. 24° 46' 50" E., 1231.72 ft. dist.; previously described.
	Thence S. 40° 28' 45" W.
170.0	Leave waste water pond.
350.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 42 and Cor. No. 2 of the ZONIA MILLSITE NO. 43, both of this survey.
	Thence N. 52° 37' W.
215.0	Power line bears N. 0° 30' E. and S. 0° 30' W.
406.0	Dirt road bears N. 10° E. and S. 10° W.
446.0	Pipeline, 8 ins. diam., bears N. 10° E. and S. 10° W.
600.0	Cor. No. 3
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS

FEET		
	<p>49 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
289.32	Pipeline, 8 ins. diam., bear N. 10° E. and S. 10° W.	
344.32	Dirt road bears N. 10° E. and S. 10° W.	
350.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 50 of this survey.</p> <p>This corner falls near the center of a dirt road where a permanent monument cannot be constructed.</p> <p>Thence S. 52° 37' E.</p>	
90.0	Power line bears N. 0° 30' E. and S. 0° 30' W.	
238.63	<p>A point for witness Cor. No. 1, identical with/<sup>witness</sup>Cor. No. 1 of the ZONIA MILLSITE NO. 50 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 49 1 W.C. ZMS/<sup>50</sup>W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
250.0	Enter waste water pond.	
600.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 49 contains 4.814 acres.</p>	
<hr/> <p>ZONIA MILLSITE NO. 50</p>		
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 50, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 49 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 43 of this survey.</p> <p>Thence N. 52° 37' W.</p>	
350.0	Leave waste water pond.	
361.37	<p>A point for witness Cor. No. 1, identical with/<sup>witness</sup>Cor. No. 1 of the ZONIA MILLSITE NO. 49 of this survey.</p>	
510.0	Power line bears N. 0° 30' E. and S. 0° 30' E.	

FEET		
600.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 49 of this survey.</p> <p>Thence N. 40° 28' 45" E.</p>	
62.32	<p>A point for witness Cor. No. 2, identical with/<sup>witness</sup>Cor. No. 4 of the ZONIA MILLSITE NO. 49 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 50 2 W.C. ZMS 49 4 W.C. X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
110.0	<p>Power line bears N. 0° 30' E. and S. 0° 30' W.</p>	
347.90	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 50 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
600.0	<p>Cor. No. 4, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 43 and Cor. No. 3 of the ZONIA MILLSITE NO. 45, both of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
70.0 347.90	<p>Enter waste water pond.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 50 contains 4.785 acres.</p>	
<hr/>		
<p>ZONIA MILLSITE NO. 51</p>		
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 51, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 57 of this survey.</p>		
<p>On line 3-4 ZONIA MILLSITE NO. 39 of this survey.</p>		
<p>Set an iron post, 3/4 in diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 51 1 ZMS 57 1 X; from which</p>		

(This form bound on left side)

FEET		
	<p>The 1/4 cor. of secs. 11 and 12 bears N. 32° 09' 55" E., 5388.62 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
126.0	Cor. No. 3 ZONIA MILLSITE NO. 39, identical with Cor. No. 3 ZONIA MILLSITE NO. 38, both of this survey.	
426.0	Cor. No. 2 ZONIA MILLSITE NO. 38, identical with Cor. No. 4 ZONIA MILLSITE NO. 37, both of this survey.	
505.95	A point for witness Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 37 of this survey.	witness
726.0	Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 37 of this survey.	
	On line 3-4 Victor Copper lode of this survey.	
	Thence S. 40° 28' 45" W.	
300.10	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 52 of this survey.	
	On line 3-4 Victor Copper lode of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 51 3 ZMS 52 3 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 52° 37' W.	
300.0	Cor. No. 2 ZONIA MILLSITE NO. 52, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 53, both of this survey.	
600.0	Cor. No. 3 ZONIA MILLSITE NO. 53, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 54, both of this survey.	
726.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 57 of this survey.	
	On line 2-3 ZONIA MILLSITE NO. 54 of this survey.	

FEET		
300.10	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 51 4 ZMS 57 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 51 contains 4.994 acres.</p>	
700.0	<p style="text-align: center;">ZONIA MILLSITE NO. 52</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 52, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 53, Cor. No. 1 of the ZONIA MILLSITE NO. 59 and Cor. No. 1 of the ZONIA MILLSITE NO. 60, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 52 1 ZMS 53 1 ZMS 59 1 ZMS 60 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 29° 40' 15" E., 6422.99 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 53 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 51 of this survey.</p>	
300.0	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 52 2 ZMS 53 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p> <p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 51 of this survey.</p>	

(This form bound on left side)

FEET		
700.0	<p>On line 3-4 Victor Copper lode of this survey.</p> <p>Thence S. 40° 28' 45" W.</p> <p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 59 of this survey.</p> <p>On line 3-4 Victor Copper lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 52 4 ZMS 59 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 52 contains 4.814 acres.</p>	
300.0	<p style="text-align: center;">ZONIA MILLSITE NO. 53</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 53, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 52, Cor. No. 1 of the ZONIA MILLSITE NO. 59 and Cor. No. 1 of the ZONIA MILLSITE NO. 60, all of this survey.</p> <p>Thence N. 52° 37' W.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 54, Cor. No. 4 of the ZONIA MILLSITE NO. 60 and Cor. No. 2 of the ZONIA MILLSITE NO. 61, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 53 2 ZMS 54 4 ZMS 60 4 ZMS 61 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 54 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 51 of this survey.</p>	

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 53 3 ZMS 54 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 52 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 51 of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 53 contains 4.814 acres.</p>	
	<p style="text-align: center;">ZONIA MILLSITE NO. 54</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 54, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 55, Cor. No. 1 of the ZONIA MILLSITE NO. 61 and Cor. No. 1 of the ZONIA MILLSITE NO. 62, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 54 1 ZMS 55 1 ZMS 61 1 ZMS 62 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 35° 01' 30" E., 6370.24 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 55 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 54 2 ZMS 55 4 X; from which</p>	

(This form bound on left side)

FEET		
	<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
174.0	Cor. No. 4 ZONIA MILLSITE NO. 51, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 57, both of this survey.	
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 53 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 51 of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 53, Cor. No. 4 of the ZONIA MILLSITE NO. 60 and Cor. No. 2 of the ZONIA MILLSITE NO. 61, all of this survey.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 54 contains 4.814 acres.</p>	
	<p style="text-align: center;">ZONIA MILLSITE NO. 55</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 55, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 54, Cor. No. 1 of the ZONIA MILLSITE NO. 61 and Cor. No. 1 of the ZONIA MILLSITE NO. 62, all of this survey.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 56 and Cor. No. 4 of the ZONIA MILLSITE NO. 62, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 55 2 ZMS 56 3 ZMS 62 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 56 of this survey.	

FEET	
	<p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 55 3 ZMS 56 2 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 54 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p> <p style="padding-left: 80px;">Thence S. 40° 28' 45" W.</p>
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 55 contains 4.814 acres.</p>
<p>ZONIA MILLSITE NO. 56</p>	
	<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 56.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 56 1 X; from which</p> <p style="padding-left: 40px;">The 1/4 cor. of secs. 11 and 12 bears N. 40° 24' 55" E., 5673.80 ft. dist.; previously described.</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence S. 52° 37' E.</p>
48.0	<p>Cor. No. 3 ZONIA MILLSITE NO. 57 of this survey.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 55 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p> <p style="padding-left: 80px;">Thence S. 40° 28' 45" W.</p>
700.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 55 and Cor. No. 4 of the ZONIA MILLSITE NO. 62, both of this survey.</p>

FEET		
300.0	<p>Thence N. 52° 37' W.</p> <p>Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 56 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 56 contains 4.814 acres.</p>	
ZONIA MILLSITE NO. 57		
300.10	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 57, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 51 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 39 of this survey.</p> <p>Thence S. 40° 28' 45" W.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 51 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 54 of this survey.</p> <p>Thence N. 52° 37' W.</p>	
174.0	<p>Cor. No. 2 ZONIA MILLSITE NO. 54, identical with Cor. No. 4 ZONIA MILLSITE NO. 55, both of this survey.</p>	
474.0	<p>Cor. No. 3 ZONIA MILLSITE NO. 55, identical with Cor. No. 2 ZONIA MILLSITE NO. 56, both of this survey.</p>	
726.0	<p>Cor. No. 3</p> <p>On line 1-2 ZONIA MILLSITE NO. 56 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 57 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	

FEET		
	<p>Thence N. 40° 28' 45" E.</p>	
300.10	<p>Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 57 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
	<p>Thence S. 52° 37' E.</p>	
552.0	<p>Cor. No. 4 ZONIA MILLSITE NO. 39 of this survey.</p>	
726.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 57 contains 4.994 acres.</p>	
<p>ZONIA MILLSITE NO. 58</p>		
	<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 58, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 68 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 63 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 58 1 ZMS 68 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 28° 28' E., 7226.59 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
	<p>Thence N. 40° 28' 45" E.</p>	
73.51	<p>Cor. No. 3 ZONIA MILLSITE NO. 59, identical with Cor. No. 3 ZONIA MILLSITE NO. 63, both of this survey.</p>	
700.11	<p>Cor. No. 2, identical with Cor. No. 3 of the Victor Copper lode of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 59 of this survey.</p> <p>Thence S. 52° 37' E.</p>	

(This form bound on left side)

FEET		
300.0	<p>Cor. No. 3</p> <p>On line 2-3 Victor Copper lode of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 58 3 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>	
700.11	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 68 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 58 4 ZMS 68 2 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 58 contains 4.815 acres.</p>	
ZONIA MILLSITE NO. 59		
300.0	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 59, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 52, Cor. No. 1 of the ZONIA MILLSITE NO. 53 and Cor. No. 1 of the ZONIA MILLSITE NO. 60, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 52 of this survey.</p> <p>On line 3-4 Victor Copper lode of this survey.</p> <p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>	
75.30	<p>Cor. No. 3 Victor Copper lode, identical with Cor. No. 2 ZONIA MILLSITE NO. 58, both of this survey.</p>	

FEET		
701.90	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 63 of this survey.</p> <p>On line 1-2 ZONIA MILLSITE NO. 58 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 59 3 ZMS 63 3 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 60, Cor. No. 2 of the ZONIA MILLSITE NO. 63 and Cor. No. 4 of the ZONIA MILLSITE NO. 64, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 59 4 ZMS 60 2 ZMS 63 2 ZMS 64 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence N. 40° 28' 45" E.</p>	
701.90	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 59 contains 4.827 acres.</p>	
<hr/>		
<p>ZONIA MILLSITE NO. 60</p>		
<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 60, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 52, Cor. No. 1 of the ZONIA MILLSITE NO. 53 and Cor. No. 1 of the ZONIA MILLSITE NO. 59, all of this survey.</p> <p style="padding-left: 80px;">Thence S. 40° 28' 45" W.</p>		
701.90	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 59, Cor. No. 2 of the ZONIA MILLSITE NO. 63 and Cor. No. 4 of the ZONIA MILLSITE NO. 64, all of this survey.</p> <p style="padding-left: 80px;">Thence N. 52° 37' W.</p>	

FEET		
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 61, Cor. No. 3 of the ZONIA MILLSITE NO. 64 and Cor. No. 3 of the ZONIA MILLSITE NO. 65, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 60 3 ZMS 61 3 ZMS 64 3 ZMS 65 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
701.90	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 53, Cor. No. 4 of the ZONIA MILLSITE NO. 54 and Cor. No. 2 of the ZONIA MILLSITE NO. 61, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 60 contains 4.827 acres.</p> <hr/> <p>ZONIA MILLSITE NO. 61</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 61, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 54, Cor. No. 1 of the ZONIA MILLSITE NO. 55 and Cor. No. 1 of the ZONIA MILLSITE NO. 62, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 53, Cor. No. 4 of the ZONIA MILLSITE NO. 54 and Cor. No. 4 of the ZONIA MILLSITE NO. 60, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
701.90	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 60, Cor. No. 3 of the ZONIA MILLSITE NO. 64 and Cor. No. 3 of the ZONIA MILLSITE NO. 65, all of this survey.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 62 and Cor. No. 2 of the ZONIA MILLSITE NO. 65, both of this survey.</p>	

FEET		
701.90	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 61 4 ZMS 62 2 ZMS 65 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 61 contains 4.827 acres.</p>	
<p>ZONIA MILLSITE NO. 62</p>		
701.90	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 62, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 54, Cor. No. 1 of the ZONIA MILLSITE NO. 55 and Cor. No. 1 of the ZONIA MILLSITE NO. 61, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p> <p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 61 and Cor. No. 2 of the ZONIA MILLSITE NO. 65, both of this survey.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 62 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
701.90	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 55 and Cor. No. 3 of the ZONIA MILLSITE NO. 56, both of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 62 contains 4.827 acres.</p>	

(This form bound on left side)

FEET		
	<b>ZONIA MILLSITE NO. 63</b>	
	At Cor. No. 1 of the ZONIA MILLSITE NO. 63, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 64, Cor. No. 1 of the ZONIA MILLSITE NO. 66 and Cor. No. 1 of the ZONIA MILLSITE NO. 67, all of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 63 1 ZMS 64 1 ZMS 66 1 ZMS 67 1 X; from which	
	The 1/4 cor. of secs. 11 and 12 bears N. 31° 35' 55" E., 7802.66 ft. dist.; previously described.	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 40° 28' 45" E.	
698.20	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 59, Cor. No. 2 of the ZONIA MILLSITE NO. 60 and Cor. No. 4 of the ZONIA MILLSITE NO. 64, all of this survey.	
	Thence S. 52° 37' E.	
300.0	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 59 of this survey.	
	On line 1-2 ZONIA MILLSITE NO. 58 of this survey.	
	Thence S. 40° 28' 45" W.	
73.51	Cor. No. 1 ZONIA MILLSITE NO. 58, identical with Cor. No. 1 ZONIA MILLSITE NO. 68, both of this survey.	
698.20	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 66 of this survey.	
	On line 4-1 ZONIA MILLSITE NO. 68 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 63 4 ZMS 66 2 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 52° 37' W.	

FEET	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 63 contains 4.802 acres.</p>
<hr/>	
<p>ZONIA MILLSITE NO. 64</p>	
<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 64, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 63, Cor. No. 1 of the ZONIA MILLSITE NO. 66 and Cor. No. 1 of the ZONIA MILLSITE NO. 67, all of this survey.</p> <p style="text-align: center;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 65, Cor. No. 4 of the ZONIA MILLSITE NO. 67 and Cor. No. 2 of the ZONIA MILLSITE NO. 69, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 64 2 ZMS 65 4 ZMS 67 4 ZMS 69 2 X; from which</p> <p style="text-align: center;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 40° 28' 45" E.</p>
698.20	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 60, Cor. No. 3 of the ZONIA MILLSITE NO. 61 and Cor. No. 3 of the ZONIA MILLSITE NO. 65, all of this survey.</p> <p style="text-align: center;">Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 4, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 59, Cor. No. 2 of the ZONIA MILLSITE NO. 60 and Cor. No. 2 of the ZONIA MILLSITE NO. 63, all of this survey.</p> <p style="text-align: center;">Thence S. 40° 28' 45" W.</p>
698.20	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 64 contains 4.802 acres.</p>
<hr/>	
<p>ZONIA MILLSITE NO. 65</p>	
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 65, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 69 of this survey.</p>	

(This form bound on left side)

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 65 1 ZMS 69 1 X; from which</p> <p>The 1/4 cor. of secs. 11 and 12 bears N. 36° 00' 30" E., 7765.27 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>
698.20	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 61 and Cor. No. 2 of the ZONIA MILLSITE NO. 62, both of this survey.</p> <p>Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 60, Cor. No. 3 of the ZONIA MILLSITE NO. 61 and Cor. No. 3 of the ZONIA MILLSITE NO. 64, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>
698.20	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 64, Cor. No. 4 of the ZONIA MILLSITE NO. 67 and Cor. No. 2 of the ZONIA MILLSITE NO. 69, all of this survey.</p> <p>Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 65 contains 4.802 acres.</p>
	<p style="text-align: center;">ZONIA MILLSITE NO. 66</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 66, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 63, Cor. No. 1 of the ZONIA MILLSITE NO. 64, and Cor. No. 1 of the ZONIA MILLSITE NO. 67, all of this survey.</p> <p>Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 63 of this survey.</p> <p>On line 4-1 ZONIA MILLSITE NO. 68 of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>

FEET	
75.09	Cor. No. 4 ZONIA MILLSITE NO. 68 of this survey.
700.0	Cor. No. 3
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 66 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>
300.0	Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 67 of this survey.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 66 4 ZMS 67 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>
700.0	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 66 contains 4.814 acres.
	ZONIA MILLSITE NO. 67
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 67, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 63, Cor. No. 1 of the ZONIA MILLSITE NO. 64 and Cor. No. 1 of the ZONIA MILLSITE NO. 66, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>
700.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 66 of this survey.
	Thence N. 52° 37' W.
300.0	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 69 of this survey.
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 67 3 ZMS 69 3 X; from which</p>

(This form bound on left side)

FEET		
	<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 64, Cor. No. 4 of the ZONIA MILLSITE NO. 65 and Cor. No. 2 of the ZONIA MILLSITE NO. 69, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 67 contains 4.814 acres.</p>	
	<p style="text-align: center;">ZONIA MILLSITE NO. 68</p> <p>Beginning at ZONIA MILLSITE NO. 68, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 58 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 63 of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 58 of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
699.78	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 68 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 4</p> <p>On line 2-3 ZONIA MILLSITE NO. 66 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 68 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	

FEET	
	<p>Thence N. 40° 28' 45" E.</p>
75.09	<p>Cor. No. 2 ZONIA MILLSITE NO. 66, identical with Cor. No. 4 ZONIA MILLSITE NO. 63, both of this survey.</p>
699.78	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 68 contains 4.812 acres.</p>
<p>ZONIA MILLSITE NO. 69</p>	
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 69, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 65 of this survey.</p>
	<p>Thence S. 52° 37' E.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 64, Cor. No. 4 of the ZONIA MILLSITE NO. 65 and Cor. No. 4 of the ZONIA MILLSITE NO. 67, all of this survey.</p>
	<p>Thence S. 40° 28' 45" W.</p>
700.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 67 of this survey.</p>
	<p>Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 4</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 69 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>
	<p>Thence N. 40° 28' 45" E.</p>
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 69 contains 4.814 acres.</p>

(This form bound on left side)

FEET	AREAS	<u>Acres</u>
	Total area Victory Copper No. 1, One lode	20.154
	Area in conflict with	
	Sur. No. 1495 Contact No. 1 lode	0.181
	Total area Victor Copper lode	20.609
	Total area Black Prince lode	20.600
	Total area Shamrock lode	20.145
	Area in conflict with	
	Sur. No. 3866 Sunrise No. 3 lode	0.352
	Total area Fraction lode	2.338
	Total area Zonia lode	2.287
	Area in conflict with	
	Sur. No. 1324 Defiance lode	0.686
	Sur. No. 3866 Sunrise No. 3 lode	0.041
	Sur. No. 3866 Sunrise No. 3 lode exclusive of its conflict with:	
	Sur. No. 1324 Defiance lode	0.029
	Total area Cuprite lode	19.864
	Area in conflict with	
	Sur. No. 1324 Defiance lode	0.019
	Sur. No. 1324 Copperopolis lode	0.013
	Sur. No. 1324 Fairplay lode	1.566
	Total area ZONIA MILLSITE NO. 1	4.814
	Total area ZONIA MILLSITE NO. 2	4.814
	Total area ZONIA MILLSITE NO. 3	4.814
	Total area ZONIA MILLSITE NO. 4	4.814
	Area in conflict with	
	Sur. No. 1321 Quartette lode	0.892
	Total area ZONIA MILLSITE NO. 5	4.814
	Total area ZONIA MILLSITE NO. 6	4.814
	Total area ZONIA MILLSITE NO. 7	4.814
	Total area ZONIA MILLSITE NO. 8	4.814
	Total area ZONIA MILLSITE NO. 9	4.814
	Total area ZONIA MILLSITE NO. 10	4.814
	Total area ZONIA MILLSITE NO. 11	4.814
	Total area ZONIA MILLSITE NO. 12	4.814
	Total area ZONIA MILLSITE NO. 13	4.814
	Total area ZONIA MILLSITE NO. 14	4.854
	Area in conflict with	
	Sur. No. 1324 Fairplay lode	0.011
	Cuprite lode of this survey	0.032
	Cuprite lode of this survey exclusive of its conflict with	
	Sur. No. 1324 Fairplay lode	0.028
	Total area ZONIA MILLSITE NO. 15	4.854
	Area in conflict with	
	Cuprite lode of this survey	0.016
	Total area ZONIA MILLSITE NO. 16	4.814
	Total area ZONIA MILLSITE NO. 17	4.814
	Total area ZONIA MILLSITE NO. 18	4.814
	Total area ZONIA MILLSITE NO. 19	4.814
	Total area ZONIA MILLSITE NO. 20	4.814
	Total area ZONIA MILLSITE NO. 21	4.814
	Total area ZONIA MILLSITE NO. 22	4.814
	Total area ZONIA MILLSITE NO. 23	4.814
	Total area ZONIA MILLSITE NO. 24	4.814

SURVEY NO. 4659 A and B

FEET	Acres
Total area ZONIA MILLSITE NO. 25	4.834
Area in conflict with	
Black Prince lode of this survey	0.016
Fraction lode of this survey	0.012
Cuprite lode of this survey	0.000
Total area ZONIA MILLSITE NO. 26	4.814
Total area ZONIA MILLSITE NO. 27	4.814
Total area ZONIA MILLSITE NO. 28	4.814
Total area ZONIA MILLSITE NO. 29	4.814
Total area ZONIA MILLSITE NO. 30	4.993
Area in conflict with	
Sur. No. 1321 Quartette lode	0.708
Total area ZONIA MILLSITE NO. 31	4.993
Area in conflict with	
Sur. No. 1321 Quartette lode	0.685
Sur. No. 1324 Fairplay lode	0.143
Total area ZONIA MILLSITE NO. 32	1.511
Area in conflict with	
Sur. No. 1321 Quartette lode	0.789
Sur. No. 1324 Fairplay lode	0.123
Sur. No. 1324 Fairplay lode exclusive of its conflict with	
Sur. No. 1321 Quartette lode	0.123
Total area ZONIA MILLSITE NO. 33	4.814
Total area ZONIA MILLSITE NO. 34	4.814
Total area ZONIA MILLSITE NO. 35	4.814
Total area ZONIA MILLSITE NO. 36	4.814
Total area ZONIA MILLSITE NO. 37	4.814
Total area ZONIA MILLSITE NO. 38	4.814
Total area ZONIA MILLSITE NO. 39	4.814
Total area ZONIA MILLSITE NO. 40	4.814
Total area ZONIA MILLSITE NO. 41	4.814
Total area ZONIA MILLSITE NO. 42	4.814
Total area ZONIA MILLSITE NO. 43	4.799
Total area ZONIA MILLSITE NO. 44	4.799
Total area ZONIA MILLSITE NO. 45	4.126
Total area ZONIA MILLSITE NO. 46	4.814
Total area ZONIA MILLSITE NO. 47	4.814
Total area ZONIA MILLSITE NO. 48	4.814
Total area ZONIA MILLSITE NO. 49	4.814
Total area ZONIA MILLSITE NO. 50	4.785
Total area ZONIA MILLSITE NO. 51	4.994
Total area ZONIA MILLSITE NO. 52	4.814
Total area ZONIA MILLSITE NO. 53	4.814
Total area ZONIA MILLSITE NO. 54	4.814
Total area ZONIA MILLSITE NO. 55	4.814
Total area ZONIA MILLSITE NO. 56	4.814
Total area ZONIA MILLSITE NO. 57	4.994
Total area ZONIA MILLSITE NO. 58	4.815
Total area ZONIA MILLSITE NO. 59	4.827
Total area ZONIA MILLSITE NO. 60	4.827
Total area ZONIA MILLSITE NO. 61	4.827
Total area ZONIA MILLSITE NO. 62	4.827
Total area ZONIA MILLSITE NO. 63	4.802
Total area ZONIA MILLSITE NO. 64	4.802
Total area ZONIA MILLSITE NO. 65	4.802
Total area ZONIA MILLSITE NO. 66	4.814

(This form bound on left side)

	FEET		<u>Acres</u>
		Total area ZONIA MILLSITE NO. 67	4.814
		Total area ZONIA MILLSITE NO. 68	4.812
		Total area ZONIA MILLSITE NO. 69	4.814
<b>LOCATION</b>			
<p>This survey is located in the NE 1/4, SE 1/4 sec. 11, NW 1/4, SW 1/4 sec. 12, NW 1/4 sec. 13 and NW 1/4, NE 1/4, SW 1/4, and SE 1/4 sec. 14, T. 11 N., R. 4 W., of the G. &amp; S. R. Mer.</p> <p>The survey of the Victor Copper, Victory Copper No. 1, One, Shamrock, Black Prince, Cuprite, Zonia and Fraction lodes and the ZONIA MILLSITES NOS. 1-69 is identical with the respective location or amended location as marked on the ground.</p>			
<b>EXPENDITURES</b>			
<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or their grantors are as follows:</p>			
No. 1		The discovery point of the Cuprite lode is on the lode line at a point on line 3-4, 300.0 ft. from Cor. No. 3.	Value: None
No. 1		The discovery point of the Fraction lode is on the lode line at a point on line 3-4, 300.0 ft. from Cor. No. 3.	Value: None
No. 1		The discovery point of the Zonia lode is on the lode line at a point on line 4-1, 286.74 ft. from Cor. No. 4.	Value: None
No. 1		The discovery point of the Black Prince lode is on the lode line at a point on line 2-3, 300.0 ft. from Cor. No. 2.	Value: None
No. 1		The discovery point of the Shamrock lode is on the lode line at a point on line 3-4, 286.74 ft. from Cor. No. 3.	Value: None
No. 1		The discovery point of the Victory Copper No. 1, One lode is on the lode line, 298.45 ft. from a point on line 3-4, 286.74 ft. from Cor. No. 3.	Value: None

FEET		
No. 1	<p>The discovery point of the Victor Copper is on the lode line, 600.0 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.</p> <p style="text-align: right;">Value: None</p> <p>An interest in a common improvement described as follows:</p> <p>An irregular-shaped open-pit extending from the Cuprite lode through portions of the Zonia, Fraction, Shamrock, Black Prince, Victor Copper and Victory Copper No. 1, One lodes. The pit varies from 0-150 ft. deep and is the source of the ore being placed on the leach dumps on the millsites. This improvement is continually being expanded to mine more ore for the leach dumps. From this pit 9,517,325 tons of ore and waste have been removed.</p> <p>Value of removal of ore and waste: \$2,586,731.65. Value of one-seventh interest: \$369,533.09.</p> <p>This improvement is in the course of being expanded for the development of the seven lodes of this survey which are all contiguous lodes owned in common.</p> <p>The present mining method of stripping the waste overburden, then mining the ore by open-pit, affords the most practical and economical means of developing each of the stated lodes.</p> <p>Five hundred dollars or over has been expended in this improvement in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-seventh interest in its value is hereby credited to each of said lodes of this survey.</p> <p>No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.</p> <p>An interest in a common improvement described as follows:</p> <p>A surface drilling program to develop additional ore on the Victor Copper and Victory Copper No. 1, One lodes. Drilling completed at the time of the survey is as follows:</p> <p>A drill hole, No. 171, 5 ins. diam., 250 ft. deep, bears N. 44° 30' E., 755 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p> <p style="text-align: right;">Value: \$137.15</p>	

(This form bound on left side)

FEET		
	<p>A drill hole, No. 172, 5 ins. diam., 250 ft. deep, bears N. 51° 30' E., 760 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$137.15
	<p>A drill hole, No. 173, 5 ins. diam., 200 ft. deep, bears N. 55° 30' E., 768 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$109.72
	<p>A drill hole, No. 174, 5 ins. diam., 225 ft. deep, bears N. 59° E., 775 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$123.43
	<p>A drill hole, No. 175, 5 ins. diam., 160 ft. deep, bears N. 63° E., 790 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$87.77
	<p>A drill hole, No. 176, 5 ins. diam., 160 ft. deep, bears N. 66° E., 800 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$87.77
	<p>A drill hole, No. 177, 5 ins. diam., 140 ft. deep, bears N. 69° E., 820 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$76.80
	<p>A drill hole, No. 178, 5 ins. diam., 155 ft. deep, bears N. 73° 30' E., 850 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$85.03
	<p>A drill hole, No. 179, 5 ins. diam., 180 ft. deep, bears N. 78° 30' E., 890 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$98.75
	<p>A drill hole, No. 186, 5 ins. diam., 160 ft. deep, bears N. 42° 30' E., 755 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$87.77
	<p>A drill hole, No. 187, 5 ins. diam., 95 ft. deep, bears N. 48° E., 755 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.</p>	
		Value: \$52.12

FEET

A drill hole, No. 205, 5 ins. diam., 250 ft. deep, bears N.  $47^{\circ} 15'$  E., 555 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.

Value: \$137.15

A drill hole, No. 206, 5 ins. diam., 200 ft. deep, bears N.  $54^{\circ}$  E., 560 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.

Value: \$109.73

A drill hole, No. 207, 5 ins. diam., 250 ft. deep, bears N.  $44^{\circ} 30'$  E., 360 ft. from Cor. No. 4 of the Victory Copper No. 1, One lode.

Value: \$137.16

A drill hole, No. 211, 5 ins. diam., 255 ft. deep, bears S.  $85^{\circ}$  W., 490 ft. from Cor. No. 1 of the Victor Copper lode.

Value: \$125.50

Value of surface drilling: \$1,593.00

Value of one-half interest: \$796.50

Five hundred dollars or over has been expended in these improvements in such a manner as tends to the development of each of the Victor Copper and Victory Copper No. 1, One lodes subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore, an undivided one-half interest in its value is hereby credited to each of the above stated lodes.

No portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

#### OTHER IMPROVEMENTS

A cement block office building, the NE cor. of which bears S.  $64^{\circ} 30'$  W., 310 ft. from Cor. No. 1 of the ZONIA MILLSITE NO. 1; 51 x 32 ft. in size, the long sides bear S.  $84^{\circ}$  W.

Claimant herein.

A truck scale, the NE cor. of which bears S.  $50^{\circ}$  W., 545 ft. from Cor. No. 2 of the ZONIA MILLSITE NO. 2; 12 x 76.8 ft. in size, the long sides bear N.  $49^{\circ}$  W.

Claimant herein.

A copper precipitation plant consisting of concrete pads, tanks, launder, weirs filter drum, pumps and all necessary pipelines and controls for precipitating

FEET

copper from the pregnant solution. The NE cor. bears S.  $35^{\circ}$  W., 355 ft. from Cor. No. 4 of the ZONIA MILLSITE NO. 3; 174 x 137 ft. in size, the long sides bear N.  $70^{\circ}$  W.

Claimant herein.

A metal shop building, the NE cor. of which bears S.  $43^{\circ}$  W., 215 ft. from Cor. No. 2 of the ZONIA MILLSITE NO. 2; 40 x 72 ft. in size, the long sides bear S.  $20^{\circ}$  W.

Claimant herein.

Three metal acid tanks, each of 30,000 gal. capacity setting on a concrete pad, the NE cor. of which bears S.  $29^{\circ}$  W., 515 ft. from Cor. No. 4 of the ZONIA MILLSITE NO. 3; 40 x 34 ft. in size, the long sides of the pad bear N.  $70^{\circ}$  W.

Claimant herein.

A metal shop building, the NE cor. of which bears S.  $52^{\circ}$  W., 445 ft. from Cor. No. 4 of the ZONIA MILLSITE NO. 15; 60 x 40 ft. in size, the long sides bear N.  $80^{\circ}$  W.

Claimant herein.

A lake, kaolin sealed bottom,  $1 \frac{1}{4}$  acre in size, the NW edge of which bears S.  $22^{\circ}$  W., 310 ft. from Cor. No. 1 of the ZONIA MILLSITE NO. 4.

Claimant herein.

A tailings pond, approximately 4 acres in size, the NW cor. of which bears S.  $40^{\circ}$  E., 320 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 50.

Claimant herein.

Two water tanks, 8 ft. diam., 9 ft. high, capacity 3500 gals. The east edge of the east tank bears N.  $67^{\circ}$  W., 185 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 30.

Claimant herein.

A sulphur-dioxide tank, steel construction, 10 ft. diam., 60 ft. long, the south end of which bears East, 260 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 3.

Claimant herein.

An acid tank, steel construction,  $6 \frac{1}{2}$  ft. diam., 32 ft. long, the West end of which bears N.  $58^{\circ}$  E., 245 ft. from Cor. No. 2 of the ZONIA MILLSITE NO. 17. The long sides bear N.  $78^{\circ}$  E.

Claimant herein.

A concrete sump for mixing acid and water, 10 x 16 ft. in size, the SW cor. of which bears N.  $67^{\circ}$  E., 260 ft. from Cor. No. 2 of the ZONIA MILLSITE NO. 17; the long sides bear N.  $70^{\circ}$  E.

Claimant herein.

FEET	
	<p>A concrete sump for collecting the pregnant copper solutions from the leach basins, 11 1/2 x 17 1/2 ft. in size, the SW cor. of which bears S. 70° E., 250 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 3. The long sides bear N. 5° E. Claimant herein.</p>
	<p>A steel water pipeline, 8 ins. diam., which traverses portions of the ZONIA MILLSITES NOS. 1, 2, 3, 4, 36, 40, 42 and 49. Claimant herein.</p>
	<p>A steel water pipeline, 6 ins. diam., which traverses portions of the ZONIA MILLSITES NOS. 9, 10, 17, 18, 19, 34, 35 and 36. Claimant herein.</p>
	<p>A plastic copper solution pipeline, 6 ins. diam., which traverses portions of the ZONIA MILLSITES NOS. 1, 2, 3, 20, 21, 22, 33, 34, 35, 36 and 48. Claimant herein.</p>
	<p>A plastic acid solution pipeline, 6 ins. diam., which traverses portions of the ZONIA MILLSITES NOS. 3, 6, 11, 12, 13, 16, 23, 24 and 27. Claimant herein.</p>
	<p>Leach basins sealed with soil cement and filled with over 3 million tons of ore. These basins cover portions of the ZONIA MILLSITES NOS. 3, 4, 5, 6, 12, 13, 14, 15, 16, 23, 24, 25, 26, 27, 28, 29, 30, 31, 37, 38, 39 and 51. Claimant herein.</p>
	<p>All necessary plastic acid-solution pipelines, 2-3 ins. diam., with revolving sprinklers, for proper leaching effect on the leach basins described in the above improvement. Claimant herein.</p>
	<p>A tailings pond under construction, the dam is incomplete, which will cover portions of the ZONIA MILLSITES NOS. 53, 54, 55, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67 and 68. Claimant herein.</p>
	<p>A diesel-generator-pump for spraying tailings solutions. The SW cor. bears S. 87° 30' E., 260 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 49. Claimant herein.</p>
	<p>A power line to provide all necessary power for operation of the precipitation plant and other utility purposes. The line traverses portions of the ZONIA MILLSITES NOS. 1, 2, 6, 7, 8, 11, 12, 15, 16, 17, 36, 40, 41, 42, 49 and 50. Claimant herein.</p>

(This form bound on left side)

FEET

A plastic pipeline, 6 ins. diam., for tailings disposal. This line traverses portions of the ZONIA MILLSITES NOS. 1, 2, 3, 41, 42 and 43.

Claimant herein.

A well, with windmill pump, bears N.  $19^{\circ}$  W. 95 ft. from Cor. No. 2 of the ZONIA MILLSITE NO. 40.

Claimant unknown.

A shaft, the SW cor. of which bears N.  $80^{\circ}$  E., 285.0 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 40; 4 x 6 ft., depth unknown.

Claimant unknown.

A timbered shaft, the SW cor. of which bears N.  $49^{\circ} 30'$  E., 490 ft. from Cor. No. 3 of the ZONIA MILLSITE NO. 40; 4 x 8 ft., depth unknown.

Claimant unknown.

#### OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 762 Fountain lode: Cor. No. 2, identical with Cor. No. 1, Sur. No. 1321 Quartette lode is a stone firmly set and properly marked.

Sur. No. 3867 Richmond lode: Cor. No. 4 is an iron post with a brass cap firmly set and properly marked.

Sur. No. 1321 Quartette lode: Cor. No. 1 described above; Cors. Nos. 2, 3 and 4 have been obliterated. Line 1-2 was established in the following manner: The official survey plat of Sur. No. 3867 Richmond lode shows Cor. No. 4 of the Richmond lode to be on line 1-2 of the Quartette lode. From Cor. No. 1 of the Quartette lode to Cor. No. 4 of the Richmond lode, the bearing and distance were found to be S.  $55^{\circ} 28' 15''$  W., 544.51 ft. instead of S.  $55^{\circ} 24'$  W., 543.34 as approved on the official plat of Sur. No. 3867 Richmond lode. Line 1-2 was established, therefore, as S.  $55^{\circ} 28' 15''$  W., 1500.0 ft. instead of S.  $55^{\circ} 20'$  W., 1500.0 ft. as approved. Line 2-3 is shown as approved. Line 3-4 on the official plat is shown parallel to line 1-2; therefore, it is shown as N.  $55^{\circ} 28' 15''$  E., 1500.0 ft. instead of N.  $55^{\circ} 20'$  E., 1500.0 ft.

Sur. No. 1324 Defiance lode: Cor. No. 1, identical with Cor. No. 3 of the Fairplay lode and Cor. No. 2 of the Copperopolis lode, all of the same survey, has been obliterated. Cor. No. 2 has been obliterated. Cor. No. 3 is a stone firmly set marked 1324 D 4. Cor. No. 4, identical with Cor. No. 3 of the Copperopolis lode of the same survey, has been obliterated; however, a bearing rock was found firmly

FEET	
	<p>set and properly marked. Line 3-4 was found to be N. <math>43^{\circ} 19' 35''</math> E., 1368.83 ft. instead of N. <math>40^{\circ}</math> E., 1385.0 ft. as approved. Line 2-3 and 4-1 are shown as approved. Line 1-2 is shown parallel to line 3-4 at S. <math>43^{\circ} 19' 35''</math> W., 1368.83 ft. instead of S. <math>40^{\circ}</math> W., 1385.0 ft. as approved.</p> <p>Sur. No. 1324 Fairplay lode: Cors. Nos. 1, 2 and 3, the latter which is identical with Cor. No. 1 of the Defiance lode and Cor. No. 2 of the Copperopolis lode, all of the same survey, have been obliterated. Cor. No. 4, identical with Cor. No. 3 Sur. No. 3867 Richmond lode, and Cor. No. 1 Sur. No. 1324 Copperopolis lode is an iron post with a brass cap firmly set and properly marked. Cor. No. 4 Sur. No. 3867 Richmond lode is shown on the official plat as being on line 4-1 of the Fairplay lode. The bearing of line 4-1 is shown as approved on this plat as N. <math>50^{\circ} 56'</math> W., instead of N. <math>51^{\circ}</math> W. as approved. The distance from Cor. No. 1 of the Fairplay lode to Cor. No. 4 of the Richmond lode, which is identical with the intersection point of line 1-2 of the Quartette with line 4-1 of the Fairplay lode, is shown as approved on the official plat of the Fairplay lode. Line 1-2 was found to be S. <math>40^{\circ} 09'</math> W., 1467.19 ft. instead of S. <math>40^{\circ}</math> W., 1500.0 ft. as approved. Line 2-3 is shown as approved. Line 3-4 is shown parallel to Line 1-2 at N. <math>40^{\circ} 09'</math> E. instead of N. <math>40^{\circ}</math> E. as approved. The resolution of the bearings and distances of Lines 1-2 and 3-4 are dependent on the location of Cor. No. 4 Sur. No. 1324 Defiance lode, identical with Cor. No. 3 Copperopolis lode of the same survey and Cor. No. 4 Sur. No. 3867 Richmond lode. By using approved bearings and distances for line 4-1 of the Defiance lode and line 2-3 of the Fairplay lode and beginning with a known position of Cor. No. 4 of the Defiance lode, I calculated the position of Cor. No. 2 of the Fairplay lode. By using the known position of Cor. No. 4, Sur. No. 3867 Richmond lode and an approved bearing and distance to Cor. No. 1 of the Fairplay, I was able to calculate the bearing and distance of Line 1-2 of the Fairplay lode.</p> <p>Sur. No. 1324 Copperoplis lode: Cor. No. 1, identical with Cor. No. 4 of the Fairplay lode of the same survey and Cor. No. 3, Sur. No. 3867, Richmond Lode, described above. Cor. No. 2, identical with Cor. No. 3 of the Fairplay lode and Cor. No. 1 of the Defiance lode, all of the same survey, described above. Cor. No. 3, identical with Cor. No. 4 of the Defiance lode of the same survey, described above. Line 1-2, identical with line 3-4 of the Fairplay lode, described above. Line 2-3, identical with line 4-1 of the Defiance lode of the same survey, described above.</p> <p>Sur. No. 1495 Contact No. 1 lode: Cors. Nos. 2 and 3 are stone monuments with iron posts, 1 in. diam.,</p>

(This form bound on left side)

FEET

24 ins. above ground, not firmly set. Cor. No. 4 is a stone monument with a wood post, 4 x 4 ins., 4 ft. above ground. A remnant of the original wood post was found adjacent to the corner. The original markings were partially discernible. Lines 2-3 and 3-4 are shown as approved.

Sur. No. 3866 Sunrise No. 3 lode: Cors. Nos. 1, 3 and 4 are iron posts with brass caps firmly set and properly marked. Line 4-1 was found to be N.  $42^{\circ} 10' 30''$  E., 1501.46 ft. instead of N.  $41^{\circ} 58'$  E., 1499.91 ft. as approved. Line 3-4 was found to be N.  $48^{\circ} 13' 15''$  W., instead of N.  $48^{\circ} 16'$  W. as approved. Line 1-2 is shown as approved.

A diligent search was made for additional section corners and  $1/4$  corners but none could be found. Some monuments were found in the vicinity of where the corners should be but no positive identification could be made except for the  $1/4$  cor. of secs. 11 and 12, T. 11 N., R. 4 W., G.&S.R. Mer., all section lines shown as approved.

## FIELD ASSISTANTS

NameCapacityEdward Peterson, Jr.  
Wayne SmithChainman  
Axeman

CERTIFICATE OF SURVEYOR


Name of Mineral Surveyor <b>Harvey W. Smith</b>	Date <b>1/5/70</b>
--	-----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management at **Phoenix, Arizona**,  
 dated **8/5/69** & **12/22/69**, <sup>Amended</sup> 19 **1969**, I have carefully executed the survey of the claim  
 of **McAlester Fuel Company, A Delaware Corporation**  
 known as the (lode, placer, or mill site) **See below \***  
 situated in **Yavapai County Secs. 11, 12, 13 & 14**, Township **11 N**,  
 Range **4W**, **G & SR** Meridian, in the State of **Arizona**.

This survey, designated as number **4659 A&B**, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) **Lode** location(s) embraced in the said mining claim by claimant(s) or **its** grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

- \* **Cuprite, Fraction, Zonia, Black Prince, Shamrock, Victor Copper and Victor Copper No. 1, One lodes, and ZONIA MILLSITE NOS. 1 through 69**


<b>Scottsdale, Arizona</b> (Location)	 (Signature of Mineral Surveyor) <b>Harvey W. Smith</b>
--	---

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT

Office <b>Arizona State Office</b>
Location <b>Phoenix, Arizona</b>
Date <b>July 1, 1970</b>

The foregoing field notes of mineral survey number **4659 A&B**, in Sections **11, 12, 13 and 14**, Range **4 W.**, **Gila & Salt River** Meridian, in the State of **Arizona**,  
 executed by **Harvey W. Smith**, Mineral Surveyor,  
 under order dated **August 5, 1969** and **Amended December 22, 1969**, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 (Authorized Signature)	<b>Acting State Director</b> (Title)
---	---

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number **4659 A&B** is a true copy of the original field notes.

 (Authorized Signature)	 (Title)
----------------------------	-------------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

The first part of the report is devoted to a description of the  
 general conditions of the country, and to a statement of the  
 results of the observations made during the expedition.

The second part of the report is devoted to a description of the  
 geological structure of the country, and to a statement of the  
 results of the observations made during the expedition.

The third part of the report is devoted to a description of the  
 mineral resources of the country, and to a statement of the  
 results of the observations made during the expedition.

The fourth part of the report is devoted to a description of the  
 agricultural resources of the country, and to a statement of the  
 results of the observations made during the expedition.

The fifth part of the report is devoted to a description of the  
 commercial resources of the country, and to a statement of the  
 results of the observations made during the expedition.

The sixth part of the report is devoted to a description of the  
 military resources of the country, and to a statement of the  
 results of the observations made during the expedition.

FEET	
	<p>In accordance with Amended Orders, dated March 14, 1972 and May 17, 1972, I was directed to amend Mineral Survey 4659 A&amp;B to:</p> <ol style="list-style-type: none"><li>1. Resurvey the ties from the corners of all the lodes and millsites as reported in Mineral Survey 4659 A&amp;B to the <math>\frac{1}{4}</math> section corner of Sections 11 and 12, T. 11 N., R. 4 W., G&amp;SR M., Arizona, as located and monumented by the 1971-72 resurvey executed by the Bureau of Land Management, and amend the field notes and plat to reflect these new ties.</li><li>2. Survey the north-south centerline of Section 14, T. 11 N., R. 4 W., G&amp;SR M., Arizona, and amend the field notes and plat to show conflict with State Land of the following claims of Mineral Survey 4659 A&amp;B which are located partially or wholly within the <math>W\frac{1}{2}</math> of Section 14, which is State-Owned Land:<ul style="list-style-type: none"><li>Zonia Millsites Nos. 54, 55, 56, 57, 59, 60, 61, 63 and 68, which are in partial conflict with State land, and</li><li>Zonia Millsites Nos. 62, 64, 65, 66, 67 and 69, which are wholly in conflict with State land.</li></ul></li></ol> <p>On March 21, 1972, I resurveyed the ties from the corners of the lodes and millsites as reported in the returns of M.S. #4659 A&amp;B to the <math>\frac{1}{4}</math> sec. cor. of Secs. 11 and 12, T. 11 N., R. 4 W., G&amp;SR M., Arizona, as located and monumented by the 1971-72 resurvey of the Bureau of Land Management. This resurvey of the ties was necessitated by the fact that in 1971-72 the Bureau of Land Management executed a dependent resurvey of a portion of the subdivisional lines of Township 11 North, Range 4 West, G&amp;SR M., Arizona, which resulted in a difference in position of the <math>\frac{1}{4}</math> sec. cor. of Sections 11 and 12, T. 11 N., R. 4 W., G&amp;SR M., Arizona, from the position of this <math>\frac{1}{4}</math> sec. cor. as reported in the returns of Mineral Survey No. 4659 A&amp;B, executed by me in 1969.</p> <p>On May 19, 1972, I surveyed the north-south centerline of Section 14, T. 11 N., R. 4 W., G&amp;SR M., Arizona, tying in the intersections of the Zonia Millsites Nos. 54, 55, 56, 57, 59, 60, 61, 63 and 68 with the centerline of Section 14.</p> <p>As a result of these field surveys, the Field Notes of Mineral Survey 4659 A&amp;B are amended as follows:</p>

FEET Field Note Page No.	
1	<p>(from Cor. No. 1 of the Cuprite lode)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, T. 11 N., R. 4 W., bears N. <math>26^{\circ}06'43''</math> W., 2,205.23 ft. dist.; an iron post, set 16 ins. in the ground, with mound of stone to top, brass cap mkd. T11N R4W <math>\frac{1}{4}</math> S11 S12 1971.</p>
3	<p>(from Cor. No. 1 of the Fraction lode, identical with Cor. No. 1 of the Zonia lode, Cor. No. 1 of the Black Prince lode and Cor. No. 1 of the Shamrock lode, all of this survey)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, bears N. <math>5^{\circ}30'02''</math> W., 3,542.91 ft. dist., previously described.</p>
6	<p>(from Cor. No. 2 of the Black Prince lode, identical with Cor. No. 4 of the Shamrock lode, Cor. No. 1 of the Victor Copper lode and Cor. No. 1 of the Victory Copper No. 1, One lode, all of this survey)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, bears N. <math>7^{\circ}43'19''</math> E., 4,708.57 ft. dist., previously described.</p>
11	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 1, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 2 of this survey)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, bears N. <math>87^{\circ}24'09''</math> W., 664.01 ft. dist., previously described.</p>
13	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 3, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 4 of this survey)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, bears N. <math>70^{\circ}55'08''</math> W., 1,206.37 ft. dist., previously described.</p>
16	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 5, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 12, Cor. No. 1 of the ZONIA MILLSITE NO. 13 and Cor. No. 1 of the ZONIA MILLSITE NO. 30, all of this survey)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, bears N. <math>15^{\circ}57'59''</math> W., 1,707.28 ft. dist., previously described.</p>
17	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 6, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 7, Cor. No. 1 of the ZONIA MILLSITE NO. 10 and Cor. No. 1 of the ZONIA MILLSITE NO. 11, all of this survey)</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 11 and 12, bears N. <math>0^{\circ}19'11''</math> E., 1,277.15 ft. dist., previously described.</p>

FEET	
Field Note Page No.	
19	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 8, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 9, Cor. No. 1 of the ZONIA MILLSITE NO. 34 and Cor. No. 1 of the ZONIA MILLSITE NO. 35, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 27° 55' 38" E., 1,033.16 ft. dist., previously described.</p>
24	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 14)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 25° 17' 23" W., 2,220.00 ft. dist., previously described.</p>
25	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 15, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 25 of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 0° 20' 27" E., 3,028.20 ft. dist., previously described.</p>
27	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 16, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 17, Cor. No. 1 of the ZONIA MILLSITE NO. 23 and Cor. No. 1 of the ZONIA MILLSITE NO. 24, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 10° 34' 08" E., 2,708.29 ft. dist., previously described.</p>
29	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 18, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 19, Cor. No. 1 of the ZONIA MILLSITE NO. 21 and Cor. No. 1 of the ZONIA MILLSITE NO. 22, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12, bears N. 22° 57' 31" E., 2,495.76 ft. dist., previously described.</p>
30	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 20, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 33 and Cor. No. 1 of the ZONIA MILLSITE NO. 48, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 36° 52' 07" E., 2,417.17 ft. dist., previously described.</p>

FEET Field Note Page No.	
36	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 26, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 27, Cor. No. 1 of the ZONIA MILLSITE NO. 37 and Cor. No. 1 of the ZONIA MILLSITE NO. 38, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 16° 38' 14" E., 4,079.56 ft. dist., previously described.</p>
38	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 28, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 29 and Cor. No. 1 of the ZONIA MILLSITE NO. 39, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 24° 53' 34" E., 3,907.52 ft. dist., previously described.</p>
41	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 31, on line 4-1 ZONIA MILLSITE NO. 14 of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 25° 15' 36" W., 2,217.77 ft. dist., previously described.</p>
43	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 32)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 57° 19' 04" W., 1,893.12 ft. dist., previously described.</p>
47	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 36, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 40 and Cor. No. 3 of the ZONIA MILLSITE NO. 41, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears S. 29° 10' 27" W., 382.76 ft. dist., previously described.</p>
52	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 41, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 42, Cor. No. 1 of the ZONIA MILLSITE NO. 43 and Cor. No. 1 of the ZONIA MILLSITE NO. 44, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears S. 21° 00' 04" W., 1,123.42 ft. dist., previously described.</p>
56	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 45)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears S. 38° 24' 23" W., 2,074.58 ft. dist., previously described.</p>

FEET	Field Note Page No.
57	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 46, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 47 of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 33° 42' 26" E., 3,822.90 ft. dist., previously described.</p>
58	<p>(from Cor. No. 2 of the ZONIA MILLSITE NO. 47)</p> <p>The 1/4 sec. cor. of secs. 11 and 14 bears N. 42° 59' 10" W., 442.59 ft. dist.; an iron post, 2 ins. diam., 18 ins. above ground, firmly set, marked and witnessed as described in the official record.</p>
59	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 49, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 50, and on line 2-3 ZONIA MILLSITE NO. 43, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears S. 14° 39' 11" W., 1,547.49 ft. dist., previously described.</p>
62	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 51, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 57, and on line 3-4 ZONIA MILLSITE NO. 39, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 25° 07' 07" E., 4,619.44 ft. dist., previously described.</p>
63	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 52, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 53, Cor. No. 1 of the ZONIA MILLSITE NO. 59 and Cor. No. 1 of the ZONIA MILLSITE NO. 60, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 23° 35' 26" E., 5,676.33 ft. dist., previously described.</p>
69	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 58, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 68, and on line 3-4 ZONIA MILLSITE NO. 63, all of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 23° 00' 26" E., 6,490.16 ft. dist., previously described.</p>

FEET Field Note Page No.	
76	<p>(from Cor. No. 1 of the ZONIA MILLSITE NO. 65, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 69 of this survey)</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 31° 46' 58" E., 6,943.85 ft. dist., previously described.</p>
	<p>Since the survey of the north-south center line of Section 14 revealed that the locations of the following millsites were in partial conflict with the W 1/2 of Section 14, which is state-owned land, the returns on these millsites have been amended in their entirety to reflect the ties to the 1/4 sec. cor. of Sections 11 and 12, as monumented by the Bureau of Land Management, and the intersection ties of these millsites with the north-south center line of Section 14:</p>
	<p style="text-align: center;">ZONIA MILLSITE NO. 54</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 54, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 55, Cor. No. 1 of the ZONIA MILLSITE NO. 61 and Cor. No. 1 of the ZONIA MILLSITE NO. 62, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 54 1 ZMS 55 1 ZMS 61 1 ZMS 62 1 X; from which</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 29° 36' 08" E., 5,563.89 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="text-align: center;">Thence N. 40° 28' 45" E.</p>
187.21	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,021.22 ft. dist.; previously described.</p>
700.0	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 55 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p>

FEET	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 54 2 ZMS 55 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence S. 52° 37' E.</p>
174.0	<p>Cor. No. 4 ZONIA MILLSITE NO. 51, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 57, both of this survey.</p>
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 53 of this survey.</p> <p>On line 3-4 ZONIA MILLSITE NO. 51 of this survey.</p> <p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>
700.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 53, Cor. No. 4 of the ZONIA MILLSITE NO. 60 and Cor. No. 2 of the ZONIA MILLSITE NO. 61, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>
141.89	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,259.65 ft. dist.; previously described.</p>
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 54 contains 4.814 acres.</p>
	<p>ZONIA MILLSITE NO. 55</p>
	<p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 55, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 54, Cor. No. 1 of the ZONIA MILLSITE NO. 61 and Cor. No. 1 of the ZONIA MILLSITE NO. 62, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 56 and Cor. No. 4 of the ZONIA MILLSITE NO. 62, both of this survey.</p>

(This form bound on left side)

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 55 2 ZMS 56 3 ZMS 62 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
542.43	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 1,568.81 ft. dist.; previously described.</p>	
700.0	<p>Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 56 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 55 3 ZMS 56 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 54 of this survey.</p> <p>On line 2-3 ZONIA MILLSITE NO. 57 of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
512.79	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,021.22 ft. dist.; previously described.</p>	
700.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 55 contains 4.814 acres.</p>	
	<p>ZONIA MILLSITE NO. 56</p> <p>At Cor. No. 1 of the ZONIA MILLSITE NO. 56.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly</p>	

FEET		
	<p>secured to the iron post, mkd. MS 4659 B ZMS 56 1 X; from which</p> <p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 35° 06' 36" E., 4,817.46 ft. dist.; previously described.</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>	
48.0	Cor. No. 3 ZONIA MILLSITE NO. 57 of this survey.	
166.93	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 1,368.13 ft. dist.; previously described.	
300.0	Cor. No. 2, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 55 of this survey.	
	On line 2-3 ZONIA MILLSITE NO. 57 of this survey.	
	Thence S. 40° 28' 45" W.	
157.57	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 1,568.81 ft. dist.; previously described.	
700.0	Cor. No. 3, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 55 and Cor. No. 4 of the ZONIA MILLSITE NO. 62, both of this survey.	
	Thence N. 52° 37' W.	
300.0	Cor. No. 4	
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 56 4 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
700.0	Cor. No. 1, and place of beginning.	
	The ZONIA MILLSITE NO. 56 contains 4.814 acres.	

(This form bound on left side)

FEET		
	ZONIA MILLSITE NO. 57	
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 57, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 51 of this survey.	
	On line 3-4 ZONIA MILLSITE NO. 39 of this survey.	
	Thence S. 40° 28' 45" W.	
300.10	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 51 of this survey.	
	On line 2-3 ZONIA MILLSITE NO. 54 of this survey.	
	Thence N. 52° 37' W.	
174.0	Cor. No. 2 ZONIA MILLSITE NO. 54, identical with Cor. No. 4 ZONIA MILLSITE NO. 55, both of this survey.	
474.0	Cor. No. 3 ZONIA MILLSITE NO. 55, identical with Cor. No. 2 ZONIA MILLSITE NO. 56, both of this survey.	
607.07	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 1,368.13 ft. dist.; previously described.	
726.0	Cor. No. 3	
	On line 1-2 ZONIA MILLSITE NO. 56 of this survey.	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 57 3 X; from which	
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.	
	Thence N. 40° 28' 45" E.	
140.82	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 1,188.78 ft. dist.; previously described.	
300.10	Cor. No. 4	
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 57 4 X; from which	

FEET	
	<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence S. 52° 37' E.</p>
552.0	Cor. No. 4 ZONIA MILLSITE NO. 39 of this survey.
726.0	Cor. No. 1, and place of beginning.
	The ZONIA MILLSITE NO. 57 contains 4.994 acres.
	ZONIA MILLSITE NO. 59
	Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 59, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 52, Cor. No. 1 of the ZONIA MILLSITE NO. 53 and Cor. No. 1 of the ZONIA MILLSITE NO. 60, all of this survey.
	Thence S. 52° 37' E.
300.0	Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 52 of this survey.
	On line 3-4 Victor Copper lode of this survey.
	Thence S. 40° 28' 45" W.
75.30	Cor. No. 3 Victor Copper lode, identical with Cor. No. 2 ZONIA MILLSITE NO. 58, both of this survey.
701.90	Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 63 of this survey.
	On line 1-2 ZONIA MILLSITE NO. 58 of this survey.
	Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 59 3 ZMS 63 3 X; from which
	A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.
	Thence N. 52° 37' W.
149.10	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 3,153.59 ft. dist.; previously described.

(This form bound on left side)

FEET		
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 60, Cor. No. 2 of the ZONIA MILLSITE NO. 63 and Cor. No. 4 of the ZONIA MILLSITE NO. 64, all of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 59 4 ZMS 60 2 ZMS 63 2 ZMS 64 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 40px;">Thence N. 40° 28' 45" E.</p>	
178.67	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,926.03 ft. dist.; previously described.</p>	
701.90	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 59 contains 4.827 acres.</p>	
<p>ZONIA MILLSITE NO. 60</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 60, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 52, Cor. No. 1 of the ZONIA MILLSITE NO. 53 and Cor. No. 1 of the ZONIA MILLSITE NO. 59, all of this survey.</p> <p style="padding-left: 40px;">Thence S. 40° 28' 45" W.</p>		
523.23	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,926.03 ft. dist.; previously described.</p>	
701.90	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 59, Cor. No. 2 of the ZONIA MILLSITE NO. 63 and Cor. No. 4 of the ZONIA MILLSITE NO. 64, all of this survey.</p> <p style="padding-left: 40px;">Thence N. 52° 37' W.</p>	
300.0	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 61, Cor. No. 3 of the ZONIA MILLSITE NO. 64 and Cor. No. 3 of the ZONIA MILLSITE NO. 65, all of this survey.</p>	

FEET		
	<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 60 3 ZMS 61 3 ZMS 64 3 ZMS 65 3 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>	
533.89	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,473.63 ft. dist.; previously described.</p>	
701.90	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 53, Cor. No. 4 of the ZONIA MILLSITE NO. 54 and Cor. No. 2 of the ZONIA MILLSITE NO. 61, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
300.0	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 60 contains 4.827 acres.</p>	
	<p style="text-align: center;">ZONIA MILLSITE NO. 61</p> <p>Beginning at Cor. No. 1 of the ZONIA MILLSITE NO. 61, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 54, Cor. No. 1 of the ZONIA MILLSITE NO. 55 and Cor. No. 1 of the ZONIA MILLSITE NO. 62, all of this survey.</p> <p>Thence S. 52° 37' E.</p>	
158.11	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,259.65 ft. dist.; previously described.</p>	
300.0	<p>Cor. No. 2, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 53, Cor. No. 4 of the ZONIA MILLSITE NO. 54 and Cor. No. 4 of the ZONIA MILLSITE NO. 60, all of this survey.</p> <p>Thence S. 40° 28' 45" W.</p>	
168.01	<p>Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 2,473.63 ft. dist.; previously described.</p>	

(This form bound on left side)

FEET	
701.90	<p>Cor. No. 3, identical with Cor. No. 3 of the ZONIA MILLSITE NO. 60, Cor. No. 3 of the ZONIA MILLSITE NO. 64 and Cor. No. 3 of the ZONIA MILLSITE NO. 65, all of this survey.</p> <p>Thence N. 52° 37' W.</p>
300.0	<p>Cor. No. 4, identical with Cor. No. 2 of the ZONIA MILLSITE NO. 62 and Cor. No. 2 of the ZONIA MILLSITE NO. 65, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 61 4 ZMS 62 2 ZMS 65 2 X; from which</p> <p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p>Thence N. 40° 28' 45" E.</p>
701.90	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 61 contains 4.827 acres.</p>
ZONIA MILLSITE NO. 63	
<p>At Cor. No. 1 of the ZONIA MILLSITE NO. 63, identical with Cor. No. 1 of the ZONIA MILLSITE NO. 64, Cor. No. 1 of the ZONIA MILLSITE NO. 66 and Cor. No. 1 of the ZONIA MILLSITE NO. 67, all of this survey.</p>	
<p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 63 1 ZMS 64 1 ZMS 66 1 ZMS 67 1 X; from which</p>	
<p>The 1/4 sec. cor. of secs. 11 and 12 bears N. 26° 54' 31" E., 7,027.83 ft. dist.; previously described.</p>	
<p>A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p>	
Thence N. 40° 28' 45" E.	
698.20	<p>Cor. No. 2, identical with Cor. No. 4 of the ZONIA MILLSITE NO. 59, Cor. No. 2 of the ZONIA MILLSITE NO. 60 and Cor. No. 4 of the ZONIA MILLSITE NO. 64, all of this survey.</p> <p>Thence S. 52° 37' E.</p>



FEET								
458.28	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 3,830.84 ft. dist.; previously described.							
699.78	<p>Cor. No. 3</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 68 3 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence N. 52° 37' W.</p>							
300.0	<p>Cor. No. 4</p> <p>On line 2-3 ZONIA MILLSITE NO. 66 of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a 25 pound concrete and rock base, 12 ins. in the ground, with a brass cap, 2 ins. diam. firmly secured to the iron post, mkd. MS 4659 B ZMS 68 4 X; from which</p> <p style="padding-left: 40px;">A wood post, 4 ins. x 4 ins., 4 ft. long, sets adjacent to the iron post.</p> <p style="padding-left: 80px;">Thence N. 40° 28' 45" E.</p>							
75.09	Cor. No. 2 ZONIA MILLSITE NO. 66, identical with Cor. No. 4 ZONIA MILLSITE NO. 63, both of this survey.							
596.74	Intersect the north-south center line of sec. 14 at a point from which the 1/4 sec. cor. of secs. 11 and 14 bears N. 0° 59' 05" W., 3,378.44 ft. dist.; previously described.							
699.78	<p>Cor. No. 1, and place of beginning.</p> <p>The ZONIA MILLSITE NO. 68 contains 4.812 acres.</p>							
	<p>Field Note Pages 81 and 82 pertaining to Areas have been amended in their entirety in order to reflect in proper order the area of conflict of those claims which are located partially or wholly within the W 1/2 of Section 14, which is state-owned land:</p> <table style="width: 100%; margin-top: 20px;"> <thead> <tr> <th style="width: 80%;"></th> <th style="text-align: right; border-bottom: 1px solid black;">Acres</th> </tr> </thead> <tbody> <tr> <td>Total area ZONIA MILLSITE NO. 25</td> <td style="text-align: right;">4.834</td> </tr> <tr> <td>Area in conflict with Black Prince lode of this survey</td> <td style="text-align: right;">0.016</td> </tr> </tbody> </table>		Acres	Total area ZONIA MILLSITE NO. 25	4.834	Area in conflict with Black Prince lode of this survey	0.016	
	Acres							
Total area ZONIA MILLSITE NO. 25	4.834							
Area in conflict with Black Prince lode of this survey	0.016							

FEET	Acres
Fraction lode of this survey	0.012
Cuprite lode of this survey	0.000
Total area ZONIA MILLSITE NO. 26	4.814
Total area ZONIA MILLSITE NO. 27	4.814
Total area ZONIA MILLSITE NO. 28	4.814
Total area ZONIA MILLSITE NO. 29	4.814
Total area ZONIA MILLSITE NO. 30	4.993
Area in conflict with	
Sur. No. 1321 Quartette lode	0.708
Total area ZONIA MILLSITE NO. 31	4.993
Area in conflict with	
Sur. No. 1321 Quartette lode	0.685
Sur. No. 1324 Fairplay lode	0.143
Total area ZONIA MILLSITE NO. 32	1.511
Area in conflict with	
Sur. No. 1321 Quartette lode	0.789
Sur. No. 1324 Fairplay lode	0.123
Sur. No. 1324 Fairplay lode exclusive of its conflict with	
Sur. No. 1321 Quartette lode	0.123
Total area ZONIA MILLSITE NO. 33	4.814
Total area ZONIA MILLSITE NO. 34	4.814
Total area ZONIA MILLSITE NO. 35	4.814
Total area ZONIA MILLSITE NO. 36	4.814
Total area ZONIA MILLSITE NO. 37	4.814
Total area ZONIA MILLSITE NO. 38	4.814
Total area ZONIA MILLSITE NO. 39	4.814
Total area ZONIA MILLSITE NO. 40	4.814
Total area ZONIA MILLSITE NO. 41	4.814
Total area ZONIA MILLSITE NO. 42	4.814
Total area ZONIA MILLSITE NO. 43	4.799
Total area ZONIA MILLSITE NO. 44	4.799
Total area ZONIA MILLSITE NO. 45	4.126
Total area ZONIA MILLSITE NO. 46	4.814
Total area ZONIA MILLSITE NO. 47	4.814
Total area ZONIA MILLSITE NO. 48	4.814
Total area ZONIA MILLSITE NO. 49	4.814
Total area ZONIA MILLSITE NO. 50	4.785
Total area ZONIA MILLSITE NO. 51	4.994
Total area ZONIA MILLSITE NO. 52	4.814
Total area ZONIA MILLSITE NO. 53	4.814
Total area ZONIA MILLSITE NO. 54	4.814
Area in conflict with	
W 1/2 sec. 14	0.339
Total area ZONIA MILLSITE NO. 55	4.814
Area in conflict with	
W 1/2 sec. 14	2.509
Total area ZONIA MILLSITE NO. 56	4.814
Area in conflict with	
W 1/2 sec. 14	4.574
Total area ZONIA MILLSITE NO. 57	4.994
Area in conflict with	
W 1/2 sec. 14	0.192
Total area ZONIA MILLSITE NO. 58	4.815
Total area ZONIA MILLSITE NO. 59	4.827
Area in conflict with	
W 1/2 sec. 14	0.309

FEET	Acres
Total area ZONIA MILLSITE NO. 60	4.827
Area in conflict with W 1/2 sec. 14	2.450
Total area ZONIA MILLSITE NO. 61	4.827
Area in conflict with W 1/2 sec. 14	4.554
Total area ZONIA MILLSITE NO. 62	4.827
Area in conflict with W 1/2 sec. 14	4.827
Total area ZONIA MILLSITE NO. 63	4.802
Area in conflict with W 1/2 sec. 14	4.500
Total area ZONIA MILLSITE NO. 64	4.802
Area in conflict with W 1/2 sec. 14	4.802
Total area ZONIA MILLSITE NO. 65	4.802
Area in conflict with W 1/2 sec. 14	4.802
Total area ZONIA MILLSITE NO. 66	4.814
Area in conflict with W 1/2 sec. 14	4.814
Total area ZONIA MILLSITE NO. 67	4.814
Area in conflict with W 1/2 sec. 14	4.814
Total area ZONIA MILLSITE NO. 68	4.812
Area in conflict with W 1/2 sec. 14	2.882
Total area ZONIA MILLSITE NO. 69	4.814
Area in conflict with W 1/2 sec. 14	4.814

OTHER CORNER DESCRIPTIONS AND  
SUPPLEMENTAL DATA

Field Note  
Page No.

90

The following additional corner data are furnished to amend description of the 1/4 cor. of Secs. 11 and 12, T. 11 N., R. 4 W., G&SRM, and add additional corners found as a result of the amended survey.

The 1/4 sec. cor. of secs. 11 and 12 and 11 and 14 described above. The 1/4 sec. cor. of secs. 14 and 23 is an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record. The north-south center line between the 1/4 sec. cor. of secs. 14 and 23 and 11 and 14 was found to be N. 0° 59' 05" W.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor <b>Harvey W. Smith</b>	Date <b>June 23, 1972</b>
--	------------------------------

I HEREBY CERTIFY That in pursuance of ~~an~~ <sup>amended orders</sup> order received from the Bureau of Land Management at **Phoenix, Arizona**, dated **March 14, 1972, and May 17, 1972**, I have carefully executed the ~~survey~~ <sup>Amended</sup> of the claim of **McAlester Fuel Company** known as the (*lode, placer, or mill site*) **See below\*** situated in **Sections 11, 12, 13 and 14**, Township **11 N.**, Range **4 W.**, **Gila and Salt River** Meridian, in the State of **Arizona**.

This survey, designated as number **4659 A&B/AMD**, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (*lode or placer*) **lode** locations ~~embraced~~ embraced in the said mining claim by claimant(s) or **its** grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

**\*Cuprite, Fraction, Zonia, Black Prince, Shamrock, Victor Copper and Victory Copper No. 1, One lodes, and ZONIA MILLSITE NOS. 1 through 69.**


<b>Paradise Valley, Arizona</b> (Location)	 (Signature of Mineral Surveyor)
---	---

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT

Office <b>Arizona State Office</b>
Location <b>Phoenix, Arizona</b>
Date <b>August 25, 1972</b>

The foregoing field notes of mineral survey number **4659 A&B/AMD**, in **Sections 11, 12, 13 and 14**, Range **4 W.**, **Gila and Salt River** Meridian, in the State of **Arizona**,  surveyed  unsurveyed Township **11 N.**, executed by **Harvey W. Smith**, Mineral Surveyor, under ~~order~~ <sup>amended orders</sup> dated **March 14 and May 19, 1972**, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 <b>Joe T. Fallini</b> (Authorized Signature)	<b>State Director</b> (Title)
--	----------------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above described mineral survey number \_\_\_\_\_ is a true copy of the original field notes.

_____ (Authorized Signature)	_____ (Title)
---------------------------------	------------------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

1912

\*Williams



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 4659B  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

ZONIA MILLSITE NO. 62, NO. 64, NO. 65, NO. 66, NO. 67, NO. 68 and NO. 69, Mineral Survey No. 4659B, located in section 14, Township 11 North, Range 4 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"ZONIA MILLSITE NO. 62, NO. 64, NO. 65, NO. 66, NO. 67, NO. 68 and NO. 69, M.S. 4659B, were canceled November 15, 2002, by memo 9605 (956) M.S. 4659B, which is now a part of the original field notes."

November 15, 2002  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona

