

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number
4691

State
Arizona

Land District
Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Globe Resources, Inc.
P. O. Box 243
Buckeye, Arizona 85326

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Golden Eagle No. 2	10/26/67	

Mining district White Tanks			County Mari copa	
Section 7	Township 1N.	Range 3W.	Meridian G&SR	Survey under order dated June 18, 1971
Survey commenced Oct. 19, 1974		Survey completed Oct. 19, 1974	Name of Mineral Surveyor Robert E. Adams	

Arizona
Arizona
Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

White Resources, Inc.
P.O. Box 243
Buckeye, Arizona 85326

THIS STATEMENT OF ACCOUNTS IS SUBJECT TO THE FOLLOWING

DATE: 10/25/67

Golden Eagle No. 2

10/25/67

White Tanks	635K	June 18, 1971	Maricopa
Robert E. Adams	635K	June 18, 1971	Maricopa
Oct. 19, 1971	635K	June 18, 1971	Maricopa
Oct. 19, 1971	635K	June 18, 1971	Maricopa

Mineral Survey No. 4691

FEET

This survey was made with a Universal Wild T2 Theodolite No. T2-68064, reading by optical micrometer to one second of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

October 19, 1974, at Cor. No. 1 of the Golden Eagle No. 2 lode in latitude $33^{\circ}27'$ N., and longitude $112^{\circ}36'$ W., elevation 1,200 ft. above sea level, and temperature 95° F., make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in the direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 500 ft. southwesterly along the south boundary of the Golden Eagle No. 2 lode to the sun.

Mean time of observation, 105th meridian standard time = $3^{\text{h}}00^{\text{m}}30^{\text{s}}$ P.M.

Declination of sun at mean time of observation = $10^{\circ}05'30''$ S.

Mean observed vertical angle to sun's center = $31^{\circ}25'24''$

Mean horizontal angle from reference point to sun's center = $334^{\circ}31'23''$

True bearing to reference point = $S.74^{\circ}59'20''W.$

The lines were measured with a Lufkin steel tape 300 ft. in length, graduated every foot throughout its length with the 99th, 199th, and 299th foot graduated to tenths and hundredths of a foot and a Cubitape DM-60 No. 008 with direct distance readout. Both tape and Cubitape were compared with a standard tape or baseline at the time of beginning the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 15° E.

GOLDEN EAGLE NO. 2 LODE

At Cor. No. 1 of the Golden Eagle No. 2 lode.

Mineral Survey No. 4691

FEET	Set a galvanized iron pipe, $\frac{1}{2}$ in. diam., 24 ins. long, 16 ins. in the ground, with a brass cap $2\frac{1}{2}$ ins. diam. firmly secured to the iron pipe, mkd. GE2-1-4691; from which
	<p>The cor. of secs. 5, 6, 7 and 8, T. 1 N., R. 3 W., Gila and Salt River Mer., bears N. $63^{\circ}33'43''$ E., 1546.23 ft. dist.; monumented with an iron pin $\frac{3}{4}$ in. diam., 2 ins. above ground with a weathered wood post 4 ins. by 4 ins. x 4 ft. and survey lath lying on the ground nearby.</p> <p>A rock cairn built adjacent to iron pipe.</p> <p>Thence S. $74^{\circ}59'20''$ W.</p>
44.	Wash, 2 ft. wide, course S. 25° W.
167.	Wash, 13 ft. wide, course S. 40° E.
326.	Center of road, 10 ft. wide, bears N. 50° W. and S. 50° E.
502.	Wash, 3 ft. wide, course S. 50° E.
1225.	Ridge, bears N. 50° W. and S. 50° E.
1450.	Ridge, bears N. 3° W. and S. 3° E.
1500.00	Cor. No. 2
	<p>Set a galvanized iron pipe, $\frac{1}{2}$ in. diam., 24 ins. long, 13 ins. in the ground, with a brass cap $2\frac{1}{2}$ ins. diam. firmly secured to the iron pipe, mkd. GE2-2-4691; from which</p> <p>A rock cairn built adjacent to iron pipe.</p> <p>Thence N. $15^{\circ}00'40''$ W.</p>
300.00	Lode line; discovery point bears N. $74^{\circ}59'20''$ E., 1100.00 ft. dist.
600.00	Cor. No. 3
	<p>Set a galvanized iron pipe, $\frac{1}{2}$ in. diam., 24 ins. long, 9 ins. into rock face, with a brass cap $2\frac{1}{2}$ ins. diam. firmly secured to the iron pipe, mkd. GE2-3-4691; from which</p> <p>The point where the southeast corner, an angle iron post, of an abandoned airway beacon enters the ground, bears N. $07^{\circ}49'41''$ E., 532.98 ft. dist.</p> <p>Thence N. $74^{\circ}59'20''$ E.</p>

Mineral Survey No. 4691

FEET	
135.	Ridge, bears N. 17° W., and S. 17° E.
775.	Wash, 2 ft. wide, course S. 35° E.
1500.00	Cor. No. 4 Set a galvanized iron pipe, ½ in. diam., 24 ins. long, 13 ins. in the ground, with a brass cap 2½ ins. diam. firmly secured to the iron pipe, mkd. GE2-4-4691 A rock cairn built adjacent to iron pipe. Thence S. 15°00'40" E.
7.	Wash, 2 ft. wide, course N. 65° E.
190.	Low ridge, bears N. 75° E. and S. 75° W.
300.00	Lode line; discovery point bears S. 74° 59'20" W., 400.00 ft. dist.
322.	Wash, 2 ft. wide, course N. 75° E.
444.	Low ridge, bears N. 75° E. and S. 75° W.
585.	Center of road, 9 ft. wide, bears N. 75° W. and S. 75° E.
600.00	Cor. No. 1, and place of beginning.
AREAS	
	Acres
Total area, Golden Eagle	
No. 2 lode	20.661
LOCATION	
This survey is located in the N. ½ sec. 7, T. 1 N., R. 3 W., Gila and Salt River Base and Meridian, Arizona.	
The survey of the Golden Eagle No. 2 lode is identical with the location as marked on the ground.	
EXPENDITURES	
The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:	
No. 1	The discovery point of the Golden Eagle No. 2 lode is on the lode line 400.00 ft. from the center of line 4-1. Value, None
No. 2	A shaft, the center of which is on the lode line, 406 ft. dist. from center of line 4-1, 4 x 7 ft., 9 ft. deep. Value, \$450.

FEET	
No. 3	<p>A shaft, the center of which is 6 ft. N. of the lode line, 356 ft. dist. from the center of line 4-1, 5 x 12 ft., the west half is 4 ft. deep, the east half is 8 ft. deep. Value, \$700.</p>
No. 4	<p>A pit, the center of which is on the lode line, 567 ft. dist. from the center of line 4-1, 5 x 7 ft., 6 ft. deep. Value, \$300.</p>
No. 5	<p>A cut, 12 ft. wide, average 3 ft. deep, extends across the lode line, 224 ft. from the center of the line 4-1, running S. 55° W., 33 ft. and N. 55° E., 70 ft. Value, \$125.</p>
No. 6	<p>Access road, 420 ft. in length was constructed for the purpose of providing access to and for the removal of ore and rock from the various improvements. Value, \$140.</p>
<p>No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.</p>	
<p style="text-align: center;">OTHER IMPROVEMENTS</p>	
<p>A shaft, 6 x 8 ft., depth unknown (over 100 ft.), the south edge of which lies on the lode line, 310 ft. from the center of line 4-1. Claimant unknown.</p>	
<p>A shaft, 4 x 8 ft., 10 ft. deep, the center of which bears N. 48°59' E., 449 ft. from Cor. No. 2. Claimant unknown.</p>	
<p>A shaft, 11 x 7 ft., 8 ft. deep, the center of which bears N. 48°14' E., 429 ft. from Cor. No. 2. Claimant unknown.</p>	
<p>A concrete building foundation, 10 x 14 ft., 1 ft. thick, the NE Cor. of which bears N. 87°24' W., 533 ft. from Cor. No. 1. Claimant unknown.</p>	
<p style="text-align: center;">OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA</p>	
<p>Found the east $\frac{1}{4}$ Cor., Sec. 7, T. 1 N., R. 3 W., Gila and Salt River Base and Meridian, monumented with an iron pin $\frac{3}{4}$ ins. diam., 2 ins. above ground with a survey lath mkd. $\frac{1}{4}$.</p>	
<p>A diligent search was made for the N. $\frac{1}{4}$ Cor. Sec. 7, T. 1 N., R. 3 W., Gila and Salt River Base and Meridian and it was not found.</p>	

Mineral Survey No. 4691

FEET	FIELD ASSISTANTS	
	Name	Capacity
	Ray Gavette	Instrumentman
	George Lance	Chainman

(This form bound on left side)

F E E T

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date
Robert E. Adams	December 12, 1974

I HEREBY CERTIFY That in pursuance of an order received from the **Bureau of Land Management**, at **Phoenix, Arizona**, dated **June 18**, 19 **71**, I have carefully executed the survey of the claim of **Globe Resources, Inc.**, known as the (lode, ~~XXXXXXXXXXXX~~) **Golden Eagle No. 2**, situated in **Sec. 7**, Township **1 N.**, Range **3 W., Gila and Salt River** Meridian, in the State of **Arizona**.

This survey, designated as number **4691**, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) **Lode** location(s) embraced in the said mining claim by claimant(s) or **its** grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Phoenix, Arizona (Location)	 (Signature of Mineral Surveyor)
---------------------------------------	---

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date May 24, 1977

The foregoing field notes of mineral survey number **4691**, in **Section 7**, Range **3 W.**, **Gila and Salt River** Meridian, in the State of **Arizona**, executed by **Robert E. Adams**, Mineral Surveyor, under order dated **June 18**, 1971, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 Boyd S. Owens (Authorized Signature)	Chief, Branch of Cadastral Survey (Title)
---	---

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above described mineral survey number _____ is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

7

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5780 SOUTH CAMPUS DRIVE
CHICAGO, ILLINOIS 60637

December 12, 1974

Dr. J. D. Matlock

University of Illinois
Urbana, Illinois

Dear Dr. Matlock:
I have received your letter of
November 27, 1974, regarding
the use of the University of
Chicago facilities for your
research.

I am sorry that I cannot
reply to you more quickly.

The University of Chicago is pleased to
have you as a visitor and to provide
you with the facilities you require.

The following conditions apply to
your use of the University of
Chicago facilities:
1. You must be a member of the
University of Chicago.
2. You must be a resident of
Illinois.
3. You must be a member of the
University of Chicago's
Faculty of the Physical Sciences
Department.

Sincerely,
John D. Matlock

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4691
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Golden Eagle No. 2 lode, Mineral Survey No. 4691, located in section 7, Township 1 North, Range 3 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Golden Eagle No. 2 lode, M.S. 4691, was canceled February 19, 2002, by memo 9605 (956) M.S. 4691, which is now a part of the original field notes."

February 19, 2002
Date



Chief Cadastral Surveyor of Arizona



1
2
3