

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Mineral Survey number

4728

State

Arizona

Land District

Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Inspiration) Consolidated Copper Company  
c/o G. Henry Ladendorff, Atty. at Law  
Suite 716, Arizona Bank Building  
Phoenix, Arizona 85003

Known as the *(name of group, if any)*

Tailing MILL SITE Group

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Tailing MILL SITE NO. 1	8/25/70	
Tailing MILL SITE NO. 2	8/25/70	
Tailing MILL SITE NO. 3	8/26/70	
Tailing MILL SITE NO. 4	8/26/70	
Tailing MILL SITE NO. 5	8/25/70	
Tailing MILL SITE NO. 6	8/25/70	
Tailing MILL SITE NO. 7	8/25/70	
Tailing MILL SITE NO. 8	8/25/70	
Tailing MILL SITE NO. 9	8/26/70	
Tailing MILL SITE NO. 10	8/26/70	
Tailing MILL SITE NO. 11	8/28/70	
Tailing MILL SITE NO. 12	8/28/70	
Tailing MILL SITE NO. 13	8/26/70	
Tailing MILL SITE NO. 14	8/26/70	
Tailing MILL SITE NO. 15	8/25/70	
Tailing MILL SITE NO. 16	8/25/70	
Tailing MILL SITE NO. 17	8/25/70	
Tailing MILL SITE NO. 18	8/25/70	
Tailing MILL SITE NO. 19	8/26/70	
Tailing MILL SITE NO. 20	2/26/70	
Tailing MILL SITE NO. 21	8/28/70	
Tailing MILL SITE NO. 22	8/28/70	

Mining district			County	
Banner			Gila	
Section 17 uns	Township	Range	Meridian	Survey under order dated
8 & 16	4 South	16 East	Gila & Salt River	July 5, 1972
Survey commenced		Survey completed	Name of Mineral Surveyor	
Nov. 5, 1972		March 1, 1973	Travis L. Gant	

Date	Description	Debit	Credit
1/1	Balance		100.00
1/2	...	...	...
1/3	...	...	...
1/4	...	...	...
1/5	...	...	...
1/6	...	...	...
1/7	...	...	...
1/8	...	...	...
1/9	...	...	...
1/10	...	...	...
1/11	...	...	...
1/12	...	...	...
1/13	...	...	...
1/14	...	...	...
1/15	...	...	...
1/16	...	...	...
1/17	...	...	...
1/18	...	...	...
1/19	...	...	...
1/20	...	...	...
1/21	...	...	...
1/22	...	...	...
1/23	...	...	...
1/24	...	...	...
1/25	...	...	...
1/26	...	...	...
1/27	...	...	...
1/28	...	...	...
1/29	...	...	...
1/30	...	...	...
1/31	...	...	...
2/1	...	...	...
2/2	...	...	...
2/3	...	...	...
2/4	...	...	...
2/5	...	...	...
2/6	...	...	...
2/7	...	...	...
2/8	...	...	...
2/9	...	...	...
2/10	...	...	...
2/11	...	...	...
2/12	...	...	...
2/13	...	...	...
2/14	...	...	...
2/15	...	...	...
2/16	...	...	...
2/17	...	...	...
2/18	...	...	...
2/19	...	...	...
2/20	...	...	...
2/21	...	...	...
2/22	...	...	...
2/23	...	...	...
2/24	...	...	...
2/25	...	...	...
2/26	...	...	...
2/27	...	...	...
2/28	...	...	...
2/29	...	...	...
2/30	...	...	...
2/31	...	...	...

FIELD NOTES

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Tailing MILL SITE NO. 23	9/2/70	
Tailing MILL SITE NO. 24	8/28/70	
Tailing MILL SITE NO. 25	8/28/70	
Tailing MILL SITE NO. 26	8/26/70	
Tailing MILL SITE NO. 27	8/26/70	
Tailing MILL SITE NO. 28	8/28/70	
Tailing MILL SITE NO. 29	8/28/70	
Tailing MILL SITE NO. 30	9/2/70	
Tailing MILL SITE NO. 31	9/2/70	
Tailing MILL SITE NO. 32	9/2/70	
Tailing MILL SITE NO. 33	9/2/70	
Tailing MILL SITE NO. 34	8/28/70	
Tailing MILL SITE NO. 35	8/28/70	
Tailing MILL SITE NO. 36	9/2/70	
Tailing MILL SITE NO. 37	9/2/70	
Tailing MILL SITE NO. 38	9/2/70	
Tailing MILL SITE NO. 39	9/2/70	
Tailing MILL SITE NO. 40	9/2/70	
Tailing MILL SITE NO. 41	9/2/70	

1870	...
1871	...
1872	...
1873	...
1874	...
1875	...
1876	...
1877	...
1878	...
1879	...
1880	...
1881	...
1882	...
1883	...
1884	...
1885	...
1886	...
1887	...
1888	...
1889	...
1890	...
1891	...
1892	...
1893	...
1894	...
1895	...
1896	...
1897	...
1898	...
1899	...
1900	...



FEET

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 feet, with an added foot on the zero end graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a taped course, 1200 feet in length, measured as a base-line with a standard 100.00 foot tape, and found to be precise and accurate.

All line and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $13^{\circ} 30' E$ .

Note concerning monumentation: With the exception of those corners which were not monumented for reasons given in each case, or which were monumented as otherwise described herein, I set brass-capped iron posts at each corner of each mill site claim comprising this survey. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a 1 ins. exterior diam.; each pipe was placed in the ground in a foundation consisting of not less than  $\frac{1}{2}$  cu. ft. of high early strength portland cement concret, mixed at the site. Brass caps were securely attached and marked as described, using 1/8-in. steel dies for stamping. Alongside every corner monument of this survey I erected a rock monument having a base three feet minimum diam., and a height of not less than two feet.

SURVEY NO. 4728

## Tailing MILL SITE NO. 1

At Cor. No. 1 of the Tailing MILL SITE NO. 1.

Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 1-1-4728; from which

The cor. of secs. 8, 9, 16, and 17, T. 4 S., R. 16 E., G. & S. R. M., bears S.  $10^{\circ} 41' E$ ., 46.33 ft. dist.; an iron post 2 ins. diam., 13 ins. above ground, firmly set, with brass cap marked as described in the official record.

FEET	
	Thence S. 0° 00' 30" E.
45.49	Intersect the line between secs. 8 and 17, being also the Southerly bdy. of the Henry Young pat., No. 852760, at a point from which the cor. of secs. 8, 9, 16, and 17 bears S. 89° 42' E., 8.58 ft. dist.
99.60	Cor. No. 2, identical with Cor. No. 2 of the Tailing MILL SITE NO. 6 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 1-2-4728 and TMS 6-2-4728.
	Thence S. 89° 57' 13" W.
391	Center of dry wash, 12 ft. wide, course N. 45° E.
547.42	Crest of sharp, conglomerate spur, bears N. 65° E. and S. 65° W.
599.42	Intersect Cors. Nos. 1 of the Tailing MILL SITE NO. 6 and Tailing MILL SITE NO. 5 of this survey, hereinafter described.
1,200.44	Cor. No. 3, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 5, Tailing MILL SITE NO. 4, and Tailing MILL SITE NO. 2 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 1-3, TMS 5-2, TMS 4-2, and TMS 2-2-4728.
	Thence N. 0° 00' 12" E.
61.37	Intersect the line between secs. 8 and 17, being also the southerly bdy. of the Henry Young pat., No. 852760, at a point from which the cor. of secs. 8, 9, 16, and 17 bears S. 89° 42' E., 1209.03 ft. dist.
99.02	Cor. No. 4, identical with Cor. No. 1 of the Tailing MILL SITE NO. 2 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 1-4-4728 and TMS 2-1-4728.
	Thence N. 89° 55' 35" E.
185	Right bank of Dripping Springs Wash, bears N. 25° W. and S. 30° E.
380	Left bank of Dripping Springs Wash, bears N. 55° W. and S. 60° E.
575	Left bank of Dripping Springs Wash, bears S. 55° W. and N. 50° E.
672	Right bank of Dripping Springs Wash, bears S. 60° W. and N. 60° E.

(This form bound on left side)

FEET	
861	Center of dry wash, 12 ft. wide, course North.
1,200.42	Cor. No. 1, and place of beginning.
	Tailing MILL SITE NO. 2
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 2, identical with Cor. No. 4 of the Tailing MILL SITE NO. 1 of this survey; from which
	The cor. of secs. 8, 9, 16, and 17 bears S. 87° 55' E., 1209.81 ft. dist., previously described.
	Thence S. 0° 00' 12" W.
37.65	Intersect the line between secs. 8 and 17, being also the southerly bdy. of the Henry Young Pat., No. 852760, at a point from which the cor. of secs. 8, 9, 16 and 17 bears S. 89° 42' E., 1209.03 ft. dist.
99.02	Cor. No. 2, identical with Cor. No. 3 of the Tailing MILL SITE NO. 1, and Cors. Nos. 2 of the Tailing MILL SITE NO. 5 and Tailing MILL SITE NO. 4.
	Thence S. 89° 30' 14" W.
144	Center of dry wash, 16 ft. wide, course N. 30° E.
599.26	Intersect Cors. Nos. 1 of the Tailing MILL SITE NO. 4 and Tailing MILL SITE NO. 3 of this survey, hereinafter described.
1,200.99	Cor. No. 3, identical with Cor. No. 2 of the Tailing MILL SITE NO. 3 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. TMS 2-3-4728 and TMS 3-2-4728.
	Thence N. 0° 00' 30" W.
78.06	Intersect the line between secs. 8 and 17, being also the southerly bdy. of the Henry Young pat. No. 852760, at a point from which the cor. of secs. 8, 9, 16 and 17 bears S. 89° 42' E., 2410.01 ft. dist.
98.98	Cor. No. 4.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 2-4-4728.
	Thence N. 89° 30' 07" E.

FEET	
1,133	Center of dry wash, 16 ft. wide, course N. 40° E.
1,201.01	Cor. No. 1, and place of beginning.
Tailing MILL SITE NO. 3	
At Cor. No. 1 of the Tailing MILL SITE NO. 3, identical with Cor. No. 1 of the Tailing MILL SITE NO. 4, on line 2-3 of the Tailing MILL SITE NO. 2 of this survey.	
Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. TMS 3-1-4728 and TMS 4-1-4728; from which	
The cor. of secs. 8, 9, 16 and 17, bears N. 88° 05' 32" E., 1809.25 ft. dist., previously described.	
Thence S. 89° 30' 14" W.	
601.73	Cor. No. 2, identical with Cor. No. 3 of the Tailing MILL SITE NO. 2 of this survey.
Thence S. 0° 00' 30" E.	
359.92	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 10 and Tailing MILL SITE NO. 11 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 3-3, TMS 10-3, and TMS 11-3-4728.	
Thence N. 89° 07' 33" E.	
122	Road, bears N. 35° E. and S. 35° W.
292	Road, bears S. 65° W. and N. 50° E.
601.64	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 4, Tailing MILL SITE NO. 9, and Tailing MILL SITE NO. 10 of this survey.
Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 3-4, TMS 4-4, TMS 9-4, and TMS 10-4-4728.	
Thence N. 0° 00' 53" E.	
355.95	Cor. No. 1, and place of beginning.

FEET	
	<p style="text-align: center;">Tailing MILL SITE NO. 4</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 4, identical with Cor. No. 1 of the Tailing MILL SITE NO. 3, on line 2-3 of the Tailing MILL SITE NO. 2 of this survey.</p> <p style="text-align: center;">Thence N. 89° 30' 14" E.</p>
455.26	Center of dry wash, 16 ft. wide, course N. 30° E.
599.26	Cor. No. 2, identical with Cor. No. 2 of the Tailing MILL SITE NO. 2, Cor. No. 3 of the Tailing MILL SITE NO. 1, and Cor. No. 2 of the Tailing MILL SITE NO. 5 of this survey.
	Thence S. 0° 00' 12" W.
360.80	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 5, Tailing MILL SITE NO. 8, and Tailing MILL SITE NO. 9 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 4-3, TMS 5-3, TMS 8-3, and TMS 9-3-4728.
	Thence S. 89° 58' 03" W.
443	Center of dry wash, 15 ft. wide, course N. 52° E.
599.30	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 9, Tailing MILL SITE NO. 10, and Tailing MILL SITE NO. 3 of this survey.
	Thence N. 0° 00' 53" E.
355.95	Cor. No. 1, and place of beginning.
	<p style="text-align: center;">Tailing MILL SITE NO. 5</p> <p>At Cor. No. 1 of the Tailing MILL SITE NO. 5, identical with Cor. No. 1 of the Tailing MILL SITE NO. 6, on line 2-3 of the Tailing MILL SITE NO. 1 of this survey.</p> <p>Set a brass disc, 2 ins. diam., 2½ ins. stem, grouted into ledge rock, with disc surface mkd. TMS 5-1-4728 and TMS 6-1-4728; from which</p> <p style="text-align: center;">The cor. of secs. 8, 9, 16 and 17 bears N. 84° 52' 23" E., 610.44 ft. dist., previously described.</p>

FEET	
	Thence S. 89° 57' 13" W.
601.02	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 4 and Tailing MILL SITE NO. 2, and Cor. No. 3 of the Tailing MILL SITE NO. 1 of this survey.
	Thence S. 0° 00' 12" W.
360.80	Cor. No. 3, identical with Cors. No. 3 of the Tailing MILL SITE NO. 8, Tailing MILL SITE NO. 9, and Tailing MILL SITE NO. 4 of this survey.
	Thence N. 89° 49' 42" E.
440	Center of dry wash, 10 ft. wide, course N. 35° E.
601.02	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 6, Tailing MILL SITE NO. 7, and Tailing MILL SITE NO. 8 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. TMS 5-4, TMS 6-4, TMS 7-4, and TMS 8-4-4728.
	Thence N. 0° 00' 09" E.
171	Center of dry wash, 10 ft. wide, course N. 70° E.
330	Crest of sharp conglomerate spur, bears N. 65° E. and S. 65° W.
359.49	Cor. No. 1, and place of beginning.
	<b>Tailing MILL SITE NO. 6</b>
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 6, identical with Cor. No. 1 of the Tailing MILL SITE NO. 5, on line 2-3 of the Tailing MILL SITE NO. 1 of this survey.
	Thence N. 89° 57' 13" E.
52	Crest of sharp conglomerate spur, bears N. 65° E. and S. 65° W.
208.42	Center of dry wash, 12 ft. wide, course N. 45° E.
599.42	Cor. No. 2, identical with Cor. No. 2 of the Tailing MILL SITE NO. 1 of this survey.
	Thence S. 0° 00' 30" E.

(This form bound on left side)

FEET	
360.58	<p>Cor. No. 3, identical with Cor. No. 3 of the Tailing MILL SITE NO. 7 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 6-3-4728 and TMS 7-3-4728.</p> <p>Thence N. 89° 56' 30" W.</p>
599.49	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 7, Tailing MILL SITE NO. 8, and Tailing MILL SITE NO. 5 of this survey.</p> <p>Thence N. 0° 00' 09" E.</p>
171	<p>Center of dry wash, 10 ft. wide, course N. 70° E.</p>
330	<p>Crest of sharp conglomerate spur, bears N. 65° E. and S. 65° W.</p>
359.49	<p>Cor. No. 1, and place of beginning.</p>
Tailing MILL SITE NO. 7	
<p>At Cor. No. 1 of the Tailing MILL SITE NO. 7, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 16, Tailing MILL SITE NO. 15, and Tailing MILL SITE NO. 8 of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 7-1, TMS 16-1, TMS 15-1, and TMS 8-1-4728; from which</p>	
<p>The cor. of secs. 8, 9, 16 and 17, bears N. 38° 05' 37" E., 985.56 ft. dist., previously described.</p>	
Thence S. 89° 53' 38" E.	
161	<p>Center of local drainage, 5 ft. wide, course N. 75° E.</p>
596.02	<p>Intersect the line between secs. 16 and 17 at a point from which the cor. of secs. 8, 9, 16 and 17 bears N. 0° 53' 10" E., 771.14 ft. dist., and the N. sixteenth-section cor. of secs. 16 and 17, identical with the SW. cor. of the John Young patent, No. 567458, in N<math>\frac{1}{2}</math> NW<math>\frac{1}{4}</math> sec. 16, and the NW Cor. of Arizona State land in S <math>\frac{1}{2}</math> NW<math>\frac{1}{4}</math> sec. 16, bears S. 0° 53' 10" W., 565.71 ft. dist.; I monument this sixteenth-section corner by setting an iron pipe, 1 ins. diam., 2 ft. long, in a concrete base, with brass cap mkd. N. 1/16--s. 17/ s.16--T. 4 S.--R. 16 E.-- 1973 -- L.S. 5703, all markings being made in accordance</p>

FEET	
	<p>with the instructions given in Section 274 of the Manual of Surveying Instructions, 1947 Edition, excepting the markings L.S. 5703 which refer to my Arizona Registration Number as a Land Surveyor.</p>
599.56	<p>Cor. No. 2, identical with Cor. No. 2 of the Tailing MILL SITE NO. 16 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 7-2-4728 and TMS 16-2-4728; from which</p> <p>The N. sixteenth-section cor. of secs. 16 and 17 bears S. 1° 14' 39" W., 565.77 ft. dist., previously described.</p> <p>Thence N. 0° 00' 30" W.</p>
124	<p>Center of local drainage, 5 ft. wide, course N. 75° E.</p>
226.52	<p>Intersect the line between secs. 16 and 17 at a point from which the N. sixteenth-section cor. of secs. 16 and 17, previously described, bears S. 0° 53' 10" W., 792.25 ft. dist., and the cor. of secs. 8, 9, 16 and 17 bears N. 0° 53' 10" E., 550.30 ft. dist.</p>
362.10	<p>Cor. No. 3, identical with Cor. No. 3 of the Tailing MILL SITE NO. 6 of this survey.</p> <p>Thence N. 89° 56' 30" W.</p>
599.49	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 8, Tailing MILL SITE NO. 5, and Tailing MILL SITE NO. 6 of this survey.</p> <p>Thence S. 0° 00' 09" W.</p>
361.60	<p>Cor. No. 1, and place of beginning.</p> <hr/> <p>Tailing MILL SITE NO. 8</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 8, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 7, Tailing MILL SITE NO. 16, and Tailing MILL SITE NO. 15 of this survey.</p> <p>Thence S. 89° 47' 52" W.</p>

FEET	
509	Center of local drainage, 8 ft. wide, course North.
601.02	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 15, Tailing MILL SITE NO. 14, and Tailing MILL SITE NO. 9 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. TMS 8-2, TMS 15-2, TMS 14-2, and TMS 9-2-4728.</p> <p>Thence N. 0° 00' 12" E.</p>
295	Center of local drainage, 8 ft. wide, course S. 80° E.
361.92	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 9, Tailing MILL SITE NO. 4, and Tailing MILL SITE NO. 5 of this survey.</p> <p>Thence N. 89° 49' 42" E.</p>
440	Center of dry wash, 10 ft. wide, course N. 35° E.
601.02	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 5, Tailing MILL SITE NO. 6, and Tailing MILL SITE NO. 7 of this survey.</p> <p>Thence S. 0° 00' 09" W.</p>
361.60	Cor. No. 1, and place of beginning.
<p style="text-align: center;">Tailing MILL SITE NO. 9</p> <p>At the true point for Cor. No. 1 of the Tailing MILL SITE NO. 9, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 14, Tailing MILL SITE NO. 13, and Tailing MILL SITE NO. 10 of this survey.</p> <p>This corner falls on the edge of an access road where a permanent monument cannot be maintained; witnessed N. 0° 00' 53" E., 115.55 ft. dist., hereinafter described.</p> <p>Set a temporary spike at the true point; from which</p> <p style="text-align: center;">The cor. of secs. 8, 9, 16 and 17 bears N. 66° 44' E., 1968.51 ft. dist., previously described.</p>	

FEET	
	Thence S. 89° 58' 58" E.
11	Road, bears northerly and southwesterly.
150	Center of local drainage, 5 ft. wide, course N. 60° E.
599.37	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 8, Tailing MILL SITE NO. 15, and Tailing MILL SITE NO. 14 of this survey.
	Thence N. 0° 00' 12" E.
295	Center of local drainage, 5 ft. wide, course N. 45° E.
361.92	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 4, Tailing MILL SITE NO. 5, and Tailing MILL SITE NO. 8 of this survey.
	Thence S. 89° 58' 03" W.
443	Center of dry wash, 15 ft. wide, course N. 52° E.
599.30	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 10, Tailing MILL SITE NO. 3, and Tailing MILL SITE NO. 4 of this survey.
	Thence S. 0° 00' 53" W.
97	Center of dry wash, 12 ft. wide, course N. 75° E.
245.85	A point selected for witness Cor. No. 1, identical with witness Cors. Nos. 1 of the Tailing MILL SITE NO. 14, Tailing MILL SITE NO. 13, and Tailing MILL SITE NO. 10 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. WC - TMS 9-1, TMS 14-1, TMS 13-1, and TMS 10-1-4728.
312	Road, bears Northwesterly and Southeasterly.
361.40	Cor. No. 1, and place of beginning.

FEET	
	Tailing MILL SITE NO. 10
	Beginning at the true point for Cor. No. 1 of the Tailing MILL SITE NO. 10, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 9, Tailing MILL SITE NO. 14, and Tailing MILL SITE NO. 13 of this survey, previously described.
	Thence S. 89° 07' 32" W.
296	Road, bears West and N. 60° E.
482	Road, bears northwesterly and East.
540	Center of dry wash, 10 ft. wide, course N. 50° E.
601.50	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 13, Tailing MILL SITE NO. 12, and Tailing MILL SITE NO. 11 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 10-2, TMS 13-2, TMS 12-2, and TMS 11-2-4728.
	Thence N. 0° 00' 30" W.
183	Road, bears N. 35° E. and S. 35° W.
361.40	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 11 and Tailing MILL SITE NO. 3 of this survey.
	Thence N. 89° 07' 33" E.
122	Road, bears N. 35° E. and S. 35° W.
292	Road, bears S. 65° W. and N. 50° E.
601.64	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 3, Tailing MILL SITE NO. 4, and Tailing MILL SITE NO. 9 of this survey.
	Thence S. 0° 00' 53" W.
97	Center of dry wash, 12 ft. wide, course N. 75° E.
245.85	Witness Cor. No. 1, previously described.
312	Road, bears northwesterly and southeasterly.
361.40	Cor. No. 1, and place of beginning.

FEET	
	<p>Tailing MILL SITE NO. 11</p> <p>At Cor. No. 1 of the Tailing MILL SITE NO. 11, identical with Cor. No. 1 of the Tailing MILL SITE NO. 12 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. in the ground, with brass cap mkd. TMS 11-1-4728 and TMS 12-1-4728; from which</p> <p>The cor. of secs. 8, 9, 16 and 17 bears N. 75° 30' 36" E., 3108.11 ft. dist., previously described.</p> <p>Thence S. 89° 07' 56" E.</p>
453	Road, bears N. 40° E. and S. 45° W.
480	Road, bears S. 15° W. and N. 20° E.
599.46	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 10, Tailing MILL SITE NO. 13, and Tailing MILL SITE NO. 12 of this survey.</p> <p>Thence N. 0° 00' 30" W.</p>
183	Road, bears N. 35° E. and S. 35° W.
361.40	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 3 and Tailing MILL SITE NO. 10 of this survey.</p> <p>Thence N. 89° 12' 13" W.</p>
599.41	<p>Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 11-4-4728.</p> <p>Thence S. 0° 00' 06" E.</p>
360.65	Cor. No. 1, and place of beginning.
	<p>Tailing MILL SITE NO. 12</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 12, identical with Cor. No. 1 of the Tailing MILL SITE NO. 11 of this survey.</p> <p>Thence S. 89° 07' 56" E.</p>
453	Road, bears N. 40° E. and S. 45° W.
480	Road, bears S. 15° W. and N. 20° E.

FEET	
599.46	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 11, Tailing MILL SITE NO. 10, and Tailing MILL SITE NO. 13 of this survey.</p> <p>Thence S. 0° 00' 30" E.</p>
142	Enter dry wash, 10 ft. wide, course N. 10° E.
231	Leave dry wash, 10 ft. wide, course North.
361.07	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 13, Tailing MILL SITE NO. 20, and Tailing MILL SITE NO. 21 of this survey.</p> <p>The corner falls in a construction area at the toe of fill slopes of a tailings dam and an access road where a permanent monument cannot be maintained; not monumented.</p> <p>Thence N. 89° 03' 24" W.</p>
60	Center of dry wash, 10 ft. wide, course N. 10° E.
268	Road, bears N. 30° E. and S. 30° W.
335	Enter borrow pit, rim bears N. 45° W. and S. 45° E.
549	Leave borrow pit, rim bears N. 40° E. and S. 25° W.
564	Road, bears N. 40° E. and S. 40° W.
599.51	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 21 and Tailing MILL SITE NO. 22 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 12-4, TMS 21-4, and TMS 22-4-4728.</p> <p>Thence N. 0° 00' 06" W.</p>
360.28	Cor. No. 1, and place of beginning.
	<p>Tailing MILL SITE NO. 13</p> <p>Beginning at the true point for Cor. No. 1 of the Tailing MILL SITE NO. 13, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 10, Tailing MILL SITE NO. 9, and Tailing MILL SITE NO. 14 of this survey, previously described.</p>

FEET	
	Thence S. 89° 07' 32" W.
296	Road, bears West and N. 60° E.
482	Road, bears northwesterly and East.
540	Center of dry wash, 10 ft. wide, course N. 50° E.
601.50	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 12, Tailing MILL SITE NO. 11, and Tailing MILL SITE NO. 10 of this survey.
	Thence S. 0° 00' 30" E.
142	Enter dry wash, 10 ft. wide, course N. 10° E.
231	Leave dry wash, 10 ft. wide, course North.
361.07	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 20, Tailing MILL SITE NO. 21, and Tailing MILL SITE NO. 12 of this survey, previously described.
	Thence N. 89° 10' 12" E.
21	Road, bears N. 40° E. and S. 40° W.
496	Center of local drainage, 6 ft. wide, course N. 35° E.
601.35	Cor. No. 4, identical with Cors. Nos 4 of the Tailing MILL SITE NO. 14, Tailing MILL SITE NO. 19, and Tailing MILL SITE NO. 20 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 13-4, TMS 14-4- TMS 19-4, and TMS 20-4-4728.
	Thence N. 0° 00' 53" E.
103	Road, bears West and N. 45° E.
155	Center of local drainage, 6 ft. wide, course N. 30° E.
329	Road, bears northeasterly and southwesterly.
361.54	Cor. No. 1, and place of beginning.

FEET	
	Tailing MILL SITE NO. 14
	Beginning at the true point for Cor. No. 1 of the Tailing MILL SITE NO. 14, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 13, Tailing MILL SITE NO. 10, and Tailing MILL SITE NO. 9 of this survey, previously described.
	Thence S. 89° 58' 58" E.
11	Road, bears northerly and southwesterly.
150	Center of local drainage, 5 ft. wide, course N. 60° E.
599.37	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 9, Tailing MILL SITE NO. 8, and Tailing MILL SITE NO. 15 of this survey.
	Thence S. 0° 00' 12" W.
66	Center of local drainage, 5 ft. wide, course N. 50° E.
315	Road, bears N. 35° E. and S. 30° W.
361.80	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 15, Tailing MILL SITE NO. 18, and Tailing MILL SITE NO. 19 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 14-3, TMS 15-3, TMS 18-3, and TMS 19-3-4728.
	Thence N. 89° 57' 30" W.
26	Road, bears N. 30° E. and S. 30° W.
135	Center of local drainage, 5 ft. wide, course N. 35° E.
227	Road, bears N. 30° E. and S. 20° W.
599.44	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 19, Tailing MILL SITE NO. 20, and Tailing MILL SITE NO. 13 of this survey.
	Thence N. 0° 00' 53" E.
103	Road, bears West and N. 45° E.
155	Center of local drainage, 6 ft. wide, course N. 30° E.
329	Road, bears northeasterly and southwesterly.
361.54	Cor. No. 1, and place of beginning.

FEET	
	<p style="text-align: center;">Tailing MILL SITE NO. 15</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 15, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 8, Tailing MILL SITE NO. 7, and Tailing MILL SITE NO. 16 of this survey.</p> <p style="text-align: center;">Thence S. 89° 47' 52" W.</p>
509	Center of local drainage, 8 ft. wide, course North.
601.02	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 14, Tailing MILL SITE NO. 9, and Tailing MILL SITE NO. 8 of this survey.
	Thence S. 0° 00' 12" W.
66	Center of local drainage, 5 ft. wide, course N. 50° E.
315	Road, bears N. 35° E. and S. 30° W.
361.80	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 18, Tailing MILL SITE NO. 19, and Tailing MILL SITE NO. 14 of this survey.
	Thence N. 89° 46' 06" E.
191	Road, bears N. 35° W. and S. 10° E.
376	Center of local drainage, 6 ft. wide, course N. 10° E.
601.03	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 16, Tailing MILL SITE NO. 17, and Tailing MILL SITE NO. 18 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 15-4, TMS 16-4, TMS 17-4, and TMS 18-4-4728.
	Thence N. 0° 00' 09" E.
230	Center of local drainage, 8 ft. wide, course N. 55° E.
361.49	Cor. No. 1, and place of beginning.

FEET	
	Tailing MILL SITE NO. 16
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 16, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 15, Tailing MILL SITE NO. 8, and Tailing MILL SITE NO. 7 of this survey.
	Thence S. 89° 53' 38" E.
161	Center of local drainage, 5 ft. wide, course N. 75° E.
596.02	Intersect the line between secs. 16 and 17 at a point from which the N. sixteenth-section cor. of secs. 16 and 17, previously described, bears S. 0° 53' 10" W., 565.71 ft. dist., and the cor. of secs. 8, 9, 16 and 17 bears N. 0° 53' 10" E., 776.84 ft. dist.
599.56	Cor. No. 2, identical with Cor. No. 2 of the Tailing MILL SITE NO. 7 of this survey, previously described.
	Thence S. 0° 00' 30" E.
37	Center of local drainage, 5 ft. wide, course N. 80° E.
361.52	Cor. No. 3, identical with Cor. No. 3 of the Tailing MILL SITE NO. 17 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 16-3-4728 and TMS 17-3-4728; from which
	The N. sixteenth-section cor. of secs. 16 and 17 bears S. 3° 27' 40" W., 204.49 ft. dist., previously described.
	Thence N. 89° 53' 28" W.
9.18	Intersect the line between secs. 16 and 17 at a point from which the N. sixteenth-section cor. of secs. 16 and 17, previously described, bears S. 0° 53' 10" W., 204.16 ft. dist., and the cor. of secs. 8, 9, 16 and 17 bears N. 0° 53' 10" E., 1138.39 ft. dist.
242	Center of local drainage, 5 ft. wide, course N. 20° E.
599.63	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 17, Tailing MILL SITE NO. 18, and Tailing MILL SITE NO. 15 of this survey.

FEET	
	Thence N. 0° 00' 09" E.
230	Center of local drainage, 8 ft. wide, course N. 55° E.
361.49	Cor. No. 1, and place of beginning.
Tailing MILL SITE NO. 17	
<p>At Cor. No. 1 of the Tailing MILL SITE NO. 17, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 1, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 2, and Cor. No. 1 of the Tailing MILL SITE NO. 18 of this survey.</p> <p>To the surface of the existing brass-capped post marking these corners, I add the following in the NW. and NE. quadrants of the cap, respectively; TMS 18-1-4728 and TMS 17-1-4728; from which</p> <p style="padding-left: 40px;">The ¼ sec. cor. of secs. 16 and 17, T. 4 S., R. 16 E., G. &amp; S. R. M., bears S. 25° 21' 27" E., 1314.81 ft. dist.; an iron post, 1 ins. diam., 12 ins. above ground, firmly set, with brass cap marked as described in the official record.</p> <p style="text-align: center;">Thence S. 89° 54' 23" E.</p>	
270	Center of local drainage, 5 ft. wide, course N. 5° W.
584.88	Intersect the line between secs. 16 and 17 at a point from which the N. sixteenth-section cor. of secs. 16 and 17, previously described, bears N. 0° 53' 10" E., 156.87 ft. dist., and the ¼ sec. cor. of secs. 16 and 17 bears S. 0° 53' 10" W., 1185.68 ft. dist.
599.70	<p>Cor. No. 2, identical with Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 1.</p> <p>To the surface of the existing brass capped post marking this corner, I add the following in the NW. quadrant of the cap: TMS 17-2-4728; from which</p> <p style="padding-left: 40px;">The N. sixteenth-section cor. of secs. 16 and 17 bears N. 4° 31' W., 157.37 ft. dist., previously described.</p> <p style="text-align: center;">Thence N. 0° 00' 30" W.</p>

FEET	
156.88	Intersect the southerly bdy. of the John Young patent, No. 567458, in N $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 16, which line is also the northerly bdy. of Arizona State land in S $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 16, at a point from which the N. sixteenth-section cor. of secs. 16 and 17, previously described, bears West, 12.37 ft. dist.
361.00	Cor. No. 3, identical with Cor. No. 3 of the Tailing MILL SITE NO. 16 of this survey.  Thence N. 89° 53' 28" W.
9.18	Intersect the line between secs. 16 and 17 at a point from which the N. sixteenth-section cor. of secs. 16 and 17 bears S. 0° 53' 10" W., 204.16 ft. dist. previously described, and the cor. of secs. 8, 9, 16 and 17 bears N. 0° 53' 10" E., 1138.39 ft. dist.
242	Center of local drainage, 5 ft. wide, course N. 20° E.
599.63	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 18, Tailing MILL SITE NO. 15, and Tailing MILL SITE NO. 16 of this survey.  Thence S. 0° 00' 09" W.
361.16	Cor. No. 1, and place of beginning.
	Tailing MILL SITE NO. 18
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 18, identical with Cor. No. 1 of the Tailing MILL SITE NO. 17 of this survey, Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 1, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 2.
	Thence S. 89° 48' 10" W.
31	Road, bears N. 45° W. and S. 35° E.
219	Road, bears N. 10° E. and South.
271	Center of local drainage, 5 ft. wide, course North.
328	Road, bears N. 5° W. and South.
601.03	Cor. No. 2, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 2, and Cors. Nos. 2 of the Tailing MILL SITE NO. 27 and Tailing MILL SITE NO. 19 of this survey.

FEET	
	<p>To the surface of the existing brass-capped post marking this corner, I add the following in the SW., NW., and NE. quadrants of the cap, respectively: TMS 27-2-4728, TMS 19-2-4728, and TMS 18-2-4728.</p> <p>Thence N. 0° 00' 12" E.</p>
360.80	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 19, Tailing MILL SITE NO. 14, and Tailing MILL SITE NO. 15 of this survey.</p> <p>Thence N. 89° 46' 06" E.</p>
191	Road, bears N. 35° W. and S. 10° E.
376	Center of local drainage, 6 ft. wide, course N. 10° E.
601.03	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 15, Tailing MILL SITE NO. 16, and Tailing MILL SITE NO. 17 of this survey.</p> <p>Thence S. 0° 00' 09" W.</p>
361.16	Cor. No. 1, and place of beginning.
<p>Tailing MILL SITE NO. 19</p> <p>At Cor. No. 1 of the Tailing MILL SITE NO. 19, identical with Cors. No. 1 of the Tailing MILL SITE NO. 27, Tailing MILL SITE NO. 26, and Tailing MILL SITE NO. 20 of this survey.</p> <p>Set a brass cap, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 19-1, TMS 27-1, TMS 26-1, TMS 20-1-4728; from which</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears S. 56° 11' 38" E., 2126.65 ft. dist., previously described.</p> <p>Thence N. 89° 53' 14" E.</p>	
20	Road, bears North and South.
314	Center of local drainage, 4 ft. wide, course N. 20° E.
599.52	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 18 and Tailing MILL SITE NO. 27 of this survey, and Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 2.</p>

FEET	
	Thence N. 0° 00' 12" E.
360.80	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 14, Tailing MILL SITE NO. 15, and Tailing MILL SITE NO. 18 of this survey.
	Thence N. 89° 57' 30" W.
26	Road, bears N. 30° E. and S. 30° W.
135	Center of local drainage, 5 ft. wide, course N. 35° E.
227	Road, bears N. 30° E. and S. 20° W.
599.44	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 20, Tailing MILL SITE NO. 13, and Tailing MILL SITE NO. 14 of this survey.
	Thence S. 0° 00' 53" W.
362.42	Cor. No. 1, and place of beginning.
	Tailing MILL SITE NO. 20
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 20, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 19, Tailing MILL SITE NO. 27, and Tailing MILL SITE NO. 26 of this survey.
	Thence S. 89° 17' 55" W.
317	Center of local drainage, 5 ft. wide, course N. 40° E.
601.18	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 26, Tailing MILL SITE NO. 25, and Tailing MILL SITE NO. 21 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 20-2, TMS 26-2, TMS 25-2, and TMS 21-2-4728.
	Thence N. 0° 00' 30" W.
233	Road at easterly end of lower tailings dam; road bears northeasterly and N. 68° W. across crest of dam.

FEET	
361.07	<p>The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 21, Tailing MILL SITE NO. 12, and Tailing MILL SITE NO. 13 of this survey, previously described.</p> <p style="text-align: center;">Thence N.89° 10' 12" E.</p>
21	Road, bears N. 40° E. and S. 40° W.
496	Center of local drainage, 6 ft. wide, course N. 35° E.
601.35	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 13, Tailing MILL SITE NO. 14, and Tailing MILL SITE NO. 19 of this survey.</p> <p style="text-align: center;">Thence S. 0° 00' 53" W.</p>
362.42	Cor. No. 1, and place of beginning.
Tailing MILL SITE NO. 21	
<p>At the true point for Cor. No. 1 of the Tailing MILL SITE NO. 21, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 25, Tailing MILL SITE NO. 24, and Tailing MILL SITE NO. 22 of this survey.</p>	
<p>This corner falls in a near-vertical cut-slope above a haul road where a monument cannot be established, witnessed S. 0° 00' 06" E., 42.88 ft. dist., hereinafter described; from which</p>	
<p style="text-align: center;">The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears S. 68° 13' 22" E., 3195.77 ft. dist., previously described.</p>	
Thence S. 89° 04' 02" E.	
22	Haul road, bears N. 45° E. and S. 45° W.
356	Center of dry wash, 8 ft. wide, course N. 30° W.
599.56	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 20, Tailing MILL SITE NO. 26, and Tailing MILL SITE NO. 25 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 30" W.</p>

FEET	
233	Road at easterly end of lower tailings dam; road bears northeasterly and N. 68° W. across crest of dam.
361.07	The true point for Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 12, Tailing MILL SITE NO. 13, and Tailing MILL SITE NO. 20 of this survey, previously described.  Thence N. 89° 03' 24" W.
60	Center of dry wash, 10 ft. wide, course N. 10° E.
268	Road, bears N. 30° E. and S. 30° W.
335	Enter borrow pit, rim of pit bears N. 45° W. and S. 45° E.
549	Leave borrow pit, rim of pit bears N. 40° E. and S. 25° W.
564	Road, bears N. 40° E. and S. 40° W.
599.51	Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 22 and Tailing MILL SITE NO. 12 of this survey.  Thence S. 0° 00' 06" E.
71	Road, bears N. 30° E. and S. 32° W.
361.18	Cor. No. 1, and place of beginning.
Tailing MILL SITE NO. 22	
Beginning at the true point for Cor. No. 1 of the Tailing MILL SITE NO. 22, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 21, Tailing MILL SITE NO. 25, and Tailing MILL SITE NO. 24 of this survey, previously described.	
Thence S. 89° 47' 40" W.	
118	Enter borrow pit, rim of pit bears N. and S.
260	Road, bears N. 50° E. and S. 60° W.
343	Leave borrow pit, rim of pit bears N. 75° E. and S. 75° W.

FEET	
601.73	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 24 and Tailing MILL SITE NO. 23 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 22-2, TMS 24-2, and TMS 23-2-4728.</p> <p>Thence N. 0° 01' 28" W.</p>
222	<p>Center of local drainage, 3 ft. wide, course N. 75° E.</p>
361.93	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 22-3-4728.</p> <p>Thence N. 89° 51' 57" E.</p>
336	<p>Center of local drainage, 4 ft. wide, course N. 50° E.</p>
601.88	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 12 and Tailing MILL SITE NO. 21 of this survey.</p> <p>Thence S. 0° 00' 06" E.</p>
71	<p>Road, bears N. 30° E. and S. 32° W.</p>
361.18	<p>Cor. No. 1, and place of beginning.</p>
Tailing MILL SITE NO. 23	
<p>At Cor. No. 1 of the Tailing MILL SITE NO. 23, identical with Cor. No. 4 of the Tailing MILL SITE NO. 31 of this survey.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 23-1-4728 and TMS 31-4-4728; from which</p>	
<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears S. 74° 05' 54" E., 4331.74 ft. dist., previously described.</p>	
<p>Thence S. 89° 40' 35" E.</p>	
596.56	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 22 and Tailing MILL SITE NO. 24 of this survey.</p> <p>Thence S. 0° 01' 28" E.</p>

FEET	
76	Road, bears West and S. 80° E.
176	Abandoned road, bears N. 75° W. and S. 75° E.
316	Center of local drainage, 4 ft. wide, course N. 85° E.
361.03	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 24, Tailing MILL SITE NO. 29, and Tailing MILL SITE NO. 30 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 23-3, TMS 24-3, TMS 29-3, and TMS 30-3-4728.</p> <p style="text-align: center;">Thence N. 89° 46' 18" W.</p>
474	Road, bears N. 20° W. and S. 10° E.
596.86	<p>Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 30, on line 4-1 of the Tailing MILL SITE NO. 31 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 23-4-4728 and TMS 30-4-4728.</p> <p style="text-align: center;">Thence N. 0° 01' 32" E.</p>
362.02	Cor. No. 1, and place of beginning.
<p>Tailing MILL SITE NO. 24</p> <p>Beginning at the true point for Cor. No. 1 of the Tailing MILL SITE NO. 24, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 22, Tailing MILL SITE NO. 21, and Tailing MILL SITE NO. 25 of this survey, previously described.</p> <p style="text-align: center;">Thence S. 89° 47' 40" W.</p>	
118	Enter borrow pit, rim of pit bears N. and S.
260	Road, bears N. 50° E. and S. 60° W.
343	Leave borrow pit, rim of pit bears N. 75° E. and S. 75° W.
601.73	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 23 and Tailing MILL SITE NO. 22 of this survey.

FEET	
	Thence S. 0° 01' 28" E.
76	Road, bears West and S. 80° E.
176	Abandoned road, bears N. 75° W. and S. 75° E.
316	Center of local drainage, 4 ft. wide, course N. 85° E.
361.03	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 29, Tailing MILL SITE NO. 30, and Tailing MILL SITE NO. 23 of this survey.
	Thence N. 89° 48' 30" E.
200	Center of local drainage, 5 ft. wide, course S. 85° E.
520	Upstream toe of tailings dam; toe of slope bears North and South.
601.59	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 25, Tailing MILL SITE NO. 28, and Tailing MILL SITE NO. 29 of this survey.
	This corner falls in the upstream slope of a recently-constructed tailings dam at a point which will soon be covered with mill tailings; consequently, no monument was set.
	Set a temporary spike for Cor. No. 4.
	Thence N. 0° 00' 06" W.
25	Crest of tailings dam and center of road, width 20 feet, crest and road bear N. 30° W. and S. 30° E.
117	Downstream toe of tailings dam; toe of slope bears N. 75° W. and S. 75° E.
318.30	A point selected for witness Cor. No. 1, identical with witness Cors. Nos. 1 of the Tailing MILL SITE NO. 22, Tailing MILL SITE NO. 21, and Tailing MILL SITE NO. 25 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. WC - TMS 24-1, TMS 22-1, TMS 21-1, and TMS 25-1-4728.
340	Haul road, bears N. 45° E. and S. 40° W.
361.18	Cor. No. 1, and place of beginning.

(This form bound on left side)

FEET	
	<p style="text-align: center;">Tailing MILL SITE NO. 25</p> <p>Beginning at the true point for Cor. No. 1 of the Tailing MILL SITE NO. 25, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 24, Tailing MILL SITE NO. 22, and Tailing MILL SITE NO. 21 of this survey, previously described.</p> <p style="text-align: center;">Thence S. 89° 04' 02" E.</p>
22	Haul road, bears N. 45° E. and S. 45° W.
356	Center of dry wash, 8 ft. wide, course N. 30° W.
599.56	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 21, Tailing MILL SITE NO. 20, and Tailing MILL SITE NO. 26 of this survey.
	Thence S. 0° 00' 30" E.
341	Center of local drainage, 4 ft. wide, course N. 40° E.
363.79	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 26 and Tailing MILL SITE NO. 28 of this survey, and Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3.
	<p>To the surface of the brass-capped post marking this corner, I add the following in the SW., NW., and NE. quadrants of the cap, respectively: TMS 28-3-4728, TMS 25-3-4728, and TMS 26-3-4728.</p> <p style="text-align: center;">Thence N. 88° 49' 05" W.</p>
18	Center of local drainage, 4 ft. wide, course N. 40° E.
551	Downstream toe of tailings dam; toe of slope bears North and South.
586	Crest of tailings dam and center of road, width 20 feet, crest and road bear N. 30° W. and S. 30° E.
599.65	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 28, Tailing MILL SITE NO. 29, and Tailing MILL SITE NO. 24 of this survey, previously described.
	Thence N. 0° 00' 06" W.

FEET	
25	Crest of tailings dam and center of road, width 20 feet, crest of dam and road bear N. 30° W. and S. 30° E.
117	Downstream toe of tailings dam; toe of slope bears N. 75° W. and S. 75° E.
318.30	Witness Cor. No. 1, previously described.
340	Haul road, bears N. 45° E. and S. 40° W.
361.18	Cor. No. 1, and place of beginning.
<p>Tailing MILL SITE NO. 26</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 26, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 20, Tailing MILL SITE NO. 19 and Tailing MILL SITE NO. 27 of this survey.</p> <p>Thence S. 89° 17' 55" W.</p>	
317	Center of local drainage, 5 ft. wide, course N. 40° E.
601.18	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 25, Tailing MILL SITE NO. 21, and Tailing MILL SITE NO. 20 of this survey.
<p>Thence S. 0° 00' 30" E.</p>	
341	Center of local drainage, 4 ft. wide, course N. 40° E.
363.79	Cor. No. 3, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3, and Cors. Nos. 3 of the Tailing MILL SITE NO. 28 and Tailing MILL SITE NO. 25 of this survey.
<p>Thence N. 88° 56' 17" E.</p>	
290	Center of local drainage, 5 ft. wide, course N. 20° W.
601.10	Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 27 of this survey, and Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 4, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3.
<p>To the surface of the existing brass-capped post marking this corner, I add the following in the NW. and NE. quadrants of the cap, respectively: TMS 26-4-4728 and TMS 27-4-4728.</p>	

FEET	
360.01	<p style="text-align: center;">Thence N. 0° 00' 53" E.</p> <p>Cor. No. 1, and place of beginning.</p>
20 314 599.52 362.69 310 552 599.60 360.01	<p style="text-align: center;">Tailing MILL SITE NO. 27</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 27, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 26, Tailing MILL SITE NO. 20, and Tailing MILL SITE NO. 19 of this survey.</p> <p style="text-align: center;">Thence N. 89° 53' 14" E.</p> <p>Road, bears North and South.</p> <p>Center of local drainage, 4 ft. wide, course N. 20° E.</p> <p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 19 and Tailing MILL SITE NO. 18 of this survey, and Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 2.</p> <p style="text-align: center;">Thence S. 0° 00' 06" W.</p> <p>Cor. No. 3, identical with Cor. No. 2 Sur. No. 4669 CHRISTMAS MILL SITE NO. 2, Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 5, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 4.</p> <p>To the surface of the existing brass-capped post marking these corners, I add the following in the NW. quadrant of the cap: TMS 27-3-4728.</p> <p style="text-align: center;">Thence N. 89° 51' 24" W.</p> <p>Center of local drainage, 4 ft. wide, course North.</p> <p>Road, bears N. 15° W. and S. 15° E.</p> <p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 4, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3, and Cor. No. 4 of the Tailing MILL SITE NO. 26 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 53" E.</p> <p>Cor. No. 1, and place of beginning.</p>

FEET	
	<p style="text-align: center;">Tailing MILL SITE NO. 28</p> <p>At Cor. No. 1 of the Tailing MILL SITE NO. 28, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 35, Tailing MILL SITE NO. 34, and Tailing MILL SITE NO. 29 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 28-1, TMS 35-1, TMS 34-1, and TMS 29-1-4728; from which</p> <p style="padding-left: 40px;">The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears S. 81° 07' 39" E., 3,003.62 ft. dist., prev. described.</p> <p style="text-align: center;">Thence S. 88° 50' 55" E.</p>
144	Road, bears N. 65° E. and S. 60° W.
403	Center of local drainage, 4 ft. wide, course North.
599.67	<p>Cor. No. 2, identical with Cor. No. 2 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3, Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 10, and Cor. No. 2 of the Tailing MILL SITE NO. 35 of this survey.</p> <p>To the surface of the existing brass-capped post marking these corners, I add the following in the SW. and NW. quadrants of the cap, respectively: TMS 35-2-4728 and TMS 28-2-4728.</p> <p style="text-align: center;">Thence N. 0° 00' 27" W.</p>
360.87	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 25 and Tailing MILL SITE NO. 26 of this survey, and Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3.</p> <p style="text-align: center;">Thence N. 88° 49' 05" W.</p>
18	Center of local drainage, 4 ft. wide, course N. 40° E.
551	Downstream toe of tailings dam; toe of slope bears North and South.
586	Crest of tailings dam and center of road, width 20 feet, crest and road bear N. 30° W. and S. 30° E.
599.65	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Tailings MILL SITE NO. 29, Tailings MILL SITE NO. 24, and Tailings MILL SITE NO. 25 of this survey, previously described.

(This form bound on left side)

FEET	
	Thence S. 0° 00' 06" E.
40	Upstream toe of tailings dam; toe of slope bears S. 80° E. and N. 80° W.
361.19	Cor. No. 1, and place of beginning.
Tailing MILL SITE NO. 29	
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 29, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 28, Tailing MILL SITE NO. 35, and Tailing MILL SITE NO. 34 of this survey.
	Thence S. 89° 48' 27" W.
300	Enter dry wash, 10 ft. wide, course N. 60° E.
380	Leave dry wash, 10 ft. wide, course East.
601.44	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 34, Tailing MILL SITE NO. 33, and Tailing MILL SITE NO. 30 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 29-2, TMS 34-2, TMS 33-2, and TMS 30-2-4728.
	Thence N. 0° 01' 28" W.
361.20	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 30, Tailing MILL SITE NO. 23, and Tailing MILL SITE NO. 24 of this survey.
	Thence N. 89° 48' 30" E.
200	Center of local drainage, 5 ft. wide, course S. 85° E.
530	Upstream toe of tailings dam; toe of slope bears North and South.
601.59	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the Tailings MILL SITE NO. 24, Tailings MILL SITE NO. 25, and Tailings MILL SITE NO. 28 of this survey, previously described.
	Thence S. 0° 00' 06" E.
40	Upstream toe of tailings dam; toe of slope bears S. 80° E. and N. 80° W.
361.19	Cor. No. 1, and place of beginning.

FEET	
	<p>Tailing MILL SITE NO. 30</p> <p>At Cor. No. 1 of the Tailing MILL SITE NO. 30, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 33, Tailing MILL SITE NO. 32, and Tailing MILL SITE NO. 31 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 30-1, TMS 33-1, TMS 32-1, and TMS 31-1-4728; from which</p> <p>The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears S. <math>83^{\circ} 39' 34''</math> E., 4191.95 ft. dist., previously described.</p> <p>Thence S. <math>89^{\circ} 50' 13''</math> E.</p>
375	Road, bears N. $70^{\circ}$ E. and S. $70^{\circ}$ W.
597.19	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 29, Tailing MILL SITE NO. 34, and Tailing MILL SITE NO. 33 of this survey.
	Thence N. $0^{\circ} 01' 28''$ W.
361.20	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 23, Tailing MILL SITE NO. 24, and Tailing MILL SITE NO. 29 of this survey.
	Thence N. $89^{\circ} 46' 18''$ W.
474	Road, bears N. $20^{\circ}$ W. and S. $10^{\circ}$ E.
596.86	Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 23, on line 4-1 of the Tailing MILL SITE NO. 31 of this survey.
	Thence S. $0^{\circ} 01' 32''$ W.
361.88	Cor. No. 1, and place of beginning.
	<p>Tailing MILL SITE NO. 31</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 31, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 30, Tailing MILL SITE NO. 33, and Tailing MILL SITE NO. 32 of this survey.</p> <p>Thence S. <math>87^{\circ} 54'</math> W.</p>
296.13	Cor. No. 2, identical with Cor. No. 5 of the Tailing MILL SITE NO. 32 of this survey.

(This form bound on left side)

FEET	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 31-2-4728 and TMS 32-5-4728.</p> <p>Thence N. 0° 03' 19" E.</p>
735.23	<p>Cor. No. 3.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. TMS 31-3-4728.</p> <p>Thence S. 89° 54' 30" E.</p>
296.97	<p>Cor. No. 4, identical with Cor. No. 1 of the Tailing MILL SITE NO. 23 of this survey.</p> <p>Thence S. 0° 01' 32" W.</p>
362.02	<p>Intersect Cors. Nos. 4 of the Tailing MILL SITE NO. 23 and Tailing MILL SITE NO. 30 of this survey.</p>
723.90	<p>Cor. No. 1, and place of beginning.</p>
	<p>Tailing MILL SITE NO. 32</p> <p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 32, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 31, Tailing MILL SITE NO. 30, and Tailing MILL SITE NO. 33 of this survey.</p> <p>Thence S. 0° 01' 32" W.</p>
294	<p>Road, bears East and N. 55° W.</p>
361.16	<p>Cor. No. 2, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 33, Tailing MILL SITE NO. 36, and Tailing MILL SITE NO. 37 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. TMS 32-2, TMS 33-4, TMS 36-4, and TMS 37-4-4728.</p> <p>Thence S. 88° 04' 43" W.</p>
601.92	<p>Cor. No. 3, identical with Cor. No. 3 of the Tailing MILL SITE NO. 37, on line 1-2 of the Tailing MILL SITE NO. 38 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 32-3-4728 and TMS 37-3-4728.</p> <p>Thence N. 0° 01' 45" E.</p>
15	<p>Road, bears N. 85° E. and S. 85° W.</p>

FEET		
362.03	<p>Cor. No. 4, identical with Cor. No. 1 of the Tailing MILL SITE NO. 38 of this survey.</p>	
	<p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 32-4-4728 and TMS 38-1-4728.</p>	
	<p>Thence N. 88° 25' E.</p>	
305.74	<p>Cor. No. 5, identical with Cor. No. 2 of the Tailing MILL SITE NO. 31 of this survey.</p>	
	<p>Thence N. 87° 54' E.</p>	
296.13	<p>Cor. No. 1, and place of beginning.</p>	
	<p>Tailing MILL SITE NO. 33</p>	
	<p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 33, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 32, Tailing MILL SITE NO. 31, and Tailing MILL SITE NO. 30 of this survey.</p>	
	<p>Thence S. 89° 50' 13" E.</p>	
375	<p>Road, bears N. 70° E. and S. 70° W.</p>	
597.19	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 30, Tailing MILL SITE NO. 29, and Tailing MILL SITE NO. 34 of this survey.</p>	
	<p>Thence S. 0° 01' 28" E.</p>	
361.68	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 34, and Tailing MILL SITE NO. 36 of this survey, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 11.</p>	
	<p>To the surface of the existing brass-capped post marking this corner I add the following in the SW. NW., and NE. quadrants, respectively: TMS 36-3-4728, TMS 33-3-4728, and TMS 34-3-4728.</p>	
	<p>Thence N. 89° 47' 14" W.</p>	
597.50	<p>Cor. No. 4, identical with Cors. Nos. 4 of the Tailing MILL SITE NO. 36 and Tailing MILL SITE NO. 37, and Cor. No. 2 of the Tailing MILL SITE NO. 32 of this survey.</p>	
	<p>Thence N. 0° 01' 32" E.</p>	
67.16	<p>Road, bears East and N. 55° W.</p>	
361.16	<p>Cor. No. 1, and place of beginning.</p>	

(This form bound on left side)

FEET	
	Tailing MILL SITE NO. 34
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 34, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 29, Tailing MILL SITE NO. 28, and Tailing MILL SITE NO. 35 of this survey.
	Thence S. 89° 48' 27" W.
300	Enter dry wash, 10 ft. wide, course N. 60° E.
380	Leave dry wash, 10 ft. wide, course East.
601.44	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 33, Tailing MILL SITE NO. 30, and Tailing MILL SITE NO. 29 of this survey.
	Thence S. 0° 01' 28" E.
361.68	Cor. No. 3, identical with Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 11, and Cors. Nos. 3 of the Tailing MILL SITE NO. 36 and Tailing MILL SITE NO. 33 of this survey.
	Thence N. 89° 48' 34" E.
75	Center of dry wash, 10 ft. wide, course N. 10° W.
601.30	Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 35 of this survey, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 12, and Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 11.
	To the surface of the existing brass-capped post marking these corners, I add the following in the NW. and NE. quadrants of the cap respectively: TMS 34-4-4728 and TMS 35-4-4728.
	Thence N. 0° 00' 06" W.
361.70	Cor. No. 1, and place of beginning.
	Tailing MILL SITE NO. 35
	Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 35, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 34, Tailing MILL SITE NO. 29, and Tailing MILL SITE NO. 28 of this survey.
	Thence S. 88° 50' 55" E.
144	Road, bears N. 65° E. and S. 60° W.
403	Center of local drainage, 4 ft. wide, course North.

FEET	
599.67	<p>Cor. No. 2, identical with Cor. No. 2 of the Tailing MILL SITE NO. 28 of this survey, Cor. No. 2 Sur. No. 4669 CHRISTMAS MILL SITE NO. 3, and Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 10.</p> <p style="text-align: center;">Thence SOUTH</p>
361.24	<p>Cor. No. 3, identical with Cor. No. 2 Sur. No. 4669 CHRISTMAS MILL SITE NO. 10, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 13, and Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 12.</p> <p>To the surface of the existing brass-capped post marking these corners I add the following in the NW. quadrant of the cap: TMS 35-3-4728.</p> <p style="text-align: center;">Thence N. 88° 53' 33" W.</p>
572	<p>Road, bears N. 15° E. and S. 30° W.</p>
599.65	<p>Cor. No. 4, identical with Cors. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 12, Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 11, and Cor. No. 4 of the Tailing MILL SITE NO. 34 of this survey.</p> <p style="text-align: center;">Thence N. 0° 00' 06" W.</p>
361.70	<p>Cor. No. 1, and place of beginning.</p>
<p>Tailing MILL SITE NO. 36</p>	
<p>At Cor. No. 1 of the Tailing MILL SITE NO. 36, identical with Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 23, and Cors. Nos. 1 of the Tailing MILL SITE NO. 40 and Tailing MILL SITE NO. 37 of this survey.</p>	
<p>To the surface of the existing brass-capped post marking this corner, I add the following in the SW., NW., and NE. quadrants of the cap, respectively: TMS 40-1-4728, TMS 37-1-4728, and TMS 36-1-4728; from which</p>	
<p style="text-align: center;">The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears N. 86° 24' 56" E., 4174.80 ft. dist., previously described.</p>	
<p style="text-align: center;">Thence S. 89° 51' 16" E.</p>	
188	<p>Center of local drainage, 7 ft. wide, course N. 50° E.</p>

(This form bound on left side)

FEET	
597.99	<p>Cor. No. 2, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 11, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 22, and Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 23.</p> <p>To the surface of the existing brass-capped post marking these corners, I add the following in the NW. quadrant of the cap: TMS 36-2-4728.</p> <p style="text-align: center;">Thence N. 0° 03' 10" W.</p>
270	<p>Center of dry wash, 10 ft. wide, course S. 50° E.</p>
362.10	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 33 and Tailing MILL SITE NO. 34 of this survey, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 11.</p> <p style="text-align: center;">Thence N. 89° 47' 14" W.</p>
597.50	<p>Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 37, Cor. No. 2 of the Tailing MILL SITE NO. 32, and Cor. No. 4 of the Tailing MILL SITE NO. 33 of this survey.</p> <p style="text-align: center;">Thence S. 0° 01' 32" W.</p>
161	<p>Center of local drainage, 4 ft. wide, course S. 80° E.</p>
362.80	<p>Cor. No. 1, and place of beginning.</p>
<p>Tailing MILL SITE NO. 37</p>	
<p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 37, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 36 and Tailing MILL SITE NO. 40 of this survey, and Cor. No. 4 of Sur. No. 4669 CHRISTMAS MILL SITE NO. 23.</p> <p style="text-align: center;">Thence S. 88° 17' 51" W.</p>	
413	<p>Road, bears N. 65° W. and S. 60° E.</p>
601.87	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 40, Tailing MILL SITE NO. 39, and Tailing MILL SITE NO. 38 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 37-2, TMS 40-2, TMS 39-2, and TMS 38-2-4728.</p> <p style="text-align: center;">Thence N. 0° 01' 45" E.</p>

FEET	
91	Road, bears N. 68° W. and S. 68° E.
360.50	Cor. No. 3, identical with Cor. No. 3 of the Tailing MILL SITE NO. 32, on line 1-2 of the Tailing MILL SITE NO. 38 of this survey.  Thence N. 88° 04' 43" E.
601.92	Cor. No. 4, identical with Cor. No. 2 of the Tailing MILL SITE NO. 32, and Cors. Nos. 4 of the Tailing MILL SITE NO. 33 and Tailing MILL SITE NO. 36 of this survey.  Thence S. 0° 01' 32" W.
161	Center of local drainage, 4 ft. wide, course S. 80° E.
362.80	Cor. No. 1, and place of beginning.
Tailing MILL SITE NO. 38	
Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 38, identical with Cor. No. 4 of the Tailing MILL SITE NO. 32 of this survey; from which	
The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears S. 84° 41' 03" E., 4788.46 ft. dist., previously described.	
Thence S. 0° 01' 45" W.	
347.03	Road, bears N. 85° E. and S. 85° W.
362.03	Intersect Cors. Nos. 3 of the Tailing MILL SITE NO. 32 and Tailing MILL SITE NO. 37 of this survey.
631.53	Road, bears N. 68° W. and S. 68° E.
722.53	Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 37, Tailing MILL SITE NO. 40, and Tailing MILL SITE NO. 39 of this survey.  Thence N. 88° 36' 42" W.
298.61	Cor. No. 3, established on line 1-2 of the Tailing MILL SITE NO. 39 of this survey.  Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 38-3-4728.  Thence N. 0° 00' 50" E.

FEET	
707.04	<p>Cor. No. 4.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 38-4-4728.</p> <p>Thence N. 88° 25' E.</p>
40	<p>Center of local drainage, 4 ft. wide, course N. 45° W.</p>
298.83	<p>Cor. No. 1, and place of beginning.</p>
<p>Tailing MILL SITE NO. 39</p>	
<p>At Cor. No. 1 of the Tailing MILL SITE NO. 39.</p>	
<p>Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. TMS 39-1-4728; from which</p>	
<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 17 bears N. 87° 10' 52" E., 5375.13 ft. dist., previously described.</p>	
<p>Thence S. 88° 36' 42" E.</p>	
301.97	<p>Intersect Cor. No. 3 of the Tailing MILL SITE NO. 38 of this survey.</p>
600.58	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 38, Tailing MILL SITE NO. 37, and Tailing MILL SITE NO. 40 of this survey.</p>
<p>Thence S. 0° 01' 45" W.</p>	
302	<p>Road, bears N. 65° E. and S. 70° W.</p>
360.00	<p>Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 40 and Tailing MILL SITE NO. 41 of this survey and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 24.</p>
<p>To the surface of the existing brass-capped post marking this corner, I add the following in the SW., NW., and NE. quadrants of the cap, respectively: TMS 41-3-4728, TMS 39-3-4728, and TMS 40-3-4728.</p>	
<p>Thence N. 88° 47' 47" W.</p>	
142	<p>Road, bears N. 55° E. and S. 55° W.</p>
600.36	<p>Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 41 of this survey.</p> <p>Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. TMS 39-4-4728 and TMS 41-4-4728.</p>

FEET	
361.94	<p>Thence N. 0° 00' 06" E. Cor. No. 1, and place of beginning.</p>
	<p>Tailing MILL SITE NO. 40</p>
	<p>Beginning at Cor. No. 1 of the Tailing MILL SITE NO. 40, identical with Cors. Nos. 1 of the Tailing MILL SITE NO. 37 and Tailing MILL SITE NO. 36 of this survey, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 23.</p>
413	<p>Thence S. 88° 17' 51" W. Road, bears N. 65° W. and S. 60° E.</p>
601.87	<p>Cor. No. 2, identical with Cors. Nos. 2 of the Tailing MILL SITE NO. 39, Tailing MILL SITE NO. 38, and Tailing MILL SITE NO. 37 of this survey.</p>
302	<p>Thence S. 0° 01' 45" W. Road, bears N. 65° E. and S. 70° W.</p>
360.00	<p>Cor. No. 3, identical with Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 24, and Cors. Nos. 3 of the Tailing MILL SITE NO. 41 and Tailing MILL SITE NO. 39 of this survey.</p>
470	<p>Thence N. 88° 35' 26" E. Center of local drainage, 6 ft. wide, course N. 75° E.</p>
601.76	<p>Cor. No. 4, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 23, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 25, and Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 24.</p>
122	<p>To the surface of the existing brass-capped post marking these corners, I add the following in the NW. quadrant of the cap: TMS 40-4-4728. Thence N. 0° 01' 56" E. Center of local drainage, 6 ft. wide, course N. 50° E.</p>
363.08	<p>Cor. No. 1, and place of beginning.</p>

(This form bound on left side)

FEET	
	Tailing MILL SITE NO. 41
	At Cor. No. 1 of the Tailing MILL SITE NO. 41, identical with Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 40 and Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 41.
	To the surface of the existing brass-capped post marking these corners, I add the following in the NE. quadrant of the cap: TMS 41-1-4728; from which
	The $\frac{1}{4}$ sec. cor. of secs. 16 and 17 bears N. $79^{\circ} 34' 20''$ E., 5458.81 ft. dist., previously described.
	Thence S. $88^{\circ} 50' 28''$ E.
50	Road, bears North and South.
600.18	Cor. No. 2, identical with Cor. No. 3 Sur. No. 4669 CHRISTMAS MILL SITE NO. 24, Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 39, and Cor. No. 1 Sur. No. 4669 CHRISTMAS MILL SITE NO. 40.
	To the surface of the existing brass-capped post marking these corners, I add the following in the NW. quadrant of the cap: TMS 41-2-4728.
	Thence N. $0^{\circ} 01' 45''$ E.
182	Center of local drainage, 4 ft. wide, course N. $80^{\circ}$ E.
361.27	Cor. No. 3, identical with Cors. Nos. 3 of the Tailing MILL SITE NO. 39 and Tailing MILL SITE NO. 40 of this survey, and Cor. No. 4 Sur. No. 4669 CHRISTMAS MILL SITE NO. 24.
	Thence N. $88^{\circ} 47' 47''$ W.
142	Road, bears N. $55^{\circ}$ E. and S. $55^{\circ}$ W.
600.36	Cor. No. 4, identical with Cor. No. 4 of the Tailing MILL SITE NO. 39 of this survey.
	Thence S. $0^{\circ} 00' 06''$ W.
361.74	Cor. No. 1, and place of beginning.

FEET	AREAS	acres
	Total area, Tailing MILL SITE NO. 1	2.737
	Area in conflict with-- Henry Young patent, No. 852760 in SE $\frac{1}{4}$ sec. 8	1.146
	Total area, Tailing MILL SITE NO. 2	2.729
	Area in conflict with-- Henry Young patent No. 852760 in SE $\frac{1}{4}$ sec. 8	0.807
	Total area, Tailing MILL SITE NO. 3	4.944
	Total area, Tailing MILL SITE NO. 4	4.930
	Total area, Tailing MILL SITE NO. 5	4.969
	Total area, Tailing MILL SITE NO. 6	4.955
	Total area, Tailing MILL SITE NO. 7	4.980
	Area in conflict with-- John Young patent. No. 567458 in N $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 16	0.009
	Total area Tailing MILL SITE NO. 8	4.991
	Total area, Tailing MILL SITE NO. 9	4.976
	Total area, Tailing MILL SITE NO. 10	4.990
	Total area, Tailing MILL SITE NO. 11	4.968
	Total area, Tailing MILL SITE NO. 12	4.963
	Total area, Tailing MILL SITE NO. 13	4.988
	Total area, Tailing MILL SITE NO. 14	4.977
	Total area, Tailing MILL SITE NO. 15	4.990
	Total area, Tailing MILL SITE NO. 16	4.976
	Area in conflict with-- John Young patent No. 567458 in N $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 16	0.053
	Total area, Tailing MILL SITE NO. 17	4.971
	Area in conflict with-- John Young patent No. 567458 in N $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 16	0.051
	Arizona State land in S $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 16	0.049
	Total area, Tailing MILL SITE NO. 18	4.981
	Total area, Tailing MILL SITE NO. 19	4.977
	Total area, Tailing MILL SITE NO. 20	4.993

(This form bound on left side)

FEET	acres
Total area, Tailing MILL SITE NO. 21	4.970
Total area, Tailing MILL SITE NO. 22	4.995
Total area, Tailing MILL SITE NO. 23	4.952
Total area, Tailing MILL SITE NO. 24	4.988
Total area, Tailing MILL SITE NO. 25	4.989
Total area, Tailing MILL SITE NO. 26	4.994
Total area, Tailing MILL SITE NO. 27	4.974
Total area, Tailing MILL SITE NO. 28	4.969
Total area, Tailing MILL SITE NO. 29	4.988
Total area, Tailing MILL SITE NO. 30	4.955
Total area, Tailing MILL SITE NO. 31	4.965
Total area, Tailing MILL SITE NO. 32	4.984
Total area, Tailing MILL SITE NO. 33	4.956
Total area, Tailing MILL SITE NO. 34	4.993
Total area, Tailing MILL SITE NO. 35	4.975
Total area, Tailing MILL SITE NO. 36	4.974
Total area, Tailing MILL SITE NO. 37	4.995
Total area, Tailing MILL SITE NO. 38	4.900
Total area, Tailing MILL SITE NO. 39	4.975
Total area, Tailing MILL SITE NO. 40	4.993
Total area, Tailing MILL SITE NO. 41	4.981
LOCATION	
<p>This survey is located in surveyed secs. 8 and 16, and in unsurveyed sec. 17, T. 4 S., R. 16 E., of the Gila and Salt River Meridian, Gila County, Arizona.</p> <p>The survey of the forty-one (41) mill site claims embraced in this order for mineral survey and described herein is identical with the respective locations as marked on the ground, except as limited by current construction activities pertinent to the extraction of copper from ores of the Christmas Mine.</p>	

FEET

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Note pertaining to all monuments found at the cors. of Sur. No. 4669 CHRISTMAS MILL SITES NOs. 1, 2, 3, 4, 5, 10, 11, 12, 13, 22, 23, 24, 25, 39, 40, and 41: All corners are 2 ins. diam. brass caps mounted atop 1 ins. diam. galv. pipe posts, firmly set, and marked as described in the official record of Sur. No. 4669.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 1:  
Line 3-4 was found to be S. 89° 54' 23" E., 599.70 ft., instead of S. 89° 54' 40" E., 600.28 ft., as approved. Lines 2-3 and 4-1 shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 2:  
Line 2-3 was found to be N. 0° 00' 06" E., 362.69 ft., instead of N. 0° 00' 16" E., 362.61 ft., as approved. Line 3-4 was found to be N. 89° 48' 10" E., 601.03 ft., instead of N. 89° 47' 55" E., 600.57 ft., as approved. Lines 1-2 and 4-1 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 3:  
Line 2-3 was found to be N. 0° 00' 27" W., 360.87 ft., instead of N. 0° 00' 10" E., 360.95 ft., as approved. Line 3-4 was found to be N. 88° 56' 17" E., 601.10 ft., instead of N. 88° 55' 57" E., 601.14 ft., as approved. Lines 1-2 and 4-1 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 4:  
Line 3-4 was found to be S. 89° 51' 24" E., 599.60 ft., instead of S. 89° 51' 58" E., 599.79 ft., as approved. Lines 2-3 and 4-1 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 5:  
Lines 2-3 and 3-4 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 10:  
Line 2-3 was found to be NORTH, 361.24 ft., instead of N. 0° 00' 10" E., 361.00 ft., as approved. Lines 1-2 and 3-4 are shown as approved.

FEET

Sur. No. 4669 CHRISTMAS MILL SITE NO. 11:  
 Lines 3-4 was found to be N.  $0^{\circ} 03' 10''$  W.,  
 362.10 ft., instead of N.  $0^{\circ} 00' 44''$  W.,  
 362.00 ft., as approved. Line 4-1 was found to  
 be N.  $89^{\circ} 48' 34''$  E., 601.30 ft., instead of  
 N.  $89^{\circ} 46' 47''$  E., 600.88 ft., as approved.  
 Lines 1-2 and 2-3 are shown as approved. From  
 Cor. No. 1, the  $\frac{1}{4}$  sec. cor. of secs. 16 and 17  
 bears S.  $88^{\circ} 02' 24''$  E., 2969.41 ft. dist.,  
 instead of S.  $88^{\circ} 02' 22''$  E., 2969.56 ft.  
 dist., as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 12:  
 Line 4-1 was found to be S.  $88^{\circ} 53' 33''$  E.,  
 599.65 ft., instead of S.  $88^{\circ} 54' 38''$  E.,  
 599.65 ft., as approved. Lines 1-2 and 3-4  
 are shown as approved. From Cor. No. 1, the  
 $\frac{1}{4}$  sec. cor. of secs. 16 and 17 bears S.  $87^{\circ}$   
 $49' 27''$  E., 2369.84 ft. dist., instead of  
 S.  $87^{\circ} 49' 09''$  E., 2370.00 ft. dist., as  
 approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 13:  
 Lines 3-4 and 4-1 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 22:  
 Lines 3-4 and 4-1 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 23:  
 Line 3-4 was found to be N.  $0^{\circ} 01' 56''$  E.,  
 363.08 ft., instead of N.  $0^{\circ} 01' 54''$  E.,  
 362.99 ft., as approved. Line 4-1 was found  
 to be S.  $89^{\circ} 51' 16''$  E., 597.99 ft., instead  
 of S.  $89^{\circ} 50' 34''$  E., 598.04 ft., as approved.  
 Lines 1-2 and 2-3 are shown as approved. From  
 Cor. No. 1, the  $\frac{1}{4}$  sec. cor. of secs. 16 and 17  
 bears N.  $85^{\circ} 47' 33''$  E., 3578.28 ft. dist.,  
 instead of N.  $85^{\circ} 47' 22''$  E., 3578.28 ft.  
 dist., as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 24:  
 Line 3-4 was found to be N.  $0^{\circ} 01' 45''$  E.,  
 361.27 ft., instead of N.  $0^{\circ} 00' 36''$  E.,  
 361.30 ft., as approved. Line 4-1 was found  
 to be N.  $88^{\circ} 35' 26''$  E., 601.76 ft., instead  
 of N.  $88^{\circ} 35' 14''$  E., 601.62 ft., as approved.  
 Lines 1-2 and 2-3 are shown as approved. From  
 Cor. No. 1, the  $\frac{1}{4}$  sec. cor. of secs. 16 and 17  
 bears N.  $81^{\circ} 28' 54''$  E., 4213.31 ft. dist.,  
 instead of N.  $81^{\circ} 28' 55''$  E., 4213.34 ft.  
 dist., as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 25:  
 Lines 3-4 and 4-1 are shown as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 39:  
 Lines 3-4 and 4-1 are shown as approved.

FEET

Sur. No. 4669 CHRISTMAS MILL SITE NO. 40:  
Line 4-1 was found to be S. 88° 50' 28" E.,  
600.18 ft., instead of S. 88° 50' 32" E.,  
600.51 ft., as approved. Lines 1-2 and 3-4  
are shown as approved. From Cor. No. 1, the  
¼ sec. cor. of secs. 16 and 17 bears N. 78° 09'  
16" E., 4872.35 ft. dist., instead of N. 78°  
09' 12" E., 4872.14 ft. dist., as approved.

Sur. No. 4669 CHRISTMAS MILL SITE NO. 41:  
Lines 1-2 and 4-1 are shown as approved. From  
Cor. No. 1, the ¼ sec. cor. of secs. 16 and 17  
bears N. 79° 34' 20" E., 5458.81 ft. dist.,  
instead of N. 79° 34' 18" E., 5458.93 ft. dist.,  
as approved.

The line between the ¼ sec. cor. of secs.  
16 and 17 and the cor. of secs. 8, 9, 16 and 17  
bears N. 0° 53' 10" E., 2685.10 ft., instead of  
N. 0° 02' W., 2640 ft. as approved 1911 cadas-  
tral survey or N. 0° 53' 17" E., 2685.40 ft., as  
approved per Sur. No. 4669.

The line between the cor. of secs. 8, 9,  
16 and 17 is shown to be N. 89° 42' W., as  
approved. The ¼ sec. cor. of secs. 8 and 17  
appears to have been witnessed by the original  
cadastral surveyor, since a brass-capped post,  
1 ins. diam., firmly set and marked: WC ¼ s. 8  
and s. 17 and 1911 was found in the vicinity of  
the proper location of this ¼ sec. cor. as  
calculated using approved distance and bearing  
from the aforementioned sec. cor. However  
there is no mention of this witness corner in  
the official notes for the subdivision of  
T. 4 S., R. 16 E. The line between this witness  
corner monument and the aforementioned section  
cor. bears N. 89° 53' 41" E., 2727.96 ft.  
Since no correlation could be established  
between the uncalled-for W.C. monument and the  
cor. of secs. 8, 9, 16 and 17, a search was  
made for the cor. of secs. 7, 8, 17 and 18.  
Once again, an uncalled-for witness corner  
monument was found apparently having been set  
by the original cadastral surveyor. This  
monument was a brass-capped iron post, 2 ins.  
diam., firmly set, and mkd. as described in  
the official record, except that the letters  
W C were also stamped on the cap. The line  
between this witness corner monument and the  
cor. of secs. 8, 9, 16 and 17 bears S. 89° 39'  
35" E., 5295.54 ft.; this value approximates  
that given in the official record for the line  
between secs. 8 and 17, but owing to the fact  
that no mention is made in the official record  
of a witness corner for either of the public-  
land corners discussed above, the record bearing  
of N. 89° 42' W. has been used herein in all  
calculations pertaining to conflicts with  
property in section 8.

FEET

FIELD ASSISTANTS

Capacity

Loren E. Bunney	Instrumentman
Edward E. Zaragoza	Assistant
Joseph C. Donegan	Assistant

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Travis L. Gant	Date April 9, 1973
--	-----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Dept. of Interior, Bureau of Land Management, at Phoenix, Arizona, dated July 5, 1972, 19 72, I have carefully executed the survey of the claims of Inspiration Consolidated Copper Company, known as the (lode, placer, or mill site) Tailing MILL SITE NOS. 1 through 41, situated in sections 8 & 16, and unsurveyed section 17, Township 4 South, Range 16 East, Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4728, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) Mill Site location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Globe, Arizona (Location)	<i>Travis L. Gant</i> (Signature of Mineral Surveyor)
------------------------------	--

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date October 1, 1973

The foregoing field notes of mineral survey number 4728, in Sec. 17 Uns., & Secs. 8 & 16 Range 16 E., Gila and Salt River Meridian, in the State of Arizona,  surveyed  unsurveyed Township 4 S., executed by Travis L. Gant, Mineral Surveyor, under order dated July 5, 1972, 19 72, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<i>Harold H. Rembacher</i> Harold H. Rembacher (Signature)	Acting State Director (Title)
--	----------------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

1911

Faint, illegible text at the top of the page, possibly a header or introductory paragraph.

Second section of faint, illegible text.

Third section of faint, illegible text.

Fourth section of faint, illegible text.

Fifth section of faint, illegible text.

Final section of faint, illegible text at the bottom of the page.