

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4736 A&B
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Bagdad Copper Corporation
P.O. Box 245
Bagdad, AZ 86321

Known as the *(name of group, if any)*

Sunset Group

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
SUNSET FRACTION	1/3/42	
SUNSET No. 5	1/3/42	
SUNSET "No"12"	1/3/42	
SUNSET "No. 13"	1/3/42	
Sunset "No 15"	1/3/42	
Sunset No. 1 Mill Site	3/5/73	
Sunset No. 2 Mill Site	3/5/73	
Sunset No. 3 Mill Site	3/5/73	
Sunset No. 4 Mill Site	3/5/73	
Sunset No. 5 Mill Site	3/5/73	
Sunset No. 6 Mill Site	3/5/73	

Mining district			County	
Eureka			Yavapai	
Section	Township	Range	Meridian	Survey under order dated
33 & 4	15 & 14 N	9 W	G & S R	5/17/73
Survey commenced		Survey completed	Name of Mineral Surveyor	
5/18/73		7/20/79	Louis A. Cornejo	

1911
1912
1913
1914
1915

1916
1917
1918
1919
1920
1921
1922
1923
1924
1925

1926
1927
1928
1929
1930

FEET

This survey was made with a Wild T-16 theodolite, No. 54727 with horizontal limb 3.125 ins. diam., having one optical reading vernier and a full vertical circle 3.125 ins. diam., having one optical reading vernier; the verniers read to one minute of arc; the eyepiece is equipped with a colored shade set in the dust shutter for making direct observations of the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

March 15, 1974 at Cor. No. 1 of the SUNSET FRACTION lode, in latitude $34^{\circ}35'13''\text{N.}$, and longitude $113^{\circ}09'01''\text{W.}$, elevation 3,480 ft. above sea level, and temperature 80°F. , make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle from a reference point about 1,400 ft. eastward NE. to the sun.

Mean time of observation,
105th meridian standard
time = $9^{\text{h}}38^{\text{m}}10^{\text{s}}\text{a.m.}$

Declination of sun at mean
time of observation = $2^{\circ}05'23''\text{S.}$

Mean observed vertical
angle to sun's center = $33^{\circ}01'05''$

Mean horizontal angle from
reference point to sun's
center = $32^{\circ}53'49''$

True bearing to reference
point = $\text{N.}87^{\circ}08'31''\text{E.}$

The lines were measured with a K & E steel tape, 301 ft. in length, graduated every foot for 300 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared with a 200 ft. standard tape at the beginning of the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}40'\text{E.}$

Mineral Survey No. 4736 A

FEET	SUNSET FRACTION LODE
	<p>Beginning at Cor. No. 1 of the SUNSET FRACTION lode, identical with Cor. No. 1, M.S. No. 2818, Sunset Fraction lode, Cor. No. 4 of the Sunset No. 12 lode of the same survey, Cor. No. 4 of the SUNSET "No" 12" lode of this survey, on line 3-4, M.S. No. 2818, Niagara lode and identical with the southerly end lode line; discovery point bears N.32°53'W., 1,463.05 ft. dist.</p> <p>Found a basalt boulder 2 x 2 x 3 ft., mkd. X S#12-4, SF1--2818, and a post and stone monument alongside. At the point of the X, I drilled a hole and set an iron post, 30 ins. long, 1 1/2 ins. diam., 6 ins. in the rock, and insert an aluminum cap mkd. SF-1-S12-4-4736A-2818; from which</p> <p>The cor. of secs. 3, 4, 33 and 34 Ts.14 and 15 N., R.9 W., Gila & Salt River Mer., bears N.87°08'31"E., 1,441.33 ft. dist., monumented with an iron post, 2 ins. diam., 16 ins. above ground, firmly set, with a brass cap, properly mkd. and with a mound of stone, 2 ft. base, 2 ft. high, West of cor.</p> <p>Cor. No. 4, M.S. No. 2818, Niagara lode, identical with Cor. No. 4, M.S. No. 2818, Sunset Fraction lode and Cor. No. 4 of the SUNSET FRACTION lode of this survey, bears N.64°00'22"E., 26.33 ft. dist.</p> <p>Thence N.38°03'38"W.</p>
670.	Center of road, 80 ft. wide, bears N.34°E. and S.34°W.
860.	Southerly rim of Copper Creek Mesa, bears N.30°E. and S.50°W.
1,050.	Center of road, 40 ft. wide, bears N.63°E. and S.63°W.
1,200.	Center of road, 16 ft. wide, bears N.40°E. and S.43°W.
1,310.	Center of road, 16 ft. wide, bears N.72°E. and S.72°W.
1,485.3	<p>Cor. No. 2, identical with Cor. No. 2, M.S. No. 2818, Sunset Fraction lode, Cor. No. 3 of the Sunset No. 12 lode of the same survey, Cor. No. 3 of the SUNSET "No" 12" lode of this survey and on line 4-1, M.S. No. 2818, Sunset No. 15 lode, common with line 4-1 of the Sunset "No 15" lode of this survey.</p> <p>Found a pine post, 4 x 4 ins. in size, 28 ins. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post 30 ins. long, 2 ins. diam., 20 ins. in the ground, and insert an aluminum cap mkd. SF-2-S12-3-4736A-2818 ; from which</p>

FEET		
	<p>A stone monument, 3 ft. diam. at the base 20 ins. above ground bears West, 3 ft. dist.</p> <p>Thence N.64°00'22"E.</p>	
135.	Lode line; discovery point bears S.32°53'00"E., 20.0 ft. dist.	
435.00	<p>Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset Fraction lode, Cor. No. 4 of the Sunset No. 15 lode and Cor. No. 2 of the Sunset No. 5 lode, both of the same survey, Cor. No. 4 of the Sunset "No 15" lode and Cor. No. 2 of the SUNSET No. 5 lode, both of this survey.</p> <p>Found a pine post, 4 x 4 ins. in size, 28 ins. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, and insert an alu- minum cap mkd. SF-3-S5-2-S15-4-4736A-2818; from which</p> <p>A stone monument 3 ft. diam. at the base, 20 ins. above ground bears West, 3 ft. dist.</p> <p>Thence S.22°07'38"E.</p>	
130.	Center of road, 16 ft. wide, bears N.42°E. and S.42°W.	
260.	Center of road, 16 ft. wide, bears S.73°W. and N.34°E.	
380.	Center of road, 40 ft. wide, bears N.34°E. and S.34°W.	
454.0	Cor. No. 1, M.S. No. 2818, Sunset No. 5 lode, identical with Cor. No. 1 of the SUNSET No. 5 lode of this survey and Cor. No. 2, M.S. No. 2818, Venture lode.	
675.	Center of road, 80 ft. wide, bears N.43°E. and S.34°W.	
1,455.80	<p>Cor. No. 4, identical with Cor. No. 4, M.S. No. 2818, Sunset Fraction lode, Cor. No. 4 of the Niagara lode and on line 1-2 Venture lode, all of the same survey.</p> <p>Found a pine post, 4 x 4 ins. in size, 5 ft. above ground, set between two large boulders, I removed the post, and set an iron post, 30 ins. long, 20 ins. in the ground, and insert an alu- minum cap mkd. SF-4-4736A-N-4-2818; from which</p> <p>A stone monument, 3 ft. diam. at the base, 18 ins. above ground, bears West, 3 ft. dist.</p>	

FEET	
26.33	<p style="text-align: center;">Thence S.64°00'22"W.</p> <p>Cor. No. 1, and place of beginning.</p>
	<p>SUNSET No. 5 LODE</p>
	<p>Beginning at Cor. No. 1 of the SUNSET No. 5 lode, identical with Cor. No. 1, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 2 of the Venture lode of the same survey and on line 3-4, M.S. No. 2818, Sunset Fraction lode common with line 3-4 SUNSET FRACTION lode of this survey.</p>
	<p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 26 ins. in the ground, and insert an aluminum cap mkd. S5-1-4736A-V-2-2818; from which</p>
	<p>The cor. of secs. 3, 4, 33 and 34 bears S.64°10'44"E., 1,992.11 ft. dist., heretofore described.</p>
	<p>Thence N.22°07'38"W.</p>
74.0	Center of road, 40 ft. wide, bears N.34°E. and S.34°W.
194.	Center of road, 16 ft. wide, bears S.73°W. and N.34°E.
324.	Center of road, 16 ft. wide, bears N.42°E. and S.42°W.
454.00	<p>Cor. No. 2, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 3 of the Sunset Fraction lode, Cor. No. 4 of the Sunset No. 15 lode, all of the same survey, Cor. No. 3 of the SUNSET FRACTION lode and Cor. No. 4 of the Sunset "No 15" lode, both of this survey.</p>
	<p>Thence N.27°13'38"W.</p>
900.	Center of road, 16 ft. wide, bears N.15°E. and S.15°W.
1,046.	<p>Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 3 of the Sunset No. 3 Mill Site of this survey, on line 3-4, M.S. No. 2818, Sunset No. 15 lode, common with line 3-4 Sunset "No 15" lode, of this survey.</p> <p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, set over an X on basalt. The inscribed data are partially identifiable. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 12 ins. in the ground, over the X, and insert an aluminum cap mkd. S5-3-4736A-S3MS-3-4736B-2818; from which</p>

FEET	
	<p>A stone monument, 2 ft. diam. at the base, 2 ft. high bears West, 3 ft. dist.</p> <p>Thence N.64°00'22"E.</p>
115.	Center of road, 16 ft. wide, bears N.15°E. and S.15°W.
300.00	Lode line; discovery point bears S.27°13'38"E., 1,046. ft. dist., thence S.22°07'38"E., 354. ft. dist.
600.00	<p>Cor. No. 4, identical with Cor. No. 4, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 2 of the Sunset No. 3 Mill Site and Cor. No. 5 of the Sunset No. 4 Mill Site, both of this survey.</p> <p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, and insert an aluminum cap, mkd. S5-4-4736A-2818-S3MS-2-S4MS-5-4736B; from which</p> <p>A stone monument, 2 ft. diam at the base, 2 ft. high bears West, 2 ft. dist.</p> <p>Thence S.27°13'38"E.</p>
241.13	Cor. No. 4 Sunset No. 4 Mill Site, identical with Cor. No. 5 of the Sunset No. 6 Mill Site, both of this survey.
610.	Center of road, 16 ft. wide, bears N.20°E. and S.20°W.
1,046.00	<p>Cor. No. 5, identical with Cor. No. 5, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 4 of the Sunset No. 6 Mill Site of this survey and on line 2-3, M.S. No. 3982, Sunset lode.</p> <p>Found a basalt boulder 3 x 4 x 5 ft., mkd. X S#5-5--2818. At the point of the X, I drill a hole and set an iron post, 30 ins. long, 1 1/2 ins. diam., 6 ins. in the rock, and insert an aluminum cap mkd. S5-5-4736A-2818-S6MS-4-4736B; from which</p> <p>A stone monument, 2 ft. diam. at the base, 2 ft. high bears West, 3 ft. dist.</p> <p>Thence S.22°07'38"E.</p>
40.	Center of road, 30 ft. wide, bears N.39°E. and S.39°W.
130.	Center of road, 30 ft. wide, bears N.22°E. and S.22°W.
360.	Center of road, 30 ft. wide, bears N.35°E. and S.35°W.

(This form bound on left side)

FEET	
454.00	<p>Cor. No. 6, identical with Cor. No. 6, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 3 of the Venture lode of the same survey and on line 2-3, M.S. No. 3982, Sunset lode.</p> <p>Found a basalt stone, 18 x 18 ins., mkd. X S#5-6, V3-2818. I removed the stone and set an iron post 30 ins. long, 1/1/2 ins. diam., 20 ins. in the ground, and insert an aluminum cap mkd. S5-6-4736A-V-3-2818; from which</p> <p style="padding-left: 40px;">A stone monument 2 ft. diam. at the base, 2 ft. high bears West, 2 ft. dist.</p> <p style="padding-left: 40px;">Thence S.64°00'22"W.</p>
150.	Center of road, 20 ft. wide, bears N.35°E. and S.35°W.
300.00	Lode line; discovery point bears N.22°07'38"W., 100 ft. dist.
350.	Center of road, 30 ft. wide, bears N.22°E. and S.22°W.
600.00	Cor. No. 1, and place of beginning.
SUNSET "No" 12" LODE	
<p>Begining at Cor. No. 1 of the SUNSET "No" 12" lode, identical with Cor. No. 1, M.S. No. 2818, Sunset No. 12 lode, Cor. No. 4 Bronson lode and on line 2-3, Rattler lode, all of the same survey.</p>	
<p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data are partially identifiabile. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, and insert an aluminum cap mkd. S12-1-4736A-B-4-2818; from which</p>	
<p style="padding-left: 40px;">The cor. of secs. 3, 4, 33 and 34 bears N.80°23'46"E., 2,006.97 ft. dist., heretofore described.</p>	
<p style="padding-left: 40px;">Cor. No. 3, M.S. No. 2818, Niagara lode, identical with Cor. No. 3 of the Rattler lode of the same survey, bears N.64°00'22"E., 92.6 ft. dist.</p>	
Thence N.38°03'38"W.	
400.	Center of road, 50 ft. wide, bears N.50°E. and S.50°W.
950.	Center of road, 40 ft. wide, bears N.33°E. and S.33°W.
1,485.30	<p>Cor. No. 2, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 12 lode, Cor. No. 3 of the Bronson lode of the same survey and on line 4-1, M.S. No. 2818, Sunset No. 13 lode, common with line 4-1 SUNSET "No. 13" lode of this survey.</p>

FEET	
	<p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, and insert an aluminum cap mkd. S12-2-4736A-B-3-2818; from which</p> <p>Cor. No. 1 of the SUNSET "No. 13" lode of this survey, identical with Cor. No. 1, M.S. No. 2818, Sunset No. 13 lode and Cor. No. 4 of the Beacon lode of the same survey, bears S.64°00'22"W., 165.0 ft. dist.</p> <p>Thence N.64°00'22"E.</p>
300.00	Lode line; discovery point bears S.38°03'38"E., 440.0 ft. dist.
435.00	Cor. No. 4 SUNSET "No. 13" lode of this survey, identical with Cor. No. 4, M.S. No. 2818, Sunset No. 13 lode, Cor. No. 1 of the Sunset No. 15 lode of the same survey and Cor. No. 1 of the Sunset "No 15" lode of this survey.
460.	Center of road, 16 ft. wide, bears North and South.
600.00	Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset No. 12 lode, Cor. No. 2 of the Sunset Fraction lode of the same survey, Cor. No. 2 of the SUNSET FRACTION lode of this survey and on line 4-1, M.S. No. 2818, Sunset No. 15 lode common with line 4-1 Sunset "No 15" lode of this survey.
	Thence S.38°03'38"E.
175.	Center of road, 16 ft. wide, bears N.72°E. and S.72°W.
285.	Center of road, 16 ft. wide, bears N.43°E. and S.43°W.
435.	Center of road, 40 ft. wide, bears N.63°E. and S.63°W.
635.	Southerly rim of Copper Creek Mesa, bears N.30°E. and S.50°W.
815.	Center of road, 50 ft. wide, bears N.34°E. and S.34°W.
1,485.3	Cor. No. 4, identical with Cor. No. 4, M.S. No. 2818, Sunset No. 12 lode, Cor. No. 1 of the Sunset Fraction lode of the same survey, Cor. No. 1 of the SUNSET FRACTION lode of this survey and on line 3-4, M.S. No. 2818, Niagara lode.
	Thence S.64°00'22"W.
300.00	Lode line; discovery point bears N.38°03'38"W., 1,045.3 ft. dist.

(This form bound on left side)

FEET	
507.40	Cor. No. 3, M.S. No. 2818, Niagara lode, identical with Cor. No. 3 of the Rattler lode of the same survey.
600.00	Cor. No. 1, and place of beginning.
SUNSET "No. 13" LODE	
Beginning at Cor. No. 1 of the SUNSET "No. 13" lode, identical with Cor. No. 1, M.S. No. 2818, Sunset No. 13 lode, Cor. No. 4 of the Beacon lode and on line 2-3 of the Bronson lode, all of the same survey.	
Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, and insert an aluminum cap mkd. S13-1-4736A-B-4-2818; from which	
The cor. of secs. 3, 4, 33 and 34 bears S.75°56'06"E., 3,136.87 ft. dist., heretofore described.	
Thence N.27°13'38"W.	
1,500.00	Cor. No. 2, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 13 lode, Cor. No. 3 of the Beacon lode and on line 4-1 of the Oskaloosa lode, both of the same survey.
Found a pine post, 4 x 4 ins. in size, 3 ft. above ground set over an X on a basalt boulder, 2 x 3 ft. The inscribed data are partially identifiable. I removed the post, drilled a hole, and set an iron post, 30 ins. long, 1 1/2 ins. diam., 6 ins. in the rock, with an aluminum cap mkd. S13-2-4736A-B-3-2818; from which	
A stone monument 2 ft. diam., at the base, 2 ft. high bears West, 3 ft. dist.	
Thence N.64°00'22"E.	
118.00	Cor. No. 3 Sunset No. 1 Mill Site of this survey, identical with Cor. No. 4, M.S. No. 2818, Oskaloosa lode.
300.00	Lode line; discovery point bears S.27°13'38"E., 788.0 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset No. 13 lode, Cor. No. 2 of the Sunset No. 15 lode of the same survey, and Cor. No. 2 of the Sunset No. 1 Mill Site, Cor. No. 4 of the Sunset No. 2 Mill Site, and Cor. No. 2 of the Sunset "No 15" lode, all of this survey.

FEET	<p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data are partially identifiable. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, mkd. S13-3-S15-2-4736A-SIMS-2-S2MS-4-4736B-2818; from which</p> <p>A stone monument, 2 ft. diam. at the base, 2 ft. high, bears West, 3 ft. dist.</p> <p>Thence S.27°13'38"E.</p>
1,500.00	<p>Cor. No. 4, identical with Cor. No. 4, M.S. No. 2818, Sunset No. 13 lode, Cor. No. 1 of the Sunset No. 15 lode of the same survey, Cor. No. 1 of the Sunset "No 15" lode of this survey and on line 2-3, M.S. No. 2818, Sunset No. 12 lode common with line 2-3 SUNSET "No" 12" lode of this survey.</p> <p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, set over an X on basalt. The inscribed data are partially identifiable. I removed the post, drilled a hole and set an iron post, 30 ins. long, 1 1/2 ins. diam., 12 ins. in the rock mkd. S13-4-S15-1-4736A-2818; from which</p> <p>A stone monument, 2 ft. diam., at the base, 18 ins. high bears West, 3 ft. dist.</p> <p>Thence S.64°00'22"W.</p>
300.00	<p>Lode line; discovery point bears N.27°13'38"W., 712.0 ft. dist.</p>
435.00	<p>Cor. No. 2 SUNSET "No" 12" lode of this survey, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 12 lode and Cor. No. 3 of the Bronson lode of the same survey.</p>
600.00	<p>Cor. No. 1, and place of beginning.</p>
<p>SUNSET "No 15" LODE</p>	
1,500.00	<p>Beginning at Cor. No. 1 of the Sunset "No 15" lode, identical with Cor. No. 1, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 4 of the Sunset No. 13 lode of the same survey, Cor. No. 4 of the SUNSET "No. 13" lode of this survey and on line 2-3, M.S. No. 2818, Sunset No. 12 lode common with line 2-3 SUNSET "No" 12" lode of this survey; from which</p> <p>The cor. of secs. 3, 4, 33 and 34 bears S.67°43'45"E., 2,705.34 ft. dist., heretofore described.</p> <p>Thence N.27°13'38"W.</p>
1,500.00	<p>Cor. No. 2, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 3 of the Sunset No. 13 lode of the same survey, and Cor. No. 3 of the SUNSET "No. 13" lode, Cor. No. 2 of the Sunset No. 1 Mill Site and Cor. No. 4 of the Sunset No. 2 Mill Site, all of this survey.</p>

(This form bound on left side)

FEET	
	Thence N.64°00'22"E.
300.00	Lode line; discovery point bears S.27°13'38"E., 1,485. ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 3 of the Sunset No. 2 Mill Site and on line 3-4 Sunset No. 3 Mill Site, both of this survey. Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set, The inscribed data are partially identifiable. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap mkd. S15-3-4736A-2818-S2MS-3-4736B; from which A stone monument 2 ft. diam., at the base, 2 ft. high, bears West, 3 ft. dist.
	Thence S.27°13'38"E.
454.00	Cor. No. 3 Sunset No. 3 Mill Site, identical with Cor. No. 3 of the SUNSET No. 5 lode, both of this survey, and Cor. No. 3, M.S. No. 2818, Sunset No. 5 lode.
1,500.00	Cor. No. 4, identical with Cor. No. 4, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 2 of the Sunset No. 5 lode, Cor. No. 3 of the Sunset Fraction lode, all of the same survey, and Cor. No. 2 of the SUNSET No. 5 lode and Cor. No. 3 of the SUNSET FRACTION lode, both of this survey.
	Thence S.64°00'22"W.
300.00	Lode line; discovery point bears N.27°13'38"W., 15.0 ft. dist.
435.00	Cor. No. 2 SUNSET FRACTION lode, identical with Cor. No. 3 of the SUNSET "No" 12" lode, both of this survey, Cor. No. 2, M.S. No. 2818, Sunset Fraction lode, Cor. No. 3 of the Sunset No. 12 lode of the same survey.
600.00	Cor. No. 1, and place of beginning.
	SUNSET No. 1 MILL SITE
	At Cor. No. 1 of the Sunset No. 1 Mill Site, identical with Cor. No. 1 of the Sunset No. 2 Mill Site of this survey and on the East-West mid-section line of sec. 33. Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap, mkd. S1MS-1-S2MS-1-4736B; from which

FEET	
	<p>The 1/4 sec. cor. of secs. 33 and 34, T.15 N., R.9 W., Gila & Salt River Mer., bears S.89°55'59"E., 3,185.67 ft. dist.; monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with a brass cap properly mkd., and with a mound of stone, a 2 ft. base, 2 ft. high, West of cor.</p> <p style="text-align: center;">Thence S.0°02'38"E.</p>
289.46	<p>Cor. No. 2, identical with Cor. No. 4 of the Sunset No. 2 Mill Site, Cor. No. 2 of the Sunset "No 15" lode, Cor. No. 3 of the SUNSET "No. 13" lode, all of this survey, Cor. No. 2, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 3 of the Sunset No. 13 lode of the same survey.</p> <p style="text-align: center;">Thence S.64°00'22"W.</p>
482.00	<p>Cor. No. 3, identical with Cor. No. 4, M.S. No. 2818, Oskaloosa lode and on line 2-3 of the SUNSET "No. 13" lode of this survey, common with line 2-3, M.S. No. 2818, Sunset No. 13 lode.</p> <p>Found a pine post, 4 x 4 ins. in size, 3 ft. above ground, loosely set. The inscribed data is partially identifiable. I removed the post and set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap mkd. SIMS-3-4736B-0-4-2818; from which</p> <p style="text-align: center;">Cor. No. 2 of the SUNSET "No. 13" lode of this survey, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 13 lode and Cor. No. 3 of the Beacon lode of the same survey, bears S.64°00'22"W., 118. ft. dist.</p> <p style="text-align: center;">Thence N.13°18'38"W.</p>
515.19	<p>Cor. No. 4, on the East-West mid-section line of sec. 33 and on line 3-4, M.S. No. 2818, Oskaloosa lode.</p> <p>Set an iron post 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap mkd. SIMS-4-4736B; from which</p> <p style="text-align: center;">A stone monument, 2 ft. base, 2 ft. high, bears West, 3 ft. dist.</p> <p style="text-align: center;">Thence S.89°55'59"E.</p>
551.63	<p>Cor. No. 1, and place of beginning.</p> <p>The Sunset No. 1 Mill Site contains 4.61 acres.</p>
	<p style="text-align: center;">SUNSET No. 2 MILL SITE</p> <p>Beginning at Cor. No. 1 of the Sunset No. 2 Mill Site, identical with Cor. No. 1 of the Sunset No. 1 Mill Site of this survey.</p> <p style="text-align: center;">Thence S.89°55'59"E.</p>

(This form bound on left side)

FEET	
526.21	<p>Cor. No. 2, identical with Cor. No. 4 of the Sunset No. 3 Mill Site of this survey, on the East-West mid-section line of sec. 33.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground with an aluminum cap mkd. S2MS-2-S3MS-4-4736B; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. base, 2 ft. high bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">Thence S.27°13'38"E.</p>
29.10	<p>Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 3 of the Sunset "No 15" lode and on line line 3-4 of the Sunset No. 3 Mill Site, both of this survey.</p> <p style="padding-left: 40px;">Thence S.64°00'22"W.</p>
600.00	<p>Cor. No. 4, identical with Cor. No. 2, M.S. No. 2818, Sunset No. 15 lode, Cor. No. 3 of the Sunset No. 13 lode of the same survey, and Cor. No. 2 of the Sunset "No 15" lode, Cor. No. 3 of the SUNSET "No. 13" lode and Cor. No. 2 of the Sunset No. 1 Mill Site, all of this survey.</p> <p style="padding-left: 40px;">Thence N.0°02'38"W.</p>
289.46	<p>Cor. No. 1, and place of beginning.</p> <p>The Sunset No. 2 Mill Site contains 1.95 acres.</p>
<p>SUNSET No. 3 MILL SITE</p>	
	<p>At Cor. No. 1 of the Sunset No. 3 Mill Site, identical with Cor. No. 1 of the Sunset No. 4 Mill Site of this survey and on the East-West mid-sec. line of sec. 33.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap, mkd. S3MS-1-S4MS-1-4736B; from which</p> <p style="padding-left: 40px;">The 1/4 sec. cor. of secs. 33 and 34 bears S.89°55'59"E., 1,899.25 ft. dist., heretofore described.</p> <p style="padding-left: 40px;">Thence S.0°02'38"E.</p>
165.72	<p>Cor. No. 2, identical with Cor. No. 5 of the Sunset No. 4 Mill Site, Cor. No. 4 of the SUNSET No. 5 lode, all of this survey and Cor. No. 4, M.S. No. 2818, Sunset No. 5 lode.</p> <p style="padding-left: 40px;">Thence S.64°00'22"W.</p>
600.00	<p>Cor. No. 3, identical with Cor. No. 3, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 3 of the SUNSET No. 5 lode of this survey and on line 3-4, M.S. No. 2818, Sunset No. 15 lode common with line 3-4 of the Sunset "No 15" lode of this survey.</p> <p style="padding-left: 40px;">Thence N.27°13'38"W.</p>

<p>FEET 454.</p>	<p>Cor. No. 3 Sunset "No 15" lode, identical with Cor. No. 3 of the Sunset No. 2 Mill Site, both of this survey, Cor. No. 3, M.S. No. 2818, Sunset No. 15 lode.</p>
<p>483.10</p>	<p>Cor. No. 4, identical with Cor. No. 2 of the Sunset No. 2 Mill Site of this survey.</p> <p style="padding-left: 40px;">Thence S.89°55'59"E.</p>
<p>760.21</p>	<p>Cor. No. 1, and place of beginning.</p> <p>The Sunset No. 3 Mill Site contains 4.77 acres.</p> <hr/> <p style="text-align: center;">SUNSET No. 4 MILL SITE</p> <p>Beginning at Cor. No. 1 of the Sunset No. 4 Mill Site, identical with Cor. No. 1 of the Sunset No. 3 Mill Site of this survey.</p> <p style="padding-left: 40px;">Thence S.89°55'59"E.</p>
<p>400.00</p>	<p>Cor. No. 2, identical with Cor. No. 3 of the Sunset No. 5 Mill Site of this survey, on the East-West mid-sec. line of sec. 33.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap, mkd. S4MS-2-S5MS-3-4736B; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. diam. at the base, 2 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">Thence S.0°02'38"E.</p>
<p>380.00</p>	<p>Cor. No. 3, identical with Cor. No. 2 of the Sunset No. 5 Mill Site and on line 5-1 Sunset No. 6 Mill Site, both of this survey.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap mkd. S4MS-3-S5MS-2-4736B; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. diam. at the base, 2 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">Thence N.89°55'59"W.</p>
<p>289.84</p>	<p>Cor. No. 4, identical with Cor. No. 5 of the Sunset No. 6 Mill Site of this survey, on line 4-5, M.S. No. 2818, Sunset No. 5 lode common with line 4-5 SUNSET No. 5 lode of this survey.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap mkd. S4MS-4-S6MS-5-4736B; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. diam. at the base, 2 ft. high, bears West, 3 ft. dist.</p> <p style="padding-left: 40px;">Thence N.27°13'38"W.</p>
<p>241.13</p>	<p>Cor. No. 5, identical with Cor. No. 4, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 4 of the SUNSET No. 5 lode and Cor. No. 2 of the Sunset No. 3 Mill Site, both of this survey.</p>

(This form bound on left side)

FEET		
165.72	<p>Thence N.0°02'38"W.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The Sunset No. 4 Mill Site contains 3.22 acres.</p>	
	<p style="text-align: center;">SUNSET No. 5 MILL SITE</p> <p>At Cor. No. 1 of the Sunset No. 5 Mill Site, identical with Cor. No. 1 of the Sunset No. 6 Mill Site of this survey and on line 3-4, M.S. No. 3982, SUNSET No. 1 lode.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap, mkd S5MS-1-S6MS-1-4736B; from which</p> <p style="padding-left: 40px;">The 1/4 sec. cor. of sec. 33 and 34 bears N.70°23'49"E., 1,128.95 ft. dist., heretofore described.</p>	
435.44	<p>Thence N.89°55'59"W.</p> <p>Cor. No. 2, identical with Cor. No. 3 of the Sunset No. 4 Mill Site and on line 5-1 Sunset No. 6 Mill Site, both of this survey.</p>	
380.00	<p>Thence N.0°02'38"W.</p> <p>Cor. No. 3, identical with Cor. No. 2 of the Sunset No. 4 Mill Site of this survey.</p>	
281.15	<p>Thence S.89°55'59"E.</p> <p>Cor. No. 4, on line 3-4, M.S. No. 3982, Sunset No. 1 lode and on the East-West mid-sec. line of sec. 33.</p> <p>Set an iron post, 30 ins. long, 1 1/2 ins. diam., 20 ins. in the ground, with an aluminum cap mkd. S5MS-4-4736B; from which</p> <p style="padding-left: 40px;">Cor. No. 4, M.S. No. 3982, Sunset No. 1 lode bears N.22°07'38"W., 6.95 ft. dist.</p>	
410.41	<p>Thence S.22°07'38"E.</p> <p>Cor. No. 1, and place of beginning.</p> <p>The Sunset No. 5 Mill Site contains 3.13 acres.</p>	
135.43	<p style="text-align: center;">SUNSET No. 6 MILL SITE</p> <p>Beginning at Cor. No. 1 of the Sunset No. 6 Mill Site, identical with Cor. No. 1 of the Sunset No. 5 Mill Site of this survey and on line 3-4, M.S. No. 3982, Sunset No. 1 lode.</p> <p style="padding-left: 40px;">Thence S.22°07'38"E.</p> <p>Cor. No. 2, identical with Cor. No. 4, M.S. No. 3982, Sunset lode and on line 3-4 Sunset No. 1 lode of the same survey.</p>	

FEET																					
	<p>Found a 3/4 in. iron pipe, 16 ins. above ground, firmly set in a mound of stones with a brass cap, properly mkd., to which I add marks S6MS-2-4736B; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. diam. at the base, 20 ins. above ground bears West, 3 ft. dist.</p> <p style="padding-left: 80px;">Thence S.67°52'22"W.</p>																				
600.00	<p>Cor. No. 3, identical with Cor. No. 3, M.S. No. 3982, Sunset lode.</p> <p>Found a 3/4 in. iron pipe, 16 ins. above ground, firmly set in a mound of stones, with a brass cap, properly mkd., to which I add marks S6MS-3-4736B; from which</p> <p style="padding-left: 40px;">A stone monument, 2 ft. diam. at the base and 20 ins. above ground, bears West, 3 ft. dist.</p> <p style="padding-left: 80px;">Thence S.22°07'38"E.</p>																				
392.28	<p>Cor. No. 4, identical with Cor. No. 5, M.S. No. 2818, Sunset No. 5 lode, Cor. No. 5 of the SUNSET No. 5 lode of this survey and on line 2-3, M.S. No. 3982, Sunset lode.</p> <p style="padding-left: 80px;">Thence N.27°13'38"W.</p>																				
804.87	<p>Cor. No. 5, identical with Cor. No. 4 of the Sunset No. 4 Mill Site of this survey and on line 4-5, M.S. No. 2818, Sunset No. 5 lode common with line 4-5, SUNSET No. 5 lode of this survey.</p> <p style="padding-left: 80px;">Thence S.89°55'59"E.</p>																				
289.84	<p>Cor. No. 3 Sunset No. 4 Mill Site, identical with Cor. No. 2 of the Sunset No. 5 Mill Site, both of this survey.</p>																				
725.28	<p>Cor. No. 1, and place of beginning.</p> <p>The Sunset No. 6 Mill Site contains 4.19 acres.</p>																				
M.S. No. 4736 A and B																					
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">AREAS</th> <th style="text-align: right;">Acres</th> </tr> </thead> <tbody> <tr> <td>Total area, SUNSET FRACTION lode -----</td> <td style="text-align: right;">7.691</td> </tr> <tr> <td>Area in conflict with -</td> <td></td> </tr> <tr> <td>M.S. No. 2818, Sunset Fraction lode----</td> <td style="text-align: right;">7.691</td> </tr> <tr> <td>Total area, SUNSET No. 5 lode -----</td> <td style="text-align: right;">20.644</td> </tr> <tr> <td>Area in conflict with -</td> <td></td> </tr> <tr> <td>M.S. No. 2818, Sunset No. 5 lode -----</td> <td style="text-align: right;">20.644</td> </tr> <tr> <td>Total area, SUNSET "No" 12" lode -----</td> <td style="text-align: right;">20.007</td> </tr> <tr> <td>Area in conflict with -</td> <td></td> </tr> <tr> <td>M.S. No. 2818, Sunset No. 12 lode -----</td> <td style="text-align: right;">20.007</td> </tr> </tbody> </table>	AREAS	Acres	Total area, SUNSET FRACTION lode -----	7.691	Area in conflict with -		M.S. No. 2818, Sunset Fraction lode----	7.691	Total area, SUNSET No. 5 lode -----	20.644	Area in conflict with -		M.S. No. 2818, Sunset No. 5 lode -----	20.644	Total area, SUNSET "No" 12" lode -----	20.007	Area in conflict with -		M.S. No. 2818, Sunset No. 12 lode -----	20.007
AREAS	Acres																				
Total area, SUNSET FRACTION lode -----	7.691																				
Area in conflict with -																					
M.S. No. 2818, Sunset Fraction lode----	7.691																				
Total area, SUNSET No. 5 lode -----	20.644																				
Area in conflict with -																					
M.S. No. 2818, Sunset No. 5 lode -----	20.644																				
Total area, SUNSET "No" 12" lode -----	20.007																				
Area in conflict with -																					
M.S. No. 2818, Sunset No. 12 lode -----	20.007																				

(This form bound on left side)

FEET		
	<p>Total area, SUNSET "No. 13" lode ----- 20.656</p> <p>Area in conflict with - M.S. No. 2818, Sunset No. 13 lode ----- 20.656</p> <p>Total area, Sunset "No 15" lode ----- 20.656</p> <p>Area in conflict with - M.S. No. 2818, Sunset No. 15 lode ----- 20.656</p> <p>Total area, Sunset No. 1 Mill Site ----- 4.614</p> <p>Total area, Sunset No. 2 Mill Site ----- 1.949</p> <p>Total area, Sunset No. 3 Mill Site ----- 4.772</p> <p>Total area, Sunset No. 4 Mill Site ----- 3.218</p> <p>Total area, Sunset No. 5 Mill Site ----- 3.126</p> <p>Total area, Sunset No. 6 Mill Site ----- 4.186</p>	
	LOCATION	
	<p>This survey is located in the NE 1/4 sec. 4, T.14 N., SE 1/4 and SW 1/4, sec. 33, T.15 N., R.9 W., Gila and Salt River Meridian.</p> <p>The survey of the SUNSET FRACTION, SUNSET No. 5, SUNSET "No" 12, SUNSET "No. 13" and Sunset "No 15" lodes and Sunset Nos. 1-6 Mill Sites is identical with the respective location as marked on the ground.</p>	
	EXPENDITURES	
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:</p>	
No. 1	The discovery point of the SUNSET FRACTION lode, is on the lode line 20 ft., S.32°53'E., from a point on line 2-3, 135.0 ft. from Cor. No. 2. Value, None.	
No. 2	A cut haul road, the west end of which bears N.38°03'38"W., 670. ft. from Cor. No. 1 of the SUNSET FRACTION lode; 80 ft. wide, 35 ft. bank, running N.34°E., 250 ft. long. Value, \$1,500.00	
No. 1	The discovery point of the SUNSET No. 5 lode is on the lode line 100 ft., N.22°07'38"W. from a point on line 6-1, 300. ft. from Cor. No. 6. Value, None.	
No. 2	A diamond drill hole, the collar of which bears N.13°15'E., 285.0 ft. dist., from Cor. No. 1 of the SUNSET No. 5 lode, 2 ins. diam., vertical, 964 ft. deep. Value, \$10,600.00	
No. 1	The discovery point of the SUNSET "No" 12" lode is on the lode line, 440 ft., S.38°03'38"E. from a point on line 2-3, 300. ft. from Cor. No. 2. Value, None.	

FEET	
No. 2	A diamond drill hole, the collar of which bears N.12°15'W., 215 ft. dist., from Cor. No. 1 of the SUNSET "No" 12" lode, 2 ins. diam., vertical, 1,405 ft. deep. Value, \$7,025.00
No. 3	A diamond drill hole, the collar of which bears N.31°05'W., 814.00 ft. dist., from Cor. No. 1 of the SUNSET "No" 12" lode, 2 ins. diam., vertical, 1,105 ft. deep. Value, \$7,460.00
No. 1	The discovery point of the SUNSET "No. 13" lode is on the lode line, 712.00 ft., N.27°13'38"W., from a point on line 4-1, 300. ft. from Cor. No. 4. Value, None.
No. 2	A diamond drill hole, the collar of which bears N.10°05'E., 321 ft. dist., from Cor. No. 1 of the SUNSET "No. 13" lode, 2 ins. diam., vertical, 1,255 ft. deep. Value, \$13,800.00
No. 1	The discovery point of the Sunset "No 15" lode, is on the lode line, 15 ft., N.27°13'38"W., from a point on line 4-1, 300. ft. from Cor. No. 4. Value, None.
No. 2	A diamond drill hole, the collar of which bears N.0°35'E., 471.00 ft. dist., from Cor. No. 1 of the Sunset "No 15" lode, 2 ins. diam., vertical, 1,330 ft. deep. Value, \$7,600.00
OTHER IMPROVEMENTS	
A haul and access road, 80 ft. wide about 1,500 ft. long, traverses across SUNSET FRACTION, SUNSET No. 5 and SUNSET "No" 12" lodes. Claimant herein.	
OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA	
M.S. No. 2818, Sunset Fraction lode: Cors. Nos. 1-4, described above. Lines 1-2, 2-3, 3-4 and 4-1, described above.	
M.S. No. 2818, Sunset No. 5 lode: Cors. Nos. 1-6, described above. Lines 1-2, 2-3, 3-4, 4-5, 5-6 and 6-1, described above.	
M.S. No. 2818, Sunset No. 12 lode: Cors. Nos. 1-4, described above. Lines 1-2, 2-3, 3-4 and 4-1, described above.	
M.S. No. 2818, Sunset No. 13 lode: Cors. Nos. 1-4, described above. Lines 1-2, 2-3, 3-4 and 4-1, described above.	
M.S. No. 2818, Sunset No. 15 lode: Cors. Nos. 1-4, described above. Lines 1-2, 2-3, 3-4 and 4-1, described above.	

FEET

M.S. No. 2818, Niagara lode: Cor. No. 3 is monumented with a pine post, partially decayed with faint scribed marks. Cor. No. 4, described above. Line 3-4, in part common with line 4-1 of the Sunset Fraction lode and line 4-1 of the Sunset No. 12 lode, both of the same survey, and line 4-1 of the SUNSET FRACTION lode and line 4-1 of the SUNSET "No" 12" lode, both of this survey, was found to be N.64°00'22"E., 533.73 ft., instead of N.64°03'E., 533.7 ft., as approved. Lines 2-3 and 4-1 are shown as approved.

M.S. No. 2818, Bronson lode: Cors. Nos. 3 and 4, described above. Cors. Nos. 1 and 2 are lost. Line 3-4, described above. Line 2-3, from Cor. No. 1 of the Sunset No. 13 lode of the same survey to Cor. No. 3, was found to be N.64°00'22"E., 165. ft., instead of N.64°03'E., 165. ft., as approved. Line 4-1 is shown as approved.

M.S. No. 2818, Venture lode: Cor. No. 1 is lost. Cors. Nos. 2 and 3, described above. Line 1-2, from Cor. No. 4 of the Sunset Fraction lode of the same survey, identical with Cor. No. 4 of the SUNSET FRACTION lode of this survey, was found to be N.22°07'38"W., 1,001.8 ft., instead of N.22°05'W., 1,001.8 ft., as approved. Line 2-3, common with line 6-1 of the Sunset No. 5 lode of the same survey and line 6-1 of the SUNSET No. 5 lode of this survey, described above.

M.S. No. 2818, Beacon lode: Cors. No. 3 and 4, described above. Line 3-4, common with line 1-2 of the Sunset No. 13 lode of the same survey and line 1-2 of the SUNSET "No. 13" lode of this survey, described above.

M.S. No. 2818, Oskaloosa lode: Cors. Nos. 1 and 3 are monumented with pine posts, firmly set and properly marked. Cor. No. 4, described above. Line 3-4, in part common with line 3-4 of the Sunset No. 1 Mill Site of this survey, was found to be S.13°18'38"E., instead of S.13°16'E. as approved. Line 4-1, in part common with line 2-3 of the Sunset No. 13 lode and line 2-3 of the Beacon lode, both of the same survey, and line 2-3 of the SUNSET "No. 13" lode of this survey, was found to be S.64°00'22"W., instead of S.64°03'W., as approved.

M.S. No. 3982, Sunset lode: Cors. No. 3 and 4, described above. Cors. No. 1 and 2 are lost. Line 2-3 from Cor. No. 6, M.S. No. 2818, Sunset No. 5 lode to Cor. No. 5 of the same lode, was found to be N.22°07'38"W., 454.0 ft., instead of N.22°05'W., 454.84 ft., as approved. From Cor. No. 5 of the Sunset No. 5 lode to Cor. No. 3 was found to be N.22°07'38"W., 392.28 ft., instead of N.22°05'W., 392.28 ft., as approved. Line 3-4, common with line 2-3 of the Sunset No. 6 Mill Site, of this survey, described above.

M.S. No. 3982, Sunset No. 1 lode: Cors. Nos. 1 and 4 are monumented with an iron pipe 3/4 in. diam., firmly set and properly mkd. Cors. Nos. 2 and 3 are lost. Line 3-4, from Cor. No. 4 of the Sunset lode of the same survey to Cor. No. 4, was found to be N.22°07'38"W.,

FEET

552.79 ft., instead of N.22°05'W., 552.84 ft., as approved. Line 4-1 was found to be N.67°52'E. 599.8 ft., instead of N.67°55'E., 600 ft., as approved.

The cors. of secs. 3, 4, 33 and 34 and the 1/4 sec. cor. of secs. 33 and 34, described above. The South 1/2 of the line between secs. 33 and 34 was found to be N.0°05'40"W, 2,644.83 ft., instead of N.0°2'W., 2,640. ft., as approved. The line between secs. 4 and 34, is shown as approved.

FIELD ASSISTANTS

Name	Capacity
Orville T. Owens	Instrumentman
Mike Davis	Chainman

FEET

Form 3860-7
(November 1976)
(formerly 3400-8)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Louis A. Cornejo	Date July 20, 1979
--	-----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Chief, Branch of Cadastral Survey, Bureau of Land Management, at Phoenix, AZ, dated May 17, 1973, I have carefully executed the survey of the claim of Bagdad Copper Corporation, known as the (lode, placer, or mill site) Sunset Group, situated in Secs. 33 & 4, Eureka M.D., Yavapai County, Townships 15 & 14 N. Range 9 W., Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4736 A&B, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) Sunset Group location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

<u>Parker, Arizona</u> (Location)	<u>Louis A. Cornejo</u> (Signature of Mineral Surveyor)
--------------------------------------	--

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date December 1, 1980

The foregoing field notes of mineral survey number 4736 A&B, in sections 4 and 33, surveyed unsurveyed Township 14 & 15 N., Range 9 W., Gila and Salt River Meridian, in the State of Arizona, executed by Louis A. Cornejo, Mineral Surveyor, under order dated May 17, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

<u>Boyd S. Owens</u> Boyd S. Owens (Authorized Signature)	<u>Chief, Branch of Cadastral Survey</u> (Title)
--	---

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number _____ is a true copy of the original field notes.

_____ (Authorized Signature)	_____ (Title)
---------------------------------	------------------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

