

Form 3400-11  
(September 1967)  
(formerly 4-683)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4751 A & B
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Alonzo Elder  
P. O. Box 732  
Buckeye, Arizona 85326

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Ofie Homba #1	6/27/63	7/12/73
Elder No. 1 Mill Site	7/6/73	
Elder No. 2 Mill Site	7/6/73	

Mining district Buckeye			County Maricopa	
Section 20	Township 1 S.	Range 3 W.	Meridian G. & S. R.	Survey under order dated August 8, 1973
Survey commenced August 8, 1973		Survey completed August 20, 1973	Name of Mineral Surveyor Harvey W. Smith	

STATE OF NEW YORK  
IN SENATE  
January 15, 1913.

REPORT  
OF THE  
COMMISSIONERS OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE  
MAY 17, 1911.

ALBANY: PUBLISHED BY THE STATE PRINTING OFFICE, 1913.

1913

ALBANY: PUBLISHED BY THE STATE PRINTING OFFICE, 1913.

FEET	
	<p>This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to 10-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.</p> <p>All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 4:57 p.m. on August 17, 1973, at Cor. No. 4 of the Ofie Homba #1 lode, latitude 33° 19' 12.5" N., longitude 112° 35' 15.5" W., turning from a reference point about 1,500 ft. northeasterly clockwise to the sun in a southwesterly direction.</p> <p>True bearing of reference point: N. 5° 39' 43" E.</p> <p>The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.</p> <p>The magnetic declination observed at each corner of the survey gave a uniform value of 13° 15' E.</p>
	<p>SURVEY NO. 4751A</p>
	<p>Ofie Homba #1 LODE</p> <p>Beginning at Cor. No. 1 of the Ofie Homba #1 lode, on line 2-3 Sur. No. 4133 Jabonita lode.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. O.H. 1 1X U.S.M.S. 4751A; from which</p> <p>The cor. of secs. 19, 20, 29 and 30, T. 1 S., R. 3 W., G&amp;SRM, bears S. 44° 10' 20" W., 1,123.14 ft. dist.; an iron post, 2 ins. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>Cor. No. 2 Sur. No. 4133 Jabonita lode bears N. 64° 04' W., 107.34 ft. dist.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p>

(This form bound on left side)

3	FEET	
		Thence N. 5° 39' 43" E.
	1,499.5	Cor. No. 2.  Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. O.H. 1 2X U.S.M.S. 4751A; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.
		Thence S. 64° 04' E.
	300.0	Lode line; discovery point bears S. 5° 39' 43" W., 1,349.50 ft. dist.
	600.0	Cor. No. 3, on line 1-2 Elder No. 2 Mill Site of this survey.  Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. O.H. 1 3X U.S.M.S. 4751A; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.
		Thence S. 5° 39' 43" W.
	224.5	Cor. No. 1 Elder No. 2 Mill Site, identical with Cor. No. 2 Elder No. 1 Mill Site, both of this survey.
	884.5	Point for Cor. No. 1 Elder No. 1 Mill Site of this survey and unimproved road bears N. 10° E. and S. 15° W.
	1,449.	Unimproved road, bears N. 45° E. and N. 70° W.
	1,499.5	Cor. No. 4.  Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. O.H. 1 4X U.S.M.S. 4751A; from which  A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.
		Thence N. 64° 04' W.
	107.34	Cor. No. 3 Sur. No. 4133 Jabonita lode.
	300.0	Lode line; discovery point bears N. 5° 39' 43" E., 150 ft. dist.
	600.0	Cor. No. 1, and place of beginning.

FEET	
	SURVEY NO. 4751B
	<p style="text-align: center;">Elder No. 1 Mill Site</p> <p>At Cor. No. 1 of the Elder No. 1 Mill Site, on line 3-4 Ofie Homba #1 lode of this survey.</p> <p>This corner falls in the center of an unimproved road. From this point</p> <p style="padding-left: 40px;">The Cor. of secs. 19, 20, 29 and 30 bears S. 50° 08' 39" W., 1,802.1 ft. dist.; previously described.</p> <p style="padding-left: 40px;">Thence N. 5° 39' 43" E.</p>
660.0	<p>Cor. No. 2, identical with Cor. No. 1 of the Elder No. 2 Mill Site and on line 3-4 Ofie Homba #1 lode, both of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. E. 1 M.S. 2 E. 2 M.S. 1 X U.S.M.S. 4751B; from which</p> <p style="padding-left: 40px;">The Cor. of secs. 19, 20, 29 and 30 bears S. 38° 38' 37" W., 2,319.55 ft. dist.; previously described.</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence East.</p>
184.	Road, bears N. 5° W. and S. 5° E.
235.	Local drainage, 30 ft. wide, course N. 5° W.
330.0	<p>Cor. No. 3, identical with Cor. No. 4 of the Elder No. 2 Mill Site of this survey.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. E. 1 M.S. 3 E. 2 M.S. 4X U.S.M.S. 4751B; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 5° 39' 43" W.</p>
400.	Local drainage, 30 ft. wide, course N. 5° W.

(This form bound on left side)

FEET	
660.0	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. E. 1 M.S. 4X U.S.M.S. 4751B; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>Thence West.</p>
50.	<p>Road, bears N. 5° W. and S. 5° E.</p>
320.0	<p>A point for witness Cor. No. 1.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. E. 1 M.S. 1 W.C. X U.S.M.S. 4751B; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p>
330.0	<p>Cor. No. 1, and place of beginning.</p> <p>The Elder No. 1 Mill Site contains 4.976 acres.</p>
<p>Elder No. 2 Mill Site</p>	
<p>Beginning at Cor. No. 1 of the Elder No. 2 Mill Site, identical with Cor. No. 2 of the Elder No. 1 Mill Site and on line 3-4 Ofie Homba #1 lode, both of this survey.</p>	
<p>Thence N. 5° 39' 43" E.</p>	
224.50	<p>Cor. No. 3 Ofie Homba #1 lode of this survey.</p>
660.0	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. E. 2 M.S. 2X U.S.M.S. 4751B; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>Thence East.</p>
31.	<p>Road, bears N. 15° W. and S. 15° E.</p>
160.	<p>Local drainage, 40 ft. wide course N. 10° W.</p>

FEET									
330.0	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. E. 2 M.S. 3X U.S.M.S. 4751B; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p style="text-align: center;">Thence S. 5° 39' 43" W.</p>								
660.0	<p>Cor. No. 4, identical with Cor. No. 3 of the Elder No. 1 Mill Site of this survey.</p> <p style="text-align: center;">Thence West.</p>								
65.	Local drainage, 30 ft. wide, course N. 5° W.								
146.	Road, bears N. 5° W. and S. 5° E.								
330.0	<p>Cor. No. 1, and place of beginning.</p> <p>The Elder No. 2 Mill Site contains 4.976 acres.</p>								
SURVEY NO. 4751A AND B									
AREAS									
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%;"></th> <th style="text-align: right; border-bottom: 1px solid black;">Acres</th> </tr> </thead> <tbody> <tr> <td>Total area Ofie Homba #1 lode</td> <td style="text-align: right;">19.375</td> </tr> <tr> <td>Total area Elder No. 1 Mill Site</td> <td style="text-align: right;">4.976</td> </tr> <tr> <td>Total area Elder No. 2 Mill Site</td> <td style="text-align: right;">4.976</td> </tr> </tbody> </table>		Acres	Total area Ofie Homba #1 lode	19.375	Total area Elder No. 1 Mill Site	4.976	Total area Elder No. 2 Mill Site	4.976
	Acres								
Total area Ofie Homba #1 lode	19.375								
Total area Elder No. 1 Mill Site	4.976								
Total area Elder No. 2 Mill Site	4.976								
LOCATION									
<p>This survey is located in the SW 1/4 sec. 20 of T. 1 S., R. 3 W., G&amp;SRM.</p> <p>The survey of the Ofie Homba #1 lode and the Elder Nos. 1 and 2 Mill Sites is identical with the respective location or amended location as marked on the ground.</p>									
EXPENDITURES									
<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:</p>									

FEET							
No. 1	<p>The discovery point of the Ofie Homba #1 lode is on the lode line 150 ft. from a pt. on line 4-1, 300 ft. from Cor. No. 4.</p> <p style="text-align: right;">Value: None</p>						
No. 2	<p>A cut, the SE. cor. of which bears N. 40° W., 378 ft. dist. from Cor. No. 4 of the Ofie Homba #1 lode; 8 ft. deep, 10 ft. wide and running N. 17° E., 20 ft.</p> <p style="text-align: right;">Value: \$200.00</p>						
No. 3	<p>A cut, the SE. cor. of which bears N. 23° 30' W., 395 ft. dist. from Cor. No. 4 of the Ofie Homba #1 lode; average depth 8 ft., 30 ft. wide and running N. 9° E., 75 ft.</p> <p style="text-align: right;">Value: \$1,600.00</p>						
No. 4	<p>A cut, the SE. cor. of which bears N. 19° W., 470 ft. from Cor. No. 4 of the Ofie Homba #1 lode; average depth 8 ft., 18 ft. wide and running N. 1° W., 60 ft.</p> <p style="text-align: right;">Value: \$1,000.00</p>						
<p><b>OTHER IMPROVEMENTS</b></p> <p>A frame mill building, the SW. cor. of which bears N. 53° E., 70 ft. dist. from Cor. No. 1 of the Elder No. 1 Mill Site; 18 x 30 ft. in size; the long sides bear S. 85° E.</p> <p>A frame house, the SE. cor. of which bears N. 23° W., 126 ft. from Cor. No. 4 of the Ofie Homba #1 lode; 20 x 24 ft. in size; the long sides bear N. 22° E.</p> <p>A horse corral and shelter, the SE. cor. of which bears N. 27° 30' W., 350 ft. from Cor. No. 4 of the Ofie Homba #1 lode; 10 x 10 ft. in size; the sides bear N. 10° E. and S. 80° E.</p>							
<p><b>OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA</b></p> <p>Sur. No. 4133 Jabonita Lode: Cors. Nos. 2 and 3 are iron posts with brass caps firmly set and properly marked. Line 2-3 was found to be correct as approved.</p>							
<p><b>FIELD ASSISTANTS</b></p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;"><u>Name</u></th> <th style="text-align: left; border-bottom: 1px solid black;"><u>Capacity</u></th> </tr> </thead> <tbody> <tr> <td>Kent Miller</td> <td>Instrument man</td> </tr> <tr> <td>Charles Najarian</td> <td>Chainman-Axeman</td> </tr> </tbody> </table>		<u>Name</u>	<u>Capacity</u>	Kent Miller	Instrument man	Charles Najarian	Chainman-Axeman
<u>Name</u>	<u>Capacity</u>						
Kent Miller	Instrument man						
Charles Najarian	Chainman-Axeman						

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor <b>Harvey W. Smith</b>	Date <b>September 10, 1973</b>
--	-----------------------------------

I HEREBY CERTIFY That in pursuance of an order received from the **Bureau of Land Management**, at **Phoenix, Arizona**, dated **August 8**, 1973, I have carefully executed the survey of the claim of **Alonzo Elder** known as the (lode, placer, or mill site) **Ofie Homba #1 lode and Elder Nos. 1 & 2 Mill Sites**, situated in **Buckeye Mining District, Maricopa County, Sec. 20**, Township **1 South**, Range **3 West**, **G. & SR.** Meridian, in the State of **Arizona**.

This survey, designated as number **4751A&B**, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) **lode** location(s) embraced in the said mining claim by claimant(s) or **their** grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

<b>Scottsdale, Arizona</b> (Location)	 (Signature of Mineral Surveyor)
--	---

CERTIFICATE OF APPROVAL

Office <b>Arizona State Office</b>
Location <b>Phoenix, Arizona</b>
Date <b>May 29, 1974</b>

The foregoing field notes of mineral survey number **4751 A & B**, in **Section 20**, Range **3 W.**, **Gila and Salt River** Meridian, in the State of **Arizona**, Township **1 S.**, executed by **Harvey W. Smith**, Mineral Surveyor, under order dated **August 8**, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 (Authorized Signature)	<b>State Director</b> (Title)
---	----------------------------------

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number \_\_\_\_\_ is a true copy of the original field notes

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 4751B  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Elder No.1 and Elder No. 2 mill sites, Mineral Survey No. 4751B, located in section 20, Township 1 South, Range 3 West, Gila and Salt River Meridian, Arizona, is(are) hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Elder No. 1 and Elder No. 2 mill sites, M.S. 4751B were canceled January 19,1999, by memo 9605 (952) M.S. 4751B, which is now a part of the original field notes."

January 19, 1999  
Date

*Debra R. M. King*  
Acting Chief Cadastral Surveyor of Arizona

