

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number 4752
State Arizona
Land District Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Alonzo Elder
P. O. Box 732
Buckeye, Arizona 85326

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Muscovite #1	2/3/70	7/12/73 8/16/73

Mining district Buckeye			County Maricopa	
Section 6	Township 2 South	Range 3 West	Meridian G. & S. R. M.	Survey under order dated August 8, 1973 Sept. 6, 1973
Survey commenced August 8, 1973		Survey completed September 7, 1973	Name of Mineral Surveyor Harvey W. Smith	

STATE OF TEXAS
COUNTY OF [illegible]

FEET

This survey was made with a Swiss Kern theodolite, Model DKM 1, No. 77769, having horizontal and vertical circles 50 mm. in diam. The circles are graduated in degrees and 20-minute increments. An optical micrometer, adjustable to the vertical and horizontal circles, permits the reading of angles direct to 10-second accuracy and estimating to one-second accuracy. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of horizontal-angles-right referred to the meridian established by direct observation on the sun. At 16:01 p.m. on August 17, 1973, at Cor. No. 3 of the Muscovite #1 lode, latitude $33^{\circ} 16' 53.9''$ North, longitude $112^{\circ} 36' 38.5''$ West, turning from a reference point about 600 ft. northwesterly clockwise to the sun in a southwesterly direction.

True bearing of reference point: N. $60^{\circ} 51' 25''$ W.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths. The tape was compared to a standard and found to be correct. All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $13^{\circ} 15'$ E.

SURVEY NO. 4752

Beginning at Cor. No. 1 of the Muscovite #1 lode.

Set an iron post, $3/4$ in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. M. 1 1X U. S. M. S. 4752; from which

The Cor. of secs. 6 and 7, T. 2 S., R. 3 W., G&SRM, bears S. $19^{\circ} 55' 36''$ W., 1,069.58 ft. dist.; an iron post, 2 ins. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record.

A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.

Thence N. $17^{\circ} 27' 58''$ E.

FEET	
1,498.85	<p>Cor. No. 2.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. M 1 2X U.S.M.S. 4752; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>Thence S. 60° 51' 25" E.</p>
300.0	<p>Lode line; discovery point bears S. 17° 27' 58" W., 708.85 ft. dist.</p>
600.0	<p>Cor. No. 3.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. M 1 3X U.S.M.S. 4752; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>Thence S. 17° 27' 58" W.</p>
1,498.85	<p>Cor. No. 4.</p> <p>Set an iron post, 3/4 in. diam., 24 ins. long, in a concrete and rock base, 12 ins. in the ground, with a brass cap firmly secured to the iron post, mkd. M 1 4X U.S.M.S. 4752; from which</p> <p>A wood post, 4 x 4 ins. in size, 4 ft. above ground, stands adjacent to the iron post.</p> <p>Thence N. 60° 51' 25" W.</p>
300.0	<p>Lode line; discovery point bears N. 17° 27' 58" E., 790 ft. dist.</p>
600.0	<p>Cor. No. 1, and place of beginning.</p>

FEET					
	SURVEY NO. 4752				
	AREAS				
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;"></td> <td style="text-align: center; border-bottom: 1px solid black;"><u>Acres</u></td> </tr> <tr> <td>Total area Muscovite #1 lode</td> <td style="text-align: center;">20.218</td> </tr> </table>		<u>Acres</u>	Total area Muscovite #1 lode	20.218
	<u>Acres</u>				
Total area Muscovite #1 lode	20.218				
	LOCATION				
	<p>This survey is located in the SW. 1/4 sec. 6, T. 2 S., R. 3 W., G&SRM.</p> <p>The survey of the Muscovite #1 lode is identical with the amended location as marked on the ground.</p>				
	EXPENDITURES				
	<p>The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or his grantors are as follows:</p>				
No. 1	<p>The discovery point of the Muscovite #1 lode is on the lode line 790 ft. from a point on line 4-1, 300.0 ft. from Cor. No. 4.</p> <p style="text-align: right;">Value: None</p>				
No. 2	<p>A circular cut, the SE. edge of which bears N. 1° W., 940 ft. dist. from Cor. No. 4 of the Muscovite #1 lode; 9 ft. diam., 5 ft. maximum depth.</p> <p style="text-align: right;">Value: \$75.00</p>				
No. 3	<p>A pit, the NE. cor. of which bears S. 62° W., 352 ft. dist. from Cor. No. 3 of the Muscovite #1 lode; 4 ft. wide, 3 ft. maximum depth, running S. 10° E., 9 ft.</p> <p style="text-align: right;">Value: \$25.00</p>				
No. 4	<p>A pit, the SE. cor. of which bears N. 3° W., 845 ft. dist. from Cor. No. 4 of the Muscovite #1 lode; 6 ft. wide, average depth, 2 ft., running N. 2° E., 10 ft.</p> <p style="text-align: right;">Value: \$25.00</p>				
No. 5	<p>A cut, the SW. cor. of which bears N. 13° 30' E., 855 ft. dist. from Cor. No. 4 of the Muscovite #1 lode; 9 ft. wide, average depth, 10 ft., running N. 10° E., 24 ft.</p> <p style="text-align: right;">Value: \$400.00</p>				

(This form bound on left side)

FEET	<p style="text-align: center;">OTHER IMPROVEMENTS</p> <p style="text-align: center;">None</p> <p style="text-align: center;">OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA</p> <p style="text-align: center;">None</p> <p style="text-align: center;">FIELD ASSISTANTS</p> <table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;"><u>Name</u></th> <th style="text-align: left; border-bottom: 1px solid black;"><u>Capacity</u></th> </tr> </thead> <tbody> <tr> <td>Kent Miller</td> <td>Instrument Man</td> </tr> <tr> <td>Charles Najarian</td> <td>Chainman-Axeman</td> </tr> </tbody> </table>	<u>Name</u>	<u>Capacity</u>	Kent Miller	Instrument Man	Charles Najarian	Chainman-Axeman	
<u>Name</u>	<u>Capacity</u>							
Kent Miller	Instrument Man							
Charles Najarian	Chainman-Axeman							

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Harvey W. Smith	Date September 10, 1973
--	-----------------------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated August 8, 1973 and September 6, 1973, I have carefully executed the survey of the claim of Alonzo Elder known as the (lode, placer, or mill site) Muscovite #1 lode situated in Buckeye Mining District, Maricopa County, Sec. 6, Township 2S, Range 3W., G.&S.R. Meridian, in the State of Arizona

This survey, designated as number 4752, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) lode location(s) embraced in the said mining claim by claimant(s) or their grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Scottsdale, Arizona (Location)	 (Signature of Mineral Surveyor)
--	---

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date May 1, 1974

The foregoing field notes of mineral survey number 4752, in Section 6, Range 3 W., Gila and Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 2 S., executed by Harvey W. Smith Amended, Mineral Surveyor, under order dated August 8, 1973 & Sept, 6 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 (Authorized Signature) Harold Ramsbacher	Acting State Director (Title)
---	---

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes.

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

CONFIDENTIAL

6

CONFIDENTIAL

CONFIDENTIAL