

Form 3400-11
(September 1967)
(formerly 4-683)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number	4761
State	Arizona
Land District	Arizona

Of the Survey of the Mining Claim of *(name and address of Claimant)*

Phelps Dodge Corporation
C/O Evans, Kitchel & Jenckes
363 N. 1st Ave.
Phoenix, Arizona 85003

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
SKV Mill Site No. 3	6/30/73	

Mining district			County	
Copper Basin			Yavapai	
Section	Township	Range	Meridian	Survey under order dated
26	13 North	4 West	Gila & Salt River	9-10-73
Survey commenced		Survey completed	Name of Mineral Surveyor	
2-21-74		2-21-74	Robert Lenon	

FEET	
	<p>This survey was made with a Lietz Precise Transit No. 65718, with horizontal limb 5½ ins. diam., having two double opposite verniers reading to 20 seconds of arc, and full vertical circle 4½ ins. diam., having one double vernier reading to 1 minute of arc. The eyepiece has a removable colored glass for making direct observations upon the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.</p> <p>All azimuths in this record were referred to the meridian of the Phelps-Dodge Copper Basin Project triangulation-system, set out on a local plane grid, and which I checked by solar observations made on October 21, 1973, as described in my field notes in Min. Sur. No. 4756, and found to be correct. At cor. No. 1 of the SKV Mill Site No. 3, the latitude is 34°26½' N.; the longitude is 112°39' W.</p> <p>The lines were measured with a Hewlett-Packard distance-meter, and a Chicago steel tape, 300 feet in length, graduated every foot, with the end feet graduated to tenths; which was compared with a Lufkin standard at the time of beginning the survey and found correct.</p> <p>All lines and connections of this survey were run by direct methods.</p> <p>The magnetic declination observed at each corner of the survey gave a uniform value of 14°00' E.</p>
	<p>SKV MILL SITE NO. 3</p>
	<p>At Cor. No. 1 of the SKV Mill Site No. 3.</p> <p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SKV3-1-4761; from which</p> <p style="padding-left: 40px;">The cor. of secs. 23, 24, 25 and 26, T. 13 N., R. 4 W., G.&S.R.M., Arizona, bears N. 69°27'40" E., 5275.50 ft. dist.; monumented with a sandstone, 30 x 15 x 8 ins., with faint notches, and standing loose in a large mound of stone.</p> <p style="text-align: center;">Thence South</p>
25.	Enter channel of sandy wash, on right bank; 140 ft. wide, course S. 60° W.
35.	Road, 12 ft. wide, bears N. 75° W. and S. 75° E.
180.	Leave channel of sandy wash, on left bank; 140 ft. wide, course S. 60° W.
230.	Road, 12 ft. wide, bears N. 80° E. and S. 80° W.
590.	Gulch, 5 ft. wide, course S. 75° W.
660.00	Cor. No. 2.

(This form bound on left side)

FEET					
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SKV3-2-4761.</p> <p style="text-align: center;">Thence West</p>				
230.	Gulch, 5 ft. wide, course S. 80° W.				
330.00	Cor. No. 3.				
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SKV3-3-4761.</p> <p style="text-align: center;">Thence North</p>				
360.	Enter channel on left bank of sandy wash, 90 ft. wide, course S. 65° W.				
385.	Road, 12 ft. wide, bears E. and W.				
450.	Leave channel on right bank of sandy wash, 90 ft. wide, course S. 65° W.				
605.	Road, 12 ft. wide, bears N. 70° E. and S. 70° W.				
660.00	Cor. No. 4.				
	<p>Set an iron pin, 5/8 in. diam., 24 ins. long, 18 ins. in the ground, stone mound alongside, with aluminum cap mkd. X-SKV3-4-4761.</p> <p style="text-align: center;">Thence East</p>				
330.00	Cor. No. 1, and place of beginning.				
	<p>AREAS</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%;"></th> <th style="text-align: right;">Acres</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Total area, SKV Mill Site No. 3</td> <td style="text-align: right;">5.000</td> </tr> </tbody> </table>		Acres	Total area, SKV Mill Site No. 3	5.000
	Acres				
Total area, SKV Mill Site No. 3	5.000				
	<p>LOCATION</p> <p>This survey is located in the NW$\frac{1}{4}$ sec. 26, T. 13 N., R. 4 W., G.&S.R.M.</p> <p>The survey of the SKV Mill Site No. 3 is identical with the location as marked on the ground.</p>				
	<p>EXPENDITURES</p>				
No. 1	<p>A drilled well, known as SK-1, 10 ins. diam. at the collar, 1673 ft. deep, the center of which bears S. 21°26'40" W., 304.78 ft. from Cor. No. 1. Value, \$33,000.</p>				
No. 2	<p>A drilled well, known as SK-2, 6 ins. diam. at the collar, 358 ft. deep, the center of which bears S. 31°05' W., 376.4 ft. from Cor. No. 1. Value, \$5,500.</p>				
No. 3	<p>A drilled well, known as SK-3, 30 ins. diam. at the collar, 801 ft. deep, the center of which bears S. 31°50' W., 453.7 ft. from Cor. No. 1. Value, \$57,000.</p>				

FEET

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The $\frac{1}{4}$ sec. cor. of secs. 23 and 26 is marked by a small mound of stone on top of a mesa. No mkd. stone was found. The cor. bears S. $88^{\circ}42'$ W. 2661.08 ft. dist. from the cor. of secs. 23, 24, 25, and 26.

Diligent search to the W. did not recover any other G.L.O. corners except the cor. of secs. 20, 21, 28, and 29, a malpais stone, 6 x 8 x 24 ins., standing loose in a large stone monument in a fence corner on a hillside. It bears approximately S. 88° W. from the cors. described above.

FIELD ASSISTANTS

Name	Capacity
Hoyd J. Patty	Transitman
Thomas S. Woods	Head Chainman
Stephen W. Dale	Rear Chainman
Bruce A. Schreiber	Axeman

FEET

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor Robert Lenon	Date July 1, 1974
--	----------------------

I HEREBY CERTIFY That in pursuance of an order received from the Bureau of Land Management, at Phoenix, Arizona, dated September 10, 1973, I have carefully executed the survey of the claim of Phelps Dodge Corp. known as the (lode, placer, or mill site) SKV Mill Site No. 3, situated in Section 26, Township 13 N., Range 4 W., Gila & Salt River Meridian, in the State of Arizona.

This survey, designated as number 4761, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.


I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) mill site location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Patagonia, Arizona (Location)	 (Signature of Mineral Surveyor)
----------------------------------	---

CERTIFICATE OF APPROVAL

Office Arizona State Office
Location Phoenix, Arizona
Date June 30, 1976

The foregoing field notes of mineral survey number 4761, in Section 26, Range 4 W., Gila and Salt River Meridian, in the State of Arizona, surveyed unsurveyed Township 13 N., executed by Robert Lenon, Mineral Surveyor, under order dated September 10, 1973, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

 Boyd S. Owens (Authorized Signature)	Chief, Branch of Cadastral Survey (Title)
--	--

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number is a true copy of the original field notes

(Authorized Signature)	(Title)
------------------------	---------

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

State of _____
County of _____
Section _____
Township _____

Be it remembered that on this _____ day of _____ 19____
_____ of the County of _____ State of _____
did hereunto sign and seal their names and the names of the persons
named in the foregoing certificate, in presence of each other and of the
undersigned, a Justice of the Peace for the County of _____ State of _____

_____ Justice of the Peace for the County of _____ State of _____
_____ Clerk of the County of _____ State of _____

Witness my hand and seal of office this _____ day of _____ 19____
at _____ in the County of _____ State of _____

_____ of the County of _____ State of _____
_____ of the County of _____ State of _____
_____ of the County of _____ State of _____

_____ of the County of _____ State of _____
_____ of the County of _____ State of _____

_____ of the County of _____ State of _____
_____ of the County of _____ State of _____

_____ of the County of _____ State of _____
_____ of the County of _____ State of _____