

3.

No. 1085

1085

Subdivisions

of

BOOK 1085

Tr. 23 N R 13 W

4-671

BOOK 1085

FIELD NOTES

GENERAL LAND OFFICE.

James A. Lampport

U.S. Dep. Surv.

contract No. 47.

No. 1085.

Survey accepted
Mar 31, 1898.

59-75-79

125

Indexed Book 1092

Township 23 S R. 13 W

6	130	5	4	3	2	1
129		127				
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

No. 1085

126

BOOK

1085

Subdivisions J. 23. N. R. 13. W.

Chains and raise a mound of Stone 2
ft. base $1\frac{1}{2}$ ft. high W. of Cr.
Pits impracticable,
Land Mountainous ^{and} Mineral
Soil Stony 4th rate.
No timber.

Mountainous Land 80.00 chains
September 26, 1896

September 28 at 8^h 0^m a.m. L.M.T.
I set off $35^{\circ}22'$ on the lat. arc
 $2^{\circ}22'$ S. on the decl. arc, and
determine a true meridian
with the Solar at the Cr.
of Decs. 5, 6, 7th & 8.

Thence I run
 $S89^{\circ}51'E$ on a random line
bet. Decs. 5th & 8.

40.00 Set. temp. 1/4 Sec. Cr.

Subdivisions.

- Chainis
 80.10 Intersect N. and S. line of lks. S.
 of Cor. of Secs. 4, 5, 8 and 9.
 Thence I run
 N 89° 54' W. on a true line
 bet. Secs. 5 and 8.
 Over Mountainous land, descend
 5.00 Foot of descent, ascend
 10.00 Top of Spur, bears N. & S. descend
 31.00 Low Pass, bears N. & S. ascend on
 N. Slope of Mountain.
 40.05 Set a Black Slate Stone 16 x 8 x 6 ins.
 11 ins. in the ground for 1/4 Sec.
 Cor. marked 1/4 on N. face and
 raise a mound of Stone 2 ft.
 base 1 1/2 ft. high N. of Cor.
 Pits impracticable. Whence
 A Cedar 8 ins. diam. bears
 N 42° W 151 lks. dist. -
 marked 1/4 S. B. S.

T. 23. N. R. 13. W.

- Chains A Cedar 6 ins. diam. trans.
 S. 58° W. 52 lks. dist. marked
 1/4 S. B.T. - Ascend
- 47.50 Top. trans. N. and S. descend steep.
- 50.00 Ravine 30 ft. deep. 30 lks. wide flows
 N 40° E. ascend
- 75.40 Top of pass on mountain trans.
 N. & S. descend.
- 80.10 The Cor. of Secs. 5, 6, 7^{and} 8.
 Land Mountainous ^{and} Mineral
 Soil. Stony 4th rate.
 Timber Scattering Cedars.
 Mountainous land 80.10 chains.

N 89° 53' W on a random line
 bet. Secs. 6^{and} 7.

- 40.00 Sect. temp. 1/4 Sec. Cor.
- 79.40 Intersect. W. bdy of the Sp.
 4 lks. N. of Cor. of Secs. 1, 6, 7 & 12

Subdivisions.

Chains	As heretofore described, Thence I run
	S 89° 55' E on a true line bet. Secs. 6 th & 7.
	Over mountainous land, ascend
14.30	Dry wash 60 lks. wide flows. S.W. ascend
24.00	Top. bears. N 60° E + S 60° W descend
34.00	Dry wash 150 lks. wide flows. S 60° W
39.40	A granite rock in place 3 x 3 ft. 2 ft. above ground. for 1/4 Sec. Co. Marked 1/4 on N. face. and raise a mound of stone 2 ft. base 1 1/2 ft. high N. of Co. -
	Pits. impracticable, ascend
42.00	Ascend abrupt on W. slope of mountains.
71.00	Spur. 800 ft. above 1/4 Sec. Co. from N.W. ^{2nd} & S.E. descend
78.50	Ravine. flows. S 30° W. and ascend

T. 23. N. R. 13. W.

Chains

79.40

The Cor. of Secs. 5, 6, 7, and 8.
Land Mountainous and Mineral.
Soil. Stony 4th rate.

No. timber.

Mountainous Land. 79.40 chains

N 0° 3' W. on a random line
bet. Secs. 5 and 6.

40.00

Set. temp. 1/4 Sec. Cor.

79.80

Intersect N. Edy. of the Sp. 4
lks. E. of the Cor. of Secs. 5, 6.

31st and 32. heretofore described

thence. I run

S 0° 5' E. on a true line

bet. Secs. 5 and 6.

Over Mountainous land. descend

4.90

Ravine 20 lks. wide, 200 ft. below
Sec. Cor. flows. N 75° W. ascend

13.00

Top. of Spur. 250 ft. above ravine

Subdivisions

- Chains
 37.88 Trans. N.W. and S.E. descent
 39.80 Cañon 60 ft. deep. flows. S 15° W ascend
 44.00 A granite rock in place 12 x 12
 61.00 ins. 18 ins. above ground. for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ on W. face, and
 raise a mound of stone 2 ft.
 face. $1\frac{1}{2}$ ft. high. W. of Cor.
 Pits impracticable, ascend
 74.00 Ruin of Cañon. Trans. N.E. + S.W. ascend
 79.80 Top. on W. Slope of mountain then
 begin descent.
 74.00 Begin abrupt. descent
 79.80 The Cor. of Secs. 5, 6, 7th and 8.
 Land Mountainous and Mineral
 Soil. Stony. 4th rate.
 No. timber.

Mountainous land 79.80 chains.

September 28, 1896.

T. 23. N. R. 13. W.

General Description.

This township contains nearly every variety of land. from mountains to rich sandy loam. The soil on either side of the Truxton Dry Wash. for nearly a quarter of a mile, is a rich sandy loam. Capable of producing nearly every kind of Crops. when irrigated. -

The greater part of this township is mountainous. The Music Mountains being North and West. and the Cottonwood Mountains being South and East of the Truxton Dry Wash. These mountains are very rough rugged and precipitous. and with the exception of a little

good land in the Truxton Valley, and particularly in Secs. 22, 29, and 33. The balance of the township is mineral and grazing land. Mesquite undergrowth in places along the valleys, while Cedar and Pinon is found on the mountains. The Atlantic and Pacific Railroad traverses this township in a northeasterly and southwesterly direction. This township is poorly watered, there being about thirty miners inches that comes to the surface in the Truxton Wash. on Sec. 15 which the Indians use for irrigating purposes. There is

No. 1085

BOOK 1085

134

a Small Spring on Sec. 2 S. in Cottonwood Wash. It. from 25. to 40 ft. in depth. water is obtained in wells. along the Truxton Wash. used for live stock and irrigation.

There is a Small settlement of Kualapai Indians. of about 25 families on Sec. 15. where they have about ten acres of land under Crops. - there are also Settlers in Secs. 2, 3, 10. and 19.

Peter Benson is on Secs. 2 and 3. The place now known as the Indian agency, and better known as the George Aitkens place, is on Sec. 10. and William Grounds on Sec. 19. -

James A. Sampson,
U. S. Deputy Surveyor

List of Names.

BOOK

135
1085

A List of the Names of the Individuals
employed by Jamus A. Lamport
U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the
Subdivision lines of Sp.
23 N. R. 13. W.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

Fred. Hochduffer Chainman.

Indian Yll-Ka-71a.71 Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

William H. Power Flagman.

136

Final Oath of Assistants.

We hereby certify that we assisted James A. Lampson U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivision lines of Tp. 23. N. R. 13, W.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

Fred Hocholderfer Chainman.
Indian 2/11-Ka-72 + Chainman.
mark

Chainman.

Chainman.

Axeman.

Axeman.

William H. Power Flagman.

Sworn to and subscribed before me, this 17th day of November, 1896

J. S. Bunch
Notary Public.

[SEAL.]

Witness Signature of Indian Fred Hocholderfer William H. Power

Final Oath of U. S. Deputy Surveyor.

I, *James A. Lamport*

U. S. Deputy Surveyor, do solemnly swear that in
pursuance of a contract received from *Royal A.*
Johnson, United States Surveyor-General for Ari-
zona, bearing date of the *Seventeenth* day of

June 189*6*, I have well, faith-
fully, and truly, in my own proper person, and in

strict conformity with the instructions furnished by
the United States Surveyor-General for Arizona,
the Manual of Surveying Instructions, and the
laws of the United States, surveyed all those parts

or portions of the *Subdivision lines*
of Tp. 23. N. R. 13. W.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing Field Notes as having been surveyed by
me and under my direction; and I do further
solemnly swear that all the corners of said surveys
have been established and perpetuated in strict
accordance with the Manual of printed instructions,
the special instructions of the United States Sur-
veyor-General for Arizona, and in the specific


manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

James A. Lamport,
U. S. Deputy Surveyor.

Sworn to and subscribed before me this *19th*

day of *November*, 189*6*

C. A. Seeger
Clerk District Court
Federal Judicial District
Territory of Arizona



Office of the U. S. Surveyor-General,
Tucson, Ariz. Mar. 22, 98.

The foregoing field notes of the survey of the Subdivision Lines of T. 23 N., R. 13 W., executed by James A. Lamport, U. S. Deputy Surveyor, under his contract No. 41, Arizona, dated June 17, 1896, having been critically examined the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

George Christ
U. S. Surveyor-General.