

2343

15.2-1912

Book C BOOK 2343  
FIELD NOTES

AUG. 16 1912

OF THE SURVEY OF THE

Private Claims located in Township

One South, Range Seven East.

Of the G. & S. R. Meridian,

In the State of Arizona.

EXECUTED BY

Fred W. Rodolf

In the capacity of U. S. Surveyor, under instructions dated July 8th, 1911, issued by the United States Surveyor General to govern surveys included in Group No. 12, which were approved by the Commissioner of the General Land Office, July 18, 1911, pursuant to authority contained in the Act of Congress dated March 4, 1911.

Survey commenced August 11, 1911.

Survey completed August 11, 1911.

# INDEX DIAGRAM.

*Township* ..... , *Range* .....

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

BOOK 2343

# INDEX DIAGRAM.

Township 1 South, Range 7 East.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	<div style="border: 1px solid black; padding: 2px;"> <p>1 Private Claim 37</p> <p>2 Private Claim 38</p> <p>2 Private Claim 39</p> </div>	26	25
31	32	33	34	35	36

Meanders Page .....

1832

BOOK 2343

PRELIMINARY OATHS OF ASSISTANTS.

WE, H. N. Bradstreet and L. E. Flanagan

do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of Private claims 37, 38, & 39 located in T.1 S., R.7 E.

H. N. Bradstreet, Chairman.  
L. E. Flanagan, Chairman.

Subscribed and sworn to before me this 11th day of August, 19 11



Fred W. Rodolf  
U. S. Surveyor

WE, Oliver Nofzinger and

do solemnly swear that we will well and truly perform the duties of moundmen in the establishment of corners, according to the instructions given us, to the best of our skill and ability, in the survey of private claims 37, 38, & 39 in T.1 S., R.7 E.

O. Nofzinger, Moundman.  
Moundman.

Subscribed and sworn to before me this 11th day of July August, 19 11



Fred W. Rodolf  
U. S. Surveyor

WE, J. Gary Lindley and

do solemnly swear that we will well and truly perform the duties of axmen in the establishment of corners and other duties, according to instructions given us, to the best of our skill and ability, in the survey of private claims 37, 38, & 39 in T.1 S., R.7 E.

J. Gary Lindley, Axman.  
Axman.

Subscribed and sworn to before me this 11th day of August, 19 11



Fred W. Rodolf  
U. S. Surveyor

I, Harry B. Marshall, do solemnly swear that I will well and truly perform the duties of flagman according to instructions given me, to the best of my skill and ability, in the survey of private claims 37, 38, & 39 in T.1 S., R.7 E.

H. B. Marshall, Flagman.

Subscribed and sworn to before me this 11th day of August, 19 11



Fred W. Rodolf  
U. S. Surveyor

Chains

Survey commenced on the 11th day of August and executed with a Young and Sons light mountain transit No. 8480, with solar attachment. The horizontal limb is provided with two double verniers placed opposite to each other and reading to single minutes of arc, which is also the least count of the verniers of the decl. and lat. arcs.

The instrument was examined, tested on the true meridian at Phoenix, found correct and approved by the Surveyor General for Arizona.

By recent tests on Polaris and by the work that I have been doing with the transit I know that the adjustments of the solar and transit are in good order, therefore I do not deem it necessary to take observations on Polaris.

-----

In making the restoration survey of the subdivision lines of T. 1 S., R. 7 E., (see Book "B") I find that the lines as re-established would very closely correspond with all accepted property lines and would impair no rights of bona fide settlers with the exception of the claims of James W. Mode, whose well and buildings come North of the Section line as re-established. In order to protect his rights I make a private claim survey for his claim, and this necessitates making private claim surveys for Wm. H. McIntyre, and James Haskell I proceed as follows:

-----

Private Claim No. 37.

At a point on the section line bet. secs. 22 and 23, N. 0° 36' W., 6.89 chs. from the cor. of secs. 22, 23, 26 and 27, I set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for cor. No. 1, of private claim, No. 37, marked

P L S 23 in East half, and  
P L S 22 in NW., and  
Cor. 1 P C 37 in SW quadrants.

Thence I run  
S. 89° 06' W., along N. bdy. of private claim No.

39.92

37, intersect the half sec. line thru sec. 22. Set an iron post, 3 ft. long, 1 in. in dia., 26 ins in the ground, for cor. No. 2, marked

P L S 22 in North half,  
P C 37 cor. No. 2 in SE quadrant,

Thence I run  
S. 0° 36' E., along half sec. line.

5.87

The  $\frac{1}{4}$  sec. cor., bet. secs. 22 and 27.

39.81

Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for cor. No. 3, of private claim 37, and Cor. No. 2 of claim 38, marked

P L S 27 in West half,  
P C 37, Cor. No. 3 in NE., and  
P C 38, Cor. No. 2 in SE quadrants,

Thence I run  
N. 89° 07' E., bet. claims 37 and 38.

39.91

Intersect the line bet. secs. 26 and 27, 6.89 chs. N. 0° 36' W., from  $\frac{1}{4}$  sec. cor., Set an iron post, 3 ft. long, 1 in. in dia., 26 ins., in the ground, for cor. No. 4 of claim, 37 and cor. No. 1, of claim 38, marked

P L S 26 in East half,  
P C 37, Cor. No. 4, in NW., and  
P C 38, Cor. No. 1 in SW quadrants.

Thence I run  
N. 0° 36' W., along sec. line to

Chains  
32.93  
39.82

The cor. of secs. 22, 23, 26 and 27.  
The cor. No. 1, point of beginning.  
Land, level.  
Underbrush, dense greasewood. No timber.  
Soil, light loam, 1st class.

-----

Survey of Private Claim No. 38.

From cor. No. 4 of claim, No. 37 and Cor. No 1, of claim, 38, just set by me, I run  
S 89° 07' W., bet claims 37 and 38.

39.91 Cor. No. 2 of claim 38 and cor. No. 3 of claim 37 recently set by me.

Thence, I run  
S. 0° 36' E., along half-sec. line.

39.81 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for cor. No. 3 and cor. No. 2 of claim 39, marked

P L S 27 in West half,  
P C 38 cor. No. 3 in NE, and  
P C 39, cor. No. 2 in SE quadrants.

Thence, I run  
N. 89° 08' E., bet. claims, 38 and 39.

39.92 Intersect the N. and S. sec. line bet. secs. 26 and 27, 6.89 chs. N. 0° 36' W. of the cor. of secs. 26, 27, 34 and 35. Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for cor. No. 4 of claim 38 and Cor. No. 1 of claim 39, marked

P L S 26 in East half,  
P C 38, Cor. No. 4 in NW, and  
P C 39, Cor. No. 1 in SW quadrants.

Thence, I run  
N. 0° 36' W., along sec. line bet. secs. 26 and 27.

32.93 1/4 sec. cor. bet. secs. 26 and 27.  
39.82 Cor. No. 1, the point of beginning.

Land, level.  
Underbrush, dense greasewood. Timber, mesquite.  
Soil, light loam, 1st class.

-----

Survey of Private Claim No. 39.

From the cor. No. 1 of claim 39, and cor. No. 4, of claim 38, just set by me, I run  
S. 89° 08' W., bet. claims 38 and 39.

39.92 The cor. No. 2 of claim 39, and cor. 3 of claim 38, recently set by me.

Thence, I run  
S. 0° 36' E., on half-sec. line.

39.81 Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, for cor. No. 3 of claim 39, marked

P L S 34 in South half,  
P C 39, Cor. No. 3 in NE quadrant.

Thence, I run  
N. 89° 09' E., along S. bdy. of claim 39.

39.91 Intersect the line bet. secs. 34 and 35, 6.89 chs. N. 0° 34' W., of 1/4 sec. cor. Set an iron post, 3 ft. long, 1 in in dia., 26 ins. in the ground for cor. No. 4, marked

P L S 35 in East half,  
P L S 34 in SW quadrant, and  
P C 39 Cor. No. 4 in NW quadrant.

Thence, I run  
N. 0° 34' W., along sec. line, bet. secs. 34 and 35.

32.93 The cor. of secs. 26, 27, 34 and 35.

39.82 Cor. No. 1 of claim, point of beginning.

Land, level.

Survey of Private Claims in T. 1 S., R. 7 E.

3.

Underbrush, dense greasewood. Timber, mesquite.  
Soil, light loam, 1st class.  
August 11, 1912.

-----  
Note: For observations, see subdivisinal Book "B"

These are all the private claims necessary in this township to properly protect the rights of all bona fide settlers.

The line of these private claims are satisfactory to all parties affected by them and are arranged so as to make the least number of private claims possible in this township.

*Fred W. Rodolf*  
\_\_\_\_\_  
U . S. Surveyor.

FINAL OATHS OF DEPUTY SURVEYOR AND HIS ASSISTANTS.

36  
4

LIST OF NAMES.

BOOK 2343

A list of the names of the individuals employed by Fred W. Rodolf

....., United States ~~Deputy~~ Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of private claims 37, 38 & 39 located in .1 S., R. 7 E. showing the respective capacities in which they acted:

- H. N. Bradstreet....., *Chainman.*
- L. E. Flanagan....., *Chainman.*
- Oliver Nofzinger....., *Moundman.*
- ....., *Moundman.*
- J. Gary Lindley....., *Arman.*
- ....., *Arman.*
- Harry B. Marshall....., *Flagman.*

FINAL OATH OF ASSISTANTS.

We hereby certify that we assisted Fred W. Rodolf

....., United States ~~Deputy~~ Surveyor, in surveying all those parts or portions of the private claims in T. 37, 38 & 39 in T. 1 S., R. 7 E.

..... of the Principal meridian, State of Arizona., which are represented

in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

- H. N. Bradstreet....., *Chainman.*
- L. E. Flanagan....., *Chainman.*
- O. Nofzinger....., *Moundman.*
- ....., *Moundman.*
- J. Gary Lindley....., *Arman.*
- ....., *Arman.*
- H. B. Marshall....., *Flagman.*

Subscribed and sworn to before me this 19th day of August, 19 11



Fred W. Rodolf  
U. S. Surveyor

FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.

537  
BOOK 2343

I, Fred W. Rodolf ~~instructions~~ <sup>XXXX</sup>, United States Deputy Surveyor, do solemnly swear that, in pursuance of ~~contract~~ <sup>XXXXXX</sup> received from Frank S. Ingalls United States Surveyor General for Arizona, bearing date of the 8th day of July, 1911, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the private claims Nos. 37, 38 and 39 located in Tp. 1 S., R. 7 E.

of the \_\_\_\_\_ of the \_\_\_\_\_  
Principal meridian, in the State of Arizona, which are represented in the foregoing field notes as having been surveyed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the United States Surveyor General for Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Fred W. Rodolf  
United States ~~Deputy~~ Surveyor.

Subscribed by said Fred W. Rodolf, and sworn to before me }  
this 17 day of Aug, 1912



ambrose W. Clark  
B. F. Drake  
Deputy

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, August 17, 1912.

The foregoing field notes of the survey of the private claims Nos. 37, 38 and 39 located in Tp. 1 S., R. 7 E.

executed by Fred W. Rodolf,  
under ~~contract~~ <sup>Group</sup> No. 12, dated July 18, 1912, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank S. Ingalls  
United States Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in \_\_\_\_\_, has been correctly copied from the original notes on file in this office.

United States Surveyor General.