

2806

4-679

Book "P"

Subdivisions

FIELD NOTES

BOOK 2806

SEP 3-1914

OF THE SURVEY OF PART OF THE

Lines
Subdivision of T. 1 N., R. 10 W.

Of the Gila & Salt River Base and Meridian,

Arizona.

In the State of

EXECUTED BY

Jesse B. Wright,

In the capacity of U. S. Surveyor, under instructions dated October 21, 1913, issued by the United States Surveyor General to govern surveys included in Group No. 32, which were approved by the Commissioner of the General Land Office, November 21, 1913, pursuant to authority contained in the Act of Congress dated June 23, 1913

Survey commenced April 23, 1914

Survey completed April 29, 1914

2806

156
1A

Book "P"

BOOK 2806

INDEX DIAGRAM.

Township *1 North*, Range *10 West*

6	5	4	14	3	9	2	4	1
				14		9		4
7	8	9	13	10	9	11	4	12
				13		8		
18	17	16	13	15	8	14	3	13
				12		8		3
19	20	21	12	22	7	23	2	24
				11		7		2
30	29	28	11	27	7	26	2	25
				10		6		1
31	32	33	10	34	6	35	1	36

Gila & Salt River Base Line

6-151

- Notes in Book "A" this Group
- " " " "B" " "
- " " " "C" " "
- Unsurveyed

Partial Subdivision of T. 1 N., R. 10 W.

Chains.

Survey commenced April 23, 1914, and executed by Jesse B. Wright, U.S. Surveyor, using a Youngland Sons' light mountain transit No. 7084, described in Book "A." in book . . . At 7h a.m., l.m.t., at the Std. cor. of Tps. 1 N., Rs. 9 & 10 W., on G. & S.R. Base Line, established by me, as described in Bk. C, set off 12°24' N. on the decl. arc, and 33°22½' N. on the lat. arc, and determine a meridian with the solar. The meridian thus determined being identical with the line of the true meridian determined at this cor. by Polaris observation on Apr. 19th, and having made recent and repeated tests on same meridian to check my solar apparatus, I conclude that the instrument is in satisfactory adjustment, as the results are practically uniform and correct.

I proceed to the std. cor. of secs. 35 & 36, on S. bdy. of Tp., (G. & S.R. Base Line), as established by me, described in book "C."

At this cor. at 7h 30m a.m., l.m.t., I set off 12°24' N. on the decl. arc, and 33°22½' N. on the lat. arc, and determine a meridian with the solar.

Thence I run, as per instructions, N. 0° 1' W. bet. secs. 35 & 36.

Var. 14°25' E.

Over gently undulating plain, through dense greasewood, sage brush, few cacti, ironwood and paloverde trees.

37.05 Road, brs. NW. & SE.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,

¼ S 35 in W., and

S 36 in E. half, 1914 on S. rim; from which,

An ironwood tree 6 ins. diam. brs. N. 31¼° W. 268 lks. dist., marked ¼ S 35 B T.

An ironwood tree 9 ins. diam. brs. N. 83° E. 58 lks. dist., marked ¼ S 36 B T.

52.10 Wash, 10 lks. wide, course NE.

77.90 Wash, 10 lks. wide, course NE.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 25, 26, 35 & 36, marked on brass cap, 1914 on S. rim,

T 1 N R 10 W, in N. half,

S 26 in NW.,

S 25 in NE.,

S 36 in SE., and

S 35 in SW. quad.; from which,

An ironwood tree 10 ins. diam. brs. N. 28° W. 212 lks. dist., marked T 1 N R 10 W S 26 B T.

An ironwood tree 24 ins. diam. brs. N. 40° E. 122 lks. dist., marked T 1 N R 10 W S 25 B T.

A mesquite tree 10 ins. diam. brs. S. 14¼° E. 186 lks. dist., marked T 1 N R 10 W S 36 B T.

An ironwood tree 10 ins. diam. brs. S. 3° W. 230 lks. dist., marked T 1 N R 10 W S 35 B T.

Land, level, gently undulating. Soil, 2nd rate, sandy. Greasewood, sage brush, few ironwood, mesquite, paloverde.

East, on a random line bet. secs. 25 & 36.

40.00 Set temp. ¼ sec. cor.

79.98 Intersect E. bdy. of Tp. at cor. of secs. 25, 30, 31 & 36, on line established by me, as described in book "A.", whence I run,

West, on a true line bet. secs. 25 & 36.

Over level land, through dense brush.

39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,

¼ S 25 in N., and

S 36 in S. half, 1914 on S. rim;

dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.

74.20 Wash, 10 lks. wide, course NE.

79.98 To cor. of secs. 25, 26, 35 & 36.

Land, level.

Soil, 2nd rate, sandy, gravelly, loose, dry.

Greasewood, sage brush, few cacti.

Chains.

- N. 0° 1' W. bet. secs. 25 & 26.
Over gently undulating land, through dense brush.
- 12.20 Wash, 20 lks. wide, course NE.
19.80 Wash, 10 lks. wide, course NE.
34.00 Wash, 10 lks. wide, course ESE.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 26 in W., and
S 25 in E. half, 1914 on S. rim; from which,
An ironwood tree 4 ins. diam. brs. S. 87° W. 162 lks. dist., marked $\frac{1}{4}$ S 26 B T.
An ironwood tree 6 ins. diam. brs. N. 86 $\frac{1}{2}$ ° E. 105 lks. dist., marked $\frac{1}{4}$ S 25 B T.
- 48.00 Wash, 10 lks. wide, course E.
71.50 Wash, 10 lks. wide, course E.
80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 23, 24, 25 & 26, marked on brass cap, 1914 on S. rim,
T 1 N R 10 W, in N. half,
S 23 in NW.,
S 24 in NE.,
S 25 in SE., and
S 26 in SW. quad.; no bearings available.
Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
Land, level, gently undulating.
Soil, 2nd rate, sandy, loose, gravelly, dry.
Greasewood, sage brush, few cacti, paloverde, and ironwood trees.
- Note: At this cor., at noon, I set off 12° 27' N. on the decl. arc, and observe the sun on the meridian.
The resulting lat. is 33° 24' N.

- East, on a random line bet. secs. 24 & 25.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect E. bdy. of Tp. 5 lks. S. of cor. of secs. 19, 24, 25 & 30, on line post heretofore established by me, as described in book "A", whence I run,
S. 89° 58' W. on a true line bet. secs. 24 & 25.
Over level plain, through dense brush.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 24 in N., and
S 25 in S. half, 1914 on S. rim;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
- 46.80 Wash, 10 lks. wide, course NE.
80.00 To cor. of secs. 23, 24, 25 & 26.
Land, level. Soil, 2nd rate, sandy, loose, dry, gravelly.
Greasewood, few cacti, paloverde.

- N. 0° 1' W. bet. secs. 23 & 24.
Over level land, drains E., through dense brush.
- 10.00 Wash, 15 lks. wide, course ENE.
18.15 Wash, 10 lks. wide, course ENE.
37.30 Road, brs. WNW. & ESE.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 23 in W., and
S 24 in E. half, 1914 on S. rim; from which,
An ironwood tree 19 ins. diam. brs. N. 6 $\frac{1}{2}$ ° W. 248 lks. dist., marked $\frac{1}{4}$ S 23 B T.
An ironwood tree 18 ins. diam. brs. N. 10° E. 260 lks. dist., marked $\frac{1}{4}$ S 24 B T.
- 42.50 Wash, 10 lks. wide, course E.
58.50 Wash, 10 lks. wide, course E.
62.00 Wash, 10 lks. wide, course E.

Partial Subdivision of T. 1 N., R. 10 W.

Chains.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 13, 14, 23 & 24, marked on brass cap, 1914 on S. rim,
 T 1 N R 10 W, in N. half,
 S 14 in NW.,
 S 13 in NE.,
 S 24 in SE., and
 S 23 in SW. quad.; no bearings available.
 dig pits 18x18x12 ins. in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 2nd rate, sandy, gravelly, loose, dry. Greasewood, few cacti, paloverde, ironwood, mesquite.

N. 89°58' E. on a random line bet. secs. 13 & 24.
 40.00 Set temp. ¼ sec. cor.
 80.02 Intersect E. bdy. of Tp. 5 lks. N. of cor. of secs. 13, 18, 19 & 24, established by me, as described in book "A.", whence I run, West, on a true line bet. secs. 13 & 24.
 Over level land, drains E., through dense brush.
 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,
 ¼ S 13 in N., and
 S 20 in S. half, 1914 on S. rim;
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
 80.02 To cor. of secs. 13, 14, 23 & 24.
 Land, level. Soil, 2nd rate, sandy, gravelly, dry.
 Greasewood, sage brush, few cacti, paloverde, ironwood.
 April 23, 1914.

April 27, 1914.
 At 7h a.m., l.m.t., at the cor. of secs. 13, 14, 23 & 24, I set off 13°42½' N. on the decl. arc, & 53°25' N. on the lat. arc, and determine a meridian with the solar. Whence I run,
 N. 0° 1' W. bet. secs. 13 & 14.
 Over gently undulating land, through dense brush.

14.10 Wash, 10 lks. wide, course E.
 25.30 Wash, 15 lks. wide, course ENE.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,
 ¼ S 14 in W., and
 S 13 in E. half, 1914 on S. rim; from which,
 An ironwood tree 12 ins. diam. brs. N. 77° E. 98 lks. dist., marked ¼ S 13 B T.
 An ironwood tree 10 ins. diam. brs. N. 3¼° W. 95 lks. dist., marked ¼ S 14 B T.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 11, 12, 13 & 14, marked on brass cap, 1914 on S. rim,
 T 1 N R 10 W, in N. half,
 S 11 in NW.,
 S 12 in NE.,
 S 13 in SE., and
 S 14 in SW. quad.; from which,
 An ironwood tree 9 ins. diam. brs. N. 7° W. 45 lks. dist., marked T 1 N R 10 W S 11 B T.
 An ironwood tree 7 ins. diam. brs. N. 45° E. 211 lks. dist., marked T 1 N R 10 W S 12 B T.
 An ironwood tree 6 ins. diam. brs. S. 15° E. 9 lks. dist., marked T 1 N R 10 W S 13 B T.
 An ironwood tree 8 ins. diam. brs. S. 84° W. 75 lks. dist., marked T 1 N R 10 W S 14 B T.
 Land, level, gently undulating.
 Soil, 2nd rate, sandy, loose, dry.
 Greasewood, sage brush, few ironwood, paloverde trees.

4

Partial Subdivision of T. 1 N., R. 10 W.

Chains.

- East, on a random line bet. secs. 12 & 13.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.04 Intersect E. bdy. of Tp. 5 lks. S. of cor. of secs. 1, 12, 13 & 18, ~~as described in book "A"~~ established by me, as heretofore described in book "A", whence I run, S. $89^{\circ}58'$ W. on a true line bet. secs. 12 & 13. Over level land, through dense brush.
- 40.02 Set an iron post $\frac{3}{4}$ ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 12 in N., and S 13 in S. half, 1914 on S. rim; from which, An ironwood tree 8 ins. diam. brs. S. 76° W. 125 lks. dist., marked $\frac{1}{4}$ S 13 B T. An ironwood tree 8 ins. diam. brs. N. 84° W. 240 lks. dist., marked $\frac{1}{4}$ S 12 B T.
- 80.04 To cor. of secs. 11, 12, 13 & 14. Land, level. Soil, 2nd rate, sandy, loamy, loose, dry. Greasewood, sage brush, few cacti, ironwood, palo verde.
-
- N. 0° 1' W. bet. secs. 11 & 12. Over level land, through dense brush.
- 40.00 Set an iron post $\frac{3}{4}$ ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 11 in W., and S 12 in E. half, 1914 on S. rim; from which, An ironwood tree 10 ins. diam. brs. N. 81° W. 150 lks. dist., marked $\frac{1}{4}$ S 11 B T. An ironwood tree 9 ins. diam. brs. N. $25\frac{1}{2}^{\circ}$ E. 80 lks. dist., marked $\frac{1}{4}$ S 12 B T.
- 80.00 Set an iron post $\frac{3}{4}$ ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 1, 2, 11 & 12, marked on brass cap, 1914 on S. rim, T 1 N R 10 W, in N. half, S 2 in NW., S 1 in NE., S 12 in SE., and S 11 in SW. quad.; no trees available. Dig pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor. Land, level. Soil, 2nd rate, sandy, loamy, loose, dry. Greasewood, sage brush, palo verde, cacti, ironwood.
-
- N. $89^{\circ}58'$ E. on a random line bet. secs. 1 & 12.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.08 Intersect E. bdy. of Tp. $2\frac{1}{4}$ lks. N. of cor. of secs. 1, 2, 11 & 12, ~~as described in book "A"~~ established by me, as described in book "A", whence I run, S. $89^{\circ}59'$ W. on a true line bet. secs. 1 & 12. Over level land, through dense brush.
- 40.04 Set an iron post $\frac{3}{4}$ ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 1 in N., and S 12 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. $\frac{3}{4}$ ft. dist., and raise a mound of earth $5\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
- 80.08 To cor. of secs. 1, 2, 11 & 12. Land, level. Soil, 2nd rate, sandy, loamy, loose, dry. Greasewood, sage brush, few cacti, palo verde, ironwood.

Partial subdivision of T. 1 N., R. 10 W.

Chains.

N. 0° 1' W. on a random line bet. secs. 1 & 2.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. bdy. of Tp. 9 lks. W. of cor. of secs.
 1, 2, 55 & 56, established by
 me as described in book "A.", whence I run,
 S. 0° 3' W. on a true line bet. secs. 1 & 2.
 over nearly level land, drains E., through dense brush.
 40.00 Set an iron post 5 ft. long, 1 in. in diam. 26 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 2 in W., and
 S 1 in E. half, 1914 on S. rim; from which,
 an ironwood tree 4 ins. diam. brs. S. 8° W. 250 lks. dist.,
 marked $\frac{1}{4}$ S 2 B T. No other trees available.
 Dig pits 18x18x12 ins. N. & S. of cor. 5 ft. dist., and
 raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
 80.00 To cor. of secs. 1, 2, 11 & 12.
 Land, level.
 Soil, 2nd rate, sandy, loose, loamy, dry.
 Greasewood, paloverde, ironwood, few cacti.
 April 27, 1914. (To be continued.)



6 Partial Subdivision of T. 1 N., R. 10 W.

Chains.

- April 24, 1914.
At 7h a.m., l.m.t., at std. cor. of secs. 34 & 35, on the S. bdy. of the Tp. (G. & S. R. Base Line) established by me, as before described in book #04
I set off 129°44' N. on the decl. arc, and 33°22½' N. on the lat. arc, and determine a meridian with the solar. Thence I run,
N. 0° 1' W. bet. secs. 34 & 35.
Over rolling, stony land, through dense brush.
- 4.00 Wash, 20 lks. wide, course NE.
12.60 Gulch, 25 lks. wide, course ENE.
23.60 Wash, 15 lks. wide, course ENE.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,
¼ S 34 in W., and
S 35 in E. half, 1914 on S. rim;
No bearings available, pits impracticable.
Raise a mound of stone 2 ft. base, 1½ ft. high W. of cor.
- 42.10 Gulch, 10 lks. wide, course E.
48.00 Gulch, 20 lks. wide, course E.
56.00 Gulch, 20 lks. wide, course E.
63.80 Gulch, 30 lks. wide, course E.
78.80 Wash, 10 lks. wide, course ENE.
80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 26, 27, 34 & 35, marked on brass cap, 1914 on S. rim,
T 1 N R 10 W, in N. half,
S 27 in NW.,
S 26 in NE.,
S 35 in SE., and
S 34 in SW. quad.; from which,
An ironwood tree 6 ins. diam. brs. N. 4½° W. 79 lks. dist., marked T 1 N R 10 W S 27 B T.
A paloverde tree 6 ins. diam. brs. N. 53° E. 97 lks. dist., marked T 1 N R 10 W S 26 B T.
An ironwood tree 4 ins. diam. brs. S. 13° E. 9 lks. dist., marked T 1 N R 10 W S 35 B T.
An ironwood tree 4 ins. diam. brs. S. 12° W. 12 lks. dist., marked T 1 N R 10 W S 34 B T.
- Land, rolling, broken.
Soil, 2nd rate, gravelly, stony, dry, loose.
Greasewood, sage brush, cacti, ironwood, paloverde.
-
- East, on a random line bet. secs. 26 & 35.
40.00 Set temp. ¼ sec. cor.
80.02 Intersect cor. of secs. 25, 26, 35 & 36, hereinbefore described, whence I run,
West, on a true line bet. secs. 26 & 35.
Over gently rolling land, through dense brush.
- 21.00 Old road, brs. NNW. & SSE.
40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for ¼ sec. cor., marked on brass cap,
¼ S 26 in N., and
S 35 in S. half, 1914 on S. rim;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high N. of cor.
- 79.38 Wash, 20 lks. wide, course NE.
80.02 To cor. of secs. 26, 27, 34 & 35.
Land, level, gently rolling.
Soil, 2nd rate, gravelly, stony, loose, dry.
Greasewood, paloverde, few ironwood trees and cacti.

Partial Subdivision of T. 1 N., R. 10 W.

Chains.

N. 0° 1' W. bet. secs. 26 & 27.

- 9.80 Over gently rolling land, through dense brush.
 - 28.20 Gulch, 25 lks. wide, course E.
 - 35.00 Gulch, 20 lks. wide, course E.
 - 40.00 Gulch, 30 lks. wide, course E., asc.
 - 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap, 1/4 S 27 in W., and S 26 in E. half, 1914 on S. rim; no bearings available, pits impracticable.
 - 42.10 Raise a mound of stone 2 ft. base, 1 1/2 ft. high W. of cor.
 - 42.10 Top of small ridge, brs. E. & W., desc.
 - 48.00 Foot, brs. E. & W., desc. grad.
 - 49.30 Wash, 25 lks. wide, course NE.
 - 65.00 Wash, 20 lks. wide, course NE.
 - 80.00 Set an iron post 3ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 22, 23, 26 & 27, marked on brass cap, 1914 on S. rim, T 1 N R 10 W, in N. half, S 22 in NW., S 23 in NE., S 26 in SE., and S 27 in SW. quad.; no bearings available.
 - Dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 - Land, rolling, broken. Soil, 2nd rate, gravelly, dry. Greasewood, sage brush, few paloverde and cacti.
- Note: At this cor., at noon, I set off 12°47' N. on the decl. arc, and observe the sun on the meridian. The resulting lat. is 33°24' N.

East, on a random line bet. secs. 23 & 26.

- 40.00 Set temp. 1/4 sec. cor.
- 79.98 Intersect N. & S. line 2 1/4 lks. S. of cor. of secs. 23, 24, 25 & 26, hereinbefore described whence I run, S. 89°59' W. on a true line bet. secs. 23 & 26.
- Over gently rolling land, through dense brush.
- 39.99 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap, 1/4 S 23 in N., and S 26 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high N. of cor.
- 63.90 Wash, 20 lks. wide, course NNE.
- 64.95 Road, brs. NW. & SE.
- 75.00 Wash, 10 lks. wide, course NE.
- 79.98 To cor. of secs. 22, 23, 26 & 27.
- Land, rolling. Soil, 2nd rate, gravelly, sandy, loose, dry.

N. 0° 1' W. bet. secs. 22 & 23.

- 9.10 Over gently rolling, broken land, through dense brush.
- 26.60 wash, 30 lks. wide, course NE.
- 33.90 wash, 20 lks. wide, course E.
- 33.90 Road, brs. NNW. & SSE.
- 36.80 Wash, 15 lks. wide, course ENE.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap, 1/4 S 22 in W., and S 23 in E. half, 1914 on S. rim; from which, A paloverde tree 9 ins. diam. brs. S. 31 1/2° E. 41 lks. dist., marked 1/4 S 23 B T. A mesquite tree 10 ins. diam. brs. S. 7 1/2° W. 135 lks. dist., marked 1/4 S 22 B T.
- 59.50 Wash, 20 lks. wide, course E.
- 63.85 Road, brs. ESE. & WNW.
- 69.00 Wash, 30 lks. wide, course E.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 14, 15, 22 & 23, marked on brass cap, 1914 on S. rim, T 1 N R 10 W, in N. half, S 15 in NW., S 14 in NE., S 23 in SE. & S 22 in SW. quad.; Pits impract. Raise a mound of stone, 2 ft. base, 1 1/2 ft. high W. of cor. Land, rolling. Soil, 2nd rate, gravelly. Mesquite, paloverde.

Chains.

- N. 89°59' E. on a random line bet. secs. 14 & 23.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect N. & S. line 2 $\frac{1}{4}$ lks. S. of cor. of secs. 13, 14, 23 & 24 hereinbefore described, whence I run, S. 89°58' W. on a true line bet. secs. 14 & 23.
 Over rolling land, through dense brush.
 16.15 Wash, 15 lks. wide, course NE.
 39.97 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 14 in N., and S 23 in S. half, 1914 on S. rim; dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
 59.80 Wash, 30 lks. wide, course ENE.
 79.94 To cor. of secs. 14, 15, 22 & 23.
 Land, rolling. Soil, 2nd rate, gravelly, dry, loose. Greasewood, sage brush, few paloverde & ironwood trees.
 April 24, 1914.

April 27, 1914, continued.

- From the cor. of secs. 14, 15, 22 & 23, I run, N. 0° 1' W. bet. secs. 14 & 15.
 Over rolling land, through dense brush.
 12.10 Wash, 30 lks. wide, course E.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 15 in W., and S 14 in E. half, 1914 on S. rim; from which, An ironwood tree 16 ins. diam. brs. S. 43° E. 108 lks. dist., marked $\frac{1}{4}$ S 14 B T.
 A paloverde tree 4 ins. diam. brs. S. 13 $\frac{3}{4}$ ° W. 54 lks. dist., marked $\frac{1}{4}$ S 15 B T.
 41.80 Wash, 40 lks. wide, course E.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 10, 11, 14 & 15, marked on brass cap, 1914 on S. rim, T 1 N R 10 W, in N. half, S 10 in NW., S 11 in NE., S 14 in SE., and S 15 in SW. quad.; no bearings available.
 Dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft. high W. of cor.
 Land, rolling. Soil, 2nd rate, gravelly, dry.
 Greasewood, sage brush, few paloverde, ironwood & cacti.
 Note: At this cor., at noon, high winds render it impracticable to make satisfactory observation for latitude.

- N. 89°58' E., on a random line bet. secs. 11 & 14.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. & S. line 9 lks. N. of cor. of secs. 11, 12, 13 & 14 hereinbefore described, whence I run, N. 89°58' W. on a true line bet. secs. 11 & 14.
 Over gently undulating land, through dense brush.
 40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 11 in N., and S 14 in S. half, 1914 on S. rim; from which, An ironwood tree 0 ins. diam. brs. N. 59 $\frac{1}{2}$ ° W. 49 lks. dist., marked $\frac{1}{4}$ S 11 B T.
 An ironwood tree 0 ins. diam. brs. S. 72 $\frac{3}{4}$ ° W. 266 lks. dist., marked $\frac{1}{4}$ S 14 B T.
 80.02 To cor. of secs. 10, 11, 14 & 15.
 Land, rolling.
 Soil, 2nd rate, sandy, gravelly, loose, loamy, dry.
 Greasewood, sage brush, paloverde, ironwood, few cacti.

Partial Subdivision of T. 1 N., R. 10 W.

Chains.

N. 0° 1' W. bet. secs. 10 & 11.
 Over rolling land, through dense brush.
 36.40 Wash, 40 lks. wide, course E.
 40.00 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 10 in W., and
 S 11 in E. half, 1914 on S. rim; from which,
 A paloverde tree 8 ins. diam. brs. N. 19 $\frac{1}{2}$ ° W. 51 lks. dist.,
 marked $\frac{1}{4}$ S 10 B T.
 An ironwood tree 14 ins. diam. brs. N. 58° E. 115 lks. dist.,
 marked $\frac{1}{4}$ S 11 B T.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
 the ground for cor. of secs. 2, 3, 10 & 11, marked on
 brass cap, 1914 on S. rim,
 $\frac{1}{4}$ 1 N R 10 W, in N. half,
 S 3 in NW., S 2 in NE.,
 S 11 in SE., & S 10 in SW. quad.; from which,
 An ironwood tree 8 ins. diam. brs. N. 56° W. 257 lks. dist.,
 marked T 1 N R 10 W S 3 B T.
 An ironwood tree 4 ins. diam. brs. N. 41° E. 298 lks. dist.,
 marked T 1 N R 10 W S 2 B T.
 An ironwood tree 9 ins. diam. brs. S. 65° E. 308 lks. dist.,
 marked T 1 N R 10 W S 11 B T.
 An ironwood tree 6 ins. diam. brs. S. 67° W. 157 lks. dist.,
 marked T 1 N R 10 W S 10 B T.
 Land, rolling. Soil, 2nd rate, gravelly, dry.
 Greasewood, ironwood, paloverde, few cacti.

S. 89° 58' E. on a random line bet. secs. 2 & 11.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. & S. line 7 lks. S. of cor. of secs.
 1, 2, 11 & 12, hereinbefore described, whence 1 run,
 S. 89° 59' W. on a true line bet. secs. 2 & 11.
 Over level land, through dense brush.
 39.99 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 2 in N., and
 S 11 in S. half, 1914 on S. rim,
 dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and
 raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
 79.98 To cor. of secs. 2, 3, 10 & 11.
 Land, level. Soil, 2nd rate, sandy, gravelly, loose, dry.
 Greasewood, few paloverde, ironwood and cacti.

N. 0° 2' E. on a random line bet. secs. 2 & 3.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. bdy. of Tp. 5 lks. E. of cor. of secs. 2, 3,
 34 & 35, as established by me, as
 described in book "A", whence 1 run,
 South, on a true line bet. secs. 2 & 3.
 Over level land, drains E., through dense brush.
 39.96 Set an iron post 3 ft. long, 1 in. in diam. 20 ins. in
 the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 3 in W., and
 S 2 in E. half, 1914 on S. rim; from which,
 An ironwood tree 6 ins. diam. brs. N. 31° W. 190 lks. dist.,
 marked $\frac{1}{4}$ S 3 B T.
 An ironwood tree 6 ins. diam. brs. N. 20° E. 290 lks. dist.,
 marked $\frac{1}{4}$ S 2 B T.
 79.96 To cor. of secs. 2, 3, 10 & 11.
 Land, rolling, level.
 Soil, 2nd rate, sandy, loamy, loose, dry.
 Greasewood, sage brush, few paloverde and ironwood trees.
 April 27, 1914.

10 Partial Subdivision of T. 1 N., R. 10 W.

Chains.

April 28, 1914.

At 8h a.m., l.m.t., at the std. cor. of secs. 33 & 34,
on the S. bdy. of the Tp. (G. & S. R. Base Line) established
by me, as hereinbefore described in book "C. 4"

I set off $14^{\circ}02'$ N. on the decl. arc, and $33^{\circ}22\frac{1}{2}'$ N. on
the lat. arc, and determine a meridian with the solar.
Thence I run,

N. $0^{\circ}2'$ W. bet. secs. 33 & 34.

Over rough, stony mts. land, asc.

10.00 Asc. prec. SW. slope.

21.00 Top of high rocky ridge of Eagle Tail Mts. brs. SE. &
NW., desc. prec. NE. slope.

39.00 Gulch, 50 lks. wide, course E.; asc.

40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 33 in W., and

S 34 in E. half, 1914 on S. rim. Pits imprac.

Raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

45.00 Asc. prec.

48.00 Top of bluff, 150 ft. high, brs. ESE. & WNW.

49.00 Desc. prec. NNE. slope.

60.00 Foot of main slope, brs. WNW. & ESE., thence over rough,
broken land, drainage ENE.

80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in
the ground for cor. of secs. 27, 28, 33 & 34, marked on
brass cap, 1914 on S. rim,

T 1 N R 10 W, in N. half,

S 28 in NW.,

S 27 in NE.,

S 34 in SE., and

S 33 in SW. quad.; from which,

A paloverde tree 8 ins. diam. brs. N. 21° W. 70 lks. dist.,
marked T 1 N R 10 W S 28 B T.

An ironwood tree 5 ins. diam. brs. N. 79° E. 140 lks. dist.,
marked T 1 N R 10 W S 27 B T.

An ironwood tree 6 ins. diam. brs. S. 87° W. 330 lks. dist.,
marked T 1 N R 10 W S 33 B T.

A paloverde tree 7 ins. diam. brs. S. 69° E. 210 lks. dist.,
marked T 1 N R 10 W S 34 B T.

Land, rough, mts., broken.

Soil, stony, 3rd rate.

Paloverde, cacti, greasewood, ironwood.

East, on a random line bet. secs. 27 & 34.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. & S. line 7 lks. S. of cor. of secs.
26, 27, 34 & 35, hereinbefore described, whence I run,
S. $89^{\circ}57'$ W. on a true line bet. secs. 27 & 34.

Over rolling, broken land, through dense brush.

20.00 Wash, 10 lks. wide, course ENE.

40.01 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in
the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 27 in N., and

S 34 in S. half, 1914 on S. rim; from which,

A paloverde tree 8 ins. diam. brs. N. $2\frac{1}{2}^{\circ}$ E. 110 lks. dist.,
marked $\frac{1}{4}$ S 27 B T.

An ironwood tree 9 ins. diam. brs. S. 29° W. 95 lks. dist.,
marked $\frac{1}{4}$ S 34 B T.

80.02 To cor. of secs. 27, 28, 33 & 34.

Land, rolling, broken.

Soil, 2nd & 3rd rate, sandy, gravelly, stony, dry, loose.

Greasewood, paloverde, ironwood, cacti.

Note:

At this cor., at noon, I set off $14^{\circ}05'$ N. on the decl.
arc, and observe the sun on the meridian.

The resulting lat. is $33^{\circ}23'$ N.

Chains.	
	N. 0° 2' W. bet. secs. 27 & 28., near E. foot Eagle Tail Mts. Over rolling, broken, stony land, through dense brush.
0.52	Wash, 20 lks. wide, course E.
27.50	Wash, 15 lks. wide, course E.
37.60	Wash, 60 lks. wide, course E.
40.00	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, $\frac{1}{4}$ S 28 in W., and S 27 in E. half, 1914 on S. rim; from which, A paloverde tree 6 ins. diam. brs. N. 2 $\frac{1}{2}$ ° E. 136 lks. dist., marked $\frac{1}{4}$ S 27 B T. An ironwood tree 5 ins. diam. brs. S. 6 $\frac{1}{2}$ ° W. 134 lks. dist., marked $\frac{1}{4}$ S 28 B T.
45.00	Gulch, 20 lks. wide, course E.
46.50	Asc. steep.
52.85	Top of rocky spur, brs. E. & W., desc. N. slope.
60.00	Foot of main slope, brs. E. & W., desc. grad. NNE. slope.
71.00	Wash, 30 lks. wide, course ENE.
80.00	Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 21, 22, 27 & 28, marked on brass cap, 1914 on S. rim, T 1 N R 10 W, in N. half, S 21 in NW., S 22 in NE., S 27 in SE., and S 28 in SW. quad.; from which, An ironwood tree 5 ins. diam. brs. N. 33° E. 115 lks. dist., marked T 1 N R 10 W S 22 B T. An ironwood tree 5 ins. diam. brs. S. 58° W. 58 lks. dist., marked T 1 N R 10 W S 28 B T. No other bearings available, pits impracticable. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor. Land, mts., broken. Soil, 2nd & 3rd rate, gravelly, stony, dry. Greasewood, cacti, few ironwood & paloverde trees.
<hr/>	
	N. 89° 57' E. on a random line bet. secs. 22 & 27.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect N. & S. line 5 lks. N. of cor. of secs. 22, 23, 26 & 27, hereinbefore described, whence I run, S. 89° 59' W. on a true line bet. secs. 22 & 27. Over rolling, broken land, asc. grad., through dense brush.
9.70	Gulch, 15 lks. wide, course NNE.
23.10	Gulch, 20 lks. wide, course NE.
27.60	Gulch, 50 lks. wide, course NE.
40.02	Point for $\frac{1}{4}$ sec. cor. falls in wash, 20 lks. wide, course NE.
40.27	Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap, 1914 on S. rim, W C $\frac{1}{4}$ E. of centre, S 22 in NW., and S 27 in SW. quad.; pits impracticable. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.
61.00	Gulch, 40 lks. wide, course ENE.
80.04	To cor. of secs. 21, 22, 27 & 28. Land, rolling, broken. Soil, 2nd rate, gravelly, stony, dry. Greasewood, cacti, few paloverde trees.

Chains.

- N. $0^{\circ} 2'$ W. bet. secs. 21 & 22.
Over rolling, broken land, along near E. foot of main E. slope of Eagle Tail Mts.
- 9.10 Wash, 20 lks. wide, course E.
16.00 Wash, 35 lks. wide, course ENE.
40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 21 in W., and
S 22 in E. half, 1914 on S. rim; from which,
An ironwood tree 9 ins. diam. brs. S. $63\frac{1}{2}^{\circ}$ E. 121 lks. dist., marked $\frac{1}{4}$ S 22 B T.
An ironwood tree 10 ins. diam. brs. S. 13° W. 205 lks. dist., marked $\frac{1}{4}$ S 21 B T.
- 44.10 Wash, 30 lks. wide, course E.
56.00 Wash, 15 lks. wide, course ESE.
77.30 Wash, 50 lks. wide, course E.
80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 15, 16, 21 & 22, marked on brass cap, 1914 on S. rim,
T 1 N R 10 W, in N. half,
S 16 in NW.,
S 15 in NE.,
S 22 in SE., and
S 21 in SW. quad.; from which,
An ironwood tree 6 ins. diam. brs. N. 61° W. 45 lks. dist., marked T 1 N R 10 W S 16 B T.
A paloverde tree 7 ins. diam. brs. S. 15° E. 150 lks. dist., marked T 1 N R 10 W S 22 B T.
A paloverde tree 6 ins. diam. brs. S. $6\frac{1}{4}^{\circ}$ W. 188 lks. dist., marked T 1 N R 10 W S 21 B T.
No other trees available. Pits impracticable.
Raise a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high W. of cor.
Land, rolling, broken.
Soil, 2nd rate, gravelly, dry, loose.
Greasewood, sage brush, few paloverde and ironwood trees.
-
- N. $89^{\circ} 59'$ E. on a random line bet. secs. 15 & 22.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.04 Intersect N. & S. line $4\frac{1}{2}$ lks. N. of cor. of secs. 14, 15, 22 & 23, hereinbefore described, whence I run, N. $89^{\circ} 59'$ W. on a true line bet. secs. 15 & 22.
Over rolling, broken land, through scattering brush.
29.90 Road, brs. NW. & SE.
40.02 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 15 in N., and
S 22 in S. half, 1914 on S. rim;
No bearings available. Pits impracticable.
Raise a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high N. of cor.
- 45.15 Gulch, 40 lks. wide, course ESE.
60.90 Road, brs. NW. & SE.
65.00 Gulch, 30 lks. wide, course ESE.
80.04 To cor. of secs. 15, 16, 21 & 22.
Land, heavily rolling, broken.
Soil, 2nd rate, gravelly, stony, dry, loose.
Greasewood, sage brush, few paloverde and ironwood trees along washes.

April 28, 1914.

Partial Subdivision of T. 1 N., R. 10 W.,

Chains.

April 29, 1914.
At 8h a.m., l.m.t., at the cor. of secs. 15, 16, 21 & 22, hereinbefore described,

I set off 14°21' N. on the decl. arc, and 33°25' N. on the lat. arc, and determine a meridian with the solar. Thence I run,

N. 0° 2' W. bet. secs. 15 & 16.

Over heavily rolling, broken land, through dense brush.

9.13
19.50
29.80
40.00

Road, brs. ESE. & WNW.

Wash, 40 lks. wide, course ESE.

Road, brs. ESE. & WNW.

Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap, 1/4 S 16 in W., and

S 15 in E. half, 1914 on S. rim; from which, An ironwood tree 8 ins. diam. brs. N. 10° E. 112 lks. dist., marked 1/4 S 15 B T.

An ironwood tree 8 ins. diam. brs. S. 2 1/4° W. 130 lks. dist., marked 1/4 S 16 B T.

41.48
61.00

Wash, 20 lks. wide, course ESE.

Asc.

65.00

Top of spur, brs. E. & W., desc.

70.00

Foot, brs. E. & W.,

80.00

Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 9, 10, 15 & 16, marked on brass cap, 1914 on S. rim,

T 1 N R 10 W, in N. half,
S 9 in NW.,
S 10 in NE.,
S 15 in SE., and
S 16 in SW. quad.; from which,

A paloverde tree 6 ins. diam. brs. N. 27° W. 133 lks. dist., marked T 1 N R 10 W S 9 B T.

A paloverde tree 6 ins. diam. brs. N. 23 1/4° W. 152 lks. dist., marked T 1 N R 10 W S 10 B T.

A paloverde tree 9 ins. diam. brs. S. 39° E. 103 lks. dist., marked T 1 N R 10 W S 15 B T.

A paloverde tree 5 ins. diam. brs. S. 60 1/2° W. 19 lks. dist., marked T 1 N R 10 W S 16 B T.

Land, rolling, broken. Soil, 3rd rate, gravelly, stony. Greasewood, paloverde, ironwood, cacti.

S. 89°59' E. on a random line bet. secs. 10 & 15.

40.00

Set temp. 1/4 sec. cor.

79.98

Intersect N. & S. line 2 1/2 lks. N. of cor. of secs. 10, 11, 14 & 15 hereinbefore described, whence I run, N. 89°58' W. on a true line bet. secs. 10 & 15.

Over heavily rolling, broken land, through dense brush.

37.00

Wash, 30 lks. wide, course NE.

39.99

Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap, 1/4 S 10 in N., and

S 15 in S. half, 1914 on S. rim;

No bearings available, pits impracticable.

Raise a mound of stone 2 ft. base, 1 1/2 ft. high N. of cor.

79.98

To cor. of secs. 9, 10, 15 & 16.

Land, rolling. Soil, 2nd rate, gravelly, sandy, stony, dry. Greasewood, sage brush, few paloverde trees, cacti.

N. 0° 2' W. bet. secs. 9 & 10.

Over rolling land, through dense brush.

3.00

Asc.

9.00

Spur, brs. E. & W., from rocky hills to W., desc.

14.00

Foot, brs. E. & W., enter valley.

26.80

Wash, 30 lks. wide, course ENE.

40.00

Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for 1/4 sec. cor., marked on brass cap, 1/4 S 9 in W., and

S 10 in E. half, 1914 on S. rim;

dig pits 18x18x12 ins. N. & S. of cor. 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high W. of cor.

Chains.

- 80.00 Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 3, 4, 9 & 10, marked on brass cap, 1914 on S. rim,
T 1 N R 10 W, in N. half,
S 4 in NW., S 3 in NE.,
S 10 in SE., and S 9 in SW. quad.; from which,
An ironwood tree 10 ins. diam. brs. N. $54\frac{3}{4}^{\circ}$ E. 29 lks. dist.,
marked T 1 N R 10 W S 3 B T.
An ironwood tree 6 ins. diam. brs. S. $0\frac{1}{2}^{\circ}$ E. 137 lks. dist.,
marked T 1 N R 10 W S 10 B T.
An ironwood tree 6 ins. diam. brs. S. $80\frac{3}{4}^{\circ}$ W. 41 lks. dist.,
marked T 1 N R 10 W S 9 B T.
An ironwood tree 8 ins. diam. brs. N. $54\frac{3}{4}^{\circ}$ W. 18 lks. dist.,
marked T 1 N R 10 W S 4 B T.

Land, rolling, mts. Soil, 2nd & 3rd rate, gravelly, stony. Greasewood, sage brush, few ironwood & paloverde trees.

Note:

At this cor., at noon, I set off $14^{\circ}23\frac{1}{2}'$ N. on the decl. arc, and observe the sun on the meridian. The resulting lat. is $33^{\circ}27'$ N.

- S. $89^{\circ}58'$ E. on a random line bet. secs. 3 & 10.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.96 Intersect N. & S. line at cor. of secs. 2, 3, 10 & 11, hereinbefore described, whence I run,
N. $89^{\circ}58'$ W. on a true line bet. secs. 3 & 10.
Over gently rolling land, through dense low brush.
39.98 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap,
 $\frac{1}{4}$ S 3 in N., and
S 10 in S. half, 1914 on S. rim;
dig pits 18x18x12 ins. E. & W. of cor. 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
79.96 To cor. of secs. 3, 4, 9 & 10.
Land, rolling. Soil, 2nd rate, loamy, sandy, loose, dry. Greasewood, sage brush, few paloverde trees.

- N. $0^{\circ} 1'$ W. on a random line bet. secs. 3 & 4.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.84 Intersect N. bdy. of Tp. 5 lks. E. of cor. of secs. 3, 4, 33 & 34, an iron post was established by me, as described in book "A," whence I run,
S. $0^{\circ} 3'$ E. on a true line bet. secs. 3 & 4.
Over rolling land, through dense brush.
39.84 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for $\frac{1}{4}$ sec. cor., marked on brass cap, 1914 on S. rim; $\frac{1}{4}$ S 4 in W., and
S 3 in E. half, pits impracticable.
Raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.
40.90 Asc.
45.00 Top of spur, brs. E. & W., from rocky hills to W., desc.
50.80 Foot, brs. ENE. & WSW., wash, 20 lks. wide, course ENE.
79.84 To cor. of secs. 3, 4, 9 & 10.
Land, rolling. Soil, 2nd rate, gravelly, stony, dry. Greasewood, cacti. -----
As the remainder of this Tp. consists of rough, broken, mountainous land, barren and stony, and of no value for any purpose, I exclude that portion from my surveys.

General Description.

The NE. portion of this Tp. lies in smooth, or gently rolling valley, good soil, covered in general with dense growth of greasewood, sage brush, etc. The SE. portion is more broken, lying nearer the E. slope of the Eagle Tail Mts. There is scant grass in places. There is no water or timber in the surveyed portion. John's Well is located in NW $\frac{1}{4}$ of sec. 16 (unsurv.), being a small seep from an old shaft and drift. The NW. portion of the Tp. is somewhat mineralized.

April 29, 1914.

Jesse B. Wright
U. S. Surveyor.

FOR FINAL OATH OF UNITED STATES SURVEYOR.

See Book "E"

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____ }



APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix Arizona *Aug 27*, 1915

The foregoing field notes of the survey of _____ part of the _____
Subdivision lines of _____
Township 1 North Range 10 West of the _____
Gila and Salt River Base and Meridian _____
in the State of Arizona _____

executed by Jesse B. Wright U.S. Surveyor _____
under his special instructions dated October 21, 1913 for Group 32, ~~101-~~ _____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank Ingalls

U. S. Surveyor General.
of Arizona.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~