

2997

Book "D"

4-679

1915-1918

BOOK 2997

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

of

TOWNSHIP 25 NORTH, RANGE 1 WEST.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

W. H. Thorn, U. S. Surveyor,

and

Richard R. Mitchell, U.S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated March 6, 1915,

issued by the United States Surveyor General to govern surveys included in

Group No. 54, which were approved by the Commissioner of the General Land

Office, December 14, 1915

Survey commenced July 8, 1916.

Survey completed July 31, 1916.

Executed under Assignment
Instructions dated May 6, 1916.

2997

2997



1A

BOOK 2997

INDEX DIAGRAM.

Township 25 North, Range 1 West.

6	32	5	24	4	18	3	12	2	6	1
31		31		23		18		12		6
7	30	8	23	9	17	10	11	11	5	12
30		29		22		17		11		5
18	29	17	22	16	16	15	10	14	4	13
28		28		21		16		10		4
19	27	20	21	21	15	22	9	23	4	24
27		26		20		15		9		3
30	26	29	20	28	14	27	8	26	3	25
25		25		19		14		8		2
31	24	32	19	33	13	34	7	35	2	36
6th Standard Parallel North										

Gila and Salt River Meridian (Resurveyed)

- Surveyed under this group--notes in this book.
- Surveyed under this group--notes in book "A".
- Surveyed under group No. 52.

Book "D".
DATE DIAGRAM

BOOK 2997

for

T. 25 N., R. 1 W.
7/22-16

	6 7/31-16	5 7/31-16	4 7/25-16	3 7/22-16	2 7/15-16	1 7/12-16
	7 7/29-16	8 7/29-16	9 7/25-16	10 7/21-16	11 7/15-16	12 7/10-16
9/20-16	18 7/29-16	17 7/28-16	16 7/24-16	15 7/21-16	14 7/18-16	13 7/10-16
	19 7/28-16	20 7/28-16	21 7/24-16	22 7/19-16	23 7/13-16	24 7/10-16
	30 7/27-16	29 7/26-16	28 7/17-16	27 7/17-16	26 7/11-16	25 7/13-16
9/19-16	31 7/26-16	32 7/22-16	33 7/17-16	34 7/11-16	35 7/8-16	36

Gila and Salt River Meridian (Resurveyed)
6/24-16

Lines dated in red were executed by W. H. Thom, U. S. Surveyor on the dates shown on the above diagram. Lines dated in green were executed by Richard R. Mitchell, U. S. Transitman on the dates shown on the above diagram.

2.

Subdivision of T. 25 N., R. 1 W.

Chains.

Survey commenced July 8, 1916, and executed with Young and Sons' light mountain transits Nos. 8592 and 8533, with Smith solar attachments. For description of instruments, certificate of approval and tests of adjustments, see Books "A" and "B".

From the standard cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., which is an iron post, re-established as described in the field notes of current Group No. 52,

N.0° 1' W., bet. secs. 35 and 36.


Over rolling land, through dense timber.

Desc. gradually to

8.40 Drain, course N.40° E.

24.90 Drain, course S.70° E. Asc. 90 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which

A cedar, 18 ins. diam., brs. N.47 $\frac{1}{2}$ ° E., 40 lks. dist., marked $\frac{1}{4}$ S36 BT.


A cedar, 12 ins diam., brs. S, 36 $\frac{1}{2}$ ° W., 15 lks. dist., marked $\frac{1}{4}$ S35 BT.

Desc. 100 ft. to

61.20 Draw, course NE.

74.60 Draw, course N.30° E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap



From which

A cedar, 36 ins. diam., brs. N.33° E., 37 lks. dist., marked T25N R1W S25 BT.

A cedar, 26 ins. diam., brs. S.37° E., 61 lks. dist., marked T25N R1W S36 BT.

A cedar, 16 ins. diam., brs. S.46 $\frac{1}{2}$ ° W., 80 lks. dist., marked T25N R1W S35 BT.

A cedar, 12 ins. diam., brs. N.30° W., 63 lks. dist., marked T25N R1W S26 BT.

Land, rolling.

Soil, sandy clay; 2nd rate.

Timber, cedar and pinion.

East on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.


80.11 Intersect Gila and Salt River Meridian, at the cor. of secs. 25, 30, 35 and 36, which is an iron post, re-established as described in Book "A".

Thence

West on a true line, bet. secs. 25 and 36.

Over gently rolling land, through dense timber.

40.05 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which

A cedar, 12 ins. diam., brs. N.20° W., 29 lks. dist.,


Subdivision of T. 25 N., R. 1 W.

3.


Chains.

marked $\frac{1}{4}$ S25 BT.
 A cedar, 14 ins. diam., brs. S 42° 35' E., 92 lks. dist., marked $\frac{1}{4}$ S36 BT.
 68.30 Draw, course N.10° E.
 74.50 Wash, 20 lks. wide, 3 ft. deep, course N.40° E.
 80.11 The cor. of secs. 25, 26, 35 and 36.
 Land, gently rolling.
 Soil, sandy clay; 2nd rate.
 Timber, cedar and pinion.

N.0° 1' W., bet. secs. 25 and 26.
 Over gently rolling land, through dense timber.
 4.60 Drain, course S.80° E. Asc. 30 ft to
 9.50 Low ridge, brs. N.80° W. and S.80° E. Desc. 95 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




And raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap



and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy clay; 2nd rate; limestone formation.
 Timber, dense cedar and pinion to 26 chs.; 26 to 80, scattering timber.

40.00 East on a random line, bet. secs. 24 and 25
 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect Gila and Salt River Meridian, 7 lks. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post re-established as described in Book "A".

Thence
 S.89° 57' W., on a true line, bet. secs. 24 and 25.
 Over gently rolling land, through scattering timber.
 40.04 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 1 1/2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap




From which
 A cedar, 12 ins. diam., brs. N.40° E., 49 lks. dist., marked $\frac{1}{4}$ S24 BT.
 A cedar, 24 ins. diam., brs. S.80° E., 6 lks. dist., marked $\frac{1}{4}$ S25 BT.
 Desc. 65 ft. to
 Draw, course NW.
 57.10 Road, brs. NW. and SE.
 57.40
 80.08 The cor. of secs. 23, 24, 25 and 26.
 Land, gently rolling.

4. Subdivision of T. 25 N., R. 1 W.


Chains.

Soil, sandy clay, stony; 2nd rate; limestone formation. Timber, scattering cedar and pinion.

20.40 N.0° 1' W., bet. secs. 23 and 24.
 Over gently rolling land, through scattering timber.
 Draw, course N.45° W.
 24.90 Road, brs. N.45° W. and S.45° E. Asc. 50 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for 1/4 sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
 Desc. to
 47.60 Head of draw, course S.70° W.
 Dim road, brs. S.70° W. and N.70° E. Asc. slightly
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, sandy clay; limestone formation; 2nd rate.
 Timber, cedar and pinion.

40.00 East on a random line, bet. secs. 13 and 24.
 80.06 Set temp. 1/4 sec. cor.
 Intersect Gila and Salt River Meridian, 5 lks. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, re-established as described in Book "A".

Thence
 S.89° 58' W., on a true line, bet. secs. 13 and 24.
 Over nearly level land, through scattering undergrowth.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
 80.06 The cor. of secs. 13, 14, 23 and 24.
 Land, nearly level.
 Soil, sandy clay; 2nd rate.
 No timber.
 Undergrowth, sagebrush.

13.00 N.0° 1' W., bet. secs. 13 and 14.
 Over nearly level land, through scattering timber and undergrowth.
 Road, brs. N.70° E. and S.70° W.


Subdivision of T. 25 N., R. 1 W.

5.

Chains.

34.00
40.00


Enter dense timber, brs. N.20° E. and S.20° W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



From which
A cedar, 6 ins. diam., brs. N.18° E. 88 lks. dist., marked 1/4 S13 BT.
A cedar, 8 ins. diam., brs. N.15° W., 63 lks. dist., marked 1/4 S14 BT.

80.00

Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap



From which
A pinion, 20 ins. diam., brs. N.21 1/2° E., 781 lks. dist., marked T25N RLW S12 BT.
A pinion, 24 ins. diam., brs. S.73° E., 469 lks. dist., marked T25N RLW S13 BT.
A cedar, 6 ins. diam., brs. S.61° W., 117 lks. dist., marked T25N RLW S14 BT.
A cedar, 16 ins. diam., brs. N.77° W., 56 lks. dist., marked T25N RLW S11 BT.
Land, nearly level.
Soil, sandy clay; 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush.

40.00

East on a random line, bet. secs. 12 and 13.

80.05

Set temp. 1/4 sec. cor.
Intersect Gila and Salt River Meridian, 5 lks. S. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, re-established as described in Book "A".

Thence
S.89° 58' W., on a true line, bet. secs. 12 and 13.
Over gently rolling land, through scattering undergrowth.

8.95


Road, brs. N.10° W., and S.10° E.

20.05

Enter scattering timber, brs. N. and S.

40.02 1/2

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.

55.05

Leave timber, brs. N.30° E. and S.60° W.

80.05

The cor. of secs. 11, 12, 13 and 14.

Land, gently rolling.
Soil, sandy clay; 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush.

N.0° 1' W., bet. secs. 11 and 12:
Over gently rolling land, through scattering timber.

6. Subdivision of T. 25 N., R. 1 W.

Chains.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S11 | S12
 1916

From which
 A cedar, 14 ins. diam., brs. S. $5\frac{1}{2}^{\circ}$ E., 37 lks. dist., marked $\frac{1}{4}$ S12 BT.
 A pinion, 14 ins. diam., brs. S. 62° W., 17 lks. dist., marked $\frac{1}{4}$ S11 BT.

65.00 Desc. gradually to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap

T25N | R1W
 S 2 | S 1
 S11 | S12
 1916

From which
 A cedar, 12 ins. diam., brs. N. $28\frac{1}{2}^{\circ}$ E., 10 lks. dist., marked T25N R1W S1 BT.
 A cedar, 10 ins. diam., brs. S. 11° E., 42 lks. dist., marked T25N R1W S12 BT.
 A cedar, 8 ins. diam., brs. S. 68° W., 136 lks. dist., marked T25N R1W S11 BT.
 A pine, 14 ins. diam., brs. N. $38\frac{1}{2}^{\circ}$ W., 91 lks. dist., marked T25N R1W S2 BT.

Land, gently rolling.
 Soil, sandy clay; 2nd rate.
 Timber, cedar and pinion.

40.00 East on a random line, bet. secs. 1 and 12.
 80.01 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect Gila and Salt River Meridian, 5 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, re-established as described in Book "A".

Thence
 S. $89^{\circ} 58'$ W., on a true line, bet. secs. 1 and 12.
 Over gently rolling land, through scattering timber.

39.40 Road, brs. N. 20° W. and S. 20° E.
 40.00 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 1
 S12
 1916

From which
 A cedar, 10 ins. diam., brs. N. 69° E., 410 lks. dist., marked $\frac{1}{4}$ S1 BT.
 A cedar, 8 ins. diam., brs. S. 84° E., 447 lks. dist., marked $\frac{1}{4}$ S12 BT.

41.00 Head of draw, course N. 30° W.
 51.70 Head of draw, course N. 60° E.
 77.30 Head of draw, course NW.
 80.01 The cor. of secs. 1, 2, 11 and 12.
 Land, gently rolling.
 Soil, sandy clay, stony, limestone formation; 2nd rate.
 Timber, cedar and pinion.


N. 0° 1' W., on a random line, bet. secs. 1 and 2.

Subdivision of T. 25 N., R. 1 W.

7.

Chains.


40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. bdy. of Tp., 2 lks. E. of the cor. of secs. 1, 2, 35 and 36, which is an iron post, described in Book "A".
 Thence
 S.0° 2' E., on a true line, bet. secs. 1 and 2.
 Over gently rolling land, through scattering timber.
 13.90 Head of draw, course N.40° W.
 40.08 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap




From which
 A pinion, 14 ins. diam., brs. N.29° E., 55 lks. dist., marked $\frac{1}{4}$ S1 BT.
 A cedar, 12 ins. diam., brs. N.42° W., 80 lks. dist., marked $\frac{1}{4}$ S2 BT.
 69.10 Draw, course N.30° W.
 80.08 The cor. of sec. 1, 2, 11 and 12.
 Land, gently rolling.
 Soil, sandy clay, stony; limestone formation; 2nd rate.
 Timber, cedar and pinion.

From the standard cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is an iron post, re-established as described in the field notes of current Group No. 52.

N.0° 1' W., bet. secs. 34 and 35.
 Over rolling land, through heavy timber.
 Asc. 65 ft. to
 Desc. 45 ft. to
 15.00 Small draw, course W.
 34.95
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which
 A cedar, 15 ins. diam., brs. N.53° 40' E., 30 lks. dist., marked $\frac{1}{4}$ S35 BT.
 A cedar, 8 ins. diam., brs. S.88° 40' W., 32 lks. dist., marked $\frac{1}{4}$ S34 BT.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35. marked on brass cap



From which
 A cedar, 6 ins. diam., brs. N.28° 55' E., 45 lks. dist., marked T25N R1W S26 BT.
 A cedar, 10 ins. diam., brs. S.61° 20' E., 11 lks. dist., marked T25N R1W S35 BT.
 A cedar, 10 ins. diam., brs. S.76° 30' W., 107 lks. dist., marked T25N R1W S34 BT.
 A pinion, 6 ins. diam., brs. N.65° 55' W., 95 lks. dist., marked T25N R1W S27 BT.

8.

Subdivision of T. 25 N., R. 1 W.

Chains.

Land, rolling.
Soil, sandy, gravelly; 3rd rate.
Timber, cedar and pinion.
White gramma grass.

40.00 East on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line, 3 lks. S. of the cor. of secs.
25, 26, 35 and 36.

Thence
S.89° 59' W., on a true line, bet. secs. 26 and 35.
Over gently rolling land, through dense timber.

30.10 Draw, course N. Asc. 80 ft. to

40.00 Ridge, brs. N. and S.

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap

$\frac{1}{4}$ S26
 $\frac{1}{4}$ S35
1916

From which

A cedar, 15 ins. diam., brs. N.49° W., 27 lks. dist.,
marked $\frac{1}{4}$ S26 BT.

A cedar, 18 ins. diam., brs. S.38° 50' E., 24 lks. dist.,
marked $\frac{1}{4}$ S35 BT.

Desc. 100 ft. to

55.20 Head of draw, course N. Asc. 30 ft. to

60.15 Ridge, brs. N. and S. Desc. 120 ft. to

80.00 The cor. of secs. 26, 27, 34 and 35.

Land, rolling and gently rolling.

Soil, sandy and gravelly; 3rd rate.

Timber, dense cedar and pinion.

No grass.

40.00 N.0° 1' W., bet. secs. 26 and 27.
Over gently rolling land, through heavy timber.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S27 | S26
1916

From which

A pinion, 8 ins. diam., brs. N.58° 40' E., 35 lks. dist.,
marked $\frac{1}{4}$ S26 BT.

A pinion, 6 ins. diam., brs. S.83° 23' W., 5 lks. dist.,
marked $\frac{1}{4}$ S27 BT.

Desc. gradually 65 ft. to

60.00 Draw, 5 chs. wide, course N.10° W. Thence through scatter-
ing timber.

80.00 Set an iron post, 3 ft. long, 2 in. diam., 24 ins. in the
ground, for cor. of secs. 22, 23, 26 and 27, marked on
brass cap

T25N | R1W
S22 | S23
S27 | S26
1916

From which

A cedar, 15 ins. diam., brs. N.67° 10' E., 57 lks.
dist., marked T25N R1W S23 BT.

A cedar, 36 ins. diam., brs. S.63° 35' E., 84 lks. dist.,
marked T25N R1W S26 BT.


Subdivision of T. 25 N., R. 1 W.

9.

Chains.


No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, gravelly; 3rd rate.
 Timber, cedar and pinion.
 White gramma grass.

40.00 East on a random line, bet. secs. 23 and 26.
 80.08 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 11 lks. S. of the cor. of secs. 23, 24, 25 and 26.
 Thence
 S.89° 55' W., on a true line, bet. secs. 23 and 26.
 20.10 Over gently rolling land, through scattering timber.
 40.04 Enter dense timber, brs. N. and S.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



From which
 A cedar, 15 ins. diam., brs. N.33° 40' W., 54 lks. dist., marked ¼S23 BT.
 A cedar, 10 ins. diam., brs. S.66° 20' W., 64 lks. dist., marked ¼S26 BT.
 45.10 Leave dense timber, brs. N. and S.
 50.15 Draw, 5 chs. wide, course N.
 55.15 Enter dense timber, brs. N. and S.
 70.10 Leave dense, enter scattering timber, brs. N. and S.
 80.08 The cor. of secs. 22, 23, 26 and 27.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush.
 White gramma grass.

15.00 N.0° 1' W., bet. secs. 22 and 23.
 40.00 Over gently rolling land, through scattering timber.
 Enter levelland and dense timber.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



From which
 A pinion, 10 ins. diam., brs. N.81° 40' E., 65 lks. dist., marked ¼S23 BT.
 A cedar, 8 ins. diam., brs. S.83° 5' W., 82 lks. dist., marked ¼S22 BT.
 63.79 Barb wire fence, brs. S.84° E. and N.84° W.
 65.00 Leave timber, brs. E. and W.
 69.97 Draw, 5 chs. wide, course W. Dirt reservoir brs. W. 5 chs. dist.
 78.00 Enter timber, brs. E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

10.

Subdivision of T. 25 N., R. 1 W.

chains

T25N	R1W
S15	S14
S22	S23
1916	

From which

A pinion, 12 ins. diam., brs. N.34° 50' E., 55 lks. dist., marked T25N R1W S14 BT.

A cedar, 18 ins. diam., brs. S.62° 20' E., 133 lks. dist., marked T25N R1W S23 BT.

A cedar, 12 ins. diam., brs. S.45° 25' W., 75 lks. dist., marked T25N R1W S22 BT.

A cedar, 15 ins. diam., brs. N.56° 40' W., 20 lks. dist., marked T25N R1W S15 BT.

Land, level and gently rolling.

Soil, 2nd rate.

Timber, cedar and pinion.

- 40.00 East on a random line, bet. secs. 14 and 23.
- 80.21 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect N. and S. line, 26 lks. S. of the cor. of secs. 13, 14, 23 and 24.
- Thence
- S.89° 49' W., on a true line, bet. secs. 14 and 23.
- Over level land, through scattering timber.
- 15.00 Leave level, enter gently rolling land.
- 30.20 Leave timber, brs. N. and S.
- 38.50 Road, brs. NE. and SW.
- 40.10 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
$\frac{1}{4}$ S23
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist., and spread the dirt around the post.

- 56.65 Enter dense timber, brs. N. and S.
- 66.65 Draw, 3 chs. wide, course S.
- 79.20 Barb wire fence, brs. N.80° W. and S.80° E.
- 80.21 The cor. of secs. 14, 15, 22 and 23.
- Land, level and gently rolling.
- Soil, red, sandy and gravelly; 3rd rate.
- Timber, cedar and pinion.
- Undergrowth, sagebrush and algerita.

- 0.17 N.0° 1' W., bet. secs. 14 and 15.
- Over gently rolling land, through heavy timber.
- Barb wire fence, brs. N.80° W. and S.80° E. Asc. 45 ft. to
- 4.95 Ridge, brs. E. and W. Thence over level land.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S15 S14
1916

From which

A cedar, 10 ins. diam., brs. N.69° 5' W., 70 lks. dist., marked $\frac{1}{4}$ S15 BT.

A cedar, 12 ins. diam., brs. N.60° 25' E., 108 lks. dist., marked $\frac{1}{4}$ S14 BT.

- 50.00 Head of draw, course NW.

Chains.
74.99
-80.00

East of draw, 5 chs. wide, course W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap

T25N | R1W
S10 | S11
S15 | S14
1916

From which
A cedar, 12 ins. diam., brs. N.16° 10' E., 162 lks. dist., marked T25N R1W S11 BT.
A pinion, 15 ins. diam., brs. S.65° 40' E., 198 lks. dist., marked T25N R1W S14 BT.
A pinion, 10 ins. diam., brs. S.18° 50' W., 203 lks. dist., marked T25N R1W S15 BT.
A cedar, 15 ins. diam., brs. N.23° 50' W., 150 lks. dist., marked T25N R,W S10 BT.
Land, gently rolling.
Soil, 2nd rate.
Timber, cedar and pinion.

40.00
80.15

East on a random line, bet. secs. 11 and 14.
Set temp. 1/4 sec. cor.
Intersect N. and S. line, 26 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence
S.89° 49' W., on a true line, bet. secs. 11 and 14.
Over gently rolling land, through scattering timber and undergrowth.

40.07 1/2

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S11
1/4 S14
1916

From which
A pinion, 8 ins. diam., brs. N.37° W., 91 lks. dist., marked 1/4 S11 BT.
A pinion, 10 ins. diam., brs. S.81 1/2° W., 87 lks. dist., marked 1/4 S14 BT.

60.15
80.15

Draw, 5 chs. wide, course S.
The cor. of secs. 10, 11, 14, and 15.
Land, gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth, algerita and sagebrush.
White gramma grass.

29.97
40.00

N.0° 1' W., bet. secs. 10 and 11.
Over gently rolling land, through dense timber.
Draw, 3 chs. wide, course W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4
S10 | S11
1916

From which
A pinion, 6 ins. diam., brs. N.53° 45' E., 20 lks. dist., marked 1/4 S11 BT.

12. Subdivision of T. 25 N., R. 1 W.

chains.

55.00
75.00
80.00

A cedar, 15 ins. diam., brs. N.82° W., 67 lks. dist., marked $\frac{1}{4}$ S10 BT.
Desc. 45 ft. to
Draw, 5 chs. wide, course W.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap

T25N | R1W
S 3 | S 2
S10 | S11
1916

From which
A cedar, 12 ins. diam., brs. N.68° 40' E., 164 lks. dist., marked T25N R1W S2 BT.
A cedar, 18 ins. diam., brs. S.77° E., 162 lks. dist., marked T25N R1W S11 BT.
A cedar, 10 ins. diam., brs. S.39° 20' W., 548 lks dist., marked T25N R1W S10 BT.
A cedar, 15 ins. diam., brs. N.32° W., 229 lks. dist., marked T25N R1W S3 BT.
Land, gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush.
White gramma grass.

40.00
80.18

East on a random line, bet. secs. 2 and 11.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 30 lks. S. of the cor. of secs. 1, 2, 11 and 12.

40.09

Thence
S.89° 47' W., on a true line, bet. secs. 2 and 11.
Over level land, through heavy timber.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 2
S11
1916

60.20
65.00
80.18

From which
A cedar, 10 ins. diam., brs. N.40° 50' W., 76 lks. dist., marked $\frac{1}{4}$ S2 BT.
A cedar, 6 ins. diam., brs. S.33 $\frac{1}{2}$ ° E., 68 lks. dist., marked $\frac{1}{4}$ S11 BT.
Desc. gradually, 85 ft. to
Draw, 2 chs. wide, course S.
Desc. 60 ft. to
The cor. of secs. 2, 3, 10 and 11.
Land, level and gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
White gramma grass.


40.00
80.30

N.0° 1' W., on a random line, bet. secs. 2 and 3.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. bdy. of Tp., 6 lks. E. of the cor. of secs. 2, 3, 34 and 35, which is an iron post, described in Book "A".
Thence
S.0° 4' E., on a true line, bet. secs. 2 and 3.
Over gently rolling land, through condensing timber.

Subdivision of T. 25 N., R. 1 W.

Chains.

- 5.40 Draw, 1 ch. wide, course W.
- 20.35 Draw, 3 chs. wide, course W.
- 30.30 Draw, 1 ch. wide, course N.70° W.
- 40.30 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




From which
 A cedar, 15 ins. diam., brs. S.63 $\frac{1}{2}$ ° E., 83 lks. dist., marked $\frac{1}{4}$ S2 BT.
 A cedar, 8 ins. diam., brs. S.83 $\frac{3}{4}$ ° W., 24 lks. dist., marked $\frac{1}{4}$ S3 BT.

- 55.30 Head of draw, 1 ch. wide, course W.
- 80.30 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.


From the Standard cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is an iron post, re-established as described in the field notes of current Group No. 52.
 N.0° 2' W., bet. secs. 33 and 34.

- 40.00 Over nearly level land, through heavy timber.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which
 A cedar, 15 ins. diam., brs. N.76° 50' E., 123 lks. dist., marked $\frac{1}{4}$ S34 BT.
 A pinion, 8 ins. diam., brs. N.88° 40' W., 56 lks. dist., marked $\frac{1}{4}$ S33 BT.

- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap



From which
 A pinion, 8 ins. diam., brs. N.55° 40' E., 51 lks. dist., marked T25N R1W S27 BT.
 A cedar, 6 ins. diam., brs. S.19 $\frac{3}{4}$ ° E., 77 lks. dist., marked T25N R1W S34 BT.
 A cedar, 15 ins. diam., brs. S.54° 25' W., 52 lks. dist., marked T25N R1W S33 BT.
 A cedar, 18 ins. diam., brs. N.61° 5' W., 60 lks. dist., marked T25N R1W S28 BT.
 Land, gently rolling.
 Soil, black, sandy loam; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita.
 White gramma grass.

14.

Subdivision of T. 25 N., R. 1 W.

Chains.

East on a random line, bet. secs. 27 and 34.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
 26, 27, 34 and 35.
 Thence
 S.89° 59' W., on a true line, bet. secs. 27 and 34.
 Over gently rolling land, through heavy timber.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{r} \frac{1}{4} \text{ S27} \\ \frac{1}{4} \text{ S34} \\ \hline 1916 \end{array}$$

From which
 A pinion, 10 ins. diam., brs. N.4° 40' W., 44 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.
 A cedar, 8 ins. diam., brs. S.58° 50' W., 71 lks. dist.,
 marked $\frac{1}{4}$ S34 BT.
 80.06 The cor. of secs. 27, 28, 33 and 34.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.

N.0° 2' W., bet. secs. 27 and 28.
 Over gently rolling land, through heavy timber.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ \updownarrow \\ \text{S28} \mid \text{S27} \\ \hline 1916 \end{array}$$

From which
 A cedar, 12 ins. diam., brs. S.49° 20' E., 113 lks. dist.,
 marked $\frac{1}{4}$ S27 BT.
 A cedar, 30 ins. diam., brs. S.71° 50' W., 165 lks.
 dist., marked $\frac{1}{4}$ S28 BT.
 44.10 Road, brs. N.15° E. to Grand Canyon and S.20° W. to Ash
 Fork.
 70.00 Draw, 5 chs. wide, course W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 21, 22, 27 and 28, marked on
 brass cap

$$\begin{array}{r} \text{T25N} \mid \text{R1W} \\ \text{S21} \mid \text{S22} \\ \hline \text{S28} \mid \text{S27} \\ \hline 1916 \end{array}$$

From which
 A cedar, 15 ins. diam., brs. N.36° 20' E., 446 lks. dist.,
 marked T25N R1W S22 BT.
 A cedar, 8 ins. diam., brs. S.61 $\frac{1}{2}$ ° E., 80 lks. dist.,
 marked T25NR1W S27 BT.
 A cedar, 15 ins. diam., brs. S.51° 40' W., 204 lks.
 dist., marked T25N R1W S28 BT.
 A cedar, 12 ins. diam., brs. N.50° 20' W., 124 lks.
 dist., marked T25N R1W S21 BT.
 Land, gently rolling.
 Soil, black, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush.
 White gramma grass.


Subdivision of T. 25 N., R. 1 W.

Chains.

40.00
79.79

1.80
24.80
39.89½

East on a random line, bet. secs. 22 and 27.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 9 lks. N. of the cor. of secs.
22, 23, 26 and 27.
Thence
N.89° 56' W., on a true line, bet. secs. 22 and 27.
Over gently rolling land, through heavy timber.
Draw, 4 chs. wide, course NW.
Draw, 5 chs. wide, course N.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap




From which
A cedar, 6 ins. diam., brs. N.56° 20' E., 72 lks. dist.,
marked ¼ S22 BT.
A cedar, 8 ins. diam., brs. S.62° 20' E., 63 lks. dist.,
marked ¼ S27 BT.

54.80
73.30
79.79

Leave heavy timber, brs. N. and S.
Road; brs. N.8° E. to Grand Canyon and S.8° W. to Ash Fork.
The cor. of secs. 21, 22, 27 and 28.
Land, gently rolling.
Soil, black, sandy; 2nd rate.
Timber, cedar and pinion.
White gramma grass.

30.00
40.00


N.0° 2' W., bet. secs. 21 and 22.
Over gently rolling land, through heavy timber.
Asc. gradually, 80 ft. to
Ridge, brs. E. and W. Desc. 25 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., marked on brass cap



From which
A cedar, 12 ins. diam., brs. N.59° 10' E., 13 lks.
dist., marked ¼ S22 BT.
A cedar, 15 ins. diam., brs. S.82¼° W., 85 lks. dist.,
marked ¼ S21 BT.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 15, 16, 21 and 22, marked on
brass cap



From which
A cedar, 15 ins. diam., brs. N.8° 20' E., 321 lks. dist.,
marked T25N R1W S15 BT.
A cedar, 10 ins. diam., brs. S.57° 55' E., 126 lks. dist.,
marked T25N R1W S22 BT.
A cedar, 12 ins. diam., brs. S.66¼° W., 388 lks. dist.,
marked T25N R1W S21 BT.
A cedar, 10 ins. diam., brs. N.78¼° W., 310 lks. dist.,
marked T25N R1W S16 BT.

Land, gently rolling.
Soil, 2nd rate.
Timber, cedar and pinion.
White gramma grass.

16. Subdivision of T. 25 N., R. 1 W.

Chains.

East on a random line, bet. secs. 15 and 22.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.86 Intersect N. and S. line, 14 lks. N. of the cor. of secs. 14, 15, 22 and 23.
 Thence
 N. $89^{\circ} 54'$ W., on a true line, bet. secs. 15 and 22.
 Over gently rolling land, through scattering timber.
 6.35 Wire fence, brs. N. $81\frac{1}{2}^{\circ}$ E. and S. $81\frac{1}{2}^{\circ}$ W., around water hole.
 6.85 Dam, brs. S. 5 chs. dist.
 24.85 Leave timber, brs. NW. and SE.
 30.35 Road, brs. N. 70° W. and S. 67° E.
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S15
 $\frac{1}{4}$ S22
 1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 44.85 Enter timber, brs. N. and S. Draw, 10 chs. wide, course N. 20° W.
 58.85 Road, brs. N. 12° W. to Grand Canyon and S. 15° E. to Ash Fork.
 79.86 The cor. of secs. 15, 16, 21 and 22.
 Land, gently rolling.
 Soil, sandy; 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.

N. $0^{\circ} 2'$ W., bet. secs. 15 and 16.
 Over gently rolling land, through scattering timber and undergrowth.
 9.60 Road, brs. N. $74\frac{1}{2}^{\circ}$ W. and E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S16 | S15
 1916

From which
 A cedar, 10 ins. diam., brs. S. $60^{\circ} 40'$ E., 201 lks. dist., marked $\frac{1}{4}$ S15 BT.
 A cedar, 12 ins. diam., brs. S. $84^{\circ} 50'$ W., 104 lks. dist., marked $\frac{1}{4}$ S16 BT.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T25N	RLW
S 9	S10
S16	S15
1916	

From which
 A cedar, 15 ins diam., brs. N. $7\frac{1}{2}^{\circ}$ E., 278 lks. dist., marked T25N RLW S 10 BT.
 A cedar, 12 ins diam., brs. S. $4^{\circ} 35'$ E., 43 lks. dist., marked T25N RLW S15 BT.
 A cedar, 10 ins. diam., brs. S. $74^{\circ} 35'$ W., 170 lks. dist., marked T25N RLW S16 BT.
 A cedar, 6 ins. diam., brs. N. $37\frac{1}{2}^{\circ}$ W., 408 lks. dist., marked T25N RLW S9 BT.
 Land, gently rolling.
 Soil, sandy; 2nd rate.
 Timber, cedar and pinion.

Subdivision of T. 25 N., R. 1 W.

Chains.

Undergrowth, sagebrush.
White gramma grass.

40.00 East on a random line, bet. secs. 10 and 15.
Set temp. $\frac{1}{4}$ sec. cor.
79.80 Intersect N. and S. line, 28 lks. N. of the cor. of secs.
10, 11, 14 and 15.
Thence
N. $89^{\circ} 48'$ W., on a true line, bet. secs. 10 and 15.
Over gently rolling land, through scattering timber and
undergrowth.
29.80 Draw, 3 chs. wide, course NW.
39.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S10
S15
1916

From which

A cedar, 10 ins. diam., brs. N. $81^{\circ} 4'$ W., 150 lks. dist.,
marked $\frac{1}{4}$ S10 BT.

A cedar, 15 ins. diam., brs. S. $5^{\circ} 35'$ W., 118 lks. dist.,
marked $\frac{1}{4}$ S15 BT.

Leave timber, brs. N. and S.
64.80 Draw, 10 chs. wide, course N.
67.50 Road, brs. N. 10° W. to Grand Canyon and S. 15° E. to Ash
Fork.

79.80 The cor. of secs. 9, 10, 15 and 16.
Land, gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush.
White gramma grass.

N. $0^{\circ} 2'$ W., bet. secs. 9 and 10.
Over gently rolling land, through scattering timber and
undergrowth.
8.80 Road, brs. N. 41° E. to Grand Canyon and S. 41° W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 9 | S10
1916

From which

A cedar, 12 ins. diam., brs. N. $53^{\circ} 50'$ E., 140 lks.
dist., marked $\frac{1}{4}$ S10 BT.

A cedar, 15 ins. diam., brs. N. $46^{\circ} 2'$ W., 114 lks. dist.,
marked $\frac{1}{4}$ S9 BT.

70.00 Enter heavy timber, brs. E. and W.
Leave timber, brs. NW. and SE.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 3, 4, 9 and 10, marked on brass
cap

T25N | R1W
S 4 | S 3
S 9 | S10
1916

dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.,
and spread the dirt around the post.

18.

Subdivision of T. 25 N., R. 1 W.

Chains.

Land, gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush.
White gramma grass.

40.00 East on a random line, bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.
79.83 Intersect N. and S. line, 21 lks. N. of the cor. of secs.
2, 3, 10 and 11.

Thence
N. $89^{\circ} 51'$ W., on a true line, bet. secs. 3 and 10.
Over gently rolling land, through scattering timber and
undergrowth.
39.91 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 3
S 10
1916

From which
A pinion, 12 ins. diam., brs. N. $54\frac{3}{4}^{\circ}$ W., 112 lks. dist.,
marked $\frac{1}{4}$ S 3 BT.
A cedar, 10 ins. diam., brs. S. $62^{\circ} 40'$ W., 75 lks. dist.,
marked $\frac{1}{4}$ S 10 BT.
44.85 Leave timber, brs. N. and S.
74.85 Draw, 10 chs. wide, course N.
76.76 Road, brs. N. 7° W. to Grand Canyon and S. 13° E. to Ash Fork.
79.83 The cor. of secs. 3, 4, 9 and 10.

Land, gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth sagebrush.
White gramma grass.

40.00 N. $0^{\circ} 2'$ W., on a random line, bet. secs. 3 and 4.
Set temp. $\frac{1}{4}$ sec. cor.
80.10 Intersect N. bdy. of Tp., 2 lks. E. of the cor. of secs.
3, 4, 33 and 34, which is an iron post, established as
described in Book "A".

Thence
S. $0^{\circ} 3'$ E., on a true line, bet. secs. 3 and 4.
Over level land, through scattering sagebrush.
Asc. in draw, course N.
40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 4 S 3
1916


dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.; and spread the dirt around the post.
48.90 Road, brs. N. 7° W. to Grand Canyon and S. 7° E. to Ash Fork.
80.10 The cor. of secs. 3, 4, 9 and 10.
Land, level.
Soil, sandy; 2nd rate.
No timber.
Undergrowth, sagebrush.
White gramma grass.

Subdivision of T. 25 N., R. 1 W.

chains.

From the standard cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, re-established as described in the field notes of current Group No. 52,

40.00 N.0° 3' W., over level land, through heavy timber. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



From which


A cedar, 12 ins. diam., brs. S.75° 10' E., 98 lks. dist., marked 1/4 S33 BT.

A cedar, 20 ins. diam., brs. S.89° 50' W., 59 lks. dist., marked 1/4 S32 BT.

55.00 Enter draw, 5 chs. wide, course N. Comes from SE.

70.00 Leave draw, 5 chs. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap



From which

A cedar, 18 ins. diam., brs. N.30° E., 169 lks. dist., marked T25N RLW S28 BT.

A cedar, 12 ins. diam., brs. S.58° 40' E., 259 lks. dist., marked T25N RLW S33 BT.

A cedar, 36 ins. diam., brs. S.88 1/2° W., 198 lks. dist., marked T25N RLW S32 BT.

A cedar, 12 ins. diam., brs. N.57° W., 141 lks. dist., marked T25N RLW S29 BT.

Land, level.
Soil, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth, algaris.
White gramma grass.

40.00 East on a random line, bet. secs. 28 and 33.

79.94 Set temp. 1/4 sec. cor.

Intersect N. and S. line, 6 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence


S.89° 57' W., on a true line, bet. secs. 28 and 33.

12.35 Over gently rolling land, through dense timber.

Road, brs. N.53° E. to Grand Canyon and S.48° W. to Ash Fork.

34.95 Road, in draw, 5 chs. wide, course NW., brs. N.9° W. and S.4° E.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



From which

A cedar, 12 ins. diam., brs. N.29 1/2° W., 336 lks. dist., marked 1/4 S28 BT.

A cedar, 10 ins. diam., brs. S.4° 40' E., 83 lks. dist., marked 1/4 S33 BT.

49.95 Leave dense timber, brs. N. and S. Continue through scattering timber.

20.

Subdivision of T. 25 N., R. 1 W.

Chains.

74.95

Draw, 5 chs. wide, course N.20° E.

79.94

The cor. of secs. 28, 29, 32 and 33.

Land, gently rolling.

Soil, sandy; 2nd rate.

Timber, cedar and pinion.

White gramma grass.

30.00


N.0° 3' W., bet. secs. 28 and 29.

Over gently rolling land, through heavy timber.

40.00

Draw, 5 chs. wide, course E.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which

A cedar, 20 ins. diam., brs. N.80 $\frac{1}{4}$ ° E., 110 lks. dist., marked $\frac{1}{4}$ S28 BT.


A cedar, 10 ins. diam., brs. N.87° 10' W., 195 lks. dist., marked $\frac{1}{4}$ S29 BT.

75.00

Leave timber, brs. NW. and SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap



From which

A cedar, 12 ins. diam., brs. N.45 $\frac{3}{4}$ ° W., 125 lks. dist., marked T25N R1W S20 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.; and spread the dirt around the post.

Land, gently rolling.

Soil, 2nd rate.

Timber, cedar and pinion.

Undergrowth, sagebrush.

White gramma grass.

40.00

East on a random line, bet. secs. 21 and 28.

79.98

Set temp. $\frac{1}{4}$ sec. cor.

Intersect. N. and S. line, 2 lks. S. of the cor. of secs. 21, 22, 27 and 28.


Thence

S.89° 59' W., on a true line, bet. secs. 21 and 28.

Over gently rolling land, through heavy timber.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which

A cedar, 18 ins. diam., brs. N.28° 20' W., 98 lks. dist., marked $\frac{1}{4}$ S21 BT.

A cedar, 12 ins. diam., brs. S.11 $\frac{1}{2}$ ° E., 112 lks. dist., marked $\frac{1}{4}$ S28 BT.

45.00

Leave timber, brs. NW. and SE.

Subdivision of T. 25 N., R. 1 W.


chains.

65.00
69.48
79.98

Draw, 10 chs. wide, course NW.
Road, brs. N.38° W. and S.50° E.
The cor. of secs. 20, 21, 28 and 29.
Land, gently rolling.
Soil, sandy; 2nd rate.
Timber, cedar and pinion.
White gramma grass.

10.00
12.90
40.00

N.0° 3' W., bet. secs. 20 and 21.
Over gently rolling land, through scattering undergrowth.
Draw, 10 chs. wide, course N.20° W.
Road, brs. N.47° W. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec.cor., marked on brass cap



From which
A cedar, 12 ins. diam., brs. S.8° 55' E., 212 lks. dist., marked 1/4 S21 BT.
No other trees within limits. Dig pits, 18 X 18 X 12 ins. N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

60.00
75.00
80.00

Enter timber, brs. E. and W.
Leave timber, brs. NE. and SW.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.; and spread the dirt around the post.
Land, gently rolling.
Soil, 2nd rate.
Timber, cedar and pinion.


40.00
80.00

East on a random line, bet. secs. 16 and 21.
Set temp. 1/4 sec. cor., ...
Intersect N. and S. line, 7 lks. N. of the cor. of secs. 15, 16, 21 and 22.

Thence
N.89° 57' W., on a true line, bet. secs. 16 and 21.
Over gently rolling land, through scattering timber and undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



From which
A cedar, 12 ins. diam., brs. N.74° 50' E., 159 lks. dist., marked 1/4 S16 BT.
A cedar, 15 ins. diam., brs. S.71° 50' W., 120 lks. dist., marked 1/4 S21 BT.


50.00
80.00

Leave timber, brs. N. and S.
The cor. of secs. 16, 17, 20 and 21.
Land, gently rolling.
Soil, 2nd rate.
Timber, cedar and pinion.


22. Subdivision of T. 25 N., R. 1 W.

Chains
Undergrowth, sagebrush.
White gramma grass.

20.00 N.0° 3' W., bet. secs. 16 and 17.
25.00 Over gently rolling land, through scattering undergrowth.
30.00 From this point, Burton's water hole brs. W. 30 chs. dist.
40.00 Road, brs. E. and W.
Enter scattering timber, brs. E. and W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




From which
A cedar, 15 ins. diam., brs. N.73° E., 38 lks. dist., marked $\frac{1}{4}$ S16 BT.
A cedar, 15 ins. diam., brs. S.21° 10' W., 166 lks. dist., marked $\frac{1}{4}$ S17 BT.
From this $\frac{1}{4}$ sec. cor., Charley Burton's ranch house brs. N.88° 45' W.
55.00 Asc. gradually, through dense timber.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap



From which
A cedar, 8 ins. diam., brs. N.50° 10' E., 119 lks. dist., marked T25N R1W S9 BT.
A cedar, 18 ins. diam., brs. S.46° 5' E., 76 lks. dist., marked T25N R1W S16 BT.
A cedar, 15 ins. diam., brs. S.40° 20' W., 53 lks. dist., marked T25N R1W S17 BT.
A cedar, 12 ins. diam., brs. N.53° W., 63 lks. dist., marked T25N R1W S8 BT.
Land, gently rolling.
Soil, red, 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush.
White gramma grass.

40.00 East on a random line, bet. secs. 9 and 16.
79.92 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, at the cor. of secs. 9, 10, 15 and 16.
Thence
West on a true line, bet. secs. 9 and 16.
8.90 Over gently rolling land, through scattering undergrowth.
24.90 Road, brs. NE. and SW.
39.96 Enter timber, brs. NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




From which
A cedar, 12 ins. diam., brs. N.47° 40' E., 54 lks. dist.,


Chains.

79.92 marked $\frac{1}{4}$ S9 BT.
 A cedar, 30 ins. diam., brs. S.79 $\frac{3}{4}$ ° E., 125 lks. dist.,
 marked $\frac{1}{4}$ S16 BT.
 The cor. of secs. 8, 9, 16 and 17.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush.
 White gramma grass.

4.94 N.0° 3' W., bet. secs. 8 and 9.
 20.00 Over gently rolling land, through heavy timber.
 Asc. gradually to
 Ridge, brs. E. and W. Desc. slightly to
 39.97 Head of draw, course W. Asc. gradually.
 A cedar, 12 ins. diam., on line.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



45.00 From which
 A cedar, 12 ins. diam., brs. N.53° 40' E., 30 lks. dist.,
 marked $\frac{1}{4}$ S9 BT.
 A pinion, 8 ins. diam., brs. N.69° 40' W., 62 lks. dist.,
 marked $\frac{1}{4}$ S8 BT.
 69.95 Low ridge, brs. NW. and SE. Desc. gradually.
 80.00 Draw, 2 chs. wide, course E.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 4, 5, 8 and 9, marked on
 brass cap



From which
 A cedar, 15 ins. diam., brs. N.66° 20' E., 112 lks.
 dist., marked T25N R1W S4 BT.
 A cedar, 8 ins. diam., brs. S.36° 10' E., 240 lks.
 dist., marked T25N R1W S9 BT.
 A cedar, 12 ins. diam., brs. S.55° W., 210 lks. dist.,
 marked T25N R1W S8 BT.
 A cedar, 12 ins. diam., brs. N.35 $\frac{3}{4}$ ° W., 118 lks. dist.,
 marked T25N R1W S5 BT.
 Land, gently rolling.
 Soil, 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.

40.00 East on a random line, bet. secs. 4 and 9.
 79.99 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, at the cor. of secs. 3, 4, 9 and
 10.
 Thence
 West on a true line, bet. secs. 4 and 9.
 Over gently rolling land, through scattering timber.
 Asc. 65 ft. to
 7.00 Low spur, slopes N. Desc. very gradually.
 39.99 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

24.

Subdivision of T. 25 N., R. 1 W.

Chains.

$$\begin{array}{r} \frac{1}{4} \text{ S } 4 \\ \frac{1}{4} \text{ S } 9 \\ \hline 1916 \end{array}$$

From which
 A cedar, 10 ins. diam., brs. N.63 $\frac{1}{2}$ ° W., 110 lks. dist.,
 marked $\frac{1}{4}$ S4 BT.
 A cedar, 8 ins. diam., brs. S.63 $\frac{1}{4}$ ° E., 280 lks. dist.,
 marked $\frac{1}{4}$ S9 BT.
 Draw, 5 chs. wide, course N.20° E.
 79.99 The cor. of secs. 4, 5, 8 and 9.
 Land, gently rolling.
 Soil, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush.

40.00 N.0° 3' W., on a random line, bet. secs. 4 and 5.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.20 Intersect N. bdy. of Tp., 11 lks. E. of the cor. of secs.
 4, 5, 32 and 33, which is an iron post, described in
 Book "A".
 Thence
 S.0° 8' E., on a true line, bet. secs. 4 and 5.
 Over gently rolling land, through heavy timber and scatter-
 ing undergrowth.
 30.20 Draw, 2 chs. wide, course N.20° W.
 40.20 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 5 \text{ | S } 4 \\ | \\ 1916 \end{array}$$

From which
 A cedar, 16 ins. diam., brs. S.64 $\frac{3}{4}$ ° E., 406 lks. dist.,
 marked $\frac{1}{4}$ S4 BT.
 A cedar, 15 ins. diam., brs. N.81° 50' W., 349 lks.
 dist., marked $\frac{1}{4}$ S5 BT.
 80.20 The cor. of secs. 4, 5, 8 and 9.
 Land, gently rolling.
 Soil, 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush.
 White gramma grass.

From the standard cor. of secs. 5, 6, 31 and 32, on the
 S. bdy. of the Tp., which is an iron post, re-establish-
 ed as described in the field notes of current Group No.
 52,
 N.0° 3' W., bet. secs. 31 and 32.
 Over gently rolling land, through heavy timber.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 31 \text{ | S } 32 \\ | \\ 1916 \end{array}$$

From which
 A cedar, 8 ins. diam., brs. N.68° 55' E., 21 lks. dist.,
 marked $\frac{1}{4}$ S32 BT.

Chains.

80.00 A cedar, 15 ins diam., brs. S.89° 40' W., 25 lks. dist., marked $\frac{1}{4}$ S31 BT.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap

T25N	RLW
S30	S29
S31	S32
1916	

From which
 A cedar, 15 ins. diam., brs. N.26° 10' E., 102 lks. dist., marked $\frac{1}{4}$ T25N RLW S29 BT.
 A pinion, 10 ins. diam., brs. S.77 $\frac{1}{2}$ ° E., 124 lks. dist., marked T25N RLW S32 BT.
 A pinion, 6 ins. diam., brs. S.74° 20' W., 115 lks. dist., marked T25N RLW S31 BT.
 A cedar, 12 ins. diam., brs. N.58° 10' W., 164 lks. dist., marked T25N RLW S30 BT.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.

40.00 East on a random line, bet. secs. 29 and 32.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.99 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 28, 29, 32 and 33.

Thence
 N.89° 56' W., on a true line, bet. secs. 29 and 32.
 Over gently rolling land, through heavy timber and scattering undergrowth.

39.99 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S29
$\frac{1}{4}$	S32

From which
 A pinion, 8 ins. diam., brs. N.13° 40' E., 120 lks. dist., marked $\frac{1}{4}$ S29 BT.
 A cedar, 8 ins. diam., brs. S.50 $\frac{3}{4}$ ° W., 14 lks. dist., marked $\frac{1}{4}$ S32 BT.

79.99 The cor. of secs. 29, 30, 31 and 32.

Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita.
 White gramma grass.

40.00 West on a random line, bet. secs. 30 and 31.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.22 Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A".

Thence
 N.89° 59' E., on a true line, bet. secs. 30 and 31.
 Over gently rolling land, through heavy timber.

5.22 Road, brs. NE. and SW.
 40.22 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S30
$\frac{1}{4}$	S31
1916	


26.

Subdivision of T. 25 N., R. 1 W.

Chains.

From which
 A cedar, 12 ins. diam., brs. N.54° 20' W., 30 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.
 A cedar, 15 ins. diam., brs. S.38° 20' W., 55 lks. dist.,
 marked $\frac{1}{4}$ S31 BT.
 50.22 Draw, 2 chs. wide, course N.20° W.
 80.22 The cor. of secs. 29, 30, 31 and 32.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, algerita.
 White gramma grass.

N.0° 3' W., bet. secs. 29 and 30.
 Over gently rolling land, through heavy timber.
 30.00 Draw, 1 ch. wide, course W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{2}$ sec. cor., marked on brass cap




From which
 A cedar, 12 ins. diam., brs. N.70° 50' E., 25 lks. dist.,
 marked $\frac{1}{4}$ S29 BT.
 A cedar, 18 ins. diam., brs. N.40 $\frac{1}{2}$ ° W., 54 lks. dist.,
 marked $\frac{1}{4}$ S30 BT.
 60.00 Ridge, brs. E. and W. Desc. gradually.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 19, 20, 29 and 30, marked on
 brass cap



From which
 A pinion, 8 ins. diam., brs. N.35° 35' E., 72 lks. dist.,
 marked T25N R1W S20 BT.
 A pinion, 12 ins. diam., S.35° 40' E., 95 lks. dist.,
 marked T25N R1W S29 BT.
 A pinion, 10 ins. diam., brs. S.6° 55' W., 28 lks. dist.,
 marked T25N R1W S30 BT.
 A pinion, 18 ins. diam., brs. N.10 $\frac{3}{4}$ ° W., 55 lks. dist.,
 marked T25N R1W S19 BT.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.

40.00 East on a random line, bet. secs. 20 and 29.
 80.06 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
 20, 21, 28 and 29.

Thence
 S.89° 59' W., on a true line, bet. secs. 20 and 29.
 Over gently rolling land, through scattering undergrowth.
 10.08 Enter heavy timber, brs. NW. and SE.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



Chains.

From which
 A cedar, 18 ins. diam., brs. N.64° 50' W., 131 lks. dist., marked $\frac{1}{4}$ S20 BT.
 A cedar, 12 ins. diam., brs. S.53° 20' W., 189 lks. dist., marked $\frac{1}{4}$ S29 BT.
 50.05 Draw, 1 ch. wide, course NW.
 80.06 The cor. of secs. 19, 20, 29 and 30.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 White gramma grass.

West on a random line, bet. secs. 19 and 30.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect W. bdy. of Tp., 7 lks. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A".
 Thence
 S.89° 57' E., on a true line, bet. secs. 19 and 30.
 Over gently rolling land, through scattering timber.
 3.32 Barb wire fence, brs. N.1° E. and S.1° W. Corners 5 chs. N., and runs E.
 5.10 Draw, 2 chs. wide, course NE.
 35.05 Draw, 1 ch. wide, course N.20° E.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S19
 $\frac{1}{4}$ S30
 1916

From which
 A cedar, 15 ins. diam., brs. N.44° E., 73 lks. dist., marked $\frac{1}{4}$ S19 BT.
 A cedar, 18 ins. diam., brs. S.76° 40' E., 160 lks. dist., marked $\frac{1}{4}$ S30 BT.
 50.06 Draw, 3 chs. wide, course N.
 53.55 Barb wire fence, brs. N.0° 40' E. and S.0° 40' W. Corners 5 chs. N. and runs W.
 60.05 Enter heavy timber, brs. N. and S.
 80.06 The cor. of secs. 19, 20, 29 and 30.
 Land, gently rolling.
 Soil, shallow, second rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush and algerita.
 White gramma grass.

N.0° 3' W., bet. secs. 19 and 20.
 Over gently rolling land, through heavy timber.
 30.00 Leave heavy timber, brs. E. and W.
 35.00 Draw, 5 chs. wide, course N.20° W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S19 | S20
 1916

From which
 A cedar, 12 ins. diam., brs. N.88° 35' E., 510 lks. dist., marked $\frac{1}{4}$ S20 BT.
 A cedar, 12 ins. diam., brs. S.57 $\frac{1}{2}$ ° W., 578 lks. dist., marked $\frac{1}{4}$ S19 BT.
 Leave timber, brs. E. and W.
 70.00 Enter scattering timber, brs. E. and W.

28.

Subdivision of T. 25 N., R. 1 W.

Chains.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

T25NR1W
S18|S17
S19|S20
1916

From which

A cedar, 10 ins. diam., brs. N.61° 20' E., 446 lks. dist., marked T25N RLW S17 BT.

A cedar, 12 ins. diam., brs. S.74° 10' E., 487 lks. dist., marked T25N RLW S20 BT.

A cedar, 8 ins. diam., brs. S.31° W., 222 lks. dist., marked T25N RLW S19 BT.

A cedar, 12 ins. diam., brs. N.16° 40' W., 255 lks. dist., marked T25N RLW S18 BT.

Land, gently rolling.

Soil, sandy; 2nd rate.

Timber, cedar and pinion.

Undergrowth, sagebrush.

White gramma grass.

40.00

East on a random line, bet. secs. 17 and 20.

79.98

Set temp. $\frac{1}{4}$ sec. cor.

Intersect N. and S. line, 5 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence

N.89° 58' W., on a true line, bet. secs. 17 and 20.

Over gently rolling land, through scattering timber and undergrowth.

22.50

Wire fence, brs. N.33° E., and S.33° W.

25.00

Draw, 10 chs. wide, course N.

25.60

Road, brs. N.11 $\frac{1}{2}$ ° W. and S.11 $\frac{1}{2}$ ° E.

27.70

Wire fence, brs. N.53° 55' W. and S.53° 55' E.

35.00

From this point, Burton's water hole brs. N.20 chs. dist.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17
S20
1916

From which

A cedar, 15 ins. diam., brs. S.45 $\frac{1}{2}$ ° W., 228 lks. dist., marked $\frac{1}{4}$ S20 BT.

No other trees within limits. Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt

79.98

Burton's house brs. N. 6° 45' E. (around the post.)
The cor. of secs. 17, 18, 19 and 20

Land, gently rolling.

Soil, 2nd rate.

Timber, cedar and pinion.

Undergrowth, sagebrush.

White gramma grass.

40.00

West on a random line, bet. secs. 18 and 19.

79.94

Set temp. $\frac{1}{4}$ sec. cor.

Intersect W. bdy. of Tp., 5 lks. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described in Book "A".

Thence

S.89° 58' E., on a true line, bet. secs. 18 and 19.

Over gently rolling land, through heavy timber.

Asc. to


5.05

Ridge, brs. N. and S. Desc. 140 ft.

Subdivision of T. 25 N., R. 1 W.

chains.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



From which

A cedar, 10 ins. diam., brs. N.54° 50' E., 46 lks. dist., marked $\frac{1}{4}$ S18 BT.

A cedar, 12 ins. diam., brs. S.44° W., 26 lks. dist., marked $\frac{1}{4}$ S19 BT.

49.95 Leave dense timber, brs. N. and S.

69.95 Draw, 10 chs. wide, course N.

79.94 The cor. of secs. 17, 18, 19 and 20.

Land, gently rolling.

Soil, 2nd and 3rd rate.

Timber, cedar and pinion.


Undergrowth, sagebrush and algerita.

White gramma grass.

40.00 N.0° 3' W., bet. secs. 17 and 18, Over gently rolling land, through scattering undergrowth.

Draw, 15 chs. wide, course NW.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap.




Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and spread the dirt around the post.

42.50 Road, brs. E. and W.

70.00 Enter scattering timber, brs. E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, marked on brass cap



dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and spread the dirt around the post.

Land, gently rolling.

Soil, 2nd rate.

Timber, scattering cedar.

Undergrowth, sagebrush.

White gramma grass.

40.00 East on a random line, bet. secs. 8 and 17.

Set temp. $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence

N.89° 59' W., on a true line, bet. secs. 8 and 17.

Over gently rolling land, through heavy timber.

9.95 Brush fence, brs. N. and S., on ridge, brs. NE. and SW. Desc. very gradually.

29.95 Head of draw, course N.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

30.

Subdivision of T. 25 N., R. 1 W.

Chains.

$\frac{1}{4}$ S 8
S17
1916

From which
A cedar, 12 ins. diam., brs. N.31° 10' W., 88 lks. dist.,
marked $\frac{1}{4}$ S8 BT.
A cedar, 15 ins. diam., brs. S.12 $\frac{1}{4}$ ° W., 109 lks. dist.,
marked $\frac{1}{4}$ S17 BT.
64.95 Leave timber, brs. N. and S.
67.55 N. W. corner. of Burton's barb wire fence, brs. N.59° 10'
E. and S.14° 10' E.
79.94 The cor. of secs. 7, 8, 17 and 18.
Land, gently rolling.
Soil, red, sandy; 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush and algarita.
White gramma grass.

40.00 West on a random line, bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect W. bdy. of Tp., 5 lks. S. of the cor. of secs.
7, 12, 13 and 18, which is an iron post, described in
Book "A".
Thence
S.89° 58' E., on a true line, bet. secs. 7 and 18.
Over gently rolling land, through scattering undergrowth.
39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 7
S18
1916

59.90 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and spread the dirt around the post.
79.92 Draw, 15 chs. wide, course N.
The cor. of secs. 7, 8, 17 and 18.
Land, gently rolling.
Soil, sandy; 2nd rate.
No timber.
Undergrowth, sagebrush.
White gramma grass.

30.00 N.0° 3' W., bet. secs. 7 and 8.
Over gently rolling land, through scattering undergrowth.
40.00 Enter timber, brs. E. and W.
Draw, 1 ch. wide, course S.70° W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 7 | S 8
1916

60.00 From which
A cedar, 12 ins. diam., brs. N.34° E., 63 lks. dist.,
marked $\frac{1}{4}$ S8 BT.
A cedar, 12 ins. diam., brs. S.79° 20' W., 57 lks. dist.,
marked $\frac{1}{4}$ S7 BT.
Asc. gradually.
60.00 Spur, slopes W. Desc. N. slope. Desc. 45 ft.
78.00 Leave timber, brs. E. and W.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the

Subdivision of T. 25 N., R. 1 W.

Chains.

ground. for cor. of secs. 5, 6, 7 and 8, marked on brass cap

T25N	RLW
S 6	S 5
S 7	S 8
1916	

From which
 A cedar, 8 ins. diam., brs. S.7° 40' E., 291 lks. dist., marked T25N RLW S8 BT.
 A cedar, 8 ins. diam., brs. S.22° 20' W., 252 lks. dist., marked T25N RLW S7 BT.
 No other trees within limits. Dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and spread the dirt around the post.
 Land, gently rolling.
 Soil, 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush.
 White gramma grass.

40.00 East on a random line, bet. secs. 5 and 8.
 Set temp. ¼ sec. cor.
 80.10 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 4, 5, 8 and 9.
 Thence
 N.89° 56' W., on a true line, bet. secs. 5 and 8,
 Over gently rolling land, through heavy timber.
 10.10 Leave timber, brs. N. and S.
 40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S 5
¼ S 8
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.
 45.10 Enter timber, brs. NE. and SW.
 60.10 Draw, 3 chs. wide, course N.70° W.
 80.10 The cor. of secs. 5, 6, 7 and 8.
 Land, gently rolling.
 Soil, red, sandy; 2nd rate.
 Timber, cedar and pinion.
 Undergrowth, sagebrush and algerita.
 White gramma grass.

40.00 West on a random line, bet. secs. 6 and 7.
 Set temp. ¼ sec. cor.
 79.82 Intersect W. bdy. of Tp., 16 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A".
 Thence
 S.89° 53' E., on a true line, bet. secs. 6 and 7.
 Over gently rolling land, through scattering undergrowth.
 19.85 Draw, 10 chs. wide, course N.
 39.82 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼ S 6
¼ S 7
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and spread the dirt around the post.


32. Subdivision of T. 25 N., R. 1 W.

Chains.
79.82

The cor. of secs. 5, 6, 7 and 8.
Land, gently rolling.
Soil, red, sandy; 2nd rate.
No timber.
Undergrowth, sagebrush and algerita.
White gramma grass.

40.00
80.26

N.0° 3' W., on a random line, bet. secs. 5 and 6.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. bdy. of Tp., 19 lks. E. of the cor. of secs.
5, 6, 31 and 32, which is an iron post, described in
Book "A".
Thence
S.0° 11' E., on a true line, bet. secs. 5 and 6.
Over gently rolling land, through scattering undergrowth.
Enter timber, brs. E. and W.
Leave timber, brs. E. and W.
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap



10.25
30.25
40.26

70.25
80.26

And raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high,
W. of cor.
Desc. gradually to
Draw, 3 chs. wide, course N.70° W.
The cor. of secs. 5, 6, 7 and 8.
Land, gently rolling.
Soil, 2nd rate.
Timber, cedar and pinion.
Undergrowth, sagebrush and algerita.
White gramma grass.

GENERAL DESCRIPTION.

This township consists of gently rolling land, drain-
ing northward, covered, in the highest parts, with a
growth of cedar and pinion timber, very dense in places.
The draws are wide, usually without timber, and covered
with an abundant growth of white gramma grass.
The soil is red, sandy loam, very shallow in places,
covered with fine gravel, with clay subsoil, underlaid by
bed rock, which outcrops in places.
There is no water in the township, except such as is
caught during the rainy season, in dirt dams across the
draws.
Charley Burton is located near the center of sec. 17.

34
33 BOOK 2997

FOR CERTIFICATES OF UNITED STATES SURVEYOR. and
UNITED STATES TRANSITMAN.

See Book "B" of Group 54.

I, _____, U. S. Surveyor, do solemnly swear that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly, in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

Subscribed by said _____, and sworn to before me }
this _____ day of _____, 191 _____

SEAL

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, *August 2*, 191 **8**.

The foregoing field notes of the survey of the _____

Subdivision Lines of _____

TOWNSHIP 25 NORTH, RANGE 1 WEST,

of the Gila and Salt River Base & Meridian, in the State of Arizona, executed by W.H. Thorn, U.S. Surveyor & Richard R. Mitchell, U.S. Transitman, under his special instructions dated Mar. 6, 1915, for Group 54, Arizona, 191 _____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank R. Smith
U. S. Surveyor General.
of Arizona.

~~I certify that the foregoing transcript of the field notes of the above described surveys in Book "D," of Group 54, has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.
of Arizona.~~