

3020

Book "E"

4-679

G.L.O letter "E"
March 29, 1919

239

(Subdivisions)

BOOK 3020

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISIONAL LINES

of

FRAC. TOWNSHIP 11 NORTH, RANGE 18 WEST,

and

MEANDERS OF THE LEFT BANK OF THE COLORADO RIVER, WITHIN

FRAC. TOWNSHIP 11 NORTH, RANGE 18 WEST.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Alexander T. Harris and John Gonin,

U. S. Transitmen,

~~In the capacity of U. S. Surveyor~~, under instructions dated February 13., 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 48, which were approved by the Commissioner of the General Land
Office, February 26., 1915.

Survey commenced December 15., 1915.

Survey completed December 30., 1915.

3020

3020

BOOK 3020


Book "E"

Group 48 - Arizona.

Township 11 North, Range 18 West.

3020

INDEX DIAGRAM.




- Surveyed under this Group. Notes in this book.
- Surveyed under this Group. Notes in Book "A."
- Surveyed under this Group. Notes in Book "C."
- Surveyed under this Group. Notes in Book "F"
- Surveyed under this Group. Notes in Book "H"

Book "E"
Group 48---Arizona.

Township 11 North, Range 18 West.

DATE DIAGRAM.



Lines dated in red were surveyed by Alexander T. Harris,
U.S. Transitman.

Lines dated in blue were surveyed by John Gonin, U. S.
Transitman.

2. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

Survey, commencing Sec. 15, T. 11 N., R. 18 W., and reported with Young Surveys hereinafter described, were executed by Alexander T. Harris and John Gonin, U. S. Transitmen; on dates shown on page 1 hereof, using Young and Sons' light snow-mountain transits Nos. 8617 and 8492, respectively, described with certificates of approval and tests in Books "A" and "B," respectively.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., which is an iron post, described in Book "A," N.0° 1' W., bet. secs. 35 and 36.

Over mountainous land, through scattering undergrowth.


Desc. 135 ft. to

7.40 Asc. 30 ft. to

11.70 Desc. 150 ft. to

35.20 Wash, course W. Asc. 230 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

48.83 Spur, slopes W. Desc. 75 ft. to


53.70 Asc. 30 ft. to

56.15 Desc. 205 ft. to

59.99 Wash, course W. Asc. 600 ft.

69.26 Cliff, 150 ft. high. Continue ascent to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 25, 26, 35 and 36, marked on brass cap



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.

Soil, rocky; 4th rate.

No timber.

Undergrowth, palo verde, greasewood and cactus.

East on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect E. bdy. of Tp., 2 lks. S. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A."

Thence

S.89° 59' W., on a true line, bet. secs. 25 and 36.

Over mountainous land, through scattering undergrowth.

Asc. 125 ft. to


16.76 Ridge, brs. NW. and S. Desc. 80 ft. to

29.88 Gulch, course S. Asc. 15 ft. to

31.06 Spur, slopes S. Desc. 125 ft. to

35.94 Gulch, course S. Asc. 560 ft.

40.02 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high,


Subdivision of Fractional T. 11 N., R. 18 W.

3.


Chains.

N. of cor.
 Continue ascent to
 56.00 Spur, slopes S. Desc. 845 ft. to
 78.08 Head of gulch, course S. Asc. to
 80.04 The cor. of secs. 25, 26, 35 and 36.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and cactus.

N.0°1' W., bet. secs.25 and 26.
 Over mountainous land, through scattering undergrowth.
 Asc. 100 ft. to
 3.20 Desc. 25 ft. to
 8.15 Asc. 65 ft. to
 12.32 Ridge, brs. E.and W. Desc. 375 ft. to
 32.44 Wash, course N.70° W. Asc. 170 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Continue ascent to
 42.75 Desc. 45 ft. to
 47.70 Asc. 195 ft. to
 53.96 Spur, slopes W. Desc. 505 ft. to
 70.87 Wash, course W. Asc. 290 ft.
 78.00 Cliff, 100 ft. high. Continue ascent.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
 stone, for cor. of secs. 23, 24, 25 and 26, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood, sagebrush and cactus.

40.00 N.89° 59' E., on a random line, bet. secs. 24 and 25.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.06 Intersect E. bdy. of Tp., at the cor. of secs. 19, 24, 25
 and 30, which is an iron post, described in Book "A".
 Thence
 S.89° 59' W., on a true line, bet. secs. 24 and 25.
 Over mountainous land, through scattering undergrowth.
 Desc. 25 ft. to
 1.97 Wash, course N. Asc. 415 ft. to
 13.14 Cliff, brs. N. and S. Spur, slopes N. Desc. 310 ft. to
 29.40 Gulch, course N. Asc. 195 ft. to
 38.96 Ridge, brs. N. and S. Desc. 305 ft.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

4. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

S24

 $\frac{1}{4}$ S25
1915

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
N. of cor.

Continue descent to

57.52 Gulch, course SW. Asc. 140 ft. to
67.04 Spur, slopes S. Desc. 460 ft. to
80.06 The cor. of secs. 23, 24, 25 and 26.

Land, mountainous.

Soil, rocky; 4th rate.

No timber.

Undergrowth, palo verde, greasewood and cactus.

N.0° 1' W., bet. secs. 23 and 24.

Over mountainous land, through scattering undergrowth.

Asc. 310 ft. to

10.63 Ridge, brs. E. and W. Thence over level land.

32.81 Leave level land, brs. E. and W. Desc. 745 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the
ground, in a mound of stone, 3 ft. base, 2 ft. high,
for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S23 | S24
1915

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
W. of cor.

Continue descent to

62.73 Gulch, 2 chs. wide, 10 ft. deep, course NW. Asc. slightly
to

64.05 Desc. 55 ft. to

75.00 Asc. 20 ft. to

77.75 Desc. 60 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for cor. of secs. 13, 14, 23 and 24, marked on
brass cap

T11N R18W
S14 | S13

S23 | S24
1915

and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high,
W. of cor.

Land, mountainous.

Soil, rocky; 4th rate.

No timber.

Undergrowth, palo verde, greasewood and cactus.

N.89° 59' E., on a random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{2}$ sec. cor.

80.17 Intersect E. bdy. of Tp., at the cor. of secs. 13, 18, 19
and 24, which is an iron post, described in Book "A".

Thence

S.89° 59' W., on a true line, bet. secs. 13 and 24.

Over mountainous land, through scattering undergrowth.

Desc. 100 ft. to


9.65 Thence over broken land.

20.26 Center of wash, 1 ch. wide, 3 ft. deep, course N. Asc.

Subdivision of Fractional T. 11 N., R. 18 W.


Chains.

135 ft. to
 28.46 Spur, slopes N. Desc. 130 ft. to
 37.25 Enter wash, course N.
 40.08¹/₂ The true point for ¹/₄ sec. cor. falls in wash, course N.
 40.77 Leave wash, course N.
 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for witness cor., to ¹/₄ sec. cor., marked on brass
 cap



and raise a mound of stone, 3 ft. base, 2¹/₂ ft. high,
 N. of cor.
 Asc. 250 ft. to
 55.43 Spur, slopes N. Desc. 50 ft. to
 62.42 Center of wash, 1 ch. wide, 5 ft. deep, course N. Asc. 35
 ft. to
 65.87 Thence along N. slope to
 71.27 Desc. 60 ft. to
 80.17 The cor. of secs. 13, 14, 23 and 24.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood, sagebrush and cactus.


N.0° 1' W., bet. secs. 13 and 14.
 Over mountainous land, through scattering undergrowth.
 Desc. 115 ft. to
 5.20 Center of wash, 1 ch. wide, 10 ft. deep, course N.20° W.
 Asc. slightly to
 6.80 Desc. 55 ft. to
 9.95 Center of wash, 1 ch. wide, 10 ft. deep, course NE. Asc.
 40 ft. to
 10.90 Desc. 100 ft. to
 19.45 Center of wash, 1 ch. wide, 10 ft. deep, course NW. Asc.
 40 ft. to
 20.30 Desc. 75 ft. to
 25.68 Center of wash, 1 ch. wide, 3 ft. deep, course NW. Asc.
 60 ft. to
 30.80 Desc. 100 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the
 ground, in a mound of stone, 3 ft. base, 15 ins. high,
 for ¹/₄ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2¹/₂ ft. high,
 W. of cor.
 Continue descent to
 45.95 Enter Bill Williams River bottom, and heavy timber, brs.
 E. and W.
 46.45 Irrigation ditch, 10 lks. wide, 1 ft. deep, course W.
 51.65 Road, along Bill Williams River, brs. E. and W.
 60.95 Main channel Bill Williams River, 3 chs. wide, 6 ins. deep,
 course W.
 69.32 Leave river bottom, brs. E. and W. Asc. 85 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, in a mound of stone, 3 ft. base, 1 ft. high,
 for cor. of secs. 11, 12, 13 and 14, marked on brass
 cap

6. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.



and raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, mountainous and level.

Soil, rocky and gravelly; 3rd rate.

Timber, cotton wood along River.

Undergrowth, palo verde, greasewood, arrow-weed and sagebrush.

- 40.00 N.89° 59' E., on a random line, bet. secs. 12 and 13. Set temp. ¼ sec. cor.
- 80.13 Intersect E. bdy. of Tp., at the cor. of secs. 7, 12, 13 and 18, which is an iron post, described in Book "A." Thence
- S.89° 59' W., on a true line, bet. secs. 12 and 13. Over mountainous land, through scattering undergrowth. Desc. to
- 3.95 Center of wash, 2 chs. wide, 5 ft. deep, course SW. Asc. 55 ft. to
- 19.37 Spur, slopes S. Desc. 75 ft. to
- 21.33 Center of wash, 1 ch. wide, 10 ft. deep, course S.10° E. Asc. 135 ft. to
- 24.69 Spur, slopes S. Desc. 125 ft. to
- 40.06½ The true point for ¼ sec. cor. falls in draw, course S., where it cannot be established. Asc. 55 ft.
- 40.23 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for witness cor. to ¼ sec. cor., marked on brass cap

S12

¼—WC

S13

1915

and raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.


- 44.22 Spur, slopes S. Desc. 130 ft. to
- 52.43 Asc. to
- 57.43 Spur, slopes S. Desc. 35 ft. to
- 61.09 Draw, course S. Asc. 90 ft. to
- 70.83 Desc. 25 ft. to
- 78.05 Draw, course N. Asc. 20 ft. to
- 80.13 The cor. of secs. 11, 12, 13 and 14. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, palo verde, greasewood, sagebrush and cactus.

- N.0° 1' W., bet. secs. 11 and 12. Over mountainous land, through scattering undergrowth. Asc. 35 ft. to
- 2.75 Desc. 70 ft. to
- 12.52 Center of wash, 1 ch. wide, 10 ft. deep, course SW. Asc. 70 ft. to
- 23.16 Spur, slopes SW. Desc. 35 ft. to
- 25.07 Center of wash, 1 ch. wide, 5 ft. deep, course SW. Asc. 145 ft. to
- 35.49 Desc. 80 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high,

Subdivision of Fractional T. 11 N., R. 18 WL

Chains.


for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.

Thence over gently rolling land.

- 54.70 Center of wash, 1 ch. wide, 10 ft. deep, course SW.
- 63.20 Center of wash, 1 ch. wide, 10 ft. deep, course SE. Asc. 105 ft. to
- 69.05 Spur, slopes W. Desc. 55 ft. to
- 71.55 Center of wash, 1 ch. wide, 5 ft. deep, course W. Asc. 145 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, in a mound of stone, 2 ft. base, 1 1/2 ft. high, for cor. of secs. 1, 2, 11 and 12, marked on brass cap



and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.

Land, mountainous and gently rolling.

Soil, rocky, 4th rate.

No timber.

Undergrowth, palo verde, greasewood and sagebrush.


- 40.00 N. 89° 59' E., on a random line, bet. secs. 1 and 12.
- 80.12 Set temp. 1/4 sec. cor. Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A".

Thence

West on a true line, bet. secs. 1 and 12.

Over mountainous land, through scattering undergrowth.

- 4.90 Desc. 65 ft. to Asc. 60 ft. to
- 10.95 Desc. 125 ft. to
- 17.86 Wash, 50 lks wide, 5 ft. deep, course S. 20° E. Asc. 330 ft.
- 40.06 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, N. of cor.

- 52.08 Spur, slopes S. Desc. 120 ft. to
- 58.20 Asc. 130 ft. to
- 61.30 Desc. 190 ft. to
- 67.09 Draw, course S. Asc. 20 ft. to
- 79.75 Desc. 115 ft. to
- 76.50 Asc. 40 ft. to
- 80.12 The cor. of secs. 1, 2, 11 and 12.

Land, mountainous.

Soil, rocky, 4th rate

No timber.

Undergrowth, palo verde, greasewood, sagebrush and cactus.

8. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

- N.0° 1' W., on a random line, bet. secs. 1 and 2.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.16 Intersect N. bdy. of Tpc., 13 lks. W. of the cor. of secs. 1, 2, 35 and 36, which is an iron post, described in Book "A".
- Thence
- S.0° 5' W., on a true line, bet. secs. 1 and 2.
- Over rolling land, through scattering undergrowth.
- 13.13 Center of wash, 2 chs. wide, 10 ft. deep, course SE.
- Thence along E. slope to
- 18.83 Center of wash, 1 ch. wide, 5 ft. deep, course SE. Asc. 480 ft.
- 40.16 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 2 | S 1
 1915

and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

- 44.78 Ridge, brs. E. and W. Desc. 415 ft. to
- 56.90 Head of gulch, course S.10° E. Asc. slightly to
- 61.90 Spur, slopes SE. Desc. 190 ft. to
- 76.30 Gulch, course SW. Asc. 65 ft. to
- 80.16 The cor. of secs. 1, 2, 11 and 12.
- Land, rolling and mountainous.
- Soil, rocky, 4th rate.
- No timber.
- Undergrowth, palo verde, greasewood, sagebrush and cactus.

From the cor. of secs. 2, 3, 35 and fract. sec. 34, on the S. bdy. of the Tpc., which is an iron post, described in Book "A".

N.0° 1' W., bet. sec. 35 and fract. sec. 34. Over mountainous land, through scattering undergrowth. Asc. 75 ft. to

- 23.70 Spur, comes from SE., slopes N. Desc. along spur, 320 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S34 | S35
 1915

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Continue descent to

- 54.92 Wash, course NW. Asc. 190 ft. to
- 76.96 Spur, slopes NW. Desc. 190 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 26 and 35, and fract. secs. 27 and 34, marked on brass cap

T11N R18W
 S27 | S26
 S34 | S35
 1915


and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Subdivision of Fractional T. 11 N., R. 18 W.

Chains


Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, palo verde, greasewood and cactus.

40.00 East on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec cor.
80.07 Intersect N. and S. line, at the cor. of secs. 25, 26, 35
and 36.
Thence
West on a true line, bet. secs. 26 and 35.
Over mountainous land, through scattering undergrowth.
Asc. slightly to
1.00 Spur, slopes S. Desc. 280 ft. to
9.47 Head of ravine, course S. Asc. 340 ft. to
29.00 Top of ascent, breaks abruptly to the S. Spur, from
NE., slopes W. Desc. on spur.
40.03 $\frac{1}{2}$ Point for $\frac{1}{4}$ sec. cor. falls on side of cliff, where it
cannot be established.
41.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for witness cor. to $\frac{1}{4}$ sec. cor., marked on
brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
41.60 Leave spur, slopes SW. Desc. abruptly 895 ft.
47.64 Cliff, 150 ft. high, brs. NE. and SW. Continue descent.
80.07 The cor. of secs. 26, and 35 and fracl. secs. 27 and 34.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, palo verde, greasewood and cactus.


N.0° 1' W., bet. sec. 26 and fracl. sec. 27.
Over mountainous land, through scattering undergrowth.
Desc. 15 ft. to
1.00 Spring. Asc. 85 ft. to
5.95 Short spur, slopes SW. Desc. 30 ft. to
8.94 Wash, course SW. Asc. 885 ft. to
39.64 Rocky spur, slopes W. Desc. 590 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
49.42 Saddle in spur, slopes NW. Continue descent to
61.10 Asc, 15 ft. to
62.00 Desc. 315 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, for cor. of secs. 22, 23, 26 and fracl. sec. 27,
marked on brass cap

10. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.




and raise a mound of stone, 2 ft. base, 1½ ft. high,
W. of cor.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, palo verde, greasewood and cactus.

40.00
80.10

7.70
12.55
17.42
32.17
40.05

East on a random line, bet. secs. 23 and 26.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 7 lks. N. of the cor. of secs.
23, 24, 25 and 26.
Thence
N. 89° 57' W., on a true line, bet. secs. 23 and 26.
Over mountainous land, through scattering undergrowth.
Along broken S. slope to
Desc. 100 ft. to
Asc. 70 ft. to
Short spur, slopes S. Desc. 420 ft. to
Wash, course NW. Asc. 240 ft.
Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for ¼ sec. cor., marked on brass cap




46.66
79.80
80.10

and raise a mound of stone, 2 ft. base, 1½ ft. high,
N. of cor.
Short spur, slopes N. Desc. 425 ft. to
Wash, course NW. Asc. to
The cor. of secs. 22, 23, 26 and fracl. sec. 27.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, palo verde, greasewood and cactus.

6.20
40.00

N. 0° 1' W., bet. secs. 22 and 23.
Over mountainous land, through scattering undergrowth.
Desc. 85 ft. to
Wash, course W. Asc. 650 ft. to
Spur, slopes W.
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the
ground, in a mound of stone, for ¼ sec. cor., marked on
brass cap




44.03
57.55
62.35
80.00

and raise a mound of stone, 2 ft. base, 1½ ft. high,
W. of cor.
Desc. 510 ft.
Cliff, 200 ft. high.
Head of gulch, course W. Asc. to
Trail, brs. NE. and SW. Divide, brs. NW. and SE. Desc.
225 ft. to
Set an iron post, 3 ft. long, 2 ins. diam., in a mound of

Subdivision of Fractional T. 11 N., R. 18 W. 11.

Chains.

stone, for cor. of secs. 14, 15, 22 and 23, marked on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and cactus.


40.00
80.18

S.89° 57' E., on a random line, bet. secs. 14 and 23.
 Set temp. ¼ sec. cor.
 Intersect N. and S. line, at the cor. of secs. 13, 14, 23 and 24.

1.85
17.71
24.50
29.45
40.09

Thence
 N.89° 57' W., on a true line, bet. secs. 14 and 23.
 Over mountainous land, through scattering undergrowth.
 Asc. 25 ft. to
 Desc. 195 ft. to
 Center of gulch, 2 chs. wide, 10 ft. deep, course N. Asc. to
 Desc. 40 ft. to
 Asc. 75 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, in a mound of stone, 3 ft. base, 2 ft. high, for ¼ sec. cor., marked on brass cap

S14



46.50
52.60
62.57
77.00
80.18

and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 Desc. 55 ft. to
 Asc. 25 ft. to
 Desc. 40 ft. to
 Draw, course N. Asc. 150 ft. to
 Desc. 40 ft. to
 The cor. of secs. 14, 15, 22 and 23,
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood, and cactus.


4.90
17.10
18.20
25.25
29.38
31.38
34.98
36.98
40.00
53.10

N.0° 1' W., bet. secs. 14 and 15.
 Over mountainous land, through scattering undergrowth.
 Asc. 25 ft. to
 Desc. 180 ft. to
 Asc. 30 ft. to
 Desc. 105 ft. to
 Enter level land and dense undergrowth, brs. E. and W.
 Enter timber, brs. E. and W.
 Leave timber, brs. E. and W. Enter bottom land of Bill Williams River.
 Enter Bill Williams River, 2 chs. wide, course W.
 Leave water, course W. Thence across dry bed of river.
 Point for ¼ sec. cor. falls in Bill Williams River.
 Leave river bottom, brs. E. and W.

Chains,

53.10

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap



from which

A cottonwood, 8 ins. diam., brs. N.52° E., 68 lks. dist., marked WC $\frac{1}{4}$ S14 BT.

A cottonwood, 12 ins. diam., brs. N.49 $\frac{1}{2}$ ° W., 36 lks. dist., marked WC $\frac{1}{4}$ S15 BT.

Continue over level land.

67.58

Fence, brs. NE. and SW.

70.00

Fence, brs. NW. and SE. Thence over rolling land.

73.21


Hamilton's House brs. W. 0.50 chs. dist.

76.00

Fence, brs. NE. and SW.

80.00

Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap



dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, level and mountainous.

Soil, 1st and 4th rate.

Timber, cottonwood along River.

Undergrowth, palo verde, greasewood and cactus.

40.00

S.89° 57' E., on a random line, bet. secs. 11 and 14. Set temp. $\frac{1}{4}$ sec. cor.

80.16

Intersect N. and S. line, 2 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence

N.89° 58' W., on a true line, bet. secs. 11 and 14.

Over rolling and mountainous land, through scattering undergrowth.

3.65

Desc. 40 ft. to Wash, 50 lks. wide, 10 ft. deep, course S. Asc. slightly to

7.15

Desc. 55 ft. to

13.05

Center of wash, 2 chs. wide, 10 ft. deep, course S. Asc. 75 ft. to

19.12

Spur, slopes S. Desc. 40 ft. to

23.57


Draw, course S.20° W. Asc. 35 ft. to

26.52

Spur, slopes S. Thence along S. slope to

40.08

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

Desc. to

43.00

Center of wash, 1 ch. wide, 5 ft. deep, course SW. Asc. 35 ft. to

46.75

Desc. 45 ft. to

Subdivision of Fractional T. 11 N., R. 18 W. 13.

Chains. 51.69 76.65 76.85 80.16	<p>Thence over level land. Road, brs. NW. and SE. to Parker. Fence brs. N. and S. Thence across Hamilton's field. The cor. of secs. 10, 11, 14 and 15. Land, level, rolling and mountainous. Soil, sandy and gravelly; 3rd rate; and rocky; 4th rate. No timber. Undergrowth, palo verde, greasewood, sagebrush and cactus.</p>
1.50 1.70 15.45 25.17 30.00 40.00	<p>N.0° 1' W., bet. secs. 10 and 11. Over gently rolling hills, through scattering undergrowth. Four strand barb wire fence, brs. NW. and SE. Road, brs. NW. and SE. Leave gently rolling land, brs. E. and W. Asc. 175 ft. to Spur, slopes SW. Desc. 85 ft. to Gulch, course W. Asc. 80 ft. to Head of draw, course W. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <p>S10 S11 1915</p> </div> <p>and raise a mound of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, W. of cor. Thence along W. slope to Desc. 100 ft. to Gulch, 50 lks. wide, 10 ft. deep, course SW. Asc. 175 ft. to Spur, slopes SW. Desc. 70 ft. to Gulch, 50 lks. wide, 5 ft. deep, course SW. Asc. 110 ft. to Spur, slopes SW. Desc. to Set an iron post, 3ft. long, 2 ins. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, 1 ft. high, for cor. of secs. 2, 3, 10, and 11, marked on brass cap</p> <div style="text-align: center;"> <p>T11N R18W S 3 S 2 S10 S11 1915</p> </div> <p>and raise a mound of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, W. of cor. Land, level and mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, palo verde, greasewood and sagebrush.</p>
40.00 80.16	<p>S.89° 58' E., on a random line, bet. secs. 2 and 11. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 1, 2, 11 and 12. Thence N.89° 59' W., on a true line, bet. secs. 2 and 11. Over mountainous land, through scattering undergrowth. Desc. 100 ft. to Center of wash, 1 ch. wide, 2 ft. deep, course S. Asc. 35 ft. to Desc. 115 ft. to Wash, course S. Asc. 30 ft. to</p>
8.32 12.80 23.66	<p>Center of wash, 1 ch. wide, 2 ft. deep, course S. Asc. 35 ft. to Desc. 115 ft. to Wash, course S. Asc. 30 ft. to</p>

14.

Subdivision of Fractional T. 11 N., R. 18 W.


Chains.	
27.20	Desc. 40 ft. to
32.20	Asc. 85 ft. to
36.48	Spur, slopes SW. Desc. 170 ft.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	S 2
	$\frac{1}{4}$
	S11
	1915
	and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
49.91	Center of wash, 1 ch. wide, 2 ft. deep, course S. Asc. 90 ft. to
59.60	Desc. 65 ft. to
64.50	Asc. 45 ft. to
70.55	Desc. 105 ft. to
75.30	Asc. 20 ft. to
80.16	The cor. of secs. 2, 3, 10 and 11. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, palo verde, greasewood, and sagebrush.
40.00	N.0° 1' W., on a random line, bet. secs. 2 and 3. Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect N. bdy. of Tp., 14 lks. W. of the cor. of secs. 2, 3, 34 and 35, which is an iron post, described in Book "A."
	Thence
	S.0° 5' W., on a true line, bet. secs. 2 and 3. Over mountainous land, through scattering undergrowth.
	Desc. 70 ft. to
2.88	Asc. 55 ft. to
11.28	Spur, slopes SW. Desc. 125 ft. to
19.38	Head of gulch, course SE. Asc. 25 ft. to
24.38	Spur, slopes SE. Desc. 215 ft. to
36.22	Wash, 1 ch. wide, 5 ft. deep, course SE. Asc. 40 ft. to
38.09	Spur, slopes SE. Desc. 75 ft.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, 2 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$
	S3 S2
	1915
	and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
44.23	Center of wash, 1 ch. wide, 10 ft. deep, course W. Asc. to
54.74	Spur, slopes W. Desc. to
56.43	Asc. 15 ft. to
61.44	Spur, slopes SE. Desc. 50 ft. to
64.35	Wash, 50 lks. wide, 5 ft. deep, course SW. Asc. 35 ft. to
69.33	Desc. 25 ft. to
75.33	Asc. 15 ft. to
78.84	Spur, slopes SE. Desc. 125 ft. to
80.08	The cor. of secs. 2, 3, 10 and 11. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, palo verde, greasewood and sagebrush.

Subdivision of Fractional T. 11 N., R. 18 W. 15.

Chains.


22.37
26.85
30.55
32.00
40.00

From the cor. of secs. 3, 4, and fracl. secs. 33 and 34, on the S. bdy. of the Tp., which is an iron post, described in Book "A",
N.0° 2' W., bet. secs. 33 and 34.
Over mountainous land, through scattering undergrowth.
Desc. 430 ft. to
Gulch, course NW. Asc. to
Desc. 105 ft. to
Asc. 25 ft. to
Desc. 50 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




51.25
63.64
68.14

and raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.
Asc. 165 ft. to
Desc. slightly.
Trail, brs. NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, at mean high water mark, for meander cor. of fracl. secs. 33 and 34, marked on brass cap



80.00

and raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.
Thence I offset as follows:-
East 8.62 chs.; thence
N.0° 2' W., 11.86 chs., to
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, on the left bank of the Colorado River, at mean high water mark, for meander cor. of fracl. secs. 27 and 34, marked on brass cap



dig a pit, 36 X 36 X 12 ins., 8 ft. E. of post, and raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.
Land, broken and mountainous.
Soil, rocky, 4th rate.
No timber.
Undergrowth, palo verde, greasewood and cactus.

31.38
71.47

From the meander cor. of fracl. secs. 27 and 34.
East on a random line, bet. fracl. secs. 27 and 34.
Set temp. 1/4 sec. cor.
Intersect N. and S. line, 7 l.s. S. of the cor. of secs. 26 and 35, and fracl. secs. 27 and 34.
Thence
S.89°57' W., on a true line, bet. fracl. secs. 27 and 34.
Over broken land, through scattering undergrowth.

11.79
40.00

Wash, course N.75° W.
Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground in a mound of stone, for 1/4 sec. cor., marked on

16. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

brass cap

$\frac{1}{4}$ S27
 $\frac{1}{4}$ S34
1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

44.00 Enter level land, brs. N. and S.
71.47 The meander cor. of fracl. secs. 27 and 34.
Land, level and broken.
Soil, 1st and 4th rates.
No timber.
Undergrowth, greasewood, palo verde and cactus.

From the meander cor. of fracl. secs. 27 and 34, I run on offset line, N.0° 2' W., 34.05 chs., over level land, through scattering undergrowth.

Thence

West 8.62 chs., to the left bank of the Colorado River, 8 ft. high. At this point I

34.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, at mean high water mark, for meander cor. of fracl. secs. 27 and 28, marked on brass cap

T11N R18W
S28 | S27
MC
1915

dig a pit, 36 X 36 X 12 ins., 8 ft. N. of cor., and raise a mound of earth, 4 ft. base, 2 ft. high, N. of cor.

Thence I continue on sec. line,

N.0° 2' W., bet. fracl. secs. 27 and 28.

39.80 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for witness cor. to $\frac{1}{4}$ sec. cor., marked on brass cap

W C
 $\frac{1}{4}$
S28 | S27
1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W of cor.

40.00 The true point for $\frac{1}{4}$ sec. cor. falls on cliff, where it cannot be established.

Asc. 195 ft. to

42.28 Spur, slopes NW. Desc. 145 ft. to

57.55 Mouth of wash, course W. Thence over rolling land.

64.55 Wash, course W. Trail, brs. E. and W. Asc. 60 ft. to

66.65 Short spur, slopes W. Desc. 45 ft. to

75.85 Asc. 25 ft. to


80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of sec. 22 and fracl. secs. 21, 27 and 28, marked on brass cap

T11N R18W
S21 | S22
S28 | S27
1915

Chains.


and raise a mound of stone, 2 ft. base, 1½ ft. high.
 W. of cor.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and cactus.

40.00 N. 89° 57' E., on a random line, bet. sec. 22 & fracl. sec. 27.
 Set temp. ¼ sec. cor.
 80.00 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
 22, 23, 26 and 27.
 Thence
 S. 89° 58' W., on a true line, bet. sec. 22 and fracl. sec. 27.
 Over rolling and broken land, through scattering under-
 growth.
 18.20 Asc. 50 ft. to
 Desc. 110 ft. to
 31.15 Asc. 15 ft. to
 37.39 Desc. on spur, slopes W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for ¼ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.
 46.54 Leave spur, slopes N. 70° W. Desc. 70 ft. to
 54.50 Asc. 20 ft. to
 56.40 Desc. 85 ft. to
 62.65 Asc. 30 ft. to
 64.40 Desc. 40 ft. to
 76.68 Wash, course S. Trail brs. N. and S. Asc. 20 ft. to
 80.00 The cor. of sec. 22 and fracl. secs. 21, 27 and 28.
 Land, rolling and broken.
 Soil, 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and cactus.

N. 0° 2' W., bet. sec. 22 and fracl. sec. 21.
 Over mountainous land, through scattering undergrowth.
 Asc. 50 ft. to
 2.80 Spur, slopes NW. Desc. 55 ft. to
 7.60 Asc. 15 ft. to
 11.10 Desc. 125 ft.
 16.50 Trail, brs. NW. and SE.
 18.95 Wash, course W. Asc. 70 ft. to
 23.89 Spur, slopes W. Desc. gradually to
 29.15 Desc. 80 ft. to
 33.90 Desc. gradually
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for ¼ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 45.00 Mouth of wash, course W. Comes from NE. Trail, brs. E.
 and W. Asc. 225 ft. to
 66.34 Spur, slopes W. Desc. 125 ft. to

18.

Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

74.05 Wash, course W. Trail, brs. NE. and SW. Asc. 95 ft. to
 76.90 Desc. 30 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound
 of stone, for cor. of secs. 15, and 22, and frac. secs.
 16 and 21, marked on brass cap




and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
 W. of cor.

Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, palo verde, cat claw and cactus.

40.00 N. 89° 58' E., on a random line, bet. secs. 15 and 22.
 Set temp. 1/4 sec. cor.
 80.20 Intersect N. and S. line, 2 lks. S. of the cor. of secs.
 14, 15, 22 and 23.

Thence
 S. 89° 57' W., on a true line, bet. secs. 15 and 22.
 Over mountainous land, through scattering undergrowth.
 Asc. 20 ft. to

1.00 Spur, slopes N. Desc. 45 ft. to
 4.85 Wash, course N. Asc. 315 ft. to
 27.04 Divide, brs. NW. and SE. Desc. 265 ft. to
 40.10 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
 N. of cor.

Asc. 30 ft. to
 41.20 Desc. 55 ft. to
 47.87 Wash, course N. Asc. slightly to
 49.37 Spur, slopes N. Desc. 60 ft. to
 55.60 Asc. 50 ft. to
 67.94 Spur, slopes SW. Desc. 185 ft. to
 78.49 Wash, course SW. Trail, brs. N. and SW. Asc. to
 80.20 The cor. of secs. 15 and 22, and frac. secs. 16 and 21.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, cat claw, palo verde and cactus.

29.54 N. 0° 2' W., bet. sec. 15 and frac. sec. 16.
 Over mountainous land, through scattering undergrowth.
 Asc. 190 ft. to
 36.45 Divide, brs. NW. and SE. Desc. 60 ft. to
 40.00 Asc. 35 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for 1/4 sec. cor., marked on brass cap

Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

	$\frac{1}{4}$	
S16		S15
	1915	

- and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.
- 63.10 Desc. 225 ft. to Road, brs. E. and W. Enter level land and dense undergrowth.
- 66.40 Irrigation ditch, course NW.
- 78.60 Fence, brs. E. and W. Enter Bill Williams River high water channel, course W.
- 80.00 The true point for cor. of secs. 10 and 15, and fracl. secs. 9 and 16 falls in high water channel of Bill Williams River.
- 80.20 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for witness cor. to cor. of secs. 10 and 15, and fracl. secs. 9 and 16, marked on brass cap

T11N	R18W
S 9	S10
W	C
S16	S15
	1915

dig pits, 18 X 18 X 12 ins., NE., SE., SW. and NW. of post, 5½ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, mountainous and level.
 Soil, 1st and 4th rates.
 No timber.
 Undergrowth, palo verde, greasewood and cat claw.

- 40.00 From the true point for cor. of secs. 10 and 15, and fracl. secs. 9 and 16, N.89° 57' E., on a random line, bet. secs. 10 and 15. Set temp. $\frac{1}{4}$ sec. cor.
- 80.20 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 10, 11, 14 and 15.
 Thence S.89° 58' W., on a true line, bet. secs. 10 and 15. Over level land, through scattering undergrowth.
- 15.00 Enter dense undergrowth and scattering timber.
- 40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$	S10
	S15
	1915

- from which
- A cottonwood, 9 ins. diam., brs. N.7¼° W., 90 lks. dist., marked $\frac{1}{4}$ S10 BT.
- A cottonwood, 10 ins. diam., brs. S.4¾° E., 78 lks. dist., marked $\frac{1}{4}$ S15 BT.
- 47.70 Leave undergrowth, enter Bill Williams River channel, brs. NW. and SE.
- 60.00 Enter Bill Williams River, 10 ins. deep, course N.45° W.
- 63.00 Leave Bill Williams River, 10 ins. deep, course N.45° W.
- 68.00 Leave Bill Williams River channel, brs. NW. and SE.
- 80.20 The true point for cor. of secs. 10 and 15 and fracl. secs. 9 and 16.
 Land level.
 Soil, 1st rate.
 Timber, cottonwood.
 Undergrowth, greasewood, arrow-weed, palo verde and cactus.

20. Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

From the true point for cor. of secs. 10 and 15 and fracl. secs. 9 and 16 hereinbefore described, N.0° 2' W., bet. sec. 10 and fracl. sec. 9. Over level land, through dense undergrowth.

0.20 The witness cor. to cor. of secs. 10 and 15, and fracl. secs. 9 and 16, hereinbefore described. Left bank of the Bill Williams River, 12 ins. deep, course W.

4.20 Leave water in Bill Williams River course W. Thence over channel of Bill Williams River.

20.00 Leave high water channel of river, brs. E. and W.

23.40 Road, brs. E. and W.

30.00 Asc. 200 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 9 | S 10
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Continue ascent to

56.84 Spur, slopes SW. Desc. 65 ft. to

61.75 Wash, course SW. Asc. 100 ft. to

65.85 Spur, slopes SW. Desc. 85 ft. to

75.75 Wash, course W. Asc. 65 ft. to

80.00 Spur, slopes SW.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4 and 10 and fracl. sec. 9, marked on brass cap

T11N R18W
 S 4 | S 3
 S 9 | S 10
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, level and mountainous.

Soil, 1st and 4th rates.

No timber, except cottonwood along river bank.

Undergrowth, palo verde, greasewood and cactus.

40.00 N.89° 58' E., on a random line, bet. secs. 3 and 10. Set temp. $\frac{1}{4}$ sec. cor.

80.18 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence

N.89° 58' W., on a true line, bet. secs. 3 and 10. Over mountainous land, through scattering undergrowth.

0.68 Asc. 15 ft. to

9.93 Desc. 70 ft. to

14.78 Asc. 70 ft. to

32.08 Desc. 190 ft. to

40.09 Wash, course S. Asc. 160 ft.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 3
 S 10
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

42.90 Divide, brs. N. and SE. Desc. 185 ft. to

65.18 Wash, course SW. Asc. 30 ft. to

Subdivision of Fractional T. 11 N., R. 18 W.

Chains.

80.18

The cor. of secs. 3, 4, and 10 and fracl. sec. 9. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, cactus, greasewood and palo verde.

40.00

N.0° 2' W., on a random line, bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. cor.

79.80

Intersect N. bdy. of Tp., 20 lks. W. of the cor. of secs. 3, 4, 33 and 34, which is an iron post, described in Book "A,"

Thence

S.0° 7' W., on a true line, bet. secs. 3 and 4. Over mountainous land, through scattering undergrowth. Asc. to

3.80

Spur, slopes W. Desc. 100 ft. to

13.25

Asc. slightly to

15.25


Desc. 150 ft. to

34.90

Wash, course W. Asc. 220 ft.

39.80

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Continue ascent to

45.85

Long spur, slopes W. Desc. 230 ft. to

72.90

Wash, course SW. Asc. 55 ft. to

79.80

The cor. of secs. 3, 4, 10 and fracl. sec. 9. Land, mountainous. Soil, rocky and gravelly; 4th rate. No timber. Undergrowth, palo verde, greasewood and cactus.

From the cor. of secs. 4, 5 & fracl. secs. 32 & 33, on S. bdy. of Tp., which is an iron post, described in Book "A," N.0° 2' W., bet. fracl. secs. 32 and 33.

Over mountainous land, through scattering undergrowth. Desc. 40 ft. to

17.54

Foot of descent, slopes E. Asc. 95 ft.

23.70

Pack trail, brs. N.20° E. and S.20° W.

29.61


Spur, slopes NE. Desc. 140 ft. to

37.31

Wash, course N.20° E. Trail in wash, brs. N.20° E. and SE. Asc. 80 ft.

40.00

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Continue ascent to

47.40

Spur, slopes NE. Desc. 130 ft. to

54.42

Wash, course E. Asc. 140 ft.

57.02

Shaft brs. W. 25 lks. dist.

60.37

Rocky hill on end of spur, from SW. Desc. 155 ft. to

67.00


Enter level land, and dense undergrowth.

68.49

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, at mean

Chains.

high water mark, for meander cor. of fracl. secs. 32 and 33, marked on brass cap



dig a pit, 36 X 36 X 12 ins., 8 ft. S. of post; and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor.

Land, mountainous.

Soil, rocky; 4th rate.

No timber.

Undergrowth, greasewood, palo verde, cactus and willow.

From the cor. of sec. 22 and fracl. secs. 21, 27 and 28, hereinbefore described.


West on a true line, bet. frac. secs. 21 and 28.

Over broken land, through scattering undergrowth.

Asc. 25 ft. to

1.50 Short spur, slopes SW. Desc. 165 ft. to

15.44 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, at mean high water mark, for meander cor. of fracl. secs. 21 and 28, marked on brass cap



dig a pit, 36 X 36 X 12 ins., 8 ft. E. of post; and raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.

Land, broken.

Soil, rocky; 4th rate.

Timber, willow.

Undergrowth, greasewood, cactus, and palo verde.

From the cor. of secs. 15 & 22, and fracl. secs. 16 and 21, hereinbefore described.

West on a true line, bet. fracl. secs. 16 and 21.

Over mountainous land, through scattering undergrowth.

Asc. 100 ft. to


8.38 Spur, slopes SW. Desc. 195 ft. to

16.99 Wash, course SW. Asc. slightly to

19.80 Desc. 70 ft. to

24.61 Foot of descent; enter level land, hrs. NE. and SW.

25.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, which is 8 ft. high, for meander cor. of fracl. secs. 16 and 21, marked on brass cap



dig a pit, 36 X 36 X 12 ins., 8 ft. E. of post; and


Subdivision of Fractional T. 11 N., R. 18 W. 23.

Chains.

raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.
 Land, mountainous and level.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, palo verde, greasewood and cactus.

9.50
18.55


From the true point for cor. of secs. 10 & 15 & fracl. secs. 9 & 16.
 West on a true line, bet. fracl. secs. 9 and 16.
 Over level land through dense undergrowth.
 Fence, brs. N. and S.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, at mean high water mark, for meander cor. of fracl. secs. 9 and 16, marked on brass cap



from which
 A willow, 8 ins. diam., brs. N. 63 1/4° E., 38 lks. dist., marked T 11 N R 18 W S 9 MC BT.
 A willow, 8 ins. diam., brs. S. 26 1/4° E., 68 lks. dist., marked T 11 N R 18 W S 16 MC BT.
 From this cor., R. H. Botts' House brs. S. 15° E., 8.00 chs. dist.
 Land, level.
 Soil, 1st rate.
 Timber, willow.
 Undergrowth, palo verde, greasewood, cactus and mesquite.

24.85
35.55
40.00

From the cor. of secs. 3, 4, 10, and fracl. sec. 9, hereinbefore described,
 West on a true line bet. sec. 4 and fracl. sec. 9.
 Over broken land, through scattering undergrowth.
 Desc. 125 ft. to
 Wash, course S. 70° W. Asc. 35 ft. to
 Spur, slopes SW. Desc. 65 ft. to
 Wash, course SW.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




50.00
63.15
69.45
72.00
80.00

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
 Asc. 25 ft. to
 Desc. 90 ft. to
 From this point, Cobb's House brs. S. 50 lks. dist. Asc. 35 ft. to
 End of spur, from NE. Desc. 65 ft. to
 Road, brs. N. and S. Enter level land and dense undergrowth, brs. N. and S.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of sec. 4, and fracl. secs. 5, 8 and 9, marked on brass cap

24. Subdivision of Fractional T. 11 N., R. 18 W.


Chains.



dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, broken and level.
 Soil, 1st and 4th rate.
 No timber.
 Undergrowth, cactus, greasewood and palo verde.

24.44


From the cor. of sec. 4, and ~~fracl.~~ ~~secs.~~ 5, 8 and 9, hereinbefore described, S.0° 2' E., on a true line, bet. fracl. secs. 8 and 9. Over level bottom land, through dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, 12 ft. high, for meander cor. of fracl. secs. 8 and 9, marked on brass cap



dig a pit, 36 X 36 X 12 ins., 8 ft. N. of post; and raise a mound of earth, 4 ft. base, 2 ft. high, N. of cor.
 Land, level.
 Soil, 1st rate
 No timber.
 Undergrowth, greasewood, palo verde and cactus.

31.68

From the cor. of sec. 4, and ~~fracl.~~ ~~secs.~~ 5, 8 and 9, hereinbefore described, West on a true line, bet. fracl. secs. 5 and 8. Over level bottom land, through dense undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, on the left bank of the Colorado River, 12 ft. high, for meander cor. of fracl. secs. 5 and 8, marked on brass cap




dig a pit, 36 X 36 X 12 ins., 8 ft. E. of post; and raise a mound of earth, 4 ft. base, 2 ft. high, E. of cor.
 Land, level.
 Soil, 1st rate.
 Timber, willow.
 Undergrowth, cat claw and mesquite.

Subdivision of Fractional T. 11 N., R. 18 W. 25.


Chains.

From the cor. of sec. 4 and fracl. secs. 5, 8 and 9, here-
 in before described,
 N.0° 2' W., on a random line, bet. sec. 4 and fracl. sec.
 5.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.75 Intersect N. bdy. of Tp., 27 lks. W. of the cor. of secs.
 4 and 33, and fracl. secs. 5 and 32, which is an iron
 post, described in Book "A".
 Thence
 S.0° 10' W., on a true line, bet. sec. 4 and fracl. sec.
 5.
 Over mountainous land, through scattering undergrowth.
 Asc. 45 ft. to
 7.00 Spur, slopes SW. Desc. 145 ft. to
 16.75 Foot of descent; thence overlevel land.
 39.75 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



dig pits, 18 X 18 X 12 ins., N and S. of post, 3 ft.
 dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
 high, W. of cor.
 From this cor., Spencer's house brs. S.64 $\frac{1}{4}$ ° W., 10.00 chs.
 dist.
 57.25 Road, brs. NW. and SE.
 61.25 Enter dense undergrowth, brs. N.20° W. and SE.
 79.75 The cor. of sec. 4 and fracl. secs. 5, 8 and 9.
 Land, level and mountainous.
 Soil, 1st and 4th rates.
 No timber.
 Undergrowth, cactus, greasewood, palo verde and cat claw.

From the cor. of sec. 5 and fracl. secs. 6, 31 and 32, on
 the S. bdy. of the Tp., which is an iron post, described
 in Book "A",
 N.0° 3' W., on a true line, bet. fracl. secs. 31 and 32.
 Over mountainous land, through scattering undergrowth.
 Asc. 140 ft. to
 11.80 Ridge, brs. NW. and SE. Desc. 310 ft. to
 17.34 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, on the left bank of the Colorado River, 250
 ft. above river, for meander cor. of fracl. secs. 31
 and 32, marked on brass cap



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, S.
 of cor.
 Land, mountainous.
 Soil, rocky, 4th rate.
 No timber.
 Undergrowth, palo verde, cactus, cat claw and greasewood.

Meanders of the Left Bank of the Colorado River,
within fractional Township 11 N., R. 18 W.

26.

Chains.

I begin at the meander cor. of fracl. secs. 6 and 31, on the S. bdy. of the Tp., which is an iron post, described in Book "A".

Thence with meanders in fracl. sec. 31. (up stream).

Over level bottom land, through dense undergrowth.

N. 44° E. 15.10 chs. At 10.00 chs. on this line, leave bottom land, thence along cliff, 150 ft. high.

N. 52 $\frac{1}{2}$ ° E. 5.00 "

N. 72° E. 8.50 " Cliff 250 ft. high.

N. 79 $\frac{1}{2}$ ° E. 6.30 "

S. 84° 20' E. 3.70 " To the meander cor. of fracl. secs. 31 and 32.

Land, level and mountainous.

Soil, rocky, 4th rate.

No timber.

Undergrowth, greasewood, palo verde and cactus.

Thence in fracl. sec. 32. (up stream).

Over broken land, through scattering undergrowth.

N. 42 $\frac{3}{4}$ ° E. 18.40 chs. At 3.00 chs. on this course, mouth of wash, from SE. At 16.10 chs., cliff, 100 ft. high.

N. 53° E. 4.60 " Thence over broken ends of rocky spurs, from S. and SE.

N. 20 $\frac{1}{2}$ ° E. 4.90 "

N. 13° E. 6.10 "

N. 9° W. 20.70 "

At 5.00 chs. on this course, enter level land, brs. NE. and SW.

N. 59 $\frac{1}{4}$ ° E. 6.60 "

N. 69° E. 8.90 "

S. 85 $\frac{3}{4}$ ° E. 6.60 "

S. 77 $\frac{3}{4}$ ° E. 9.20 "

S. 69 $\frac{1}{2}$ ° E. 15.90 "

Through heavy undergrowth.

N. 74° 28' E. 20.40 " To the meander cor. of fracl. secs. 32 and 33.

Land, level and broken.

Soil, 1st and 4th rates.

Timber, willow.

Undergrowth, mesquite, arrow-weed and cat claw.

Thence in fracl. sec. 33. (up stream).

Over level land, through dense undergrowth.

N. 73 $\frac{1}{2}$ ° E. 8.20 chs.

N. 76° E. 7.60 "

Mrs. Guyer's house brs. S. 21° E., 3.00 chs. dist.

N. 88 $\frac{1}{2}$ ° E. 8.10 "

S. 75 $\frac{1}{2}$ ° E. 7.00 "

S. 79 $\frac{1}{4}$ ° E. 12.00 "

Leave bottom land.

S. 75 $\frac{1}{2}$ ° E. 10.20 "

S. 49° E. 2.50 "

S. 33 $\frac{3}{4}$ ° W. 3.00 "

S. 45° E. 4.90 "

Mouth of wash, course N.

N. 61 $\frac{1}{2}$ ° E. 10.90 "

At 5.10 chs., on this course, fence brs. E. and W. At end of course, cliff, 100 ft. high, on spur, from SE.

N. 73 $\frac{3}{4}$ ° E. 5.30 "

N. 75° 10' E. 10.30 "

At 3.50 chs. on this course, mouth of wash from S. At 4.00 chs. on this course, mouth of wash, from E. To the meander cor. of fracl. secs. 33 and 34.

Land, level.

Soil, 1st rate.

Meanders of the Left Bank of the Colorado River,
within fractional sec. T. 11 N., R. 18 W.

27.

Meanders of the Left Bank of the Colorado River, down stream.

Timber, willow.

Undergrowth, mesquite, arrow-weed, greasewood and cactus.

Meanders of the Left Bank of the Colorado River, down stream.

From the meander cor. of fracl. secs. 21 and 28,
which is an iron post, hereinbefore described.

With meanders in fracl. sec. 28 (down stream).

Over level bottom land, through dense undergrowth.

S. $14\frac{1}{2}^{\circ}$ E. 25.50 chs.

S. 19° E. 9.20 "

S. $24\frac{3}{4}^{\circ}$ E. 8.60 "

S. $29\frac{1}{2}^{\circ}$ E. 5.37 "

To the meander cor. of fracl. secs.
27 and 28.

Land, level bottom.

Soil, 1st rate.

Timber, willow.

Undergrowth, mesquite, arrow-weed and cactus.

Thence in fracl. sec. 27 (down stream).

Over level land, through dense undergrowth.

S. $24\frac{1}{2}^{\circ}$ E. 11.60 chs.

S. $3\frac{1}{4}^{\circ}$ E. 4.00 "

S. 18° E. 6.60 "

S. $19\frac{1}{2}^{\circ}$ W. 4.60 "

S. $2\frac{1}{2}^{\circ}$ E. 5.00 "

S. $36^{\circ}40'$ E. 4.80 "

To the meander cor. of fracl.
secs. 27 and 34.

Land, level bottom.

Soil, 1st rate.

Timber, willow.

Undergrowth, mesquite, arrow-weed, greasewood and cactus.

Thence in fracl. sec. 34 (down stream).

Over level land, through dense undergrowth.

S. 20° E. 4.00 chs.

S. 40° W. 8.30 "

Leave bottom land, and dense
undergrowth. Thence over ends
of spurs from SE.

S. 70° W. 5.00 "

To the meander cor. for fracl.
secs. 33 and 34.

Land, level and broken.

Soil, 1st and 4th rate.

No timber.

Undergrowth, arrow-weed, mesquite and cat claw.

Meanders of the Left Bank of the Colorado River, down stream.

From the meander cor. of fracl. secs. 21 and 28,
which is an iron post, hereinbefore described.

With meanders in fracl. sec. 21, (up stream).

Over rocky end of spur, from E., through dense undergrowth.

N. $13\frac{1}{4}^{\circ}$ W. 7.10 chs.

N. $5\frac{1}{2}^{\circ}$ W. 13.60 "

Descend to end of course.

N. $48\frac{1}{2}^{\circ}$ E. 7.90 "

Enter level land. Cut bank 10
ft. high.

N. $2\frac{3}{4}^{\circ}$ E. 8.70 "

N. $19\frac{1}{2}^{\circ}$ W. 7.90 "

N. 18° W. 5.60 "

N. $16\frac{1}{2}^{\circ}$ W. 14.00 "

N. $13^{\circ}20'$ W. 20.00 "

To the meander cor. of fracl. secs.
16 and 21.

28. Meanders of the left bank of the Colorado River,
within fracl. T. 11 N., R. 18 W.

Chains.

Land, level and broken.
Soil, 1st rate.
Timber, willow.
Undergrowth, mesquite, arrow-weed, cat claw and greasewood.

Thence in fracl. sec. 16 (up stream).
Over level bottom land, through dense undergrowth.
N. $16\frac{3}{4}^{\circ}$ W. 6.30 chs. At 3.50 chs. on this course, end of spur from E.
N. $12\frac{1}{4}^{\circ}$ W. 4.50 "
N. 6° W. 27.30 "
N. $0^{\circ}30'$ W. 9.00 "
N. $23\frac{1}{2}^{\circ}$ E. 17.20 "
N. 4° W. 6.20 " End of spur from SE.
N. $76\frac{1}{2}^{\circ}$ E. 4.80 " Enter level land, and dense undergrowth, brs. NE. and SW.
N. $25\frac{3}{4}^{\circ}$ E. 4.50 "
N. $5^{\circ}10'$ W. 6.32 " To the meander cor. of fracl. secs. 9 and 16.

Land, level bottom.
Soil, 1st rate.
No timber.
Undergrowth, mesquite, arrow-weed, greasewood and cactus.

From meander cor. of fracl. secs. 8 and 9, fracl. sec. 9.
Thence with meanders in fracl. sec. 9 (down stream).
Over level land, through dense undergrowth.
S. $55\frac{1}{2}^{\circ}$ E. 8.60 chs.
S. $54\frac{1}{4}^{\circ}$ E. 3.40 "
S. $49\frac{1}{2}^{\circ}$ E. 3.40 "
S. $47\frac{1}{4}^{\circ}$ E. 4.40 "
S. 46° E. 7.40 "
S. $43\frac{1}{2}^{\circ}$ E. 13.70 "
S. 46° E. 15.90 "
S. $40\frac{1}{2}^{\circ}$ E. 11.90 "
East. 4.20 "
S. 45° E. 11.42 " At 5.00 chs. on the course, Bill Williams River, 2 chs. wide, 6 ins. deep. To the meander cor. of fracl. secs. 9 and 16.

Land, level.
Soil, 1st rate.
Timber, willow.
Undergrowth, arrow-weed, mesquite, greasewood and cat claw.

From the meander cor. of fracl. secs. 8 and 9.
With meanders in fracl. sec. 8 (up stream).
Over level land, through dense undergrowth.
N. $59\frac{3}{4}^{\circ}$ W. 3.30 chs.
N. $56\frac{3}{4}^{\circ}$ W. 9.60 "
N. $51\frac{1}{2}^{\circ}$ W. 5.70 "
N. $54\frac{3}{4}^{\circ}$ W. 13.00 "
N. $41\frac{1}{2}^{\circ}$ W. 8.70 " To the meander cor. of fracl. secs. 5 and 8.

Land, level bottom.
Soil, 1st rate.
Timber, willow.
Undergrowth, arrow-weed, mesquite, cat claw and greasewood.

Meanders of the Left Bank of the Colorado River,
within fracl., T. 11 N., R. 18 W.

Chains.

Thence in fracl., sec. 5 (up stream).
Over level land, through dense undergrowth.

- N. 41 $\frac{3}{4}$ ° W. 5.50 chs.
- N. 28° W. 12.10 "
- N. 17 $\frac{3}{4}$ ° W. 13.50 "
- N. 17° W. 14.30 "
- N. 17 $\frac{3}{4}$ ° W. 17.80 "
- N. 20 $\frac{1}{4}$ ° W. 12.50 "
- N. 23 $\frac{3}{4}$ ° W. 8.80 "
- N. 18° W. 1.85 "

To the meander cor. of fracl.
secs. 5 and 32, which is an
iron post, described in Book
"A."

Land, level bottom.

Soil, 1st rate.

Timber, willow

Undergrowth, mesquite, arrow-weed, cat claw and greasewood.

GENERAL DESCRIPTION.

This fractional township consists of mountainous, rolling and level land, draining into the Colorado River, which forms the West boundary of the township, and into the Bill Williams River, which flows westerly through the center of the township, to its confluence with the Colorado River in sec. 9.

The majority of the township is mountainous, there being narrow areas of level alluvial land along the rivers only. On these areas, are located the only settlers in the township. There is one settler each in secs. 5, 13, 15, 16 and 33.

The rivers are fringed with a scattering growth of willow and cottonwood timber. Undergrowth on the bottom land comprises willow, arrow-weed, mesquite and cat claw, while on the slopes greasewood, palo verde and cactus are abundant.

There are few evidences of mineral in this township.

The Bill Williams river at the time of the survey heretofore described, was in an abnormal stage owing to recent heavy rains, and normally, is a stream of much less than 3 chs. in width, and is therefore, not a meanderable stream.

BOOK 3020

For CERTIFICATE OF UNITED STATES SURVEYOR.
See Book "B."

32

I, _____, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for _____ bearing date of the _____ day of _____, 191 _____, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of _____ of the _____ Meridian, in the State of _____, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for _____ and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, MAY 17 1918, 191 _____

The foregoing field notes of the survey of the _____

Subdivision Lines of _____

FRACL. TOWNSHIP 11 NORTH, RANGE 18 WEST, and

Meanders of the Left Bank of the Colorado River, within _____

FRACL. TOWNSHIP 11 NORTH, RANGE 18 WEST,

executed by Alexander T. Harris, and John Gonin, U.S. Transitmen,

under ~~his~~ special instructions dated Feby. 13, 1915, for Group 48, Arizona, 191 _____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank O. Trout
U. S. Surveyor General.

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General.~~