

3099

Book "F"

4-679

JAN 5 1918

BOOK 3099

FEB 13 1918

FIELD NOTES

OF THE SURVEY OF THE

NORTH, EAST, and WEST BOUNDARIES

and

SUBDIVISION LINES

of

TOWNSHIP 26 NORTH, RANGE 2 EAST.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

Thomas B. Matthews, U. S. Surveyor,

and

Deane J. Wolff, U. S. Transitman,

~~In the capacity of U. S. Surveyor~~, under instructions dated March 8, 1915,
issued by the United States Surveyor General to govern surveys included in
Group No. 55, which were approved by the Commissioner of the General Land
Office, December 14, 1915.

Survey commenced June 20, 1916.

Survey completed June 26, 1916.

6-151

Executed under Assignment
Instructions dated Apr. 13 & June 26, 1916.

3099

3099

1A


3099

Book "F"

Group 55 -----Arizona.

BOOK 3099

INDEX DIAGRAM.



6-151

————— Lines surveyed under this group.

————— Lines surveyed under current Group 54.

————— Accepted surveys.

//// Areas surveyed, as per accepted plats on file.

SURVEY OF THE
NORTH, EAST AND WEST BOUNDARIES, &
SUBDIVISION LINES OF
TOWNSHIP 26 NORTH, RANGE 2 EAST,

Surveys hereinafter described, executed on dates shown on diagram on page 43 hereof, by Thomas B. Matthews, U.S. Surveyor, and Deane J. Wolff, U. S. Transitman, using Buff and Buff Transit No. 10124, and Young and Sons' light mountain transit No. 8535, respectively, described in Book "A."

2. Survey of East Boundary of T. 26 N., R. 2 E.

chains.

From the cor. of Tps. 25 and 26 N., Rs. 2 and 3 E., which is a limestone 12 X 14 X 10 ins. above ground, firmly set, marked and witnessed as described by the Surveyor-General.

North bet. secs. 31 and 36.

Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S36 | S31
1916

From which

A pinion, 8 ins. diam., brs. S.66 $\frac{1}{2}$ ° E., 87 lks. dist., marked $\frac{1}{4}$ S31 BT.

A juniper, 8 ins. diam., brs. W.47° W., 156 lks. dist., marked $\frac{1}{4}$ S36 BT.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T26N
R2E R3E
S25 | S30
S36 | S31
1916

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.

Soil, loose, dark, sandy loam.

Timber, pinion and juniper.

Undergrowth, sagebrush.

North bet. secs. 25 and 30.

Over gently rolling land, through scattering timber and undergrowth.

32.00 Four wire fence, brs. NE. and SW.

34.00 Four wire fence, brs. NW. and SE.

35.00 From this point, reservoir brs. W. 10 chs. dist.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S25 | S30
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, marked on brass cap

T26N
R2E R3E
S24 | S19
S25 | S30
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.


Land, gently rolling.

Survey of East Boundary of T. 26 N., R. 2 E. 3.


Chains.

Soil, dark, loose, sandy loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

40.00 North bet. secs. 19 and 24.
Over gently rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap




80.00 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, marked on brass cap



Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
Soil, loose, dark, sandy loam, over limestone formation.
Land, gently rolling.
Timber, pinion and juniper.
Undergrowth, sagebrush.

5.84 North bet. secs. 13 and 18.
Over gently rolling land, through scattering timber and undergrowth.
Road, brs. NW. and SE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground; for 1/4 sec. cor., marked on brass cap



80.00 And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, gently rolling.
Soil, loose, yellow loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

4. Survey of East Boundary of T. 26 N., R. 2 E.

Chains.

North bet. secs. 7 and 12.
Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S12 | S 7
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, marked on brass cap

T26N
 R2E R3E
 S 1 | S 6
 $\frac{1}{4}$ S12 | S 7
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, loose, yellow clay and loam.
Timber, pinion and juniper.
Undergrowth, sagebrush and weeds 1 ft. high.
Good grass.

North bet. secs. 1 and 6.
Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 1 | S 6
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of Tps. 26 N., Rs. 2 and 3 E., marked on brass cap

T27N R2E
 S36
 S 1 | S 6
 R2E R3E
 T26N
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.

Land, gently rolling.
Soil, loose, yellow clay, over malpais formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and short weeds.


Chains.

Survey conducted and carried with reference to all of the data in Exhibit No. 107, with the color attachment. For description of instruments, certificates of accuracy, see page 135. For approximate list of adjacent lands, see book "11".

100.00 From the cor. of Tps. 25 and 26 N., Rs. 1 and 2 E., which is an iron post, properly set, marked and witnessed as described in the field notes of current Group No. 54.

Traverse


40.00 North bet. secs. 31 and 36.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

50.70 Draw, course NE.


80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, slightly rolling.
Soil, coarse texture, 26 ins. deep.
No timber.
Undergrowth, sagebrush 1 to 3 ft. high, and broom weed 1 ft. high.
Fair grass.

40.00 North bet. secs. 25 and 30.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

51.00 Draw, course NE.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
No timber.
Undergrowth, sagebrush, 1 to 3 ft. high.
Thin grass.

6. Survey of West Boundary of T. 26 N., R. 2 E.

<p>Chains. 40.00 45.15 46.95 80.00</p>	<p>North bet. secs. 19 and 24. Over gently rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S24 S19 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Draw, course W. Wash in draw, 15 lks. wide, 30 ft. deep. Old road, brs. NE. and SW.</p> <p>Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, marked on brass cap</p> <p style="text-align: center;"> T26N R1E R2E S13 S18 S24 S19 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Land, slightly rolling. Soil, coarse texture, 26 ins. deep. Timber, scattering cedar. Undergrowth, sagebrush 1 to 3 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
<p>40.00 52.00 65.00 80.00</p>	<p>North bet. secs. 13 and 18. Over gently rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S13 S18 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Road, brs. NE. and SW.</p> <p>Draw, 2 chs. wide, course W.</p> <p>Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, marked on brass cap</p> <p style="text-align: center;"> T26N R1E R2E S12 S 7 S13 S18 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, scattering cedar. Undergrowth, sagebrush 1 to 3 ft. high, and broom weed, 1 ft. high. Thin grass.</p>
	<p>North bet. secs. 7 and 12. Over gently rolling land, through scattering undergrowth.</p>

Survey of West boundary of T. 26 N., R. 2 E. 7.

Chains.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S12 | S 7
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

62.00 Wide, shallow draw, course SW.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, marked on brass cap

T26N
 R1E R2E
 S 1 | S 6
 $\frac{1}{4}$ S12 | S 7
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, none.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Thin grass.

North bet. secs. 1 and 6.
Over gently rolling land, through scattering undergrowth.

36.70 Rim of canyon, brs. NE. and SW. Desc. 45 ft. to

38.29 Bottom of canyon, course SW. Asc. 45 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 1 | S 6
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

59.80 Road, brs. E. and W.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of Tps. 26 N., R. 1 and 2 E., marked on brass cap

T27N R1E
 S36
 S 1 | S 6
 R1E | R2E
 T26N
 1916

Dig pits, 30 X 24 X 12 ins., on each line, E. and W. 4 ft., and S. of post, 8 ft. dist.; and raise a mound of earth, 5 ft. base, 2 $\frac{1}{2}$ ft. high, S. of cor.

Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, none.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Thin grass.

8. Survey of North Boundary of T. 26 N., R. 2 E.

Chains.

Survey commenced and executed with Young and Sons' light ... with Smith solar attachment. ... description of instrument and certificate of approval, ... For notes, lists of adjustment, see Book ...

From the cor. of Tps. 26 N., Rs. 2 and 3 E., which is an iron post, hereinbefore described, 9.67 chs. N. 89° 59' W. of the cor. of Tps. 27 N., Rs. 2 and 3 E., which is also an iron post, described in Book "G".

West on a random line, along the N. bdy. of T. 26 N., R. 2 E., setting temp. 1/4 sec. and sec. cours. for the areas N. of line, at intervals of 40.00 chs. from the cor. of Tps. 27 N.; Rs. 2 and 3 E., and temp. 1/4 sec. and sec. cours. for the areas S. of line at intervals of 40.00 chs. from the cor. of Tps. 26 N., Rs. 2 and 3 E., and at 483.39 chs. from the cor. of Tps. 26 N., Rs. 2 and 3 E., fall 1.27 chs. N. of the cor. of Tps. 26 N., Rs. 1 and 2 E., which is an iron post, hereinbefore described. The falling answers to a correction of 0° 09', or 21 lks. S. per mile, counting from the NE. cor. of the Tp.; therefore

N. 89° 51' E., on a true line, along the N. bdy. of sec. 6, T. 26 N., R. 2 E.

Over gently rolling land, through scattering timber and undergrowth.

10.74 The cor. of Tps. 27 N., Rs. 1 and 2 E., which is an iron post, described in Book "G".

43.39 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor. of sec. 6, marked on brass cap,

1/4 S 6
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.

53.06 (42.32 chs. from the cor. of Tps. 27 N., Rs. 1 and 2 E.) Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor. of sec. 31, marked on brass cap,

1/4 S 31
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

58.30 Telegraph line, brs. NW. and SE.

58.70 Grand Canyon Branch of A.T. and S. F. Ry., brs. NW. and SE.

83.39 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 5 and 6, T. 26 N., R. 2 E., marked on brass cap

T27N R2E
S31
S 6 | S 5
T26N | R2E
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.

Land, gently rolling.
Soil, loose, yellow, sandy loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

Survey of North Boundary of T. 26 N., R. 2 E. 9.

Chains.

9.67 N. 89° 51' E., on a true line, along the N. bdy. of sec. 5, T. 26 N., R. 2 E.
Over gently rolling land, through scattering timber and undergrowth.
(82.32 chs. from the cor. of Tps. 27 N., Rs. 1 and 2 E.)
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 31 and 32, T. 27 N., R. 2 E., marked on brass cap

T27N | R2E
S31 | S32

S 5
T26N | R2E
1916

40.00 And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 5, marked on brass cap,

$\frac{1}{4}$ S 5
1916

49.67 And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.
(40.00 chs. from the cor. of secs. 31 and 32, T. 27 N., R. 2 E.)
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec cor. of sec. 32, marked on brass cap,

$\frac{1}{4}$ S32
1916

80.00 And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 4, and 5, T. 26 N., R. 2 E., marked on brass cap

T27N | R2E
S32

S 5 | S 4
T26N | R2E
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, gently rolling.
Soil, loose, yellow, sandy loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

9.67 N. 89° 51' E., on a true line, along the N. bdy. of sec. 4, T. 26 N., R. 2 E.
Over gently rolling land, through scattering timber and undergrowth.
(80.00 chs. from the cor. of secs. 31 and 32, T. 27 N., R. 2 E.)
Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground, in a mound of stone, for cor. of secs. 32 and 33, marked on brass cap

T27N | R2E
S32 | S33

S 4
T26N | R2E
1916

10. Survey of North Boundary of T. 26 N., R. 2 E.

Chains.

17.25 Dig pits, 24 X 24 X 12 ins., in each sec., 6 ft. dist.;
and raise a mound of earth, 4 ft. base, 2 ft. high, N.
of cor.
38.50 Road, brs. NE. and SW.
40.00 Road, brs. NW. to Grand Canyon and SE. to Williams.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor. of sec. 4,
marked on brass cap,

S 4
1916

49.67 And raise a mound of stone, 3 ft. base, 3 ft. high, S.
of cor.
(40.00 chs. from the cor. of secs. 32 and 33, T. 27 N., R.
2 E.)
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor. of sec. 33,
marked on brass cap,

S 33
1916

80.00 And raise a mound of stone, 3 ft. base, 3 ft. high, N.
of cor.
Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the
ground, for cor. of secs. 3 and 4, T. 26 N., R. 2 E.,
marked on brass cap

T27N R2E
S 33
S 4 | S 3
T26N | R2E
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S.
of cor.
Land, gently rolling.
Soil, loose, dark, sandy loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

9.67 N. 89° 51' E., on a true line, along the N. bdy. of sec. 3,
T. 26 N., R. 2 E.
Over gently rolling land, through scattering timber and
undergrowth.
(80.00 chs. from the cor. of secs. 32 and 33, T. 27 N.,
R. 2 E.)
Set an iron post, 3 ft. long, 3 ins. diam., in a mound of
stone, for cor. of secs. 33 and 34, T. 27 N., R. 2 E.,
marked on brass cap

T27N | R2E
S 33 | S 34
S 3
T26N | R2E
1916

40.00 And raise a mound of stone, 3 ft. base, 3 ft. high, N.
of cor.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor. of sec. 3, marked on brass cap,

S 3
1916

Chains.

44.20 Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, S. of cor.
 49.67 Road, brs. NE. and SW.
 (40.00 chs. from the cor. of secs. 33 and 34, T. 27 N., R. 2 E.)
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 34, marked on brass cap,

$\frac{1}{4}$ S34
 1916

49.90 And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 80.00 Road, brs. NW. and SE.
 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 2 and 3, T. 26 N., R. 2 E., marked on brass cap

T27N R2E
 S34
 T26N R2E
 1916

From which
 A juniper, 7 ins. diam., brs. S. $14\frac{1}{2}^{\circ}$ E., 112 lks. dist., marked T26N R2E S2 BT.
 A juniper, 8 ins. diam., brs. S. 79° W., 104 lks. dist., marked T26N R2E S3 BT.
 Land, gently rolling.
 Soil, dark yellow loam, over limestone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and squawbrush.

9.67 N. $89^{\circ} 51'$ E., on a true line, along the N. bdy. of sec. 2, T. 26 N., R. 2 E.
 Over gently rolling land, through scattering timber and undergrowth.
 (80.00 chs. from the cor. of secs. 33 and 34, T. 27 N., R. 2 E.)
 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 34 and 35, T. 27 N., R. 2 E., marked on brass cap

T27N R2E
 S34 S35
 S 2
 T26N R2E
 1916

40.00 From which
 A pinion, 14 ins. diam., brs. N. 53° E., 155 lks. dist., marked T27N R2E S35 BT.
 A juniper, 16 ins. diam., brs. N. $74\frac{1}{2}^{\circ}$ W., 200 lks. dist., marked T27N R2E S34 BT.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 2, marked on brass cap,

$\frac{1}{4}$ S 2
 1916

From which
 A juniper, 24 ins. diam., brs. S. 13° W., 40 lks. dist., marked $\frac{1}{4}$ S2 BT.

12. survey of North Boundary of T. 26 N., R. 2 E.

Chains.

49.67 (40.00 chs. from the cor. of secs. 34 and 35, T. 27 N., R. 2 E.)

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 35, marked on brass cap,

$\frac{1}{4}$ S35

1916

From which

A pinion, ins. diam., brs. N.20° W., 34 lks. dist., marked $\frac{1}{4}$ S35 BT.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 1 and 2, T. 26 N., R. 2 E., marked on brass cap

T27N R2E

S35

S 2 | S 1
T26N | R2E

1916

Dig pits, 24 X 24 X 12 ins., in each sec., 6 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor.

Land, gently rolling.

Soil, loose, yellow clay, over limestone and sandstone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush and squawbrush.

N.89° 51' E., on a true line, along the N. bdy. of sec. 1, T. 26 N., R. 2 E.

Over gently rolling land, through scattering timber and undergrowth.

9.67 (80.00 chs. from the cor. of secs. 34 and 35, T. 27 N., R. 2 E.)

Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for cor. of secs. 35 and 36, T. 27 N., R. 2 E., marked on brass cap

T27N R2E

S35 S36

S 1
T26N | R2E

1916

Dig pits 24x24x12 ins., in each sec., 6 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, N. of cor.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 1, marked on brass cap,

$\frac{1}{4}$ S 1

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, S. of cor.

49.67 (40.00 chs. from the cor. of secs. 35 and 36, T. 27 N., R. 2 E.)

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 36, marked on brass cap,

Survey of North Boundary of T. 26 N., R. 2 E. 13.

Chains.

~~1836~~

1916

80.00 And raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.
 The cor. of Tps. 26 N., Rs. 2 and 3 E. hereinbefore described.
 Land, gently rolling.
 Soil, loose, yellow clay loam, over malpais and limestone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush, squawbrush and short weeds.

Boundaries of T. 26 N., R. 2 E.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist. chs.	Latitudes.		Departures.	
			N. chs.	S. chs.	E. chs.	W. chs.
South Boundary.	S.89°53'W.	484.04		0.99		484.04
West Boundary.	North.	480.00	480.00			
North Boundary.	N.89°51'E.	483.39	1.27		483.39	
East Boundary.	South.	480.00		480.00		
Convergency.					.52	
Totals.			481.27	480.99	483.91	484.04
			480.99			483.91
Error in latitude			0.28			
Error in departure					0.13	

14. Survey of Subdivision of T. 26 N., R. 2 E.

Chains.


Survey commenced and executed with Tuff and Baff light Mountain transit No. 10,124, and Young and Sons' light transit No. 3535, each instrument being equipped with Baff light attachment. For description of instruments and certificate of approval, see Book "A". For most recent tests or adjustment, see Book "E".

From the cor. of secs. 35 and 36, on the S. bdy. of the Tp., which is an iron post, described in Book "E".

N.0° 1' W., bet. secs. 35 and 36.


Over gently rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, in a mound of stone, for cor. of secs. 25, 26, 35 and 36, marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, slightly rolling.

Soil, coarse texture, 26 ins. deep.

Timber, a few scattering scrub cedar and pinion trees.

Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.

Thin grass.

40.00 N.89° 53' E., on a random line, bet. secs. 25 and 36.
Set temp. 1/4 sec. cor.


79.93 Intersect E. bdy. of Tp., 4 lks. S. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, hereinbefore described.

Thence

S.89° 51' W., on a true line, bet. secs. 25 and 36.

Over gently rolling land, through scattering timber and undergrowth.

39.96 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

79.93 The cor. of secs. 25, 26, 35 and 36.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

Timber, a few scattering scrub cedar trees.


Undergrowth, sagebrush and holly brush, 1 to 6 ft. high, and brook weed, 1 ft. high.

Thin grass.


Subdivision of T. 26 N., R. 2 E.

Chains.

40.00 N.0° 1' W., bet. secs. 25 and 26.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap




80.00 And raise a mound of stone, 2 ft. base, 2 1/2 ft. high, W.
 of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the
 ground, in a mound of stone, for cor. of secs. 23, 24,
 25 and 26, marked on brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W.
 of cor.
 Land, level.
 Soil, coarse texture, 26 ins. deep.
 Timber, none.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1
 ft. high.
 Thin grass.


40.00 N.89° 51' E., on a random line, bet. secs. 24 and 25.
 Set temp. 1/4 sec. cor.
 79.95 Intersect E. bdy. of Tp., 9 lks. S. of the cor. of secs.
 19, 24, 25 and 30, which is an iron post, hereinbefore
 described.

Thence
 S.89° 47' W., on a true line, bet. secs. 24 and 25.
 Over gently rolling land, through scattering undergrowth.
 29.95 Wide draw, course N.
 39.97 1/2 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



71.45 And raise a mound of stone, 2 ft. base, 2 1/2 ft. high, N.
 of cor.
 79.95 Draw, course NE. Old road in draw, brs. NE. and SW.
 The cor. of secs. 23, 24, 25 and 26.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 No timber.
 Undergrowth, sagebrush and buck brush, 1 to 3 ft. high.
 Fair grass.

20.59 N.0° 1' W., bet. secs. 23 and 24.
 Over gently rolling land, through scattering undergrowth.
 Old road, brs. NW. and SE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



16.

Subdivision of T. 26 N., R. 2 E.

Chains.

73.85 Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
80.00 dist.; and raise a mound of earth. $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, W. of cor.

Draw, course NW.

Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the
ground, in a mound of stone, for cor. of secs. 13, 14,
23 and 24, marked on brass cap

T26N R2E
S14 | S13
S23 | S24
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.

Land, slightly rolling.

Soil, coarse texture, 10 to 26 ins. deep.

Undergrowth, sage and buckbrush, 1 to 3 ft. high.

No timber.

Fair grass.

40.00 N. $89^{\circ} 47'$ E., on a random line, bet. secs. 13 and 24.
79.91 Set temp. $\frac{1}{4}$ sec. cor.

Intersect E. bdy. of Tp., 5 lks. S. of the cor. of secs.
13, 18, 19 and 24, which is an iron post, hereinbefore
described.

Thence

S. $89^{\circ} 45'$ W., on a true line, bet. secs. 13 and 24.

Over gently rolling land, through scattering timber and
undergrowth.

39.95 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S13
S24
1916

From which

A cedar, 8 ins. diam., brs. N. $71\frac{1}{2}^{\circ}$ E., 82 lks. dist.,
marked $\frac{1}{4}$ S13 BT.

A cedar, 7 ins. diam., brs. S. $74\frac{3}{4}^{\circ}$ E., 79 lks. dist.,
marked $\frac{1}{4}$ S24 BT.

79.91 The cor. of secs. 13, 14, 23 and 24.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

Timber, a few scattering scrub cedar and pinion trees.

Undergrowth, sage and buck brush, 1 to 3 ft. high.

N. $0^{\circ} 1'$ W., bet. secs. 13 and 14.

Over gently rolling land, through scattering timber and
undergrowth.

27.60 Road, brs. E. and W.

32.00 Draw, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14 | S13
1916

From which

A cedar, 8 ins. diam., brs. S. 22° E., 18 lks. dist.,
marked $\frac{1}{4}$ S13 BT.

A cedar, 12 ins. diam., brs. N. 68° W., 36 lks. dist.,
marked $\frac{1}{4}$ S14 BT.

50.00 Ditch, 5 lks. wide, 1 ft. deep, course NW.

Chains.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, marked on brass cap

T26N	R2E
S11	S12
S14	S13
1916	

From which

A cedar, 14 ins. diam., brs. N.69° E., 301 lks. dist., marked T26N R2E S12 BT.

A cedar, 12 ins. diam., brs. S.40½° E., 149 lks. dist., marked T26N R2E S13 BT.

A cedar, 12 ins. diam., brs. S.84½° W., 274 lks. dist., marked T26N R2E S14 BT.

A cedar, 10 ins. diam., brs. N.71½° W., 333 lks. dist., marked T26N R2E S11 BT.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

Timber, cedar and pinion.

Undergrowth, sagebrush, 1 to 3 ft. high.

Fair grass.

40.00

N.89° 45' E., on a random line, bet. secs. 12 and 13.

Set temp. ¼ sec. cor.

79.95

Intersect E. bdy. of Tp., 3 lks. N. of the cor. of secs. 7, 12, 13 and 18, which is an iron post, hereinbefore described.

Thence

S.89° 46' W., on a true line, bet. secs. 12 and 13.

Over gently rolling land, through scattering undergrowth.

14.95

Enter scattering timber.

39.97½

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼S12
S13
1916

From which

A pinion, 16 ins. diam., brs. N.35½° E., 80 lks. dist., marked ¼S12 BT.

A pinion, 24 ins. diam., brs. S.41½° E., 97 lks. dist., marked ¼S13 BT.

79.95

The cor. of secs. 11, 12, 13 and 14.

Land, gently rolling.

Soil, coarse texture, 26 ins. deep.

Timber, cedar and pinion.

Undergrowth, sagebrush, 1 to 3 ft. high.

Thin grass.

11.00

N.0° 1' W., bet. secs. 11 and 12.

Over gently rolling land, through scattering timber and undergrowth.

40.00

Leave scattering timber.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

¼S11	S12
1916	

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

18.

Subdivision of T. 26 N., R. 2 E.

Chains.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap

T26N R2E	
S 2	S 1
<hr/>	
S11	S12
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, scattering cedar and pinion.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
 Fair grass.

40.00

N. 89° 46' E., on a random line, bet. secs. 1 and 12.
Set temp. 1/4 sec. cor.

79.97

Intersect E. bdy. of Tp., 9 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, hereinbefore described.

Thence

S. 89° 42' W., on a true line, bet. secs. 1 and 12.

Over gently rolling land, through scattering timber and undergrowth.

39.98 1/2

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S1
<hr/>
S12
1916

From which

A pinion, 20 ins. diam., brs. N. 54 1/2° W., 63 lks. dist., marked 1/4 S1 BT.

A pinion, 10 ins. diam., brs. S. 18 1/2° E., 49 lks. dist., marked 1/4 S12 BT.

79.97

The cor. of secs. 1, 2, 11 and 12.

Land, gently rolling.
Soil, loose, yellow, clay loam.
Timber, pinion and juniper.
Undergrowth, squaworush and sagebrush.

40.00

N. 0° 1' W., on a random line, bet. secs. 1 and 2.
Set temp. 1/4 sec. cor.

80.21

Intersect N. bdy. of Tp., 6 lks. E. of the cor. of secs. 1 and 2, which is an iron post, hereinbefore described.

Thence

S. 0° 4' E., on a true line, bet. secs. 1 and 2.

Over gently rolling land, through scattering timber and undergrowth.

40.21

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 2	S 1
<hr/>	
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.21

The cor. of secs. 1, 2, 11 and 12.

Land, gently rolling.
Soil, loose, yellow, sandy loam.
Timber, pinion and juniper.
Undergrowth, sagebrush.

Chains.

From the cor. of secs. 34 and 35, on the S. bdy. of the Tp., which is an iron post, described in Book "E", N.0° 1' W., bet. secs. 34 and 35.
Over gently rolling land, through scattering timber and undergrowth.

10.00 Draw, 2 chs. wide, course NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S34 | S35
1916

From which
A pinion, 12 ins. diam., brs. N.20 $\frac{1}{2}$ ° E., 215 lks. dist., marked $\frac{1}{4}$ S35 BT.
A pinion, 8 ins. diam., brs. N.28 $\frac{1}{2}$ ° W., 122 lks. dist., marked $\frac{1}{4}$ S34 BT.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap

T26N R2E
S27 | S26
S34 | S35
1916

From which
A juniper, 14 ins. diam., brs. N.38° E., 288 lks. dist., marked T26N R5E S26 BT.
A pinion, 10 ins. diam., brs. S.74° E., 195 lks. dist., marked T26N R2E S35 BT.
A pinion, 14 ins. diam., brs. S.37° W., 176 lks. dist., marked T26N R2E S34 BT.
A juniper, 12 ins. diam., brs. N.66° W., 72 lks. dist., marked T26N R2E S27 BT.

Land, gently rolling.
Soil, loose, red, gravelly loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush.

40.00 N.89° 53' E., on a random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
79.92 Intersect N. and S. line, 12 lks. N. of the cor. of secs. 25, 26, 35 and 36.
Thence
S.89° 58' W., on a true line, bet. secs. 26 and 35.
Over gently rolling land, through scattering timber and undergrowth.

39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S26
S35
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

79.92 The cor. of secs. 26, 27, 34 and 35.
Land, gently rolling.
Soil, loose, dark, rocky loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush.

N.0° 1' W., bet. secs. 26 and 27.
Over gently rolling land, through scattering timber and undergrowth.

20.

Subdivision of T. 26 N., R. 2 E.

Chains.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4}S27 \quad | \quad S26 \\ \hline \end{array}$$

1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap

$$\begin{array}{c} T26N \quad R2E \\ \hline S22 \quad | \quad S23 \\ \hline S27 \quad | \quad S26 \\ \hline \end{array}$$

1916

Dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling.

Soil, dark, loose, gravelly loam, over limestone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush.

40.00

N. $89^{\circ} 58'$ E., on a random line, bet. secs. 23 and 26.

Set temp. $\frac{1}{4}$ sec. cor.

79.87

Intersect N. and S. line, 3 lks. N. of the cor. of secs. 23, 24, 25 and 26.

Thence

S. $89^{\circ} 59'$ W., on a true line, bet. secs. 23 and 26.

Over gently rolling land, through scattering timber and undergrowth.

39.93 $\frac{1}{2}$

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4}S23 \\ \hline S26 \\ \hline \end{array}$$

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

79.87

The cor. of secs. 22, 23, 26 and 27.

Land, gently rolling.

Soil, loose, dark, gravelly loam, over limestone formation.

Timber, pinion and juniper.

Undergrowth, sagebrush.

40.00

N. $0^{\circ} 1'$ W., bet. secs. 22 and 23.

Over gently rolling land, through scattering undergrowth.

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \frac{1}{4}S22 \quad | \quad S23 \\ \hline \end{array}$$

1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, marked on brass cap

Chains.

T26N R2E
 S15 | S14
 S22 | S23
 1916

From which
 A juniper, 12 ins. diam., brs. N.80° E., 231 lks. dist., marked T26N R2E S14 BT.
 A pinion, 10 ins. diam., brs. S.65° E., 230 lks. dist., marked T26N R2E S23 BT.
 A juniper, 8 ins diam., brs. S.27° W., 150 lks. dist., marked T26N R2E S22 BT.
 A juniper, 10 ins. diam., brs. N.40° W., 85 lks. dist., marked T26N R2E S15 BT.
 Land, gently rolling.
 Soil, loose, dark, rocky loam, over limestone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and squaworush.

40.00
79.88

N.89° 59' E., on a random line, bet. secs. 14 and 23.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence
 West on a true line, bet. secs. 14 and 23.
 Over gently rolling land, through scattering timber and undergrowth.

4.90
30.90
39.94

Draw, 2 chs. wide, course NW.
 Draw, 1 ch. wide, course N.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S14
 S23
 1916

79.88

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 The cor. of secs. 14, 15, 22 and 23.
 Land, gently rolling.
 Soil, loose, dark, rocky loam, over limestone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush.

27.72
40.00

N.0° 1' W., bet. secs. 14 and 15.
 Over gently rolling land, through scattering timber and undergrowth.
 Road, brs. NE. and SW.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S15 | S14
 1916

61.00
69.00
80.00

And raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Road, brs. NW. and SE.
 Dim road, brs. NE. and SW.
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap

T26N R2E
 S10 | S11
 S15 | S14
 1916

22.

Subdivision of T. 26 N., R. 2 E.

Chains.

From which
 A pinion, 9 ins. diam., brs. N.52° E., 277 lks. dist.,
 marked T26N R2E S11 BT.
 A juniper, 8 ins. diam., brs. S.85° E., 214 lks. dist.,
 marked T26N R2E S14 BT.
 A juniper, 10 ins. diam., brs. S.3° W., 338 lks. dist.,
 marked T26N R2E S15 BT.
 A pinion, 8 ins. diam., brs. N.16½° W., 217 lks. dist.,
 marked T26N R2E S10 BT.
 Land, gently rolling.
 Soil, loose, dark loam, and dark, red, clay loam, over
 limestone formation.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and squawbrush.

40.00 East on a random line, bet. secs. 11 and 14.
 79.87 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 9 lks. N. of the cor. of secs.
 11, 12, 13 and 14.
 Thence
 N.89° 56' W., on a true line, bet. secs. 11 and 14.
 Over gently rolling land, through scattering timber and
 undergrowth.
 39.93½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

¼ S11
 S14
 1916

79.87 From which
 A juniper, 12 ins. diam., brs. S.9° W., 63 lks. dist.,
 marked ¼ S14 BT.
 No other trees within limits. Dig pits, 18 X 18 X 12 ins.,
 E. and W. of post, 3 ft. dist.; and raise a mound of
 earth, 3½ ft. base, 1½ ft. high, N. of cor.
 The cor. of secs. 10, 11, 14 and 15.
 Land, gently rolling.
 Soil, loose, dark, red sandy loam, over limestone and sand-
 stone formations.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and squawbrush.

40.00 N.0° 1' W., bet. secs. 10 and 11.
 Over gently rolling land, through scattering timber and
 undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

¼ S10 | S11
 1916

80.00 From which
 A juniper, 12 ins. diam., brs. S.80° E., 73 lks. dist.,
 marked ¼ S11 BT.
 A juniper, 10 ins. diam., brs. N.54° W., 127 lks. dist.,
 marked ¼ S10 BT.
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 2, 3, 10 and 11, marked on
 brass cap

T26N R2E
 S 3 | S 2
 S10 | S11
 1916

chains.

From which
 A juniper, 20 ins. diam., brs. N.29° E., 187 lks. dist.,
 marked T26N R2E S2 BT.
 A juniper, 7 ins. diam., brs. S.23½° E., 170 lks. dist.,
 marked T26N R2E S11 BT.
 A juniper, 6 ins. diam., brs. S.42½° W., 92 lks. dist.,
 marked T26N R2E S10 BT.
 A juniper, 8 ins. diam., brs. N.16° W., 182 lks. dist.,
 marked T26N R2E S3 BT.
 Land, gently rolling.
 Soil, loose, red clayey loam, over sandstone formation.
 Timber, pinion, and juniper.
 Undergrowth, sagebrush and squawbrush.

40.00
79.83

S.89° 56' E., on a random line, bet. secs. 2 and 11.
 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 2 lks. S. of the cor. of secs. 1,
 2, 11 and 12.
 Thence
 N.89° 57' W., on a true line, bet. secs. 2 and 11.
 Over gently rolling land, through scattering timber and
 undergrowth.

39.91½

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

1S 2
 S11
 1916

79.83

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
 dist.; and raise a mound of earth, 3½ ft. base, 1½ ft.
 high, N. of cor.
 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, loose, yellow, gravelly clay and loam.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and short weeds.

40.00
80.06

N.0° 1' W., on a random line, bet. secs. 2 and 3.
 Set temp. ¼ sec. cor.
 Intersect N. bdy. of Tp., 23 lks. E. of the cor. of secs.
 2 and 3, which is an iron post, hereinbefore described.

40.06

Thence
 S.0° 11' E., on a true line, bet. secs. 2 and 3.
 Over gently rolling land, through scattering timber and
 undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

1S 3 | S 2
 1916

80.00

From which
 A juniper, 10 ins. diam., brs. N.83° E., 49 lks. dist.,
 marked 1S2 BT.
 A juniper, 10 ins. diam., brs. N.67° W., 19 lks. dist.,
 marked 1S3 BT.
 The cor. of secs. 2, 3, 10 and 11.
 Land, gently rolling.
 Soil, loose, yellow, sandy loam, over limestone and sand-
 stone formations.
 Timber, pinion and juniper.
 Undergrowth, sagebrush and squawbrush.

24.

Subdivision of T. 26 N., R. 2 E.


Chains.

17.50	From the cor. of secs. 33 and 34, on the S. bdy. of the T., which is an iron post, described in Book "E", N.0° 2' W., bet. secs. 33 and 34.
40.00	Over gently rolling land, through scattering undergrowth. Draw, course NW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4}S33 \quad \quad S34 \\ \hline 1916 \end{array}$
49.00	And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
80.00	Draw, course NW. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, marked on brass cap
	$\begin{array}{c} T26N \quad R2E \\ \hline S28 \quad \quad S27 \\ \hline S33 \quad \quad S34 \\ \hline 1916 \end{array}$
	Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, coarse texture, 26 ins. deep. No timber. Undergrowth, sagebrush 1 to 3 ft. high. Thin grass.
40.00	N.89° 53' E., on a random line, bet. secs. 27 and 34.
80.12	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 5 lks. N. of the cor. of secs. 26, 27, 34 and 35. Thence S.89° 55' W., on a true line, bet. secs. 27 and 34. Over rolling land, through scattering timber and undergrowth.
10.10	Asc. gradually to
17.30	Low ridge, brs. N. and S. Desc. slightly.
40.06	Road, brs. NW. to Grand Canyon and SE. to Williams. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{c} \frac{1}{4}S27 \\ \hline S34 \\ \hline 1916 \end{array}$
45.15	From which A pinion, 18 ins. diam., brs. N.20 $\frac{1}{4}$ ° E., 132 lks. dist., marked $\frac{1}{4}$ S27 BT.
55.10	No other trees within limits. Raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
80.12	Draw, 3 chs. wide, course NW. Leave scattering timber. The cor. of secs. 27, 28, 33 and 34. Land, rolling. Soil, coarse texture, 26 ins. deep. Timber, scattering cedar and pinion. Undergrowth, sagebrush 1 to 3 ft. high. Thin grass.


Subdivision of T. 26 N., R. 2 E.

Chains.

40.00 N.0° 2' W., bet. secs. 27 and 28.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
 ground, in a mound of stone, for 1/4 sec. cor., marked on
 brass cap



And raise a mound of stone, 3 ft. base, 3 ft. high, W.
 of cor.
 45.00 Rim of canyon, brs. NE. and SW. Desc. 30 ft. to
 49.45 Bottom of canyon, course NW. Asc. 25 ft. to
 51.14 Rim of canyon, brs. E. and W. Thence over gently rolling
 land.
 61.29 Road, brs. NW. and SE. Draw, course NW.
 70.00 Enter scattering timber.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
 stone, for cor. of secs. 21, 22, 27 and 28, marked on
 brass cap




From which
 A pinion, 14 ins. diam., brs. S.13 1/4° E., 152 lks. dist.,
 marked T26N R2E S27 BT.
 A cedar, 16 ins. diam., brs. S.26° W., 62 lks. dist.,
 marked T26N R2E S28 BT.
 A pinion, 18 ins. diam., brs. N.43° W., 188 lks. dist.,
 marked T26N R2E S21 BT.
 No other trees within limits. Raise a mound of stone, 3 ft.
 base, 3 ft. high, W. of cor.
 Land, rolling and gently rolling.
 Soil, coarse texture, 10 to 26 ins. deep.
 Timber, scattering cedar and pinion.
 Undergrowth, sagebrush and holly brush, 1 to 5 ft. high, and
 broom weed, 1 ft. high.
 Thin grass.

40.00 N.89° 55' E., on a random line, bet. secs. 22 and 27.
 Set temp. 1/4 sec. cor.
 80.22 Intersect N. and S. line, 7 lks. S. of the cor. of secs.
 22, 23, 26 and 27.

Thence
 S.89° 52' W., on a true line, bet. secs. 22 and 27.
 Over slightly rolling land, through scattering timber and
 undergrowth.

19.60 Road, brs. N. to Grand Canyon and S. to Williams.
 40.11 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



From which
 A pinion, 10 ins. diam., brs. N.15 1/2° E., 89 lks. dist.,
 marked 1/4S22 BT.
 A cedar, 12 ins. diam., brs. S.58 1/2° E., 55 lks. dist.,
 marked 1/4S27 BT.
 80.22 The cor. of secs. 21, 22, 27 and 28.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, scrub cedar and pinion.
 Undergrowth, sage and holly brush, 1 to 4 ft. high, and broom
 weed, 1 ft. high.

Chains.	Thin grass.
22.00 33.30 34.96 40.00	<p>N.0° 2' W., bet. secs. 21 and 22. Over gently rolling land, through scattering timber and undergrowth. Desc. 40 ft. Rim of canyon, brs. E. and W. Continue descent to Bottom of canyon, course E. Asc. 55 ft. to Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
	$\begin{array}{c} \frac{1}{4}S21 S22 \\ \hline 1916 \end{array}$
	<p>From which A pinion, 12 ins. diam., brs. N.20$\frac{1}{2}$° E., 83 lks. dist. marked $\frac{1}{4}$S22 BT. A pinion, 10 ins. diam., brs. N.53° W., 225 lks. dist. marked $\frac{1}{4}$S21 BT.</p>
80.00	<p>Thence over gently rolling land. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 15, 16, 21 and 22, marked on brass cap</p>
	$\begin{array}{c} T26N R2E \\ S16 S15 \\ \hline S21 S22 \\ \hline 1916 \end{array}$
	<p>From which A pinion, 10 ins. diam., brs. S.14° E., 66 lks. dist., marked T26N R2E S22 BT. No other trees within limits. Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. Land, rolling and gently rolling. Soil, coarse texture, 10 to 26 ins. deep. Timber, scrub cedar and pinion. Undergrowth, sagebrush, 1 to 3 ft. high. Thin grass.</p>
40.00	<p>N.89° 52' E., on a random line, bet. secs. 15 and 22. Set temp. $\frac{1}{4}$ sec. cor.</p>
80.20	<p>Intersect the corner of sections 14, 15, 22 and 23, 15, 22 and 23.</p>
	<p>Thence S.89° 52' W., on a true line, bet. secs. 15 and 22. Over gently rolling land, through scattering timber and undergrowth.</p>
10.70	<p>Draw, course NE.</p>
21.85	<p>From this point, Rio dam brs. N.2$\frac{1}{4}$° E.</p>
22.75	<p>Road, brs. N. and S.</p>
26.30	<p>Road, brs. NW. to Grand Canyon and SE. to Williams.</p>
40.10	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p>
	$\begin{array}{c} \frac{1}{4}S15 \\ \hline S22 \\ \hline 1916 \end{array}$
	<p>And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.</p>
55.45	<p>From this cor., Rio dam brs. N.23° E.</p>
61.25	<p>Rim of canyon, brs. NE. and SW. Desc. 125 ft. to Bottom of canyon, course N. Asc. 65 ft. to</p>


Subdivision of T. 26 N., R. 2 E.

Chains.

67.25 Rim rock of canyon, brs. NE. and SW. Continue ascent to
 70.20 Thence over gently rolling land.
 80.20 The cor. of secs. 15, 16, 21 and 22.
 Land, gently rolling, rolling and broken.
 Soil, coarse texture, 26 ins. deep.
 Timber, a few scattering scrub cedar and pinion trees.
 Undergrowth, sagebrush, 1 to 3 ft. high.
 Thin grass.


N.0° 2' W., bet. secs. 15 and 16.
 Over gently rolling land, through scattering timber and
 undergrowth.

18.70 Rim of canyon, brs. NW. and SE. Desc. 30 ft. to
 19.93 Bottom of canyon, course NW. Asc. 65 ft. to
 26.36 Rim of canyon, brs. NW. and SE. Thence over gently roll-
 ing land.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap



From which
 A pinion, 12 ins. diam., brs. N.58 1/2° E., 262 lks. dist.
 marked 1/4 S15 BT.
 A pinion, 10 ins. diam., brs. S.13° W., 310 lks. dist.
 marked 1/4 S16 BT.

76.10 Road, brs. NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 9, 10, 15 and 16, marked on
 brass cap



From which
 A pinion, 12 ins. diam., brs. N.70 1/2° E., 31 lks. dist.
 marked T26N R2E S10 BT.
 A cedar, 10 ins. diam., brs. S.21° E., 57 lks. dist.,
 marked T26N R2E S15 BT.
 A pinion, 10 ins. diam., brs. S.67 1/2° W., 147 lks. dist.,
 marked T26N R2E S16 BT.
 A pinion, 24 ins. diam., brs. N.50 1/2° W., 140 lks. dist.,
 marked T26N R2E S9 BT.
 Land, rolling and broken.
 Soil, coarse texture, 26 ins. deep.
 Timber, scrub cedar and pinion.
 Undergrowth, sagebrush and holly brush, 2 to 5 ft. high,
 and broom weed, 1 ft. high.
 Thin grass.

40.00 N.89° 52' E., on a random line, bet. secs. 10 and 15.
 Set temp. 1/4 sec. cor.
 80.32 Intersect N. and S. line, 8 lks. N. of the cor. of secs.
 10, 11, 14 and 15.

Thence
 S.89° 55' W., on a true line, bet. secs. 10 and 15.
 Over gently rolling land, through scattering timber and
 undergrowth.

23.90 Old road, brs. N. and S.
 26.30 Leave timber.
 40.16 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for 1/4 sec. cor., marked on brass cap

Chains.

$\frac{1}{4}$ S10
S15
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 42.70 Road, brs. NW. and SE.
- 57.40 Draw, course NW.
- 58.40 Road, brs. NW. to Grand Canyon and SE. to Williams.
- 60.30 Enter scattering timber.
- 60.95 Road, brs. NW. and SE.
- 76.30 Road, brs. NE. and SW.
- 80.32 The cor. of secs. 9, 10, 15 and 16.

Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, cedar and pinion.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Fair grass.

N.0° 2' W., bet. secs. 9 and 10.
Over gently rolling land, through scattering timber and undergrowth.

- 0.90 Wire fence, brs. E. and W.
- 21.80 Old road, brs. NW. and SE.
- 25.00 Wide draw, course W. Asc. 30 ft. to
- 39.98 Low ridge, brs. E. and W. Leave scattering timber. Desc. gradually.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 9 | S10
1916

Dig pits, 18 X 18 X 12 ins., W. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 65.73 Wire fence, brs. NW. and SE.
- 72.55 Road, brs. E. and "
- 73.75 Road, brs. NW. to Grand Canyon and SE to Williams.
- 79.00 Old road, brs. NW. and SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T26N R2E
S 4 | S 3
S 9 | S 10
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, scattering pinion and cedar.
Undergrowth, sagebrush 1 to 3 ft. high.
Thin grass.

- 40.00 N.89° 55' E., on a random line, bet. secs. 3 and 10. Set temp. $\frac{1}{4}$ sec. cor.
- 80.37 Intersect the corner of secs. 2, 3, 10 and 11. 2, 3, 10 and 11.

Thence
S.89° 55' W., on a true line, bet. secs. 3 and 10.
Over gently rolling land, through scattering timber and

Chains.

27.90 undergrowth.
 Road, brs. N. and S.
 33.35 Leave scattering timber.
 40.18 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 3
 S10
 1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
 80.37 The cor. of secs. 3, 4, 9 and 10.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, scattering cedar and pinion.
 Undergrowth, sagebrush and holly brush, 1 to 5 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00 N.0° 2' W., on a random line, bet. secs. 3 and 4.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.03 Intersect N. bdy. of Tp., 16 lks. W. of the cor. of secs. 3 and 4, which is an iron post, hereinbefore described.
 Thence
 S.0° 5' W., on a true line, bet. secs. 3 and 4.
 Over gently rolling land, through scattering timber and undergrowth.

39.35 Old road, brs. NE. and SW.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 4 | S 3
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 80.03 The cor. of secs. 3, 4, 9 and 10.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, a few scattering scrub cedar and pinion trees.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00 From the cor. of secs. 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "E", N.0° 3' W., bet. secs. 32 and 33.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 32 | S 33
 1916

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, marked on brass cap

30.

Subdivision of T. 26 N., R. 2 E.

Chains.

T26N R2E	
S29	S28
S32	S33
1916	

Dig pits, 18 X 18 X 12 ins., in each sec., 5 1/4 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, slightly rolling.
Soil, coarse texture, 26 ins. deep.
No timber.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Thin grass.

40.00 N.89° 53' E., on a random line, bet. secs. 28 and 33.
79.95 Set temp. 1/4 sec. cor.
Intersect N. and S. line, 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence
39.97 1/2 S.89° 52' W., on a true line, bet. secs. 28 and 33.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S28
S33
1916

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.

43.25 Old road, brs. NW. and SE.
46.75 Grand Canyon Branch of A.T. and S.F. Ry., brs. NW. and SE.
47.20 Telegraph line, brs. NW. and SE.
79.95 The cor. of secs. 28, 29, 32 and 33.
Land, gently rolling.
Soil, coarse texture, 26 ins. deep.
Timber, none.
Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.
Thin grass.

40.00 N.0° 3' W., bet. secs. 28 and 29.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S29	S28
1916	

Dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.

50.00 Enter scattering timber.
68.00 Leave scattering timber.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, marked on brass cap

T26N R2E	
S20	S21
S29	S28
1916	

Subdivision of T. 26 N., R. 2 E.

Chains.

Dig pits, 18 X 18 X 12 ins., in each sec., 5 $\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, a few scattering scrub cedar and pinion trees.
 Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high.

40.00
 79.81

 4.90
 8.50
 10.80
 15.65
 16.30
 17.80
 19.80
 21.20
 22.55
 22.95
 33.20
 39.90 $\frac{1}{2}$

N.89° 52' E., on a random line, bet. secs. 21 and 28.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect the corner of sections 21, 22, 27 and 28.
 Thence
 S.89° 52' W., on a true line, bet. secs. 21 and 28.
 Over rolling land, through scattering timber and undergrowth.
 Desc. 35 ft. to
 Canyon, course SW. Road in canyon, brs. NE. and SW. Asc. 15 ft. to
 Spur, extends 3 chs. NE. Desc. 35 ft. to
 Canyon, course SW. Asc. 60 ft.
 Wire fence, brs. NW. and SE. Continue ascent to
 Bank of canyon, brs. NE. and SW. Thence over gently rolling land.
 From this point, Valle dam brs. S. 1 ch. dist.
 Wire fence, brs. NE. and SW.
 Road, brs. NE. and SW.
 Cabin brs. S. 2 chs. dist.
 Road, brs. NW. and SE.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S21
 S28
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 Road, brs. NW. and SE.
 Grand Canyon Branch of A. T. and S. F. Ry., brs. N.5° W. and S. 5° E.
 Telegraph line, brs. NW. and SE.
 The cor. of secs. 20, 21, 28 and 29.
 Land, rolling, gently rolling and broken.
 Soil, coarse texture, 26 ins. deep.
 Timber, a few scattering cedar trees.
 Undergrowth, sagebrush 1 to 3 ft. high.
 Thin grass.

40.00

N.0° 3' W., bet. secs. 20 and 21.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S20 | S21
 1916

48.40
 49.25
 55.50
 80.00

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Telegraph line, brs. NW. and SE.
 Grand Canyon Branch of A. T. and S. F. Ry., brs. N.26 $\frac{1}{2}$ ° W. and S.26 $\frac{1}{2}$ ° E.
 Road, brs. NW. and SE.
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the

32.

Subdivision of T. 26 N., R. 2 E.

Chains.

ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap

T26N R2E	
S17	S16
<hr/>	
S20	S21
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, slightly rolling.
 Soil, coarse texture, 26 ins. deep.
 No timber.
 Undergrowth, sagebrush and holly brush, 3 to 5 ft. high, and broom weed, 1 ft. high.
 Thin grass.

40.00
79.90

N.89° 52' E., on a random line, bet. secs. 16 and 21.
 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 5 lks. N. of the cor. of secs. 15, 16, 21 and 22.

Thence

S.89° 54' W., on a true line, bet. secs. 16 and 21.
 Over gently rolling land, through scattering timber and undergrowth.

39.95

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S16
S21
<hr/>
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

79.90

The cor. of secs. 16, 17, 20 and 21.
 Land, gently rolling.
 Soil, coarse texture, 26 ins. deep.
 Timber, a few scattering scrub cedar trees.
 Undergrowth, sagebrush and holly brush, 2 to 5 ft. high.
 Thin grass.

40.00

N.0° 3' W., bet. secs. 16 and 17.
 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17	S16
<hr/>	
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, marked on brass cap

T26N R2E	
S 8	S 9
<hr/>	
S17	S16
1916	

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Grand Canyon Sheep Co. ranch house, brs. N. 31 $\frac{1}{2}$ ° W.
 Valle section house, N. 32 $\frac{1}{2}$ ° W. deep.
 Land, slightly rolling. Soil, coarse, 26 ins. deep.
 No timber. Undergrowth, sagebrush, 1 to 3 ft. high.
 Thin grass.

Subdivision of T. 26 N., R. 2 E.

Chains.

From this cor., Grand Canyon Sheep Co.'s ranch house brs.
Valle section house brs.

40.00 N.89° 54' E., on a random line, bet. secs. 9 and 16.
Set temp. $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
9, 10, 15 and 16.
Thence
S.89° 55' W., on a true line, bet. secs. 9 and 16.
Over rolling land, through scattering timber and undergrowth.
21.10 Gulch, 15 ft. deep, course SW.
31.30 Center of gulch, 3 chs. wide, 15 ft. deep, course NW.
39.95 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 9
S16
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N.
of cor.
61.90 Draw, course NE-
70.80 Road, brs. NW. and SE.
79.90 The cor. of secs. 8, 9, 16 and 17.
Land, rolling.
Soil, coarse texture, 26 ins. deep.
Timber, a few scattering cedar and pinion trees.
Undergrowth, scattering sagebrush and holly brush, 1 to 6
ft. high, and broom weed, 1 ft. high.
Thin grass.

7.50 N.0° 3' W., bet. secs. 8 and 9.
Over gently rolling land, through scattering undergrowth.
Road, brs. NW. and SE.
8.40 Wire fence, brs. NW. and SE.
22.30 Old road, brs. NW. and SE.
25.00 Rim of canyon, brs. NW. and SE. Desc. 45 ft. to
27.10 Bottom of canyon, course NW. Asc. 50 ft. to
32.85 N. bank of canyon, brs. NW. and SE. Thence over gently
rolling land.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 8 | S 9
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
70.40 Wire fence, brs. NE. and SW.
70.60 Road, brs. NE. and SW.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the
ground, in a mound of stone, for cor. of secs. 4, 5, 8
and 9, marked on brass cap

T26N R2E
S 5 | S 4
S 8 | S 9
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
of cor.
Grand Canyon Sheep Co. ranch house, brs. S. 43 $\frac{1}{2}$ ° W.
Valle section house brs. S. 152 $\frac{1}{2}$ ° W.
Land, rolling and gently rolling.
Soil, coarse texture, 26 ins. deep.

34.

Subdivision of T. 26 N., R. 2 E.

Chains.	
	<p>No timber. Undergrowth, sagebrush 1 to 3 ft. high. Thin grass. From this cor., Grand Canyon Sheep Co.'s Ranch, Twp. 26 N., R. 2 E., S. 42$\frac{1}{2}$° W. Valley section below cor. S. 52$\frac{1}{2}$° W.</p>
40.00	N. 89° 55' E., on a random line, bet. secs. 4 and 9.
79.80	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 2 lks. S. of the cor. of secs. 3, 4, 9 and 10. Thence
0.35	S. 89° 54' W., on a true line, bet. secs. 4 and 9.
2.90	Over gently rolling land, through scattering undergrowth. Road, brs. NW. to Grand Canyon and SE. to Williams.
31.50	Road, brs. NW. to Grand Canyon and SE. to Williams.
39.90	Old road, brs. NE. and SW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4}S\ 4 \\ \hline S\ 9 \\ 1916 \end{array}$
79.80	And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. The cor. of secs. 4, 5, 8 and 9. Land, gently rolling. Soil, coarse texture, 26 ins. deep. No timber. Undergrowth, sagebrush, 1 to 3 ft. high, and broom weed, 1 ft. high. Thin grass.
40.00	N. 0° 3' W., on a random line, bet. secs. 4 and 5.
79.96	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. bdy. of Twp., 10 lks. E. of the cor. of secs. 4 and 5, which is an iron post, hereinbefore described. Thence
26.65	S. 0° 7' E., on a true line, bet. secs. 4 and 5.
39.96	Over gently rolling land, through scattering undergrowth. Road, brs. NE. and SW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\begin{array}{r} \frac{1}{4}S\ 5 \quad \quad S\ 4 \\ \hline 1916 \end{array}$
79.96	And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. The cor. of secs. 4, 5, 8 and 9. Land, gently rolling. Soil, coarse texture, 26 ins. deep. Timber, none. Undergrowth, sagebrush 1 to 3 ft. high. Thin grass.
40.00	From the cor. of secs. 31 and 32, on the S. bdy. of the Twp., which is an iron post, described in Book "E", N. 0° 3' W., bet. secs. 31 and 32. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

Subdivision of T. 26 N., R. 2 E.

Chains.

80.00	<p>ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S31 S32 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, marked on brass cap</p> <p style="text-align: center;"> T26N R2E S30 S29 S31 S32 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.</p> <p>Land, rolling. Soil, loose, yellow, gravelly loam, over limestone formation. No timber. Undergrowth, sagebrush.</p>
40.00 80.01 40.00 $\frac{1}{2}$	<p>N.89° 53' E., on a random line, bet. secs. 29 and 32.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect the corner of sections 28, 29, 32 and 33. 29, 32</p> <p>Thence</p> <p>S.89° 53' W., on a true line, bet. ssecs. 29 and 32.</p> <p>Over gently rolling land, through scattering undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S29 S32 1916 </p> <p>Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p> <p>The cor. of secs. 29, 30, 31 and 32.</p> <p>Land, gently rolling. Soil, loose, yellow, clay and loam. No timber. Undergrowth, sagebrush.</p>
40.00 83.89 43.89 83.89	<p>S.89° 53' W., on a random line, bet. secs. 30 and 31.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect W. bdy. of Tp., 6 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, hereinbefore described.</p> <p>Thence</p> <p>N.89° 50' E., on a true line, bet. secs. 30 and 31.</p> <p>Over gently rolling land, through scattering undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;"> $\frac{1}{4}$S30 S31 1916 </p> <p>And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.</p> <p>The cor. of secs. 29, 30, 31 and 32.</p> <p>Land, gently rolling.</p>

36.

Subdivision of T. 26 N., R. 2 E.

Chains.	Soil, loose, gravelly clay and loam, over limestone formation. No timber. Undergrowth, sagebrush.
40.00	N.0° 3' W., bet. secs. 29 and 30. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\begin{array}{c} \frac{1}{4}S30 S29 \\ 1916 \end{array}$
80.00	And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, marked on brass cap $\begin{array}{c} T26N R2E \\ S19 S20 \\ \hline S30 S29 \\ 1916 \end{array}$
40.00	And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor. Land, gently rolling. Soil, loose, sandy, clay and loam, over limestone formation. No timber. Undergrowth, sagebrush and short weeds.
40.00	N.89° 53' E., on a random line, bet. secs. 20 and 29. Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 2 lks. N. of the cor. of secs. 20, 21, 28 and 29. Thence
40.00	S.89° 54' W., on a true line, bet. secs. 20 and 29. Over gently rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\begin{array}{c} \frac{1}{4}S20 \\ S29 \\ 1916 \end{array}$
80.00	And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor. The cor. of secs. 19, 20, 29 and 30. Land, gently rolling. Soil, loose, gravelly, yellow clay and loam, over limestone formation. No timber. Undergrowth, sagebrush.
40.00	S.89° 50' W., on a random line, bet. secs. 19 and 30. Set temp. $\frac{1}{4}$ sec. cor.
83.80	Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, hereinbefore described. Thence
22.80	N.89° 49' E., on a true line, bet. secs. 19 and 30. Over gently rolling land, through scattering undergrowth. Draw, 1 ch. wide, course NE.

Chains.

42.80
43.80

Draw, 1 ch. wide, course NW.
Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S19
S30
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

83.80

The cor. of secs. 19, 20, 29 and 30.
Land, gently rolling.
Soil, loose, yellow, sandy clay and loam, over limestone formation.
No timber.
Undergrowth, sagebrush, squawbrush and green weeds, 1 ft. high.

40.00

N.0° 3' W., bet. secs. 19 and 20.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S19 | S20
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

T26N | R2E
S18 | S17
S19 | S20
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
Land, gently rolling.
Soil, loose, yellow, gravelly clay and loam, over limestone formation.
No timber.
Undergrowth, sagebrush.

40.00

N.89° 54' E., on a random line, bet. secs. 17 and 20.
Set temp. $\frac{1}{4}$ sec. cor.

79.98

Intersect the corner of secs. 16, 17, 20 and 21., 17, 20 and 21.

Thence

S.89° 54' W., on a true line, bet. secs. 17 and 20.
Over gently rolling land, through scattering undergrowth.

8.45

Road, brs. NW. and SE.

9.06

Grand Canyon Branch of A. T. and S. F. Ry., brs. NW. and SE.

9.52

Telegraph line, brs. NW. and SE.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S17
S20
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

38.

Subdivision of T. 26 N., R. 2 E.

Chains.

79.98

The cor. of secs. 17, 18, 19 and 20.
Land, gently rolling.
Soil, yellow, gravelly, clay and loam, over limestone formation.
No timber.
Undergrowth, sagebrush.

40.00

S. 89° 49' W., on a random line, bet. secs. 18 and 19.
Set temp. 1/4 sec. cor.

83.79

Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, described hereinbefore.

Thence

N. 89° 48' E., on a true line, bet. secs. 18 and 19.
Over gently rolling land, through scattering undergrowth.
Road, brs. NE. and SW.

19.80

43.79

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S18
S19
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

83.79

The cor. of secs. 17, 18, 19 and 20.
Land, gently rolling.
Soil, loose, yellow, gravelly loam, over limestone formation.
No timber.
Undergrowth, sagebrush and squawbrush.

40.00

N. 0° 3' W., bet. secs. 17 and 18.
Over gently rolling land, through scattering timber and undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S18 | S17
1916

From which

A pinion, 14 ins. diam., brs. S. 66° E., 320 lks. dist., marked 1/4 S17 BT.

A pinion, 12 ins. diam., brs. N. 70° W., 30 lks. dist., marked 1/4 S18 BT.

79.80

80.00

Road, brs. NE. and SW.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, marked on brass cap

T26N R2E
S 7 | S 8
S18 | S17
1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.
Soil, loose, yellow, gravelly loam, over limestone formation.
Timber, pinion and juniper.
Undergrowth, sagebrush and squawbrush, and weeds 1 ft. high.

Chains.

N. 89° 54' E., on a random line, bet. secs. 8 and 17.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.92 Intersect N. and S. line, 8 lks. N. of the cor. of secs.
 8, 9, 16 and 17.
 Thence
 S. 89° 57' W., on a true line, bet. secs. 8 and 17.
 16.30 Over gently rolling land, through scattering undergrowth.
 Road, brs. NW. and SE.
 23.40 Grand Canyon Branch of A. T. and S. F. Ry., brs. NW. and
 SE.
 23.85 Telegraph line, brs. NW. and SE.
 39.96 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 8
 $\frac{1}{4}$ S 17
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N.
 of cor.
 79.70 Road, brs. NE. and SW.
 79.92 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, loose, yellow, gravelly clay and loam.
 No timber.
 Undergrowth, sagebrush.

S. 89° 48' W., on a random line, bet. secs. 7 and 18.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 83.74 Intersect W. bdy. of Tp., 3 lks. N. of the cor. of secs.
 7, 12, 13 and 18, which is an iron post, hereinbefore
 described.
 Thence
 N. 89° 47' E., on a true line, bet. secs. 7 and 18.
 43.74 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 7
 $\frac{1}{4}$ S 18
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, N.
 of cor.
 83.74 The cor. of secs. 7, 8, 17 and 18.
 Land, gently rolling.
 Soil, loose, yellow, gravelly clay and loam, over limestone
 formation.
 No timber.
 Undergrowth, sagebrush and squawbrush.

N. 0° 3' W., bet. secs. 7 and 8.
 40.00 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 7 | S 8
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
 of cor.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in the
 ground, for cor. of secs. 5, 6, 7 and 8, marked on
 brass cap

40.

Subdivision of T. 26 N., R. 2 E.

Chains.

T26N R2E
 $\frac{S 6}{S 7} | \frac{S 5}{S 8}$
 1916

And raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
 Land, gently rolling.
 Soil, loose, yellow, sandy clay and loam.
 No timber.
 Undergrowth, sagebrush.

40.00 N. 89° 57' E., on a random line, bet. secs. 5 and 8.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.96 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 4, 5, 8 and 9.
 Thence
 West on a true line, bet. secs. 5 and 8.
 30.60 Over gently rolling land, through scattering undergrowth.
 Road, brs. NW. and SE.
 37.85 Grand Canyon Branch of A. T. and S. F. Ry., brs. NW. and SE.
 38.25 Telegraph line, brs. NW. and SE.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4} S 5$
 $\frac{S 8}{S 8}$
 1916

45.95 And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 77.60 Gulch, 2 chs. wide, course NW.
 Road, brs. NW. and SE.
 79.96 The cor. of secs. 5, 6, 7 and 8.
 Land, gently rolling.
 Soil, loose, rocky loam, over limestone formation.
 No timber.
 Undergrowth, sagebrush and squawbrush.

40.00 S. 89° 47' W., on a random line, bet. secs. 6 and 7.
 Set temp. $\frac{1}{4}$ sec. cor.
 83.69 Intersect W. bdy. of Tp., 8 lks. N. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, hereinbefore described.
 Thence
 N. 89° 44' E., on a true line, bet. secs. 6 and 7.
 43.69 Over gently rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4} S 6$
 $\frac{S 7}{S 7}$
 1916

83.69 And raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
 From this cor., dam and reservoir br. N. 13° W., 38.50 chs. dist.
 The cor. of secs. 5, 6, 7 and 8.
 Land, gently rolling.
 Soil, loose, yellow rocky loam, over limestone formation.
 No timber.
 Undergrowth, sagebrush and squawbrush.

Chains.

40:00 N.0° 3' W., on a random line, bet. secs. 5 and 6.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.75 Intersect N. bdy. of Tp., 12 lks. E. of the cor. of secs.
 5 and 6, which is an iron post, hereinbefore described.
 Thence
 S.0° 8' E., on a true line, bet. secs. 5 and 6.
 22.40 Over gently rolling land, through scattering undergrowth.
 Grand Canyon Branch of A. T. and S. F. Ry., brs. NW. and
 SE.
 22.80 Telegraph line, brs. NW. and SE.
 35.75 Gulch, 1 ch. wide, course NW.
 39.75 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

1	S	6		S	5
			1916		

And raise a mound of stone, 3 ft. base, 3 ft. high, W.
 of cor.
 40.75 Gulch, 3 chs. wide, course NE.
 74.50 Road, brs. NW. and SE.
 79.75 The cor. of secs. 5, 6, 7 and 8.
 Land, gently rolling.
 Soil, loose, yellow, rocky loam, over limestone formation.
 No timber.
 Undergrowth, sagebrush and squawbrush.

General Description.

This township consists largely of gently rolling land, covered with a scattering growth of sagebrush and squawbrush, and cedar, juniper and pinion timber. The soil is a sandy clay and loam, coarse in texture, varying from 10 to 26 ins. in depth, underlaid by limestone.

The Grand Canyon Branch of the A. T. and S. F. Ry. runs through the township, in a northerly direction. Valle Station is near the center of section 8, where also is the ranch house of the Grand Canyon Sheep Co.

There are several dirt reservoirs in the township, which impound flood waters for stock. There are no settlers.

Diagram showing the respective surveys executed by Thomas B. Matthews, U.S.S., and Deane J. Wolff, U.S.T., under instructions for Group No. 55, Arizona.

Book "F"

Township 26 North, Range 2 East.

BOOK 3099

	6-21-16	6-21-16	6-21-16	6-21-16	6-21-16	6-21-16
6-20-16	6 6-26-16	5 6-26-16	4 6-26-16	3 6-26-16	2 6-23-16	1 6-23-16
6-20-16	7 6-26-16	8 6-26-16	9 6-26-16	10 6-24-16	11 6-23-16	12 6-22-16
6-20-16	18 6-26-16	17 6-24-16	16 6-24-16	15 6-23-16	14 6-22-16	13 6-22-16
6-20-16	19 6-24-16	20 6-24-16	21 6-24-16	22 6-23-16	23 6-22-16	24 6-22-16
6-20-16	30 6-24-16	29 6-24-16	28 6-24-16	27 6-23-16	26 6-22-16	25 6-21-16
6-20-16	31 6-15-16	32 6-15-16	33 6-15-16	34 6-15-16	35 6-15-16	36 6-15-16

Blue lines indicate surveys by Thomas B Matthews, U.S.S., on various dates shown.

Red lines indicate surveys by Deane J. Wolff, U.S.T., on various dates shown.

CERTIFICATES OF U. S. SURVEYOR AND U.S. TRANSITMAN.

BOOK 3099

We, Thomas B. Matthews and Deane J. Wolff, U.S. Surveyor and U.S. Transitman, respectively, hereby certify on honor that, in pursuance of special instructions received from the U.S. Surveyor General of Arizona for Group No. 55, Arizona, bearing date of the 8th day of March, 1915, we have well, faithfully, and truly, in our own proper persons, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the North, East and West boundaries, and the Subdivision lines of

TOWNSHIP 26 NORTH, RANGE 2 EAST.

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes, and by the diagram on the reverse hereof, as having been executed by us, and under our direction; and we do further certify on honor that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U.S. Surveyor General of Arizona for Group No. 55, and in the specific manner described in our respective field notes, and that the foregoing are the original field notes of such surveys.

Thomas B. Matthews U. S. Surveyor. Deane J. Wolff U. S. Transitman.

A P P R O V A L .

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona,

SEP 28 1918.

The foregoing field notes of the Survey of the North, East and West boundaries, and Subdivision lines of

TOWNSHIP 26 NORTH, RANGE 2 EAST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by Thomas B. Matthews, U. S. Surveyor, and Deane J. Wolff, U.S. Transitman, under special instructions, dated March 8, 1915, for Group 55, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank P. [Signature]
U.S. Surveyor General of Arizona.

~~I certify that the foregoing transcript of the field notes of the above-described surveys in Book "F," of Group 55, has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General of Arizona.~~