

3253

Book "L"

4-679

(Subdivisions)

BOOK 3253

25/

FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines

of

TOWNSHIP 29 NORTH, RANGE 17 WEST,

and

Part of the Subdivision Lines of

TOWNSHIP 30 NORTH, RANGE 17 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona.

EXECUTED BY

E. J. Lange, U.S. Surveyor (Ts. 29 and 30 N., R. 17 W.)

S. Frank Walters, U.S. Transitman, (Ts. 29 and 30 N., R. 17 W.)

~~In the capacity of U. S. Surveyor~~, under instructions dated January 7, 1915,
issued by the United States Surveyor General to govern surveys included in
Group No 45, which were approved by the Commissioner of the General Land
Office, January 26, 1915.

Survey commenced March 6, 1916

Survey completed May 1, 1916.

Executed under Assignment
Instructions dated Nov. 29, 1915 and Dec. 10, 1915.


3253

3253

Book "L"
(Subdivisions)

Group 45 - - - - - Arizona.

SEE SPECIAL INDEX DIAGRAM.



Book "L."

Group 45 - - - Arizona.

SPECIAL INDEX DIAGRAM.

PART II.

BOOK 3253

6	32	5	24	4	19	3	13	2	8	1
32		31		24		18		13		8
7	31	8	23	9	18	10	12	11	7	12
30		30		23		17		12		7
18	29	17	22	16	17	15	11	14	7	13
29		28		22		16		11		6
19	28	20	21	21	16	22	11	23	6	24
27		27		21		15		10		5
30	26	29	20	28	15	27	10	26	5	25
26		25		20		14		9		4
31	25	32	19	33	14	34	9	35	4	36
7th. Standard Parallel North										

- Subdivision lines surveyed under this group.
- Subdivision lines resurveyed under this group.
- Township boundaries surveyed under this group.
Notes in Book "A"
- Township bdrs. retraced or resurveyed under this group.
Notes in Book "A"
- Standard lines surveyed under this group.
Notes in Book "A."
- Accepted surveys.

Book "L"

Group 45 - - Arizona.

BOOK 3253

Ts. 29 and 30 N., R. 17 W.

DATE DIAGRAM.

Lines dated in green were executed by E. J. Lange, U. S. Surveyor.

Lines dated in red were executed by S. Frank Walters, U.S. Transitman.

				4-29-16	4-28-16	4-28-16
				10	11	12
				4-28-16	4-28-16	4-27-16
				15	14	13
				5-1-16	4-27-16	4-27-16
				<i>T. 30 N. R. 17 W.</i>		
				22	23	24
				4-27-16		4-26-16
				27	26	25
					4-26-16	
				31	32	33
				4-25-16	4-25-16	4-25-16
				34	35	36
				4-25-16	4-25-16	4-25-16
				6	5	4
				4-24-16	4-24-16	4-24-16
				3-29-16	4-24-16	4-22-16
				7	8	9
				4-24-16	4-24-16	4-22-16
				4-5-16	4-5-16	4-6-16
				18	17	16
				3-29-16	4-5-16	4-6-16
				<i>T. 29 N. R. 17 W.</i>		
				3-28-16	4-1-16	4-1-16
				15	14	13
				4-21-16	4-20-16	4-20-16
				19	20	21
				3-31-16	3-31-16	3-31-16
				22	23	24
				4-20-16	4-8-16	4-7-16
				30	29	28
				3-28-16	3-30-16	3-31-16
				27	26	25
				4-8-16	4-8-16	4-7-16
				31	32	33
				3-25-16	3-27-16	3-30-16
				4-8-16	3-6-16	4-7-16
				31	32	33
				3-25-16	3-27-16	3-30-16
				34	35	36
				3-6-16	3-6-16	3-6-16
				7th Standard Parallel North		

Subdivision of T. 29 N., R. 17 W.

Chains.

Survey executed by E. J. Lange, U.S. Surveyor, & S. Frank Walters, U.S. Transitman, on dates shown on diagram on page 3 hereof, using Young & Sons' light mountain transits Nos. 8532 & 8489, respectively, described in Book "A." In the following notes the initials "E. J. L." & "S. F. W." are inserted at the beginning and ending of those portions of the notes describing the surveys executed by E. J. Lange, U.S. Surveyor & S. Frank Walters, U.S. Transitman, respectively.

From the std. cor. of secs. 35 and 36 on the S. bdy. of the Tp., (7th. Std. Parallel N.) described in Book "A,"

N. 0° 1' W., bet. secs. 35 and 36.

Over level land, through scattering undergrowth.

10.00 Wash, course SW. Road in wash, brs. NE. to Paterson Ranch and SW. to Gold Basin.

30.80 Fence, brs. NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap

S35 1/4 | S36

1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

45.00 Fence, brs. E. and W.

52.00 Road, brs. NE. to Paterson Ranch, and SW. to Gold Basin.

53.00 From this point, Paterson Ranch brs. E. about 13 chs. dist.

64.20 Road, brs. NW. and SE. to Paterson Ranch.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap

T29N R17W
S26 | S25

S35 | S36
1916

dig pits, 18 X 18 X 12 ins., in each sec., 5 1/2 ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, level.

Soil, 2nd and 4th rate.

No timber.

Undergrowth, yucca, black brush, cat claw, greasewood and cacti.

Some bunch grass.

East on a random line, bet. secs. 25 and 36.

40.00 Set temp. 1/4 sec. cor.

79.68 Intersect E. bdy. of Tp., 5 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A."

Thence

N. 89° 58' W., on a true line, bet. secs. 25 and 36.

Over level land, through scattering undergrowth.

39.84 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, in a mound of stone, for 1/4 sec. cor., marked on brass cap

S25
1/4

S36
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,


Chains.

78.40
79.68

N. of cor.
Road, brs. N. and S.
The cor. of secs. 25, 26, 35 and 36.
Land, level.
Soil, 1st and 2nd rate.
No timber.
Undergrowth, yucca, black brush and cacti.
Some bunch grass.


9.10
40.00

N.0°1' W., bet. secs. 25 and 26.
Over level land, through scattering undergrowth.
Road, brs. NE. and SW. to Gold Basin.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs, 23, 24, 25 and 26, marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Land, level.
Soil, 1st and 2nd rate.
No timber.
Undergrowth, yucca, black brush and cacti.
Some bunch grass.

40.00
79.70

S.89° 58' E., on a random line, bet. secs. 24 and 25.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect E. bdy. of Tp., at the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A".
Thence

6.70
39.85

N.89° 58' W., on a true line, bet. secs. 24 and 25.
Over level land, through scattering undergrowth.
Road, brs. NE. and SW. to Gold Basin.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



75.20
79.70


dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
Road, brs. N. and S. to Gold Basin.
The cor. of secs. 23, 24, 25 and 26.
Land, level.
Soil, 1st and 2nd rate.

Subdivision of T. 29 N., R. 17 W.


Chains.

No timber.
Undergrowth, yucca, black brush and cacti
Some bunch grass.

20.00 N.0° 1' W., bet. secs. 23 and 24.
Over level land, through scattering undergrowth.
Road, brs. NW. and SE. to Gold Basin.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, W. of cor.
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 13, 14, 23 and 24, marked on
brass cap




dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.;
and raise a mound of earth, 4 ft. base, 2 ft. high,
W. of cor.

Land, level.
Soil, 1st and 2nd rate.
No timber.
Undergrowth, yucca, black brush and cacti.
Some bunch grass.

40.00 S.89° 58' E., on a random line, bet. secs. 13 and 24.
Set temp. $\frac{1}{4}$ sec. cor.
79.73 Intersect E. bdy. of Tp., 5 lks. N. of the cor. of secs.
13, 18, 19 and 24, which is an iron post, described in
Book "A."

39.86 $\frac{1}{2}$ Thence
N.89° 56' W., on a true line, bet. secs. 13 and 24.
Over level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




79.73 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor.


The cor. of secs. 13, 14, 23 and 24.
Land, level.
Soil, rocky; 2nd and 3rd rate.
No timber.
Undergrowth, yucca, black brush and cacti.

Chains.

40.00 N.0° 1' W., bet. secs. 13 and 14.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high, W. of cor.
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 11, 12, 13 and 14, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level.
 Soil, 1st, 2nd and 3rd rate.
 No timber.
 Undergrowth, yucca, black brush and cacti.


40.00 S.89° 56' E., on a random line, bet. secs. 12 and 13.
 79.76 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect E. bdy. of Tp., at the cor. of secs. 7, 12, 13
 and 18, which is an iron post, described in Book "UA."
 Thence

39.88 N.89° 56' W., on a true line, bet. secs. 12 and 13.
 Over level and rolling land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap



79.76 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 The cor. of secs. 11, 12, 13 and 14.
 Land, level and rolling.
 Soil, rocky; 2nd and 3rd rate.
 No timber.
 Undergrowth, yucca, cat claw, black brush and cacti.

40.00 N.0° 1' W., bet. secs. 11 and 12.
 Over level land, through scattering undergrowth.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

86.

Subdivision of T. 29 N., R. 17 W.

<p>Chains. 80.00</p>	<p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap</p> <div style="text-align: center;"> <p>T29N R17W S 2 S 1 ----- S11 S12 1916</p> </div> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, level. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, yucca and blackbrush</p>
<p>40.00 79.73 39.86½</p>	<p>S.89° 56' E., on a random line, bet. secs. 1 and 12. Set temp. ¼ sec. cor. Intersect E. bdy. of Tp. at the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A." Thence N.89° 56' W., on a true line, bet. secs. 1 and 12. Over rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <p>S 1 ¼ ----- S12 1916</p> </div> <p>and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor. 40.73 Enter wash, course NW. 49.73 Leave wash, course NW. 77.23 Wash, course NW. 79.73 The cor. of secs. 1, 2, 11 and 12. Land, level and rolling. Soil, 2nd and 3rd rate. No timber. Undergrowth, greasewood, yucca and cacti.</p>
<p>40.00 79.92 39.92</p>	<p>N.0° 1' W., on a random line, bet. secs. 1 and 2. Set temp. ¼ sec. cor. Intersect N. bdy. of Tp., 26 lks. E. of the cor. of secs. 1, 2, 35 and 36, which is an iron post, described in Book "A." Thence S.0° 12' E., on a true line, bet. secs. 1 and 2. Over rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <p>S2 ¼ S1 ----- 1916</p> </div> <p>dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. W. of cor. 54.90 Wash, course NW. 76.90 Wash, course NW. 79.92 The cor. of secs. 1, 2, 11 and 12.</p>


Subdivision of T. 29 N., R. 17 W.

Chains.

Land, rolling.
Soil, 2nd and 3rd rate.
No timber.
Undergrowth, yucca, greasewood, cat claw, black brush and cacti.


15.70
19.65
29.00
40.00

From the standard cor. of Secs. 34 and 35, on the S. bdy of the Tn. (7th Std. Parallel N.), described in Book "A,"
N.0° 1' W., bet. secs. 34 and 35.
Over rolling land, through scattering undergrowth.
Asc. 180 ft. to
Desc. 55 ft. to
Asc. 130 ft. to
Spur, slopes SE. Desc. 70 ft.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



55.00
56.00
80.00


and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Asc. 45 ft. to
Long spur, slopes NE. Desc. 55 ft. to
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.
Land, rolling.
Soil, 2nd and 4th rate.
No timber.
Undergrowth, yucca, black brush, cat claw, greasewood and cacti.
Some bunch grass.

40.00
80.12
8.20
40.06

East on a random line, bet. secs. 26 and 35.
Set temp. 1/4 sec. cor.
Intersect N. and S line, at the cor. of secs. 25, 26, 35 and 36,
Thence
West on a true line, bet. secs. 26 and 35.
Over rolling land, through scattering undergrowth.
Road, brs. NE. and SW. to Gold Basin.
Set and iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., marked on brass cap



dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3 1/2 ft. base, 1 1/2 ft. high, N. of cor.


chains.

55.10
80.12

Wash, course NW. Asc. to
The cor. of secs. 26, 27, 34 and 35.
Land, rolling.
Soil, 2nd and 4th rate.
No timber
Undergrowth, yucca, black brush, cat claw, greasewood and cacti.


40.00

N.0° 1' W., bet. secs. 26 and 27.
Over level land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.00

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked on brass cap



dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
Land, level.
Soil, rocky; 2nd and 3rd rate.
No timber.
Undergrowth, yucca, black brush and cacti.

40.00

East on a random line, bet. secs. 23 and 26.

80.10

Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 5 lks. N. of the cor. of secs. 23, 24, 25 and 26.

Thence

23.70

N.89° 58' W., on a true line, bet. secs. 23 and 26.

40.05

Over level land, through scattering undergrowth
Road, brs. NW. and SE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



80.10

and dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
The cor. of secs. 22, 23, 26 and 27.
Land, level.
Soil, 1st and 2nd rate.
No timber.
Undergrowth, yucca, black brush and cacti.

Subdivision of T. 29 N., R. 17 W.


Chains.

40.00	<p>N.0° 1' W., bet. secs. 22 and 23. Over rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S22 $\frac{1}{4}$ S23 1916</p> <p>dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 14, 15, 23 and 22, marked on brass cap</p> <p style="text-align: center;">T29N R17W S15 S14 —+— S22 S23 1916</p> <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, level. Soil, 1st and 2nd rate. No timber. Undergrowth, yucca, black brush and cacti.</p>
40.00 80.13	<p>S.89° 58' E., on a random line, bet. secs. 14 and 23. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 7 lks. S. of the cor. of secs. 13, 14, 23 and 24. Thence</p>
12.65 38.25 40.00 $\frac{1}{2}$	<p>S.89° 59' W., on a true line, bet. secs. 14 and 23. Over level land, through scattering undergrowth. Road, brs. E.20° W. and S. to Gold Basin. Road, brs. NW. and SE. to Gold Basin. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S14 $\frac{1}{4}$ —+— S23 1916</p> <p>dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
80.13	<p>The cor. of secs. 14, 15, 22 and 23. Land, level. Soil, 1st and 2nd rate. No timber. Undergrowth, black brush, yucca and cacti.</p>
40.00	<p>N.0° 1' W., bet. secs. 14 and 15. Over level land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S15 $\frac{1}{4}$ S14 1916</p> <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,</p>

Subdivision of T. 29 N., R. 17 W.

Chains.

66.90 W. of cor.
 Road, brs. NW. and SE. to Gold Basin.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, marked on brass cap




and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, level.
 Soil, 2nd and 3rd rate; rocky;
 No timber.
 Undergrowth, yucca, black brush and cacti.

40.00 N.89° 59' E., on a random line, bet. secs. 11 and 14.
 Set temp. ¼ sec. cor.
 80.11 Intersect N. and S. line, 11 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence
 S.89° 54' W., on a true line, bet. secs. 11 and 14.
 Over rolling land, through scattering undergrowth.
 Asc. 130 ft.

31.10 Road, brs. N. and S. to Gold Basin.
 40.05½ Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for ¼ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.

45.10 Top of asc.; desc. 40 ft. to
 50.10 Asc. 75 ft. to
 65.10 Desc. 55 ft. to
 70.10 Asc. 25 ft. to
 80.11 The cor. of secs. 10, 11, 14 and 15.

Land, rolling.
 Soil, 2nd and 3rd rate.
 No timber.
 Undergrowth, yucca, black brush and cacti.

15.00 N.0° 1' W., bet. secs. 10 and 11.
 Over rolling land, through scattering undergrowth.
 Wash, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, for ½ sec. cor., marked on brass cap




dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, marked on brass cap


Subdivision of T. 29 N., R. 17 W.

Chains.




dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.
 Land, rolling.
 Soil, rocky; 2nd and 3rd rate.
 No timber.
 Undergrowth, yucca, greasewood, black brush and cacti.

40.00 N.89° 54' E., on a random line, bet secs. 2 and 11.
 Set temp. ¼ sec. cor.
 80.13 Intersect N. and S. line, at the cor. of secs. 1, 2, 11 and 12.
 Thence
 S.89° 54' W., on a true line, bet. secs. 11 and 2
 Over rolling land, through scattering undergrowth.
 14.15 Wash, course N.
 23.40 Road, brs. N. and S. to Gold Basin.
 40.06½ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



50.13 dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.
 80.13 Wash, course N.
 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.
 Soil, rocky; 3rd rate.
 No timber.
 Undergrowth, greasewood, yucca and black brush.

40.00 N.0° 1' W., on a random line, bet. secs. 2 and 3.
 Set temp. ¼ sec. cor.
 79.98 Intersect N. bdy. of Tp., 2 lks. E. of the cor. of secs. 2, 3, 34 and 35, which is an iron post, described in Book "A,"
 Thence
 S.0° 2' E., on a true line, bet. secs. 2 and 3.
 Over rolling land, through scattering undergrowth.
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



47.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.
 57.75 Wash, course E.
 79.98 Wash, course NE.
 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.

14 Subdivision of T. 29 N., R. 17 W.


Chains.

Soil, rocky; 2nd and 3rd rate
No timber.
Undergrowth, greasewood, yucca, black brush and cacti.

From the standard cor. of secs. 33 and 34, on the S. bdy.
of the Tp. (7th. Standard Par. N.), described in Book
"A,"


N.0° 2' W., bet. secs. 33 and 34.
Over rolling land, through scattering undergrowth.

Asc. 75 ft. to
12.10 Desc, 40 ft. to
19.25 Asc. 465 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

59.50 Spur, slopes SW. Desc. 25 ft. to
68.95 Asc. 260 ft. to
75.00 Spur, slopes W. Thence along W. slope to
79.75 Spur, slopes W. Desc. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
ground, in a mound of stone, for cor. of secs. 27, 28,
33 and 34, marked on brass cap



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.


Land, rolling.
Soil, 2nd and 4th rate.
No timber.
Undergrowth, yucca, greasewood, sagebrush and cacti.

East on a random line, bet. secs. 27 and 34.

40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect N. and S. line, 9 lks. N. of the cor. of secs.
26, 27, 34 and 35.

Thence
N.89° 56' W., on a true line, bet. secs. 27 and 34.
Over rolling land, through scattering undergrowth.

Asc. 40 ft. to
7.00 Spur, slopes NE. Desc. to
15.00 Asc. 70 ft. to
25.00 Spur, slopes NE. Desc. to
30.00 Asc. 60 ft. to
35.00 Spur, slopes NE. Desc. to
40.04 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
brass cap



and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,

Subdivision of T. 29 N. R. 17 W.

Chains.	<p>N. of cor. Asc. 145 ft. to 64.00 Spur, slopes NE. Desc. 30 ft. to 69.70 Asc. 25 ft. to 72.00 Ridge, brs. N. and SE. Desc. 130 ft. to 79.50 Spur, slopes SW. Desc. to 80.08 The cor. of secs. 27, 28, 33 and 34. Land, rolling. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, yucca, black brush and cacti.</p>																					
5.00 11.00 21.00 24.55 27.55 29.50 37.00 40.00	<p>N.0° 2' W., bet. secs. 27 and 28. Over rolling and broken land, through scattering undergrowth. Desc. 35 ft. to Asc. 13 ft. to Spur, slopes SW. Asc. 165 ft. to Ridge, brs. N. and SE. Desc. 30 ft. to Asc. 15 ft. to Desc. 25 ft. to Asc. 35 ft. to Desc. to Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td>S28 $\frac{1}{4}$</td><td> </td><td>S27</td></tr> <tr><td colspan="3">1916</td></tr> </table> </div> <p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor. Asc. 25 ft. to 48.00 Spur, slopes E. Thence along E. slope. Desc. 120 ft. to 54.70 Asc. 30 ft. to 57.70 Desc. 30 ft. to 59.65 Asc. 35 ft. to 64.60 Desc. 25 ft. to 69.60 Asc. 35 ft. to 73.00 Spur, slopes NE. Desc. 70 ft. to 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, marked on brass cap</p> <div style="text-align: center;"> <table border="0"> <tr><td>T29N R17W</td><td colspan="2"></td></tr> <tr><td>S21</td><td> </td><td>S22</td></tr> <tr><td colspan="3">—</td></tr> <tr><td>S28</td><td> </td><td>S27</td></tr> <tr><td colspan="3">1916</td></tr> </table> </div> <p>and raise a mound of stone, 2 ft. base, 1$\frac{1}{2}$ ft. high, W. of cor. Land, rolling and broken. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, greasewood, yucca and blackbrush.</p>	S28 $\frac{1}{4}$		S27	1916			T29N R17W			S21		S22	—			S28		S27	1916		
S28 $\frac{1}{4}$		S27																				
1916																						
T29N R17W																						
S21		S22																				
—																						
S28		S27																				
1916																						
40.00 80.14	<p>S.89° 56' E., on a random line, bet. secs. 22 and 27. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 7 lks. S. of the cor. of secs. 22, 23, 26 and 27. Thence N.89° 59' W., on a true line, bet. secs. 22 and 27. Over rolling land, through scattering undergrowth. Asc. gradually.</p>																					
40.07	<p>Set an iron post, 3 ft. long, 1 in. diam., in a mound of</p>																					

Chains.

stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S22
 $\frac{1}{4}$

S27
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

Continue ascent to

64.00
80.14

Spur, slopes NE. Desc. to
The cor. of secs. 21, 22, 27 and 28.
Land, rolling and broken.
Soil, rocky; 3rd and 4th rate.
No timber.
Undergrowth, blackbrush, yucca and cacti.

N.0° 2' W., bet. secs. 21 and 22.
Over broken land, through scattering undergrowth.

5.00
13.00
19.75
22.65
35.00
37.10
40.00

Desc. 45 ft. to
Asc. 85 ft. to
Spur, slopes NE. Desc. 105 ft. to
Asc. 40 ft. to
Desc. 25 ft. to
Asc. 30 ft. to
Desc. 35 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S21 $\frac{1}{4}$ S22
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

43.00
45.00
50.00
54.80
60.00
64.60
77.00
80.00

Asc. 15 ft. to
Desc. 25 ft. to
Asc. 40 ft. to
Desc. 70 ft. to
Asc. 40 ft. to
Spur, slopes NE. Desc. 75 ft. to
Asc. 30 ft. to
Desc. 40 ft. to
Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
ground, for cor. of secs. 15, 16, 21 and 22, marked on
brass cap

T29N R17W
S16 | S15

S21 | S22
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, broken.
Soil, rocky; 3rd and 4th rate.
No timber.
Undergrowth, greasewood, yucca, blackbrush and cacti.

40.00
80.04

S.89° 59' E., on a random line, bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 7 lks. N. of the cor. of secs.
14, 15, 22 and 23.
Thence
N.89° 56' W., on a true line, bet. secs. 15 and 22.

Subdivision of T. 29 N., R. 17 W.

Chains.

30.00 Over rolling land, through scattering undergrowth.
 Asc. gradual slope, 50 ft. to
 40.02 Desc. 30 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S15
 $\frac{1}{4}$

S22
 1916

80.04 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 Asc. 100 ft. to
 The cor. of secs. 15, 16, 21 and 22.
 Land, broken.
 Soil, rocky; 2nd and 3rd rate.
 No timber.
 Undergrowth, yucca, blackbrush and cacti.

10.00 N.0° 2' W., bet. secs. 15 and 16.
 40.00 Over broken land, through scattering undergrowth.
 Asc. 30 ft. to
 Desc. 100 ft.
 Set an iron post, 3 ft. long, 1 in. diam., 7 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

S16 $\frac{1}{4}$ | S15
 1916

45.00 and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 53.00 Foot of descent; asc. 25 ft. to
 70.00 Desc. 35 ft. to
 80.00 Thence over gently rolling land.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 9, 10, 15 and 16, marked on
 brass cap

T29N R17W
 S 9 | S10
 S16 | S15
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, broken.
 Soil, rocky; 3rd and 4th rate.
 No timber.
 Undergrowth, yucca, black brush and cacti.

40.00 S.89° 56' E., on a random line, bet. secs. 10 and 15.
 80.05 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, at the cor. of secs. 10, 11, 14
 and 15.
 Thence
 N.89° 56' W., on a true line, bet. secs. 10 and 15.
 Over rolling land, through scattering undergrowth.
 Asc. 40 ft.
 2.90 Road, brs. N. and S. to Gold Basin.
 15.00 Desc. 40 ft. to
 24.90 Asc. 60 ft. to

18.

Subdivision of T. 29 N., R. 17 W.

Chains.

34.90
40.02½

Desc. 15 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap

S10
¼

S15
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, N. of cor.

80.05

Thence over gently rolling land.
The cor. of secs. 9, 10, 15 and 16.
Land, rolling and gently rolling.
Soil, rocky; 3rd and 4th rate.
No timber.

Undergrowth, greasewood, yucca, cat claw and blackbrush.

40.00

N.0° 2' W., bet. secs. 9 and 10.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap

S9 ¼ | S10
1916

dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.

43.00

Wash, course NE.

60.27

Road, brs. E. and W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, marked on brass cap

T29N R17W
S 4 | S 3
S 9 | S10
1916

and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, gently rolling.
Soil, rocky; 3rd and 4th rate.
No timber.

Undergrowth, yucca, greasewood, black brush and cacti.

40.00
79.98

S.89° 56' E., on a random line, bet. secs. 3 and 10.
Set temp. ¼ sec. cor.
Intersect N. and S. line, 19 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Thence
S.89° 56' W., on a true line, bet. secs. 3 and 10.
Over rolling land, through scattering undergrowth.

38.00

Road, brs. NW. and SE. to Gold Basin.

39.99


Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for ¼ sec. cor., marked on brass cap

S 3
¼
S10
1916

Chains.


49.00 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 79.98 N. of cor.
 Wash, course NE.
 The cor. of secs. 3, 4, 9 and 10.
 Land, rolling.
 Soil, rocky; 3rd rate.
 No timber.
 Undergrowth, yucca, greasewood, black brush and cacti.

40.00 N.0° 2' W., on a random line, bet. secs. 3 and 4.
 79.97 Set temp. ¼ sec. cor.
 Intersect N. bdy. of Tp., 4 lks. E. of the cor. of secs.
 3, 4, 33 and 34, which is an iron post, described in
 Book "A."
 Thence
 4.30 S.0° 4' E., on a true line, bet. secs. 3 and 4.
 39.97 Over level land, through scattering undergrowth.
 Road, brs. W. and SE. to Gold Basin.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap




53.47 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 79.97 W. of cor.
 Wash, course NE.
 The cor. of secs. 3, 4, 9 and 10
 Land, level.
 Soil, 3rd and 4th rate.
 No timber.
 Undergrowth, yucca, cat claw, greasewood, blackbrush and
 cacti.

27.50 From the standard cor. of secs. 32 and 33, on the S. bdy.
 39.00 of the Tp., (7th. Std. Parallel N.), described in Book
 40.00 "A,"
 N.0° 3' W., bet. secs. 32 and 33.
 Over rolling land, through scattering undergrowth.
 Enter road, brs. N. to Lost Basin and SSE. to Gold Basin.
 Leave road, brs. NNE and S.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap



55.00 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 70.00 W. of cor.
 Wash, course W.
 Wash, course W. Road brs. NW. to Lost Basin and SE. to
 Gold Basin.
 80.00 Set an iron post, 3 ft. long, 2 ins diam., 24 ins. in the
 ground, for cor. of secs. 28, 29, 32 and 33, marked on
 brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.

Chains.

W. of cor.
 Land, rolling.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, yucca, cat claw, greasewood and cacti.

40.00 East on a random line, bet. secs. 28 and 33.
 80.20 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 14 lks. S. of the cor. of secs.
 27, 28, 33 and 34.
 Thence
 S. $89^{\circ} 54'$ W., on a true line, bet. secs. 28 and 33.
 Over mountainous land, through scattering undergrowth.
 Desc. 170 ft. to
 7.50 Gulch, course SW. Asc. slightly to
 13.00 Spur, slopes SW. Desc. 230 ft. to
 24.05 Gulch course SW. Asc. slightly to
 30.00 Desc. 270 ft.
 40.10 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

S28
 $\frac{1}{4}$

S33
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 62.00 Wash, course SW. Asc. 15 ft. to
 72.65 Desc. 115 ft. to
 80.20 The cor. of secs. 28, 29, 32 and 33.
 Land, mountainous.
 Soil, 3rd and 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

N. $0^{\circ} 3'$ W., bet. secs. 28 and 29.
 Over rolling and broken land, through scattering under-
 growth.
 Asc. 90 ft. to
 24.95 Desc. to
 27.50 Wash, course SSW. Asc. 405 ft.
 28.50 Road, brs. N. 20° E. to Lost Basin and SW. to Gold Basin.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S29 $\frac{1}{4}$ S28
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 80.00 Contine ascent to
 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the
 ground, in a mound of stone, for cor. of secs. 20, 21,
 28 and 29, marked on brass cap

T29N R17W
 S20 S21
 S29 S28
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Subdivision of T. 29 N. R. 17 W

Chains.

Land, rolling and broken.
Soil, rocky; 3rd and 4th rate.
No timber.
Undergrowth, greasewood, black brush and cacti.

40.00 N. 89° 54' E., on a random line, bet. secs. 21 and 28.
Set temp. $\frac{1}{4}$ sec. cor.
80.10 Intersect N. and S. line, 14 lks. N. of the cor. of secs. 21, 22, 27 and 28.
Thence
West on a true line, bet. secs. 21 and 28.
Over broken land, through scattering undergrowth.
Asc. 120 ft. to
12.00 Spur, slopes NE. Desc. 35 ft. to
14.70 Asc. 45 ft. to
23.00 Ridge, brs. NW. and SE. Desc. 245 ft. to
37.00 Gulch, course SW. Ascend.
40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S21
 $\frac{1}{4}$

S28
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
42.50 Spur, slopes SW. Desc. 215 ft. to
64.60 Wash, course SW. Asc. 15 ft. to
66.55 Desc. 55 ft.
73.00 Road, brs. NE. to Lost Basin and S. to Gold Basin.
80.10 The cor. of secs. 20, 21, 28 and 29.
Land, broken.
Soil, rocky; 3rd and 4th rate.
No timber.
Undergrowth, yucca, greasewood, cat claw, black brush and cacti.

40.00 N. 0° 3' W., bet. secs. 20 and 21.
Over rolling land, through scattering undergrowth.
Desc. slightly to
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S20 $\frac{1}{4}$ | S21
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.


40.10 Road, brs. N. 20° W. to Lost Basin and S. 10° E. to Gold Basin.
60.00 Ascend 140 ft. to
62.50 Spur, slopes SW. Ascend 120 ft.
73.50 Wash, course SW.
73.75 Road, brs. NE. to Lost Basin and SW. to Gold Basin.
80.00 Set an iron post, 3 ft. long, 2 ins diam., 26 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, marked on brass cap

T29N R17W
S17 | S16
S20 | S21
1916

Chains.	<p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Land, rolling. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, greasewood, yucca, cat claw, black brush and cacti.</p>
40.00 80.15	<p>East on a random line, bet. secs. 16 and 21. Set temp. ¼ sec. cor. Intersect N. and S. line, 11 lks. S. of the cor. of secs. 15, 16, 21 and 22. Thence S. 89° 55' W., on a true line, bet. secs. 16 and 21. Over broken land, through scattering undergrowth. Asc. 125 ft. to</p>
18.00 24.00 39.50 40.07½	<p>Spur, slopes NE. Desc. 50 ft. to Gulch, course NE. Asc. 135 ft. to Ridge, brs. N. and S. Desc. 440 ft. Set an iron post, 3 ft. long, 1 in diam., 16 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap</p>
	<p>S16 ¼ ----- S21 1916</p>
68.00 70.40 80.15	<p>and raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor. Continue descent to Wash, course SW. Asc. slightly Road, brs. NE. to Lost Basin and SW. to Gold Basin. The cor. of secs. 16, 17, 20 and 21. Land, broken. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, greasewood, yucca, black brush and cacti.</p>
14.00 19.00 30.70 33.65 40.00	<p>N. 0° 3' W., bet. secs. 16 and 17. Over mountainous land, through scattering undergrowth. Asc. 325 ft. to Spur, slopes SW. Desc. 65 ft., along W. slope, to Asc. 150 ft. to Desc. 25 ft. to Asc. 245 ft. Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, in a mound of stone, for ¼ sec. cor., marked on brass cap</p>
	<p>s17 ¼ s16 1916</p>
40.80 53.00 56.00 59.85 69.85 80.00	<p>and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Desc. 35 ft. to Gulch, course SW. Asc. 45 ft. to Ridge, brs. NW. and SE. Desc. 30 ft. to Asc. 25 ft. to Desc. 15 ft. to Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, in a mound of stone, for cor. of secs. 8, 9, 16 and 17, marked on brass cap</p>

Subdivision of T. 29 N. R. 17 W.


Chains.



and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, yucca, black brush and cacti.

40.00
 80.12
 40.06

N.89° 55' E., on a random line, bet. secs. 9 and 16.
 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 2 lks. N. of the cor. of secs.
 9, 10, 15 and 16.
 Thence
 S.89° 56' W., on a true line, bet. secs. 9 and 16.
 Over broken land, through scattering undergrowth.
 Asc. 155 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap




68.00
 80.12

and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.
 Asc. 180 ft.
 Road, brs. NW. to Lost Basin and SE. to Gold Basin.
 The cor. of secs. 8, 9, 16 and 17.
 Land, broken.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, yucca, black brush and cacti.


15.00
 40.00

N.0° 3' W., bet. secs. 8 and 9.
 Over broken land, through scattering undergrowth.
 Asc. 65 ft. to
 Spur, slopes NE. Dess. 80 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
 ground, for ¼ sec. cor., marked on brass cap



80.00

and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Thence over rolling land.
 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 4, 5, 8 and 9, marked on brass
 cap



Chains.

and raise a mound of stone, 2 ft. base, 1½ ft. high,
W. of cor.
Land, broken and rolling.
Soil, rocky; 4th rate.
No timber.
Undergrowth, yucca, black brush and cacti.

40.00 N.89° 56' E., on a random line, bet. secs. 4 and 9.
Set temp. ¼ sec. cor.
80.17 Intersect N. and S. line, 2 lks. W. of the cor. of secs.
3, 4, 9 and 10.

Thence
S.89° 57' W., on a true line, bet. secs. 4 and 9.
Over broken land, through scattering undergrowth.
Desc. 25 ft. to
11.10 Wash, course NE. Asc. 175 ft.
40.08½ Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for ¼ sec. cor., marked on brass cap

S 4
¼

S 9
1916

and raise a mound of stone, 2 ft. base, 1½ ft. high,
N. of cor.
41.50 Spur, slopes NE. Desc. to
45.00 Asc. 60 ft. to
61.90 Desc. 25 ft. to
69.70 Asc. 90 ft. to
71.00 Spur, slopes SE. Desc. to
80.17 The cor. of secs. 4, 5, 8 and 9.
Land, broken.
Soil, rocky; 4th rate.
No timber.
Undergrowth, yucca, greasewood, cat claw, black brush and
cacti.

S.F.W.

E.J.L.

40.00 N.0° 3' W., on a random line, bet. secs. 4 and 5.
Set temp. ¼ sec. cor.
80.32 Intersect N. bdy. of Tp., 37 lks. W. of the cor. of secs.
4, 5, 32 and 33, which is an iron post, described in
Book "A."

Thence
S.0° 13' W., on a true line, bet. secs. 4 and 5.
Over mountainous and broken land, through scattering under-
growth.

0.32 Road, brs. E. and W. Asc. 365 ft. to
16.20 Spur, slopes W. Desc. 25 ft. to
18.20 Gulch, course S.70° W. Asc. 220 ft. to
27.75 Spur, slopes W. Desc. 30 ft. to
30.70 Asc. 155 ft. to
40.32 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for ¼ sec. cor., marked on brass cap

S5 ¼ | S4
1916

and raise a mound of stone, 2 ft. base, 1½ ft. high,
W. of cor.
Desc. 130 ft. to
45.65 Gulch, course S.70° W. Asc. 130 ft. to
48.15 Spur, slopes W. Desc. 100 ft. to

Subdivision of T. 29 N., R. 17 W.

Chains.

55.10
69.95

Gulch, course S.80° W. Asc. 360 ft. to Divide, brs. NE. and SW. Desc. to

80.32


The cor. of secs. 4, 5, 8 and 9. Land, mountainous and broken. Soil, rocky; 4th rate. No timber. Undergrowth, cacti.

E. J. L.

S.F.W. From the standard cor. of secs. 31 and 32, on the S. bdy. of the Tn., (7th. Std. Parallel N.) described in Book "A."

11.30
25.00
29.90
34.85
40.00


N.0° 3' W., bet. secs. 31 and 32. Over mountainous land, through scattering undergrowth. Asc. 255 ft. to Spur, slopes W. Desc. 145 ft. to Gulch, course W. Asc. 80 ft. to Desc. 115 ft. to Asc. 170 ft. Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for 1/4 sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

47.00
55.00
58.25
65.00
69.00
80.00

Desc. 95 ft. to Asc. 105 ft. to Spur, slopes W. Desc. 95 ft. to Enter wash, course W. Leave wash, course W. Asc. 220 ft. to Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 29, 30, 31 and 32, marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood, cat claw and cacti.

40.00
79.92

East on a random line, bet. secs. 29 and 32. Set temp. 1/2 sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence S.89° 58' W., on a true line, bet. secs. 29 and 32. Over rolling and broken land, through scattering undergrowth.

5.00
7.75
20.00
39.96

Enter wash, course W. Comes from N. Road, brs. N. and S. Leave wash, course SW Comes from E. Asc. 90 ft. Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, for 1/4 sec. cor., marked on brass cap

26.

Subdivision of T. 29 N., R. 17 W.

Chains.

S29

 $\frac{1}{4}$ S32
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

42.00 Spur, slopes S. Desc. 70 ft. to
44.80 Thence over rolling land to
55.00 Asc. 170 ft. to
67.00 Spur, slopes S. Desc. W. slope, 205 ft. to
78.65 Asc. 30 ft. to
79.92 The cor. of secs. 29, 30, 31 and 32.
Land, rolling and broken.
Soil, rocky; 4th rate.
No timber.
Undergrowth, yucca, greasewood and cacti.

40.00 West on a random line, bet. secs. 30 and 31.
Set temp. $\frac{1}{4}$ sec. cor.
79.80 Intersect W. bdy. of Tp., 5 lks. N. of the cor. of secs.
25, 30, 31 and 36, which is an iron post, described in
Book "A."
Thence
N. $89^{\circ} 58'$ E., on a true line, bet. secs. 30 and 31.
Over rolling land, through scattering undergrowth.
Asc. 225 ft. to
39.80 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S30
 $\frac{1}{4}$ S31
1916

dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.
dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor.

Thence over gently rolling land.
54.80 Enter wash, course NW.
58.80 Leave wash, course NW. Asc. 360 ft.
64.80 Leave rolling, ascend mountainous land.
79.80 The cor. of secs. 29, 30, 31 and 32.
Land, rolling and mountainous.
Soil, 2nd and 4th rate.
No timber.
Undergrowth, yucca, cat claw, greasewood and cacti.

N. $0^{\circ} 3'$ W., bet. secs. 29 and 30.
Over mountainous land, through scattering undergrowth.
Asc. 325 ft. to
11.00 Spur, slopes SW Desc. 40 ft. to
13.80 Asc. 105 ft. to
21.55 Spur, slopes W. Desc. 145 ft. to
28.00 Gulch, course W. Asc. 270 ft. to
37.50 Spur, slopes W. Desc. 245 ft.
40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap


S30 $\frac{1}{4}$ S29

1916

Chains.

and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.


46.00 Gulch, course W. Asc. 255 ft. to
 55.75 Spur, slopes W. Desc. 45 ft. to
 58.50 Asc. 240 ft. to
 65.60 Spur, slopes W. Desc. 195 ft. to
 71.90 Asc. 45 ft. to
 77.50 Spur, slopes NW. Desc. 40 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 19, 20, 29 and 30, marked on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

Land, mountainous.
 Soil, rocky; 4th rate
 No timber.
 Undergrowth, cacti.

40.00 N.89° 58' E., on a random line, bet. secs. 20 and 29.
 Set temp. ¼ sec. cor.
 79.86 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 20, 21, 28 and 29.
 Thence
 S.89° 52' W., on a true line, bet. secs. 20 and 29.
 Over mountainous land, through scattering undergrowth.
 Asc. 950 ft. to
 37.50 Ridge, brs. N. and S. Desc. 925 ft.
 39.93 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high, E. of cor.

68.50 Gulch, course W. Comes from SE.. Thence along N. side of gulch.
 70.00 Gulch, course N.80° W. Asc. 20 ft. to
 73.65 Desc.70 ft. to
 77.00 Asc. 15 ft. to
 79.86 The cor. of secs. 19, 20, 29 and 30.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.
 Some grass.

40.00 S.89° 58' W., on a random line, bet. secs. 19 and 30.
 Set temp. ¼ sec. cor.
 79.91 Intersect W. bdy. of Tp., 7 lks. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A."
 Thence
 S.89° 59' E., on a true line, bet. secs. 19 and 30.
 Over mountainous land, through scattering undergrowth.
 Asc. 645 ft., over gradual slope.
 39.91 Set an iron post, 3 ft. long, 1 in. diam., in a mound of

Chains.

stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S19
 $\frac{1}{4}$

S30
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 46.41 Continue ascent, over mountainous land.
- 57.91 Spur, slopes NW. Continue ascent.
- 67.05 Top of ascent; desc. to
- 71.40 Gulch, course NW. Asc. 215 ft. to
- 77.90 Spur, slopes NW. Desc. to
- 79.91 The cor. of secs. 19, 20, 29 and 30.

Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood, yucca and cacti.

N.0° 3' W., bet. secs. 19 and 20.
Over mountainous land, through scattering undergrowth.
Desc. 185 ft. to

- 4.15 Gulch, course NW. Asc. 430 ft. to
- 20.85 Spur, slopes W. Desc. 335 ft. to
- 31.00 Gulch, course W. Asc. 665 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of

stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S19 $\frac{1}{4}$ | S20
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- Continue ascent to
- 52.15 Spur, slopes W. Desc. 425 ft. to
- 66.40 Asc. 40 ft. to
- 71.35 Desc. 280 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of

stone, for cor. of secs. 17, 18, 19 and 20, marked on brass cap

T29N R17W
S18 | S17
S19 | S20
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood and cacti.

- 40.00 N.89° 52' E., on a random line, bet. secs. 17 and 20.
- 79.93 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect N. and S. line, 7 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence
S.89° 55' W., on a true line, bet. secs. 17 and 20.
Over mountainous land, through scattering undergrowth.
Asc. 210 ft. to

- 14.50 Thence along S. slope, descending 250 ft.

Chains.

19.00 Spur, slopes SW. Desc. NW. slope to
 34.00 Canyon, course SW. Asc. 50 ft.
 39.96½ Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
 ground, in a mound of stone, for ¼ sec. cor., marked on
 brass cap

S17
 ¼

S20
 1916

and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.

40.50 Spur, slopes SW. Desc. 180 ft. to
 54.70 Center of wash, 3 chs. wide, course NW. Asc. 245 ft. to
 79.20 Spur, slopes NW. Desc. 15 ft. to
 79.93 The cor. of secs. 17, 18, 19 and 20.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

40.00 N. 89° 59' W., on a random line, bet. secs. 18 and 19.
 Set temp. ¼ sec. cor.
 79.82 Intersect W. bdy. of Tp., 19 lks. S. of the cor. of secs.
 13, 18, 19 and 24, which is an iron post, described in
 Book "A."

Thence
 S. 89° 51' E., on a true line, bet. secs. 18 and 19.
 Over mountainous and rolling land, through scattering under-
 growth.
 Asc. 335 ft.

39.82 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap

S18
 ¼

S19
 1916

and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.

42.15 Spur, slopes SW. Desc. 115 ft. to
 50.80 Center of wash, 2 chs. wide, course SW. Asc. 470 ft. to
 79.82 The cor. of secs. 17, 18, 19 and 20.
 Land, mountainous and rolling.
 Soil, 2nd and 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

N. 0° 3' W., bet. secs. 17 and 18.
 Over mountainous land, through scattering undergrowth.
 Desc. 290 ft.

3.90 Spur, slopes NW. Continue descent to
 12.00 Wash, course W. Asc. 145 ft. to
 13.85 Ridge, brs. E. and W. Desc. 95 ft. to
 32.80 Ravine, course W. Asc. S. slope, 460 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for ¼ sec. cor., marked on brass cap

S18 ¼ | S17


1916

30.

Subdivision of T. 29 N., R. 17 W.


Chains.

52.80 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 77.00 W. of cor.
 80 00 Ridge, brs. E. and W. Desc. 550 ft. to
 Wash, course W. Asc. 20 ft. to
 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the
 ground, in a mound of stone, for cor. of secs. 7, 8, 17
 and 18, marked on brass cap



and raise a mound of stone, 2 ft. base, 1½ ft. high,
 W. of cor.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood and cacti.

40.00 N.89° 55' E., on a random line, bet. secs. 8 and 17.
 80.05 Set temp. ¼ sec. cor.
 Intersect N. and S. line, 19 lks. S. of the cor. of secs.
 8, 9, 16 and 17.
 Thence
 S.89° 47' W., on a true line, bet. secs. 8 and 17.
 Over mountainous land, through scattering undergrowth.
 Asc. 80 ft. to
 5.50 Ridge, brs. N. and S. Desc. 35 ft. to
 9.80 Asc. 80 ft. to
 16.00 Spur, slopes NW. Desc. 715 ft.
 40.02½ Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the
 ground, in a mound of stone, for ¼ sec. cor., marked on
 brass cap



48.50 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 51.45 N. of cor.
 60.00 Wash, course NW. Asc. 15 ft. to
 64.20 Spur, slopes NW. Desc. 135 ft. to
 80.05 Wash, course SW. Asc. to
 Desc. 330 ft. to
 The cor. of secs. 7, 8, 17 and 18.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

40.00 N.89° 51' W., on a random line, bet. secs. 7 and 18.
 79.66 Set temp. ¼ sec. cor.
 Intersect W. bdy. of Tp., 9 lks. S. of the cor. of secs.
 7, 12, 13 and 18, which is an iron post, described in
 Book "A."
 Thence
 S.89° 47' E., on a true line, bet. secs. 7 and 18.
 Over rolling and mountainous land, through scattering under-
 growth.
 Asc. 450 ft.
 39.66 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the

Chains.

ground, for 1/4 sec. cor., marked on brass cap

S 7
1/4

S18
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
N. of cor.

40.65 Enter wash, course NW. Comes from E. Continue ascent in wash.

73.65 Leave wash, course W. Comes from SE. Continue ascent to
79.66 The cor. of secs. 7, 8, 17 and 18.

Land, rolling and mountainous.

Soil, rocky; 3rd rate.

No timber.

Undergrowth, greasewood, yucca and cacti.

N.0° 3' W., bet. secs. 7 and 8.

Over mountainous land, through scattering undergrowth.

Asc. 130 ft. to

Desc. 45 ft. to

Asc. 60 ft. to

Desc. to

Wash, course SW. Asc. 215 ft.

11.45

14.65

23.60

29.50

40.00

Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for 1/4 sec. cor., marked on brass cap

S7 1/4 | S8
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor.

46.20 Spur, slopes W. Desc. 355 ft. to

69.00 Gulch, course W. Asc. 145 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, for cor. of secs. 5, 6, 7 and 8, marked on brass
cap

T29N R17W
S6 | S5
S7 | S8
1916

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high,
W. of cor.

Land, mountainous.

Soil, 2nd and 4th rate.

No timber.

Undergrowth, greasewood, yucca and cacti.

S F.W.

E.J.L.

N.89° 47' E., on a random line, bet. secs. 5 and 8.

Set temp. 1/4 sec. cor.

Intersect N. and S. line, 7 lks. N. of the cor. of secs.
4, 5, 8 and 9.

Thence

S.89° 50' W., on a true line, bet. secs. 5 and 8.

Over mountainous land, through scattering undergrowth.

Desc. 25 ft. to

Asc. 35 ft. to

Ridge, brs. N. and S. Desc. 190 ft. to

Gulch, course NW. Asc. 50 ft. to

Spur, slopes NW. Desc. 210 ft. to

40.00

79.87

1.05

7.75

16.55

18.95

32.

Subdivision of T. 29 N., R. 17 W.

Chains.

30.90

Asc. 25 ft. to

31.85

Spur, slopes NW. Desc. 430 ft.

39.93 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
$$\begin{array}{c} S 5 \\ \frac{1}{4} \\ \hline \end{array}$$

$$\begin{array}{c} S 8 \\ 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

45.85

Gulch, course SW. Asc. 55 ft. to

56.15

Desc. 80 ft. to

61.00

Asc. 50 ft. to

65.85

Spur, slopes S. Desc. 275 ft. to

74.85

Asc. 15 ft. to

77.85

Desc. 35 ft. to

79.87

The cor. of secs. 5, 6, 7 and 8.

Land, mountainous.

Soil, rocky; 4th rate.

No timber.

Undergrowth, yucca, and cacti.

E.J.L.

S.F.W.

N.89° 47' W., on a random line, bet. secs. 6 and 7.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

79.41

Intersect W. bdy. of Tp., 11 lks. N. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A".

Thence

S.89° 52' E., on a true line, bet. secs. 6 and 7.

Over mountainous and rolling land, through scattering undergrowth.

Asc. 600 ft.

39.41

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
$$\begin{array}{c} S 6 \\ \frac{1}{4} \\ \hline \end{array}$$

$$\begin{array}{c} S 7 \\ 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.

Continue ascent to

57.81

Spur, slopes NW. Desc. 90 ft. to

68.40

Gulch, course NW. Asc. 250 ft. to

79.41

The cor. of secs. 5, 6, 7 and 8.

Land, mountainous and rolling.

Soil, rocky; 3rd and 4th rate.

No timber.

Undergrowth, yucca, greasewood and cacti.

S.F.W.

E.J.L.

N.0° 3' W., on a random line, bet. secs. 5 and 6.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.43

Intersect N. bdy. of Tp., 7 lks. E. of the cor. of secs. 5, 6, 31 and 32, which is an iron post, described in Book "A".

Thence

S.0° 6' E., on a true line, bet. secs. 6 and 5.

Over mountainous land, through scattering undergrowth.

Chains.

15.95
29.45
38.35
40.43

Desc. 410 ft. to
Gulch, course W. Asc. 395 ft. to
Spur, slopes W. Desc. 265 ft. to
Gulch, course SW. Asc. 690 ft.
Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S6 $\frac{1}{4}$ | S5
1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high.
W. of cor.

59.95
80.43

Spur, slopes NW. Desc. 440 ft. to
The cor. of secs. 5, 6, 7 and 8.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, cacti.

E.J.L.

GENERAL DESCRIPTION.

This township consists of low, rolling land in the east
portion, and of very rough, mountainous land in the W.
portion.

The soil in the east portion is a coarse gravelly loam,
2nd and 3rd rate. In the west portion, it is a very rocky,
gravelly loam and sand.

There is no timber.

The undergrowth consists of yucca, cacti, sagebrush and
greasewood. There is a sparse to fair growth of grass.

In the north west $\frac{1}{4}$ of sec. 36, is a ranch house, with
developes spring, corrals and watering trough. This ranch
house is a part of the Duncan Cattle Co. Leo Hall resides
in this house.

In the middle western portion of the township lies the
Lost Basin Mining District, in which some development work
in gold and copper prospects is going forward.

Parts of Subdivision of Township 30 North, Range 17 West.

Chains.

Survey executed by E.J.Lange, U.S. Surveyor, and S. Frank Walters, U.S. Transitman, on dates shown on diagram on page 3 hereof, using Young and Sons' light mountain transits Nos. 8532 and 8489, respectively, described in Book "A."

In the following notes, the initials "E.J.L." and "S.F.W." are inserted at the beginning and ending of those portions of the notes describing the surveys executed by E.J.Lange, U.S. Surveyor and S. Frank Walters, U.S. Transitman, respectively.

S.F.W.

From the cor. of secs. 1, 2, 35 and 36, on the S bdy. of the Tp., which is an iron post, described in Book "A,"

N. 0° 1' W., bet. secs. 35 and 36.

Over rolling land, through scattering undergrowth.

Descend on spur, slopes N.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 35 $\frac{1}{4}$ S 36

1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

60.00 Leave spur, slopes N. 15° E. Descend 125 ft. to

80.00 Wash, course N. 15° E.

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, marked on brass cap,

T30N R17W
S 26 | S 25

S 35 | S 36

1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Land, rolling.

Soil, 2nd and 3rd rate.

No timber.

Undergrowth, greasewood, yucca, catclaw, black brush and cacti.

S.F.W.

E.J.L.

N. 89° 58' E., on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect E. bdy. of Tp., 5 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A."

Thence,

West, on a true line, bet. secs. 25 and 36.

Over rolling land, thru scattering undergrowth.

Ascend to

4.48 Spur, slopes NW. Descend 30 ft. to

10.95 Gulch, course NW. Ascend 90 ft. to

11.04 Spur, slopes N. Descend 120 ft. to

21.46 Enter wash, course N.

24.53 Leave wash, course N. Ascend 70 ft. to

36.45 Spur, slopes N. Descend 45 ft. to

40.02 Set an iron post, 3 ft. long, 1 in. in diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap,

S 25

$\frac{1}{4}$

S 36

1916

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.


Chains.

45.65 Asc. 40 ft. to
 52.82 Spur, slopes N.20° E. Desc. 90 ft. to
 59.84 Enter wash, course N.
 64.81 Leave wash, course N. Asc. 35 ft. to
 77.24 Spur, slopes N. 15° E. Desc. 40 ft. to
 80.04 Enter wash, course N.15° E.
 The cor. of secs. 25, 26, 35 and 36.
 Land, rolling.
 Soil, sandy, gravelly, stone loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

E.J.L.


S.F.W.

N.0° 1' W., bet. secs. 25 and 26.
 Over level land, through scattering undergrowth.
 Across wash, course N.15° E.
 2.00 Leave wash, course N.15° E.
 15.00 Enter wash, course NE.
 20 00 Leave wash, course NE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high, W. of cor.

64.00 Wash, course NE., 2 chs. wide.
 64.50 Road, brs. NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 23, 24, 25 and 26, marked on
 brass cap




dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.;
 and raise a mound of earth, 4 ft. base, 2 ft. high,
 W. of cor.

Land, level.
 Soil, rocky; 2nd and 3rd rate.
 No timber.
 Undergrowth, greasewood, yucca, cat claw and cacti.

40.00 East on a random line, bet. secs. 24 and 25.
 80.09 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect E. bdy. of Tp., at the cor. of secs. 24, 19, 25
 and 30, which is an iron post, described in Book "A,"

Thence
 West on a true line, bet. secs. 24 and 25.
 Over rolling land, through scattering undergrowth.
 Desc. 175 ft. to
 16.60 Wash, course N.
 27.60 Center of wash, 1 ch. wide, course N.
 35.10 Wash, course N.
 40.04 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap



36.

Partial Subdivision of T. 30 N., R. 17 W.

Chains.

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.
55.00 Desc. 80 ft. to
62.10 Enter wash, course N.20° E.
62.95 Road, brs. N.20° E. and SW.
65.10 Leave wash, course N.20° E.
80.09 The cor. of secs. 23, 24, 25 and 26.
Land, rolling.
Soil, rocky; 3rd and 4th rate.
No timber.
Undergrowth, greasewood, cat claw, black brush and cacti.

S.F.W.

E.J.L.
N.0° 1' W., bet. secs. 23 and 24.
Over rolling land, through scattering undergrowth.
Asc. 50 ft. to
11.00 Spur, slopes N.10° E. Desc. 40 ft. to
24.85 Draw, course N.20° E.
40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S23 $\frac{1}{4}$ | S24
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
55.00 Draw, course N.20° E. Asc. slightly to
65.00 Spur, slopes N.20° E. Desc. 45 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, for cor. of secs. 13, 14, 23 and 24, marked on
brass cap

T30N R17W
S14 | S13
S23 | S24
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.
Land, rolling.
Soil, rocky; 2nd rate.
No timber.
Undergrowth, greasewood, yucca and cacti.

E.J.L.

S.F.W.
East on a random line, bet. secs. 13 and 24.
40.00 Set temp. $\frac{1}{4}$ sec. cor.,
80.06 Intersect E. bdy. of Tp., 24 lks. N. of the cor. of secs.
13, 18, 19 and 24, which is an iron post, described in
Book "A."
Thence
N.89° 50' W., on a true line, bet. secs. 13 and 24.
Over broken land, through scattering undergrowth.
Desc. to
7.75 Enter wash, course NE.
12.50 Road, brs. NE. and SW.
18.00 Leave wash, course NE. Asc. 135 ft. to
23.45 Thence over rolling land.
40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S13
 $\frac{1}{4}$


S24
1916

Partial Subdivision of T. 30 N., R. 17 W.


Chains.

53.80 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.
 Asc. 140 ft. to
 59.75 Desc. 45 ft. to
 80.06 Thence over gently rolling land.
 The cor. of secs. 13, 14, 23 and 24.
 Land, rolling, gently rolling and broken.
 Soil, 3rd and 4th rate.
 No timber.
 Undergrowth, greasewood, cat claw, black brush and cacti.

38.00 N.0° 1' W., bet. secs. 13 and 14
 Over level land, through scattering undergrowth.
 Enter wash, course NNE.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for ¼ sec. cor., marked on brass cap




41.00 dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft.
 dist.; and raise a mound of earth, 3½ ft. base, 1½ ft.
 high, W. of cor.
 80.00 Leave wash, course NNE. Asc. gradually, 110 ft. to
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 11, 12, 13 and 14, marked on
 brass cap



dig pits, 18 X 18 X 12 ins., in each sec., 5½ ft. dist.;
 and raise a mound of earth, 4 ft. base, 2 ft. high,
 W. of cor.
 Land, level and rolling.
 Soil, rocky, 3rd and 4th rate.
 No timber.
 Undergrowth, greasewood, yucca, cat claw and cacti.

40.00 S.89° 50' E., on a random line, bet. secs. 12 and 13.
 Set temp. ¼ sec. cor.
 80.12 Intersect E. bdy. of Tp., 14 lks. S. of the cor. of secs.
 7, 12, 13 and 18, which is an iron post, described in
 Book "A."

Thence
 N.89° 56' W., on a true line, bet. secs. 12 and 13.
 Over rolling and broken land, through scattering under-
 growth.
 40.06 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
 ground, in a mound of stone, for ¼ sec. cor., marked
 on brass cap



50.10 and raise a mound of stone, 2 ft. base, 1½ ft. high,
 N. of cor.
 Desc. 95 ft. to
 53.10 Enter wash, course N.
 Leave wash, course N. Thence over rolling land.

38

Partial Subdivision of T. 30 N., R. 17 W.


Chains. 80.12	<p>The cor. of secs. 11, 12, 13 and 14. Land, rolling and broken. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood, yucca, black brush and cacti.</p> <p style="text-align: right;">S.F.W.</p>
2.20 39.95 40.00	<p>E.J.L. N.0° 1' W., bet. secs. 11 and 12. Over gently rolling land, through scattering undergrowth. Asc. slightly to Spur, slopes N.70° E. Desc. slightly. Draw, course NE. Asc. slightly Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S11 $\frac{1}{4}$ S12 1916</p> <p>dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p>
44.00 65.00 80.00	<p>Spur, slopes NE. Desc. to Draw, course NE. Asc. slightly to Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, marked on brass cap</p> <p style="text-align: center;">T30N R17W S2 S 1 —+— S11 S12 1916</p> <p>dig pits, 18 X 18 X 12 ins., in each sec., $5\frac{1}{2}$ ft. dist.; and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor. Land, gently rolling. Soil, 2nd rate; gravelly, sandy and rocky loam. No timber. Undergrowth, greasewood, yucca, and cacti.</p>
40.00 79.98	<p>S.89° 56' E., on a random line, bet. secs. 1 and 12. Set temp. $\frac{1}{4}$ sec. cor. Intersect E. bdy. of Tp., 40 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, described in Book "A."</p> <p>Thence S.89° 47' W., on a true line, bet. secs. 1 and 12. Over rolling land, through scattering undergrowth. Desc. to</p>
2.50 7.50 15.00 39.99	<p>Draw, course N.10° E. Asc. 80 ft. to Spur, slopes N.10° E. Desc. to Draw, course NE. Asc. 90 ft. to Spur, slopes N.20° E. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S 1 $\frac{1}{4}$ —+— S12 1916</p> <p>dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.</p>

Chains.


60.00 dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 79.98 high, N. of cor.
 Desc. slightly to
 Draw, course N.30° E. Asc. slightly to
 The cor. of secs. 1, 2, 11 and 12.
 Land, rolling.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

E.J.L.

17.30 S.F.W.
 34.98 From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of
 40.00 the Tp., which is an iron post, described in Book "A."
 N.0° 1' W., bet. secs. 34 and 35.
 Over level and gently rolling land, through scattering
 undergrowth.
 Wash, course N.25° E.
 Wash, course N.25° E.
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap




59.99 dig pits, 18 X 18 X 12 ins., N. and S. of po st, 3 ft.
 80.00 dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high, W. of cor.
 Wash, course N.30° E.
 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the
 ground, for cor. of secs. 26, 27, 34 and 35, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, level and gently rolling.
 Soil, sandy, gravelly loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca, and cacti.

40.00 N.89° 58' E., on a random line, bet. secs. 26 and 35.
 79.94 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line, 7 lks. S. of the cor. of secs.
 25, 26, 35 and 36.
 Thence
 S.89° 55' W., on a true line, bet. secs. 26 and 35.
 Over gently rolling land, through scattering undergrowth.
 Across wash, course N.15° E.
 Leave wash, course NE.
 Wash, course NE.
 Road, brs. N. to Grigg's Ferry and SE. to Paterson Ranch.
 39.35 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
 39.97 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,

Chains.


N. of cor.
 45.95 Wash, course NE.
 79.94 The cor. of secs. 26, 27, 34 and 35.
 Land, gently rolling.
 Soil, rocky, 2nd and 3rd rate.
 No timber.
 Undergrowth, greasewood, yucca, cat claw, black brush and cacti.

S.F.W.

E.J.L.
 N.0° 1' W., bet. secs. 26 and 27.
 Over gently rolling land, through scattering undergrowth.
 35.00 Wash, course N.60° E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 42.98 Wash, course N.60° E.
 60.00 Enter wash, course N.30° E.
 65.00 Leave wash, course N.30° E. Asc. to
 77.00 Spur, slopes N.60° E. Desc. 25 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 22, 23, 26 and 27, marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.
 Land, gently rolling.
 Soil, gravelly, sandy, rocky loam; 2nd rate.
 No timber.
 Undergrowth, yucca, greasewood and cacti.

N.89° 55' E., on a random line, bet. secs. 23 and 26.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Intersect N. and S. line, 7 lks. N. of the cor. of secs. 23, 24, 25 and 26.
 Thence
 S.89° 58' W., on a true line, bet. secs. 23 and 26.
 Over rolling land, through scattering undergrowth.
 Asc. 75 ft. to
 28.05 Spur, slopes N.20° E. Desc. slightly to
 35.00 Wash, course N.30° E. Asc. slightly
 40.02 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.
 45.00 Road, brs. N. to Grigg's Ferry and S. to Paterson Ranch.
 52.05 Spur, slopes NE. Desc. 25 ft. to

chains. 55.05 72.05 80.04	<p>Draw, course N.30° E. Asc. to Spur, slopes NE. Desc. to The cor. of secs. 22, 23, 26 and 27. Land, rolling. Soil, gravelly, sandy, rocky loam; 2nd rate. No timber. Undergrowth, greasewood, yucca and cacti.</p> <p style="text-align: right;">E.J.L.</p>
40.00 57.00 80.00	<p>S.F.W. N.0° 1' W., bet. secs. 22 and 23. Over rolling land, through scattering undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S22 $\frac{1}{4}$ S23 1916</p> <p>dig pits, 18 X 18 X 12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Wash, course E. Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, in a mound of stone, for cor. of secs. 14, 15, 22 and 23, marked on brass cap</p> <p style="text-align: center;">T30N R17W S15 S14 ----- S22 S23 1916</p> <p>and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Land, rolling. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, yucca, greasewood, black brush and cacti.</p>
40.00 79.97 14.95 39.98 $\frac{1}{2}$	<p>N.89° 58' E., on a random line, bet. secs. 14 and 23. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 4 lks. S. of the cor. of secs. 13, 14, 23 and 24. Thence S.89° 56' W., on a true line, bet. secs. 14 and 23. Over rolling land, through scattering undergrowth. Wash, course N. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap</p> <p style="text-align: center;">S14 $\frac{1}{4}$ ----- S23 1916</p> <p>dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
48.95 54.45 79.97	<p>Center of wash, 1 ch. wide, course N. Road, brs. N. to Grigg's Ferry and S. to Paterson Ranch. The cor. of secs. 14, 15, 22 and 23. Land, rolling. Soil, rocky; 3rd and 4th rate. No timber. Undergrowth, greasewood, yucca, cat claw and cacti.</p> <p style="text-align: right;">S.F.W.</p>

42 Partial Subdivision of T. 30 N., R. 17 W.

Chains. E. J. L.
 N. 0° 1' W., bet. secs. 14 and 15.
 Over gently rolling land, through scattering undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 in. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S15 $\frac{1}{4}$ | S14
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

70.00 Asc. to
 75.00 Low spur, slopes NE. Desc. to
 80.00 Draw, course NE.
 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, for cor. of secs. 10, 11, 14 and 15, marked on brass cap

T30N R17W
 S10 | S11
 ————
 S15 | S14
 1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, gently rolling.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

40.00 N. 89° 56' E., on a random line, bet. secs. 11 and 14.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.80 Intersect N. and S. line, 4 lks. N. of the cor. of secs. 11, 12, 13 and 14.
 Thence
 S. 89° 58' W., on a true line, bet. secs. 11 and 14.
 Over rolling land, through scattering undergrowth.
 Asc. 45 ft. to
 7.30 Spur, slopes N. Desc. 30 ft. to
 9.80 Thence over gently rolling land.
 24.80 Draw, course N. 20° E.
 39.90 Set an iron post, 3' ft. long, 1 in. diam., 18 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

S11
 $\frac{1}{4}$
 ————
 S14
 1916


dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Asc. 25 ft. to
 45.80 Spur, slopes N. 10° E. Desc. 30 ft. to
 54.80 Draw, course N. 20° E. Road, brs. N. to Grigg's Ferry and S. to Paterson Ranch. Asc. 50 ft. to
 64.80 Spur, slopes NE. Desc. 25 ft. to
 69.80 Draw, course N. 20° E. Asc. 25 ft. to
 74.80 Spur, slopes NE. Desc. to
 79.80 The cor. of secs. 11, 12, 13 and 14.
 Land, rolling.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

Partial Subdivision of T. 30 N., R. 17 W.

Chains.


N.0° 1' W., bet. secs. 10 and 11.
 Over rolling and broken land, through scattering undergrowth.
 Desc. 40 ft. to
 Asc. 40 ft. to
 Spur, slopes N.70° E. Desc. to
 Draw, course N.80° E. Asc. 35 ft. to
 Desc. 40 ft. to
 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Thence over level land.


46.20 Draw, course NW. Asc. slightly to
 55.70 Spur, slopes N.80° W. Desc. 235 ft. to
 70.55 Asc. 20 ft. to
 72.84 Spur, slopes NW. Road on spur, brs. NW. to Grigg's Ferry
 and SE. to Paterson Ranch. Desc. 190 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
 stone, for cor. of secs. 2, 3, 10 and 11, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Land, rolling and broken.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber
 Undergrowth, greasewood, yucca and cacti.

40.00 N.89° 58' E., on a random line, bet. secs. 2 and 11.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.70 Intersect N. and S. line, 30 lks. S. of the cor. of secs.
 1, 2, 11 and 12.
 Thence
 S.89° 45' W., on a true line, bet. secs. 2 and 11.
 Over rolling land, through scattering undergrowth.
 Asc. 190 ft.
 39.85 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the
 ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on
 brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

Continue ascent to
 52.00 Spur, slopes NE. Desc. 20 ft. to
 55.00 Draw, course NE. Asc. 25 ft. to
 60.00 Spur, slopes NE. Desc. 325 ft. to
 75.00 Draw, course NW. Asc. slightly to
 79.70 The cor. of secs. 2, 3, 10 and 11.
 Land, rolling.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca, and cacti.


Partial Subdivision of T. 30 N., R. 17 W.

Chains.

From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is an iron post, described in Book "A," N.0° 2' W., bet. secs. 33 and 34.
 Over rolling land, through scattering undergrowth.
 Wash, course E.
 37.92 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 40.00 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Asc. 30 ft. to
 45.00 Spur, slopes E. Thence over rolling land.
 74.80 Wash, course E. Asc. 40 ft. to
 77.75 Spur, slopes E. Desc. 25 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 27, 28, 33 and 34, marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, rolling.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca, cat claw and cacti.

40.00 N.89° 58' E., on a random line, bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect N. and S. line, 17 lks. N. of the cor. of secs. 26, 27, 34 and 35.
 Thence
 N.89° 55' W., on a true line, bet. secs. 27 and 34.
 Over rolling land, through scattering undergrowth.
 Desc. to
 4.95 Wash, course NE. Asc. gradually.
 39.97 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 Continue gradual ascent to
 67.05 Spur, slopes N.20° E. Desc. 20 ft. to
 70.00 Gulch, course N.20° E. Asc. 75 ft. to
 79.94 The cor. of secs. 27, 28, 33 and 34.
 Land, rolling.
 Soil, gravelly, sandy and rocky loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

Partial Subdivision of T. 30 N., R. 17 W.


Chains.

N.0° 2' W., bet. secs. 27 and 28.
 Over broken land, through scattering undergrowth.
 Desc. 45 ft. to
 3.00 Gulch, course E. Asc. 30 ft. to
 7.00 Spur, slopes N.80° E. Desc. 50 ft. to
 14.00 Gulch, course N.80° E. Asc. 80 ft. to
 19.75 Spur, slopes N.70° E. Desc. 105 ft. to
 26.55 Gulch, course N.60° E. Asc. 50 ft. to
 35.55 Spur, slopes N.70° E. Desc. 70 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.


50.00 Gulch, course S.80° E. Asc. 40 ft. to
 53.40 Spur, slopes S.80° E. Desc. 65 ft. to
 64.70 Gulch, course S.80° E. Asc. 75 ft. to
 77.45 Spur, slopes NE. Desc. 75 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
 stone, for cor. of secs. 21, 22, 27 and 28, marked on
 brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

Land, broken.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

40.00 S.89° 55' E., on a random line, bet. secs. 22 and 27.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.93 Intersect N. and S. line, 9 lks. N. of the cor. of secs.
 22, 23, 26 and 27.
 Thence
 N.89° 51' W., on a true line, bet. secs. 22 and 27.
 Over rolling land, through scattering undergrowth.
 Asc. 70 ft. to
 34.93 Desc. to
 36.43 Gulch, course N.35° E. Asc. 170 ft.
 39.96 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., in a mound of
 stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

76.95 Continue ascent to
 79.93 Ridge, brs. N.20° E. and S.20° W. Desc. 50 ft. to
 The cor. of secs. 21, 22, 27 and 28.
 Land, rolling.
 Soil, gravelly, rocky, sandy loam; 2nd rate.
 No timber.
 Undergrowth, greasewood, yucca, cat claw and cacti.

E.J.L.

146

Partial Subdivision of T. 30 N., R. 17 W.


Chains.	
	S. F. W. N. 0° 2' W., bet. secs. 21 and 22. Over broken and mountainous land, through scattering undergrowth.
15.00	Desc. 135 ft. to
18.00	Asc. 40 ft. to
24.55	Desc. 75 ft. to
26.95	Asc. 40 ft. to
40.00	Desc. 175 ft. to
	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
42.50	Asc. 30 ft. to
44.95	Desc. 15 ft. to
50.75	Asc. 75 ft. to
54.70	Desc. 45 ft. to
70.00	Asc. 130 ft. to
80.00	Spur, slopes NW. Desc. 220 ft. to
	Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 15, 16, 21 and 22, marked on brass cap
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, broken and mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood, yucca, cat claw and cacti.
40.00	S. $89^{\circ} 51'$ E., on a random line, bet. secs. 15 and 22.
80.10	Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 16 lks. S. of the cor. of secs. 14, 15, 22 and 23, Thence
	N. $89^{\circ} 58'$ W., on a true line, bet. secs. 15 and 22.
21.97	Over rolling land, through scattering undergrowth.
32.00	Wash, course N. Asc. slightly
40.05	Low spur, slopes NE. Desc. gradually.
	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
46.00	Wash, course N. 70° E. Asc. 65 ft. to
61.94	Ridge, brs. N. and S. Desc. 270 ft. to
73.05	Wash, course NW. Asc. 50 ft. to
76.74	Point of spur, slopes NW. Desc. 80 ft. to
80.10	The cor. of secs. 15, 16, 21 and 22. Land, rolling. Soil, sandy and rocky; 4th rate. No timber.

Chains.

Undergrowth, greasewood, yucca, cat claw and cacti.


N.0° 2' W., bet. secs. 15 and 16.
Over mountainous land, through scattering undergrowth.
Desc. 235 ft.

- 2.00 Head of gulch, course NE. Continue descent to
- 18.00 Same gulch, course W. Asc. 315 ft. to
- 31.50 Spur, slopes NW. Desc. 500 ft.
- 40.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 52.00 Gulch, course W. Asc. 145 ft. to
- 64.30 Desc. 190 ft. to
- 74.00 Gulch, course W. Asc. 25 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 9, 10, 15 and 16, marked on brass cap




and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood and cacti.

- 40.00 S.89° 58' E., on a random line, bet. secs. 10 and 15.
- 80.03 Set temp. $\frac{1}{4}$ sec. cor.
- Intersect N. and S. line, 9 lks. S. of the cor. of secs. 10, 11, 14 and 15.

Thence
S.89° 58' W., on a true line, bet. secs. 10 and 15.
Over rolling land, through scattering undergrowth.

- Asc. slightly to
- 35.95 Ridge, brs. N. and S. Desc. 125 ft.
- 40.01 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 43.05 Head of gulch, course SW. Desc. 300 ft. to
 - 66.00 Same gulch, course N.80° W. Asc. 50 ft. to
 - 67.50 Desc. 195 ft. to
 - 77.00 Same gulch, course SW. Asc. to
 - 80.03 The cor. of secs. 9, 10, 15 and 16.
- Land, rolling and mountainous.
Soil, rocky; 4th rate.
No timber.

48.

Partial Subdivision of T. 30 N., R. 17 W.

Chains.

Undergrowth, greasewood, and cacti.

N.0° 2' W., bet. secs. 9 and 10.
Over mountainous land, through scattering undergrowth.
Asc. 65 ft. to
4.00 Desc. to
7.50 Wash, course W. Asc. 130 ft. to
21.07 Ridge, brs. NE. and SW. Desc. 65 ft. to
24.25 Gulch, course W. Asc. 385 ft. to
35.74 Spur, slopes S. Asc. on spur. to
40.00 Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} \text{S } 9 \frac{1}{4} \text{ | S10} \\ \hline 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Asc. 135 ft to
54.80 Desc. 105 ft., along E. slope of spur, slopes N., to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, for cor. of secs. 3, 4, 9 and 10; marked on brass
cap

$$\begin{array}{c} \text{T30N R17W} \\ \text{S } 4 \text{ | S } 3 \\ \hline \text{S } 9 \text{ | S10} \\ \hline 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, mountainous.

Soil, rocky; 4th rate.

No timber.

Undergrowth, greasewood, and cacti.

40.00 N.89° 58' E., on a random line, bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.
80.06 Intersect N. and S. line, 9 lks. N. of the cor. of secs.
2, 3, 10 and 11.
Thence
N.89° 58' W., on a true line, bet. secs. 3 and 10.
Over mountainous land, through scattering undergrowth.
Asc. 20 ft. to
9.50 Spur, slopes NW. Road on spur, brs. NW. to Grigg's Ferry
and SE. to Paterson Ranch. Desc. 440 ft. to
22.05 Gulch, course NW. Asc. to
22.25 Desc. 175 ft.
40.03 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the
ground, 16 ins. in a mound of stone, for $\frac{1}{4}$ sec. cor.,
marked on brass cap

$$\begin{array}{c} \text{S } 3 \\ \hline \frac{1}{4} \end{array}$$

$$\begin{array}{c} \text{S10} \\ \hline 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

41.50 Wash, course NW. Asc. 55 ft. to
50.40 Desc. 70 ft. to
66.55 Wash, course N. Asc. 435 ft. to


Chains.
80.06

The cor. of secs. 3, 4, 9 and 10.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood, yucca, cat claw and cacti.

S.F.W.


E.J.L.
From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, described in Book "A", N.0° 3' W., bet. secs. 32 and 33.
Over mountainous land, through scattering undergrowth.

8.25 Asc. 120 ft. to
14.65 Spur, slopes NW. Desc. 85 ft. to
24.35 Asc. 135 ft. to
35.10 Desc. 245 ft. to
40.00 Gulch, course W. Road in gulch, brs. E. and W. Asc. 275 ft.
Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

43.45 Spur, slopes W. Desc. 105 ft. to
49.50 Asc. 60 ft. to
53.20 Spur, slopes W. Desc. 360 ft. to
73.30 Gulch, course NW. Asc. 120 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 28, 29, 32 and 33, marked on brass cap




and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood and cacti.

40.00 N.89° 58' E., on a random line, bet. secs. 28 and 33.
80.06 Set temp. $\frac{1}{4}$ sec. cor.
Intersect N. and S. line, 14 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence
N.89° 56' W., on a true line, bet. secs. 28 and 33.
Over mountainous land, through scattering undergrowth.

10.00 Asc. 70 ft. to
16.94 Spur, slopes S.70° E. Desc. to
29.63 Gulch, course S.70° E. Asc. 180 ft. to
32.56 Divide, brs. N.30° E. and S.30° W. Desc. 40 ft. to
40.03 Gulch, course N. Asc. 215 ft.
Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



50.

Partial Subdivision of T. 30 N., R. 17 W.

Chains.

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 42.60 Spur, slopes N. Desc. 690 ft. to
 61.95 Gulch, course SW. Asc. 90 ft. to
 66.70 Spur, slopes SW. Desc. 285 ft. to
 80.06 The cor. of secs. 28, 29, 32 and 33.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood, yucca and cacti.

N.0° 3' W., bet. secs. 28 and 29.
 Over mountainous land, through scattering undergrowth.
 Asc. 15 ft. to
 1.20 Spur, slopes NW. Desc. 145 ft. to
 7.25 Gulch, course W. Asc. 125 ft. to
 11.75 Desc. 55 ft. to
 14.15 Asc. 75 ft. to
 19.15 Spur, slopes W. Desc. 260 ft. to
 28.05 Asc. 55 ft. to
 31.95 Spur, slopes NW. Desc. 105 ft. to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\begin{array}{c} S29 \frac{1}{4} \quad | \quad S28 \\ \hline 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Thence along W. slope.
 41.00 Spur, slopes NW. Desc. 70 ft. to
 44.85 Asc. 100 ft. to
 49.00 Spur, slopes NW. Desc. NE. slope, 295 ft. to
 57.00 Enter wash, course W.
 59.00 Leave wash, course W. Asc. 110 ft. to
 66.85 Desc. 145 ft. to
 73.00 Gulch, course W. Asc. 205 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of stone, for cor. of secs. 20, 21, 28 and 29, marked on brass cap

$$\begin{array}{c} T30N \quad R17W \\ S20 \quad | \quad S21 \\ \hline S29 \quad | \quad S28 \\ 1916 \end{array}$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Land, mountainous.
 Soil, rocky; 4th rate.
 No timber.
 Undergrowth, greasewood and cacti.

s.89° 56' E., on a random line, bet. secs. 21 and 28.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.58 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 21, 22, 27 and 28.
 Thence
 s.89° 58' W., on a true line, bet. secs. 21 and 28,
 Over mountainous land, through scattering undergrowth.
 Asc. 125 ft. to
 11.85 Spur, slopes N.10° W. Desc. 245 ft. to
 28.00 Gulch, course NW. Asc. 80 ft. to
 30.75 Spur, slopes NW. Desc. 235 ft.
 39.79 Set an iron post, 3 ft. long, 1 in. diam., in a mound of

Chains.

stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S21
 $\frac{1}{4}$

S28
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

- 46.30 Asc. 55 ft. to
- 51.20 Desc. 95 ft. to
- 56.00 Asc. 40 ft. to
- 62.95 Spur, slopes SW. Desc. 345 ft. to
- 74.55 Asc. along S. slope to
- 77.55 Spur, slopes SW. Desc. 60 ft. to
- 79.58 The cor. of secs. 20, 21, 28 and 29.

Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood and cacti.

From the cor. of secs. 5, 6, 31 and 32, on the S.bdy. of
the Tp., which is an iron post, described in Book "A,"
N.0° 3' W., bet. secs. 31 and 32.

- 9.10 Desc. 245 ft. to
- 13.50 Asc. 65 ft. to
- 22.50 Spur, slopes NW. Desc. 345 ft. to
- 30.00 Wash, course NW. Asc. to
- 31.50 Desc. to
- 33.50 Enter wash, course W.
- 37.50 Leave wash, course W. Asc. 40 ft. to
- 40.00 Spur, slopes NW. Desc. 155 ft.
- Set an iron post, 3 ft. long, 1 in. diam., in a mound of
stone, for $\frac{1}{4}$ sec. cor., marked on brass cap

S31 $\frac{1}{4}$ S32
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

- 59.85 Asc. 90 ft. to
- 76.60 Road, brs. W. and SE. Desc. to
- 79.00 Wash, course NW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., in a mound of
stone, for cor. of secs. 29, 30, 31 and 32, marked on
brass cap

T30N R17W
S30 | S29
S31 | S32
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

From this cor., U. S. M. M. No. 1, Lost Basin Mining
District, which is a post, 2 X 4 ins., set in a mound,
of stone, 8 ft. base, 10 ft. high, marked U. S. M. M.
1, brs. S.40° 29' E., 30.41 chs. dist. From this
mineral monument, a rock in place, 3 X 8 X 4 ft. above
ground, chiseled on E. face U. S. M. M. 1, with arrow
pointing W., brs. E. 14 lks. dist.
Land, mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood, yucca and cacti.

52.


Partial Subdivision of T. 30 N., R. 17 W.

Chains.	N.89° 58' E., on a random line, bet. secs. 29 and 32. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 11 lks. S. of the cor. of secs. 28, 29, 32 and 33. Thence S.89° 53' W., on a trueline, bet. secs. 29 and 32. Over mountainous land, through scattering undergrowth. Desc. 270 ft. to Gulch, course NW. Asc. 110 ft. to Spur, slopes NW. Desc. 130 ft. to Asc. 100 ft. to Spur, slopes N. Desc. 490 ft. Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
40.00	
79.74	
9.05	
15.25	
23.55	
32.25	
39.87	
	S29 $\frac{1}{4}$ ----- S32 1916
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Continue descent.
53.00	Road, brs. N. and SW.
69.40	Road, brs. NW. and SE.
79.74	The cor. of secs. 29, 30, 31 and 32. Land, broken and mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood and cacti.
40.00	S.89° 58' W., on a random line, bet. secs. 30 and 31. Set temp. $\frac{1}{4}$ sec. cor.
79.76	Intersect W. bdy. of Tp., 26 lks. N. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, described in Book "A."
	Thence N.89° 47' E., on a true line, bet. secs. 30 and 31. Over broken land, through scattering undergrowth. Desc. 70 ft. to Enter Hualpai Wash, course N. Road, brs. N. to Grigg's Ferry and S. to Kingman. Leave wash, asc. 70 ft. to Thence over gently rolling land. Road, brs. NE. and S. Asc. 275 ft. Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
2.25	
6.95	
10.05	
13.10	
20.75	
39.76	
	S30 $\frac{1}{4}$ ----- S31 1916
	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
56.00	Road, brs. N.10° W. and SE.
69.75	Top of ascent. Desc. to
78.75	Wash, course NW. Asc. to
79.76	The cor. of secs. 29, 30, 31 and 32. Land, broken and gently rolling. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood and cacti.

Chains.


N.0° 3' W., bet. secs. 29 and 30.
Over rolling and mountainous land, through scattering undergrowth.

- 16.55 Desc. gradually, 85 ft.
- 16.55 Road, brs. NW. and SE.
- 25.25 Enter wash, course NW.
- 27.25 Leave wash, course NW. Asc. to
- 33.00 Desc. 105 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

- 45.00 Wash, course W. Asc. 10 ft. to
- 51.80 Desc. 150 ft. to
- 61.15 Asc. 10 ft. to
- 65.65 Desc. 85 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, in a mound of stone, for cor. of secs. 19, 20, 29 and 30, marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling and mountainous.
Soil, rocky; 4th rate.
No timber.
Undergrowth, greasewood and cacti.


- 40.00 N.89° 53' E., on a random line, bet. secs. 20 and 29.
- 80.14 Set temp. $\frac{1}{4}$ sec. cor.
- 80.14 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence
S.89° 51' W., on a true line, bet. secs. 20 and 29.
Over mountainous land, through scattering undergrowth.

- 14.50 Desc. 370 ft. to
- 14.50 Enter wash, course NW.
- 17.50 Leave wash, course NW. Asc. 80 ft. to
- 22.14 Spur, slopes NW.

From this point, Grigg's ranch on the Colorado River brs. N. about 7 miles dist.
Desc: 370 ft. t

- 40.07 Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 44.85 Asc. 50 ft. to
- 47.25 Desc. 35 ft. to
- 60.00 Enter wash, course NW.
- 65.00 Leave wash, course NW. Asc. 50 ft. to

54 Partial Subdivision of T. 30 N., R. 17 W.

Chains. 80.14	The cor. of secs. 19, 20, 29 and 30. Land, mountainous. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood, and cacti.
40.00 89.52	S.89° 47' W., on a random line, bet. secs. 19 and 30. Set temp. $\frac{1}{4}$ sec. cor. Intersect W. bdy. of Tp., 9 lks. S. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, described in Book "A."
19.80 26.80 31.20 34.75 39.52	Thence N.89° 51' E., on a truelline, bet. secs. 19 and 30. Over broken land, through scattering undergrowth. Desc. 275 ft. to Ravine, course SE. Asc. 35 ft. to Desc. 140 ft. to Enter Hualpai Wash, course NE. Road, brs. NE. to Grigg's Ferry and SW. to Kingman. Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap
	S19 $\frac{1}{4}$
	S30 1916
42.40 53.65 61.50 79.52	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. Leave Hualpai Wash, course N. Asc. 50 ft. to Desc. 15 ft. to Wash, course NW. Asc. 120 ft. to The cor. of secs. 19, 20, 29 and 30. Land, broken. Soil, rocky; 4th rate. No timber. Undergrowth, greasewood and cacti.
	E.J.L.

GENERAL DESCRIPTION.

This township situated in the northwestern part of the State of Arizona, just south of the Virgin Canyon of the Colorado river, is mostly mountainous and rolling, and the portion subdivided as described in the foregoing notes contains the only land of value, the unsurveyed portion being mountainous and worthless for agricultural purposes. Some small areas of level land are located in the eastern part. The soil is gravelly, sandy and rocky loam, 2nd and 3rd rate, over the greater part of the surveyed portion, and rocky, 4th rate over the remainder, and the unsurveyed portion. There is no timber, and the undergrowth consisting of greasewood, yucca and cacti is scattering over all parts. There is no permanent running water. The W. half of the Tp. is drained by the Hualpai Wash, course northerly. The E. half drains northeasterly into Grapevine wash, course N. thru. the western part of the adjoining Tp. on the E. Valuable mineral exists in the Tp., a patented mining claim being located in sec. 32. No settlers or improvements were observed. Several roads traverse the Tp.

CERTIFICATE OF UNITED STATES ~~SURVEYOR~~ ^{TRANSITMAN}

BOOK 2253

I, S. Frank Walters, U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for Group 45, Arizona,

bearing date of the 7th day of January, 1915, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the

Subdivision lines of

TOWNSHIP 29 NORTH, RANGE 17 WEST, and

TOWNSHIP 30 NORTH, RANGE 17 WEST,

of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented by

the diagrams on page 3 hereof and in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of

said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for Group 45, Arizona,

and in the specific manner described in the field notes, and that the foregoing are the original field notes of

such survey.

S. Frank Walters
U. S. Surveyor
Transitman

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

....., 191

The foregoing field notes of the survey of

executed by

under his special instructions dated, 191 , having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in

....., has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

BOOK 3253

CERTIFICATE OF UNITED STATES SURVEYOR.

I, E. J. Lange, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General for Group 45, Arizona, bearing date of the 7th day of January, 1915, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the Subdivision lines of

TOWNSHIP 29 NORTH, RANGE 17 WEST, and

TOWNSHIP 30 NORTH, RANGE 17 WEST,

of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented by the diagrams on page 3 hereof and in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General for Group 45, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

E. J. Lange

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

Phoenix, Arizona, March 17, 1919

The foregoing field notes of the survey of the Subdivision lines of

TOWNSHIP 29 NORTH, RANGE 17 WEST, and

Part of the Subdivision lines of

TOWNSHIP 30 NORTH, RANGE 17 WEST,

of the Gila and Salt River Base and Meridian, in the State of Arizona, executed by E. J. Lange, U. S. Surveyor, and S. Frank Walters, U. S. Transitman, under the special instructions dated Jan. 7, 1915, for Group 45, Arizona, 1915, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

S. Frank Walters

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above described surveys in has been correctly copied from the original notes on file in this office.