

# FIELD NOTES

OF THE SURVEY OF THE

West Boundary,

The East Boundary,

The North Boundary and

The Subdivision of

T.35 N., R.10 W.

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

William B. Kimmel

and

Dupree R. Averill

In the capacity of U. S. Surveyors, under Special Instructions dated October 12, 1916, issued by the United States Surveyor General to govern surveys included in Group No. 72, Arizona, which were approved by the Commissioner of the General Land Office, October 24, 1916, and Assignment Instructions dated April 3, 1917

Survey commenced June 22, 1917

Survey completed November 22, 1917

3622

3622

1A


3622

Book "G"

Group 72 - Arizona

BOOK 3622

INDEX DIAGRAM.



T.35N. R.10W.

————— Lines surveyed under this group.

----- Unsurveyed.

Book "G"  
Group 72 - Arizona

DATE DIAGRAM.

T.35 N., R.10 W.

	6-28-17	6-28-17	6-28-17	6-28-17	8-2-17	8-2-17
6-27-17	6	5	4	3	2	1
6-27-17	11-22-17	11-22-17	11-21-17	11-20-17	11-20-17	11-19-17
6-27-17	7	8	9	10	11	12
6-27-17	11-17-17	11-17-17	11-21-17	11-20-17	11-19-17	11-19-17
6-27-17	18	17	16	15	14	13
6-27-17	11-17-17	11-17-17	11-21-17	11-20-17	11-19-17	11-19-17
6-27-17	19	20	21	22	23	24
6-27-17	11-17-17	11-16-17	11-15-17	11-14-17	11-13-17	11-12-17
6-27-17	30	29	28	27	26	25
6-27-17	11-16-17	11-15-17	11-14-17	11-13-17	11-12-17	11-12-17
6-27-17	31	32	33	34	35	36
6-27-17	11-15-17	11-14-17	11-13-17	11-12-17	11-12-17	6-22-17

*For dates of execution of survey of this line see Book "F"*

Lines in red, surveyed by William B. Zimmel.

Lines in black, surveyed by Dupree R. Averill.

Survey commenced June 22, 1917 and executed with Young and Sons light mountain transits Nos. 8478 and 8480. Each instrument is equipped with a full vertical circle and the Smith solar attachment. Unless otherwise specified all azimuth determinations are accomplished with the solar attachment.

For field tests of instruments on June 18 and July 11, 1917, see Books "E" and "H".

Field test of Instrument No. 8480 by  
D.R. Averill.

Nov. 11, 1917: I examine the adjustments of the instrument and correct all errors, then to test the solar apparatus by comparing its indications resulting from solar observations made during a.m. and p.m. hours with a meridian established from observation on Polaris proceed as follows:

At camp, near the  $\frac{1}{4}$  sec. cor. of secs. 22 and 23, T. 35 N., R. 10 W., G. & S. R. B. & M., in latitude  $36^{\circ}25'N.$ , longitude  $113^{\circ}21'W.$  of Greenwich, at 6h 9m a.m., l.m.t., I make an hour angle observation on Polaris W. of the meridian making four observations, two each with the telescope in direct and reversed positions and mark a point in the line thus determined by a tack in a stake 5 chs. N. of my station. Then I lay off the azimuth of Polaris  $1^{\circ}12\frac{1}{2}'$  to the east and mark a point in the meridian 5 chs. N. of my station.

At 9h 00m a.m., app.t., set off  $36^{\circ}25'N.$  on the latitude arc,  $17^{\circ}22'S.$  on the declination arc and determine a meridian with the solar, which agrees with the true meridian.

At apparent noon with the latitude arc unchanged, I observe the sun on the meridian. The resulting reading of the declination arc is  $17^{\circ}24'S.$  which agrees with the computed declination of the sun.

At 3h 00m p.m., app.t., with the latitude arc unchanged, set off  $17^{\circ}26'S.$  on the declination arc and determine a meridian with the solar, which also agrees with the true meridian.

AS all of the solar observations during the usual hours of solar work come within  $1'30''$  of the true meridian, I conclude that the adjustments of the instrument are satisfactory.

Unless otherwise specified, all measurements are made with a Lufkin steel tape, 5 chs. in length, compared with a Lufkin standard 1 ch. steel tape and found correct. The measurements are made on the slope, the vertical angles determined, and the slope measurements properly reduced to true horizontal distances.

Survey of the West Boundary of T.35 N., R.10 W.

Chains

From the cor. of Ts.34 and 35 N., Rs.10 and 11 W., described in Book "F",


North, bet. secs. 31 and 36.

Over rolling land, through scattering timber and undergrowth.

.90 Old road from sawmill to St. Thomas, bears E. and W.

14.00 Road from Bundy's to St. Thomas, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap




From which,

A juniper, 6 ins. in diam., bears S.10°E., 80 lks. dist., marked  $\frac{1}{4}$  S 31 B T

A juniper, 10 ins. in diam., bears N.18°W., 232 lks. dist., marked  $\frac{1}{4}$  S 36 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., on surface rock, supported in a mound of stone for cor. of secs. 25, 30, 31 and 36, marked on brass cap



From which,

A juniper, 12 ins. in diam., bears N.61°E., 44 lks. dist., marked T 35 N R 10 W S 30 B T

A juniper, 18 ins. in diam., bears S.3 $\frac{1}{2}$ °W., 91 lks. dist., marked T 35 N R 11 W S 36 B T

A juniper, 6 ins. in diam., bears N.3°W., 97 lks. dist., marked T 35 N R 11 W S 25 B T

No bearing tree available in sec. 31. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$  ft. high W. of cor.

Land; rolling.

Soil; rocky, 4th. rate.


Timber; juniper and pinyon.

Undergrowth; sagebrush.

North, bet. secs. 25 and 30.


Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



And dig pits, 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap



And dig pits 18 x 18 x 12 ins. NE., SE., SW. and NW. of post, 5 $\frac{1}{2}$  ft. dist.

## Survey of the West Boundary of T.35 N., R.10 W.

BOOK 3622

Chains Land; rolling.  
Soil; gravelly, 3rd. rate.  
Timber; juniper and pinyon.  
Undergrowth; sagebrush.

North, bet. secs. 19 and 24.

Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$$\frac{1}{4}$$

S 24	S 19
------	------

1917

From which

A twin juniper, 36 ins. in diam., bears S.  $2^{\circ}$  E., 420 lks. dist., marked  $\frac{1}{4}$  S 19 B T

A juniper, \_\_\_\_\_ ins. in diam., bears N.  $46^{\circ}$  W., 278 lks. dist., marked  $\frac{1}{4}$  S 24 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap

T 35 N	
R11W	R10W
S 13	S 18
S 24	S 19

1917

From which

A juniper, 18 ins. in diam., bears N.  $86^{\circ}$  E., 210 lks. dist., marked T 35 N R 10 W S 18 B T

A juniper, 10 ins. in diam., bears N.  $28^{\circ}$  W., 91 lks. dist., marked T 35 N R 11 W S 13 B T

No other trees available. Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor.

Land; rolling.  
Soil; gravelly, 3rd. rate.  
Timber; juniper and pinyon.  
Undergrowth; sagebrush.

North, bet. secs. 13 and 18.

Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$$\frac{1}{4}$$

S 13	S 18
------	------

1917

From which

A juniper, 24 ins. in diam., bears S.  $61\frac{1}{2}^{\circ}$  E., 230 lks. dist., marked  $\frac{1}{4}$  S 18 B T

A juniper, 14 ins. in diam., bears N.  $55^{\circ}$  W., 140 lks. dist., marked  $\frac{1}{4}$  S 13 B T

78.00 Leave timber, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 7, 12, 13 and 18, marked on brass cap

T 35 N	
R11W	R10W
S 12	S 7
S 13	S 18

1917

From which

Survey of the West Boundary of T.35 N., R.10 W. BOOK 3322


Chains

A juniper, 14 ins. in diam., bears N.89°E., 257 lks. dist., marked T 35 N R 10 W S 7 B T  
 A juniper, 14 ins. in diam., bears S.62°E., 190 lks. dist., marked T 35 N R 10 W S 18 B T  
 No other trees available. Raise a mound of stone 2 ft. base, 1½ ft. high W. of cor.

Land; rolling.  
 Soil; gravelly, 3rd. rate.  
 Timber; juniper and pinyon.  
 Undergrowth; sagebrush.


North, bet. secs. 7 and 12.  
 Over rolling land, through sagebrush.  
 Road, St. George to St. Thomas, bears N.80°E. and S.80°W.  
 Wash, 20 lks. wide, course E.  
 Road, Grand Gulch to St. George, bears NE. and SW.  
 Enter timber, bears NE. and SW.  
 Set an iron post, 3 ft. long, 1 in. in diam., 14 ins. in the ground to bed rock, supported in a mound of earth for ¼ sec. cor. marked on brass cap.

.60  
 5.22  
 36.10  
 37.00  
 40.00



From which  
 A juniper, 8 ins. in diam., bears S.59½°E., .96 lks. dist., marked ¼ S 7 B T  
 A juniper, 6 ins. in diam., bears S.73½°W., .75 lks. dist., marked ¼ S 12 B T

76.60 Old wagon road, bears N.15°E. and S.15°W.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 1, 6, 7 and 12 marked on brass cap




From which  
 A juniper, 22 ins. in diam., bears N.66½°E., 151 lks. dist., marked T 35 N R 10 W S 6 B T  
 A juniper, 6 ins. in diam., bears S.70½°E., .76 lks. dist., marked T 35 N R 10 W S 7 B T  
 A juniper, 16 ins. in diam., bears S.38°W., .97 lks. dist., marked T 35 N R 11 W S 12 B T  
 A juniper, ins. in diam., bears N.38½°W., 108 lks. dist., marked T 35 N R 11 W S 1 B T

Land; rolling.  
 Soil; rocky, 4th. rate.  
 Timber; juniper and pinyon.  
 Undergrowth; sagebrush.

North, bet. secs. 1 and 6.  
 Over rolling land, through scattering timber and undergrowth.  
 Old road, bears NW. and SE.  
 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for ¼ sec. cor. marked on brass cap

2.75  
 40.00



From which

Chains

A juniper, 18 ins. in diam., bears N.65°E., 238 lks. dist., marked  $\frac{1}{4}$  S 6 B T  
 No other tree available. Dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in the ground for cor. of Ts. 35 and 36 N., Rs. 10 and 11 W., marked on brass cap

T 36 N	
R 11 W	R 10 W
S 36	S 31
S 1	S 6
T 35 N	
1917	

From which

A juniper, 16 ins. in diam., bears N.26 $\frac{1}{4}$ °E., 112 lks. dist., marked T 36 N R 10 W S 31 B T  
 A juniper, 12 ins. in diam., bears S.81 $\frac{1}{2}$ °E., 122 lks. dist., marked T 35 N R 10 W S 6 B T  
 A juniper, 8 ins. in diam., bears S.38°W., 122 lks. dist., marked T 35 N R 11 W S 1 B T  
 A juniper, 10 ins. in diam., bears N.46°W., 240 lks. dist., marked T 36 N R 11 W S 36 B T

Land; rolling.

Soil; gravelly, 3rd. rate.

Timber; juniper and pinyon.


Undergrowth; sagebrush.

Survey of the East Boundary of T.35 N., R.10 W.

20015 3022


Chains

From the cor. of T.34 and 35 N., R.9 and 10 W., which is a 3 in. iron post described in Book "F", North, bet. secs. 31 and 36. Over rolling land, through scattering timber and undergrowth.  
 34.46 Wash, 20 lks. wide, course SW.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



1917  
 And dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.


80.00 Set an iron post; 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 25, 30, 31 and 36, marked on brass cap



And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of post,  $5\frac{1}{2}$  ft. dist.

Land; rolling.  
 Soil; gravelly, 3rd. rate.  
 Timber; juniper and pinyon.  
 Undergrowth; sagebrush and bunch grass.


North, bet. secs. 25 and 30. Over rolling land, through scattering timber and undergrowth.  
 Asc. over gradual S. slope.  
 36.10 Low spur, slopes W. Desc.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



1917

And dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist.


60.70 Wire fence, bears E. and W.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 19, 24, 25 and 30, marked on brass cap



And raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor.


Land; rolling.  
 Soil; gravelly, 2nd. rate.  
 Timber; juniper and pinyon.  
 Undergrowth; sagebrush and bunch grass.

Chains North, bet. secs. 19 and 24.  
Over rolling land, through scattering timber and undergrowth.  
10.00 Roy Bundy's house, bears N.40°E., 3 chs. dist.  
26.00 Wash, 50 lks. wide, 15 ft. deep, course S.70°W.  
30.00 Road, bears SE. and NW.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
A juniper, 10 ins. in diam., bears N.16°E., 69 lks. dist., marked  $\frac{1}{4}$  S 19 B T  
A juniper, 14 ins. in diam., bears S.48°W., 32 lks. dist., marked  $\frac{1}{4}$  S 24 B T

56.00 Gulch, 10 lks. wide, 12 ft. deep, course NW.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap




From which  
A juniper, 12 ins. in diam., bears N.41 $\frac{1}{2}$ °E., 270 lks. dist., marked T 35 N R 9 W S 18 B T  
A juniper, 24 ins. in diam., bears S.54 $\frac{1}{2}$ °E., 196 lks. dist., marked T 35 N R 9 W S 19 B T  
A juniper, 6 ins. in diam., bears S.80°W., 145 lks. dist., marked T 35 N R 10 W S 24 B T  
A juniper, 6 ins. in diam., bears N.79°W., 255 lks. dist., marked T 35 N R 10 W S 13 B T

Land; rolling.  
Soil; gravelly, 3rd. rate.  
Timber; juniper and pinyon.  
Undergrowth; sagebrush and bunch grass.


North, bet. secs. 13 and 18.  
Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
A juniper, 4 ins. in diam., bears N.15 $\frac{1}{4}$ °E., 131 lks. dist., marked  $\frac{1}{4}$  S 18 B T  
A pinyon, 8 ins. in diam., bears N.66 $\frac{1}{2}$ °W., 58 lks. dist., marked  $\frac{1}{4}$  S 13 B T

48.00 Leave timber and undergrowth, bears E. and W.  
55.00 Old wagon road, bears SE. and NW.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 7, 12, 13 and 18, marked on brass cap




Survey of the East Boundary of T.35 N., R.10 W.

Chains

From which  
A cedar limb, 8 ins. in diam., bears S.34°E., 293.  
lks. dist., marked T 35 N R 9 W S 18 B T  
No other trees available. Dig pits 18 x 18 x 12 ins.  
one in each sec. NE., SE., SW. and NW. of cor. 5½  
ft. dist.


Land; rolling.  
Soil; gravelly, 3rd. rate.  
Timber; pinyon and juniper.  
Undergrowth; sagebrush and bunch grass.

North, bet. secs. 7 and 12.  
Over rolling land, through scattering timber and under-  
growth.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in  
the ground for ¼ sec. cor. marked on brass cap



And raise a mound of stone 2 ft. base, 1½ ft. high W.  
of cor.


79.60 Gulch, 10 lks. wide, 10 ft. deep, course NW. Asc.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in  
the ground for cor. of secs. 1, 6, 7 and 12 marked on  
brass cap



From which  
A juniper, 20 ins. in diam., bears S.19½°W., 250 lks.  
dist., marked T 35 N R 10 W S 12 B T  
No other trees within limits. Raise a mound of stone  
2 ft. base, 1½ ft. high W. of cor.

Land; rolling.  
Soil; rocky, 4th. rate.  
Timber; pinyon and juniper.  
Undergrowth; sagebrush.

North, bet. secs. 1 and 6.  
Over rolling land, through scattering timber and under-  
growth.  
Asc. 230 ft. over SW. slope.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in  
the ground to bed rock, supported in a mound of stone  
for ¼ sec. cor. marked on brass cap



From which  
A pinyon, 7 ins. in diam., bears N.28°E., 105 lks.  
dist., marked ¼ S 6 B T  
A juniper, 20 ins. in diam., bears N.52½°W., 108  
lks. dist., marked ¼ S 1 B T

Asc. 230 ft. to  
54.40 Top of cliff, 50 ft. high, bears SE. and NW. Asc. 470 ft.  
77.60 Top of cliff, 40 ft. high, bears SE. and NW. Asc. 30 ft.  
80.00 Set an iron post, 3 ft. long, 3 ins. in diam., 20 ins.

## Survey of the East Boundary of T.35 N., R.10 W.

## Chains

in the ground to bed rock, supported in a mound of stone for cor. of Ts.35 and 36 N., Rs.9 and 10 W., marked on brass cap

T 36 N	
R10W	R9W
S 36	S 31
S 1	S 6
T 35 N	
1917	

## From which

- A pinyon, 5 ins. in diam., bears N.45°E., 70 lks.  
dist., marked T 36 N R 9 W S 31 B T
- A pinyon, 6 ins. in diam., bears S.58½°E., 49 lks.  
dist., marked T 35 N R 9 W S 6 B T
- A pinyon, 4 ins. in diam., bears S.7½°W., 153 lks.  
dist., marked T 35 N R 10 W S 1 B T
- A pinyon, 6 ins. in diam., bears N.12½°W., 30 lks.  
dist., marked T 36 N R 10 W S 36 B T

Land; mountainous.

Soil; rocky, 4th. rate.

Timber; pinyon and juniper.

Undergrowth; sagebrush and scrub pinyon and juniper.

BOOK 3622

Survey of the North Boundary of T.35 N.,R.10 W.

Chains

From the cor. of Ts. 35 and 36 N.,Rs. 9 and 10 W., here-  
inbefore described,  
West, on a random line along the North Boundary of T.35  
N.,R.10 W. setting temp.  $\frac{1}{4}$  sec. and sec. cors. at in-  
tervals of 40.00 chs. and at 479.08 chs. fall 65 lks.  
N. of the cor. of Ts. 35 and 36 N.,Rs. 10 and 11 W.,  
The falling answers to a correction of  $0^{\circ}5'$  or 11 lks.  
S. per mile counting from the NE. cor. of the Tp.

39.08 Thence from the cor. of Ts. 35 and 36 N.,Rs.10 and 11 W.  
hereinbefore described,  
N.  $89^{\circ}55'E.$ , on a true line bet. secs. 6 and 31.  
Over rolling land, through scattering timber and under-  
growth.  
Set an iron post, 3 ft. long, 1 in. in diam., 22 ins. in  
the ground to bed rock, supported in a mound of stone  
for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   $\frac{S\ 31}{S\ 6}$   
1917

From which  
A juniper, 14 ins. in diam., bears N.  $9\frac{3}{4}^{\circ}W.$ , 106  
lks. dist., marked  $\frac{1}{4}$  S 31 B T  
A juniper, 30 ins. in diam., bears S.  $77\frac{1}{2}^{\circ}E.$ , 142  
lks. dist., marked  $\frac{1}{4}$  S 6 B T

42.00 Leave timber, bears NE. and SW.  
54.40 Old road, bears SE. and NW.  
79.08 Set an iron post, 3 ft. long, 2 ins. in diam., 22 ins. in  
the ground to bed rock, supported in a mound of stone  
for cor. of secs. 5, 6, 31 and 32 marked on brass cap

T36N-R10W  
 $\frac{S\ 31}{S\ 6} | \frac{S\ 32}{S\ 5}$   
T35N  
1917

From which  
A juniper, 28 ins. in diam., bears N.  $45\frac{1}{2}^{\circ}E.$ , 711  
lks. dist., marked T 36 N R 10 W S 32 B T  
A juniper, 9 ins. in diam., bears S.  $39\frac{1}{2}^{\circ}E.$ , 301  
lks. dist., marked T 35 N R 10 W S 5 B T  
A juniper, 9 ins. in diam., bears S.  $10\frac{1}{2}^{\circ}W.$ , 384 lks.  
dist., marked T 35 N R 10 W S 6 B T  
A juniper, 8 ins. in diam., bears N.  $18^{\circ}W.$ , 520 lks.  
dist., marked T 36 N.,R.10 W S 31 B T

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; pinyon and juniper.  
Undergrowth; sagebrush.

35.60 N.  $89^{\circ}55'E.$ , on a true line bet. secs. 5 and 32.  
40.00 Over rolling land, through scattering sagebrush.  
Road, Grand Gulch to St. George, bears NE. and SW.  
Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in  
the ground to bed rock, supported in a mound of stone  
for  $\frac{1}{4}$  sec. cor. marked on brass cap


$\frac{1}{4}$   $\frac{S\ 32}{S\ 5}$   
1917

From which  
A juniper, 12 ins. in diam., bears N.  $5\frac{1}{2}^{\circ}E.$ , 191  
lks. dist., marked  $\frac{1}{4}$  S 32 B T  
No bearing tree available in sec. 5. Raise a mound  
of stone 2 ft. base,  $1\frac{1}{2}$  ft. high N. of cor.

41.60 Wash, 10 lks. wide, 2 ft. deep, course N.  $65^{\circ}E.$   
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.

BOOK 3622 Survey of the North Boundary of T.35 N., R.10 W.

Chains in the ground for cor. of secs. 4, 5, 32 and 33 marked on brass cap




And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 5 1/2 ft. dist.

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; none.  
Undergrowth; sagebrush.


N. 89° 55' E., on a true line bet. secs. 4 and 33.  
Over rolling land, through scattering timber and undergrowth.

24.00 Ridge, bears N. and S. Desc. gentle E. slope.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for 1/4 sec. cor. marked on brass cap



From which

A juniper, 12 ins. in diam., bears N. 2° E., 960 lks. dist., marked 1/4 S 33 B T  
A juniper, 12 ins. in diam., bears S. 64 1/2° W., 390 lks. dist., marked 1/4 S 4 B T  
73.70 Wash, 20 lks. wide, course N.  
79.70 Wash, 20 lks. wide, course NW.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 3, 4, 33 and 34, marked on brass cap




From which

A juniper, 28 ins. in diam., bears N. 36 1/4° E., 396 lks. dist., marked T 36 N R 10 E S 34 B T  
A juniper, 22 ins. in diam., bears S. 89° E., 389 lks. dist., marked T 35 N R 10 W S 3 B T  
No other trees within limits. Raise a mound of stone 2 ft. base, 1 1/2 ft. high W. of cor.

Land; rolling.  
Soil; rocky, 3rd. rate.  
Timber; juniper.  
Undergrowth; sagebrush.

N. 89° 55' E., on a true line bet. secs. 3 and 34.  
Over nearly level land, through scattering sagebrush.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap



And dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

43.80 Road, from sawmill to St. George, bears N. and S.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 2, 3, 34 and 35 marked on brass cap

Survey of the North Boundary of T.35 N., R.10 W.

Chains

T36N R10W  
S 34 | S 35  
S 3 | S 2  
T35N  
1917

And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of post, 5½ ft. dist.

Land; nearly level.  
Soil; loam, 2nd. rate.  
Timber; none.  
Undergrowth; sagebrush.

40.00

N.89°55'E., on a true line bet. secs. 2 and 35. Over nearly level land, through scattering sagebrush. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

¼ S 35  
S 2  
1917

From which,  
A juniper, 14 ins. in diam., bears N.49½°W., 305 lks. dist., marked ¼ S 35 B T  
A juniper, 10 ins. in diam., bears S.18½°W., 384 lks. dist., marked ¼ S 2 B T

78.70  
80.00

Old road, from sawmill to St. George, bears SE. and NW. Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap

T36N R10W  
S 35 | S 36  
S 2 | S 1  
T35N  
1917

And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 5½ ft. dist.

Land; nearly level.  
Soil; loam, 3rd. rate.  
Timber; none.  
Undergrowth; sagebrush.

40.00

N.89°55'E., on a true line bet. secs. 1 and 36. Over rolling land, through scattering timber and undergrowth.

Asc. 220 ft. over gradual W. slope. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap

¼ S 36  
S 1  
1917

From which  
A juniper, 22 ins. in diam., bears N.2¼°E., 521 lks. dist., marked ¼ S 36 B T  
A juniper, 12 ins. in diam., bears S.46¼°W., 283 lks. dist., marked ¼ S 1 B T

55.00  
78.90  
80.00

Asc. 140 ft. over gradual W. slope to Foot of steep mountains, bears N. and S. Asc. 850 ft. to Top of cliff, 50 ft. high, bears SE. and NW. Asc. 25 ft. The cor. of Ts.35 and 36 N., Rs.9 and 10 W., hereinbefore described.

Land; rolling and mountainous.  
Soil; lime and gypsum formation, 3rd. and 4th. rates.  
Timber; pinyon and juniper. Undergrowth; sagebrush.

## Chains

From the cor. of secs. 1, 2, 35 and 36 on S. bdy. of Tp.,  
described in Book "F",  
N.0°01'W., bet. secs. 35 and 36.  
Over level land, through scattering timber and undergrowth.  
Wash, course SW.

34.30

36.74

40.00

Road, bears SE. and NW.

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap
$$\begin{array}{c} \frac{1}{4} \\ \text{S } 35 \text{ | S } 36 \end{array}$$

1917

And dig pist, 18 x 18 x 12 ins. N. and S. of post, 3  
ft. dist.

71.74

74.70

80.00

Road, bears SE. and NW.

Wash, course NW.

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in  
the ground for cor. of secs. 25, 26, 35 and 36, marked  
on brass cap

T35N R10W

S 26 | S 25

S 35 | S 36

1917

From which

A cedar, 16 ins. in diam., bears N.25 $\frac{1}{4}$ °E., 206 lks.  
dist., marked T 35 N R 10 W S 25 B TNo other trees available. Dig pits 18 x 18 x 12 ins.  
one in each sec. NE., SE., SW. and NW. of post, 5 $\frac{1}{2}$  ft.  
dist.

Land; level.

Soil; loam, 1st. rate.

Timber; pinyon and cedar.

undergrowth; sagebrush.

Fair grass.

40.00

80.14

N.89°56'E., on a random line bet. secs. 25 and 36.

Set temp.  $\frac{1}{4}$  sec. cor.Fall 9 lks. S. of the cor. of secs. 25, 30, 31 and 36 on  
E. bdy. of Tp., hereinbefore described.

Thence

S.89°52'W., on a true line bet. secs. 25 and 36.

Over level land, through scattering timber.

40.07

Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap
$$\frac{1}{4} \text{ S } 25$$

$$\text{S } 36$$

1917

From which

A pinyon, 8 ins. in diam., bears N.48°E., 75 lks.  
dist., marked  $\frac{1}{4}$  S 25 B TA cedar, 12 ins. in diam., bears S.44°W., 55 lks.  
dist., marked  $\frac{1}{4}$  S 36 B T

69.74

80.14

Road, bears SE. and NW.

The cor. of secs. 25, 26, 35 and 36.

Land; level. Soil; loam, 1st. and 2nd. rates.

Timber; pinyon and cedar.

24.00

29.10

N.0°01'W., bet. secs. 25 and 26.

Over rolling land, through scattering timber.

Road, bears SE. and NW.

Road, bears NE. and SW.

Survey of the Subdivisions of T.35 N., R.10 W.

3622

Chains

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 26 | S 25  
1917

From which,  
A cedar, 11 ins. in diam., bears S.9°E., 303 lks.  
dist., marked  $\frac{1}{4}$  S 25 B T  
A cedar, 13 ins. in diam., bears S.56°W., 189 lks.  
dist., marked  $\frac{1}{4}$  S 26 B T  
J. Bundy's tent, bears N.25 $\frac{1}{2}$ °W.

42.80 Road, bears NE. and SW.  
59.80 Wire fence, bears E. and W.  
68.80 Wire fence, bears E. and W.  
71.57 J. Bundy's house, bears N.85°W.  
71.60 Road, bears SE. and NW.  
80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T35N R10W  
S 23 | S 24  
S 26 | S 25  
1917

From which  
A cedar, 16 ins. in diam., bears S.54°E., 241 lks.  
dist., marked T 35 N R 10 W S 25 B T  
A cedar, 14 ins. in diam., bears S.76 $\frac{1}{2}$ °W., 38 lks.  
dist., marked T 35 N R 10 W S 26 B T  
A cedar, 22 ins. in diam., bears N.62 $\frac{3}{4}$ °W., 273 lks.  
dist., marked T 35 N R 10 W S 23 B T  
No bearing tree available in sec. 24. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$  ft. high W. of cor.  
From cor., Bundy's house, bears S.64 $\frac{3}{4}$ °E.

Land; slightly rolling.  
Soil; loam, 2nd. rate.  
Timber; pinyon and cedar.

40.00 N.89°52'E., on a random line bet. secs. 24 and 25.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.10 Fall 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, on E. bdy. of Twp., hereinbefore described.

Thence  
S.89°53'W., on a true line bet. secs. 24 and 25.  
Over level land.

1.63 Road, bears N. and S.  
24.32 Road, bears NE. and SW.  
35.84 Wire fence, bears N. and S.  
36.00 Road, bears N. and S.  
40.05 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 24  
S 25  
1917

And dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.  
From cor., Bundy's house, bears S.24°E.

80.10 The cor. of secs. 23, 24, 25 and 26.

Land; level.  
Soil; loam, 1st. rate.  
Timber; none.  
Undergrowth; cactus.

Chains	N.0°01'W., bet. secs. 23 and 24. Over level land.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 23   S 24 1917 And dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.
58.40	Road, bears SE. and NW.
66.20	Wash, course NW.
67.90	Wash, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked on brass cap T35N R10W S 14   S 13 S 23   S 24 1917 From which A cedar, 8 ins. in diam., bears N.14 $\frac{1}{2}$ °E., 388 lks. dist., marked T 35 N R 10 W S 13 B T A cedar, 12 ins. in diam., bears S.54 $\frac{1}{2}$ °E., 376 lks. dist., marked T 35 N R 10 W S 24 B T A cedar, 8 ins. in diam., bears N.51 $\frac{1}{2}$ °W., 40 lks. dist., marked T 35 N R 10 W S 14 B T No bearing tree available in sec. 23. Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of post, 5 $\frac{1}{2}$ ft. dist. Land; level. Soil; loam, 1st. rate. Timber; none. Undergrowth; cactus.
40.00	N.89°53'E., on a random line bet. secs. 13 and 24. Set temp. $\frac{1}{4}$ sec. cor.
80.14	Fall 2 lks. S. of the cor. of secs. 13, 18, 19 and 24 on E. bdy. of Tp., hereinbefore described. Thence S.89°52'W., on a true line bet. secs. 13 and 24. Over level land, through scattering timber and undergrowth.
36.00	Leave timber, bears N. and S.
40.04	Road, bears SE. and NW.
40.07	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap $\frac{1}{4}$ S 13 S 24 1917 And dig pits 18 x 18 x 12 ins. E. and W. of post, 3 ft. dist.
50.00	Enter scattering timber, bears SE. and NW.
76.00	Leave timber, bears N. and S.
80.14	The cor. of secs. 13, 14, 23 and 24. Land; slightly rolling. Rocky loam, 2nd. rate. Timber; cedar and pinyon. Undergrowth; cactus and greasewood.
40.00	N.0°01'W., bet. secs. 13 and 14. Over rolling land, through scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in

Survey of the Subdivisions of T.35 N., R.10 W.

Chains the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 14 | S 13  
1917

From which  
A cedar, 24 ins. in diam., bears S.15°E., 264 lks.  
dist., marked  $\frac{1}{4}$  S 13 B T  
A cedar, 24 ins. in diam., bears S.51°W., 330 lks.  
dist., marked  $\frac{1}{4}$  S 14 B T

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 11, 12, 13 and 14, marked on brass cap

T35N R10W  
S 11 | S 12  
S 14 | S 13  
1917

From which  
A cedar, 24 ins. in diam., bears N.68°E., 291 lks.  
dist., marked T 35 N R 10 W S 12 B T  
A cedar, 12 ins. in diam., bears S.66°E., 155 lks.  
dist., marked T 35 N R 10 W S 13 B T  
A cedar, 26 ins. in diam., bears N.51°W., 346 lks.  
dist., marked T 35 N R 10 W S 11 B T  
No bearing tree available in sec. 14. Raise a mound of stone 2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor.

Land; rolling. Soil; rocky loam, 2nd. and 3rd. rates.  
Timber; cedar. Undergrowth; elderado and greasewood.

40.00 N.89°52'W., on a random line bet. secs. 12 and 13.  
Set temp.  $\frac{1}{4}$  sec. cor.

80.06 Fall 5 lks. S. of the cor. of secs. 7, 12, 13 and 18 on E. bdy. of Twp., hereinbefore described.

Thence  
S.89°50'W., on a true line bet. secs. 12 and 13.  
Over gradual W. slope through scattering timber and undergrowth.

Desc. 60 ft. to

10.00 Thence over nearly level land.

10.96 Road, bears SE. and NW.

40.03 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 12  
S 13  
1917

From which  
A cedar, 12 ins. in diam., bears N.36°W., 135 lks.  
dist., marked  $\frac{1}{4}$  S 12 B T  
A cedar, 12 ins. in diam., bears S.46°W., 169 lks.  
dist., marked  $\frac{1}{4}$  S 13 B T

54.90 Road, bears N. and S.

80.06 The cor. of secs. 11, 12, 13 and 14.

Land; level. Soil; rocky loam, 2nd. and 3rd. rates.  
Timber; cedar. Undergrowth; sagebrush.

N.0°01'W., bet. secs. 11 and 12.  
Over level land, through scattering timber and undergrowth.

35.00 Enter slightly rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 11 | S 12  
1917

Survey of the Subdivisions of T.35 N., R.10 W.

Chains From which  
 A cedar, 5 ins. in diam., bears N.40°E., 190 lks.  
 dist., marked  $\frac{1}{4}$  S 12 B T  
 A cedar, 6 ins. in diam., bears S.87 $\frac{1}{2}$ °W., 233 lks.  
 dist., marked  $\frac{1}{4}$  S 11 B T

47.30 Leave timber, bears SE. and NW.  
 68.70 Road, bears NE. and SW.  
 75.00 Enter timber, bears SE. and NW.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in  
 the ground for cor. of secs. 1, 2, 11 and 12, marked on  
 brass cap

T35N R10W  
 S 2 S 1  
 S 11 S 12  
 1917

From which  
 A pinyon, 12 ins. in diam., bears N.52 $\frac{1}{2}$ °E., 132 lks.  
 dist., marked T 35 N R 10 W S 1 B T  
 A cedar, 7 ins. in diam., bears S.66 $\frac{1}{2}$ °E., 44 lks.  
 dist., marked T 35 N R 10 W S 12 B T  
 A cedar, 7 ins. in diam., bears S.48 $\frac{1}{2}$ °W., 275 lks.  
 dist., marked T 35 N R 10 W S 11 B T  
 A cedar, 7 ins. in diam., bears N.57°W., 246 lks.  
 dist., marked T 35 N R 10 W S 2 B T

Land; level and rolling.  
 Soil; rocky loam, 2nd. and 3rd. rates.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush and greasewood.

N.89°50'E., on a random line bet. secs. 1 and 12.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.20 Intersect the cor. of secs. 1, 6, 7 and 12 on E. bdy. of  
 Tp., hereinbefore described.

Thence  
 S.89°50'W., on a true line bet. secs. 1 and 12.  
 Over rolling land, through scattering timber and under-  
 growth.

Desc. 115 ft. over gradual W. slope.  
 20.00 Foot of descent.  
 27.50 Road, bears SE, and NW.  
 37.80 Road, bears SE. and NW.  
 40.10 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$  S 1  
 S 12  
 1917

From which  
 A cedar, 12 ins. in diam., bears N.3°E., 14 lks.  
 dist., marked  $\frac{1}{4}$  S 1 B T  
 A pinyon, 10 ins. in diam., bears S.48°W., 144 lks.  
 dist., marked  $\frac{1}{4}$  S 12 B T

40.20 Ivorson's house, bears N.20°W., 5.20 chs. dist.  
 47.00 Leave timber, bears N. and S.  
 47.40 Road, bears NE. and SW.  
 53.90 Road, bears SE. and NW.  
 77.60 Enter timber, bears N. and S.  
 80.20 The cor. of secs. 1, 2, 11 and 12.

Land; slightly rolling.  
 Soil; rocky loam, 2nd. and 3rd. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush and brigham brush.

Survey of the Subdivisions of T.35 N., R.10 W.

BOOK 3622

Chains

40.00 N.0°01'W., on a random line bet. secs. 1 and 2.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.25 Fall 15 lks. W. of the cor. of secs. 1, 2, 35 and 36 on  
 N. bdy. of Tp., hereinbefore described.

Thence

S.0°05'W., on a true line bet. secs. 1 and 2.  
 Over rolling land.  
 2.05 Road, bears SE. and NW.  
 23.85 Road, bears SE. and NW.  
 40.25 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 2 | S 1  
 1917

Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

43.75 Enter timber, bears E. and W.  
 54.25 Leave timber, bears SE. and NW.  
 72.00 Enter timber, bears E. and W.  
 80.25 The cor. of secs. 1, 2, 11 and 12.

Land; rolling.  
 Soil; loam and limestone formation, 1st. and 3rd. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.

40.00 From the cor. of secs. 2, 3, 34 and 35 on S. bdy. of Tp.,  
 described in Book "F",  
 N.0°01'W., bet. secs. 34 and 35.  
 Over rolling land, through scattering timber.  
 Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in  
 the ground to bed rock; supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
 S 34 | S 35  
 1917

From which

A cedar, 10 ins. in diam., bears N.50°E., 295 lks.  
 dist., marked  $\frac{1}{4}$  S 35 B T  
 A cedar, 8 ins. in diam., bears N.69 $\frac{1}{2}$ °W., 224 lks.  
 dist., marked  $\frac{1}{4}$  S 34 B T

70.00 Leave timber, bears E. and W.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins.  
 in the ground for cor. of secs. 26, 27, 34 and 35,  
 marked on brass cap

T35N R10W  
 S 27 | S 26  
 S 34 | S 35  
 1917

And dig pits 18 x 18 x 12 ins. one in each sec. NE.,  
SE., SW. and NW. of cor. 5 $\frac{1}{2}$  ft. dist.

Land; rolling.  
 Soil; loam, 1st. and 2nd. rates.  
 Timber; pinyon and cedar.

BOOK 3622 Survey of the Subdivisions of T.35 N., R.10 W.


Chains	N.89°56'E., on a random line bet. secs. 26 and 35.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	Fall 7 lks. S. of the cor. of secs. 25, 26, 35 and 36.
	Thence
	S.89°53'W., on a true line bet. secs. 26 and 35.
	Over level land.
7.00	Wash, course NW.
10.26	Road, bears SE. and NW.
24.86	Road, bears SE. and NW. Enter scattering timber, bears N. and S.
40.03	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 26 $\frac{1}{4}$ S 35 1917
	From which
	A cedar, 14 ins. in diam., bears N.9°W., 53 lks. dist., marked $\frac{1}{4}$ S 26 B T
	A cedar, 12 ins. in diam., bears S.56°W., 702 lks. dist., marked $\frac{1}{4}$ S 35 B T
40.50	Leave timber, bears NE. and SW.
55.00	Enter timber, bears N. and S.
60.00	Leave timber, bears N. and S.
80.06	The cor. of secs. 26, 27, 34 and 35.
	Land; level. Soil; loam, 1st. rate. Timber; pinyon and cedar.
<hr/>	
	N.0°01'W., bet. secs. 26 and 27.
	Over level land.
17.95	Road, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 27   S 26 1917
	And dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist. From cor. L.Iverson's house bears N.22°E.
67.70	Wash, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked on brass cap
	T35N R10W S 22   S 23 S 27   S 26 1917
	And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of post, 5 $\frac{1}{2}$ ft. dist.
	Land; level. Soil; loam, 1st. rate Timber; none. Good grass.
<hr/>	
	N.89°53'E., on a random line bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.14	Fall 4 lks. S. of the cor. of secs. 23, 24, 25 and 26.
	Thence
	S.89°51'W., on a true line bet. secs. 23 and 26.
	Over level land, through scattering timber.
15.24	Road, bears N. and S.

Survey of the Subdivisions of T.35 N., R.10 W.

BOOK 3622

Chains

10.80 Leave timber, bears N. and S.  
 33.64 Road, bears SE. and NW.  
 37.74 Wash, course NW.  
 40.07 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap




And dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

43.24 Road, bears SE. and NW.  
 53.00 Enter scattering timber, bears SE. and NW.  
 59.00 Leave timber, bears N. and S.  
 60.34 Road, bears SE. and NW.  
 80.14 The cor. of secs. 22, 23, 26 and 27.

Land; level and rolling.  
 Soil; loam, 1st. rate.  
 Timber; cedar.  
 Good grass.


N.0°01'W., bet. secs. 22 and 23.  
 Over level land.

24.20 Wash, course NW.  
 25.60 Road, bears SE. and NW.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
 A cedar, 14 ins. in diam., bears S.52°E., .95 lks. dist., marked  $\frac{1}{4}$  S 23 B T  
 A cedar, 6 ins. in diam., bears S.34°W., .31 lks. dist., marked  $\frac{1}{4}$  S 22 B T

78.80 Wash, course NW.  
 79.90 Wash, course W.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 30 ins. in the ground for cor. of secs. 14, 15, 22 and 23, marked on brass cap



From which  
 A cedar, 24 ins. in diam., bears N.26°E., .371 lks. dist., marked T 35 N R 10 W S 14 B T  
 A cedar, 6 ins. in diam., bears N.59°W., .221 lks. dist., marked T 35 N R 10 W S 15 B T  
 No trees available in other sections. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$  ft. high W. of cor.

Land; level. Soil; loam, 1st. rate.  
 Timber; none. Good grass.

40.00 N.89°51'E., on a random line bet. secs. 14 and 23.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.20 Intersect the cor. of secs. 13, 14, 23 and 24.

Thence  
 S.89°51'W., on a true line bet. secs. 14 and 23.  
 Over level land.

9.20 Enter timber, bears N. and S.

Chains	
17.80	Leave timber, bears NE. and SW.
19.00	Road, bears SE. and NW.
40.10	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{r} S 14 \\ S 23 \\ 1917 \end{array}$
	Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.
78.40	Wash, course SW.
80.20	The cor. of secs. 14, 15, 22 and 23.
	Land; level. Soil; loam; 1st. rate. Timber; pinyon and cedar. Good grass.
	N.0°01'W., bet. secs. 14 and 15. Over rolling land, through scattering timber and undergrowth.
33.80	Road, bears SE. and NW.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{r} S 15 \\ S 14 \\ 1917 \end{array}$
	Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.
42.90	Wash, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked on brass cap
	$\begin{array}{r} T35N R10W \\ S 10 S 11 \\ S 15 S 14 \\ 1917 \end{array}$
	From which A cedar, 16 ins. in diam., bears S.19 $\frac{1}{4}$ °E., 357 lks. dist., marked T 35 N R 10 W S 14 B T A cedar, 10 ins. in diam., bears S.19 $\frac{3}{4}$ °W., 285 lks. dist., marked T 35 N R 10 W S 15 B T No other trees available. Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.
	Land; slightly rolling. Soil; rocky loam, 2nd. rate. Timber; cedar and pinyon. Undergrowth; elderado and greasewood. Good grass.
	N.89°51'E., on a random line bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.24	Fall 3 lks. S. of the cor. of secs. 11, 12, 13 and 14.
	Thence S.89°50'W., on a true line bet. secs. 11 and 14. Over slightly rolling land, through scattering timber and undergrowth.
40.12	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{r} S 11 \\ S 14 \\ 1917 \end{array}$
	From which A cedar, 10 ins. in diam., bears N.23°E., 102 lks. dist., marked $\frac{1}{4}$ S 11 B T

BOOK 3622

Survey of the Subdivisions of T.35 N., R.10 W.

Chains

A cedar, 10 ins. in diam., bears S.70°W., 76 lks. dist. marked 1/4 S 14 B T

77.40

Wash, course N:

80.24

The cor. of secs. 10, 11, 14 and 15.

Land; rolling. Soil; rocky, loam, 3rd. rate. Timber; cedar. Undergrowth; dogwood and greasewood. Fair grass.

N.0°01'W., bet. secs. 10 and 11.

Over level land.

12.10

Road, bears NE. and SW.

31.30

Enter scattering timber, bears SE. and NW.

40.00

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap

S 10 | S 11

1917

From which

A cedar, 16 ins. in diam., bears S.57 1/2°E., 145 lks. dist., marked 1/4 S 11 B T

A pinyon, 17 ins. in diam., bears N.11 1/2°W., 282 lks. dist., marked 1/4 S 10 B T

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked on brass cap

T35N R10W

S 3 | S 2

S 10 | S 11

1917

From which

A cedar, 11 ins. in diam., bears N.27 1/2°E., 95 lks. dist., marked T 35 N R 10 W S 2 B T

A cedar, 11 ins. in diam., bears S.46 3/4°E., 87 lks. dist., marked T 35 N R 10 W S 11 B T

A pinyon, 13 ins. in diam., bears S.59 3/4°W., 66 lks. dist., marked T 35 N R 10 W S 10 B T

A cedar, 13 ins. in diam., bears N.43 1/2°W., 11 lks. dist., marked T 35 N R 10 W S 3 B T

Land; level. Soil; loam, 1st. and 2nd. rates.

Timber; pinyon and cedar.

Good grass.

40.00

N.89°50'E., on a random line bet. secs. 2 and 11.

Set temp. 1/4 sec. cor.

80.04

Fall 5 lks. W. of the cor. of secs. 1, 2, 11 and 12.

Thence

S.89°52'W., on a true line bet. secs. 2 and 11.

Over level land.

40.02

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4 S 2 | S 11

1917

Dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

40.56

Wash, course NW.

71.74

Enter timber, bears N. and S.

80.04

The cor. of secs. 2, 3, 10 and 11.


Land; nearly level. Soil; loam, 2nd. rate.

Timber; cedar and pinyon. Good grass.

Survey of the Subdivisions of T.35 N., R.10 W.

Chains N.0°05'E., on a random line bet. secs. 2 and 3.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.22 Intersect the cor. of secs. 2, 3, 34 and 35 on W. bdy. of  
 Tp., hereinbefore described.

Thence  
 S.0°05'W., on a true line bet. secs. 2 and 3.  
 Over level land.  
 40.22 Set an iron post, 3 ft. long, 1 in. in diam., 18 ins. in  
 the ground to bed rock, supported in a mound of stone  
 for  $\frac{1}{4}$  sec. cor. marked on brass cap




From which  
 A cedar, 7 ins. in diam., bears N.60°E., 77 lks.  
 dist., marked  $\frac{1}{4}$  S 2 B T  
 A pinyon, 11 ins. in diam., bears N.33 $\frac{1}{2}$ °W., 153  
 lks. dist., marked  $\frac{1}{4}$  S 3 B T

42.00 Enter timber, bears E. and W.  
 80.22 The cor. of secs. 2, 3, 10 and 11.


Land; level.  
 Soil; loam, 1st. and 2nd. rates.  
 Timber; cedar and pinyon.  
 Undergrowth; sagebrush.  
 Good grass.

From the cor. of secs. 3, 4, 33 and 34 on S. bdy. of Tp.,  
 described in Book "F",  
 N.0°02'W., bet. secs. 33 and 34.  
 Over gently rolling land, through scattering timber and  
 undergrowth.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
 A pinyon, 10 ins. in diam., bears N.68 $\frac{1}{2}$ °E., 77 lks.  
 dist., marked  $\frac{1}{4}$  S 34 B T  
 A pinyon, 8 ins. in diam., bears S.21°W., 128 lks.  
 dist., marked  $\frac{1}{4}$  S 33 B T

65.00 Leave timber, bears SE. and NW.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in  
 the ground for cor. of secs. 27, 28, 33 and 34, marked  
 on brass cap



And dig pits 18 x 18 x 12 ins. one in each sec. NE.,  
 SE., SW. and NW. of post, 5 $\frac{1}{2}$  ft. dist.

Land; rolling.  
 Soil; loam, 1st. and 2nd. rates.  
 Timber; pinyon and cedar.  
 Undergrowth; sagebrush.  
 Good grass.

Survey of the Subdivisions of T.35 N.,R.10 W.

Chains  
40.00 N.89°56'E., on a random line bet. secs. 27 and 34.  
79.98 Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 7 lks. S. of the cor. of secs. 26, 27, 34 and 35.

Thence  
39.99 S.89°53'W., on a true line bet. secs. 27 and 34.  
Over level land.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$        $\frac{S\ 27}{S\ 34}$   
1917

And dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist.

79.98 The cor. of secs. 27, 28, 33 and 34.  
Land; level. Soil; loam, 1st. rate.  
Timber; none. Good grass.

2.70 N.0°02'W., bet. secs. 27 and 28.  
40.00 Over level land.  
Road, bears NE. and SW.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$   
S 28      S 27  
1917

And dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap

T35N R10W  
 $\frac{S\ 21\ S\ 22}{S\ 28\ S\ 27}$   
1917

And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of post, 5 $\frac{1}{2}$  ft. dist.

Land; level.  
Soil; loam, 1st. and 2nd. rates.  
Timber; none. Good grass.

40.00 N.89°53'E., on a random line bet. secs. 22 and 27.  
79.94 Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 2 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence  
9.00 S.89°52'W., on a true line bet. secs. 22 and 27.  
39.97 Over level land.  
Wash, course NW.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$        $\frac{S\ 22}{S\ 27}$   
1917

From which  
A cedar, 10 ins. in diam., bears N.51°W., 89 lks. dist., marked  $\frac{1}{4}$  S 22 B T  
A cedar, 20 ins. in diam., bears S.25°E., 56 lks. dist., marked  $\frac{1}{4}$  S 27 B T

Survey of the Subdivisions of T.35 N., R.10 W.

Chains

54.00  
79.94


Enter scattering timber, bears N. and S.  
The cor. of secs. 21, 22, 27 and 28.

Land; level.  
Soil; loam, 1st. and 2nd. rates.  
Timber; pinyon and cedar.  
Good grass.

N.0°02'W., bet. secs. 21 and 22.  
Over level land.

6.00  
32.00  
40.00


Enter timber, bears SE. and NW.  
Leave timber, bears NE. and NW.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



And dig pits 18 x 18 x 12 ins. N. and S. of cor., 3 ft. dist.

63.10  
80.00

Road, bears SE. and NW.  
Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in  
the ground for cor. of secs. 15, 16, 21 and 22, marked  
on brass cap



And dig pits 18 x 18 x 12 ins. one in each sec. NE.,  
SE., SW. and NW. of cor.  $5\frac{1}{2}$  ft. dist.

Land; level.  
Soil; loam, 1st. and 2nd. rates.  
Timber; cedar and pinyon.  
Good grass.


40.00  
79.90

N.89°52'E., on a random line bet. secs. 15 and 22.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Intersect the cor. of secs. 14, 15, 22 and 23.

Thence  
S.89°52'W., on a true line bet. secs. 15 and 22.  
Over level land.

2.20  
8.20  
14.00  
24.00  
35.00  
39.95

Wash, course NW.  
Road, bears SE. and NW.  
Enter timber, bears SE. and NW.  
Leave timber, bears SW. and NW.  
Wash, course NW.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



And dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

79.90

The cor. of secs. 15, 16, 21 and 22.

Land; level.  
Soil; loam, 1st. rate.  
Timber; cedar and pinyon.  
Good grass.

Subdivision of T. 35 N., R. 10 W.

Chains N.0°02'W. bet. secs. 15 and 16.  
Over level land.

40.00 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S 16 | S 15  
1917

and dig pits 18 x 18 x  
12 ins. N. and S. of cor. 3 ft. dist.

41.00 Wash, Course NE.

75.65 Road, bears NE. and SW.

80.00 Set an iron post, 3 ft. long, 2 ins. dia., 24 ins. in the ground, for cor. of secs. 9, 10, 15, and 16, marked on brass cap

T35N R10W  
S 9 | S 10  
S 16 | S 15  
1917

and dig pits 18 x 18 x  
12 ins. in each section  $5\frac{1}{2}$  ft. dist.

Land; level.  
Soil; rocky loam, 2nd. rate.  
No timber. Good grazing.

---

N.89°52'E. on random line bet. secs. 10 and 15.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.82 Fall 2 lks. N. of the cor. of secs. 10, 11, 14, and 15.

Thence S.89°53'W. on true line bet. secs. 10 and 15.  
Over level land.

14.11 Road, bears SE. and NW.

18.72 Road, bears NE. and SW.

39.91 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$   
S 10  
-----  
S 15

1917

and dig pits 18 x 18 x  
12 ins. E. and W. of cor. 3 ft. dist.

56.00 Road, bears SE. and NW.

70.22 Wash, course NW.

74.77 Road, bears NE. and SW.

79.82 The cor. of secs. 9, 10, 15, and 16.

Land; level.  
Soil; loam, 1st, and 2nd. rate.  
No timber.  
Good grazing.

---

Subdivision of T. 35 N., R. 10 W.

Chains N.0°02'W. bet. secs. 9 and 10.  
 Over nearly level land.  
 6.70 Wash, 30 lks. wide, course NW.  
 40.00 Set an iron post, 3 ft. long, 1 in. dia., 16 ins. in the  
 ground, in mound of earth, for  $\frac{1}{4}$  sec. cor., marked on  
 brass cap

$\frac{1}{4}$   
 S 9 | S 10  
 1917

and dig pits 18 x 18 x  
 12 ins. N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. dia., 24 ins. in the  
 ground, for cor. of secs. 3, 4, 9, and 10, marked on  
 brass cap

T35N R10W  
 S 4 | S 3  
 S 9 | S 10  
 1917

and dig pits 18 x 18 x  
 12 ins. in each section  $5\frac{1}{2}$  ft. dist.

Land; level.  
 Soil; loam, 1st. and 2nd. rate.  
 No timber.

40.00 N.89°53'E. on random line bet. secs. 3 and 10.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.90 Intersect N. and S. line at the cor. of secs. 2, 3, 10,  
 and 11.

Thence S.89°53'W. on true line bet. secs. 3 and 10.  
 Over level land, thru scattering timber.

11.50 Leave timber, bears N. and S.  
 39.95 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

$\frac{1}{4}$  S 3  
 ---  
 S 10  
 1917

and dig pits 18 x 18 x  
 12 ins. E. and W. of cor. 3 ft. dist.

45.30 Road, bears N. and S.  
 79.90. The cor. of secs. 3, 4, 9, and 10.

Land; level.  
 Soil; loam.  
 Timber; some cedar and pinon.


40.00 N.0°04'E. on random line bet. secs. 3 and 4.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.23 Fall 8 lks. E. of the cor. of secs. 3, 4, 33, and 34, on  
 N. bdy. of Tp., hereinbefore described.

Thence S.0°01'W. on true line bet. secs. 3 and 4.  
 Over level land.

.83 Wash, 35 lks. wide, 2 ft. deep, course NW.  
 34.73 Wash, course NE.  
 40.23 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap

Subdivision of T. 35 N., R. 10 W.

Chains



1917


and dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

80.23 The cor. of secs. 3, 4, 9, and 10.

Land; level.  
Soil; loam, 1st. and 2nd. rate.  
No timber.  
Good grazing.

From the cor. of secs. 4, 5, 32, and 33 on S. bdy. of Tp., described in Book "F", N.0°03'W. bet. secs. 32 and 33.

40.00 Over rolling land, thru scattering timber and undergrowth. Set an iron post, 3 ft. long, 1 in. dia., 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap




1917

and dig pits 18 x 18 x 12 ins. N. and S. of cor., 3 ft. dist.

56.70 Road, bears NE. and SW.

80.00 Set an iron post, 3 ft. long, 2 ins. dia., 24 ins. in the ground, for cor. of secs. 28, 29, 32, and 33, marked on brass cap



1917

and dig pits 18 x 18 x 12 ins. in each section  $5\frac{1}{2}$  ft. dist.

Land; rolling.  
Soil; rocky loam, 2nd. rate.  
Timber; pinon and cedar.  
Undergrowth; elderado and sagebrush.


40.00 N.89°56'E. on random line bet. secs. 28 and 33. Set temp.  $\frac{1}{4}$  sec. cor.

79.88 Fall 9 lks. S. of the cor. of the cor. of secs. 27, 28, 33, and 34.

Thence S.89°52'W. on true line bet. secs. 28 and 33. Over level land.

14.44 Road, bears NE. and SW.

39.94 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap



1917

and dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

79.88 The cor. of secs. 28, 29, 32, and 33.

## Subdivision of T. 55 N., R. 10 W.

Chains	Land; level. Soil; loam, 1st. and 2nd. rate. No timber. Good grass.
	N.0°03'W. bet. secs. 28 and 29. Over rolling land, thru scattering timber. Wash, course NE. 28.50 Enter cedars, bear NE. and SW. 36.00 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the 40.00 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S 29   S 28 1917 and dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. dia., 18 ins. in the ground, in mound of stone, for cor. of secs. 20, 21, 28, and 29, marked on brass cap  T35N R10W S 20   S 21 S 29   S 28 1917 From which Cedar, 9 ins. dia., bears N.43°E., 92 lks. dist., marked T 35 N R 10 W S 21 B T Cedar, 9 ins. dia., bears S.57 $\frac{1}{2}$ °E., 194 lks. dist., marked T 35 N R 10 W S 28 B T Cedar, 14 ins. dia., bears S.18 $\frac{1}{2}$ °W., 198 lks. dist., marked T 35 N R 10 W S 29 B T Cedar, 13 ins. dia., bears N.46°W., 115 lks. dist., marked T 35 N R 10 W S 20 B T  Land; rolling. Soil; 1st, to 3d. rate. Timber; cedar. Good grass.
40.00	N.89°52'E. on random line bet. secs. 21 and 28. Set temp. $\frac{1}{4}$ sec. cor.
79.84	Fall 2 lks. S. of the cor. of secs. 21, 22, 27, and 28.  Thence S.89°51'W. on true line bet. secs. 21 and 28. Over gently rolling land, thru scattering timber. 5.00 Enter timber, bears N. and S. 25.00 Leave timber, bears N. and S. 34.63 Wash, course NE. 34.83 Enter timber, bears N. and S. 39.82 Set an iron post, 3 ft. long, 1 in. dia., 10 ins. in the ground, in mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap $\frac{1}{4}$ S 21 ----- S 28 1917 and dig pits 18 x 18 x 12 ins. E. and W. of cor., 3 ft. dist.
79.84	The cor. of secs. 20, 21, 28, and 29. Land; nearly level. Soil; loam. Timber; cedar. Good grass.

Subdivision of T. 35 N., R. 10 W.

Chains N.0°03'E. bet. secs. 20 and 21.  
 Over rolling land, thru scattering timber and undergrowth.  
 40.00 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the  
 ground; for  $\frac{1}{4}$  sec. cor.; marked on brass cap  

$$\begin{array}{c} \frac{1}{4} \\ \hline S\ 20\ | \ S\ 21 \end{array}$$
 1917  
 From which,  
 Cedar, 24 ins. dia., bears N.84°E., 374 lks. dist.,  
 marked  $\frac{1}{4}$  S 21 B T  
 Cedar, 30 ins. dia., bears S.69°W., 142 lks. dist.,  
 marked  $\frac{1}{4}$  S 20 B T

80.00 Set an iron post, 3 ft. long, 2 ins. dia., 20 ins. in the  
 ground, for cor. of secs. 16, 17, 20, and 21, marked on  
 brass cap  

$$\begin{array}{c} T35N\ R10W \\ \hline S\ 17\ | \ S\ 16 \\ \hline S\ 20\ | \ S\ 21 \end{array}$$
 1917  
 and dig pits 18 x 18 x  
 12 ins. in each section  $5\frac{1}{2}$  ft. dist.

Land; rolling.  
 Soil; rocky loam, 3d. rate.  
 Timber; cedar.  
 Undergrowth; sagebrush and elderado.

40.00 N.89°51'E. on random line bet. secs. 16 and 21.  
 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.80 Fall 2 lks. N. of the cor. of secs. 15, 16, 21, and 22.

Thence S.89°52'W. on true line bet. secs. 16 and 21.  
 Over rolling land, thru scattering timber and undergrowth.  
 25.00 Wash, 12 lks. wide, 2 ft. deep, course N.  
 39.90 Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., marked on brass cap  

$$\begin{array}{c} S\ 16 \\ \frac{1}{4} \text{ ---} \\ \hline S\ 21 \end{array}$$
 1917  
 and dig pits 18 x 18 x  
 12 ins. E. and W. of cor. 3 ft. dist.

50.23 Road, bears SE. and NW.  
 79.80 The cor. of secs. 16, 17, 20, and 21.


Land; rolling.  
 Soil; rocky, 3d. rate.  
 Timber; cedar.  
 Undergrowth; sagebrush, rabbit brush and brigham brush.  
 Grazing; good.

## Subdivision of T. 35 N., R. 10 W.

Chains	N.0°03'W. bet. secs. 16 and 17. Over level land, thru scattering timber and undergrowth. Road, bears SE. and NW.
23.00	
40.00	Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S 17   S 16
	1917
	From which, Cedar, 14 ins. dia., bears S.18 $\frac{1}{2}$ °E., 143 lks. dist., marked $\frac{1}{4}$ S 16 B T Cedar, 15 ins. dia., bears N.15 $\frac{1}{2}$ °W., 324 lks. dist., marked $\frac{1}{4}$ S 17 B T
48.33	Schultz house, bears N.67 $\frac{1}{4}$ °W.
60.00	Leave timber, bears E. and W.
62.19	Schultz house, bears S.83°W.
65.10	Road, bears E. and W.
80.00	Set an iron post, 3 ft. long, 2 ins. dia., 24 ins. in the ground, for cor. of secs. 8, 9, 16, and 17, marked on brass cap
	T35N R10W S 8   S 9 S 17   S 16 1917
	and dig pits 18 x 18 x 12 ins. in each section 5 $\frac{1}{2}$ ft. dist.
	Land; level. Soil; loam, 1st. and 2nd. rate. Timber; pinon and cedar. Grazing; good.
	N.89°52'E. on random line bet. secs. 9 and 16.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.82	Fall 9 lks. S. of the cor. of secs. 9, 10, 15, and 16.
	Thence S.89°48'W. on true line bet. secs. 9 and 16. Over level land.
3.79	Wash, course N.
39.91	Set an iron post, 3 ft. long, 1 in. dia., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap
	$\frac{1}{4}$ S 9 -- S 16
	1917
	and dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.
79.82	The cor. of secs. 8, 9, 16, and 17.
	Land; level. Soil; rocky loam, 2nd. and 3d. rate. No timber. Good grazing.


Survey of the Subdivisions of T.35 N., R.10 W.

Chains N.0°03'W., bet. secs. 8 and 9.  
 Over rolling land.  
 .10 Wash, course NE.  
 29.18 Wash, course NE.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

59.20 Wash, 25 lks. wide, course E.  
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 20 ins. in  
 the ground to bed rock, supported in a mound of earth  
 for cor. of secs. 4, 5, 8 and 9, marked on brass cap




And dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of post,  $5\frac{1}{2}$  ft. dist.

Land; level and rolling.  
 Soil; rocky loam, 2nd. and 3rd. rates.  
 Timber; none. Good grass.

40.00 N.89°48'E., on a random line bet. secs. 4 and 9.  
 79.88 Set temp.  $\frac{1}{4}$  sec. cor.  
 Fall 4 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence  
 S.89°50'W., on a true line bet. secs. 4 and 9.  
 Over level land.

15.75 Wash, 43 lks. wide, 4 ft. deep, course NE.  
 39.94 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
 the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
 A cedar, 22 ins. in diam., bears S.32 $\frac{1}{2}$ °W., 273 lks.  
 dist., marked  $\frac{1}{4}$  S 9 B T  
 No other bearing tree available. Dig pits 18 x 18  
 x 12 ins. E. and W. of cor. 3 ft. dist.

79.88 The cor. of secs. 4, 5, 8 and 9.

Land; level.  
 Soil; loam, 1st. rate.  
 Timber; none.  
 Good grass.


Survey of the Subdivisions of T.35 N., R.10 W.

Chains

40.00 North, on a random line bet. secs: 4 and 5.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.44 Fall 23 lks. E. of the cor. of secs. 4, 5, 32 and 33, on  
N. bdy. of Tp., hereinbefore described.

Thence  
S.0°10'E., on a true line bet. secs. 4 and 5.  
Over rolling land.

40.44 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



And dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft.  
dist.

80.44 The cor. of secs. 4, 5, 8 and 9.


Land; rolling.  
Soil; rocky loam, 2nd. rate.  
Timber; none.  
Good grass.

From the cor. of secs. 5, 6, 31 and 32 on S. bdy. of Tp.  
described in Book "F",  
N.0°03'W., bet. secs. 31 and 32.  
Over level land.

25.12 Wash, course NE.

33.60 Road, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in  
the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap




And dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft.  
dist.

55.30 Enter scattering timber, bears NE. and SW.

61.00 Leave timber, bears E. and W.

80.00 Set an iron post, 3 ft. long; 2 ins. in diam., 26 ins. in  
the ground for cor. of secs. 29, 30, 31 and 32, marked  
on brass cap



And dig pits 18 x 18 x 12 ins: one in each sec., NE.,  
SE., SW. and NW. of post, 5 $\frac{1}{2}$  ft. dist.


Land; level.  
Soil; loam, 1st. rate.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush.  
Good grass.

Survey of the Subdivisions of T.35 N., R.10 W.

Chains N.89°56'E., on a random line bet. secs. 29 and 32.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.30 Fall 2 lks. S. of the cor. of secs. 28, 29, 32 and 33.

Thence  
S.89°55'W., on a true line bet. secs. 29 and 32.  
Over rolling land, through scattering timber.  
Asc. 46 ft. over gentle E. slope.  
15.00 Desc. 76 ft. to  $\frac{1}{4}$  sec. cor.  
27.37 Wire fence, bears NE. and SW.  
30:00 Leave timber, bears N. and S.

40.15 Set an iron post, 3 ft. long, 1 in. in diam., 12 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap




and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high N. of cor.

45.40 Wire fence, bears SE. and NW.  
80.30 The cor. of secs. 29, 30, 31 and 32.

Land; rolling.  
Soil; loam and limestone 1st. and 3rd. rates.  
Timber; cedar. Good grass.

40.00 S.89°56'W., on a random line bet. secs. 30 and 31.  
Set temp.  $\frac{1}{4}$  sec. cor.  
79.50 Fall 7 lks. S. of the cor. of secs. 25, 30, 31 and 36, on W. bdy. of Tp., hereinbefore described.

Thence  
N.89°59'E., on a true line bet. secs. 30 and 31.  
Over nearly level land.  
39:50 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap




And dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist.

79.50 The cor. of secs. 29, 30, 31 and 32.

Land; nearly level.  
Soil; loam, 1st. rate.  
No timber. Good grass.

22.00 N.0°03'W., bet. secs. 29 and 30.  
Over rolling land.  
Enter timber, bears E. and W.  
40.00 Set an iron post, 3 ft. long, 1 in. in diam., 10 ins. in the ground to bed rock, supported in a mound of stone for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
A cedar, 12 ins. in diam., bears S.53°E., 218 lks. dist., marked  $\frac{1}{4}$  S 29 B T  
A cedar, 10 ins. in diam., bears N.45°W., 149 lks.

Chains

dist., marked  $\frac{1}{4}$  S 30 B T

80.00

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked on brass cap

T35N R10W	
S 19	S 20
S 30	S 29
1917	

From which

A cedar, 30 ins. in diam., bears S.65°E., 58 lks. dist., marked T 35 N R 10 W S 29 B T

A cedar, 13 ins. in diam., bears S.31°W., 215 lks. dist., marked T 35 N R 10 W S 30 B T

No other trees available. Dig pits 18 x 18 x 12 ins. one in each sec. NE., S., SW. and NW. of post, 3 ft. dist.

Land; rolling.  
Soil; rocky loam, 2nd. rate.  
Timber; pinyon and cedar.  
Good grass.

40.00

N.89°55'E., on a random line bet. secs. 20 and 29. Set temp.  $\frac{1}{4}$  sec. cor.

80.34

Fall 12 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence

S.89°50'W., on a true line bet. secs. 20 and 29.

Over level land, through scattering timber.

40.17

Set an iron post, 3 ft. long, 1 in. in diam., 16 ins. in the ground to bed rock, supported in a mound of earth for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 20
	S 29
	1917

From which

A cedar, 13 ins. in diam., bears N.6°E., 309 lks. dist., marked  $\frac{1}{4}$  S 20 B T

A cedar, 13 ins. in diam., bears S.68°E., 62 lks. dist., marked  $\frac{1}{4}$  S 29 B T

80.34

The cor. of secs. 19, 20, 29 and 30.

Land; level.  
Soil; rocky loam, 2nd. rate.  
Timber; cedar.  
Good grass.

40.00

S.89°59'W., on a random line bet. secs. 19 and 30. Set temp.  $\frac{1}{4}$  sec. cor.

79.51

Fall 14 lks. S. of the cor. of secs. 19, 24, 25 and 30 on W. bdy. of Tp., hereinbefore described.

Thence

S.89°55'E., on a true line bet. secs. 19 and 30.

Over level land, through scattering timber.

39.51

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap

$\frac{1}{4}$	S 19
	S 30
	1917

From which

A cedar, 10 ins. in diam., bears N.57°W., 106 lks. dist., marked  $\frac{1}{4}$  S 19 B T

A cedar, 6 ins. in diam., bears S.40°W., 83 lks. dist., marked  $\frac{1}{4}$  S 30 B T

Survey of the Subdivisions of T.35 N., R.10 W.

BOOK 100


Chains  
79.51

The cor. of secs. 19, 20, 29 and 30.

Land; level.  
Soil; rocky loam, 2nd. rate.  
Timber; cedar.  
Good grass.

40.00


N.0°03'W., bet. secs. 19 and 20.  
Over nearly level land, through scattering timber.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
A cedar, 6 ins. in diam., bears S.29°E., 122 lks. dist., marked  $\frac{1}{4}$  S 20 B T  
A cedar, 5 ins. in diam., bears S.46°W., 195 lks. dist., marked  $\frac{1}{4}$  S 19 B T

55.00  
72.95  
76.00  
80.00

Leave timber, bears NE. and SW.  
Wash, course E.  
Enter timber, bears E. and W.  
Set an iron post, 3 ft. long, 2 ins. in diam., 4 ins. in the ground to bed rock, supported in a mound of stone for cor. of secs. 17, 18, 19 and 20, marked on brass cap



From which  
A cedar, 22 ins. in diam., bears N.20 $\frac{1}{2}$ °E., 118 lks. dist., marked T 35 N R 10 W S 17 B T  
A cedar, 10 ins. in diam., bears S.17°E., 224 lks. dist., marked T 35 N R 10 W S 20 B T  
A cedar, 9 ins. in diam., bears S.23 $\frac{1}{2}$ °W., 88 lks. dist., marked T 35 N R 10 W S 19 B T  
A cedar, 10 ins. in diam., bears N.55 $\frac{1}{2}$ °W., 124 lks. dist., marked T 35 N R 10 W S 18 B T

Land; nearly level.  
Soil; rocky loam, 2nd. rate.  
Timber; cedar.  
Good grass.


40.00  
80.28

N.89°50'E., on a random line bet. secs. 17 and 20.  
Set temp.  $\frac{1}{4}$  sec. cor.  
Fall 5 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence  
S.89°52'W., on a true line bet. secs. 17 and 20.  
Over rolling land, through scattering timber and undergrowth.

10.00  
28.00  
40.14

Leave timber, bears N. and S.  
Enter timber, bears NE. and SW.  
Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which  
A cedar, 7 ins. in diam., bears N.34 $\frac{1}{2}$ °E., 103 lks. dist., marked  $\frac{1}{4}$  S 17 B T  
A cedar, 24 ins. in diam., bears S.11°E., 27 lks.

## Survey of the Subdivisions of T.35 N., R.10 W.

Chains	dist., marked $\frac{1}{4}$ S 20 B T
63.00	Leave timber, bears N. and S.
73.00	Enter timber, bears N. and S.
80.28	The cor. of secs. 17, 18, 19 and 20.
	Land; rolling. Soil; rocky loam, 3rd. rate. Timber; cedar. Undergrowth; sagebrush and elderado. Good grass.
40.00	N.89°55'W., on a random line bet. secs. 18 and 19. Set temp. $\frac{1}{4}$ sec. cor.
79.33	Fall 4 lks. S. of the cor. of secs. 13, 18, 19 and 24 on W. bdy. of Tp., hereinbefore described.
	Thence S.89°53'E., on a true line bet. secs. 18 and 19. Over level land, through scattering timber and undergrowth.
37.80	Leave timber, bears N. and S.
39.33	Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 18 S 19 1917
	From which A cedar, 12 ins. in diam., bears N.25°W., 28 lks. dist., marked $\frac{1}{4}$ S 18 B T A cedar, 16 ins. in diam., bears S.51°W., 166 lks. dist., marked $\frac{1}{4}$ S 19 B T
73.30	Enter timber, bears SE. and NW.
79.33	The cor. of secs. 17, 18, 19 and 20.
	Land; level. Soil; rocky loam, 2nd. rate. Timber; cedar. Undergrowth; sagebrush. Good grass.
36.00	N.0°03'W., bet. secs. 17 and 18. Over rolling land, through scattering timber and under- growth.
40.00	Leave timber, bears NE. and SW. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4}$ S 18   S 17 1917
	From which A cedar, 7 ins. in diam., bears S.7 $\frac{1}{2}$ °E., 379 lks. dist., marked $\frac{1}{4}$ S 17 B T A cedar, 10 ins. in diam., bears S.16 $\frac{1}{2}$ °W., 362 lks. dist., marked $\frac{1}{4}$ S 18 B T
61.76	Road,, bears E. and W.
62.76	Wash, course NE.
80.00	Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 7, 8, 17 and 18, marked on brass cap
	T35N R10W S 7   S 8 S 18   S 17 1917
	And dig pits 18 x 18 x 12 ins. one in each sec. NE.,

Survey of the Subdivisions of T.35 N., R.10 W.

Chains	SE., SW., and NW. of post, 5½ ft. dist.
	<p>Land; rolling. Soil; loam, 1st. and 2nd. rates. Timber; cedar. Undergrowth; sagebrush. Good grass.</p>
40.00 80.24	<p>N. 89° 52' E., on a random line bet. secs. 8 and 17. Set temp. ¼ sec. cor. Fall 5 lks. S. of the cor. of secs. 8, 9, 16 and 17.</p>
.10 40.12	<p>Thence S. 89° 50' W., on a true line bet. secs. 8 and 17. Over level land, through scattering undergrowth. Wash, course NE. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap</p>
	$\frac{1}{4} \begin{array}{l} S 8 \\ S 17 \end{array}$
	<p>From which A cedar, 12 ins. in diam., bears N. 52° W., 280 lks. dist., marked ¼ S 8 B T A cedar, 12 ins. in diam., bears S. 62° E., 156 lks. dist., marked ¼ S 17 B T Schultz's house, bears S. 34¼° E.</p>
42.00 46.50 51.70 67.23 80.24	<p>Enter timber, bears N. and S. Leave timber, bears N. and S. Road, bears N. and S. Wash, course NE. The cor. of secs. 7, 8, 17 and 18.</p>
	<p>Land; level. Soil; loam, 1st. and 2nd. rates. Timber; cedar. Undergrowth; sagebrush. Good grass.</p>
40.00 79.31	<p>N. 89° 53' W., on a random line bet. secs. 7 and 18. Set temp. ¼ sec. cor. Fall 7 lks. S. of the cor. of secs. 7, 12, 13 and 18 on W. bdy. of Tp., hereinbefore described.</p>
2.50 19.30 39.31	<p>Thence S. 89° 50' E., on a true line bet. secs. 7 and 18. Over level land. Enter timber, bears NE. and SW. Wash, course S. Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for ¼ sec. cor. marked on brass cap</p>
	$\frac{1}{4} \begin{array}{l} S 7 \\ S 18 \end{array}$ <p>1917</p>
	<p>From which A cedar, 6 ins. in diam., bears N. 10° E., 136 lks. dist., marked ¼ S 7 B T A cedar, 7 ins. in diam., bears S. 10° W., 86 lks. dist., marked ¼ S 18 B T</p>
52.11 56.30 63.30 79.31	<p>Road, bears SE. and NW. Leave timber, bears NE. and SW. Ditch, 6 ft. wide, 3 ft. deep, course SW. The cor. of secs. 7, 8, 17 and 18.</p>
	<p>Land; level. Soil; rocky loam, 2nd. and 3rd. rates. Timber; cedar. Undergrowth; sagebrush. Good grass.</p>


Survey of the Subdivisions of T.35 N., R.10 W.

Chains

N.0°03'W., bet. secs. 7 and 8.  
Over level land.


32.20 Wash, 10 lks. wide, 6 ft. deep, course E.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. N. and S. of cor. 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the ground for cor. of secs. 5, 6, 7 and 8 marked on brass cap



Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of post  $5\frac{1}{2}$  ft. dist.

Land; level.  
Soil; loam, 2nd. rate.  
Timber; none.  
Good grass.

40.00 N.89°50'E., on a random line bet. secs. 5 and 8.

Set temp.  $\frac{1}{4}$  sec. cor.


80.22 Fall 5 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence

S.89°48'W., on a true line bet. secs. 5 and 8.

Over level land.

40.11 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. E. and W. of post, 3 ft. dist.

80.22 The cor. of secs. 5, 6, 7 and 8.

Land; level.  
Soil; rocky loam, 2nd. rate.  
Timber; none.  
Good grass.

40.00 N.89°50'W., on a random line bet. secs. 6 and 7.

Set temp.  $\frac{1}{4}$  sec. cor.

79.13 Fall 7 lks. S. of the cor. of secs. 1, 6, 7 and 12 on W. ody. of Tp., hereinbefore described.

Thence

S.89°47'E., on a true line bet. secs. 6 and 7.


Over level land, through scattering timber and undergrowth.

24.40 Leave timber, bears NE. and SW.

34.40 Road, bears NE. and SW.

34.84 Wash, course NE.

39.13 Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked on brass cap



From which

Survey of the Subdivisions of T.35 N., R.10 W.

BOOK 3022

Chains

A cedar, 11 ins. in diam., bears S.40°E., 112 lks. dist., marked  $\frac{1}{4}$  S 7 B T  
No other bearing tree available. Dig pits 18 x 18 x 12 ins. E. and W. of post, 3 ft. dist.

79.13 The cor. of secs. 5, 6, 7 and 8.

Land; level.  
Soil; loam, 1st. and 2nd. rates.  
Timber; pinyon and cedar.  
Undergrowth; sagebrush.  
Good grass.

40.00 N.0°10'W., on a random line bet. secs. 5 and 6.  
Set temp.  $\frac{1}{4}$  sec. cor.  
80.50 Fall 14 lks. W. of the cor. of secs. 5, 6, 31 and 32, on N. bdy. of Tp., hereinbefore described.

Thence  
S.0°04'E., on a true line bet. secs. 5 and 6.  
Over rolling land.


16.90 Enter timber, bears NE. and SW.

25.20 Leave timber, bears NE. and SW.

31.60 Road, bears NE. and SW.

32.00 Wash, course NE.

40.50 Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bed rock, supported in a mound of earth for  $\frac{1}{4}$  sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. N. and W. of post, 3 ft. dist.

80.50 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.  
Soil; loam, 1st. and 2nd. rates.  
Timber; cedar.  
Undergrowth; sagebrush.  
Good grass.

## Boundaries of T. 35 N., R. 10 W.

Latitudes, departures, and closing errors.						
Line designated.	True bearing.	Dist.	Latitudes.		Departures.	
			N.	S.	E.	W.
		chs.	chs.	chs.	chs.	chs.
South Boundary	S. 89° 56' W.	479.58		.56		479.58
West Boundary	North	480.00	480.00			
North Boundary	N. 89° 55' E.	479.08	.70		479.08	
East Boundary	South	480.00		480.00		
Convergency						.53
Totals			480.70	480.56	479.61	479.58
			480.56		479.58	
Error in latitude -----			0.14			
Error in departure -----					0.03	

Final field test of Instrument N. 8480,  
by D. R. Averill.

November 26, 1917: I examine the adjustments of the instrument and find them correct, then to test the solar apparatus, by comparing its indications resulting from observations made during a.m. and p.m. hours, with a meridian established by Polaris observations, proceed as follows:

At camp, near the  $\frac{1}{4}$  sec. cor. of secs. 25 and 26, T. 34 N., R. 9 W., G. & S. R. 3. & M., in latitude 36° 19' N., longitude 113° 13 $\frac{1}{2}$ ' W. of Greenwich, at 6h 40m a.m., l.m.t., observe Polaris at the hour angle west of the meridian, making four observations, two each with telescope in direct and reversed positions and mark the mean point in the line thus determined on a stake driven firmly in the ground 5 chs. N.

Time of U.C. Polaris Nov. 25, long. 113° W. = 9h 13.5m

Mean time hour angle = 9h 26.5m

Azimuth of Polaris west of the meridian = 51 $\frac{1}{2}$ '.

Lay off the azimuth of Polaris 51 $\frac{1}{2}$ ' to the E. and mark a point in the meridian thus determined on a stake 5 chs. N. of my station.

At 9h 00m a.m. app.t., set off 36° 19' on the latitude arc, 20° 53' S. on the declination arc and determine a meridian with the solar which agrees with the Polaris meridian.

At 3h 00m p.m., app.t., with the latitude arc unchanged, set off 20° 56' S., on the declination arc and determine a meridian with the solar, which also agrees with the true meridian.

As all of the solar observations taken during the usual hours of solar work come within 1' of the true meridian I conclude that the adjustments of the instrument have been satisfactory throughout the survey of this township.

GENERAL DESCRIPTION

The land in T.35 N., R.10 W. is level and rolling. The soil is mostly loam with some lava and limestone formation. There is a scattering growth of timber throughout the township, which consists principally of pinyon and juniper, the latter being commonly called cedar. No evidence of mineral was found. There are no streams or springs within the township. The land is utilized for grazing purposes.

BOOK 3622

4-680

FIELD ASSISTANTS. to  
*William B. Kimmel, U.S. Surveyor and Dupree R. Averill, U.S. Transitman.*

NAMES.	CAPACITY.
George M. Ginochio	First Chainman.
J.A. Redwine	Second Chainman.
Rexford Perkins	First Chainman
Alm E. Flanigan	Second Chainman.
Clifton Hildebrand	First Chainman.
L.S. Ruddick	Flagman.
Marion Alldredge	Cornerman
Karl N. Caldwell	Flagman.
Anthony Jepson	Cornerman.

BOOK 5622

CERTIFICATE OF UNITED STATES SURVEYOR.

I, William B. Kimmel, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 72, Arizona bearing date of the 12th day of October, 1916, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

The East Boundary and North Boundary of

T. 35 N., R. 10 W.

of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes and by diagram on page 1 hereof as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 72, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Phoenix, Ariz., Dec. 18, 1923.

William B. Kimmel U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL.

Large rectangular area with a diagonal cross, containing text for approval and certification. The text includes: 'The foregoing field notes of the survey of...', 'executed by...', 'under his special instructions dated...', 'critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.', 'I certify that the foregoing transcript of the field notes of the above-described surveys in...', 'has been correctly copied from the original notes on file in this office.', and 'U. S. Surveyor General.' at the bottom right.



BOOK 2622

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Dupree R. Averill, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 72, Arizona bearing date of the 12 th day of October, 1916, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

The West Boundary ,  
The East Boundary ,  
The North Boundary and  
The Subdivision of  
T. 35 N., R. 10 W. of the Gila and Salt River  
Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes <sup>and by diagram on page 1 hereof</sup> as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 72, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

*Phoenix Arizona  
January 3, 1924*

*Dupree R. Averill*  
U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL,

*Phoenix Arizona, May 15*, 1924.

The foregoing field notes of the survey of

The West Boundary, East Boundary, North Boundary,  
and Subdivision of T. 35 N., R. 10 W. of the Gila and Salt River  
Base and Meridian in the State of Arizona

executed by William B. Kimmel, U.S. Surveyor and Dupree R. Averill, U.S. Transitman under ~~his~~ special instructions dated October 12, 1916 for Group 72, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

*Charles M. Dowd*  
U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in \_\_\_\_\_  
 \_\_\_\_\_, has been correctly copied from the original notes on file in this office.