

3687

275
OR/6

4-079

BOOK "H"

BOOK 3687

BOOK 3687

FIELD NOTES

OF THE RESURVEY OF

Part of the West boundary,

AND OF THE SURVEY OF THE

East Boundary,

North Boundary and

Subdivision Lines of

TOWNSHIP 37 NORTH, RANGE 11 WEST,

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

William E. Hiester, U.S. Surveyor
and

Charles E. Hunter, U.S. Transitman.

In the capacity of U.S. Surveyors, under Special Instructions dated April 23, 1923,

issued by the United States Surveyor General to govern surveys included in Group
No. 122 Arizona, which were approved by the Commissioner of the General Land

Office, May 17, 1923, and Assignment Instructions dated Nov. 15, 1923

Resurvey and Survey commenced March 27, 1924

Resurvey and Survey completed April 8, 1924.

3687

3687


1A

Book "H"

Group 122 - - Arizona.

BOOK 3687

INDEX DIAGRAM.



-  Lines surveyed under this group.
-  Lines resurveyed under this group.
-  Accepted surveys.
-  Unsurveyed.

BOOK 3687
BOOK 3687

DATE 4-679 b

INDEX DIAGRAM.

Township 37 North Range 11 West

	3-29-24	3-29-24	3-29-24	3-29-24	3-29-24	3-29-24
<i>Resurveyed</i> <i>Surveyed in 1915</i>	6 4-5-24 4-7-24	5 4-5-24 4-4-24	4 4-4-24 4-7-24	3 4-2-24 4-1-24	2 4-1-24 3-28-24	1 4-1-24 3-29-24
	7 4-5-24 4-5-24	8 4-5-24 4-4-24	9 4-7-24 4-2-24	10 4-7-24 3-29-24	11 4-1-24 3-28-24	12 4-1-24 3-29-24
	13 4-5-24 4-5-24	14 4-5-24 4-4-24	15 4-4-24 4-2-24	16 4-1-24 3-29-24	17 3-28-24 3-28-24	18 3-28-24 3-29-24
	19 4-3-24 4-5-24	20 4-3-24 4-3-24	21 4-3-24 4-1-24	22 4-1-24 3-29-24	23 4-1-24 3-27-24	24 3-31-24 3-27-24
	25 4-3-24 4-3-24	26 4-3-24 4-3-24	27 4-3-24 4-1-24	28 3-31-24 3-29-24	29 3-31-24 3-27-24	30 3-31-24 3-27-24
	31 4-3-24	32 4-3-24	33 3-31-24	34 3-29-24	35 3-27-24	36 3-27-24

9th. Std. Par. N.
Surveyed in 1915

6-4817

Lines in red, ^{resurveyed or} surveyed by William E. Diester, U.S. Surveyor.

Lines in green, ^{resurveyed or} surveyed by Charles E. Hunter, U.S. Transitman.

Survey commenced March 26, 1924, and executed by William E. Hiester, U.S. Surveyor and Charles E. Hunter, U.S. Transitman, on dates shown on diagram on page 1 hereof, using Buff transit No. 9977 and Young and Sons transit No. 8535 respectively. Both instruments are equipped with full vertical circle and the Smith solar attachment, and were approved by the Assistant Supervisor of Surveys, conditional upon satisfactory field tests. Unless otherwise specified all azimuth determinations are accomplished with the solar attachments.

We examine the adjustments of the instruments and correct all errors, then to test the solar apparatus by comparing their indications resulting from solar observations made during a.m. and p.m. hours with a meridian determined from observation of Polaris proceed as follows:

March 26, 1924: in camp near the cor. of secs. 14, 15, 22 and 23, T.37 N., R.11 W., Gila and Salt River Base and Meridian Arizona, in latitude $36^{\circ}36'N.$, longitude $113^{\circ}28'W.$, of Greenwich, at 7h 12.8m p.m., l.m.t., we observe Polaris at western elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined, on a peg driven firmly in the ground 8 chs. N.

Azimuth of Polaris at western elongation = $1^{\circ}22'19''$

March 27: we lay off the azimuth of Polaris $1^{\circ}22\frac{1}{2}'$ to the east and mark the meridian thus determined by a tack in a stake driven firmly in the ground 8 chs. N.

March 30:

At 8h 0m a.m., app.t., we set off $36^{\circ}36'N.$ on the latitude arcs, $3^{\circ}51'N.$ on the declination arcs, and determine meridians with the solars which agree with the true meridians.

At app. noon, with the latitude arcs unchanged, we observe the sun on the meridian with each instrument, the resulting readings of the declination arcs are $3^{\circ}54'N.$, which agree with the computed declination of the sun.

At 4h 0m p.m., app.t., with the latitude arcs unchanged, we set off $3^{\circ}58\frac{1}{2}'N.$, on the declination arcs, and determine meridians with the solars which agree with the true meridians.

As all the solar observations during the usual hours of solar work come within 1' of the true meridian, we conclude that the adjustments of the instruments are satisfactory.

Unless otherwise specified all measurements are made with Lufkin steel tapes 5 chs. in length compared with a Lufkin standard steel tape and found correct. The measurements are made on the slope, the vertical angle determined and the slope measurement properly reduced to true horizontal distances.

Independent Resurvey of a Portion of the
W. bdy. of T.37 N., R.11 W.


Chains

The west boundary of T.37 N., R.11 W. was surveyed by Thomas B. Matthews, U.S. Surveyor, in 1915. Retracement of this line showed the south half of the line bet. secs. 19 and 24 to be out of limits for measurement. Since no closings have been made on either side, it is subject to resurvey. The true bearing according to the retracement is N.0°10'E.

The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of T.37 N., R.11 W., is an iron post, 3 ins. diam., with brass cap properly marked and set in a mound of stone.

Thence
N.0°10'E., on a true line bet. secs. 19 and 24.
Over rolling land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 6 ins. diam., bears N.64 $\frac{1}{2}$ °E., 100 lks. dist. marked $\frac{1}{4}$ S 19 B T
A cedar, 16 ins. diam., bears N.88 $\frac{1}{4}$ °W., 33 lks. dist. marked $\frac{1}{4}$ S 24 B T


40.32 Intersect the old $\frac{1}{4}$ sec. cor. . I remove this cor.

43.70 Gulch, course W. Asc.

67.00 Desc. 120 ft.

76.00 Gulch, course NW. Asc..

80.00 Set the old iron post, which is 3 ft. long, 3 ins. diam., 26 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap




Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor., 3 ft. dist.

The position of old cor. which I removed, bears N. 36 lks. dist.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; scrub cedar.
Undergrowth; sagebrush and greasewood.

N.0°10'E., on a true line bet. secs. 13 and 18.
Over rolling land, through scattering undergrowth.

40.00 The old $\frac{1}{4}$ sec. cor. monument which is an iron post, 3 ft. long, 1 in. diam., I remove from its original position 39 lks. N. and reset 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap



Independent Resurvey of a Portion of the
W. bdy. of T.37 N., R.11 W.

Chains Dig pits 18 x 18 x 12 ins. on line N. and S. of cor.
3 ft. dist.

80.00 The old cor. monument which is an iron post, 3 ft. long,
3 ins. diam., I remove from its original position, 43
lks. N. and reset 24 ins. in the ground for cor. of
secs. 7, 12, 13 and 18, marked on brass cap

T37N	
R12W	R11W
S 12	S 7
S 13	S 18
1915	

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; gravelly, 3rd. rate.
Timber; none.
Undergrowth; sagebrush and greasewood.

N.0°10'E., on a true line bet. secs. 7 and 12.
Over rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{2}$ sec. cor. marked on brass cap

$\frac{1}{2}$	
S 12	S 7
1924	

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

40.48 Intersect the old $\frac{1}{2}$ sec. cor. which I remove.

80.00 The old cor. monument, which is an iron post, 3 ft. long,
3 ins. diam., I remove from its original position 50
lks. N. and reset 26 ins. in the ground for cor. of
secs. 1, 6, 7 and 12, marked on brass cap

T37N	
R12W	R11W
S 1	S 6
S 12	S 7
1915	

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; sandy, 3rd. rate.
Timber; none.
Undergrowth; greasewood, black brush and sagebrush.

N.0°10'E., on a true line bet. secs. 1 and 6.
Over rolling land, through scattering undergrowth.

40.00 The old $\frac{1}{2}$ sec. cor. monument, which is an iron post, 3
ft. long, 1 in. diam., I remove from its original
position 54 lks. N. and reset 26 ins. in the ground
for $\frac{1}{2}$ sec. cor. marked on brass cap

S 1	S 6
1915	

Independent Resurvey of a Portion of the
W. bdy. of T.37 N., R.11 W.

Chains

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

40.54 Intersect position of old $\frac{1}{2}$ sec. cor.

80.57 Intersect the cor. of Ts. 37 and 38 N., Rs. 11 and 12 W.,
which is an iron post, 3 ins. diam., 12 ins. above
ground, with brass cap properly marked, and witnessed
by a mound of stone S. of cor.

Land; rolling.

Soil; sandy, 3rd. rate.

Timber; none.

Undergrowth; sagebrush.

Chains

The Standard Cor. of Ts. 37 N., Rs. 10 and 11 W., is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by a mound of stone N. of cor.

Thence

North, bet. secs. 31 and 36.

Over gently rolling land, through scattering timber and undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap

1/4
S 36 | S 31
1924

77.80
80.00

Fence, bears E. and W.

Set an iron post, 3 ft. long, 2 ins. diam., on ledge of rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 25, 30, 31 and 36, marked on brass cap

T37N
R11W | R10W
S 25 | S 30
S 36 | S 31
1924

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar.
Undergrowth; sagebrush.

North, bet. secs. 25 and 30.

Over gently rolling land, through scattering undergrowth.

Desc. 100 ft.

5.00
32.45
40.00

Foot of descent.

Reservoir on line.

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for 1/4 sec. cor. marked on brass cap

1/4
S 25 | S 30
1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

John Shelly's House, bears N.12°20'W.

64.00
69.00
73.70
80.00

Road, bears SE. and NW.

Road, bears NE. and SW.

Fence, bears E. and W.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 19, 24, 25 and 30, marked on brass cap

T37N
R11W | R10W
S 24 | S 19
S 25 | S 30
1924

East Boundary of T.37 N., R.11 W.

Chains	<p>Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.</p> <p>Land; rolling. Soil; rocky, 2nd. rate. Timber; none. Undergrowth; sagebrush.</p>
	<p>North, bet. secs. 19 and 24. Over rolling land, through scattering undergrowth.</p>
2.85 40.00	<p>John Shelly's House, bears S.21$\frac{1}{4}$°W. Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4}$ S 24 S 19 1924 </div>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 13, 18, 19 and 24, marked on brass cap</p> <div style="text-align: center;"> T37N R11W R10W S 13 S 18 S 24 S 19 1924 </div> <p>Raise a mound of stone, 4$\frac{1}{2}$ ft. base, 3 ft. high W. of cor.</p> <p>Land; rolling. Soil; rocky, 3rd. rate. Timber; none. Undergrowth; sagebrush.</p>
	<p>North, bet. secs. 13 and 18. Over gently rolling land.</p>
16.20 32.50 40.00	<p>Road, bears NE. and SW. Road, bears SE. and NW. Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> $\frac{1}{4}$ S 13 S 18 1924 </div>
	<p>Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.</p>
50.00 54.10 70.00 76.26 80.00	<p>Mud hole, bears W. 15 chs. Wash, 10 lks. wide, course S.81°W. Asc. 150 ft. Top of ascent. Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 7, 12, 13 and 18, marked on brass cap</p>

East Boundary of T.37 N., R.11 W.

Chains

T37N	
R11W	R10W
S 12	S 7
S 13	S 18
1924	

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; None.
Undergrowth; none.

13.09
40.00

North, bet. secs. 7 and 12.
Over rolling land.
Desc. 90 ft. over N. slope.
Wash, 10 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$	
S 12	S 7
1924	

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

40.70
41.00
60.44
80.00

Wash, 10 lks. wide, course NE.
Road, bears NE. and SW.
Asc. 68 ft. over S. slope.
Wash, 20 lks. wide, course SE.
Asc. 100 ft. to
Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, forbed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 7, 6, 7 and 12, marked on brass cap

T37N	
R11W	R10W
S 1	S 6
S 12	S 7
1924	

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; none.

14.48
40.00

North, bet. secs. 1 and 6.
Over rolling land, through scattering undergrowth.
Wash, 10 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$	
S 1	S 6
1924	

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

42.70
48.00
64.00
66.81

Wash, 10 lks. wide, course SE.
Road, bears SE. and NW.
Desc. 70 ft. to
Wash, 20 lks. wide, course NE.
Asc. 50 ft.

East Boundary of T.37 N., R.11 W.

Chains
72.78
82.23

Wash, 20 lks. wide, course NE.

A point due east of the cor. of Ts. 37 and 38 N., Rs. 11 and 12 W. Set an iron post, 3 ft. long, 3 ins. diam. on ledge of rock, with marked cross (+) stone alongside base of post, supported in a mound of stone, for cor. of Ts. 37 and 38 N., Rs. 10 and 11 W., marked on brass cap

T38N	
R11W	R10W
S 36	S 31
S 1	S 6
T37N	
1924	

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

North Boundary of T.37 N., R.11 W.

Chains	From the cor. of Ts. 37 and 38 N., Rs. 10 and 11 W., hereinbefore described, West, bet. secs. 1 and 36. Over rolling land,
24.00	Road, bears N. and S.
25.81	Rim, bears SE. and NW. Desc. 130 ft. over W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{r} S 36 \\ S 1 \\ 1924 \end{array}$
	Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.
57.40	Wash, 10 lks. wide, course SW. Road, bears NE. and SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 1, 2, 35 and 36, marked on brass cap
	$\begin{array}{c} T38N R11W \\ S 35 S 36 \\ S 2 S 1 \\ T37N \\ 1924 \end{array}$
	Dig pits 18 x 18 x 12 ins., one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.
	Land; rolling. Soil; sandy, 2nd. rate. No timber or undergrowth.
	West, bet. secs. 2 and 35. Over level land.
.60	Road, bears SE. and NW.
19.20	Road, bears N. and S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap
	$\frac{1}{4} \begin{array}{r} S 35 \\ S 2 \\ 1924 \end{array}$
	Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.
55.00	Wash, 20 lks. wide, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., on ledge of rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 2, 3, 34 and 35 marked on brass cap
	$\begin{array}{c} T38N R11W \\ S 34 S 35 \\ S 3 S 2 \\ T37N \\ 1924 \end{array}$
	Land; level and rolling. Soil; rocky, 3rd. rate. Timber; none. Undergrowth; sagebrush.

North Boundary of T.37 N., R.11 W.

Chains

West, bet. secs. 3 and 34.
 Over rolling land, through sagebrush.
 5.00 Tank, bears N. about 3 chs.
 6.20 Wash, 10 lks. wide, course NW.
 22.50 Asc. 55 ft.
 25.50 Desc. 57 ft.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 34
 $\frac{1}{4}$ S 3
 1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
 of cor. 3 ft. dist.

49.50 Road, bears NE. and SW.
 66.40 Road, bears SE. and NW.
 70.00 Asc. 65 ft. to
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in
 the ground to bed rock, with marked cross (+) stone
 alongside, supported in a mound of stone, for cor. of
 secs. 3, 4, 33 and 34, marked on brass cap

T38N, R11W
 S 33 | S 34
 S 4 | S 3
 T37N
 1924

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush.

West, bet. secs. 4 and 33.
 Over rolling land, through sagebrush.
 Desc. 40 ft.
 6.70 Wash, 20 lks. wide, course NE. Asc.
 7.50 Road, bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
 the ground to bed rock, with marked cross (+) stone
 alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.
 cor. marked on brass cap

$\frac{1}{4}$ S 33
 S 4
 1924

From which,
 A cedar, 8 ins. diam., bears S.40 $3\frac{3}{4}$ °E., 343 lks.
 dist., marked $\frac{1}{4}$ S 4 B T.

46.10 Road, bears SE. and NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in
 the ground to bed rock, with marked cross (+) stone
 alongside, supported in a mound of stone, for cor. of
 secs. 4, 5, 32 and 33, marked on brass cap

T38N, R11W
 S 32 | S 33
 S 5 | S 4
 T37N
 1924

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush.

North Boundary of T.37 N., R.11 W.

Chains

West, bet. secs. 5 and 32.
Over rolling land, through scattering timber and dense sagebrush.

14.50
40.00

Wash, 10 lks. wide, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap.

$\frac{1}{4}$ $\frac{S\ 32}{S\ 5}$
1925

From which,

- A cedar, 14 ins. diam., bears N.33 $\frac{1}{2}$ °E., 120 lks. dist., marked $\frac{1}{4}$ S 32 B T
- A cedar, 36 ins. diam., bears S.57 $\frac{1}{2}$ °E., 137 lks. dist., marked $\frac{1}{4}$ S 5 B T

54.96
80.00

Wash, 20 lks. wide, course N.
Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 5, 6, 31 and 32, marked on brass cap.

T38N E11W
 $\frac{S\ 31\ S32}{S\ 6\ S\ 5}$
T37N
1924

From which,

- A cedar, 4 ins. diam., bears N.65 $\frac{3}{4}$ °E., 319 lks. dist., marked B T T 38 N 11 W S 32
- A cedar, 10 ins. diam., bears S.57 $\frac{3}{4}$ °E., 87 lks. dist., marked T 37 N R 11 W S 5 B T
- A cedar, 14 ins. diam., bears S.70 $\frac{1}{4}$ °W., 293 lks. dist., marked T 37 N R 11 W S 6 B T
- A cedar, 24 ins. diam., bears N.70°W., 282 lks. dist., marked T 38 N R 11 W S 31 B T

Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar.
Undergrowth; sagebrush.

West, bet. secs. 6 and 31.
Over rolling land, through dense sagebrush.
Desc. 90 ft. over W. slope.

11.92
26.68
40.00

Wash, 10 lks. wide, course NW.
Asc. 100 ft. over E. slope.
Spur, slopes N. Desc, 175 ft.
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap.

$\frac{1}{4}$ $\frac{S\ 31}{S\ 6}$
1924

78.31


The cor. of Ts. 37 and 38 N., Rs. 11 and 12 W., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by a mound of stone S. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


Subdivision of T.37 N., R.11 W.

Chains From the S.C. of secs. 35 and 36, T.37 N., R.11 W., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by a mound of stone N. of cor., N.0°1'W., bet. secs. 35 and 36. Over rolling land, through sagebrush.

38.76 Draw, course NE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



46.00 Asc.
55.90 Desc. 50 ft. to
80.00 Draw, course NE. Asc. 90 ft. over SE. slope.
Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone for cor. of secs. 25, 26, 35 and 36, marked on brass cap




Land; rolling.
Soil; rocky, 4th. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°46'E., on a random line bet. secs. 25 and 36.
80.18 Set temp. $\frac{1}{4}$ sec. cor.
Fall 51ks. S. of the cor. of secs. 25, 30, 31 and 36, on E. bdy. of 4p., hereinbefore described.

Thence N.89°48'W., on a true line bet. secs. 25 and 36. Over rolling land, through scattering undergrowth. Desc. 100 ft. over W. slope.

28.60 Road, bears N. and S.
28.83 Fence, bears N. and S.
31.18 Road, bears N. and S.
40.09 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

61.48 Draw, course NE. Asc. 80 ft. over SE. slope.
80.18 The cor. of secs. 25, 26, 35 and 36.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.37 N., R.11 W.

Chains N.0°1'W., bet. secs. 25 and 26.
Over rolling land, through sagebrush.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with marked cross (+) stone at base of post, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
 S 26 | S 25
 1924

50.00 Road, bears NE. and SW.
55.00 Draw, course NE. Small reservoir, 1 ch. W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 23, 24, 25 and 26, marked on brass cap

T37N R11W
 S 23 | S 24
 S 26 | S 25
 1924

Raise a mound of stone, $3\frac{1}{2}$ ft. base, 2 ft. high W. of cor.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°48'E., on a random line bet. secs. 24 and 25. Set temp. $\frac{1}{4}$ sec. cor.
80.22 Fall 2 lks. S. of the cor. of secs. 19, 24, 25 and 30 on E. bdy. of Tp., hereinbefore described.

Thence
N.89°49'W., on a true line bet. secs. 24 and 25.
Over rolling land, through scattering undergrowth.

39.20 Road, bears N. and S.
40.11 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S24
 S 25
 1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

68.25 Draw, course NE. Asc.
80.22 The cor. of secs. 23, 24, 25 and 26.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


N.0°1'W., bet. secs. 23 and 24.
Over rolling land, through sagebrush.

21.00 Desc. 46 ft. to
25.93 Draw, course NE. Asc. 50 ft.
36.00 Desc. 32 ft.
39.84 Draw, course NE.

Subdivision of T.37 N., R.11 W.

Chains
40.00


Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

42.50
80.00

Asc. 28 ft. to Top of ascent.
Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 13, 14, 23 and 24, marked on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 4th. rate.
Timber; none.
Undergrowth; sagebrush.


40.00
80.22

S.89°49'E., on a random line bet. secs. 13 and 24. Set temp. $\frac{1}{4}$ sec. cor.
Fall 7 lks. N. of the cor. of secs. 13, 18, 19 and 24 on E. bdy. of $\frac{1}{4}$ p., hereinbefore described.

Thence N.89°46'W., on a true line bet. secs. 13 and 24. Over rolling land, through scattering undergrowth.

17.00
17.23
40.11

Draw, course NE.
Road, bears NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 4 ft. base, 2 ft. high N. of cor.


80.22

The cor. of secs. 13, 14, 22 and 24.

Land; rolling.
Soil; loam, 2nd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00

N.0°1'W., bet. secs. 13 and 14. Over gently rolling land, through sagebrush,
Set an iron post, 3 ft. long, 1 in. diam., on ledge of rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



Subdivision of T.37 N., R.11 W.

Chains

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to bed rock, with marked cross stone alongside, supported in a mound of stone, for cor. of secs. 11, 12, 13 and 14, marked on brass cap

T37N R11W
S 11 | S 12
S 14 | S 13
1924

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00

S.89°46'E., on a random line bet. secs. 12 and 13. Set temp. $\frac{1}{4}$ sec. cor.

80.18

Fall 5 lks. S. of the cor. of secs. 7, 12, 13 and 18 on E. bdy. of Tp., hereinbefore described.

Thence N.89°48'W., on a true line bet. secs. 12 and 13. Over rolling land, through scattering undergrowth.

3.50

Top of rim, bears N. and SE.

13.50

Desc. 150 ft. to Foot of descent.

31.00

Road, bears N. and S.

40.09

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 12
S 13
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

56.90

Road, bears SE. and NW.

80.18

The cor. of secs. 11, 12, 13 and 14.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°1'W., bet. secs. 11 and 12. Over rolling land, through scattering undergrowth.

21.35

Road, bears SE. and NW.

25.00

Draw, course NE.

32.40

Road, bears NE. and SW.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 11 | S 12
1924

Deposit a marked cross (+) stone at base of post.

70.00

Road, bears SE. and NW.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 1, 2, 11 and 12, marked on brass cap

Subdivision of T.37 N., R.11 W.

Chains

T37N R11W
S 2 S 1
S 11 S 12
1924

Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; level.
Soil; loam, 2nd. rate.
Timber; none.
Undergrowth; none.

40.00 S.89°48'E., on a random line bet. secs. 1 and 12.
80.22 Set temp. $\frac{1}{4}$ sec. cor.
Fall 7 lks. N. of the cor. of secs. 1, 6, 7 and 12 on E. bdy. of Tp., hereinbefore described.

Thence N.89°45'W., on a true line bet. secs. 1 and 12. Over gently rolling land, through scattering undergrowth.

22.68 Top of rim, bears N. and S.
30.00 Desc. 160 ft. to
40.11 Foot of descent.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 1
S 12
1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

66.40 Over level land.
80.22 Road, bears N. and S.
The cor. of secs. 1, 2, 11 and 12.

Land; rolling and level.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 N.0°1'W., on a random line bet. secs. 1 and 2.
81.97 Set temp. $\frac{1}{4}$ sec. cor.
Fall 23 lks. W. of the cor. of secs. 1, 2, 35 and 36 on N. bdy. of Tp., hereinbefore described.

Thence S.0°9'W., on a true line bet. secs. 1 and 2. Over level land, through sagebrush.

1.97 William Atkin's House, bears S.38°45'W.
4.27 Road, bears E. and W.
4.67 Fence, bears E. and W.
16.97 Reservoir, bears W. 3.50 chs.
36.24 Fence, bears E. and W.
41.97 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 2 | S 1
1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.


Subdivision of T.37 N., R.11 W.

Chains William Atkin's House, bears N.41 $\frac{1}{2}$ °W.
44.87 Fence, bears E. and W.
48.57 Road, bears SE. and NW.
81.97 The cor. of secs. 1, 2, 11 and 12.

Land; level.
Soil; loam, 2nd. rate.
Timber; none.
Undergrowth; sagebrush.


From the S.C. of secs. 34 and 35 on S. bdy. of Tp., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, and witnessed by a mound of stone N. of cor., N.0°1'W., bet. secs. 34 and 35.
Over gently rolling land, through scattering undergrowth.

22.40 Road, bears NE. and SW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

70.00 Asc. 60 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked on brass cap




Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush and juniper.

40.00 S.89°46'E., on a random line bet. secs. 26 and 35.
79.92 Set temp. $\frac{1}{4}$ sec. cor.
Fall 2 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence N.89°47'W., on a true line bet. secs. 26 and 35.
Over rolling land, through scattering undergrowth.

22.82 Wash, course NE.
39.96 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, supported in a mound of stone, with marked cross (+) stone, at base of post, for $\frac{1}{4}$ sec. cor. marked on brass cap



55.22 Wash, course NE.
55.42 Road, bears NE. and SW.
70.00 Asc. 86 ft. to
79.92 The cor. of secs. 26, 27, 34 and 35.


Subdivision of T.37 N., R.11 W.

Chains

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

38.86
40.00


N.0°1'W., bet. secs. 26 and 27.
Over rolling land, through scattering undergrowth.
Desc. 160 ft. over gradual N. slope to
Road, bears SE. and NW.
Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high W. of
cor.

42.50
80.00

Road, bears NE. and SW.
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground for cor. of secs. 22, 23, 26 and 27, marked
on brass cap



Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE.,
SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; scattering cedar.
Undergrowth; sagebrush.


40.00
79.94

S.89°47'E., on a random line bet. secs. 23 and 26.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 9 lks. N. of the cor. of secs. 23, 24, 25 and 26.

Thence
N.89°43'W., on a true line bet. secs. 23 and 26.
Over rolling land, through scattering undergrowth.

37.70
39.97

Draw, course S $\frac{1}{2}$ E.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bed rock, with marked cross (+) stone,
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.
cor. marked on brass cap



79.94

The cor. of secs. 22, 23, 26 and 27

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush,


40.00

N.0°1'W., bet. secs. 22 and 23.
Over gently rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bed rock, with marked cross (+) stone
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.

Subdivision of T.37 N., R.11 W.


Chains

cor., marked on brass cap



80.00

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 14, 15, 22 and 23, marked on brass cap



Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00

S.89°43'E., on a random line bet. secs. 14 and 23. Set temp. $\frac{1}{4}$ sec. cor.


79.84

Fall 5 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence N.89°45'W., on a true line bet. secs. 14 and 23. Over rolling land, through scattering undergrowth.

39.92

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, 10 ins. diam., bears N.40 $\frac{1}{2}$ °W., 220 lks. dist., marked $\frac{1}{4}$ S 14 B T
A cedar, 10 ins. diam., bears S.13°E., 16 lks. dist., marked $\frac{1}{4}$ S 23 B T

79.84

The cor. of secs. 14, 15, 22 and 23.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; scattering cedar.
Undergrowth; sagebrush.

N.0°1'W., bet. secs. 14 and 15. Over rolling land, through scattering undergrowth.

25.25


Road, bears NE. and SW.

25.50

Draw, course NE.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 ft. high W. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of

Subdivision of T.37 N., R.11 W.

Chains

secs. 10, 11, 14 and 15, marked on brass cap

T37N R11W
S 10 | S 11
S 15 | S 14
1924

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush and juniper.

40.00 S.89°45'E., on a random line bet. secs. 11 and 14.
79.84 Set temp. $\frac{1}{4}$ sec. cor.
Intersect the cor. of secs. 11, 12, 13 and 14.

Thence
N.89°45'W., on a true line bet. secs. 11 and 14.
Over rolling land, through dense sagebrush.
Asc. 30 ft. to
7.20 Desc. 70 ft. over W. slope to
17.60 Foot of descent. Road, bears N. and S.
39.92 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bed rock, with marked cross (+) stone
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.
cor. marked on brass cap

$\frac{1}{4}$ S 11
S 14
1924

64.80 Draw, course N.
68.00 Asc. 86 ft. over E. slope to
79.84 The cor. of secs. 10, 11, 14 and 15.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

16.60 N.0°1'W., bet. secs. 10 and 11.
16.70 Over rolling land, through scattering undergrowth.
Desc. 100 ft. over N. slope.
Draw, course E.
Road, bears E. and W.
Asc. 120 ft. to
36.00 Desc.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 10 | S 11
1924

Raise a mound of stone, $3\frac{1}{2}$ ft. base, 2 ft. high W. of cor.

68.50 Desc. 70 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground for cor. of secs. 2, 3, 10 and 11, marked
on brass cap

T37N R11W
S 3 | S 2
S 10 | S 11
1924

Raise a mound of stone, 4 ft. base, 2 ft. high W. of cor.

Land; rolling. Soil; rocky, 3rd. rate.
Undergrowth; sagebrush. No timber.

Subdivision of T.37 N., R.11 W.

Chains
40.00 S.89°45'E., on a random line bet. secs. 2 and 11.
79.84 Set temp. $\frac{1}{4}$ sec. cor.
Fall 19 lks. S. of the cor. of secs. 1, 2, 11 and 12.

Thence
N.89°53'W., on a true line bet. secs. 2 and 11.
Over rolling land, through dense sagebrush.

3.00 Road, bears N. and S.
37.95 Wash, 20 lks. wide, course NE.
39.92 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 2
—
S 11
1924

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N. of
cor.

60.00 Asc. 86 ft. over SE. slope.
Along S. slope.
79.84 The cor. of secs. 2, 3, 10 and 11.

Land; rolling.
Soil; gravel, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 N.0°8'E., on a random line bet. secs. 2 and 3.
Set temp. $\frac{1}{4}$ sec. cor.
41.90 Fall 12 lks. E. of the cor. of secs. 2, 3, 34 and 35 on
N. bdy. of $\frac{1}{4}$ p., hereinbefore described.

Thence
S.0°3'W., on a true line bet. secs. 2 and 3.
Over rolling land, through dense sagebrush.

26.94 Wash, 10 lks. wide, course SE.
41.90 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 3 | S 2
—
1924

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of
cor.

49.73 Road, bears NE. and SW.
60.73 Wash, 20 lks. wide, course NE.
Asc. 132 ft. over NW. slope.
69.46 Ridge, bears NE. and SW.
Desc. 70 ft. over gradual SE. slope.
81.90 The cor. of secs. 2, 3, 10 and 11.


Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

Subdivision of T.37 N., R.11 W.


Chains From the S.C. of secs. 33 and 34 on S. bdy. of Tp., which is an iron post, 3 ins. diam., 26 ins. above ground, supported in a mound of stone, with brass cap properly marked, and witnessed by a mound of stone N. of Cor.,

N.0°2'W., bet. secs. 33 and 34.
Over rolling land, through scattering undergrowth.

20.00 Desc. 75 ft. over NW. slope.
39.53 Wash, 7 lks. wide, 2 ft. deep, course NE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap



77.00 Along E. slope.
80.00 Wash, 15 lks. wide, course E.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 27, 28, 33 and 34, marked on brass cap




- From which,
- A cedar, 6 ins. diam., bears N.64 3/4°E., 201 lks. dist., marked T 37 N R 11 W S 27 B T
 - A cedar, 6 ins. diam., bears S.60 1/2°E., 320 lks. dist. marked T 37 N R 11 W S 34 B T
 - A cedar, 6 ins. diam., bears S.82°W., 425 lks. dist. marked T 37 N R 11 W S 33 B T
 - A cedar, 6 ins. diam., bears N.12 3/4°W., 318 lks. dist., marked T 37 N T 11 W S 28 B T

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

40.00 S.89°53'E., on a random line bet. secs. 27 and 34.
80.04 Set temp. 1/4 sec. cor.
Fall 10 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence
N.89°49'W., on a true line bet. secs. 27 and 34.
Over rolling land, through scattering undergrowth.

16.00 Wash, course N.
40.02 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for 1/4 sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line E. and W. of of cor. 3 ft. dist.

43.50 Desc. 67 ft.
46.60 Wash, course S. asc. 85 ft.
55.00 Top of ascent.
80.04 The cor. of secs. 27, 28, 33 and 34.


Land; rolling. Soil; rocky, 3rd. rate.
Undergrowth; sagebrush. No timber.

Subdivision of T.37 N., R.11 W.

Chains	<p>N.0°21'W., bet. secs. 27 and 28. Over rolling land, through scattering undergrowth. Desc. 75 ft. to Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p>
40.00	
	<p style="text-align: center;">S 28 S 27 1924</p>
	<p>From which, A cedar, 8 ins. diam., bears N.57°W., 557 lks. dist. marked $\frac{1}{4}$ S 28 B T Raisè a mound of stone, 3$\frac{1}{2}$ ft. base, 2 ft. high W. of cor.</p>
50.50	Draw, course NE.
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 21, 22, 27 and 28, marked on brass cap</p>
	<p style="text-align: center;">T37N R11W S 21 S 22 S 28 S 27 1924</p>
	<p>Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.</p>
	<p>Land; rolling. Soil; rocky, 3rd. rate. Timber; none. Undergrowth; sagebrush.</p>
40.00	S.89°49'E., on a random line bet. secs. 22 and 27.
80.06	<p>Set temp. $\frac{1}{4}$ sec. cor. Fall 2 lks. S. of the cor. of secs. 22, 23, 26 and 27.</p>
	<p>Thence N.89°50'W., on a true line bet. secs. 22 and 27. Over rolling land, through scattering undergrowth.</p>
35.20	Road, bears SE. and NW.
40.03	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p>
	<p style="text-align: center;">S 22 S 27 1924</p>
	<p>Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.</p>
80.06	The cor. of secs. 21, 22, 27 and 28.
	<p>Land; gently rolling. Soil; rocky, 3rd. rate. timber; none. Undergrowth; sagebrush.</p>
	<p>N.0°21'W., bet. secs. 21 and 22. Over rolling land, through scattering undergrowth.</p>
5.00	Draw, course NW.
6.20	Road, bears SE. and NW.
10.00	Asc. 57 ft. over SW. slope.
30.00	Desc. 35 ft. to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in


Subdivision of T.37 N., R.11 W.

Chains the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



44.00 Draw, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 15, 16, 21 and 22, marked on brass cap




Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°50'E., on a random line bet. secs. 15 and 22.
Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect the cor. of secs. 14, 15, 22 and 23.

Thence
N.89°50'W., on a true line bet. secs. 15 and 22.
Over rolling land, through scattering undergrowth.
Desc. W. slope.

7.30 Road, bears N. and S.
11.10 Draw, course NE. Asc. 75 ft.

30.00 Top of ascent.
40.04 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




From which,
A cedar, 10 ins. diam., bears N.44°E., 317 lks. dist. marked $\frac{1}{4}$ S 15 B T
A cedar, 8 ins. diam., bears S.63 3/4°E., 250 lks. dist., marked $\frac{1}{4}$ S 22 B T

80.08 The cor. of secs. 15, 16, 21 and 22.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

N.0°2'W., bet. secs. 15 and 16.
Over rolling land, through scattering undergrowth.

35.00 Road, bears NE. and SW.
36.08 Wash, course NE.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Subdivision of T.37 N., R.11 W.

Chains Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.
Granary, bears N.87°E., 10 chs. dist.
Reservoir, bears N.66°E., 11 chs. dist.

50.00 Asc. 57 ft.
62.40 Desc. 80 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 9, 10, 15 and 16, marked on brass cap

T37N R11W
S 9 | S 10
S 16 | S 15
1924

Raise a mound of stone, 4 ft. base, 3 ft. high W. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°50'E., on a random line bet. secs. 10 and 15.
Set temp. $\frac{1}{4}$ sec. cor.
80.08 Intersect the cor. of secs. 10, 11, 14 and 15.

Thence
N.89°50'W., on a true line bet. secs. 10 and 15.
Over gently rolling land, through scattering undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., on ledge of rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 10
S 15
1924

58.35 Road, bears NE. and SW.
58.50 Draw, course NE.
80.08 The cor. of secs. 9, 10, 15 and 16.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°2'W., bet. secs. 9 and 10.
Over rolling land, through scattering undergrowth.

5.00 Draw, course NE. Asc. 46 ft. over SE. slope.
16.90 Desc. 50 ft. to
29.10 Wash, course E.
29.25 Road, bears E. and W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 9 | S 10
1924


Raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.

47.00 Asc. 63 ft. over S. slope to Top of ascent.

Subdivision of T.37 N., R.11 W.

Chains
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 3, 4, 9 and 10, marked on brass cap



Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


40.00
80.10

S.89°50'E., on a random line bet. secs. 3 and 10.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 7 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence
N.86°47'W., on a true line bet. secs. 3 and 10.
Over rolling land, through sagebrush,

5.40
13.09
13.69
16.00
30.50
38.50
40.05

Asc. 50 ft. over E. slope.
Ridge, bears NE. and SW.
Desc. 113 ft. over W. slope.
Wash, 10 lks. wide, course NE.
Road, bears NE. and SW.
Road, bears NE. and SW.
Asc. 75 ft.
Desc.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 3 ft. base, 1½ ft. high N. of cor.

80.10

The cor. of secs. 3, 4, 9 and 10.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


40.00
81.67

N.0°3'E., on a random line bet. secs. 3 and 4.
Set emp. $\frac{1}{4}$ sec. cor.
Intersect the cor. of secs. 3, 4, 33 and 34 on N. bdy. of Tp., hereinbefore described.

Thence
S.0°3'W., on a true line bet. secs. 3 and 4.
Over rolling land, through scattering undergrowth.

36.67
37.17
41.67

Draw, course NE.
Road, bears NE. and SW.
Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



Subdivision of T.37 N., R.11 W.

Chains Asc. 75 ft. over NW. slope.
 81.67 The cor. of secs. 3, 4, 9 and 10.
 Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush.


From the S.C. of secs. 32 and 33 on S. bdy. of Tp., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, properly marked, witnessed by a mound of stone N. of cor.,

N.0°3'W., bet. secs. 32 and 33.
 Over rolling land, through scattering undergrowth.

5.00 Draw, course SW.
 6.10 Road, bears NE. and SW.
 Asc. 100ft. over SE. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor., marked on brass cap



46.80 Desc. 90 ft. to
 56.80 Foot of descent.
 71.60 Road, bears SE. and NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 28, 29, 32 and 33, marked on brass cap




Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush and juniper.

40.00 S.89°48'E., on a random line bet. secs. 28 and 33.
 80.10 Set temp. $\frac{1}{4}$ sec. cor.
 Fall 6 lks. S, of the cor. of secs. 27, 28, 33 and 34.

Thence
 N.89°51'W., on a true line bet. secs. 28 and 33.
 Over gently rolling land, through scattering timber and undergrowth.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
 A cedar, 16 ins. diam., bears N.31°W., 67 lks. dist. marked $\frac{1}{4}$ S 28 B T
 A cedar, 14 ins. diam., bears S.58 $\frac{1}{4}$ °W., 67 lks. dist. marked $\frac{1}{4}$ S 33 B T

Subdivision of T.37 N., R.11 W.

Chains
80.10


The cor. of secs. 28, 29, 32 and 33.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 28 and 29.
Over rolling land, through scattering sagebrush and juniper.

16.90
40.00


Wash, course NE.
Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line N. and S. of cor. 3 ft. dist.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for cor. of secs. 20, 21, 28 and 29, marked on brass cap



Land; rolling.
Soil; rocky, 3rd. rate.
Timber; juniper.
Undergrowth; sagebrush.


40.00
80.10

S.89°51'E., on a random line bet. secs. 21 and 28.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 2 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence
N.89°50'W., on a true line bet. secs. 21 and 28.
Over rolling land, through sagebrush and juniper.

40.05

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Dig pits 18 x 18 x 12 ins. one each on line E. and W. of cor. 3 ft. dist.

45.60
45.80


Draw, course NE.
Road, bears N. and S.
Asc. 100 ft. over gradual E. slope.
The cor. of secs. 20, 21, 28 and 29.

80.10

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; juniper.
Undergrowth; sagebrush.


Subdivision of T.37 N., R.11 W.

Chains N.0°3'W., bet. secs. 20 and 21.
Over rolling land, through sagebrush and juniper.
Desc. gentle N. slope.
36.85 Road, bears SE. and NW.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bed rock, with marked cross (+) stone along-side, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,
A cedar, . ins. diam., bears N.63°W., 292 lks. dist.
marked $\frac{1}{4}$ S 20 N T

76.60 Draw, course E.
76.80 Road, bears E. and W.
Asc. 40 ft. to
80.00 Set an iron post, 3 ft. long, 2 ins. diam., over cross (+) on surface rock, supported in a mound of stone, for cor. of secs. 16, 17, 20, and 21, marked on brass cap




Land; rolling.
Soil; rocky, 3rd. rate.
Timber; juniper.
Undergrowth; sagebrush.

40.00 S.89°50'E., on a random line bet. secs. 16 and 21.
Set temp. $\frac{1}{4}$ sec. cor.
80.10 Fall 7 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence
N.89°53'W., on a true line bet. secs. 16 and 21.
Over rolling land, through scattering undergrowth.
Desc. W. slope.

7.65 Draw, course N.
8.55 Road, bears N. and S.
40.05 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor, marked on brass cap



Raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 ft. high N. of cor.


56.60 Draw, course NE.
58.50 Road, bears NE. and SW.
Asc. gentle SE. slope.
80.10 The cor. of secs. 16, 17, 20 and 21.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.


Subdivision of T.37 N., R.11 W.

Chains N.0°3'W., bet. secs. 16 and 17.
Over rolling land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for 1/4 sec. cor. marked on brass cap



80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked on brass cap




Dig pits 18 x 18 x 12 ins. one in each sec. NE., SE., SW. and NW. of cor. 3 ft. dist.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 S.89°53'E., on a random line bet. secs. 9 and 16.
Set temp. 1/4 sec. cor.
80.10 Fall 12 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence
N.89°48'W., on a true line bet. secs. 9 and 16.
Over rolling land, through scattering undergrowth.

5.00 Draw, course NE. Asc. over SE. slope.
28.00 Desc.
38.00 Draw, course NE.
40.05 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for 1/4 sec. cor. marked on brass cap



Raise a mound of stone, 3 1/2 ft. base, 2 ft. high N. of cor.

72.00 Draw, course NE.
80.10 The cor. of secs. 8, 9, 16 and 17.


Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 8 and 9.
Over rolling land, through scattering undergrowth.


30.50 Draw, course NE.
30.60 Road, bears NE. and SW.
38.00 Draw, course E.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for 1/4 sec. cor., marked on brass cap

Subdivision of T.37 N., R.11 W.

Chains



80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground for cor. of secs. 4, 5, 8 and 9, marked on brass cap




From which,
A cedar, 6 ins. diam., bears N.83°W., 351 lks. dist. marked T 37 N R 11 W S 5 B T
Raise a mound of stone, 4 ft. base, 2 ft. high W. of cor.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

40.00 S.89°48'E., on a random line bet. secs. 4 and 9.
Set temp. $\frac{1}{4}$ sec. cor.
80.12 Intersect the cor. of secs. 3, 4, 9 and 10.

Thence
N.89°48'W., on a true line bet. secs. 4 and 9.
Over gently rolling land, through sagebrush.

40.06 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high N. of cor.

41.70 Road, bears NE. and SW.


80.12 The cor. of secs. 4, 5, 8 and 9.

Land; slightly rolling.
Soil; sandy and rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00 N.0°2'E., on a random line bet. secs. 4 and 5.
Set temp. $\frac{1}{4}$ sec. cor.
81.32 Fall 14 lks. W. of the cor. of secs. 4, 5, 32 and 33 on N. bdy. of Tp., hereinbefore described.

Thence
S.0°8'W., on a true line bet. secs. 4 and 5.
Over rolling land, through scattering undergrowth.

41.32 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Subdivision of T.37 N., R.11 W.

Chains

From which,
 A cedar, 16 ins. diam., bears S.69°E., 162 lks. dist.
 marked $\frac{1}{4}$ S 4 B T
 A cedar, 14 ins. diam., bears N.86 $\frac{1}{2}$ °W., 128 lks.
 dist., marked $\frac{1}{4}$ S 5 B T


51.62 Road, bears E. and W.
 51.82 Draw, course E.
 81.32 The cor. of secs. 4, 5, 8 and 9.

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; none.
 Undergrowth; sagebrush and juniper.

The S.C. of secs. 31 and 32 on S. bdy. of Tp., is an
 iron post, 3 ins. diam., with brass cap properly marked
 set in a mound of stone and witnessed by a mound of
 stone N. of cor.,


Thence
 N.0°3'W., bet. secs. 31 and 32.
 Over rolling land, through scattering timber and under-
 growth.

25.00 Desc. 85 ft. over N. slope to
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
 the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



Raise a mound of stone, 3 ft. base, 2 ft. high W. of
 cor.

42.10 Wash, 10 lks. wide, course NE.
 42.20 Road, bears NE. and SW.
 74.50 Wash, 10 lks. wide, course SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in
 the ground for cor. of secs. 29, 30, 31 and 32, marked
 on brass cap




From which,
 A cedar, 8 ins. diam., bears N.48°E., 144 lks. dist.
 marked T 37 N R 11 W S 29 B T
 A cedar, 36 ins. diam., bears S.20°E., 34 lks. dist.
 marked T 37 N R 11 W S 32 B T
 A cedar, 8 ins. diam., bears S.35 $\frac{1}{2}$ °W., 49 lks. dist.
 marked T 37 N R 11 W S 31 B T
 A cedar, 4 ins. diam., bears N.33 $\frac{3}{4}$ °W., 265 lks.
 dist., marked T 37 N R 11 W S 30 B T

Land; rolling.
 Soil; rocky, 3rd. rate.
 Timber; cedar.
 Undergrowth; sagebrush.

Subdivision of T.37 N., R.11 W.

Chains
40.00 S.89°48'E., on a random line bet. secs. 29 and 32.
80.10 Set temp. $\frac{1}{4}$ sec. cor.
Fall 7 lks. S. of the cor. of secs. 2829, 32 and 33.


Thence
N.89°51'W., on a true line bet. secs. 29 and 32.
Desc. 50 ft. over W. slope.
9.00 Draw, course NE.
Asc. 100 ft. to
33.40 Top of ascent.
40.05 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



80.10 Raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 ft. high N. of
cor.
The cor. of secs. 29, 30, 31 and 32.
Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

40.00 N.89°48'W., on a random line bet. secs. 30 and 31.
79.77 Set temp. $\frac{1}{4}$ sec. cor.
Fall 8 lks. N. of the cor. of secs. 25, 30, 31 and 36
on W. bdy. of tp., hereinbefore described.
S.89°51'E., on a true line bet. secs. 30 and 31.
Over rolling land, through scattering timber and under-
growth.

9.77 Wash, 20 lks. wide, course NW.
Asc. 140 ft. over W. slope.
39.77 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap




From which,
A cedar, 6 ins. diam., bears N.88 $\frac{1}{4}$ °W., 290 lks. dist.
marked $\frac{1}{4}$ S 30-B T
A cedar, 24 ins. diam., bears S.55 $\frac{1}{4}$ °E., 527 lks. dist.
marked $\frac{1}{4}$ S 31 B T

79.77 The cor. of secs. 29, 30, 31 and 32.
Land; rolling.
Soil; rocky, 4th. rate.
Timber; cedar.
Undergrowth; sagebrush.

N.0°3'W., bet. secs. 29 and 30.
Over rolling land, through scattering timber and under-
growth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap



From which,

Subdivision of T.37 N., R.11 W.

<p>Chains</p> <p>47.30</p> <p>68.47</p> <p>80.00</p>	<p>A cedar, 18 ins. diam., bears S.60°E., 156 lks. dist. marked $\frac{1}{4}$ S 29 B T</p> <p>A cedar, 20 ins. diam., bears N.74$\frac{1}{2}$°W., 140 lks. dist., marked $\frac{1}{4}$ S 30 B T</p> <p>Wash, 20 lks. wide, course NE.</p> <p>Wash, 20 lks. wide, course NE.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 19, 20, 29 and 30, marked on brass cap</p> <div style="text-align: center;"> <p>T37N R11W</p> <table border="1"> <tr><td>S 19</td><td>S 20</td></tr> <tr><td>S 30</td><td>S 29</td></tr> </table> <p>1924</p> </div>	S 19	S 20	S 30	S 29
S 19	S 20				
S 30	S 29				
<p>40.00</p> <p>80.04</p>	<p>Raise a mound of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high W. of cor.</p> <p>Land; rolling.</p> <p>Soil; rocky, 3rd. rate.</p> <p>Timber; cedar,</p> <p>Undergrowth; sagebrush.</p> <hr/> <p>S.89°51'E., on a random line bet. secs. 20 and 29.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Fall 19 lks. N. of the cor. of secs. 20, 21, 28 and 29.</p> <p>Thence</p> <p>N.89°43'W., on a true line bet. secs. 20 and 29.</p> <p>Over gently rolling land, through scattering timber and undergrowth.</p>				
<p>40.02</p> <p>50.00</p> <p>62.60</p> <p>80.04</p>	<p>Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground for $\frac{1}{4}$ sec. cor. marked on brass cap</p> <div style="text-align: center;"> <p>$\frac{1}{4}$ S 20</p> <table border="1"> <tr><td>S 29</td></tr> </table> <p>1924</p> </div> <p>From which,</p> <p>A cedar, 10 ins. diam., bears N.14 $\frac{3}{4}$°E., 110 lks. dist., marked $\frac{1}{4}$ S 20 B T</p> <p>A cedar, 10 ins. diam., bears S.44°W., 108 lks. dist., marked $\frac{1}{4}$ S 29 B T</p> <p>Desc. 50 ft. over W. slope.</p> <p>Wash, 20 lks. wide, course NW.</p> <p>Wash, 20 lks. wide, course NE.</p> <p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Land; rolling.</p> <p>Soil; rocky, 3rd. rate.</p> <p>Timber; cedar.</p> <p>Undergrowth; sagebrush.</p> <hr/> <p>N.89°51'W., on a random line bet. secs. 19 and 30.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Fall 19 lks. S. of the cor. of secs. 19, 24, 25 and 30 on W. bdy. of Tp., hereinbefore described.</p> <p>Thence,</p> <p>S.89°43'E., on a true line bet. secs. 19 and 30.</p> <p>Over rolling land, through scattering timber and undergrowth.</p>	S 29			
S 29					
<p>30.82</p> <p>39.32</p>	<p>Wash, 20 lks. wide, course NE.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, with marked cross (+) stone alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass cap</p>				

Subdivision of T.37 N., R.11 W.

Chains

S 19
S 30
1924

46.00
61.30
76.82
79.32

Desc. over E. slope.
Wash, 20 lks. wide, course NE.
Wash, 10 lks. wide, course NE.
The cor. of secs. 19, 20, 29 and 30.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

11.84
33.00
40.00

N.0°3'W., bet. secs. 19 and 20.
Over rolling land, through dense sagebrush.
Desc. 50 ft. over NW. slope.
Draw, course NE. Asc.
Spur, slopes E. Desc. 40 ft. to
Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

S 19 | S 20
1924

Dig pits 18 x 18 x 12 ins. one each on line N. and S.
of cor. 3 ft. dist.

50.00
55.00
69.90
71.02
80.00

Draw, course E. Asc. 40 ft.
Point of spur, slopes E. Desc. 30 ft. to
Draw, course E. Asc. 75 ft. to cor.
Road, bears E. and W.
Set an iron post, 3 ft. long, 2 ins. diam., on ledge of
rock, with marked cross (+) stone alongside, supported
in a mound of stone, for cor. of secs. 17, 18, 19 and
20 marked on brass cap

T37N R11W
S 18 | S 17
S 19 | S 20
1924

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00
80.06

S.89°43'E., on a random line bet. secs. 17 and 20.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 7 lks. N. of the cor. of secs. 16, 17, 20 and 21.

40.03

Thence
N.89°40'W., on a true line bet. secs. 17 and 20.
Over rolling land, through scattering undergrowth.
Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in
the ground to bed rock, with marked cross (+) stone
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor.
marked on brass cap

S 17
S 20
1924

65.00
80.06

Desc. 104 ft. over W. slope to
Draw, course S. Asc. 66 ft. over E. slope to
The cor. of secs. 17, 18, 19 and 20.

Subdivision of T.37 N., R.11 W.

Chains

Land; rolling.
Soil; sandy loam, 3rd. rate.
Timber; none.
Undergrowth; sagebrush.

40.00
79.09

N.89°43'W., on a random line bet. secs. 18 and 19.
Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. N. of the cor. of secs. 13, 18, 19 and 24
on W. bdy. of Tp., hereinbefore described.

Thence
S.89°45'E., on a true line bet. secs. 18 and 19.
Over rolling land, through scattering timber and under-
growth.

39.09

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bed rock, with marked cross (+) stone
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec.
cor., marked on brass cap

$\frac{1}{4}$ S 18
S 19
1924

From which,
A cedar, 8 ins. diam., bears S.24 $\frac{1}{2}$ °E., 151 lks. dist.
marked $\frac{1}{4}$ S 19 B T

56.60
56.95
79.09

Draw, course SE.
Road, bears SE. and NW.
The cor. of secs. 17, 18, 19 and 20.

Land; rolling.
Soil; sandy loam, 3rd. rate.
Timber; scattering cedar.
Undergrowth; sagebrush.

1.50
5.50
16.50
40.00

N.0°3'W., bet. secs. 17 and 18.
Over rolling land, through dense undergrowth.
Spur, slopes E. Desc. 37 ft. to
Draw, course SE. Asc. 63 ft.
Top of ascent. Enter scattering timber, bears E. and W.
Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 18 | S 17
1924

From which,
A cedar, 10 ins. diam., bears N.70°E., 112 lks. dist.
marked $\frac{1}{4}$ S 17 B T
A cedar, 26 ins. diam., bears S.10 $\frac{3}{4}$ °W., 82 lks. dist.
marked $\frac{1}{4}$ S 18 B T

49.80
53.00
63.15
80.00

Road, bears NE. and SW.
Leave scattering timber, bears E. and W.
Draw, course E. Asc.
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground with marked cross (+) stone alongside, for
cor. of secs. 7, 8, 17 and 18, marked on brass cap

T37N R11W
S 7 | S 8
S 18 | S 17
1924

From which,
A cedar, 10 ins. diam., bears N.89 $\frac{1}{4}$ °E., 418 lks. dist.
marked T 37 N R 11 W S 8 B T

Subdivision of T.37 N., R.11 W.

Chains

A cedar, 8 ins. diam., bears S.15 $\frac{1}{2}$ °E., 194 lks. dist.
marked T 37 N R 11 W S 17 B T

Land; rolling.
Soil; rocky, 3rd. and 4th. rates.
Timber; cedar and pinyon.
Undergrowth; sagebrush and juniper.

40.00 S.89°40'E., on a random line bet. secs. 8 and 17.
Set temp. $\frac{1}{4}$ sec. cor.
79.94 Fall 5 lks. S. of the cor. of secs. 8, 9, 16 and 17,

Thence
N.89°42'W., on a true line bet. secs. 8 and 17.
Over rolling land, through scattering undergrowth, and
timber.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 8
S 17
1924

Raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 ft. high N. of
cor.

48.14 Road, bears NE. and SW.
48.24 Draw, course NE.
79.94 The cor. of secs. 7, 8, 17 and 18.

Land; rolling.
Soil; sandy loam, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

40.00 N.89°45'W., on a random line bet. secs. 7 and 18.
Set temp. $\frac{1}{4}$ sec. cor.
79.13 Fall 5 lks. N. of the cor. of secs. 7, 12, 13 and 18
on W. bdy. of Tp., hereinbefore described.

Thence
S.89°47'E., on a true line bet. secs. 7 and 18.
Over rolling land, through scattering undergrowth.

20.00 Asc. 180 ft. over W. slope. to
39.13 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bed rock, with marked cross (+) stone
alongside, supported in a mound of stone, for $\frac{1}{4}$ sec. cor.
marked on brass cap

$\frac{1}{4}$ S 7
S 18
1924

79.13 The cor. of secs. 7, 8, 17 and 18.

Land; rolling.
Soil; sandy loam, 3rd. rate.
Timber; few cedar.
Undergrowth; sagebrush.

Subdivision of T.37 N., R.11 W.

Chains N.0°3'W., bet. secs. 7 and 8.
Over rolling land, through dense sagebrush.

25.00 Enter scattering timber, bears E. and W.
40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 7 | S 8
1924

From which,
A cedar, 12 ins. diam., bears N.64 $\frac{1}{2}$ °E., 389 lks.
dist., marked $\frac{1}{4}$ S 8 B T
A cedar, 16 ins. diam., bears N.33 $\frac{1}{2}$ °W., 230 lks.
dist., marked $\frac{1}{4}$ S 7 B T

40.80 Draw, course E. Asc.
64.00 Wash, 8 lks. wide, course NE.
Asc.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in
the ground to bed rock, supported in a mound of stone,
for cor. of secs. 5, 6, 7 and 8, marked on brass cap

T37N R11W
S 6 | S 5
S 7 | S 8
1924

From which,
A cedar, 18 ins. diam., bears N.89 $\frac{1}{2}$ °E., 248 lks.
dist., marked T 37 N R 11 W S 5 B T
A cedar, 38 ins. diam., bears S.56°E., 71 lks.
dist., marked T 37 N R 11 W S 8 B T
A cedar, 14 ins. diam., bears S.38 $\frac{1}{2}$ °W., 20 lks.
dist., marked T 37 N R 11 W S 7 B T
A cedar, 12 ins. diam., bears N.24 $\frac{1}{2}$ °W., 19 lks.
dist., marked T 37 N R 11 W S 6 B T

Land; rolling.
Soil; clay, rocky, 3rd. and 4th. rates.
Timber; cedar.
Undergrowth; sagebrush.

40.00 S.89°42'E., on a random line bet. secs. 5 and 8.
Set temp. $\frac{1}{4}$ sec. cor.
79.80 Fall 5 lks. S. of the cor. of secs. 4, 5, 8 and 9.

Thence
N.89°44'W., on a true line bet. secs. 5 and 8.
Over rolling land, through dense sagebrush.

9.40 Head of draw, course SE. Asc. 50 ft.

36.00 Enter scattering timber, bears SE. and NW.
39.90 Set an iron post, 3 ft. long, 1 in. diam., on ledge;
in a mound of stone, for $\frac{1}{4}$ sec. cor. marked on brass
cap

$\frac{1}{4}$ S 5
S 8
1924

From which,
A cedar, 14 ins. diam., bears N.26 $\frac{1}{2}$ °W., 103 lks.
dist., marked $\frac{1}{4}$ S 5 B T
A cedar, 8 ins. diam., bears S.29 $\frac{1}{2}$ °E., 256 lks. dist.
marked $\frac{1}{4}$ S 8 B T

79.80 The cor. of secs. 5, 6, 7 and 8:

Land; rolling.
Soil; rocky, 3rd. and 4th. rates. Undergrowth; sagebrush.
No timber;

Subdivision of T.37 N., R.11 W.

Chains
40.00 N.89°47'W., on a random line bet. secs. 6 and 7.
78.52 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. S. of the cor. of secs. 1, 6, 7 and 12 on
W. bdy. of Tp., hereinbefore described.

Thence
S.89°45'E., on a true line bet. secs. 6 and 7.
Over rolling land, through dense sagebrush.

25.00 Asc. 60 ft. over gentle W. slope.
38.52 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in
the ground to bed rock, supported in a mound of stone,
for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$ S 6
 S 7
 1924

Dig pits 18 x 18 x 12 ins. one each on line E. and W.
of cor. 3 ft. dist.

78.52 Asc. 200 ft. over W. slope to
51.50 Top of cliff, bears N. and S. Thence over gently
rolling land. Enter scattering timber, bears N. and S.
78.52 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.
Soil; rocky, 3rd. and 4th. rates.
Timber; none.
Undergrowth; sagebrush.

40.00 North, on a random line bet. secs. 5 and 6.
80.96 Set temp. $\frac{1}{4}$ sec. cor.
Fall 5 lks. E. of the cor. of secs. 5, 6, 31 and 32 on
N. bdy. of Tp., hereinbefore described.

Thence
S.0°2'E., on a true line bet. secs. 5 and 6.
Over rolling land, through scattering timber and under-
growth.

2.00 Wash, 10 lks. wide, course NW.
40.96 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked on brass cap

$\frac{1}{4}$
S 6 | S 5
1924

From which,
A cedar, 6 ins. diam., bears S.81 $\frac{1}{2}$ °E., 73 lks. dist.
marked $\frac{1}{4}$ S 5 B T
A cedar, 12 ins. diam., bears N.59 $\frac{1}{4}$ °W., 52 lks. dist.
marked $\frac{1}{4}$ S 6 B T

59.00 Wash, 10 lks. wide, course NE.
80.96 The cor. of secs. 5, 6, 7 and 8.

Land; rolling.
Soil; rocky, 3rd. rate.
Timber; cedar.
Undergrowth; sagebrush.

Boundaries of T.37 N., R.11 W.

Latitudes, departures and closing errors.

Line designated.	True bearing.	Dist- ance.	Latitudes		Departures.	
			N.	S.	E.	W.
South Bdy. (9th. Std. Par.)	West	40.00				40.00
	N. 89° 47' W.	40.00	.15			40.00
	West	40.00				40.00
	N. 89° 45' W.	40.00	.17			40.00
	West	40.00				40.00
	N. 89° 48' W.	40.00	.14			40.00
	West	40.00				40.00
	N. 89° 46' W.	40.00	.16			40.00
	West	40.00				40.00
N. 89° 49' W.	40.00	.13			40.00	
West	40.00				40.00	
N. 89° 49' W.	40.00	.13			40.00	
West Bdy.	North	160.00	160.00			
	N. 0° 10' E.	320.57	320.57		.93	
North Bdy.	East	478.31			478.31	
East Bdy.	South	482.23		482.23		
Convergency					.54	
Totals.			481.45	482.23	479.78	480.00
Error in latitude				481.45		479.78
Error in departure						0.22

The continued satisfactory adjustment of the instruments throughout the survey of this township is indicated from field tests as given in Book "I".

GENERAL DESCRIPTION.

The land within the boundaries of this township is mostly rolling, covered with scattering cedar and pinyon timber. The eastern portion of the township is level and suitable for agricultural purposes, especially along the east tier of sections. The greater portion of the township is rough and not agricultural land. At this time the land is used for grazing purposes. There are no springs or running water within the township. The only watering place within the township is a reservoir located in sec. 13 used for stock-watering.

4-680

FIELD ASSISTANTS.

To Charles E. Hunter, U.S. Transitman.

NAMES.	CAPACITY.
Orvil Bastian	First Chainman
Lorin J. Haycock	Second Chainman
Owen Wright	Flagman.
Robert W. Gotgrave	Cornerman.
Tom Pierce	Axman.

CERTIFICATE OF UNITED STATES ~~PLATINUM~~

44

Transitman

I, Charles E. Hunter, U. S. ~~Surveyor~~, hereby certify upon honor that, in pursuance

of special instructions received from the U. S. Surveyor General, for Group 122, Arizona

bearing date of the 23rd. day of April, 1923, I have well, faithfully, and truly

in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ^{re} surveyed all those parts or portions of

The West Boundary,

and surveyed all those parts or portions of the

Subdivision lines of

Township 37 North, Range 11 West of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in

and by diagram on page 1 hereof

the foregoing field notes ^{as} having been executed by me, and under my direction; and that all the corners of said ~~resurvey~~

and survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona

and in the specific manner described in the field notes, and that the foregoing are the original field notes of such ~~resurvey~~ and survey.

Place: Chamix, Arizona

Charles E. Hunter

U. S. Transitman

Date: October 28, 1925

~~APPROVAL:~~

~~Office of the United States Surveyor General,~~

~~The foregoing field notes of the survey of~~

executed by _____
under his special instructions dated _____, 19____, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

U. S. Surveyor General.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, William E. Hiester, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the U. S. Surveyor General, for Group 122, Arizona bearing date of the 23rd. day of April, 1923, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

The West Boundary,

and surveyed all those parts or portions of the East Boundary, North Boundary and

Subdivision lines of

Township 37 North, Range 11 West of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in

the foregoing field notes and by diagram on page 1 hereof as having been executed by me, and under my direction; and that all the corners of said resurvey

and survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor General, for Group 122, Arizona

and in the specific manner described in the field notes, and that the foregoing are the original field notes of such resurvey and survey.

Place: Phoenix Arizona

Date: Oct 27, 1925

William E. Hiester

U. S. Surveyor.

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

Denver, Colorado, March 8, 1926

The foregoing field notes of the resurvey of Part of the West Boundary and of the survey of the East Boundary, North Boundary and

Subdivision lines of

Township 37 North, Range 11 W. of the Gila and

Salt River Base and Meridian in the State of

Arizona, executed by William E. Hiester, U.S. Surveyor

and Charles E. Hunter, U.S. Transitman

Examined by

under special instructions dated April 23, 1923 for Group 122, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U.S. Surveyor General

I certify that the foregoing transcript of the field notes of the above described surveys in, has been correctly copied from the original notes on file in this office.