

FIELD NOTES

BOOK 3864

OF THE SURVEY OF THE

EAST Boundary

NORTH Boundary

and

SUBDIVISION Lines of

Township 35 North, Range 2 East

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Benjamin J. Kinsey, U.S. Surveyor

and

Leroy R. Hanson, U.S. Transitman

In the capacity of U. S. Surveyor, under Special Instructions dated May 11, 1927, issued by the District ~~Cadastral~~ ^{Central} Engineer to govern surveys included in Group No. 146, Arizona, which were approved by the Commissioner of the General Land Office, May 20, 1927, and Assignment Instructions dated July 8, 1927, and July 26, 1927.

Survey commenced September 19, 1927.

Survey completed October 16, 1927.

3864

3864

1A

Book "D"

Group 146 - Arizona

BOOK 3864

INDEX DIAGRAM.

Township				Range				
10	10 11	11 12	12	13	14			
6 56	5 45	4 38	8 30	2 22	1	8		
55 56	55	45 44	37	30 29	23	22		
7 54	8 44	9 36	10 29	11 21	12	7		
53 54	53	43	36 28	28	20			
18 52	17 43	16 35	15 27	14 19	13	6		
51 52	51 42	T. 35 N. R. 2 E.		27	19 18			
19 50	20 41	21 34	22 26	23 18	24	6		
49 50	49	41 33	33	25 17	17	5		
30 48	29 40	28 32	27 25	26 16	25	5		
47 48	47 46	40 39	32 31	24 24	16 15	4		
31 46	32 39	33 31	34 23	35 15	36	4		
45	38	30						

The entire township is within the Kaibab National Forest and the Grand Canyon National Game Preserve.

————— Surveyed under this group.

----- Unsurveyed.

50-11-2104

Book "D"
 Group 146 Arizona
 Township 35 North, Range 2 East
 Date Diagram
 1927

	10-4	10-5	10-11	10-11	10-14	10-14	10-14	
For dates of survey of this line see Book "A"	6	5	4	3	2	1		
	10-4	10-12	10-12	10-14	10-16	10-12		
	7	8	9	10	11	12		
	9-30	10-6	10-8	10-7	10-13	10-11		
	18	17	16	15	14	13		
	9-29	10-3	10-1	9-28	10-10	10-7		
19	20	21	22	23	24			
9-26	9-27	9-27	9-27	10-5	10-5			
20	29	28	27	26	25			
9-26	9-24	9-22	9-20	9-24	9-24			
31	32	33	34	35	36			
9-24	9-22	9-20	9-19	9-24	9-19			

For dates of survey of this line see Book "B"

- Surveyed by Benjamin J. Kinsy, U.S. Surveyor, on dates shown thereon.
- Surveyed by Leroy R. Hanson, U.S. Transitman, on dates shown thereon.
- Surveyed under this group. Notes and dates in other books.

The surveys herein described were executed on dates shown on diagram on page 1 hereof, by Benjamin J. Kinsey, U.S. Surveyor, and Leroy R. Hanson, U.S. Transitman, using Buff Transit No. 9940 and Young and Son's Transit No. 8477 respectively. Both instruments are equipped with the Smith solar attachment and otherwise conform to the standard requirements of the General Land Office. Unless otherwise specified, all azimuth determinations are accomplished with solar attachment.

 PRELIMINARY FIELD TEST of

Buff Transit No. 9940 by

Benjamin J. Kinsey, U.S.S.

September 18, 1927.

Examine the adjustment of the instrument and correct all errors; then, to test the solar apparatus by comparing its indications from observations made during a.m. and p.m. hours with a meridian established by Polaris observation, proceed as follows:

September 18, 1927,

in camp, near the $\frac{1}{4}$ sec. cor. of secs. 18 and 19, T. 34 N. R. 3 E., of the G. & S.R. Base and Meridian, Arizona, in latitude $36^{\circ}20'14''$ N., and longitude $112^{\circ}8'W.$,

at 7 h. 52 m., p.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined, by a tack in top of a peg driven firmly in ground about 5 chs. N.

Azimuth of Polaris at eastern elongation = $1^{\circ}20'59''$.

September 19, 1927.

Lay off the azimuth of Polaris $1^{\circ}21'$ to the west, and mark the true meridian thus determined by a tack in top of a peg driven firmly in ground about 5 chs. N.

September 25, 1927.

at 8 h. 0 m., a.m., app. t., set off $36^{\circ}20'N.$ on the lat. arc, $0^{\circ}35\frac{1}{2}'S.$ on the decl. arc, and determine a meridian with the solar, which is found to agree with the true meridian.

at 12 h. 0 m., app. noon, with the lat. arc unchanged observe the sun on the meridian, and obtain a reading on the decl. arc of $0^{\circ}40\frac{1}{2}'S.$, which agrees with the computed declination of the sun.

at 3 h. 0 m., app. t., with the lat. arc unchanged, set off $0^{\circ}43'S.$ on the decl. arc and determine a meridian with the solar, which is found to agree with the true meridian.

As all of the solar observations taken during the usual hours of solar work come within 1' of the true meridian, conclude that the adjustments of the instrument are satisfactory.

Unless otherwise specified all measurements are made with a Lufkin steel tape 5 chs. in length, compared with a Lufkin standard steel tape, and found correct. The measurements are made on the slope, the vertical angles determined, and the slope measurements properly reduced to true horizontal distances for entry in the field notes.

PRELIMINARY FIELD TEST
of
Young & Son Transit No. 8477
by
Leroy R. Hanson, U.S. Transitman.

July, 30, 1927: at station in camp, in the NW. quarter of sec. 19, T. 35 N., R. 2 E., G. & S. R. B. & M., Arizona, in latitude $36^{\circ}25'13''N.$ and longitude $112^{\circ}13'W.$, examine the adjustments of the transit and find no errors, then to test the workings of the solar apparatus by comparing its indications with a true meridian established by Polaris obsn., proceed as follows:

At 11h.00m., p.m., l.m.t., observe Polaris at eastern elongation, making four obsns., two each with the telescope in direct and reversed positions and marking the mean point in the line thus determined by a tack set in top of a peg driven firmly in the ground about 5 chs. N. Azimuth of Polaris at eastern elongation $=1^{\circ}21'20''$.

July 31, 1927, lay off the azimuth of Polaris $1^{\circ}21\frac{1}{2}'$ to the west and mark the meridian thus determined by a ~~Setack~~ ~~peg~~ ~~driven~~ ~~firmly~~ ~~in~~ ~~ground~~ ~~about~~ ~~5~~ ~~chs.~~ ~~N.~~

September 4, 1927, at same station, at 9h.00m., a.m., app.t., set off $36^{\circ}25'N.$ on the lat. arc, $7^{\circ}24\frac{1}{2}'N.$ on the decl. arc and determine a meridian with the solar which agrees with the true meridian.

At 12h.00m., app.noon, with lat. arc unchanged, observe the sun on the meridian; the resultant reading of the decl. arc is $7^{\circ}21\frac{1}{2}'N.$, which agrees with the computed declination of the sun.

At 3h.00m. p.m. app.t., with lat. arc unchanged, set off $7^{\circ}19'N.$ on the decl. arc and determine a meridian with the solar which agrees with the true meridian.

As all of the observations taken during the usual hours of solar work agree within 1' of the true meridian conclude that the instrument is in satisfactory adjustment.

The measurements are made with a Lufkin steel tape 5 chs. in length, compared with a Lufkin standard and found correct.

The measurements are made on the slope, the vertical angle determined and the slope measurements properly reduced to true horizontal distances.

Survey of the East Boundary of T. 35 N., R. 2 E.

Chains

from the corner of secs. 1, 6, 31 and 36, Ts. 34 and 35 N., Rs. 2 and 3 E., described in book "B" of this group. North, on true line, bet. secs. 31 and 36.

- 1.00
- 5.50
- 17.00
- 32.60
- 40.00


Over rolling, open land, thru scattering undergrowth. Wash, 10 lks. wide, course NW.

Same wash, course NE.

Pond, 3 chs. in diam., on line.

Pond, 150 lks. in diam., brs. E., 100 lks. distant.

Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 31 and 36, with brass cap mkd.



1927

from which,

a fir, 14 ins. in diam., brs. S. $84\frac{1}{4}^{\circ}$ E., 829 lks. dist., mkd. $\frac{1}{4}$ S31 BT

No other tree available; raise a md. of stone 3 ft. base, 2 ft. high W. of cor.

- 43.00
- 60.65
- 62.00
- 75.00
- 80.00

Pond, 150 lks. in diam., brs. 50 lks. E.

Highway, brs. NW-SE.


Pond, 2 chs. in diam., brs. E., 1 ch. dist.

Asc. gradual SW slope.

Spur, slopes W. End of timber line from NW and SE.

Desc. gradual NW slope to

Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 25, 30, 31 and 36, with brass cap mkd.



1927

from which,

a fir, 36 ins. in diam., brs. N. 80° E., 433 lks. dist., mkd. T35N R3E S30 BT

a fir, 14 ins. in diam., brs. S. $37\frac{1}{2}^{\circ}$ E., 345 lks. dist., mkd. T35N R3E S31 BT

No other trees available; raise a md. of stone 3 ft. base, 2 ft. high W. of cor. A small house, brs. N. 19° W. E. end of a corral brs. N. 14° W.

Land, rolling.

Soil, black loam, 3rd. rate.

Timber, fir, spruce, yellow pine and aspen.

Undergrowth, grass and juniper brush.

- 10.00
- 17.80
- 20.00
- 23.70
- 40.00

North, on true line, bet. secs. 25 and 30.

Over rolling land, thru scattering undergrowth.

Desc. gradual NW slope.

From which, VT lookout tower, brs. N. $87^{\circ}35'$ E.

Draw, 20 lks. wide, course SW. Up bottom of same.

Same small house, brs. N. $53\frac{1}{2}^{\circ}$ W.

E. end of same corral, brs. N. 60° W.

VT tower brs. S. $72\frac{1}{2}^{\circ}$ E.

Road, brs. NW-SE. (to East Rim).

Set an iron post 3 ft. long, 1 in. in diam., 16 ins. in the ground to bedrock, deposit a stone mkd. with a cross (X) at base of post, raise a md. of stone around post, for the $\frac{1}{4}$ sec. cor. of secs. 25 and 30, with brass cap mkd.

Chains

1/4
S25 S30

1927 from which,
a fir, 16 ins. in diam., brs. S.47°E., 342 lks.
dist., mkd. 1/4 S30 BT
No other tree available.

- 40.50 Trail, brs. NE-SW. Enter mountainous land, brs. E-W.
- 50.35 Leave draw from NE. Asc. 193 ft. over SE slope.
- 53.00 Enter timber, brs. E-W.
- 63.00 Spur, slopes SE. Over top.
- 65.00 Desc. gradual NE slope.
- 69.00 Draw, course SE. Asc. gradual SW slope.
- 71.00 Spur, slopes SW. Desc. gradual NW slope.
- 79.20 Draw, course W. Asc. gradual SW slope to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 29, 24, 25 and 30, with brass cap mkd.

T35N
R2E R3E
S24 S19
S25 S30

1927 from which,
a fir, 10 ins. in diam., brs. N.36 1/4°E., 16 lks.
dist., mkd. T35N R3E S19 BT
an aspen, 8 ins. in diam., brs. S.49°E., 51 lks.
dist., mkd. T35N R3E S30 BT
a fir, 18 ins. in diam., brs. S.77°W., 55 lks.
dist., mkd. T35N R2E S25 BT
a fir, 8 ins. in diam., brs. N.87°W., 30 lks.
dist., mkd. T35N R2E S24 BT

Land, rolling and mountainous.
Soil, rocky 3rd. rate.
Timber, fir, spruce, aspen and yellow pine.
Undergrowth, juniper brush and grass.

North, on true line, bet. secs. 19 and 24.
Over mountainous land, thru heavy timber and scattering undergrowth.

- Asc. 97 ft. over SW slope.
- 10.00 Spur, slopes W. Desc. 95 ft. over NW slope.
- 26.50 Draw, course SW. Asc. 69 ft. over SW slope.
- 36.50 Spur, slopes W. Desc. 21 ft. over NW slope to
- 40.00 Set an iron post 3 ft. long, 1 in. in diam. 26 ins. in the ground for the 1/4 sec. cor. of secs. 19 and 24, with brass cap mkd.

1/4
S24 S19

1927 from which,
an aspen, 10 ins. in diam., brs. N:37°E.; 30 lks.
dist., mkd. 1/4 S19 BT
an aspen, 6 ins. in diam., brs. N.88°W., 9 lks.
dist., mkd. 1/4 S24 BT

6

Survey of the East Boundary of T.35 N., R.2 E.

Chains

- 45.25 Desc. 190 ft. over NW slope.
- 55.90 Old rail fence, brs. NE-SW.
- 61.80 Old log fence, brs. NE-SW.
- 62.00 Leave timber, brs. NE-SW.
- 62.27 Road, brs. NE-SW.
- 76.00 Draw, 50 lks. wide, course SW. Asc. 196 ft. over SW slope.
- 80.00 From which, dining room at Rusts Hotel, brs. S.33 $\frac{1}{2}$ °W.
office of Hotel, brs. S:34°40'W.
Hotel, brs: S.37°20'W. Enter timber, brs.E-W.
- 80.00 Spur, slopes W. Old log fence, brs. NW-SE.
- 80.00 Desc. 12 ft. over gradual NE slope to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 16 ins. in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T35N	
R2E	R3E
S13	S18
S24	S19

- 1927 from which,
- a fir, 18 ins. in diam., brs. N.52°E., 36 lks. dist., mkd. T35N R3E S18 BT
- a fir, 8 ins. in diam., brs. S.49°E., 23 lks. dist., mkd. T35N R3E S19 BT
- an aspen, 10 ins. in diam., brs. S.86°W., 18 lks. dist., mkd. T35N R2E S24 BT
- a fir, 30 ins. in diam., brs. N.68°W., 27 lks. dist., mkd. T35N R2E S13 BT

Land, mountainous..
Soil, rocky 3rd. rate.
Timber, yellow pine, fir, spruce and aspen.
Undergrowth, juniper brush and grass.

North, on true line, bet. secs. 13 and 18.
Over mountainous land, thru heavy timber and scattering undergrowth.

- 3.00 Desc. gradual NE slope.
- 17.50 Spur, slopes NE. Desc. 69 ft. over NW slope.
- 24.40 Draw, near head, course SE. Asc. 69 ft. over SW slope.
- 29.70 fence, (wire) brs. NE-SW.
- 30.00 Same fence, brs. NW-SE.
- 40.00 Ridge, brs. NE-SW. Desc. gradual N. slope to
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 13 and 18, with brass cap mkd.


$\frac{1}{4}$	
S13	S18

- 1927 from which,
- a fir, 10 ins. in diam., brs. N.59°E., 36 lks. dist., mkd. $\frac{1}{4}$ S18 BT
- a fir, 8 ins. in diam., brs. N.40°W., 4 lks. dist., mkd. $\frac{1}{4}$ S13 BT

- 45.00 Desc. gradual N. slope, 69 ft.
- 54.40 Slope changes to NW.
- 65.00 Draw, course NE. Asc. 75 ft. over SE slope.
- 73.35 Ridge, brs. E-W. Desc. 67 ft. over NE slope.
- 80.00 Draw, course NE. Asc. gradual SE slope, to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

Survey of the East Boundary of T.35 N., R.2 E.

Chains




1927 from which,
 an aspen, 8 ins. in diam., brs. N.47°E., 37 lks.
 dist., mkd. T35N R3E S7 BT
 an aspen, 8 ins. in diam., brs. S.29°E., 54 lks.
 dist., mkd. T35N R3E S18 BT
 a yellow pine, 14 ins. in diam., brs. S.40°W., 67 lks.
 dist., mkd. T35N R2E S13 BT
 an aspen, 8 ins. in diam., brs. N.73°W., 73 lks.
 dist., mkd. T35N R2E S12 BT

Land, mountainous.
 Soil, rocky 4th. rate.
 Timber, fir, spruce, yellow pine and aspen.
 Undergrowth, juniper brush.


North, on true line, bet. secs. 7 and 12.
 Over mountainous land, thru heavy timber and scattering undergrowth.

- 2.00 Asc. gradual SE slope.
- 6.30 Spur, slopes NE. Desc. 38 ft. over NW slope.
- 15.00 Draw, course NE. Asc. 92 ft. over SE slope.
- 31.40 Ridge, brs. E-W. Desc. 163 ft. over NW slope.
- 36.50 Open draw, 200 lks. wide, course E. Asc. 85 ft. over S. slope.
- 40.00 Spur, slopes E. Asc. gradually along W. slope to set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 7 and 12, with brass cap mkd.



1927 from which,
 a yellow pine, 12 ins. in diam., brs. S.35 1/2°E., 108 lks.
 dist., mkd. 1/4 S7 BT
 a yellow pine, 8 ins. in diam., brs. N.35 1/2°W., 30 lks.
 dist., mkd. 1/4 S12 BT

- 41.20 Asc. gradual W. slope.
- 42.50 Desc. 25 ft. over NW slope.
- 46.40 S. edge of VT lake.
- 50.00 N. " " " "
- 52.50 Asc. 16 ft. over SW slope.
- 56.50 Spur, slopes NE. Desc. 183 ft. over NW slope.
- 60.00 Bend in Highway, from SW-NW.
- 75.50 Old road, brs. SW-N.
- 80.00 Leave old road to NE.
- Open draw, 200 lks. wide, course E. Asc., gradual SW slope to
- Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 1, 6, 7 and 12, with brass cap mkd.



1927 from which,

Survey of the East Boundary of T.35 N., R.2 E.

Chains

an aspen 6 ins. in diam., brs. N.75°E., 78 lks.
 dist., mkd. T35N R3E S6 BT
 an aspen, 8 ins. in diam., brs. S.58°E., 35 lks.
 dist., mkd. T35N R3E S7 BT
 a yellow pine, 24 ins. in diam., brs. S.40°W., 40 lks.
 dist., mkd. T35N R2E S12 BT
 an aspen, 10 ins. in diam., brs. N.53½°W., 43 lks.
 dist., mkd. T35N R2E S1 BT

Land, mountainous.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir, spruce and aspen.
 Undergrowth, juniper brush.

North, on true line, bet. secs. 1 and 6.
 Over rolling land, thru heavy timber and scattering
 undergrowth.

Asc. 46 ft. over SW slope.
 10.00 Ridge, brs. NE-SW. Desc. 115 ft. over NW slope.
 35.00 Draw, course NW. Asc. gradual SW slope.
 37.50 Toe of spur, slopes W. Desc. gradual NW slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the ¼ sec. cor. of secs. 1 and 6, with
 brass cap mkd.

¼
 S1 S6

1927 from which,
 a yellow pine, 18 ins. in diam., brs. S.17°E., 44 lks.
 dist., mkd. ¼ S6 BT
 a fir, 36 ins. in diam., brs. S.78°W., 65 lks. dist.,
 mkd. ¼ S1 BT

Desc. gradual NW slope.
 42.00 Leave timber, brs. NE-SW. Across open Park, called Pleas-
 ant Valley Park.
 54.00 Draw, course NE. Asc. gradual SE slope.
 54.70 Hgy., brs. NE-SW.
 60.00 Old road, brs. NE-SW.
 67.50 Toe of spur, slopes E. Desc. gradual NE slope.
 71.30 Draw, course NE. Asc. gradual SE slope.
 78.50 Spur, slopes NE. Desc. gradual NE slope to
 80.00 Set an iron post 3 ft. long, 3 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 1, 6, 31 and 36, Ts.
 35 and 36 N., Rs. 2 and 3 E., with brass cap mkd.

T36N
 R2E R3E
 S36 S31
 S1 S6

1927 from which,
 an aspen, 14 ins. in diam., brs. N.72½°E., 900 lks.
 dist., mkd. T36N R3E S31 BT
 an aspen, 12 ins. in diam., brs. S.68°E., 823 lks.
 dist., mkd. T35N R3E S6 BT
 an aspen, 12 ins. in diam., brs. S.70½°W., 173 lks.
 dist., mkd. T35N R2E S1 BT
 an aspen, 18 ins. in diam., brs. N.78°W., 180 lks.
 dist., mkd. T36N R2E S36 BT

120X 200

Survey of the East Boundary of T.35 N., R.2 E.

Chains

Land, rolling.
Soil, rocky 3rd. rate.
Timber, yellow pine, fir, spruce and aspen.
Undergrowth, juniper brush and grass.

Survey of the North Boundary of T. 35 N., R. 2 E.

Chains

478.17 From the cor. of secs. 1, 6, 31 and 36, T_s. 35 and 36 N.,
Rs. 2 and 3 E., hereinbefore described.
West, on a random line, setting temp. cors. at
intervals of 40.00 chs. until at
intersect the cor. of secs. 1, 6, 31 and 36, T_s. 35 and
36 N., Rs. 1 and 2 E., described in book "A" of this
group.
Thence,
East, on true line, bet. secs. 6 and 31.
Over mountainous land, thru heavy timber and scattering
undergrowth.
Desc. slight SE slope.
0.40 Wire fence, brs. NE and SW.
0.80 Draw, 50 lks. wide, course SW. Asc. 102 ft. over W. slope.
8.85 Spur, slopes S. Along south slope.
18.25 Desc. 44 ft. over SE slope.
22.55 Draw, course SW. Asc. 37 ft. over W. slope.
29.00 Spur, slopes S. Desc. 75 ft. over E. slope.
34.60 Draw, course S. Asc. 34 ft. over W. slope to
38.17 (40.00 chs. westing from cor. of secs. 5, 6, 31 and 32.)
Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in
the ground to bedrock, raise a md. of stone around post,
for the $\frac{1}{4}$ sec. cor. of secs. 6 and 31, with brass cap
mkd.

$\frac{1}{4} \begin{array}{c} S 31 \\ S 6 \end{array}$

1927

from which,
a yellow pine, 10 ins. in diam., brs. S. 33° E., 4 lks.
dist., mkd. $\frac{1}{4}$ S6 BT
a yellow pine, 14 ins. in diam., brs. N. 37° W., 47 lks.
dist., mkd. $\frac{1}{4}$ S31 BT

40.95 Desc. 23 ft. over SE slope.
43.90 Draw, course S. Asc. 42 ft. over SW slope.
48.85 Spur, slopes S. Desc. 21 ft. over SE slope.
48.85 Draw, course SW. Asc. 50 ft. over W. slope.
52.80 Spur, slopes S. Desc. 34 ft. over SE slope.
69.75 Draw, course SW. Asc. 168 ft. over NW slope to
78.17 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for the cor. of secs. 5, 6, 31 and 32, with
brass cap mkd.

T36N R2E
S31 S32
S6 S5
T35N
1927

from which,
an aspen, 8 ins. in diam., brs. N. 10° E., 7 lks.
dist., mkd. T36N R2E S32 BT
an aspen, 9 ins. in diam., brs. S. 47° E., 23 lks.
dist., mkd. T35N R2E S5 BT
an aspen, 8 ins. in diam., brs. S. 39° W., 8 lks.
dist., mkd. T35N R2E S6 BT
an aspen, 8 ins. in diam., brs. N. 40° W., 14 lks.
dist., mkd. T36N R2E S31 BT

Land, mountainous.
Soil, rocky 4th. rate.
Timber, yellow pine, fir, aspen and spruce.
Undergrowth, juniper brush.

8.00 East, on true line, bet. secs. 5 and 32.
Over rolling land, thru heavy timber and undergrowth.
Over level spur top.
Leave spur, desc. 36 ft. over SE slope.

Chains

12.75 Draw, course NW. Asc. 67 ft. over NW slope.
 28.70 Spur, slopes SW. Desc. 68 ft. over SE slope.
 33.55 Draw, course SE. Asc. 14 ft. over SW slope. to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 16 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the 1/4 sec. cor. of secs. 5 and 32, with brass cap
 mkd.

1/4 S 32
 S 5

1927 from which,
 an aspen, 6 ins. in diam., brs. N.25 1/2°W., 17 lks.
 dist., mkd. 1/4 S32 BT
 an aspen, 7 ins. in diam., brs. S.38°E., 5 lks.
 dist., mkd. 1/4 S5 BT

Asc. gradual SW slope.
 45.00 Desc. 14 ft. over SE slope.
 49.70 Draw, course S. Asc. 16 ft. over SW slope.
 51.80 Spur, slopes S. Desc. 71 ft. over SE slope.
 57.20 Draw, course S. Asc. 38 ft. over W. slope.
 58.00 Desc. 21 ft. over SE slope.
 60.20 Wash, course SW. Asc. gradual W. slope.
 65.10 Spur, slopes S. Desc. 12 ft. over SE slope.
 68.55 Wash, course SW. Asc. 46 ft. over SW slope.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins.
 in the ground for the cor. of secs. 4, 5, 32 and 33,
 with brass cap mkd.

T36N R2E
 S32 S33
 S5 S4

1927 from which,
 a yellow pine, 12 ins. in diam., brs. N.15 1/2°E., 13 lks.
 dist., mkd. T36N R2E S33 BT
 a fir, 12 ins. in diam., brs. S.66°E., 33 lks.
 dist., mkd. T35N R2E S4 BT
 an aspen, 10 ins. in diam., brs. S.46 1/2°W., 36 lks.
 dist., mkd. T35N R2E S5 BT
 a yellow pine, 12 ins. in diam., brs. N.22°W., 36 lks
 dist., mkd. T36N R2E S32 BT

Land, rolling.
 Soil, rocky. 3rd. rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, juniper brush.

East, on true line, bet. secs. 4 and 33.
 Over rolling land, thru heavy timber and scattering under-
 growth.

Asc. 18 ft. over gradual SW slope.
 8.80 Spur, slopes SW. Desc. 130 ft. over SE slope.
 20.10 Asc. 57 ft. over SW slope.
 29.00 Ridge, brs. NW-SE. Over rolling top to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the 1/4 sec. cor. of secs. 4 and 33, with
 brass cap mkd.

1/4 S 33
 S 4

1927 from which,
 an aspen, 8 ins. in diam., brs. N.13 1/2°W., 25 lks.
 dist., mkd. 1/4 S33 BT
 an aspen, 6 ins. in diam., brs. S.40°W., 14 lks.
 dist., mkd. 1/4 S4 BT

Chains

- 44.80 Desc. 20 ft. along N. slope.
- 46.00 Asc. 51 ft. along NW slope.
- 53.75 Road, from Lookout Lake to Oquer. Lake, brs. NE-SW.
- 74.25 Desc. gradually over NE slope.
- 79.00 Center of Oquer Canyon, 200 lks. wide, course NW.
- 80.00 Asc. 33 ft. over SW slope.
- Ridge, brs. NW-SE. Over level land to
- Set an iron post 3 ft. long, 2 ins. in diam., 15 ins. in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 3, 4, 33 and 34, with brass cap mkd.

T36N R2E
 S33 S34
 S4 S3
 T35N
 1927

- from which,
- an aspen, 6 ins. in diam., brs. N.26°E., 26 lks. dist., mkd. T36N R2E S34 BT
- a fir, 30 ins. in diam., brs. S.81°E., 32 lks. dist., mkd. T35N R2E S3 BT
- an aspen, 6 ins. in diam., brs. S.81½°W., 46 lks. dist., mkd. T35N R2E S4 BT
- an aspen, 6 ins. in diam., brs. N.25½°W., 37 lks. dist., mkd. T36N R2E S33 BT

Land, rolling.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, spruce, fir and aspen.
 Undergrowth, juniper brush and locust.

East, on true line, bet. secs. 3 and 34.
 Over rolling land, thru heavy timber and scattering undergrowth:

- 40.00 Desc. gradually 89 ft. over NE slope.
- Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground, for the ¼ sec. cor. of secs. 3 and 34, with brass cap mkd.

S 34
 ¼
 S 3

- 1927 from which,
- an aspen, 14 ins. in diam., brs. N.20°E., 140 lks. dist., mkd. ¼ S34 BT
- an aspen, 6 ins. in diam., brs. S.34½°W., 74 lks. dist., mkd. ¼ S3 BT

- 41.00 Draw, 200 lks. wide, drains NW. Asc. gradual SW slope.
- 45.00 Low spur, slopes N. Desc. gradual NE slope.
- 48.70 Draw, 200 lks. wide, drains NW. Asc. gradual SW slope.
- 79.00 Spur, slopes NW. Desc. gradual NE slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 2, 3, 34 and 35, with brass cap mkd.

T36N R2E
 S34 S35
 S3 S2 S35
 T35N
 1927

- from which,
- an aspen, 14 ins. in diam., brs. N.34°E., 8 lks. dist., mkd. T36N R2E S35 BT
- a fir, 8 ins. in diam., brs. S.53°E., 5 lks. dist., mkd. T35N R2E S2 BT
- an aspen, 10 ins. in diam., brs. S.47½°W., 9 lks. dist., mkd. T35N R2E S3 BT
- a fir, 3 ins. in diam., brs. S.47½°W., 9 lks. dist., mkd. T35N R2E S3 BT


Chains

a fir, 8 ins. in diam., brs. N.71½°W., 7 lks.
dist., mkd. T36N R2E S34 BT

Land, rolling.
Soil, rocky 3rd. rate.
Timber, fir, spruce, aspen and yellow pine.
Undergrowth, juniper brush.

East, on true line, bet. secs. 2 and 35.
Over rolling land, thru heavy timber and scattering under-
growth.

- 13.00 Desc. 23 ft. over NE slope.
- 28.00 Draw, 200 lks. wide, course NW. Asc. 29 ft. over SW slope.
- 39.00 Spur, slopes NW. Desc. 68 ft. over NE slope.
- 40.00 Slope changes to SE.
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for the ¼ sec. cor. of secs. 2 and 35, with
brass cap mkd.




1927

from which,

- a fir, 10 ins. in diam., brs. N.36°E., 24 lks.
dist., mkd. ¼ S35 BT
- a fir, 10 ins. in diam., brs. S.61°W., 28 lks.
dist., mkd. ¼ S2 BT

- 40.20 Desc. 5 ft. over SE slope.
- 40.20 Wash, 10 lks. wide, course N.
- 45.00 Asc. 34 ft. over NW. slope.
- 45.00 Desc. 38 ft. over NE slope.
- 50.00 Draw, course NW. (50 lks. wide.)
- 59.00 Asc. 58 ft. over SW slope.
- 59.00 Divide, brs. NW-SE. Desc. gradual NE slope.
- 63.00 Wash, course SE. Desc. gradual SE slope.
- 74.00 Draw, near head course SW. Asc. 23 ft. over NW slope.
- 77.00 Spur, slopes SW. Desc. 25 ft. over SE slope to
- 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for the cor. of secs. 1, 2, 35 and 36, with
brass cap mkd.



1927

from which,

- an aspen, 8 ins. in diam., brs. N.60°E., 18 lks.
dist., mkd. T36N R2E S36 BT
- an aspen, 6 ins. in diam., brs. S.35°E., 3 lks.
dist., mkd. T35N R2E S1 BT
- an aspen, 8 ins. in diam., brs. S.34°W., 7 lks.
dist., mkd. T35N R2E S2 BT
- an aspen, 6 ins. in diam., brs. N.21°W., 16 lks.
dist., mkd. T36N R2E S35 BT

Land, rolling.
Soil, rocky 3rd. rate.
Timber, yellowpine, fir, aspen and spruce.
Undergrowth, juniper brush and locust.

Survey of the North Boundary of T.35 N., R.2 E.

Chains

East, on true line; bet. secs. 1 and 36.
 Over mountainous land, thru heavy timber and scattering undergrowth.
 Desc. 113 ft. over SE slope.
 6.30 Draw, course NE. Asc. gradual NW slope.
 19.00 Spur, slopes NE. Desc. 190 ft. over gradual SE slope to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 1 and 36, with brass cap mkd.

1/4 S 36
 S 1

1927

from which,
 an aspen, 10 ins. in diam., brs. N.73°E., 16 lks. dist., mkd. 1/4 S36 BT
 an aspen, 8 ins. in diam., brs. S.56°W., 24 lks. dist., mkd. 1/4 S1 BT

40.50 Shallow draw, course NE. Asc. gradual NW slope.
 62.00 Desc. gradual SE slope.
 65.60 Draw, course NE. Asc. gradual NW slope.
 73.50 Spur, slopes NE. Desc. gradual SE slope to corner.
 78.60 Leave timber, brs. N-S. Across Pleasant Valley.
 78.85 U.P. Telephone line, brs. N.11°W.-S.11°E.
 80.00 Intersect the corner of secs. 1, 6, 31 and 36, Ts. 35 and 36 N., Rs. 2 and 3 E., hereinbefore described.

Land, rolling, mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, spruce, aspen and yellow pine.
 Undergrowth, juniper brush and locust.

Boundaries of Township 35 North, Range 2 East

Latitudes, departures and Closing Errors.

Line designated	True Course	Dist.	Latitudes		Departures	
			N.	S.	E.	W.
South boundary	S.89°56'W.	478.78		.54		478.78
West boundary	North	480.00	480.00			
North boundary	East	478.17			478.17	
East boundary	South	480.00		480.00		
Convergency					.53	
Totals			480.00	480.54	478.70	478.78
				480.00		478.70
Error in latitude				0.54		
Error in departure						0.08

Survey of the Subdivision Lines of T. 35 N., R. 2 E. 15

Chains	<p>From the cor. of secs. 1, 2, 35 and 36 on the S. Bdy. of Tp., described in book "B" of this group. N.0° 1' W., on true line, bet. secs. 35 and 36. Over rolling land, thru heavy timber and scattering undergrowth.</p> <p>18.00 Spur, slopes W. Desc. gradual NW slope. 22.50 Draw, near head, course SW. Asc. gradual SW slope. 32.60 Over level land, brs. NW-SE. 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36, with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S35 S36</p> <p style="text-align: center;">1927 from which,</p> <p>a fir, 16 ins. in diam., brs. S. 17$\frac{1}{2}$° E., 16 lks. dist., mkd. $\frac{1}{4}$ S36 BT</p> <p>a fir, 14 ins. in diam., brs. S. 30° W., 23 lks. dist., mkd. $\frac{1}{4}$ S35 BT</p> <p>47.00 Shallow draw, head of Quaking Asp Canyon, course W. 55.00 Leave ridge, brs. NW-SE. Desc. gradual NE slope. 60.40 Blazed trail, brs. NE-SW. 71.70 Draw, near head, course NE. Asc. gradual SE slope. 75.00 Desc. 52 ft. over N. slope to 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 25, 26, 35 and 36, with brass cap mkd.</p> <p style="text-align: center;">T35N R2E <u> S26 S25</u> S35 S36</p> <p style="text-align: center;">1927 from which,</p> <p>an aspen, 6 ins. in diam., brs. N. 59° E., 6 lks. dist., mkd. T35N R2E S25 BT</p> <p>an aspen, 8 ins. in diam., brs. S. 64$\frac{1}{2}$° E., 10 lks. dist., mkd. T35N R2E S36 BT</p> <p>an aspen, 6 ins. in diam., brs. S. 82° W., 25 lks. dist., mkd. T35N R2E S35 BT</p> <p>an aspen, 10 ins. in diam., brs. N. 62° W., 24 lks. dist., mkd. T35N R2E S26 BT</p> <p>Land, rolling and level. Soil, rocky 3rd. rate. Timber, fir, spruce, aspen and yellow pine. Undergrowth, juniper brush.</p> <hr/> <p>40.00 N. 89° 56' E., on random line, bet. secs. 25 and 36. Set temp. $\frac{1}{4}$ sec. cor. 79.96 Fall 2 lks. S. of the cor. of secs. 25, 30, 31 and 36, on E. Bdy. of Tp., hereinbefore described. Thence, S. 89° 55' W., on true line, bet. secs. 25 and 36. Over rolling land, thru heavy timber and scattering undergrowth. thru heavy timber and scattering undergrowth. Desc. gradual W. slope. 4.80 Highway, brs. N-S. 5.70 Draw, course SW. Asc. gradual E. slope. 20.94 U.P. Telephone line, brs. N. 10° W.-S. 10° E. 23.70 Enter timber, brs. N-S. 25.65 Forest Telephone line, brs. N. 10° W.-S. 10° E. 28.00 Wire fence, brs. NE-SW.</p>
--------	---

Chains

39.98 Set an iron post 3 ft. long, 1 in in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36, with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 25}{S\ 36}$

1927 from which,

a fir, 20 ins. in diam., brs. N.8°W., 26 lks.

dist., mkd. $\frac{1}{4}$ S25 BT

a fir, 30 ins. in diam., brs. S.62°E., 32 lks.

dist., mkd. $\frac{1}{4}$ S36 BT

Enter mtns. land.

Asc. 297 ft. over NE slope.

41.30 Wire fence, brs. N-S.

57.60 Blazed trail, brs. NE-SW.

70.50 Spur, slopes N. Desc. 28 ft. over NW slope.

73.30 Draw, near head, course N. Asc. 62 ft. over NE slope to

79.96 The corner of secs. 25, 26, 35 and 36.

Land, rolling and mountainous.

Soil, rocky loam, 3rd. rate.

Timber, fir, aspen, spruce and yellow pine.

Undergrowth, juniper btush and grass.

N.0° 1'W., on true line, bet. secs. 25 and 26.

Over mountainous land, thru heavy timber and scattering undergrowth.

Desc. 45 ft. over N. slope.

3.40 Draw, course E. Asc. 40 ft. over SE slope.

10.80 Spur, slopes NE. Desc. 23 ft. over NW slope.

20.00 Draw, near head, course NE. Asc. 29 ft. over SE slope.

25.40 Level bench, brs. NE-SW.

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36, with brass cap mkd.

$\frac{1}{4}$

S26 | S25

1927 from which,

an aspen, 8 ins. in diam., brs. N.39°E., 9 lks.

dist., mkd. $\frac{1}{4}$ S25 BT

an aspen, 8 ins. in diam., brs. S.42 $\frac{1}{2}$ °W., 18 lks.

dist., mkd. $\frac{1}{4}$ S26 BT

58.50 Leave bench, brs. NE-SW. Desc. 149 ft. over NW slope.

60.60 Draw, course NE. Asc. 130 ft. over SE slope.

70.85 Spur, slopes NE. Desc. 52 ft. over N. slope.

76.00 Draw, course SE. Asc. 63 ft. over S. slope to

80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

T35N R2E

S23 | S24

S26 | S25

1927 from which,

a fir, 16 ins. in diam., brs. N.78 $\frac{1}{2}$ °E., 84 lks.

dist., mkd. T35N R2E S24 BT

a fir, 24 ins. in diam., brs. S.41 $\frac{1}{2}$ °E., 68 lks.

dist., mkd. T35N R2E S25 BT


Survey of the Subdivision Lines of T.35 N..R.2E.17

Chains

a fir, 14 ins. in diam., brs. S.51°W., 50 lks. dist.,
mkd. T35N R2E S26 BT
a fir, 8 ins. in diam., brs. N.51¼°W., 14 lks. dist.,
mkd. T35N R2E S23 BT

Land, mountainous.
Soil, rocky 3rd. rate.
Timber, fir, aspen, spruce and yellow pine.
Undergrowth, juniper brush.

40.00 N.89°55'E., on random line, bet. secs. 24 and 25.
Set temp. ¼ sec. cor.
80.04 Fall 21 lks. N. of the cor. of secs. 19, 24, 25 and 30,
on the E. Bdy. of Tp., hereinbefore described.
Thence,
N.89°56'W., on true line, bet. secs. 24 and 25.
Over mountainous land, thru heavy timber and scattering
undergrowth.
Desc. 110 ft. over SW slope.
14.80 Leave timber, brs. N-S. Across VT Park over rolling land.
16.15 From which,
Store, brs. N.45½°W., about 20 chs. dist.
Rusts dining room, brs. N.27½°W.
W. end of corral, brs. S.1°W.
18.60 Highway, brs. N.15°W.-S.15°E. (joins West road, 50 lks.N.)
20.00 Draw, course S. Asc. gradual E. slope.
22.80 Old road, brs. N-S.
29.85 U.P. Telephone line, brs. N.39°W.-S.39°E.
30.50 Government telephone line, brs. N.-S.
Group of tent houses, brs. S., about 1½ chs. dist.
40.00 Enter timber, brs. NE-SE.
40.02 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for the ¼ sec. cor. of secs. 24 and 25,
with brass cap mkd.



a fir, 10 ins. in diam., ¹⁹²⁷ brs. N.5¼°E., ^{from which,} 73 lks.
dist., mkd. ¼ S24 BT
an aspen, 6 ins. in diam., brs. S.3½°W., 39 lks.
dist., mkd. ¼ S25 BT

The highway from Ryan to VT park, is N. about 40 lks.,
dist., the road, brs. NW and N.80°E.

Asc. gradual SE slope.
45.00 Asc. 265 ft. over SE slope to cor. entering Mtns. land.
80.04 The cor. of secs. 23, 24, 25 and 26.

Land, mountainous and rolling.
Soil, stony 3rd. rate.
Timber, aspen, fir, spruce and yellow pine.
Undergrowth, juniper brush and grass.

N.0° 1'W., on true line, bet. secs. 23 and 24.
Over mountainous land, thru heavy timber and scattering
undergrowth.
Asc. 52 ft. over SE slope.
0.45 Highway, brs. N.70°W.- and East. Phone line along N. side.
2.20 Old road, brs. NE-SW.
6.00 Ridge, brs. NW-SE. Desc. 157 ft. over NE slope.

Chains

- 14.00 A cleared line, brs. E-W.
 29.00 Draw, course NE. Asc. gradual SE slope.
 33.00 Spur, slopes East. Desc. 18 ft. over NE slope.
 36.00 Draw, course NE. Asc. 32 ft. over SE slope.
 40.00 Spur, slopes E.
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 23 and 24, with brass cap mkd.
- S 23 $\frac{1}{4}$ S24
- 1927 from which,
- a fir, 18 ins. in diam., brs. N.48 $\frac{1}{2}$ °E., 13 lks.
 dist., mkd. $\frac{1}{4}$ S24 BT
 a fir, 12 ins. in diam., brs. N.19°W., 29 lks.
 dist., mkd. $\frac{1}{4}$ S23 BT
- 43.00 Desc. 103 ft. over NW slope.
 54.20 Draw, course NE. Desc. gradually along W. edge of same.
 57.50 Leave draw; course NE. Asc. 148 ft. over SE slope.
 72.00 Spur, slopes NE. Desc. 71 ft. over NW slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 13, 14, 23 and 24, with brass cap mkd.
- T35N R2E
 S14 S13
 S23 S24
- 1927 from which,
- a fir, 14 ins. in diam., brs. N.37°E., 18 lks.
 dist., mkd. T35N R2E S13 BT
 a fir, 14 ins. in diam., brs. S.56°E., 24 lks.
 dist., mkd. T35N R2E S24 BT
 a fir, 8 ins. in diam., brs. S.45°W., 18 lks.
 dist., mkd. T35N R2E S23 BT
 a fir, 20 ins. in diam., brs. N.60°W., 43 lks.
 dist., mkd. T35N R2E S14 BT
- Land, mountainous.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir, spruce and aspen.
 Undergrowth, juniper brush.
-
- 40.00 S.89°56'E., on random line, bet. secs. 13 and 24.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.04 Fall 9 lks. S. of the. of secs. 13, 18, 19 and 24, on the E. Bdy. of Tp., hereinbefore described.
 Thence,
 West, on true line, bet. secs. 13 and 24.
 Over mountainous land, thru heavy timber and scattering undergrowth.
 Asc. 10 ft. over NE slope.
 1.50 Spur, slopes N.10°W. Desc. 201 ft. over W. slope.
 1.87 Rail fence, brs. N-S.
 10.50 Leave timber, brs. N-S.; enter rolling land in VT Park.
 From which,
 Rusts dining room, brs. S.16°W.
 " office, brs. S.17°W.
 " hotel, brs. S.19°W.
 Between hotel and office there are two rows of cabins, six cabins to a row.
 VT spring, brs. S.8°25'W.

Chains

in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 11, 12, 13 and 14, with brass cap mkd.

T35N R2E
S11 S12

S14 S13

1927 from which,

a fir, 10 ins. in diam., brs. N.15°E., 28 lks.
dist., mkd. T35N R2E S12 BT

a fir, 8 ins. in diam., brs. S.5°E., 7 lks.
dist., mkd. T35N R2E S13 BT

a fir, 24 ins. in diam., brs. S.8°W., 55 lks.
dist., mkd. T35N R2E S14 BT

a fir, 10 ins. in diam., brs. N.44½°W., 20 lks.
dist., mkd. T35N R2E S11 BT

Land, mountainous.
Soil, rocky 4th. rate.
Timber, fir, aspen, spruce and yellow pine.
Undergrowth, juniper brush.

40.00 East, on a random line, bet. secs. 12 and 13.
Set temp. ¼ sec. cor.
79.96 Fall 9 lks. S. of the cor. of secs. 7, 12, 13 and 18 on the East Bdy. of Tp., hereinbefore described.
Thence,
S.89°56'W., on true line, bet. secs. 12 and 13.
Over mountainous land, thru heavy timber and scattering undergrowth.
Asc. 40 ft. over SE slope.
10.00 Ridge, brs. NE-SW. Desc. 189 ft. over NW slope.
16.70 Rail fence, brs. NW-SE.
34.00 Descent becomes gradual; leave timber, brs. N-S.
Across open VT Park.; land becomes rolling.
35.50 Highway, brs. N.30°W.-S.30°E.
36.70 Draw, course S. Asc. gradual NE slope.
36.80 Old road, brs. N-S.
39.98 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the ¼ sec. cor. of secs. 12 and 13, with brass cap mkd.

1/4 S 12

S 13
1927

from which,

an aspen, 8 ins. in diam., brs. N.89½°E., 618 lks.
dist., mkd. ¼ S12 BT

an aspen, 14 ins. in diam., brs. S.82½°E., 686 lks.
dist., mkd. ¼ S13 BT

Asc. gradual NE slope.
43.00 Road, brs. NW-SE.
47.50 Pond, 2½ chs. in diam., brs. S., about 3 chs. dist.
51.30 U.P. Telephone line, brs. N.81°W.-S.81°E.
53.30 Leave park; enter timber, brs. N-S.
53.40 Rail fence, brs. N-S. Enter mountainous land.
Asc. 173 ft. over NE slope.
69.00 Spur, slopes N. Desc. 83 ft. over NW slope, to
79.96 The cor. of secs. 11, 12, 13 and 14.

Survey of the Subdivision Lines of T.35 N., R.2 E. 21

Chains

Land, rolling and mountainous.
Soil, rocky 3rd. rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, juniper byush and grass.

N.0° 1'W., on true line, bet. secs. 11 and 12.
Over mountainous land, thru heavy timber and scattering undergrowth.

- 2.60 Desc. gradual NW slope.
- 12.00 Draw, course NE. Asc. 92 ft. over SE slope.
- 20.00 Spur, slopes NE. Over level top.
- 26.20 Desc. 34 ft. over NW slope.
- 33.00 Draw, 100 lks. wide, course NE. Asc. 23 ft. over SE slope.
- 40.00 Ridge, brs. E-W. Desc. 66 ft. over NW slope, to
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 11 and 12, with brass cap mkd.

1/4

S11 S12

1927 from which,
a yellow pine, 8 ins. in diam., brs. N.28°E., 8 lks.
dist., mkd. 1/4 S12 BT
a fir, 18 ins. in diam., brs. N.81 1/2°W., 27 lks.
dist., mkd. 1/2 S11 BT

- 45.00 Desc. gradual NW slope.
- 46.00 Draw, course NE. Asc. gradual SE slope.
- 64.00 Spur, slopes NE. Desc. 97 ft. over N. slope.
- 64.30 Draw, course SE.
- 80.00 Blazed road, brs. NW-SE.
Asc. 182 ft. over S. slope to
Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

T35N R2E
S2 S1

S11 S12

1927 from which,
a fir, 10 ins. in diam., brs. N.45 1/2°E., 7 lks.
dist., mkd. T35N R2E S1 BT
an aspen, 6 ins. in diam., brs. S.35°E., 27 lks.
dist., mkd. T35N R2E S12 BT
an aspen, 10 ins. in diam., brs. S.76°W., 18 lks.
dist., mkd. T35N R2E S11 BT
a fir, 14 ins. in diam., brs. N.40°W., 10 lks.
dist., mkd. T35N R2E S2 BT

Land, mountainous.
Soil, rocky 3rd. rate.
Timber, fir, spruce, aspen and yellow pine.
Undergrowth, juniper brush.

- 40.00 N.89°56'E., on a random line, bet. secs. 1 and 12.
Set temp. 1/4 sec. cor.
- 79.80 Intersect the cor. of secs. 1, 6, 7 and 12 on E.Bdy. of Tp., hereinbefore described.

Chains

	Thence, S.89°56'W., on true line, bet. secs. 1 and 12. Over rolling land, thru heavy timber and scattering under- growth. Desc. gradual SW slope.
7.60	Draw, near head, course SE. Asc. gradual SE slope.
8.10	Old road, brs. N-S.
13.80	Highway, brs. NE-SW.
15.63	U.P. Telephone line, brs. NE-SW.
25.00	Low ridge, brs. N.85°E-S.85°W. Desc. gradual NW slope. Over top.
31.00	Desc. gradual NW slope to
39.90	Set an iron post 3 ft. long, 1 in. in diam., 18 ins. in the ground to bedrock, raise a md. of stone around post for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, with brass cap Mkd.
	$\frac{1}{4} \begin{array}{c} S 1 \\ S 12 \end{array}$
	1927 from which,
	a yellow pine, 24 ins. in diam., brs. N.24°E., 31 lks. dist., mkd. $\frac{1}{4}$ S1 BT
	a yellow pine, 18 ins. in diam., brs. S.45°W., 32 lks. dist., mkd. $\frac{1}{4}$ S12 BT
	Asc. 169 ft. over NE slope.
58.50	Desc. gradual NW slope.
62.10	Draw, course NE. Asc. 110 ft. over SE slope.
75.00	Ridge, brs. NW-SE. Desc. 34 ft. over SW slope to
79.80	The cor. of secs. 1, 2, 11 and 12.
	Land, rolling and mountainous. Soil, rocky 3rd. rate. Timber, yellow pine, fir, aspen and spruce. Undergrowth, juniper brush.
	—————
	N.0° 1'W., on random line, bet. secs. 1 and 2.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.40	Fall 14 lks. E. of the cor. of secs. 1, 2, 35 and 36, on N. Bdy. of Tp., hereinbefore described.
	Thence, S.0° 7'E., on true line, bet. secs. 1 and 2. Over mountainous land, thru heavy timber and scattering undergrowth.
	Desc. 23 ft. over SE slope.
3.50	Draw, course NE. Asc. 85 ft. over NW slope.
14.80	A circular crater, 200 lks. in diam., about 75 ft. deep, brs. E., 50 lks. distant.
16.00	Spur, slopes SE. Desc. 80 ft. over S. slope.
23.80	Draw, course E. Asc. 123 ft. over N. slope.
37.50	Ridge, brs. E-W. Desc. gradual SE slope to
40.40	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2, with brass cap mkd.
	$\frac{1}{4}$
	S2 S1
	1927 from which,
	a yellow pine, 18 ins. in diam., brs. N.7°W., 25 lks. dist., mkd. $\frac{1}{4}$ S2 BT
	a fir, 36 ins. in diam., brs. S.71°E., 10 lks. dist., mkd. $\frac{1}{4}$ S1 BT

Survey of the Subdivision Lines of T.35 N., R.2 E. 23


Chains

49.00 Desc. gradual S. slope, 128 ft.
 Draw, course SE. Asc. 55 ft. over NE slope.
 53.50 Spur, slopes E. Desc. 25 ft. over SE slope.
 55.80 Draw, course SE. Asc. 116 ft. over NE slope.
 64.50 Spur, slopes SE. Desc. 86 ft. over SW slope to
 80.40 The corner of secs. 1, 2, 11 and 12.

Land, mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine and spruce.
 Undergrowth, juniper brush and locust.


From cor. of secs. 2, 3, 34 and 35, on the S, Bdy. of Twp.,
 described in book "B" of this Group.
 N.0° 1'W., on true line, bet. secs. 34 and 35.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.

6.00 Asc. 41 ft. over gradual S. slope.
 Over bench, brs. E-W.
 16.00 Leave bench, desc. 273 ft. over N. slope.
 35.70 Bottom of Quaking Asp Canyon, 100 lks. wide, course W.
 Blazed road in same (wagons only).
 Asc. 131 ft. over S. slope to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. secs. 34 and 35, with
 brass cap mkd.



1927 from which,
 an aspen, 10 ins. in diam., brs. S.55°E., 23 lks.
 dist., mkd. $\frac{1}{4}$ S35 BT
 an aspen, 8 ins. in diam., brs. N.83 $\frac{1}{2}$ °W., 15 lks.
 dist., mkd. $\frac{1}{4}$ S34 BT

46.00 Asc. 89 ft. over S. slope.
 Ridge, brs. E-W.
 48.50 Desc. 181 ft. over N. slope.
 61.70 Wash, course SW. Asc. 165 ft. over S. slope.
 76.00 Over bench, brs. E-W., to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in
 the ground to bedrock, raise a m^d. of stone around post
 for the cor. of secs. 26, 27, 34 and 35, with brass cap
 mkd.



1927 from which,
 a fir, 6 ins. in diam., brs. N.73°E., 27 lks.
 dist., mkd. T35N R2E S26 BT
 an aspen, 5 ins. in diam., brs. S.63 $\frac{1}{2}$ °E., 18 lks.
 dist., mkd. T35N R2E S35BT
 a yellow pine, 8 ins. in diam., brs. S.80 $\frac{1}{2}$ °W., 37 lks.
 dist., mkd. T35N R2E S34 BT
 an aspen, 6 ins. in diam., brs. N.47 $\frac{1}{4}$ °W., 25 lks.
 dist., mkd. T35N R2E S27 BT

Chains

Land, rolling and mountainous.
Soil, rocky 3rd. rate.
Timber, fir, aspen, spruce and yellow pine.
Undergrowth juniper brush.

40.00 N. 89° 56' E., on random line, bet. secs. 26 and 35.
Set temp. $\frac{1}{4}$ sec. cor.
80.10 Fall 5 lks. N. of the cor. of secs. 25, 26, 35 and 36.
Thence
S. 89° 58' W., on true line, bet. secs. 26 and 35.
Over rolling land, thru heavy timber and scattering under-
growth.
20.00 Asc: 81 ft. over NE slope.
38.00 Divide, brs. N-S. Over level surface of same.
40.05 Leave divide, brs. N-S. Desc. gradual SW slope to
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for the $\frac{1}{4}$ sec. cor. secs. 26 and 35, with
brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 26}{S\ 35}$

1927

from which,

an aspen, 6 ins. in diam., brs. N. 26° W., 18 lks.
dist., mkd. $\frac{1}{4}$ S26 BT
an aspen, 6 ins. in diam., brs. S. 33° W., 13 lks.
dist., mkd. $\frac{1}{4}$ S35 BT

53.65 Desc. 81 ft. over SW slope.
64.00 Draw, course SW. Asc. 75 ft. over SE slope.
70.00 Spur, slopes SW. Over level top.
80.10 Desc. 52 ft. over gradual W. slope, to
The corner of secs. 26, 27, 34 and 35.

Land, rolling.
Soil, rocky 3rd. rate.
Timber, fir, aspen, spruce and yellow pine.
Undergrowth, juniper brush.

5.50 N. 0° 1' W., on true line, bet. secs. 26 and 27.
10.00 Over mountainous land, thru heavy timber and scattering
undergrowth.
20.70 Asc. 29 ft. over SE slope.
30.00 Ridge, brs. NE-SW. Over level top.
34.00 Desc. 92 ft. over NW slope.
40.00 Draw, 100 lks. wide, course SW. Asc. 80 ft. over S. slope.
Ridge, brs. E-W. Across level top.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
the ground for the $\frac{1}{4}$ sec. cor. of secs. 26 and 27, with
brass cap mkd.

S27 S26

1927

from which,

a fir, 6 ins. in diam., brs. N. 87 $\frac{1}{2}$ ° W., 25 lks.
dist., mkd. $\frac{1}{4}$ S26 BT
a fir, 16 ins. in diam., brs. N. 44° W., 10 lks.
dist., mkd. $\frac{1}{4}$ S27 BT

41.30 Desc. 60 ft. over NE slope.
60.00 Draw, course NW. Asc. 122 ft. over SW slope.
62.00 Spur, slopes W. Over level top.
Desc. 69 ft. over NW slope.

Survey of the Subdivision Lines of T.35 N., R.2 E. 25

Chains

67.40 Draw, course NW. Asc. gradual SW slope.
 71.50 Spur, slopes NW. Desc. 49 ft. over NE slope.
 77.80 Old road, brs. NE-SW.
 78.00 Draw, course SW. Asc. 22 ft. over S. slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 16 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the cor. of secs. 22, 23, 26 and 27, with brass cap
 mkd.

T35N	R2E
S22	S23
<hr/>	
S27	S26

1927 from which,
 an aspen, 8 ins. in diam., brs. N.33°E., 8 lks.
 dist., mkd. T35N R2E S23 BT
 an aspen, 6 ins. in diam., brs. S.51°E., 11 lks.
 dist., mkd. T35N R2E S26 BT
 an aspen, 10 ins. in diam., brs. S.24°W., 19 lks.
 dist., mkd. T35N R2E S27 BT
 an aspen, 8 ins. in diam., brs. N.4°W., 31 lks.
 dist., mkd. T35N R2E S22 BT

Land, rolling, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, juniper brush.

40.00 N.89°58'E., on a random line, bet. secs. 23 and 26.
 80.10 Set temp. 1/4 sec. cor.
 80.10 Fall 16 lks. N. of the cor. of secs. 23, 24, 25 and 26.
 Thence,
 N.89°55'W., on true line, bet. secs. 23 and 26.
 Over rolling land, thru heavy timber and scattering under-
 growth.

Asc. gradual SE slope.
 4.00 Spur, slopes SE. Desc. gradual SW slope.
 9.00 Draw, course SE. Asc. gradual NE slope.
 16.00 Divide, brs. N-S. Over level top.
 23.00 Leave top; desc. 46 ft. over gradual SW slope to 1/4 cor.
 28.30 Old road, brs. NE-SW.
 40.05 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the 1/4 sec. cor. of secs. 23 and 26, with brass cap
 mkd.

1/4	S 23
<hr/>	
1/4	S 26

1927 from which,
 an aspen, 8 ins. in diam., brs. N.23°W., 55 lks.
 dist., mkd. 1/4 S23 BT
 a fir, 24 ins. in diam., brs. S.25°W., 130 lks.
 dist., mkd. 1/4 S26 BT

40.60 Over draw bottom, course N.85°W.
 41.40 Old road, brs. N.85°W.-S.85°E.
 52.00 Center of draw; continue along S. edge of same.
 56.00 Leave draw; asc. gradual NE slope.
 66.70 Spur, slopes N. Desc. 52 ft. over NW slope.
 67.00 Center of same draw, 100 lks. wide, course SW.
 Asc. gradual SE slope.
 73.50 Same old road, brs. NE-SW.
 75.00 Spur, slopes SW. Desc. 25 ft. over SW slope.
 75.00 N. edge of circular crater, 200 lks. wide, 40 ft. deep.

26 Survey of the Subdivision Lines of T.35 N., R.2 E.

Chains

80.10 Asc. 23 ft. over SE slope to
The cor. of secs. 22, 23, 26 and 27.

Land, rolling.
Soil, rocky 3rd. rate.
Timber, fir, spruce, aspen and yellow pine.
Undergrowth, juniper brush.

N.0° 1'W., on true line, bet. secs. 22 and 23.
Over mountainous land, thru heavy timber and scattering
undergrowth.

5.00 Asc. 59 ft. over SE slope.
11.90 Spur, slopes SW. Desc. gradual NW slope.
18.00 Head of draw; course SW. Asc. 46 ft. over SE slope.
36.00 Ridge, brs. E-W. Desc. 75 ft. over N. slope.
37.50 South edge of draw, course NW. Over level bottom.
40.00 North " " " . Asc. gradual SW slope to
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
ground for the 1/4 sec. cor. of secs. 22 and 23, with brass
cap mkd.

1/4

S22 | S23

1927

from which,
a fir, 20 ins. in diam., brs. S.88°E., 15 lks.
dist., mkd. 1/4 S23 BT
a fir, 12 ins. in diam., brs. S.45°W., 21 lks.
dist., mkd. 1/4 S22 BT

55.00 Asc. 52 ft. over SW slope.
61.00 Ridge, brs. NW-SE. Over level top.
77.20 Leave ridge, desc. 176 ft. over NE slope.
77.50 Draw, 100 lks. wide, course NW.
78.00 Highway, brs. N.70°E.-S.70°W.
80.00 Asc. 49 ft. over SE slope to
Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
the ground for the cor. of secs. 14, 15, 22 and 23;
with brass cap mkd.

T35N	R2E
S15	S14
S22	S23

1927

from which,
a fir, 18 ins. in diam., brs. N.18°E., 21 lks.
dist., mkd. T35N R2E S14 BT
a fir, 30 ins. in diam., brs. S.7°E., 276 lks.
dist., mkd. T35N R2E S23 BT
an aspen, 10 ins. in diam., brs. S.88°W., 33 lks.
dist., mkd. T35N R2E S22 BT
an aspen, 14 ins. in diam., brs. N.2°W., 33 lks.
dist., mkd. T35N R2E S15 BT

Land, rolling, level and mountainous.
Soil, rocky 3rd. rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, juniper brush.

Survey of the Subdivision Lines of T.35 N., R.2 E. 27

Chains

40.00 S. 89°55'E., on a random line, bet. secs. 14 and 23.
 Set temp. 1/4 sec. cor.
 80.02 Fall 14 lks. S. of the cor. of secs. 13, 14, 23 and 24.
 Thence,
 S. 89°59'W., on true line, bet. secs. 14 and 23.
 Over mountainous land, thru heavy timber and scattering undergrowth.
 Asc. 107 ft. over NE slope.
 9.50 Spur, slopes NE. Desc. 63 ft. over NW slope.
 17.40 Draw, course NE. Asc. 176 ft. over SE slope.
 22.50 S. edge of circular crater, 1 1/2 chs. in diam., brs. N., about 1 1/2 chs. dist.
 38.00 Divide, brs. NW-SE. Over level top, to
 40.01 Set an iron post 3 ft. long, 1 in. in diam., 18 ins. in the ground to bedrock, raise a md. of stone around post, for the 1/4 sec. cor. of secs. 14 and 23, with brass cap mkd.

$$\frac{1}{4} \frac{S 14}{S 23}$$

1927

from which,

an aspen, 6 ins. in diam., brs. N.7°E., 41 lks. dist., mkd. 1/4 S14 BT
 an aspen, 6 ins. in diam., brs. S.56°E., 29 lks. dist., mkd. 1/4 S23 BT

52.00 Leave divide, brs. NW-SE. Desc. 149 ft. over SW slope.
 77.75 Telephone line, brs. NW-SE.
 80.02 The cor. of secs. 14, 15, 22 and 23.

Land, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, spruce, aspen and yellow pine.
 Undergrowth, juniper brush.

N.0° 1'W., on true line, bet. secs. 14 and 15.
 Over mountainous land, thru heavy timber and scattering undergrowth.

Asc. 152 ft. over SW slope.
 .40 Telephone line, brs. SE-W.
 14.50 Spur, slopes NW. Desc. 137 ft. over NE slope.
 29.70 Draw, course NW. Asc. 114 ft. over SW slope.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 14 and 15, with brass cap mkd.

1/4

S15 S14

1927

from which,

an aspen, 6 ins. in diam., brs. N.63 1/2°E., 9 lks. dist., mkd. 1/4 S14 BT
 an aspen, 6 ins. in diam., brs. S.49°W., 10 lks. dist., mkd. 1/4 S15 BT

Asc. gradual S. slope.
 43.50 Spur, slopes NW. Desc. 59 ft. over NE slope.
 51.30 Draw, course NW. Asc. 80 ft. over SW slope.
 62.50 Ridge, brs. E.-W. Over level top, to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

Chains

T35N R2E
 S10 S11
 S15 S14

1927 from which,
 a fir, 12 ins. in diam., brs. N.55°E., 36 lks.
 dist., mkd. T35N R2E S11 BT
 an aspen, 8 ins. in diam., brs. S.60°E., 34 lks.
 dist., mkd. T35N R2E S14 BT
 a fir, 10 ins. in diam., brs. S.51°W., 18 lks.
 dist., mkd. T35N R2E S15 BT
 a fir, 10 ins. in diam., brs. N.56°W., 6 lks.
 dist., mkd. T35N R2E S10 BT

Land, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

40.00 N.89°59'E., on a random line, bet. secs. 11 and 14.
 Set temp. 1/4 sec. cor.
 80.06 Fall 5 lks. N. of the cor. of secs. 11, 12, 13 and 14.
 Thence,
 N.89°59'W., on true line, bet. secs. 11 and 14.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Asc. gradual NW slope.
 4.00 Toe of spur, slopes N. Desc. gradual NW slope.
 8.50 Draw, 100 lks. wide, course NE. Asc. 265 ft. over SE
 slope.
 40.03 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the 1/4 sec. cor. of secs. 11 and 14, with
 brass cap mkd.

1/4 S 11
 S 14

1927 from which,
 an aspen, 6 ins. in diam., brs. N.30°W., 9 lks.
 dist., mkd. 1/4 S11 BT
 an aspen, 6 ins. in diam., brs. S.52°W., 24 lks.
 dist., mkd. 1/4 S14 BT

47.00 Asc. 57 ft. over SE slope.
 59.10 Spur, slopes NE. Desc. 58 ft. over NW slope.
 65.00 Draw, near head, course NE. Asc: 38 ft. over SE slope.
 70.00 Divide, brs. NW-SE. Over level top.
 76.00 Desc. gradual SW slope.
 80.06 Draw, course NW. Asc. gradual NE slope, to
 The cor. of secs. 10, 11, 14 and 15.

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir, spruce and aspen.
 Undergrowth, juniper brush.

N.0° 1'W., on true line, bet. secs. 10 and 11.
 Over-rolling land, thru heavy timber and scattering under-
 growth.
 Over-nearly level top.
 7.00 Leave top; desc. gradual NE slope.
 11.00 Draw, course NW. Asc. 52 ft. over SW slope.
 23.00 Ridge, brs. NW-SE. Over level top.
 31.00 Leave top; desc. 86 ft. over NE slope to

Survey of the Subdivision Lines of T.35 N., R.2 E. 29

Chains	
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 10 and 11, with brass cap mkd.
	<p style="text-align: center;">1/4</p> <p style="text-align: center;">S10 S11</p> <p style="text-align: center;">1927</p> <p style="text-align: right;">from which,</p> <p>a fir, 10 ins. in diam., brs. East, 8 lks. dist., mkd. 1/4 S11 BT a fir, 10 ins. in diam., brs. S.79°W., 10 lks. dist., mkd. 1/4 S10 BT</p>
59.20	Desc. 172 ft. over NE slope. Draw, 100 lks. wide, course NW. Asc. 132 ft. over SW slope.
73.50	Spur, slopes NW. Over top.
79.00	Desc. 132 ft. over NE slope to
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 18 ins. in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 2, 3, 10 and 11, with brass cap mkd.
	<p style="text-align: center;">T35N R2E <u> S3 S2 </u> S10 S11</p> <p style="text-align: center;">1927</p> <p style="text-align: right;">from which,</p> <p>an aspen, 8 ins. in diam., brs. N.53°E., 12 lks. dist., mkd. T35N R2E S2 BT an aspen, 6 ins. in diam., brs. S.44°E., 12 lks. dist., mkd. T35N R2E S11 BT an aspen, 10 ins. in diam., brs. S.5°W., 26 lks. dist., mkd. T35N R2E S10 BT an aspen, 6 ins. in diam., brs. N.60°W., 9 lks. dist., mkd. T35N R2E S3 BT</p>
	Land, level and rolling. Soil, rocky 3rd. rate. Timber; spruce; fir, yellow pine and aspen. Undergrowth, juniper brush.
40.00	S.89°59'E., on a random line, bet. secs. 2 and 11. Set temp. 1/4 sec. cor.
79.98	Fall 9 lks. S. of the cor. of secs. 1, 2, 11 and 12. Thence, S.89°57'W., on true line, bet. secs. 2 and 11. Over mountainous land, thru heavy timber and scattering undergrowth.
	Desc. 106 ft. over SW slope.
7.20	Draw, course S. Asc. 19 ft. over SE slope.
9.50	Spur, slopes SE. Desc. gradual SW slope.
15.00	Blazed road, brs. NW-SE.
15.40	Draw; 50 lks. wide, course SE. Asc. 180 ft. over NE slope.
39.99	Set an iron post 3 ft. long, 1 in in diam., 20 ins. in the ground to bedrock, raise a md. of stone around post, for the 1/4 sec. cor. of secs. 2 and 11, with brass cap mkd.
	<p style="text-align: center;">1/4 S 2</p> <p style="text-align: center;"> S 11</p> <p style="text-align: center;">1927</p> <p style="text-align: right;">from which,</p>

Chains

	<p>an aspen, 7 ins. in diam., brs. N.25°E., 18 lks. dist., mkd. $\frac{1}{4}$ S2 BT</p> <p>an aspen, 8 ins. in diam., brs. S.21°E., 22 lks. dist., mkd. $\frac{1}{4}$ S11 BT</p> <p>Asc. 88 ft. over NE slope.</p>
52.00	Divide, brs. N-S. Over level top.
60.00	Leave top; desc. gradual NW slope.
77.70	Draw. near head, course NW. Asc. gradual NE slope to
79.98	The cor. of secs. 2, 3, 10 and 11.
	<p>Land, level and mountainous. Soil, rocky 4th. rate. Timber, yellow pine, fir, aspen and spruce. Undergrowth, juniper brush.</p>
	—————
40.00	N.0° 1'W., on a random line, bet. secs. 2 and 3.
	Set temp. $\frac{1}{4}$ sec. cor.
80.35	Fall 5 lks. E. of the cor. of secs. 2, 3, 34 and 35, on the N. Bdy. of the Tp., hereinbefore described.
	Thence,
	S.0° 3'E., on true line, bet. secs. 2 and 3.
	Over mountainous land, thru heavy timber and scattering undergrowth.
	Over level bench.
10.00	Desc. 40 ft. over SW slope.
15.00	Draw. course NW. Asc. 84 ft. over NW slope.
35.00	Ridge, brs. NE-SW. Desc. 23 ft. over SE slope to
40.35	(40.00 chs. from the cor. of secs. 2, 3, 10 and 11) Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3, with brass cap mkd.
	$\frac{1}{4}$
	S3 S2
	1927 from which,
	an aspen, 6 ins. in diam., brs. N.48°E., 9 lks. dist., mkd. $\frac{1}{4}$ S2 BT
	an aspen, 8 ins. in diam., brs. N.50°W., 15 lks. dist., mkd. $\frac{1}{4}$ S3 BT
	Desc. 97 ft. over SE slope.
49.15	Road, brs. E-W.
49.30	Draw, course W. Asc. 92 ft. over NW slope.
53.40	E. edge of circular crater, 2 chs. in diam., 50 ft. deep.
57.00	Spur, slopes NW. Desc. 29 ft. over SW slope.
67.00	Draw, 100 lks. wide, course NW. Asc. 127 ft. over N. slope to
80.35	The cor. of secs. 2, 3, 10 and 11.
	<p>Land, mountainous. Soil, rocky 3rd. rate. Timber, yellow pine, fir, spruce and aspen. Undergrowth, juniper brush.</p>
	—————
	From the cor. of secs. 3, 4, 33 and 34, on S. Bdy. of Tp., described in book "B" of this Group.
	N.0° 2'W., on true line, bet. secs. 33 and 34.
	Over mountainous land, thru heavy timber and scattering undergrowth.

Chains

3.00 Asc. gradual S. slope.
 Desc. 113 ft. over N. slope.
 13.90 Draw, 2 chs. wide, course NW. Asc. 12 ft. over S. slope.
 16.35 Spur, slopes W. Desc. 14 ft. over N. slope.
 19.00 Draw, course SW. Asc. 41 ft. over S. slope.
 21.00 Ridge, brs. NE-SW. Desc. 203 ft. over NW slope.
 29.30 Enter Quaking Asp Canyon, Course SW. Over bottom.
 30.50 Asc. 254 ft. over SE slope.
 39.50 Ridge, brs. NE-SW. Over level top to
 40.00 Set an iron post, 3 ft., long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34, with
 brass cap mkd.

$\frac{1}{4}$
 S33 S34

1927 from which,
 an aspen, 8 ins. in diam., brs. S.68°E., 32 lks.
 dist., mkd. $\frac{1}{4}$ S34 BT
 a spruce, 10 ins. in diam., brs. N.33 $\frac{1}{4}$ °W., 14 lks.
 dist., mkd. $\frac{1}{4}$ S33 BT

40.50 Leave ridge, desc. 31 ft. over NW slope.
 42.45 Wash, course W. Asc. 108 ft. over S. slope.
 51.80 Ridge, brs. E-W. Over level top.
 56.75 Desc. 97 ft. over NW slope.
 61.00 Wash, 30 lks. wide, course SW. Asc. 113 ft. over S. slope.
 68.00 Ridge, brs. E-W. Over level top.
 71.50 Desc. 48 ft. over N. slope.
 74.70 Wash, course SW. Over bottom.
 78.50 Asc. 68 ft. over S. slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 27, 28, 33 and 34,
 with brass cap mkd.

T35N R2E
S28 S27
 S33 S34

1927 from which,
 an aspen, 10 ins. in diam., brs. N.69 $\frac{1}{2}$ °E., 25 lks.
 dist., mkd. T35N R2E S27 BT
 an aspen, 12 ins. in diam., brs. S.33 $\frac{1}{2}$ °E., 46 lks.
 dist., mkd. T35N R2E S34 BT
 an aspen, 10 ins. in diam., brs. S.19°W., 26 lks.
 dist., mkd. T35N R2E S33 BT
 an aspen, 7 ins. in diam., brs. N.51 $\frac{1}{2}$ °W., 25 lks.
 dist., mkd. T35N R2E S28 BT

Land, mountainous and level.
 Soil, rocky, 3rd. rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, juniper brush.

40.00 N.89°56'E. on a random line, bet. secs. 27 and 34.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.10 Fall 2 lks. N. of the cor. of secs. 26, 27, 34 and 35.
 Thence,
 S.89°57'W., on true line, bet. secs. 27 and 34.
 Over rolling land, thru heavy timber and scattering
 undergrowth.
 Desc. 75 ft. over S. slope.

Chains	
25.00	Over nearly level bench, brs. NE-SW. to
40.05	Set an iron post 3 ft. long, 1 in. in diam., 14 ins. in the ground to bedrock, raise a md. of stone around post, for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34, with brass cap mkd.
	$\frac{1}{4}$ S 27 <hr style="width: 50px; margin: auto;"/> S 34 1927
	from which,
	a spruce, 12 ins. in diam., brs. N.56 $\frac{1}{2}$ °E., 7 lks. dist., mkd. $\frac{1}{4}$ S27 BT
	a spruce, 8 ins. in diam., brs. S.49°E., 27 lks. dist., mkd. $\frac{1}{4}$ S34 BT
80.10	Over level top to The cor. of secs. 27, 28, 33 and 34.
	Land, rolling and level. Soil, rocky 3rd. rate. Timber, fir, spruce, aspen and yellow pine. Undergrowth, juniper brush.
	<hr style="width: 100px; margin: auto;"/>
	N.0° 2'W., on true line, bet. secs. 27 and 28. Over mountainous land, thu heavy timber and scattering undergrowth.
	Desc. 66 ft. over N. slope.
7.50	Draw, course NW. Asc. 34 ft. over S. slope.
13.90	Ridge, brs. NW-SE. Desc. 177 ft. over NW slope.
29.50	Draw, course SW. Asc. 110 ft. over SE slope.
33.70	Ridge, brs. E-W. Desc. 79 ft. over NW slope to
40.00	Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 27 and 28, with brass cap mkd.
	$\frac{1}{4}$ S28 S27 1927
	from which,
	a spruce, 10 ins. in diam., brs. N.72 $\frac{1}{2}$ °E., 18 lks. dist., mkd. $\frac{1}{4}$ S27 BT
	a spruce, 12 ins. in diam., brs. N.68°W., 25 lks. dist., mkd. $\frac{1}{4}$ S28 BT
	Desc. 60 ft. over NW slope.
45.00	Draw, course NW. (About 150 lks. wide.)
45.20	Old road, brs. NW-SE.
	Asc. 133 ft. over S. slope.
50.40	Spur, brs. NW-SE. Desc. 26 ft. over N. slope.
62.80	Draw, course SW. Asc. 44 ft. over SE slope.
68.30	Spur, slopes SW. Over level top.
70.00	Desc. 45 ft. over N. slope.
74.00	Draw, course SW. Asc. 68 ft. over S. slope to
80.00	Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 21, 22, 27 and 28, with brass cap mkd.
	T35N R2E S21 S22 <hr style="width: 50px; margin: auto;"/> S28 S27 1927
	from which,


Survey of the Subdivision Lines of T.35 N., R.2 E. 33

Chains

a yellow pine, 14 ins. in diam., brs. N.11½°E., 44 lks.
 dist., mkd. T35N R2E S22 BT
 a spruce, 8 ins. in diam., brs. S.49°E., 39 lks.
 dist., mkd. T35N R2E S27 BT
 a yellow pine, 10 ins. in diam., brs. S.21°W., 64 lks.
 dist., mkd. T35N R2E S28 BT
 a fir, 12 ins. in diam., brs. N.62½°W., 37 lks.
 dist., mkd. T35N R2E S21 BT

Land, mountainous.
 Soil, rocky 3rd. rate.
 Timber, spruce, aspen, fir and yellow pine.
 Undergrowth, juniper brush.

40.00 N.89°57'E., on random line, bet. secs. 22 and 27.
 Set temp. ¼ sec. cor.
 80.14 Fall 19 lks. N. of the cor. of secs. 22, 23, 26 and 27.
 Thence,
 N:89°55'W., on true line, bet. secs. 22 and 27.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Desc. 57 ft. over SW slope.
 23.30 Draw, course SE: Asc. 113 ft. over SE slope.
 40.07 Set an iron post 3 ft. long, 1 in. in diam., 15 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the ¼ sec. cor. of secs. 22 and 27, with brass cap
 mkd.




1927 from which,

an aspen, 8 ins. in diam., brs. N.37½°W., 27 lks.
 dist., mkd. ¼ S22 BT
 an aspen, 8 ins. in diam., brs. S.17½°E., 14 lks.
 dist., mkd. ¼ S27 BT

52.00 Over bench: brs. NE-SW.
 Leave bench, brs. N.-S. Desc. 127 ft. over NW slope.
 71.00 Draw, course SW. Asc. 57 ft. over SE slope to
 80.14 The cor. of secs. 21, 22, 27 and 28,

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, spruce, aspen, fir and yellow pine.
 Undergrowth, juniper brush.

N.0° 2' W., on true line, bet. secs. 21 and 22.
 Over mountainous land, thru heavy timber and undergrowth.
 Asc. 34 ft. over SE slope.
 5.00 Over broad, level bench, brs. NE-SW.
 18.50 Desc. 57 ft. over N. slope.
 24.90 Draw, course W. Asc. 81 ft. over S. slope.
 32.00 Spur, brs. E-W. Over level top.
 34.00 Desc. 46 ft. over N. slope to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the ½ sec. cor. of secs. 21 and 22, with brass cap
 mkd.



1927 from which,

Chains

a fir, 8 ins. in diam., brs. N.67 $\frac{1}{2}$ °E., 11 lks.
 dist., mkd. $\frac{1}{4}$ S22 BT
 a fir, 8 ins. in diam., brs. N.76°W., 20 lks.
 dist., mkd. $\frac{1}{4}$ S21 BT

45.70 Desc: 46 ft. over N: slope.
 Draw, course W. Asc. 85 ft. over SW slope.
 53.30 Ridge, brs.E-W. Over level top.
 56.30 Desc. 14 ft. over N. slope.
 63.30 Draw, course W. Asc. 17 ft. over gradual S. slope.
 66.30 Over level bench, brs. NW-SE.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 26 ins. in
 the ground, for the cor. of secs. 15, 16, 21 and 22, with
 brass cap mkd.

T35N R2E	
S16	S15
S21	S22

1927 from which,
 a fir, 8 ins. in diam., brs. N.17°E., 32 lks.
 dist., mkd. T35N R2E S15 BT
 a fir, 10 ins. in diam., brs. S.21 $\frac{1}{2}$ °E., 29 lks.
 dist., mkd. T35N R2E S22 BT
 an aspen, 6 ins. in diam., brs. S.14 $\frac{1}{2}$ °W., 22 lks.
 dist., mkd. T35N R2E S21 BT
 a spruce, 8 ins. in diam., brs. N.46°W., 20 lks.
 dist., mkd. T35N R2E S16 BT

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, spruce, aspen, yellow pine and fir.
 Undergrowth, juniper brush.

40.00 S.89°55'E., on a random line, bet. secs. 15 and 22.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.94 Intersect the cor. of secs. 14, 15, 22 and 23.
 Thence,
 N.89°55'W., on true line, bet. secs. 15 and 22.
 Over rolling land, thru heavy timber and scattering under-
 growth.
 Desc. 31 ft. over SW slope.
 5.50 Highway, brs. NW-SE.
 6.00 Draw, 50 lks. wide, course NW. Asc. 39 ft. over NE slope.
 9.30 Spur, slopes NW. Desc. gradual SW slope.
 10.00 Circular crater, 50 lks. in diam. Asc. 51 ft. over NE
 slope.
 11.30 Spur, slopes NW. Desc. gradual SW slope.
 17.00 Draw, course NW. Asc. gradual NE slope.
 24.30 Spur, slopes NW. Over level top.
 26.30 Desc. 104 ft. over SW slope.
 34.90 Draw, course NW. Asc. 54 ft. over E. slope, to
 39.97 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22, with
 brass cap mkd.

$\frac{1}{4}$ S 15
S 22

1927 from which,
 an aspen, 5 ins. in diam., brs. N.6°E., 29 lks.
 dist., mkd. $\frac{1}{4}$ S15 BT
 a spruce, 6 ins. in diam., brs. S.49°E., 29 lks.
 dist., mkd. $\frac{1}{4}$ S22 BT

Survey of the Subdivision Lines of T.35bN., R.2 E. 35

Chains

41.00 Over level spur, slopes gradually to N.
 51.00 Desc. 61 ft. over W. slope.
 52.15 Draw, course N. Asc. 106 ft. over NE slope.
 60.50 Over level bench, brs. NW-SE, to
 79.94 The cor. of secs. 15, 16, 21 and 22.

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

N.0° 2'W., on true line, bet. secs. 15 and 16.
 Over mountainous land, thru heavy timber and scattering undergrowth.

Over level bench top.
 16.00 Desc. 205 ft. over N. slope.
 35.00 Slope changes to NE.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 6 ins. in the ground to bedrock, raise a md. of stone around post, for the 1/4 sec. cor. of secs. 15 and 16, with brass cap mkd.

1/4
 S16 S15

1927 from which,
 an aspen, 4 ins. in diam., brs. N.30 1/4°E., 15 lks. dist., mkd. BT
 a fir, 15 ins. in diam., brs. N.30°W., 80 lks. dist., mkd. 1/4 S16 BT

Over bottom of draw, course NW.
 42.80 Highway, brs. NW-SE.
 43.50 Leave draw, asc. 211 ft. over S. slope.
 46.00 Telephone line, brs. NW-SE.
 59.00 Spur, slope W. Over level top.
 63.00 Desc. 100 ft. over N. slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 12 ins. in the ground to bedrock, raise a md. of stone around post, for the cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T35N R2E
 S9 S10
 S16 S15

1927 from which,
 an aspen, 10 ins. in diam., brs. N.22 1/4°E., 48 lks. dist., mkd. T35N R2E S10 BT
 a spruce, 20 ins. in diam., brs. S.75 1/4°E., 43 lks. dist., mkd. T35N R2E S15 BT
 an aspen, 8 ins. in diam., brs. S.54°W., 21 lks. dist., mkd. T35N R2E S16 BT
 a spruce, 8 ins. in diam., brs. N.30 1/4°W., 87 lks. dist., mkd. T35N R2E S9 BT

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine, and spruce.
 Undergrowth, juniper brush.

Chains

40.00 S. 89° 55' E., on a random line, bet. secs. 10 and 15.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.80 Fall 5 lks. S. of the cor. of secs. 10, 11, 14 and 15.
 Thence,
 N. 89° 57' W., on true line, bet. secs. 10 and 15.
 Over rolling land, thru heavy timber and scattering under-
 growth.
 Desc. 35 ft. over SW slope.
 2.15 Saddle, brs. N-S. Asc. along gradual N. slope.
 24.00 Spur, slopes NW. Desc. 114 ft. over SW slope.
 33.20 Draw, course N. Asc. gradual NE slope.
 37.50 Spur, slopes NW. Desc. gradual NW slope to
 39.90 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15, with
 brass cap mkd.

$\frac{1}{4}$ S 10
 $\frac{1}{4}$ S 15

1927

from which,

an aspen, 5 ins. in diam., brs. N. 61° E., 34 lks.
 dist., mkd. $\frac{1}{4}$ S10 BT
 a spruce, 8 ins. in diam., brs. S. 55 $\frac{1}{2}$ ° W., 21 lks.
 dist., mkd. $\frac{1}{4}$ S15 BT

Asc. 60 ft. over E. slope.
 43.20 Over level spur top, slopes gradually to NW.
 49.20 Desc. 166 ft. over SW slope to
 79.80 The cor. of secs. 9, 10, 15 and 16, on SW side of draw, NW.

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine and spruce.
 Undergrowth, juniper brush.

N. 0° 2' W., on true line, bet. secs. 9 and 10.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Over draw bottom, course NW.
 3.00 Asc. 30 ft. over SW slope.
 7.00 Spur, slopes NW. Over level top.
 14.00 Desc. 31 ft. over N. slope.
 19.30 Draw, course NW. Asc. gradually over SW slope.
 28.50 Desc. 61 ft. over NW slope.
 30.50 Draw, course SW. Asc. 164 ft. over S. slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10, with
 brass cap mkd.

$\frac{1}{4}$

S9

S10

1927

from which,

an aspen, 4 ins. in diam., brs. N. 83° E., 19 lks.
 dist., mkd. $\frac{1}{4}$ S10 BT
 a fir, 15 ins. in diam., brs. S. 52° W., 23 lks.
 dist., mkd. $\frac{1}{4}$ S9 BT

Asc. 23 ft. over S. slope.
 45.00 Over level bench, brs. NW-SE.
 55.00 Desc. 155 ft. over NE slope to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in

Survey of the Subdivision lines of T.35 N., R.2 E. 37

Chains

the ground for the cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

T35N R2E	
S4	S3
S9	S10

1927 from which,

- a spruce, 12 ins. in diam., brs. N.74½°E., 16 lks. dist., mkd. T35N R2E S3 BT
- a spruce, 5 ins. in diam., brs. S.76½°E., 8 lks. dist., mkd. T35N R2E S10 BT
- a spruce, 4 ins. in diam., brs. S.45½°W., 9 lks. dist., mkd. BT
- a spruce, 10 ins. in diam., brs. N.7°W., 11 lks. dist., mkd. T35N R2E S4 BT

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

- 40.00 S.89°57'E., on a random line, bet. secs. 3 and 10.
- 79.90 Set temp. ¼ sec. cor. of
- Fall 16 lks. S. of the cor. of secs. 2, 3, 10 and 11.
- Thence,
- S.89°56'W., on true line, bet. secs. 3 and 10.
- Over mountainous land, thru heavy timber and scattering undergrowth.
- Desc. 52 ft. over gradual SW slope.
- 29.20 Draw, course SW. Desc. gradual S. slope, 136 ft.
- 37.70 Draw, course NW. Asc. gradual NE slope to
- 39.95 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the ¼ sec. cor. of secs. 3 and 10, with brass cap mkd.

¼	S 3
	S 10

1927 from which,

- a spruce, 15 ins. in diam., brs. N.2½°E., 41 lks. dist., mkd. ¼ S3 BT
- a spruce, 8 ins. in diam., brs. S.69½°W., 54 lks. dist., mkd. ¼ S10 BT

- 56.00 Asc. 37 ft. over NE slope.
- 60.60 Spur, slopes N. Desc. 17 ft. over NW slope.
- 70.60 Draw, course NE. Asc. 92 ft. over NE slope.
- 79.90 Spur, slopes NE. Desc. 93 ft. over NW slope to
- The cor. of secs. 3, 4, 9 and 10.

Land, mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

- 40.00 N.0° 2'W., on random line, bet. secs. 3 and 4.
- 80.34 Set temp. ¼ sec. cor.
- Fall 28 lks. E. of the cor. of secs. 3, 4, 33 and 34, on N. Bdy. of Tn., hereinbefore described.

Chains

- Thence,
S.0°14'E., on true line, bet. secs. 3 and 4.
Over rolling land, thru heavy timber and scattering undergrowth.
Desc. 20 ft. over S. slope.
- 3.50 Over Quer Canyon, 100 lks. wide, course NW. Asc. 65 ft. over NE slope.
- 12.00 Ridge, brs. NW-SE. Over level top.
- 17.50 Desc. 14 ft. over SW slope.
- 22.85 Draw, 100 lks. wide, course NW. Asc. 17 ft. over NE slope.
- 26.50 Spur, slopes NW. Over level top.
- 29.80 Desc. 135 ft. over S. slope to
- 40.34 (40.00 chs. Northing from cor. secs. 3, 4, 9 and 10)
Set an iron post 3 ft. long, 1 in. in diam., 12 ins. in the ground to bedrock, raise a md. of stone around post, for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4, with brass cap mkd.
- $\frac{1}{4}$
- S4 S3
- 1927
- from which,
- a spruce, 14 ins. in diam., brs. S.81 $\frac{1}{2}$ °E., 189 lks. dist., mkd. $\frac{1}{4}$ S3 BT
- an aspen, 10 ins. in diam., brs. N.3 $\frac{1}{2}$ °W., 266 lks. dist., mkd. $\frac{1}{4}$ S4 BT
- A cabin at Lookout Lake (about 4 chs. N. of same) brs. N.47°02'W., 31.38 chs. dist.
- Across bottom of Lookout Canyon (level), course NW.
- 42.30 Old road, brs. NW-SE.
- 44.00 Leave canyon, asc. gradual NE slope.
- 47.00 Spur, slopes NW. Desc. gradual SW slope.
- 51.40 Draw, course NW. Asc. 55 ft. over NE slope.
- 63.40 Spur, slopes E. Desc. 38 ft. over SE slope.
- 66.40 Draw, course NE. Asc. 35 ft. over NW slope.
- 78.40 Rim of crater. Desc. 12 ft. over S. slope.
- 79.80 Over center of crater, about 50 lks. wide, to
- 80.34 The cor. of secs. 3, 4, 9 and 10.

Land, rolling and level.
Soil, rocky 3rd. rate.
Timber, fir, aspen, spruce and yellow pine.
Undergrowth, juniper brush.

- From cor. of secs. 4, 5, 32 and 33, on the S. Bdy. of Tp., described in book "B" of this Group.
N.0° 3'W., on true line, bet. secs. 32 and 33.
Over mountainous land, thru heavy timber and scattering undergrowth.
Desc. 9 ft. over NE slope.
- 1.10 Draw, course NW. Asc. 140 ft. over S. slope.
- 7.60 Spur, slopes W. Desc. 253 ft. over NW slope.
- 20.00 Enter Quaking Asp Canyon, course SW. Over level bottom.
- 20.20 Blazed trail, brs. NE-SW.
- 20.60 Leave bottom; asc. 189 ft. over SE slope to
- 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33, with brass cap mkd.

Survey of the Subdivision Lines of T.35 N., R.2 E. 39

Chains

1/4
S32. S33

1927 from which,
 an aspen, 6 ins. in diam., brs. N.37 1/4°E., 38 lks.
 dist., mkd. 1/4 S33 BT
 an aspen, 8 ins. in diam., brs. S.80 1/2°W., 50 lks.
 dist., mkd. 1/4 S32 BT
 Cor. set on spur, slopes SW. Thence along level W. slope.
 58.50 Ridge, brs. E-W. (about 5 chs. wide.)
 60.00 Desc. 135 ft. over N. slope.
 69.70 Draw, course SW. Asc. 127 ft. over S. slope.
 77.50 Spur, slopes W, Over level top to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the
 ground for the cor. of secs. 28, 29, 32 and 33, with
 brass cap mkd.

T35N R2E
 S29 S28
 S32 S33

1927 from which,
 an aspen, 12 ins. in diam., brs. N.17°E., 21 lks.
 dist., mkd. T35N R2E S28 BT
 a spruce, 10 ins. in diam., brs. S.45°E., 24 lks.
 dist., mkd. T35N R2E S33 BT
 a yellow pine, 10 ins. in diam., brs. S.64 1/2°W., 12 lks.
 dist., mkd. T35N R2E S32 BT
 an aspen, 12 ins. in diam., brs. N.38°W., 10 lks.
 dist., mkd. T35N R2E S29 BT

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, fir, spruce, aspen and yellow pine.
 Undergrowth, juniper brush.

40.00 N.89°56'E., on true line, bet. secs. 28 and 33.
 Set temp. 1/4 sec. cor.
 80.02 All 9 lks. S. of the cor. of secs. 27, 28, 33 and 34.
 Thence,
 S.89°52'W., on true line, bet. secs. 28 and 33.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Desc. 94 ft. over W. slope.
 15.00 Ridge, brs. NE-SW. Over level top.
 20.00 Desc. 28 ft. over SW slope.
 23.75 Draw, course NW. Asc. 14 ft. over NE slope.
 27.00 Spur, slopes NW. Desc. gradual SW slope.
 31.00 Draw, course NW. Asc. 27 ft. over NE slope to
 40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the 1/4 sec. cor. of secs. 28 and 33, with
 brass cap mkd.

1/4 S 28
 S 33

1927 from which,
 a spruce, 10 ins. in diam., brs. N:28°E., 11 lks.
 dist., mkd. 1/4 S28 BT
 a spruce, 6 ins. in diam., brs. S.30°W., 8 lks.
 dist., mkd. 1/4 S33 BT

40 Survey of the Subdivision Lines of T.35 N., R.2 E.

Chains

Over level top of spur, slopes gradually to W.
 60.00 Desc. 29 ft. over SW slope.
 64.00 Asc. 40 ft. over NE slope.
 68.00 Over level spur top to
 80.02 The cor. of secs. 28, 29, 32 and 33.

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, spruce, aspen, fir and yellow pine.
 Undergrowth, juniper brush.

N.0° 3'W., on true line, bet. secs. 28 and 29.
 Over mountainous land, thru heavy timber and scattering undergrowth.

Over level spur top.
 3.00 Desc. 150 ft. over NE slope.
 12.00 Draw, course NW. Asc. 20 ft. over S. slope.
 13.00 Spur, slopes SW. Desc. 71 ft. over NW slope.
 14.00 Draw, course SW. Asc. 155 ft. over SE slope.
 20.00 Ridge, bears E-W. Over level top.
 27.00 Desc. 46 ft. over N. slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 28 and 29, with brass cap mkd.




1927

from which,

an aspen, 10 ins. in diam., brs. S.77 1/2°E., 15 lks.
 dist., mkd. 1/4 S28 BT
 an aspen, 6 ins. in diam., brs. S.67°W., 9 lks.
 dist., mkd. 1/4 S29 BT.

Desc. 30 ft. over N. slope.
 47.30 Circular crater, 1 ch. in diam., 30 ft. deep.
 Desc. 34 ft. over NW slope.
 57.00 Draw, course NW. Over level bottom.
 57.50 Old road, brs. NW-SE.
 57.80 Leave bottom; asc. 163 ft. over S. slope.
 72.00 Over level spur top, brs. W.
 76.75 Leave spur, desc. 38 ft. over NW slope to
 80.00 Set an iron post 5 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 20, 21, 28 and 29, with brass cap mkd.



1927

from which,

a fir, 6 ins. in diam., brs. N.49°E., 27 lks.
 dist., mkd. T35N R2E S21 BT
 a fir, 10 ins. in diam., brs. S.59°E., 16 lks.
 dist., mkd. T35N R2E S28 BT
 a fir, 5 ins. in diam., brs. S.45 1/2°W., 23 lks.
 dist., mkd. T35N R2E S29 BT
 a yellow pine, 4 ins. in diam., brs. N.50 1/2°W., 33 lks.
 dist., mkd. T35N R2E S20 BT

Land, mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

Survey of the Subdivision Lines of T.35 N., R.2 E. 41

Chains	
40.00	N. 89° 52' E., on a random line, bet. secs. 21 and 28.
80.02	Set temp. $\frac{1}{4}$ sec. cor. Fall 7 lks. S. of the cor. of secs. 21, 22, 27 and 28. Thence, S. 89° 49' W., on true line, bet. secs. 21 and 28. Over mountainous land, thru heavy timber and scattering undergrowth. Desc. 87 ft. over gradual W. slope. Draw, course SW. Asc. 66 ft. over SE slope. Bench, brs. NE-SW. Over level top. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28 with brass cap mkd.
14.55	
30.00	
40.01	
	$\frac{1}{4} \begin{array}{c} S 21 \\ S 28 \end{array}$
	1927 from which,
	a spruce, 15 ins. in diam., brs. N. 21° W., 31 lks. dist., mkd. $\frac{1}{4}$ S21 BT a fir, 12 ins. in diam., brs. S. 24° W., 24 lks. dist., mkd. $\frac{1}{4}$ S28 BT
56.00	Leave top; desc. 92 ft. over NW slope.
80.02	The cor. of secs. 20, 21, 28 and 29. Land, level and mountainous. Soil, rocky 3rd. rate. Timber, fir, aspen, spruce and yellow pine. Undergrowth, juniper brush.


	N. 0° 3' W., on true line, bet. secs. 20 and 21. Over mountainous land, thru heavy timber and scattering undergrowth. Desc. gradual NW slope. Draw, course SW. Asc. 65 ft. over SE slope. Spur, slopes W. Over level top. Desc. 85 ft. over N. slope. Draw, course W. Asc. 86 ft. over S. slope. Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21, with brass cap mkd.
1.50	
7.40	
20.90	
32.75	
40.00	
	$\frac{1}{4}$
	S20 S21
	1927 from which,
	an aspen, 4 ins. in diam., brs. N. 44° E., 14 lks. dist., mkd. $\frac{1}{4}$ S21 BT an aspen, 4 ins. in diam., brs. N. 78° W., 22 lks. dist., mkd. $\frac{1}{4}$ S20 BT
	Asc. 32 ft. over S. slope. Ridge, brs. E-W. Over level top. Desc. 54 ft. over N. slope. Draw, course W. Asc. gradual S. slope to Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 16, 17, 20 and 21, with brass cap mkd.
43.50	
69.00	
77.00	
80.00	
	$\begin{array}{c} T35N R2E \\ S17 S16 \\ \hline S20 S21 \end{array}$
	1927 from which,

Chains

a yellow pine, 8 ins. in diam., brs. N.60½°E., 60 lks. dist., mkd. T35N R2E S16 BT
 an aspen, 4 ins. in diam., brs. S.26°E., 33 lks. dist., mkd. T35N R2E S21 BT
 a yellow pine, 10 ins. in diam., brs. S.51°W., 85 lks. dist., mkd. T35N R2E S20 BT
 a yellow pine, 10 ins. in diam., brs. N.53½°W., 40 lks. dist., mkd. T35N R2E S17 BT

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

40.00 N.89°49'E., on random line, bet. secs. 16 and 21.
 80.02 Set temp. ¼ sec. cor.
 Fall 2 lks. S. of the cor. of secs. 15, 16, 21 and 22. Thence, S.89°48'W., on true line, bet. secs. 16 and 21.
 Over rolling land, thru heavy timber and scattering undergrowth.
 38.00 Desc. 37 ft. over gradual W. slope of bench.
 40.01 Leave bench, brs. NW-S⁴. Desc. 20 ft. over SW slope to Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the ¼ sec. cor. of secs. 16 and 21, with brass cap mkd.



1927

from which,

an aspen, 4 ins. in diam., brs. N.27½°E., 34 lks. dist., mkd. ¼ S16 BT
 an aspen, 4 ins. in diam., brs. S.41½°E., 13 lks. dist., mkd. ¼ S21 BT

41.00 Desc. 9 ft. over SW slope.
 45.60 Asc. 14 ft. over SE slope.
 55.60 Spur, slopes SW. Desc. 86 ft. over SW slope.
 70.00 Draw, course SW. Asc. 36 ft. over SE slope.
 80.02 Desc. 52 ft. over SW slope to The cor. of secs. 16, 17, 20 and 21.

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

4.00 N.0° 3'W., on true line, bet. secs. 16 and 17.
 39.00 Over mountainous land, thru heavy timber and scattering undergrowth.
 40.00 Asc. 32 ft. over S. slope.
 Bench, brs. E-W. Over level land.
 Desc. 24 ft. over N. slope to Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the ¼ sec. cor. of secs. 16 and 17, with brass cap mkd.

¼



1927

from which,

an aspen, 5 ins. in diam., brs. N.82½°E., 30 lks. dist., mkd., ¼ S16 BT
 a spruce, 10 ins. in diam., brs. N.83½°W., 29 lks. dist., mkd., ¼ S17 BT

Survey of the Subdivision Lines of T. 35 N., R. 2 E. 43

Chains

Desc. 80 ft. over N. slope.
 52.35 Draw, course NW. Over level bottom.
 52.50 Highway, brs. NW-SE.
 53.40 Leave draw; asc. 148 ft. over SE slope.
 56.50 Telephone line, brs. NW-SE.
 62.50 Spur, slopes SW; over level top.
 66.00 Desc. gradual NW slope.
 70.60 Draw, course SW. Asc. 17 ft. over SE slope.
 77.00 Over level spur top, brs. E-W., to
 80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in the
 ground for the cor. of secs. 8, 9, 16 and 17, with brass
 cap mkd.

T35N R2E	
S8	S9
<hr/>	
S17	S16

1927 from which,
 a fir, 10 ins. in diam., brs. N.42°E., 21 lks.
 dist., mkd. T35N R2E S9 BT
 a spruce, 8 ins. in diam., brs. S.47½°E., 13 lks.
 dist., mkd. T35N R2E S16 BT
 a fir, 9 ins. in diam., brs. S.30½°W., 34 lks.
 dist., mkd. T35N R2E S17 BT
 a fir, 10 ins. in diam., brs. N.65°W., 26 lks.
 dist., mkd. T35N R2E S8 BT

Land, mountainous and level.
 Soil, rocky 4th. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

40.00 N.89°48'E., on random line, bet. secs. 9 and 16.
 Set temp. ¼ sec. cor.
 80.02 Fall 9 lks. N. of the cor. of secs. 9, 10, 15 and 16.
 Thence,
 S.89°52'W., on true line, bet. secs. 9 and 16.
 Over rolling land, thru heavy timber and scattering under-
 growth.

Desc. gradual N. slope.
 4.50 Draw, course N. Asc. 16 ft. over NE slope.
 22.00 Over bench, brs. NW-SE.
 40.01 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the ¼ sec. cor. of secs. 9 and 16, with
 brass cap mkd.

¼	S9
	<hr/>
	S16

1927 from which,
 a spruce, 20 ins. in diam., brs. N.4½°W., 25 lks.
 dist., mkd. ¼ S9 BT
 a yellow pine, 6 ins. in diam., brs. S.15½°W., 27 lks.
 dist., mkd. ¼ S16 BT

80.02 Over nearly level bench to
 The cor. of secs. 8, 9, 16 and 17.

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

Chains

N.0° 3'W., on true line, bet. secs. 8 and 9.
Over mountainous land, thru heavy timber and scattering undergrowth.

6.50
17.00
25.00
35.00
40.00

Over level spur top.
Leave level; desc. 54 ft. over N. slope.
Draw, course NW. Asc. 32 ft. over SW slope.
Ridge, brs. E-W. Over level top.
Desc. 68 ft. over NE slope, to
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 8 and 9, with brass cap mkd.




1927

from which,

an aspen, 4 ins. in diam., brs. N.47 1/2°E., 34 lks.
dist., mkd. 1/4 S9 BT.
an aspen, 5 ins. in diam., brs. N.66°W., 46 lks.
dist., mkd. 1/4 S8 BT.

48.90
52.35
65.10
67.70
76.60
80.00

Desc. 92 ft. over NE slope.
Spur, slopes E.
Draw, course NW. Asc. 122 ft. over SW slope.
Spur, slopes NW.
Desc. 67 ft. over N. slope.
Draw, course NW. Asc. 38 ft. over S. slope.
Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the ground for the cor. of secs. 4, 5, 8 and 9, with brass cap mkd.



1927

from which,

an aspen, 6 ins. in diam., brs. N.78°E., 20 lks.
dist., mkd. T35N R2E S4 BT
an aspen, 6 ins. in diam., brs. S.63 1/4°E., 39 lks.
dist., mkd. T35N R2E S9 BT
an aspen, 6 ins. in diam., brs. S.49 1/2°W., 51 lks.
dist., mkd. T35N R2E S8 BT
a yellow pine, 5 ins. in diam., brs. N.17 1/2°W., 44 lks.
dist., mkd. T35N R2E S5 BT

Land, mountainous and level.
Soil, rocky 3rd. rate.
Timber, aspen, fir, spruce and yellow pine.
Undergrowth, juniper brush.


40.00
80.04

N.89°52'E., on a random line, bet. secs. 4 and 9.
Set temp. 1/4 sec. cor.
Fall 21 lks. N. of the cor. of secs. 3, 4, 9 and 10.
Thence,

N.89°59'W., on true line, bet. secs. 4 and 9.
Over mountainous land, thru heavy timber and scattering undergrowth.

23.00
40.02

Asc. 118 ft. over NE slope.
Over level bench, brs. NE-SW.
Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 4 and 9, with brass cap mkd.



from which,

Survey of the Subdivision Lines of T.35 N., R.2 E. 45

Chains

an aspen, 8 ins. in diam., brs. N.8°W., 8 lks.
dist., mkd. 1/4 S4 BT
an aspen, 4 ins. in diam., brs. S.40°E., 26 lks.
dist., mkd. 1/4 S9 BT

46.70 Leave bench, brs. NW-SE. ; desc. 112 ft. over SW slope.
54.00 Draw, course NW. (Crater 1 1/2 chs. in diam., on line)
Asc. 63 ft. over NE slope.
68.50 Across level bench, brs. NW-SE.
72.00 Leave bench, brs. NW-SE. Desc. 54 ft. over SW slope to
80.04 The cor. of secs. 4, 5, 8 and 9.

Land, mountainous and level.
Soil, rocky 3rd. rate.
Timber, fir, spruce, yellow pine and aspen.
Undergrowth, juniper brush.

40.00 N.0° 3'W., on random line, bet. secs. 4 and 5.
80.38 Set temp. 1/4 sec. cor.
Fall 9 lks. E. of the cor. of secs. 4, 5, 32 and 33, on
the N. Bdy. of Tp., hereinbefore described,

Thence,
S.0° 7'E., on true line, bet. secs. 4 and 5.
Over mountainous land, thru heavy timber and scattering
undergrowth.

Desc. 147 ft. over SW slope.
14.00 Draw, course NW. Asc. 66 ft. over NW slope.
20.50 Spur, slopes E. Desc. 18 ft. over SE slope.
28.20 Draw, course E. Asc. 77 ft. over N. slope.
35.90 Spur, slopes NW. Over level top.
40.38 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in
the ground to bedrock, raise a md. of stone around
post, for the 1/4 sec. cor. of secs. 4 and 5, with brass
cap mkd.

1/4

S5

S4

1927 from which,
a yellow pine, 12 ins. in diam., brs. S.78 1/2°E., 65 lks.
dist., mkd. 1/4 S4 BT
a yellow pine, 15 ins. in diam., brs. N.25°W., 26 lks.
dist., mkd. 1/4 S5 BT

Over level land.
49.40 Desc. 34 ft. over SW slope.
57.70 Draw, course NW. Asc. 44 ft. over N. slope.
74.35 Spur, slopes NW. Over level top.
75.40 Desc. 66 ft. over S. slope to
80.38 The cor. of secs. 4, 5, 8 and 9.

Land, rolling and mountainous.
Soil, rocky 4th. rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, juniper brush.

From cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp.
described in book "B" of this group,
N.0° 3'W., on true line, bet. secs. 31 and 32.
Over mountainous land, thru heavy timber and scattering
undergrowth.

Chains

10.00 Desc. 265 ft. over N. slope.
 Quaking Asp Canyon, 100 lks. wide, course W.
 Blazed road, in bottom of same, brs. E-W.
 Asc. 178 ft. over SW slope.

16.30 Spur, slopes SW. Over level top.

18.00 Leave top; desc. 62 ft. over NW slope.

23.00 Draw, course SW. Asc. 283 ft. over SE slope.

37.30 Spur, slopes SW; over level land to

40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32, with
 brass cap mkd.

$\frac{1}{4}$
 S31 | S32

1927 from which,
 an aspen, 5 ins. in diam., brs. N.77°E., 23 lks.
 dist., mkd. $\frac{1}{4}$ S32 BT
 an aspen, 5 ins. in diam., brs. N.42°W., 14 lks.
 dist., mkd. $\frac{1}{4}$ S31 BT

49.00 Desc. 53 ft. over NW slope.
 Draw, course SW. Asc. 87 ft. over SE slope.

54.90 Spur, slopes SW; over level top.

56.50 Desc. 183 ft. over NW slope.

67.45 Draw, course SW. Asc. 204 ft. over SE slope to

80.00 Spur, slopes SW.
 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in the
 ground for the cor. of secs. 29, 30, 31 and 32, with
 brass cap mkd.

T35N R2E
 S30 S29

 S31 S32

1927 from which,
 a yellow pine, 20 ins. in diam., brs. N.44°E., 63 lks.
 dist., mkd. T35N R2E S29 BT
 an aspen, 6 ins. in diam., brs. S.46°E., 34 lks.
 dist., mkd. T35N R2E S32 BT
 a spruce, 10 ins. in diam., brs. S.47°W., 49 lks.
 dist., mkd. T35N R2E S31 BT
 an aspen, 10 ins. in diam., brs. N.82 $\frac{1}{2}$ °W., 11 lks.
 dist., mkd. T35N R2E S30 BT

Land, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, aspen, fir, yellow pine and spruce.
 Undergrowth, juniper brush.

40.00 N.89°56'E., on random line, bet. secs. 29 and 32.
 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Fall 2 lks. S. of the cor. of secs. 28, 29, 32 and 33.
 Thence,
 S.89°55'W., on true line, bet. secs. 29 and 32.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.

15.00 Desc. 90 ft. over NW slope.
 Over spur, brs. NW-SE.

25.30 Leave spur, slopes N. Desc. 140 ft. over W. slope.

Survey of the Subdivision Lines of T.35 N., R.2 E. 47

Chains

39.00 Draw, course SW. Asc. gradual SE slope to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the 1/4 sec. cor. of secs. 29 and 32, with
 brass cap mkd.

$$\frac{1}{4} \frac{S 29}{S 32}$$

1927 from which,
 an aspen, 8 ins. in diam., brs. N.48°W., 6 lks.
 dist., mkd. 1/4 S29 BT
 an aspen, 6 ins. in diam., brs. South, 10 lks.
 dist., mkd. 1/2 S32 BT

Asc. gradual SE slope.
 47.50 Spur, slopes S. Desc. 24 ft. over SW slope.
 51.25 Draw, course NW. Asc. 15 ft. over NE slope.
 55.00 Desc. 15 ft. over NW slope.
 59.20 Draw, course SW. Asc. 102 ft. over SE slope, to spur.
 64.30 Draw, course SW.
 70.50 Spur, slopes S. Desc. 28 ft. over SW slope.
 76.30 Draw, course S. Asc. 72 ft. over SE slope to
 80.00 The cor. of secs. 29, 30, 31 and 32.

Land, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine and spruce.
 Undergrowth, juniper brush.

40.00 S.89°56'W., on a random line, bet. secs. 30 and 31.
 79.17 Set temp. 1/4 sec. cor.
 Fall 18 lks. S. of the cor. of secs. 25, 30, 31 and 36 on
 the W. Bdy. of Tp., described in book "A" of this group.
 Thence,

S.89°56'E., on true line, bet. secs. 30 and 31.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.

6.00 Desc. 23 ft. over NE slope.
 20.00 Draw, course SE. Over level S. slope.
 24.00 Draw, course S.
 24.20 Telephone line, brs. N-S.
 24.55 Road, brs. N-S. Ascend gradually over W. slope.
 26.60 Spur, slopes S. Desc. 67 ft. over SE slope.
 27.50 Fence, bears N-S. Desc. 27 ft. over SE slope.
 30.20 Draw, course SW. Asc. 177 ft. over NW slope.
 39.17 (40.00 chs. westing from cor. of secs. 29, 30, 31 and 32).
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the
 ground for the 1/4 sec. cor. of secs. 30 and 31, with brass
 cap mkd.

$$\frac{1}{4} \frac{S 30}{S 31}$$

1927 from which,
 a yellow pine, 10 ins. in diam., brs. N.29°W., 71 lks.
 dist., mkd. 1/4 S30 BT BT
 a spruce, 12 ins. in diam., brs. S.50 1/2°W., 66 lks.
 dist., mkd. 1/4 S31 BT

Asc. gradual SW slope.
 46.60 Spur, slopes S. Desc. gradual SE slope.
 50.00 Draw, course SW. Asc. 143 ft. over NW slope.
 66.00 Spur, slopes S. Desc. 76 ft. over SE slope.

Chains

69.20 Wash, course SE. Asc. gradual SW slope.
 70.00 Spur, slopes S. Desc. gradual SE slope.
 71.50 Draw, course SW. Asc. 92 ft. over NW slope to
 79.17 The cor. of secs. 29, 30, 31 and 32.

Land, rolling and mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine and spruce.
 Undergrowth, juniper brush.

N:0° 3'W., on true line, bet. secs. 29 and 30.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.

Asc. 70 ft. over SE slope.
 9.50 Spur, slopes gradually to SW. Over level top.
 11.50 Desc. 46 ft. over N. slope.
 15.10 Draw, course NW. Asc. gradual SE slope.
 22.40 Spur, slopes NW. Desc. gradual N. slope.
 24.40 Draw, course NW. Asc. gradual SW slope.
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30, with
 brass cap mkd.

$\frac{1}{4}$
 S30 S29

1927 from which,
 a spruce, 10 ins. in diam., brs. East, 10 lks.
 dist., mkd. $\frac{1}{4}$ S29 BT
 an aspen, 6 ins. in diam., brs. S.37°W., 25 lks.
 dist., mkd. $\frac{1}{4}$ S30 BT

Desc. 29 ft. over N. slope.
 43.25 Draw, course NW. Asc. 42 ft. over SW slope.
 50.40 Spur, slopes NW. Desc. 12 ft. over NE slope.
 55.00 Draw, course NW. Asc. 77 ft. over SW slope.
 69.00 Spur, slopes W. Desc. 17 ft. over NW slope.
 75.00 Draw, course SW. Asc. 46 ft. over SW slope.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 19, 20, 29 and 30, with
 brass cap mkd.

T35N R2E

S19 S20

S30 S29

1927

from which,
 a yellow pine, 8 ins. in diam., brs. N.58 $\frac{1}{2}$ °E., 22 lks.
 dist., mkd. T35N R2E S20 BT
 a spruce, 10 ins. in diam., brs. S.46°E., 17 lks.
 dist., mkd. T35N R2E S29 BT
 an aspen, 8 ins. in diam., brs. S.63°W., 53 lks.
 dist., mkd. T35N R2E S30 BT
 an aspen, 5 ins. in diam., brs. N.71 $\frac{1}{2}$ °W., 39 lks.
 dist., mkd. T35N R2E S19 BT

Land, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine and spruce.
 Undergrowth, juniper brush.

Survey of the Subdivision Lines of T.35 N., R.2 E. 49

Chains

40.00 N. 89°55'E., on a random line, bet. secs. 20 and 29.
 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Fall 7 lks. S. of the cor. of secs. 20, 21, 28 and 29.
 Thence,
 S. 89°52'W., on true line, bet. secs. 20 and 29.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Desc. 82 ft. over NW slope.
 5.00 Draw, course SW. Asc. gradual SE slope.
 13.00 Spur, slopes SW. Over level top.
 21.20 Desc. 81 ft. over SW slope.
 34.40 Draw, course S. Asc. 34 ft. over E. slope.
 37.50 Spur, slopes S. Over level top to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 15 ins. in the
 ground to bedrock, raise a md. of stone around post for
 the $\frac{1}{4}$ sec. cor. of secs. 20 and 29, with brass cap mkd.

$\frac{1}{4}$ S 20
S 29

1927 from which,
 an aspen, 8 ins. in diam., brs. N. 39 $\frac{1}{4}$ °E., 39 lks.
 dist., mkd. $\frac{1}{4}$ S20 BT
 an aspen, 6 ins. in diam., brs. S. 79 $\frac{1}{4}$ °E., 34 lks.
 dist., mkd. $\frac{1}{4}$ S29 BT

Over level top.
 44.00 Desc. 147 ft. over SW slope.
 55.00 Draw, course NW.
 55.15 Old road, brs. NW-SE.
 Asc. 62 ft. over NE slope.
 70.00 Bench, brs. NW-SE. Over level top to
 80.00 The cor. of secs. 19, 20, 29 and 30.

Land, mountainous and level.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, yellow pine and spruce.
 Undergrowth, juniper brush.

40.00 N. 89°56'W., on random line, bet. secs. 19 and 30.
 Set temp. $\frac{1}{4}$ sec. cor.
 78.99 Fall 5 lks. S. of the cor. of secs. 19, 24, 25 and 30, on W. Bdy.
 of Tp., described in book "A" of this Group.
 Thence,
 S. 89°54'E., on true line, bet. secs. 19 and 30.
 Over mountainous land, thru heavy timber and undergrowth.
 Asc. 52 ft. over NW slope.
 8.00 Ridge, brs. N-S. Over level top.
 10.45 Desc. 58 ft. over NE slope.
 16.10 Telephone line, brs. N-S.
 16.90 Draw, course NE.
 17.80 Road, brs. NW-SE. Asc. 12 ft. over gradual W. slope.
 22.30 Wire fence, brs. N-S.
 37.65 Draw, course NW. Asc. 12 ft. over SW slope to
 38.99 (40.00 chs. westing from cor. of secs. 19, 20, 29 and 30.)
 Set an iron post 3 ft. long, 1 in. in diam., 24 ins.
 in the ground, to bedrock, for $\frac{1}{4}$ sec. cor. of secs. 19 and 30, with
 brass cap mkd.

$\frac{1}{4}$ S 30
1927

Chains

From which,
 an aspen, 8 ins. in diam., brs. N.6°E., 30 lks.
 dist., mkd. $\frac{1}{4}$ S19 BT
 an aspen, 8 ins. in diam., brs. S.61 $\frac{1}{2}$ °W., 59 lks.
 dist., mkd. $\frac{1}{4}$ S30 BT

Asc. 14 ft. over S. slope.
 43.75 Spur, slopes S. Desc. gradual SE slope.
 44.75 Draw, course SW. Asc. 40 ft. over SW slope.
 51.20 Spur, slopes S. Desc. 37 ft. over SE slope.
 55.60 Bottom of circular crater, 75 ft. diam.; asc. 138 ft. over
 NW slope.
 56.50 Spur, slopes SW. Over level land, to
 78.99 The cor. of secs. 19, 20, 29 and 30.

Land, level and mountainous.
 Soil, rocky 3rd. rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, juniper brush.

N.0° 3'W., on true line, bet. secs. 19 and 20.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.

Over level bench.
 8.00 Desc. 87 ft. over NE slope.
 27.00 Road, brs. NW-SE.
 27.40 Draw, course NW. Asc. 34 ft. over SW slope.
 30.50 Spur, slopes W. Desc. 91 ft. over NW slope.
 33.75 Draw, course SW. Asc. 98 ft. over SW slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 20 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20, with brass cap
 mkd.

S19 S20

1927 from which,
 a yellow pine, 6 ins. in diam., brs. East, 60 lks.
 dist., mkd. $\frac{1}{4}$ S20 BT
 an aspen, 5 ins. in diam., brs. S.41 $\frac{1}{2}$ °W., 68 lks.
 dist., mkd. $\frac{1}{4}$ S19 BT

Asc. 96 ft. over SW slope.
 46.00 Ridge, brs. E-W. Over level top.
 60.00 Desc. 38 ft. over N. slope.
 63.90 Draw, course NW. Asc. 23 ft. over SW slope.
 67.70 Spur, slopes NW. Over level top to
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 20 ins. in
 the ground to bedrock, raise a md. of stone around post,
 for the cor. of secs. 17, 18, 19 and 20, with brass cap
 mkd.

T35N R2E
 S18 S17
 S19 S20

1927 from which,
 a spruce, 10 ins. in diam., brs. N.23 $\frac{1}{2}$ °E., 10 lks.
 dist., mkd. T35N R2E S17 BT
 a spruce, 6 ins. in diam., brs. S.52 $\frac{1}{2}$ °E., 6 lks.
 dist., mkd. T35N R2E S20 BT
 an aspen, 8 ins. in diam., brs. S.52°W., 17 lks.
 dist., mkd. T35N R2E S19 BT
 an aspen, 7 ins. in diam., brs. N.53 $\frac{1}{2}$ °W., 6 lks.
 dist., mkd. T35N R2E S18 BT

Survey of the Subdivision Lines of T.35 N., R.2 E. 51

Chains

Land, level and mountainous.
Soil, rocky 3rd. rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, juniper brush.

40.00 N.89°52'E., on random line, bet. secs. 17 and 20.
 80.00 Set temp. 1/4 sec. cor.
 Fall 26 lks. N. of the cor. of secs. 16, 17, 20 and 21.
 Thence,
 N.89°57'W., on true line, bet. secs. 17 and 20.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Desc. 40 ft. over SW slope.
 11.00 Draw, course NW. Asc. gradual NE slope.
 18.50 Spur, slopes NW. Desc. 14 ft. over SW slope.
 21.00 Draw, course NW. Asc. gradual NE slope.
 23.00 Over nearly level N. slope.
 30.00 Ridge, brs. NW-SE. Over level top.
 35.00 Desc. 44 ft. over W. slope.
 38.00 Draw, course NW. Asc. 29 ft. over NE slope to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the 1/4 sec. cor. of secs. 17 and 20, with
 brass cap mkd.

$$\frac{1}{4} \frac{S \ 17}{S \ 20}$$

1927 from which,

a fir, 14 ins. in diam., brs. N.41°E., 93 lks.
 dist., mkd. 1/4 S17 BT
 a fir, 10 ins. in diam., brs. S.12 1/2°E., 28 lks.
 dist., mkd. 1/4 S20 BT

80.00 Asc. 56 ft. over gradual NE slope to
 The cor. of secs. 17, 18, 19 and 20.

Land, rolling, mountainous and level.
Soil, rocky 3rd. rate.
Timber, fir; aspen, yellow pine and spruce.
Undergrowth, juniper brush.

40.00 N.89°54'W., on random line, bet. secs. 18 and 19.
 78.78 Set temp. 1/4 sec. cor.
 Fall 13 lks. N. of the cor. of secs. 13, 18, 19 and 24,
 on the W. Bdy. of Tp.; described in book "A" of this
 group.
 Thence,
 East, on true line, bet. secs. 18 and 19.
 Over mountainous land, thru heavy timber and scattering
 undergrowth.
 Asc. 94 ft. over W. slope.
 5.00 Desc. gradual SE slope.
 7.50 Draw, course S.75°W. Asc. 113 ft. over NW slope.
 25.00 Spur, slopes SW. Desc. 18 ft. over gradual SE slope to
 38.78 140.00 chs. westing from cor. of secs. 17, 18, 19 and 20)
 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the 1/4 sec. cor. of secs. 18 and 19, with
 brass cap mkd.

$$\frac{1}{4} \frac{S \ 18}{S \ 19}$$

1927 from which,

Chains

a yellow pine, 12 ins. in diam., brs. N.7 $\frac{1}{2}$ °E., 56 lks.
 dist., mkd. $\frac{1}{4}$ S18 BT
 a yellow pine, 22 ins. in diam., brs. S.17°W., 57 lks.
 dist., mkd. $\frac{1}{4}$ S19 BT

48.70 Desc. gradual SE slope.
 Draw, course S.60°W. Asc. 28 ft. over NW slope.
 65.70 Ridge, brs. N-S. Over level top.
 70.00 Desc. 39 ft. over E. slope.
 72.65 Draw, course N. Asc. 35 ft. over W. slope to
 78.00 Spur, slopes N-S. Over level land, to
 78.78 The cor. of secs. 17, 18, 19 and 20.

Land, level, rolling and mountainous.
 Soil, rocky 3rd. rate.
 Timber, yellow pine, fir, aspen and spruce.
 Undergrowth, juniper brush.

N.0° 3'W., on true line, bet. secs. 17 and 18.
 Over rolling land, thru heavy timber and scattering under-
 growth.

Over level spur top.
 8.00 Desc. 66 ft. over NE slope.
 15.20 Draw, course NW. Asc. 47 ft. over SW slope.
 21.90 Over level bench, brs. NW-SE.
 37.00 Desc. 32 ft. over NE slope, to
 40.00 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 17 and 18,
 with brass cap mkd.

$\frac{1}{4}$
 S18 S17

1927

an aspen, 8 ins. in diam., brs. N.48°E., 28 lks.
 dist., mkd. $\frac{1}{4}$ S17 BT
 a yellow pine, 6 ins. in diam., brs. S.30 $\frac{1}{2}$ °W., 13 lks.
 dist., mkd. $\frac{1}{4}$ S18 BT

59.50 Desc. 23 ft. over NE slope.
 Draw, course NW. Asc. 85 ft. over SW slope.
 70.00 Spur, slopes gradually to NW. Over level top.
 80.00 Set an iron post 3 ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 7, 8, 17 and 18, with
 brass cap mkd.

T35N	R2E
S7	S8
S18	S17

1927


a spruce, 12 ins. in diam., brs. N.26°E., 9 lks.
 dist., mkd. T35N.R2E S8 BT
 a fir, 7 ins. in diam., brs. S.29 $\frac{1}{2}$ °E., 60 lks.
 dist., mkd. T35N R2E S17 BT
 a spruce, 12 ins. in diam., brs. S.44°W., 9 lks.
 dist., mkd. T35N R2E S18 BT
 a spruce, 12 ins. in diam., brs. N.77°W., 29 lks.
 dist., mkd. T35N R2E S7 BT

Survey of the Subdivision Lines of T.35 N., R.2 E. 53

Chains

Land, rolling and level.
Soil, rocky 3rd. rate.
Timber, fir, aspen, spruce and yellow pine.
Undergrowth, juniper brush.

40.00 S. 89°57'E., on random line, bet. secs. 8 and 17.
Set temp. 1/4 sec. cor.
80.00 Fall 9 lks. S. of the cor. of secs. 8, 9, 16 and 17.
Thence,
S. 89°59'W., on true line, bet. secs. 8 and 17.
Over rolling land, thru heavy timber and scattering under-
growth.
8.00 Leave bench, brs. NW-SE. Desc. 152 ft. over SW slope.
29.65 Draw, course NW. (3 hrs. wide.)
Asc. 21 ft. over NE slope.
37.50 Spur, slopes NW. Desc. 26 ft. over SW slope.
39.90 Telephone line, brs. NW-SE.
40.00 Set an iron post 3 ft. long, 1 in. in diam., 18 ins. in
the ground to bedrock, raise a md. of stone around post,
for the 1/4 sec. cor. of secs. 8 and 17, with brass cap
mkd.



1927

from which,

a yellow pine, 20 ins. in diam., brs. N. 1 1/2° E., 19 lks.
dist., mkd. 1/4 S 8 BT
an aspen, 4 ins. in diam., brs. S. 4 1/2° W., 14 lks.
dist., mkd. 1/4 S 17 BT


43.85 Desc. 71 ft. over SW slope.
Highway, brs. NW-SE.
44.50 Draw, course NW. Asc. 57 ft. over NE slope.
50.00 Spur, slopes NW. Desc. gradual SW slope.
60.50 Draw, course NW. Asc. 37 ft. over NE slope.
62.50 Over level spur, brs. NW-SE.
80.00 The cor. of secs. 7, 8, 17 and 18.

Land, rolling and level.
Soil, rocky 3rd. rate.
Timber, fir, spruce, aspen and yellow pine.
Undergrowth, juniper brush.

40.00 West, on random line, bet. secs. 7 and 18.
Set temp. 1/4 sec. cor.
78.50 Fall 11 lks. S. of the cor. of secs. 7, 12, 13 and 18, on
W. Bdy. of Tp., described in book "A" of this group.
Thence,
S. 89°55'E., on true line, bet. secs. 7 and 18.
Over rolling land, thru heavy timber and scattering under-
growth.
9.00 Desc. 54 ft. over NE slope.
15.90 Draw, course NW. Asc. 79 ft. over SW slope.
21.75 Spur, slopes N. Desc. 23 ft. over E. slope.
24.75 Draw, course N. Asc. 10 ft. over W. slope.
29.30 Spur, slopes N. Desc. gradual E. slope.
32.70 Draw, course N. Asc. gradual W. slope.
Spur, slopes N. Desc. gradual E. slope.

Chains

36.70 Draw, course NW. Asc. gradual W. slope.
 38.50 (40.00 chs. in westing from cor. of secs. 7, 8, 17 and 18).
 Set an iron post $\frac{3}{4}$ ft. long, 1 in. in diam., 26 ins. in the
 ground for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18, with brass
 cap mkd.




1927 from which,
 an aspen, 8 ins. in diam., brs. N.50 $\frac{1}{2}$ °E., 33 lks.
 dist., mkd. $\frac{1}{4}$ S7 BT
 an aspen, 5 ins. in diam., brs. S.46 $\frac{1}{2}$ °E., 35 lks.
 dist., mkd. $\frac{1}{4}$ S18 BT

44.45 Asc. 96 ft. over W. slope.
 Ridge, brs. N-S. Over level top of same.
 54.00 Desc. 18 ft. over E. slope.
 58.90 Draw, course NW. Asc. 107 ft. over W. slope.
 67.70 Spur, brs. NW-SE; over level top to
 78.50 The cor. of secs. 7, 8, 17 and 18.

Land, rolling and level.
 Soil, rocky 3rd. rate.
 Timber, fir, yellow pine, aspen and spruce.
 Undergrowth, juniper brush.


N.0° 3'W., on true line, bet. secs. 7 and 8.
 Over rolling land, thru heavy timber, and scattering under-
 growth.

Over level top.
 2.40 Desc. 84 ft. over NE slope.
 7.10 Draw, course NW. Asc. gradually along W. slope.
 22.20 Telephone line, brs. NW-SE.
 Desc. 74 ft. over gradual NE slope.
 24.00 Draw, course NW. Over level bottom.
 25.10 Highway, brs. NW-SE.
 Asc. 108 ft. over SW slope to
 40.00 Set an iron post $\frac{3}{4}$ ft. long, 1 in. in diam., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8, with
 brass cap mkd.



1927 from which,
 an aspen, 10 ins. in diam., brs. N.3°E., 114 lks.
 dist., mkd. $\frac{1}{4}$ S8 BT
 an aspen, 5 ins. in diam., brs. N.86°W., 11 lks.
 dist., mkd. $\frac{1}{4}$ S7 BT

Asc. gradual SW slope to
 42.00 Spur, slopes W. Over level top.
 44.00 Desc. 89 ft. over N. slope.
 49.90 Draw, course NW. Asc. 108 ft. over SW slope.
 58.30 Over broad level bench, brs. NW-SE., to
 80.00 Set an iron post $\frac{3}{4}$ ft. long, 2 ins. in diam., 24 ins. in
 the ground for the cor. of secs. 5, 6, 7 and 8, with
 brass cap mkd.



from which,

chains

- an aspen, 10 ins.in diam., brs. N.47½°E., 15 lks.
dist., mkd. T35N R2E S5 BT
- a fir, 12 ins.in diam., brs. S.57½°E., 24 lks.
dist., mkd. T35N R2E S8 BT
- a yellow pine, 10 ins.in diam., brs. S.29½°W., 17
lks.dist., mkd. T35N R2E S7 BT
- an aspen, 8 ins.in diam., brs. N.34°W., 27 lks.
dist., mkd. T35N R2E S6 BT

Land, rolling and level.
Soil, rocky, 3rd rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, scrub juniper.

- 40.00 N.89°59'E., on a random line, bet. secs. 5 and 8.
Set temp. ¼ sec. cor.
- 80.02 Fall 7 lks. S. of the cor. of secs. 4, 5, 8 and 9.
Thence
S.89°56'W., on true line, bet. secs. 5 and 8.
Over rolling land, thru heavy timber and scattering
undergrowth.
Descend 63 ft. over SW. slope.
- 11.95 Draw, course NW. Asc. 56 ft. over NE. slope.
- 22.91 Ridge, brs. NW. and SE. Thence across level top of ridge.
- 38.90 Leave top of ridge. Desc. 35 ft. over SW. slope to
- 40.01 Set an iron post, 3 ft. long, 1 in. in diam., 14 ins. in
the ground to bedrock, and raise a mound of stone
around post, for ¼ sec. cor. of secs. 5 and 8, with
brass cap mkd.,

$$\frac{1}{4} \frac{S5}{S8}$$

1927

- from which
- a fir, 8 ins.in diam., brs. N.20½°E., 35 lks. dist.,
mkd. ¼ S5 BT
- a yellow pine, 15 ins.in diam., brs. S.17½°E., 46
lks. dist., mkd. ¼ S8 BT

- Desc. 100 ft. over SW. slope.
- 46.40 Draw, course NW. Asc. 28 ft. over NE. slope.
- 48.15 Spur, slopes N. Desc. 22 ft. over W. slope.
- 50.10 Draw, course N. Asc. 45 ft. over E. slope.
- 55.60 Spur, slopes N. Desc. slightly over NW. slope.
- 56.00 Draw, near head, course NE. Asc. 82 ft. over NE. slope to
- 67.50 Rim of bench, brs. NW. and SE. Thence over level bench.
- 80.02 The cor. of secs. 5, 6, 7 and 8.

Land, rolling and level.
Soil, rocky, 3rd rate.
Timber, fir, aspen, yellow pine and spruce.
Undergrowth, scrub juniper.

- 40.00 N.89°55'W., on a random line, bet. secs. 6 and 7.
Set temp. ¼ sec. cor.
- 78.35 Fall 16 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the
W. bdy. of the Tp., described in book "A" this group.
Thence
S.89°48'E., on true line, bet. secs. 6 and 7.
Over rolling land, thru dense timber and scattering
undergrowth.
Asc. 58 ft. over SW. slope.
- 11.00 Spur, slopes NW. Desc. 130 ft. over E. slope.
- 25.30 Draw, course NW. Asc. 158 ft. over SW. slope.

chains	
30.00	Spur, slopes NW. Thence across level top of same.
38.35	(40.00 chs. in westing from cor. of secs. 5, 6, 7 and 8) Set an iron post, 3 ft. long, 1 in. in diam., 20 ins. in the ground to bedrock, and raise a md. of stone around post, for $\frac{1}{4}$ sec. cor. of secs. 6 and 7, with brass cap mkd.,
	$\frac{1}{4} \frac{S\ 6}{S\ 7}$
	1927
	from which a yellow pine, 10 ins. in diam., brs. N. $12\frac{1}{2}^{\circ}$ E., 38 lks. dist., mkd. $\frac{1}{4}$ S6 BT a spruce, 6 ins. in diam., brs. S. $68\frac{1}{2}^{\circ}$ E., 9 lks. dist., mkd. $\frac{1}{4}$ S7 BT
46.00	Desc. 30 ft. over NE. slope.
52.35	Draw, course NW. Asc. 46 ft. over W. slope.
54.35	Spur, slopes N. Desc. 12 ft. over NE. slope.
63.30	Draw, course NW. Asc. 38 ft. over W. slope to Rim of bench, brs. N. and S. Thence across level bench.
78.35	The cor. of secs. 5, 6, 7 and 8. Land, rolling and level. Soil, rocky, 3rd rate. Timber, fir, aspen, spruce and yellow pine. Undergrowth, scrub juniper.

40.00	N. 0° 3' W., on a random line, bet. secs. 5 and 6.
80.40	Set temp. $\frac{1}{4}$ sec. cor. Fall 23 lks. E. of cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., hereinbefore described, Thence, S. 0° 13' E., on true line, bet. secs. 5 and 6. Over rolling land, thru dense timber and scattering undergrowth. Desc. 90 ft. over SW. slope.
15.30	Bottom of Lookout Canyon, 2.00 chs. wide, course SW. Asc. 20 ft. over NW. slope.
17.40	Point of spur, slopes W. Desc. 107 ft. over SW. slope.
25.50	Ravine, course NW. Asc. 118 ft. over NE. slope.
35.90	Spur, slopes NW. Thence across level top of same.
40.40	(40.00 chs. in northing from cor. of secs. 5, 6, 7 and 8). Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of secs. 5 and 6, with brass cap mkd.,
	$\frac{1}{4} \frac{S6\ \ S\ 5}{1927}$
	from which a yellow pine, 15 ins. in diam., brs. S. $71\frac{3}{4}^{\circ}$ E., 61 lks. dist., mkd. $\frac{1}{4}$ S5 BT an aspen, 10 ins. in diam., brs. S. $70\frac{3}{4}^{\circ}$ W., 57 lks. dist., mkd. $\frac{1}{4}$ S6 BT
50.40	Continue across level top of spur, sloping NW. Leave top of spur. Desc. 134 ft. over SW. slope.
56.80	Draw, course SW. Asc. 150 ft. over N. slope.
65.60	Rim of bench, brs. E. and W. Thence over level bench.
68.80	Leave bench. Desc. 127 ft. over S. slope.
72.30	Bottom of circular crater. Asc. 127 ft. over N. slope.
75.70	Rim of bench, brs. NW. and SE. Thence over level bench.
80.40	The cor. of secs. 5, 6, 7 and 8.

Land, rolling and level.
 Soil, rocky, 3rd rate.
 Timber, fir, aspen, spruce and yellow pine.
 Undergrowth, scrub juniper..

FINAL FIELD TEST of BUFF TRANSIT No. 9940.
 by
 Benjamin J. Kinsey, U.S. Surveyor.

October 4, 1927:

Examine the adjustment of the instrument and correct all errors; then, to test the solar apparatus by comparing its indications from observations made during a.m. and p.m. hours with a meridian established by Polaris observation, proceed as follows:

October 4, 1927:

in camp, near the $\frac{1}{4}$ sec. cor. of secs. 7 and 12, Ts. 35 N., Rs. 2 and 3 E., of the G. & S.R. Base and Meridian, Arizona, in latitude $36^{\circ}26'44''$ N., and longitude $112^{\circ} 8\frac{1}{2}'$ W.,

at 6 h. 49 m., p.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined, by a tack in top of a peg driven firmly in ground about 5 chs. N.

Azimuth of Polaris at eastern elongation = $1^{\circ}20'59''$

October 5, 1927;

lay off the azimuth of Polaris $1^{\circ}21'$ to the west, and mark the true meridian thus determined by a tack in top of a peg driven firmly in ground about 5 chs. N.

October 16, 1927.

at 9 h. 0 m., a.m., app. t., set off $36^{\circ}26\frac{1}{2}'$ N. on the lat. arc, $8^{\circ}39\frac{1}{2}'$ S. on the decl. arc, and determine a meridian with the solar, which agrees with the true meridian.

at 12 h. 0 m. app. noon, with the lat. arc unchanged, observe the sun on the meridian, and obtain a reading on the decl. arc of $8^{\circ}43'$ S., which agrees with the computed declination of the sun.

at 3 h. 0 m., p.m., app. t., with the lat. arc unchanged, set off $8^{\circ}48'$ S. on the decl. arc and determine a meridian with the solar, which is found to agree with the true meridian.

As all of the solar observations taken during the usual hours of solar work come within 1' of the true meridian, conclude that the instrument has continued in satisfactory adjustment throughout the surveys described in the foregoing field notes.

FINAL FIELD TEST of YOUNG & SONS TRANSIT No. 8477
 by
 Leroy R. Hanson, U.S. Transitman.

October 15, 1927;

Examine the adjustment of the transit and correct all errors; then, to test the solar apparatus by comparing its indications from observations made during a.m. and p.m. hours with a meridian established by Polaris observation, proceed as follows:

Oct. 15, 1927, in camp near center of sec. 1, T. 35 N., R. 1 E., of the G. & S.R. B. & M., Arizona, lat. $36^{\circ}27'37''$ N., long. $112^{\circ}15\frac{1}{2}'$ W., at 6 h. 0 m., p.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, and mark the mean point in the line thus determined, by a tack in top of a peg driven firmly in ground 5 chs. N.

Azimuth of Polaris at eastern elongation = $1^{\circ}20'55''$

October 16, 1927; lay off the azimuth of Polaris $1^{\circ}21'$ to the west and mark the meridian thus determined by a nail in top of a stake driven firmly in ground 5 chs. N.

at 9 h. 0 m. a.m., app. t., set off $36^{\circ}27'$ N. on the lat. arc, $8^{\circ}39\frac{1}{2}'$ S. on the decl. arc, and determine a meridian with the solar, which agrees with true meridian.

at 12h. 0m. app. noon, with the lat. arc unchanged, observe the sun on the meridian and obtain $8^{\circ}43'$ S. as the reading of the decl. arc, which agrees with the computed declination of the sun.

at 3h. 0m. p.m., app. t., with the lat. arc unchanged, set off $8^{\circ}45'$ S. on the decl. arc, and determine a meridian with the solar, which agrees with the true meridian.

As all of the solar observations taken during the usual hours of solar work come within $1'$ of the true meridian, conclude that the transit has continued in satisfactory adjustment throughout the surveys described in the foregoing notes.

GENERAL DESCRIPTION.

The lands surveyed in this township are located partly upon the Buckskin Plateau, and partly upon the western slope thereof, with level, rolling and mountainous surface, ranging in elevation from 8,000 to 9,000 ft. above sea level. The highest elevations are in the eastern part and the township in general drains to the west.

The soil varies from a black, rocky loam, 3rd rate, to a loose stony 4th rate, with an average depth to bedrock of 2 ft.

The timber is dense over most of the township, and consists of a fine grade of fir, yellow pine and spruce, and thickets of aspen.

The undergrowth is scattering and consists of scrub juniper and young trees, and a good growth of grass is prevalent in most sections.

The only developed water in the Tp. is located in sec. 24, which is a spring, deepened and covered with a small house, for the purpose of providing water for the occupants of a hotel and for campers around same. The hotel is also in sec. 24 and is operated by William Rust, of Kanab, Utah. There are two lakes furnishing water for stock and deer in sec. 19, known as Dry Park Lakes.

In sec. 4 is Lookout Lake, with small pond of stock water and a small salt house.

On the E. bdy. of the Tp., in secs. 7 and 12, is V. T. lake. Corrals are constructed around the lakes mentioned.

There is a lake, unnamed, in sec. 25, and several small ponds in the southeastern part of the Tp.

A highway from Kanab, Utah, to resorts on N. rim of the Grand Canyon, traverses the eastern part of the Tp., and another highway to Kanab, bearing NW. and SE. crosses the Tp. A road to Quaking Asp Spring and Ranger Station, in the southwestern part of the Tp., followed closely by a wire drift fence, was worked, and used during this survey by automobiles, but is a poor road however.

A large park known as Big Park or V T Park extends N. and S. thru the E. range of secs. The NE. cor. of the Tp. is located in S. end of a park known as Pleasant Valley.

There is no evidence of valuable mineral deposits. Outside of the merchantable value of the timber, the lands are fitted for grazing only, or resort purposes.

The entire Tp. is within the Kaibab National Forest, and the Grand Canyon National Game Preserve.

60
BOOK 386A

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Leroy R. Hanson U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer, for Group 146, Arizona, bearing date of the 11th day of May, 1927, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the NORTH Boundary

and

SUBDIVISION Lines of

Township 35 North, Range 2 East of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer, for Group 146, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix, Arizona.

Date: May 1, 1928.

Leroy R. Hanson
U.S. Transitman

~~APPROVAL.~~

~~OFFICE OF THE UNITED STATES SURVEYOR GENERAL,~~

~~19~~

~~The foregoing field notes of the survey of~~

~~executed by~~

~~under his special instructions dated~~, ~~19~~, ~~having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.~~

~~U. S. Surveyor General~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~

~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Surveyor General~~

BOOK 3864

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Benjamin J. Kinsey, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer, for Group 146, Arizona, bearing date of the 11th day of May, 1927, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the EAST Boundary

NORTH Boundary and

SUBDIVISION Lines of

Township 35 North, Range 2 East of the Gila and Salt

River Base and Meridian, in the State of Arizona, which are represented in and by diagram on page 1 hereof

the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer, for Group 146, Arizona, and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Place: Phoenix, Arizona,

Date: April 18, 1928.

Benjamin J. Kinsey
U. S. Surveyor.

APPROVAL.

OFFICE OF THE U.S. SUPERVISOR OF SURVEYS.

Denver, Colo., November 8, 1929

The foregoing field notes of the survey of

the EAST and NORTH Boundaries

and

SUBDIVISION Lines of

Township 35 North, Range 2 East

of the Gila and Salt River Base and Meridian, in the State of Arizona

executed by Benjamin J. Kinsey, U.S. Surveyor and Leroy R. Hanson, U.S. Transitman

under his special instructions dated May 11, 1927 for Group 146, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Leroy R. Hanson
U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in

has been correctly copied from the original notes on file in this office.