

Book B

FIELD NOTES

OF THE SURVEY OF THE

East and West boundaries

and of the

subdivisional lines,

completing the survey of

Township 36 North, Range 6 West,

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Walter H. Good, U.S. Surveyor,

Under special instructions dated October 15, 1932, which provided for the surveys included under Group No. 180, bearing the approval of the Commissioner of the General Land Office under date of June 17, 1933, and assignment instructions dated March 7, 1933.

Survey commenced April 4, 1933.

Survey completed April 23, 1933.

4046

4046

BOOK 4046

INDEX DIAGRAM.

Township 36 North, Range 6 West

10	6 52	53 5 51	41 4 40	32 3 32	25 2 24	17 1 17	5
9	7 50	51 8 49	40 9 39	31 10 31	23 11 23	16 12 16	4
9	18 48	48 17 47	38 16 37	30 15 29	22 14 22	15 13 14	3
8	19 45	46 20 44	37 21 36	29 22 28	21 23 20	14 24 13	3
7	30 43	44 29 42	35 28 34	27 27 27	19 26 19	12 25 12	2
6	31	42 32	33 33	26 34	18 35	11 36	

EAST BOUNDARY OF T.36 N., R. 6 W.

BOOK 4046

The survey was executed by Walter H. Good, U.S. Surveyor, with a W. & L.E. Gurley transit, Serial No. 20116, constructed in accordance with the standard specifications of the General Land Office. The horizontal circle has a diameter of 5 1/2 ins. with two double opposite verniers reading to 1' of arc; the vertical circle has a diameter of 4 1/2 ins. with one double vernier reading to single minutes. The instrument is equipped with the improved Smith solar attachment; radius of latitude arc 2 1/2 ins. and of the declination arc 3 ins. each with verniers reading to single minutes. The instrument was in good condition, and having been placed in satisfactory adjustment prior to beginning the survey, and tested and found free from appreciable error, was approved by the district cadastral engineer, March 7, 1933. I examine all the instrumental adjustments before making the field tests hereinafter recorded.

The direction of all lines was determined by the solar transit method. The measurements were made with a Lallie steel tape 5 chs. in length, graduated every link for the first 100 lks. and the balance at intervals of 10 lks. The tape was tested by comparison with a Lufkin standard and found correct. The measurements were made on the slope and the vertical angle of each interval was ascertained by clinometer in good adjustment; the horizontal equivalents are entered in the field record.

The data furnished with the special instructions gives the geographic position for the SE. cor. of T.36 N., R. 6 W., as follows: latitude 36°28'04" N., and longitude 112°53'19"W.

April 4, 1933: in camp near the 1/4 sec. cor. of secs. 14 and 23, T.36 N., R. 6 W., at 6h 42m.24s p.m l.m.t., or 7h 14m 04s p.m., by my watch which reads correct 105th meridian time as determined by radio. I observe Polaris at western elongation, making two sights each with the telescope in direct and reversed positions, reading the horizontal angle to the W. edge of a tree on sky line about 1 1/2 miles SW. of station.

Mean horizontal angle Polaris to tree	S.46°55'30"W.
Azimuth of Polaris	1°18'36"E.
True bearing to W. edge of tree	S.45°36'54"W.

April 9 1933, on the meridian above described in order to verify the latitude of this station and the reading of my watch, I make a meridian observation of the sun, first setting on the lower limb and noting the transit of the west limb, then, after reversal of the instrument, setting on the upper limb and noting the transit of the east limb as follows:

Mean observed altitude	61°07'45"
Reduced latitude	36°30'31"
Mean watch time of observation	12h33m21s
Watch fast of l.m.t	31m40s

Every 30 min. from 7.30 to 10.30 a.m. and from 1.30 to 4.30 p.m., I make proper settings on the arcs of the solar attachment and ascertain that the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than 1'30".

I repeat the tests of the arcs daily by noon observation and verify the meridional indications at frequent intervals throughout the survey.


EAST BOUNDARY OF T. 36 N., R. 6 W.

Chains.	<p>Beginning at the cor. of Tps. 35 and 36 N., Rs. 5 and 6 W., which is an iron post, 3 ins. diam., firmly set, marked and witnessed as described in the official record.</p> <p>North bet. secs. 31 and 36.</p> <p>Over rolling land, through scattered timber and undergrowth.</p> <p>2.00 Low spur, slopes W.; desc. 17 ft. along N. slope.</p> <p>26.50 Draw, 10 lks. wide, course NE.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4}$ S 36 S 31 1933 </div> <p style="text-align: right;">from which</p> <p>A cedar, 12 ins. diam., bears N.66$\frac{1}{2}$°E., 98 lks. dist. mkd. $\frac{1}{4}$ S 31 BT</p> <p>A cedar, 12 ins. diam., bears S.71°W., 14 lks. dist., mkd. $\frac{1}{4}$ S 36 BT</p> <p>45.00 Continue over nearly level land.</p> <p>72.50 Center of draw, 20 lks. wide, course NE.</p> <p>75.00 Old road, bears NE. and SW.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.</p> <div style="text-align: center;"> T 36 N R 6 W R 5 W S 25 S 30 S 36 S 31 1933 </div> <p style="text-align: right;">raise a mound of stone, 3$\frac{1}{2}$ ft. base, 2$\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, rolling. Soil, rocky; 4th rate. Timber, cedar and pinyon. Undergrowth, desert holly and blue sage.</p>
	<p>North, bet. secs. 25 and 30.</p> <p>Over nearly level land, through scattered timber and undergrowth.</p> <p>17.00 Center of draw, 20 lks. wide, course N.; continue along same.</p> <p>36.00 Leave draw, course NE.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>

EAST BOUNDARY OF T. 36 N., R. 6 W.

40'8


Chains.



80.00

raise a mound
of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high. W. of cor.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.



raise a mound
of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.


Land, rolling and level.
Soil, rocky; 4th rate.
Timber, juniper and pinyon.
Undergrowth, desert holly and sage.

North, bet. secs. 19 and 24.

Over nearly level land, through scattered timber and undergrowth.


40.00

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a sandstone, 12x10x8 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



80.00

Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a sandstone, 10x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 13, 18, 19, and 24, with brass cap mkd.




Land, rolling and level.
Soil, rocky; 4th rate.
Timber, scattered pinyon and juniper.
Undergrowth, purple sage and desert holly.

North, bet. secs. 13 and 18.


Over rolling land, through scattered timber and undergrowth.

EAST BOUNDARY OF T. 36 N., R. 6 W.

Chains. Ascend 41 ft. over gradual SE. slope.
 24.00 Top of ascent; desc. 45 ft. over gradual NW. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a sandstone, 10x8x8 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



Descend 34 ft. over gradual NW. slope.
 68.30 Draw, course NE.
 73.60 Road, bears NE. and SW.
 76.70 Draw, 10 lks. wide, course E.; old road in same bears E. and W.; asc. 23 ft. over gradual SE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to bedrock, with a limestone, 10x9x6 ins. mkd. X, deposited at the base and in a mound of stone to top, for cor. of secs. 7, 12, 13, and 18, with brass cap mkd.



From this point Jensen reservoir, bears East, 4.00 chs. dist.


Land, level and rolling.
 Soil rocky; 4th rate.
 Timber, juniper and pinyon.
 Undergrowth, desert holly and purple sage.

North, bet. secs. 7 and 12.

Over rolling land, through scattered timber and undergrowth.


Ascend 63 ft. over gradual SE. slope.

14.00 Jensen's House, bears East, 7.00 chs. dist.
 25.00 Top of ascent; continue over level land.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



raise a mound of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Chains. Descend 28 ft. over gradual NW. slope.
 55.00
 68.60 Draw, 5 lks. wide, course NE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1, 6, 7, and 12, with brass cap mkd.



raise a mound
 of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, level and rolling.
 Soil, rocky; 4th rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, sage brush.

North, bet. secs. 1 and 6.


Over rolling land, through scattered timber and undergrowth.

Descend 28 ft. over NE. slope.

17.50 Draw, 10 lks. wide, course SE.; asc. 57 ft. over SW. slope.

39.00 Spur, slopes E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a limestone, 10x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.




Descend 46 ft. over NW. slope.

64.40 Drain, 5 lks. wide, course NE.; asc. 11 ft. over SE. slope.

77.81 Intersect the Ninth Standard Parallel North.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for closing cor. of Tps. 36 N., Rs. 5 and 6 W., with brass cap mkd.



raise a mound
 of stone, 4 ft. base, 3 ft. high, S. of cor.

EAST BOUNDARY OF T. 36 N., R. 6 W.

Chains. From point of intersection the standard cor. of Tps. 37 N., Rs. 5 and 6 W., bears West, 10.93 chs. dist., an iron post, 3 ins. diam., firmly set, marked and witnessed as described in the official record.

From the same point the standard $\frac{1}{4}$ sec. cor., S. bdy. sec. 31, T. 37 N., R. 5 W., bears East, 29.07 chs. dist., an iron post, 1 in. diam., firmly set, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

WEST BOUNDARY OF T. 36 N., R. 6 W.

From the cor. of Tps. 35 and 36 N., Rs. 6 and 7 W., which is an iron post, 3 ins. diam., firmly set, marked and witnessed as described in the official record.


North, bet. secs. 31 and 36.

Over rolling land, through scattered timber and undergrowth.

Descend 62 ft. over NE. slope.

25.40 Draw, 10 lks. wide, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.




raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Ascend 22 ft. over W. slope.

40.50 Wash, 15 lks. wide, course NW.

44.40 Road, bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.



from which

A pinyon, 10 ins. diam., bears N. 36° E., 110 lks. dist., mkd. T36N R6W S30 BT

A juniper, 11 ins. diam., bears S. $89\frac{3}{4}^\circ$ E., 135 lks. dist., mkd. T36N R6W S31 BT

WEST BOUNDARY OF T. 36 N., R. 6 W.

4046

Chains.

A juniper, 12 ins. diam., bears S.10 $\frac{1}{4}$ °W., 223 lks. dist., mkd. T36N R7W S36 BT

A juniper, 10 ins. diam., bears N.70 $\frac{1}{4}$ °W., 51 lks. dist., mkd. T36N R7W S25 BT

Land, rolling.
Soil, sandy; 3rd rate.
Timber, juniper and pinyon.
Undergrowth, purple sage.

North, bet. secs. 25 and 30.


Over rolling land, through scattered timber and undergrowth.

17.50 Road, bears NE. and SW.

19.00 Center of draw, 30 lks. wide, course NE.

37.90 Drain, 3 lks. wide, course SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



from which


A juniper, 20 in. diam., bears N.12°E., 186 lks. dist., mkd. $\frac{1}{4}$ S30 BT

A juniper, 18 ins. diam., bears N. 7 $\frac{1}{4}$ ° W., 65 lks. dist., mkd. $\frac{1}{4}$ S25 BT

Ascend 32 ft. over SE. slope.

72.00 Top of ascent; desc. 62 ft. over NE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19,24,25, and 30. with brass cap mkd.



from which

A juniper, 6 ins. diam., bears S.20 $\frac{1}{2}$ °E., 73 lks. dist., mkd. BT

A juniper. 12 ins. diam., bears S.8 $\frac{3}{4}$ ° W., 153 lks. dist., mkd. T36N R7W S25 BT

A juniper, 24 ins. diam., bears N. 50 $\frac{1}{2}$ ° W., 126 lks. dist., mkd. T36N R7W S24 BT

Raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.

Land, rolling.
Soil, sandy clay, 3rd rate; and stony 4th rate.

WEST BOUNDARY OF T.36 N., R. 6 W.

Chains.	Timber, juniper and pinyon. Undergrowth, sage brush.
	North, bet. secs. 19 and 24.
	Over rolling land, through scattered timber and undergrowth.
	Descend 29 ft. over gradual NE. slope.
3.30	Road, bears NW. and SE.
3.90	Draw, 20 lks. wide, course NW.; asc. 45 ft. over SW. slope.
12.10	Spur, slopes W.; desc. 29 ft. over NW. slope.
17.10	Same draw, course NE.
18.50	Road, bears NE. and SW.
31.90	Road, bears NW. and SE.
33.00	Same draw, course NW.; asc. 23 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 24 S 19 1933
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Ascend 40 ft. over SW. slope.
53.00	Continue over nearly level land.
59.00	Descend 107 ft. over N. slope.
60.85	Same draw, course NE.; asc. 107 ft. over S. slope.
69.00	Top of ascent; continue over level land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 2 ins. in the ground to bedrock, with a lava stone, 10x10x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 13, 18, 19, and 24, with brass cap mkd.
	T 36 N R 7 W R 6 W S 13 S 18 S 24 S 19 1933
	from which
	A juniper, 10 ins. diam., bears N. $33\frac{1}{2}^{\circ}$ E., 51 lks. dist., mkd. T36N R6W S18 BT
	A juniper, 10 ins. diam., bears S. $53\frac{1}{2}^{\circ}$ E., 84 lks. dist., mkd. T36N R6W S19 BT
	A juniper, 8 ins. diam., bears S. $84\frac{3}{4}^{\circ}$ W., 75 lks. dist., mkd. T 36N R7W S24 BT

WEST BOUNDARY OF T.36 N., R. 6 W.


Chains. A juniper, 4 ins. diam., bears N. 52 $\frac{1}{2}$ ° W., 190 lks. dist., mkd. T36N R7W S13 BT

Land, level and rolling.
Soil, sandy clay, 3rd rate; and stony. 4th rate.
Timber, juniper and pinyon.
Undergrowth, sage brush.


North, bet. secs. 13 and 18.

Over rolling land, through scattered timber and undergrowth.

- 2.00 Leave level land; desc. 118 ft. over NW. slope.
- 16.30 Wash, 10 lks. wide, course NE.; asc. 23 ft. over SE. slope.
- 16.80 Road, bears NE. and SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, with a lava stone, 8x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



- 51.90 Drain, 3 lks. wide, course E.; asc. 17 ft.
- 77.00 Top of ascent.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a lava stone, 10x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 7, 12, 13, and 18, with brass cap mkd.



Land, rolling.
Soil, sandy clay, 3rd rate; and stony, 4th rate.
Timber, juniper and pinyon.
Undergrowth, sage brush.

North, bet. secs. 7 and 12.


Over rolling land, through scattered timber and undergrowth.

- Descend 130 ft. over NE. slope.
- 3.10 Drain, 2 lks wide, course NE.
- 35.30 Drain, 4 lks. wide, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, with a lava stone, 10x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

Chains.	$\frac{1}{4}$ S 12 S 7 1933
68.70	Road, bears NE. and SW.; desc. 54 ft. over NE. slope.
70.00	Continue along bottom of draw.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 1,6,7, and 12. with brass cap mkd.
	T 36 N R 7 W R 6 W S 1 S 6 S 12 S 7 1933
	of stone 3 ft. base, 2 ft. high W. of cor. raise a mound Land, rolling. Soil, sandy clay, 3rd rate; and rocky 4th rate. Timber; juniper and pinyon. Undergrowth sage brush.
North, bet. secs. 1 and 6.	
Over rolling land, through scattered timber and undergrowth.	
Along draw.	
.25	Line of fence posts, bears E. and W.
19.90	Line of fence posts, bears E. and W.
24.70	Old road, bears NW. and SE.
28.60	Center of draw, 100 lks. wide, course NW.
29.70	Road, bears NW. and SE.
30.00	Leave draw, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 1 S 6 1933
	of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound Ascend 23 ft. over SW. slope.
50.00	Top of ascent; continue over level land.
78.65	Intersect the Ninth Standard Parallel North.
	Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for closing cor. of Tps. 36 N., Rs. 6 and 7 W., with brass cap mkd.

WEST BOUNDARY OF T.36 N., R. 6 W.

Chains.



raise a mound
of stone, 4 ft. base, 3 ft. high, S. of cor.

From point of intersection the standard cor. of Tps. 37 N., Rs. 6 and 7 W., bears West, 12.48 chs. dist.; an iron post, 3 ins. diam., firmly set, marked and witnessed as described in the official record.

From the same point the standard $\frac{1}{4}$ sec. cor. S. bdy. sec. 31, T.37 N., R. 6 W., bears East, 27.52 chs. dist.; an iron post, 1 in. diam., firmly set, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy clay, 3rd rate; and stony, 4th rate.
Timber, juniper and pinyon.
Undergrowth, sage brush.

SUBDIVISION OF T. 36 W., R. 6 W.

I commence the subdivisional survey at the cor. of secs. 1, 2, 35, and 36, on the S. bdy. of the Tp., which is an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.


N.0°01'W., bet. secs. 35 and 36.

Over nearly level land, through scattered timber and undergrowth.

10.00 Wash, 15 lks. wide, course NE.; asc. 28 ft. over SE. slope.

18.50 Top of ascent; continue over level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



raise a mound
of stone, 3 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

47.30 Wash, 10 lks. wide, course NE.

66.70 Road, bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 26, 35, and 36, with brass cap mkd.

SUBDIVISION OF T. 36 N., R. 6 W.

Chains.

T 36 N R 6 W
 S 26 | S 25
 S 35 | S 36
 1933

raise a mound
 of stone, 3½ ft. base, 2½ ft. high, W. of cor.

Land, level and rolling.
 Soil, sandy clay, 3rd rate; and stony 4th rate.
 Timber, pinyon and juniper.
 Undergrowth, sage brush.

East on a random line bet. secs. 25 and 36.

40.00 Set temp. ¼ sec. cor.

80.00 Intersect E. bdy. of Tp. at the cor. of secs. 25, 30, 31, and 36.

Thence

West, on a true line bet. secs. 25 and 36.

Over nearly level land, through scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor. with brass cap mkd.

¼ S 25
 S 36
 1933

raise a mound
 of stone, 3½ ft. base, 2½ ft. high, N. of cor.

56.50 Draw, 5 lks. wide, course NE.

80.00 The cor. of secs. 25, 26, 35, and 36.

Land, level and rolling.
 Soil, sandy clay, 3rd rate.
 Timber juniper and pinyon.
 Undergrowth, desert holly and sage brush.

N.0°01'W., bet. secs. 25 and 26.

Over nearly level land, through scattered timber and desert growth.

3.40 Wash, 10 lks. wide, course NE.

5.68 Road, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor. with brass cap mkd.

¼
 S 26 | S 25
 1933

raise a mound
 of stone 3½ ft. base, 2½ ft. high W. of cor.

SUBDIVISION OF T. 36 N., R. 6 W.

1040

Chains. 42.70 80.00	<p>Draw, 5 lks. wide, course NE.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 23, 24, 25, and 26, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 36 N R 6 W S 23 S 24 S 26 S 25 1933</p> </div> <p style="text-align: right;">from which</p> <p>A juniper, 16 ins. diam., bears S. 49³/₄° E., 128 lks. dist., mkd. T36N R6W S25 BT</p> <p>A juniper, 18 ins. diam., bears S. 67° W., 84 lks. dist., mkd. T36N R6W S26 BT</p> <p>A juniper, 18 ins. diam., bears N. 66¹/₄° W., 147 lks. dist., mkd. T36N R6W S23 BT</p> <p>Raise a mound of stone 3¹/₂ ft. base, 2¹/₂ ft. high W. of cor.</p> <p>Land, rolling. Soil, sandy clay, 3rd rate. Timber, juniper and pinyon. Undergrowth, sage brush.</p>
40.00 80.02	<p>East, on a random line bet. secs. 24 and 25.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>Intersect E. bdy. of Tp., 7 lks. S. of the cor. of secs. 19, 24, 25, and 30.</p> <p>Thence</p> <p>S. 89° 57' W., on a true line bet. secs. 24 and 25.</p> <p>Over nearly level land, through scattered timber and undergrowth.</p>
40.01	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p> <div style="text-align: center;"> <p>$\frac{1}{4}$ S 24 S 25 1933</p> </div> <p style="text-align: right;">raise a mound</p> <p>of stone, 3¹/₂ ft. base, 2¹/₂ ft. high, N. of cor.</p>
45.02 80.02	<p>Draw, 5 lks. wide, course NE.</p> <p>The cor. of secs. 23, 24, 25, and 26.</p> <p>Land, nearly level. Soil, sandy clay, 3rd rate. Timber, juniper and pinyon. Undergrowth, sage brush.</p>

Chains.	N.0°01'W., bet. secs. 23 and 24. Over nearly level land, through scattered timber and undergrowth.
21.80	Wash, 10 lks. wide, course NE.
23.40	Road, bears NE. and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ \text{S } 23 \mid \text{S } 24 \\ 1933 \end{array}$ <p style="text-align: right;">raise a mound of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p>
73.40	Road, bears NW. and SE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 13, 14, 23, and 24, with brass cap mkd. $\begin{array}{c} \text{T } 36 \text{ N } \text{R } 6 \text{ W} \\ \text{S } 14 \mid \text{S } 13 \\ \text{S } 23 \mid \text{S } 24 \\ 1933 \end{array}$ <p style="text-align: right;">from which A cedar, 24 ins. diam., bears S.0°15'W., 254 lks. dist., mkd. T36N R6W S23 BT</p> <p>Raise a mound of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p>
	Land, level. Soil, sandy clay, 3rd rate. Timber, juniper, cedar and pinyon. Undergrowth, sage brush.
	N.89°57'E., on a random line bet. secs. 13 and 24.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 13, 18, 19 and 24. Thence
	S.89°58'W., on a true line bet. secs. 13 and 24. Over rolling land, through scattered timber and undergrowth. Ascend 30 ft. over gradual SE. slope.
13.00	Top of ascent; desc. 34 ft. over NW. slope.
34.22	Wash, 10 lks. wide, course NE.
34.92	Old road, bears NE. and SW.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

SUBDIVISION OF T. 36 N., R. 6 W.

4046

Chains.

$\frac{1}{4}$ S 13
S 24
1933

raise a mound
of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

Ascend 36 ft. over gradual NE. slope.

60.00 Top of ascent; desc. 39 ft. over gradual W. slope.

80.02 The cor. of secs. 13, 14, 23, and 24.

Land, rolling.
Soil, sandy clay, 3rd rate; and rocky, 4th rate.
Timber, juniper and pinyon.
Undergrowth, sage brush.

N.0°01'W., bet. secs. 13 and 14.

Over rolling land, through scattered timber and undergrowth.

2.20 Wash, 20 lks. wide, course NE.; asc. 69 ft. over slight SE. slope.

3.50 Road, bears NE. and SW.

18.10 Top of ascent; continue over rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a limestone, 8x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
S 14 | S 13
1933

Descend 34 ft.

51.00 Draw, 5 lks. wide, course NE.

74.20 Draw, 5 lks. wide, course NE.; asc. 29 ft. over SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a limestone, 12x10x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 11, 12, 13, and 14, with brass cap mkd.

T 36 N R 6 W
S 11 | S 12
S 14 | S 13
1933

Land, rolling.
Soil, sandy clay, 3rd rate; and rocky 4th rate.
Timber, juniper, and pinyon.
Undergrowth, sage brush.

Chains.	N.89°58'E., on a random line bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect E. bdy. of Tp., 2 lks. N. of the cor. of secs. 7,12,13, and 18.
	Thence
	S.89°59'W., on a true line bet. secs. 12 and 13.
	Over rolling land, through scattered timber and undergrowth.
9.60	Wash, 5 lks. wide, course SE.
39.10	Road, bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground, to bedrock, with a limestone, 10x10x8 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 12
	S 13
	1933
45.00	Wash, 10 lks. wide, course SE.
80.00	The cor. of secs. 11,12,13, and 14.
	Land, rolling.
	Soil, sandy clay, 3rd rate.
	Timber, juniper and pinyon.
	Undergrowth, sage brush.
	N.0°01'W., bet. secs. 11 and 12.
	Over nearly level land, through scattered timber and undergrowth.
28.00	Road, bears E. and W.
28.80	Draw near head, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$
	S 11 S 12
	1933
	raise a mound
	of stone, 3 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a limestone, 6x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs, 1,2,11, and 12, with brass cap mkd.

SUBDIVISION OF T. 36 N., R. 6 W.

4043

Chains.

T 36 N R 6 W
 S 2 | S 1
 S 11 | S 12
 1933

Land, rolling.
 Soil sandy clay; 3rd rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, sage brush.

N.89°59'E., on a random line bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intresect E. bdy. of Tp., 5 lks. S. of the cor. of secs. 1,6,7, and 12.

Thence

S.89°57'W., on a true line bet. secs. 1 and 12.

Over rolling land, through scattered timber and undergrowth.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a limestone, 8x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 1
 S 12
 1933

80.04 The cor. of secs. 1,2,11, and 12.

Land, rolling.
 Soil, sandy clay; 3rd rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, sage brush.

N.0°01'W., bet. secs. 1 and 2.

Over nearly level land, through scattered timber and undergrowth.

33.50 Road, bears NE. and SW.

35.00 Draw, 20 lks. wide, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.


$\frac{1}{4}$
 S 2 | S 1
 1933

raise a mound
 of stone, 3 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

77.84 Intersect the Ninth Standard Parallel North.

SUBDIVISION OF T. 36 N., R. 6 W.

Chains. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a limestone, 10x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for closing cor. of secs. 1 and 2, with brass cap mkd.



From point of intersection the standard cor. of secs. 35 and 36, T.37 N., R. 6 W., bears West, 10.93 chs. dist., an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.

From the same point the standard sec. cor., S. bdy. sec. 36, T. 37 N., R. 6 W., bears East, 29.07 chs. dist. an iron post, 1 in. diam., firmly set, mkd. and witnessed as described in the official record.

Land, nearly level.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

From the cor. of secs. 2,3,34, and 35, on the S. bdy. of the Tp., which is an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.

N.0°01'W., bet. secs. 34 and 35.


Over rolling land, through scattered timber and undergrowth.

Descend 80 ft. over NW. slope.

24.91 Wash, 5 lks. wide, course NE.; asc. 120 ft. over SE. slope.

34.90 Top of ascent; desc. 23 ft. over NW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor. with brass cap mkd.




raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Descend 136 ft. over NW. slope.

75.00 Draw, 5 lks. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 26,27,34, and 35, with brass cap mkd.



SUBDIVISION OF T. 36 N., R. 6 W.

Chains	<p style="text-align: right;">raise a mound</p> <p>of stone, $3\frac{1}{2}$ ft. base; $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, rolling. Soil, sandy clay, 3 rd rate; and rocky, 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.</p>
	<p>East, on a random line bet. secs. 26 and 35.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 5 lks. S. of the cor. of secs. 25, 26, 35 and 36.
	Thence
	S. $89^{\circ}58'$ W., on a true line bet. secs. 26 and 35.
	Over rolling land, through scattered timber and undergrowth.
3.50	Draw, 5 lks. wide, course NE.
18.30	Road, bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 26 <hr style="width: 50px; margin: auto;"/> S 35 1933
	<p style="text-align: right;">raise a mound</p> <p>of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, N. of cor.</p>
71.50	Draw, 5 lks. wide, course NE.
80.00	The cor. of secs. 26, 27, 34, and 35.
	Land, rolling. Soil, rocky; 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.
	N. $0^{\circ}01'$ W., bet. secs. 26 and 27.
	Over rolling land, through scattered timber and undergrowth.
	Ascend 18 ft. over SE. slope.
4.00	Top of ascent; desc. 74 ft. over N. slope.
21.80	Base, of slope, continue over nearly level land.
30.20	Drain, course NE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 27 S 26 1933

SUBDIVISION OF T. 36 N., R. 6 W.

Chains.	<p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2 ft. high, W. of cor.</p>						
64.10	Road, bears NW. and SE.						
65.60	Wash, 10 lks. wide, course NW.						
66.10	Road, bears NW. and SE.						
79.20	Road, bears NE. and SW.						
79.93	Fence, bears NE. and SW.						
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 22, 23, 26, and 27, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 36 N R 6 W</p> <table style="margin: auto;"> <tr> <td>S 22</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">+</td> <td>S 23</td> </tr> <tr> <td>S 27</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">+</td> <td>S 26</td> </tr> </table> <p>1933</p> </div> <p style="text-align: right;">raise a mound</p> <p>of stone, 3½ ft. base, 2½ ft. high, W. of cor.</p> <p>Land, rolling, Soil, sandy clay, 3rd rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.</p>	S 22	+	S 23	S 27	+	S 26
S 22	+	S 23					
S 27	+	S 26					
N. 89° 58' E., on a random line bet. secs. 23 and 26.							
40.00	Set temp. ¼ sec. cor.						
79.96	Intersect N. and S. line, 5 lks. S. of the cor. of secs. 23, 24, 25, and 26.						
	Thence						
	S. 89° 56' W., on a true line bet. secs. 23 and 26.						
	Over rolling land, through scattered timber and undergrowth.						
36.56	Draw, 10 lks. wide, course NE.						
37.16	Road, bears NE. and SW.						
39.98	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor. with brass cap mkd.</p> <div style="text-align: center;"> <p>¼ S 23</p> <p>S 26</p> <p>1933</p> </div> <p style="text-align: right;">raise a mound</p> <p>of stone, 3½ ft. base, 2½ ft. high, N. of cor.</p>						
78.46	Road, bears NW. and SE.						
79.96	The cor. of secs. 22, 23, 26, and 27.						
	<p>Land, rolling. Soil, sandy clay, 3rd rate; and rocky 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.</p>						

SUBDIVISION OF T. 36 N., R. 6 W.

4048

Chains.	N.0°01'W., bet. secs. 22 and 23.
	Over rolling land, through scattered timber and undergrowth.
2.70	SE. edge of White's Reservoir.
5.12	N. edge of same.
5.50	Fence, bears E. and W.
5.60	Wash, 10 lks. wide, course NE.
16.60	Old road, bears NE. and SW.
29.70	Drain, 3 lks. wide, course NE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 22 S 23 1933
	raise a mound
	of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
74.00	Drain, 10 lks. wide, course NE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a limestone, 6x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 14, 15, 22, and 23, with brass cap mkd.
	T 36 N R 6 W S 15 S 14 S 22 S 23 1933
	from which
	A juniper, 24 ins. diam., bears N.40 $\frac{1}{2}$ °E., 25 lks. dist., mkd. T36N R6W S14 BT
	A juniper, 8 ins. diam., bears S.21 $\frac{1}{2}$ °E., 44 lks. dist., mkd. T36N R6W S23 BT
	A juniper, 16 ins. diam., bears S.57 $\frac{3}{4}$ °W., 96 lks. dist., mkd. T36N R6W S22 BT
	Land, rolling. Soil, sandy clay, 3rd rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.
	N.89°56'E., on a random line bet. secs. 14 and 23.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect N. and S. line, 7 lks. N. of the cor. of secs. 13, 14, 23, and 24.
	Thence.

SUBDIVISION OF T. 36 N., R. 6 W.


Chains. S.89°59'W., on a true line bet. secs. 14 and 23.
 Over nearly level land, through scattered timber and undergrowth.

3.01 Road, bears NW. and SE.

5.86 Old road, bears NE. and SW.

14.20 Wash, 10 lks. wide, course N.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap mkd.



from which

A cedar, 18 ins. diam., bears N.50 $\frac{1}{2}$ °E., 83 lks. dist., mkd. $\frac{1}{4}$ S14 BT

A cedar, 14 ins. diam., bears S.66 $\frac{1}{2}$ °W., 16 lks. dist., mkd. $\frac{1}{4}$ S23 BT

67.16 Drain, 10 lks. wide, course NE.


80.06 The cor. of secs. 14,15,22, and 23.

Land, nearly level.
 Soil, sandy clay; 3rd rate; and rocky, 4th rate.
 Timber, scattered cedar and pinyon.
 Undergrowth, sage brush.

N.0°01'W., bet. secs. 14 and 15.

Over level land, through scattered timber and undergrowth.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

47.00 Drain, 3 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 10,11,14, and 15, with brass cap mkd.



raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

SUBDIVISION OF T. 36 N., R. 6 W.

Chains. Land, nearly level.
Soil; sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

N.89°59'E., on a random line bet. secs. 11 and 14.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 Intersect N. and S. line, 12 lks. S. of the cor. of secs. 11, 12, 13, and 14.

Thence

S.89°54'W., on a true line bet. secs. 11 and 14.

Over rolling land, through scattered timber and undergrowth.

Ascend 52 ft.

33.98 Shallow wash, 10 lks. wide, course S.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a limestone, 12x12x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor; with brass cap mkd.

$\frac{1}{4}$ S 11
S 14
1933

51.98 Shallow wash, 20 lks. wide, course S. 30° E.

80.08 The cor. of secs. 10, 11, 14, and 15.

Land, rolling.
Soil, sandy clay; 3rd rate, and rocky; 4th rate.
Timber, scattered juniper and pinyon.
Undergrowth, desert holly and sage brush.

N.0°01'W., bet. secs. 10 and 11.

Over rolling land, through scattered timber and undergrowth.

17.55 Road, bears NE. and SW.

35.00 Center of draw, 30 lks. wide, course NE.

36.10 Road, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
S 10 | S 11
1933

raise a mound of stone, 4 ft. base, 3 ft. high. W. of cor.

Ascend 150 ft. over SE. slope.

Chains.
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, with a lava stone, 10x10x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 2,3,10, and 11, with brass cap mkd.

T 36 N R 6 W
S 3 | S 2
S 10 | S 11
1933

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

N.89°54'E., on a random line bet. secs. 2 and 11.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line, 7 lks. S. of the cor. of secs. 1,2,11, and 12.

Thence

S.89°51'W., on a true line bet. secs. 2 and 11.

Over rolling land, through scattered timber and undergrowth.

10.00 Drain, 10 lks. wide, course NE.

33.30 Road, bears NE. and SW.

36.40 Road, bears N. and S.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 2
S 11
1933

raise a mound
of stone, 3 ft. base, 3 ft. high, N. of cor.

42.00 Low spur, slopes NE.; desc. 23 ft. over gradual NW. slope.

66.10 Wash, 20 lks. wide, course NE.; asc. 186 ft. over SE. slope.

80.00 The cor. of secs. 2,3,10, and 11.

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4043

Chains. N.0°01'W., bet. secs. 2 and 3.

Over rolling land, through scattered timber and undergrowth.

Ascend 17 ft. over SE. slope.

10.00 Top of ascent; desc. 87 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a lava stone, 10x10x8 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
 S 3 | S 2
 1933

Descend 103 ft. over NE. slope.

48.00 Drain, 5 lks. wide, course NE.

55.00 Low spur, slopes NE.; continue descending over NW. slope.

78.16 Intersect the Ninth Standard Parallel North.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 2 and 3, with brass cap mkd.

T 37 N R 6 W
 S 35
 S 3 | S 2
 T 36 N R 6 W
 C | C
 1933

from which

A juniper, 10 ins. diam., bears S. 14 $\frac{1}{2}$ ° E., 83 lks. dist., mkd. T36N R6W S2 CC BT

A juniper, 6 ins. diam., bears S. 56 $\frac{1}{2}$ ° W., 118 lks. dist., mkd. T 36N R6W S3 CC BT

From point of intersection the standard cor. of secs. 34 and 35, T. 37 N., R. 6 W., bears West. 11.00 chs. dist., an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record.

From the same point the standard $\frac{1}{4}$ sec. cor., S. bdy. of sec. 35, T. 37 N., R. 6 W., bears East, 29.00 chs. dist., an iron post, 1 in. diam., firmly set, marked and witnessed as described in the official record.

Land, rolling.
 Soil, gravelly; 4 the rate.
 Timber, scattered cedar, juniper and pinyon.
 Undergrowth, sage brush.

SUBDIVISION OF T. 36 N., R. 6 W.

Chains

From the cor. of secs. 3, 4, 33, and 34, on the S. bdy. of the Tp., which is an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.


N. 0° 02' W., bet. secs. 33 and 34.

Over rolling land, through scattered timber and undergrowth.

Ascend 34 ft. over S. slope.

4.00 Top of ascent; continue over level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



from which


A cedar, 10 ins. diam., bears N. 85 $\frac{1}{4}$ ° E., 26 lks. dist., mkd. $\frac{1}{4}$ S34 BT

A cedar, 18 ins. diam., bears N. 78 $\frac{1}{2}$ ° W., 23 lks. dist., mkd. $\frac{1}{4}$ S33 BT

66.00 Descend 46 ft. over NE. slope.

73.70 Draw, 10 lks. wide, course NW.; asc. 34 ft. over SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 27, 28, 33, and 34, with brass cap mkd.



from which

A cedar, 16 ins. diam., bears N. 80 $\frac{1}{2}$ ° E., 73 lks. dist., mkd. T36N R6W S27 BT

A cedar, 18 ins. diam., bears S. 37 $\frac{1}{2}$ ° E., 46 lks. dist., mkd. T36N R6W S34 BT

A cedar, 10 ins. diam., bears S. 85 $\frac{1}{2}$ ° W., 83 lks. dist., mkd. T36 N R6W S33 BT

A pinyon, 12 ins. diam., bears N. 15 $\frac{1}{2}$ ° W., 87 lks. dist., mkd. T36N R6W S28 BT

Land, rolling.

Soil, sandy clay; 3rd rate, and stony; 4th rate.

Timber, scattered cedar and pinyon.

Undergrowth, desert holly, and sage brush.


SUBDIVISION OF T. 36 N., R. 6 W.

Chains.	East, on a random line bet. secs. 27 and 34.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 5 lks. S. of the cor. of secs. 26, 27, 34, and 35.
	Thence
	S.89°58'W., on a true line bet. secs. 27 and 34.
	Over rolling land, through scattered timber and undergrowth.
	Ascend 66 ft. over gradual SE. slope.
20.00	Top of ascent; desc. 68 ft. over W. slope.
29.50	Draw, 5 lks. wide, course N.; asc. 34 ft. over E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ <u>S 27</u> S 34 1933
	from which
	A cedar, 16 ins. diam., bears N.11 $\frac{1}{4}$ °E., 63 lks. dist., mkd. $\frac{1}{4}$ S27 BT
	A pinyon, 14 ins. diam., bears S.12 $\frac{1}{4}$ °E., 121 lks. dist., mkd. $\frac{1}{4}$ S34 BT
	Ascend 40 ft. over E. slope.
54.00	Top of ascent; desc. 17 ft. over gradual NW. slope.
71.00	Head of draw, course N.; asc. 34 ft. over SE. slope.
80.00	The cor. of secs. 27, 28, 33, and 34.
	Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered cedar and pinyon. Undergrowth, sage brush.
	N.0°02'W., bet. secs. 27 and 28.
	Over rolling land, through scattered timber and undergrowth.
	Ascend 34 ft. over SW. slope.
1.00	Top of ascent; desc. 54 ft. over NW. slope.
14.96	Draw, course NE.; asc. 29 ft. over SE. slope.
23.00	Top of ascent; desc. 29 ft. over NW. slope.
33.00	Wash, 5 lks. wide, course NE.; asc. 28 ft. over SE. slope.

Chains.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a lava stone, 12x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.




Ascend 63 ft. over SE. slope.

50.00

Top of ascent; desc. 80 ft. over NW. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., on solid rock, with a cross X, mkd. at the base, and in a mound of stone to top, for cor. of secs. 21, 22, 27, and 28, with brass cap mkd.



Land, rolling.
Soil, rocky; 4th rate.
Timber, scattered pinyon and cedar.
Undergrowth, sage brush.

N.89°58'E., on a random line bet. secs. 22 and 27.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.00

Intersect N. and S. line, 5 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence

S.89°56'W., on a true line bet. secs. 22 and 27.

Over rolling land, through scattered timber and undergrowth

2.70

Wash, 10 lks. wide, course NE.

3.35


Fence, bears NW. and SE.

19.50

Road, bears NW. and SE.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



of stone, 3½ ft. base, 2½ ft. high, N. of cor. raise a mound

45.70

Draw, 20 lks. wide, course NW.; asc. 62 ft. over NE. slope.

80.00

The cor. of secs. 21, 22, 27, and 28.

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 5000

Chains.	<p>Land, rolling. Soil, sandy clay; 3rd rate, and rocky; 4th rate. Timber, scattered cedar and pinyon. Undergrowth, sage brush.</p>
<p>8.35 20.00 36.10 38.20 40.00</p>	<p>N.0°02'W., bet. secs. 21 and 22. Over rolling land, through scattered timber and undergrowth. Descend 80 ft. over NW. slope. Drain, 3 lks. wide, course NE. Base of slope bears NE. and SW. ; continue over level land. Wash, 20 lks. wide, course NE. Road, bears NE. and SW. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>
	<p style="text-align: center;"> $\frac{1}{4}$ S 21 S 22 1933 </p>
<p>80.00</p>	<p style="text-align: right;">raise a mound of stone, $3\frac{3}{8}$ ft. base, $2\frac{3}{8}$ ft. high, W. of cor.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 15,16,21. and 22, with brass cap mkd.</p> <p style="text-align: center;"> T 36 N R 6 W S 16 S 15 S 21 S 22 1933 </p> <p style="text-align: right;">raise a mound of stone, $3\frac{3}{8}$ ft. base, $2\frac{3}{8}$ ft. high, W. of cor.</p>
	<p>Land, level and rolling. Soil, sandy clay; 3rd rate. Timber, scattered cedar and pinyon. Undergrowth, desert holly and sage brush.</p>
<p>40.00 79.90 39.95</p>	<p>N.89°56'E., on a random line bet. secs. 15 and 22. Set temp. $\frac{1}{4}$ sec. cor. Intersect N. and S. line, 5 lks. S. of the cor. of secs. 14,15,22, and 23. Thence S.89°54'W., on a true line bet. secs. 15 and 22. Over rolling land, through scattered timber and undergrowth. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in</p>

SUBDIVISION OF T. 36 N., R. 6 W.

Chains. the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 15
 S 22
 1933

raise a mound
of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

66.40 Fence, bears N. and S.

66.50 E. edge of June Heaton's Reservoir.

74.00 W. edge of same.

74.10 Fence, bears NW. and SE.

74.60 Road, bears NW. and SE.

79.90 The cor. of secs. 15,16,21, and 22.

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered cedar and pinyon.
Undergrowth, sage brush.

N.0°02'W., bet. secs. 15 and 16.

Over rolling land, through scattered timber and undergrowth.

2.35 Road, bears E. and W.

4.45 Road, bears E. and W.

23.35 Wash, 20 lks. wide, course NE.

30.50 Wash, 15 lks. wide, course NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
 S 16 | S 15
 1933

raise a mound
of stone, 4 ft. base, 3 ft. high, W. of cor.

75.00 Drain, 5 lks. wide, course E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 9,10,15, and 16, with brass cap mkd.

T 36 N R 6 W
 S 9 | S 10
 S 16 | S 15
 1933

raise a mound
of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper, cedar and pinyon.
Undergrowth, sage brush.

SUBDIVISION OF T. 36 N., R. 6 W.

2040

Chains N.89°54'E., on a random line bet. secs. 10 and 15.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 10, 11, 14, and 15.
 Thence
 S.89°55'W., on a true line bet. secs. 10 and 15.
 Over rolling land, through scattered timber and undergrowth.
 21.42 Road, bears N. and S.
 24.92 Wash, 10 lks. wide, course N.
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 10
 S 15
 1933

18x18x12 ins., E. and W. of post, 3 ft. dist. dig pits.
 79.98 The cor. of secs. 9, 10, 15, and 16.
 Land, rolling,
 Soil, sandy clay; 3rd rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, sage brush.

N.0°02'W., bet. secs. 9 and 10.
 Over rolling land, through scattered timber and undergrowth.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with a limestone, 14x12x4 ins. mkd. X, deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
 S 9 | S 10
 1933

of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor. raise a mound
 61.70 Drain, 3 lks. wide, course NW.
 61.80 Road, bears NW. and SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

T 36 N. R 6 W
 S 4 | S 3
 S 9 | S 10
 1933


SUBDIVISION OF T. 36 N., R. 6 W.

Chains.	<p style="text-align: right;">raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.</p> <p>From this cor., Volcanic Knoll, bears N.80°E. Volcanic knoll, bears N.26°15'E. Volcanic Knoll, bears N.5°35'E.</p> <p>Land, rolling. Soil, rocky; 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.</p>
40.00	<p>N.89°55'E., on a random line bet. secs. 3 and 10. Set temp. $\frac{1}{4}$ sec. cor.</p>
80.04	<p>Intersect N. and S. line, 7 lks. N. of the cor. of secs. 2, 3, 10 and 11. Thence S.89°58'W., on a true line bet. secs. 3 and 10. Over rolling land, through scattered timber and undergrowth. Ascend 140 ft. over broken SE. slope.</p>
34.04	<p>Top of Volcanic Knoll, bears N. 300 lks. dist.; desc. 103 ft. over SW. slope.</p>
40.02	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p> <p style="text-align: center;"><u>S 3</u> S 10 1933</p>
52.04	<p style="text-align: right;">raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.</p> <p>Descend 66 ft. over SW. slope.</p> <p>Drain, 3 lks. wide, course SW.</p>
80.04	<p>The cor. of secs. 3, 4, 9, and 10. Land, rolling. Soil, rocky; 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.</p>
38.20	<p>N.0°02'W., bet. secs. 3 and 4. Over rolling land. Ascend 68 ft. over SW. slope.</p> <p>Drain, 3 lks. wide, course SW.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p>

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046

Chains.



raise a mound of stone, 3½ ft. base, 2½ ft. high, W. of cor.

Ascend 100 ft. over broken SW. slope.

58.18 F. Heaton's house, bears S.83°45'W.

Shed, bears N.89°W.

Corral, bears N.89°W.


77.80 F. Heaton's house, bears S.55°40'W.

Shed, bears S. 60° W.

Corral, bears S. 60° W.

78.26 Intersect Ninth Standard Parallel North.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 3 and 4, with brass cap mkd.



raise a mound of stone, 3½ ft. base, 2½ ft. high, S. of cor.

From point of intersection the standard cor. of secs. 33 and 34, T. 37 N., R. 6 W., bears West, 11.04 chs. dist., an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record.

From the same point the standard ¼ sec. cor.. S. bdy. of sec. 34, T. 37 N., R. 6 W., bears East, 28.96 chs. dist., an iron post, 1 in. diam., firmly set, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy clay; 3rd rate, and rocky; 4th rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., which is an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.

N.0°03'W., bet. secs. 32 and 33.

Over rolling land, through scattered timber and undergrowth.

17.00 Descend 78 ft. over N. slope.

29.00 Wash, 10 lks. wide, course W.; asc. 46 ft. over S. slope.

SUBDIVISION OF T. 36 N., R. 6 W.


Chains.

38.00

Top of ascent; desc. 12 ft. over NW. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a limestone, 8x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



from which

A pinyon, 12 ins. diam., bears S. 24° E., 65 lks. dist., mkd. $\frac{1}{4}$ S33 BT

A pinyon, 12 ins. diam., bears S. 49 $\frac{1}{2}$ ° W., 42 lks. dist., mkd. $\frac{1}{4}$ S32 BT

Descend 29 ft. over NW. slope.

50.00

Draw, 15 lks. wide, course SW.; asc. 34 ft. over SE. slope.

55.00

Top of ascent; desc. 17 ft. over NE. slope.

60.70


Wash, 5 lks. wide, course SE.

77.50

Drain, course SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 28, 29, 32, and 33, with brass cap mkd.



raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, rolling.

Soil, sandy clay; 3rd rate.

Timber, scattered juniper and pinyon.

Undergrowth, sage brush.

East, on a random line bet. secs. 28 and 33.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

80.08

Intersect N. and S. line at the cor. of secs. 27, 28, 33, and 34.

Thence

West, on a true line bet. secs. 28 and 33.

Over rolling land, through scattered timber and undergrowth.

Descend 52 ft. over W. slope.

5.00

Draw, course N.; asc. 52 ft. over E. slope.

14.00

Top of ascent.

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046

Chains.	
33.00	Descend 49 ft. over SW. slope.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ <u>S 28</u> S 33 1933
	from which
	A pinyon, 14 ins. diam., bears N. $76\frac{1}{2}^{\circ}$ E., 114 lks. dist., mkd. $\frac{1}{4}$ S28 BT
	A pinyon, 18 ins. diam., bears S. $2\frac{1}{2}^{\circ}$ W., 48 lks. dist., mkd. $\frac{1}{4}$ S33 BT
	Descend 96 ft. over SW. slope.
49.40	Wash, 20 lks. wide, course N.; asc. 82 ft. over SE. slope.
49.80	Road, bears N. and S.
77.00	Top of ascent.
80.08	The cor. of secs. 28, 29, 32 and 33.
	Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered pinyon and juniper. Undergrowth, desert holly and sage brush.
	N. $0^{\circ}03'$ W., bet. secs. 28 and 29.
	Over rolling land, through scattered timber and undergrowth.
	Ascend 29 ft. over S. slope.
9.00	Top of ascent; desc. 59 ft. over NW. slope.
18.50	Draw, 5 lks. wide, course NE.; asc. 14 ft. over SE. slope.
25.00	Continue over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 29 S 28 1933
	from which
	A cedar, 14 ins. diam., bears S. $53\frac{1}{2}^{\circ}$ E., 38 lks. dist., mkd. $\frac{1}{4}$ S28 BT
	A cedar, 12 ins. diam., bears N. $28\frac{1}{2}^{\circ}$ W., 21 lks. dist., mkd. $\frac{1}{4}$ S29 BT
42.70	Descend 46 ft. over NE. slope.
52.70	Wash, 5 lks. wide, course SE.; asc. 89 ft. over SW.

Chains.	slope.								
62.00	Top of ascent; continue over level land.								
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, with a limestone, 8x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 20, 21, 28, and 29, with brass cap mkd.								
	<table border="1"> <tr> <td>T 36 N R 6 W</td> <td></td> </tr> <tr> <td>S 20</td> <td>S 21</td> </tr> <tr> <td>S 29</td> <td>S 28</td> </tr> <tr> <td colspan="2" style="text-align: center;">1933</td> </tr> </table>	T 36 N R 6 W		S 20	S 21	S 29	S 28	1933	
T 36 N R 6 W									
S 20	S 21								
S 29	S 28								
1933									
	from which								
	A cedar, 18 ins. diam., bears N. 49° E., 100 lks. dist., mkd. T36N R6W S21 BT								
	A pinyon, 14 ins. diam., bears S. 60½° E., 64 lks. dist., mkd. T36N R6W S28 BT								
	A cedar, 12 ins. diam., bears S. 12° W., 28 lks. dist., mkd. T36N R6W S29 BT								
	A pinyon, 4 ins. diam., bears N. 35½° W., 85 lks. dist., mkd. T36N R6W S20 BT								
	Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered cedar, pinyon and juniper. Undergrowth, sage brush.								
	East, on a random line bet. secs. 21 and 28.								
40.00	Set temp. ¼ sec. cor.								
79.86	Intersect N. and S. line, 2 lks. S. of the cor. of secs. 21, 22, 27, and 28.								
	Thence								
	S. 89° 59' W., on a true line, bet. secs. 21 and 28.								
	Over rolling land, through scattered timber and undergrowth; desc. 98 ft. over W. slope.								
27.66	Wash, 20 lks. wide, course N.; asc. 126 ft. over E. slope.								
30.06	Road, bears, N. and S.								
39.93	Set an iron post, 3 ft. long, 1 in. diam., on solid rock, with a limestone 10x10x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for ¼ sec. cor. with brass cap mkd.								
	<table border="1"> <tr> <td>¼ S 21</td> </tr> <tr> <td>S 28</td> </tr> <tr> <td>1933</td> </tr> </table>	¼ S 21	S 28	1933					
¼ S 21									
S 28									
1933									
	Ascend 69 ft. over E. slope.								
54.40	Top of ascent; continue over level land.								
79.86	The cor. of secs. 20, 21, 28, and 29.								

SUBDIVISION OF T. 36 N., R. 6 W.

OK 4046

Chains. Land, rolling.
 Soil, sandy clay; 3rd rate, and rocky; 4th rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, sage brush.


N.0°03'W., bet. secs. 20 and 21.

Over rolling land, through scattered timber and undergrowth.

18.00 Descend 30 ft. over NW. slope.

24.28 Wash, 4 lks. wide, course NE.; asc. 105 ft. over SE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a limestone, 12x8x4 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



from which


A juniper, 16 ins. diam., bears N. 67 $\frac{1}{2}$ ° E., 41 lks. dist., mkd. $\frac{1}{4}$ S21 BT

A juniper, 12 ins. diam., bears N. 38 $\frac{3}{4}$ ° W., 80 lks. dist., mkd. $\frac{1}{4}$ S20 BT

46.30 Top of ascent; desc. 155 ft. over NW. slope.

78.60 Road, bears NE. and SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 16,17,20, and 21, with brass cap mkd.



raise a mound of stone, 3 ft. base, 3 ft. high. W. of cor.

Land, rolling.
 Soil, sandy clay; 3rd rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, desert holly and sage brush.

N.89°59'E., on a random line bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 15,16,21, and 22.

Thence

SUBDIVISION OF T. 36 N., R. 6 W.

Chains.	West on a true line bet. secs. 16 and 21. Over rolling land, through scattered timber and undergrowth.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with a limestone, 6x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ <u>S 16</u> S 21 1933 18x18x12 ins. E. and W. of post, .3 ft. dist. dig pits.
79.74	Road, bears NE. and SW.
80.04	The cor. of secs. 16, 17, 20, and 21. Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.
	N.0°03'W., bet. secs. 16 and 17. Over nearly level land, through scattered timber and undergrowth.
5.00	Wash, 10 lks. wide, course NE.
25.80	Road, bears E. and W.
26.00	Wash, 10 lks. wide, course E.; asc. 23 ft. over SE. slope.
35.00	Low spur, slopes E.; desc. 23 ft. over gradual NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ S 17 S 16 1933 from which A juniper, 16 ins. diam., bears S. 39° E., 64 lks. dist., mkd. $\frac{1}{4}$ S16 BT A juniper, 16 ins. diam., bears S. 75 $\frac{3}{4}$ ° W., 43 lks. dist., mkd. $\frac{1}{4}$ S17 BT
65.00	Low spur, slopes NE.; desc. 28 ft. over gradual NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 8, 9, 16, and 17, with brass cap mkd.

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046

Chains.

T 36 N R 6 W
 S 8 | S 9
 S 17 | S 16
 1933

raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Volcanic Knolls, No. 1 bears N.54°30'E.

No. 2, bears N.39°45'E.

No.3 bears N. 29°15' E.

Land, rolling.
Soil, rocky; 4th rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

East, on a random line bet. secs. 9 and 16.

40.00 Set temp. 1/4 sec. cor.

79.98 Intersect N. and S. line, 5 lks. S. of the cor. of secs. 9,10,15, and 16.

Thence

S.89°58'W., on a true line bet. secs. 9 and 16.

Over nearly level land, through scattered timber and undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor. with brass cap mkd.

1/4 S 9
 S 16
 1933

dig pits,

18x18x12 ins., E. and W. of post, 3 ft. dist.

45.48 Wash, 20 lks. wide, course N.

55.88 Road, bears N. and S.

71.58 Road, bears NW. and SE.

79.98 The cor. of secs. 8,9,16, and 17.

Land, nearly level.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, desert holly, and sage brush.


SUBDIVISION OF T. 36 N., R. 6 W.

Chains.	<p>N.0°03'W., bet. secs. 8 and 9.</p> <p>Over rolling land, through scattered timber and undergrowth.</p> <p>4.10 Road, bears NW. and SE.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor, with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4}$ S 8 S 9 1933 </div> <p style="text-align: right;">raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>40.50 Wash, 20 lks. wide, course NE.</p> <p>42.70 Road, bears NE. and SW.</p> <p>58.80 Drain, 3 lks. wide, course E.</p> <p>78.30 Fence, bears E. and W.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a limestone, 8x6x4 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 4, 5, 8, and 9, with brass cap mkd.</p> <div style="text-align: center;"> T 36 N R 6 W S 5 S 4 S 8 S 9 1933 </div> <p>Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered pinyon and juniper. Undergrowth, sage brush.</p>
40.00	<p>N.89°58'E., on a random line bet. secs. 4 and 9.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p>
79.98	<p>Intersect N. and S. line, 5 lks. S. of the cor. of secs. 3, 4, 9, and 10.</p> <p>Thence</p> <p>S.89°56'W., on a true line bet. secs. 4 and 9.</p> <p>Over rolling land, through scattered timber and undergrowth.</p> <p>Descend 22 ft. over SW. slope.</p>
11.10	<p>Fence, bears N. and S.; cor. of fence, bears S. 3.00 chs. dist.</p>
15.00	<p>Draw, 10 lks. wide, course NW.; asc. 75 ft. over E. slope.</p>
39.50	<p>Low spur, slopes N.</p>
39.99	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in</p>

SUBDIVISION OF T. 36 N., R. 6 W.

OK 4046

Chains the ground, for 1/4 sec. cor. with brass cap mkd.



raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

53.00 Descend 34 ft. over NW. slope.

Road bears NE and SW.

54.40 Wash, 20 lks. wide, course NE.; asc. 40 ft. over SE. slope.


79.98 The cor. of secs. 4, 5, 8, and 9.

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered pinyon and juniper.
Undergrowth, sage brush and desert holly.

N.0°03'W., bet. secs. 4 and 5.

Over rolling land, through scattered timber and undergrowth.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a limestone, 8x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for 1/4 sec. cor. with brass cap mkd.



49.10 Wash, 10 lks. wide, course NW.

78.40 Intersect the Ninth Standard Parallel North.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap mkd.



18x18x12 ins. SE. S. and SW., 3 ft. from post. dig pits,

From point of intersection the standard cor. of secs. 32 and 33, T. 37 N., R. 6 W., bears West, 11.09 chs. dist., an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record.

From the same point the standard 1/4 sec. cor., S. bdy. of sec. 33, T. 37 N., R. 6 W., bears East, 28.91 chs. dist., an iron post, 1 in. diam., firmly set, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy clay; 3rd rate. and rocky; 4th rate.

SUBDIVISION OF T. 36 N., R. 6 W.

Chains. Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

From the cor. of secs. 5, 6, 31, and 32, on the S. bdy. of the Tp., which is an iron post, 2 ins. diam. firmly set, marked and witnessed as described in the official record.

N.0°03'W., bet. secs. 31 and 32.

Over rolling land, through scattered timber and undergrowth.


Descend 13 ft. over N. slope.

1.00 Draw, 3 lks. wide, course E.; asc. 63 ft. over SE. slope.

16.00 Top of ascent; desc. 34 ft. over NE. slope.

28.20 Drain, course SE.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

54.70 Drain, 3 lks. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 29, 30, 31, and 32, with brass cap mkd.



raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered pinyon and juniper.
Undergrowth, sage brush.

East on a random line bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.06 Intersect N. and S. line, at the cor. of secs. 28, 29, 32, and 33.

Thence

West, on a true line bet. secs. 29 and 32.

Over rolling land, through scattered timber and undergrowth.

Chains.
 5.00 Drain, 3 lks. wide, course SE.; asc. 92 ft. over NE. slope.
 17.00 Top of ascent; continue over rolling land.
 25.00 Wash, 10 lks. wide, course NE.
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone, to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 29
 S 32
 1933

from which

A juniper, 10 ins. diam., bears S. $21\frac{1}{2}^{\circ}$ W., 215 lks. dist., mkd. $\frac{1}{4}$ S32 BT

A juniper, 18 ins. diam., bears N. 36° W., 122 lks. dist., mkd. $\frac{1}{4}$ S29 BT

53.40 Drain, 5 lks. wide, course NE.
 76.20 Drain, 10 lks. wide, course NW.
 80.06 The cor. of secs. 29, 30, 31, and 32.

Land, rolling.
 Soil, gravelly; 3rd rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, sage brush and desert holly.

West, on a random line bet. secs. 30 and 31.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

78.86 Intersect W. bdy. of Tp., 2 lks. N. of the cor. of secs. 25, 30, 31, and 36.

Thence

N. $89^{\circ}59'E.$, on a true line bet. secs. 30 and 31.

Over rolling land, through scattered timber and undergrowth.

12.56 Drain, 5 lks. wide, course NW.; asc. 87 ft. over NW. slope.
 37.86 Top of ascent.
 38.86 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 30
 S 31
 1933

from which

A juniper, 8 ins. diam., bears S. $78\frac{1}{2}^{\circ}$ W., 73 lks. dist., mkd. $\frac{1}{4}$ S31 BT

Chains. A juniper, 16 ins. diam., bears N. $9\frac{1}{2}^{\circ}$ W., 78 lks. dist., mkd. $\frac{1}{4}$ S30 BT

53.36 Draw, 15 lks. wide, course NE.; asc. 11 ft. over NW. slope.

78.86 The cor. of secs. 29, 30, 31, and 32.

Land, rolling.
Soil, sandy clay; 3rd rate, and rocky; 4th rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.


N. $0^{\circ}03'$ W., bet. secs. 29 and 30.

Over rolling land, through scattered timber and undergrowth.

2.80 Drain, 10 lks. wide, course NW.; asc. 39 ft. over SW. slope.

18.00 Top of ascent; desc. 40 ft.

40.00 Set an iron post, 3 ft. long, 1 ins. diam., 18 ins. in the ground to bedrock, with a limestone, 10x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.



Continue over level land.


46.10 Drain, 5 lks. wide, course W.

57.85 Road, bears NE. and SW.

75.00 Drain, 5 lks. wide, course W.

76.85 Road, bears NE. and SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 19, 20, 29, and 30, with brass cap mkd.



raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, rolling and level.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

East, on a random line bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.16 Intersect N. and S. line, 14 lks. S. of the cor. of secs.

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046


Chains.	20, 21, 28, and 29.
	Thence
	S. 89° 54' W., on a true line bet. secs. 20 and 29.
	Over rolling land, through scattered timber and undergrowth.
21.76	Drain, 3 lks. wide, course SE.
31.26	Drain, 3 lks. wide, course SE.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} S 20 \\ S 29 \\ 1933 \end{array}$
	from which
	A juniper, 8 ins. diam., bears N. 71 $\frac{1}{2}$ ° E., 59 lks. dist., mkd. $\frac{1}{4}$ S 20 BT
	A juniper, 6 ins. diam., bears S. 33 $\frac{1}{2}$ ° W., 36 lks. dist., mkd. $\frac{1}{4}$ S 29 BT
60.96	Old road, bears NE. and SW.
69.06	Road, bears NE. and SW.
80.16	The cor. of secs. 19, 20, 29, and 30.
	Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered juniper and pinyon. Undergrowth, desert holly and sage brush.
	S. 89° 59' W., on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.85	Intersect W. bdy. of Tp., 12 lks. S. of the cor. of secs. 19, 24, 25 and 30.
	Thence
	S. 89° 56' E., on a true line bet. secs. 19 and 30.
	Over rolling land, through scattered timber and undergrowth.
	Descend 28 ft. over NE. slope.
10.53	Road, bears NW. and SE.
11.30	Wash, 30 lks. wide, course NW.; asc. 75 ft. over SW. slope.
26.00	Top of ascent; continue over rolling land.
33.20	Drain, 3 lks. wide, course NW.
38.85	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in

Chains.	<p>the ground to bedrock, with a limestone, 8x8x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ <u>S 19</u> S 30 1933</p> <p style="text-align: right;">from which</p> <p>A juniper, 12 ins. diam., bears N. 65° E., 79 lks. dist., mkd. $\frac{1}{4}$ S19 BT</p> <p>A pinyon, 14 ins. diam., bears S. 0° 30' W., 146 lks. dist., mkd. $\frac{1}{4}$ S30 BT</p> <p>Descend 23 ft. over NE. slope.</p>
60.80	<p>Drain, 10 lks. wide, course NW.; road in same bears NW. and SE.</p> <p>Ascend 23 ft. over SW. slope.</p>
71.80	Top of ascent; continue over level land.
78.85	<p>The cor. of secs. 19, 20, 29, and 30.</p> <p>Land, level and rolling. Soil, sandy clay; 3rd rate. Timber, scattered juniper and pinyon. Undergrowth sage brush.</p>
	<p>N. 0° 03' W., bet. secs. 19 and 20.</p> <p>Over rolling land, through scattered timber and undergrowth.</p> <p>Ascend 52 ft. over gradual SE. slope.</p>
16.00	Top of ascent.; continue over level land.
36.50	Draw, course W.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd,</p> <p style="text-align: center;">$\frac{1}{4}$ S 19 S 20 1933</p> <p style="text-align: right;">from which</p> <p>A limb on juniper, 8 ins. diam., bears N. 34$\frac{1}{4}$° E., 113 lks. dist., mkd. $\frac{1}{4}$ S20 BT</p> <p>A juniper, 24 ins. diam., bears N. 53$\frac{3}{4}$° W., 92 lks. dist., mkd. $\frac{1}{4}$ S19 BT</p> <p>Ascend 34 ft. over S. slope.</p>
52.50	Top of ascent; desc. 173 ft. over NE. slope.
79.31	Wash, 10 lks. wide, course NW.; asc. 52 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046

Chains. the ground to bedrock, with a limestone, 12x12x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 17,18,19, and 20, with brass cap mkd.



Land, rolling.
Soil, sandy clay; 3rd rate.
Timber, scattered juniper and pinyon.
Undergrowth sage brush.

N.89°54'E., on a random line bet. secs. 17 and 20.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect N. and S. line, 2 lks. N. of the cor. of secs. 16,17,20 and 21.
- Thence
- S.89°55'W., on a true line bet. secs. 17 and 20.
- Over rolling land, through scattered timber and undergrowth.
- .30 Wash, 10 lks. wide, course NE.; asc. 92 ft. over E. slope.
- 26.00 Top of ascent; desc. 100 ft. along S. slope.
- 40.01 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a limestone, 14x12x6 ins. mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
- $\frac{1}{4}$ S 17
S 20
1933
- 41.00 Descend 93 ft. over SW. slope.
- 47.03 Wash, 10 lks. wide, course NW.; asc. 67 ft. over NE. slope.
- 58.00 Spur, slopes NW.; desc. 101 ft. over SW. slope.
- 74.80 Drain, 4 lks. wide, course NW.
- 80.02 The cor. of secs. 17,18,19, and 20.

Land, rolling.
Soil, rocky; 4th rate.
Timber, scattered juniper and pinyon.
Undergrowth, desert holly and sage brush.

N.89°56'W., on a random line bet. secs. 18 and 19.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 78.73 Intersect W. bdy. of Tp., 14 lks. N. of the cor. of

Chains. secs. 13,18,19, and 24.

Thence

N.89°58'E., on a true line bet. secs. 18 and 19.

Over rolling land. through scattered timber and undergrowth.

1.00 Descend 125 ft. over NE. slope.

6.60 Wash, 20 lks. wide, course N.; asc. 144 ft. over W. slope.

20.00 Spur, slopes NW.; desc. 29 ft. over NE. slope.

30.00 Drain, 5 lks. wide, course N.; asc. 48 ft. over W. slope.

38.73 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 18
S 19
1933

raise a mound

of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

Ascend 55 ft. over W. slope.

50.00 Top of ascent; desc. 109 ft. over E. slope.

78.63 Wash, 10 lks. wide, course NW.

78.73 The cor. of secs. 17,18,19 and 20.

Land, rolling.
Soil, sandy clay; 3rd rate, and rocky; 4th rate.
Timber, scattered juniper and pinyon.
Undergrowth, sage brush.

N.0°03'W., bet. secs. 17 and 18.

Over rolling land, through scattered timber and undergrowth.

8.50 Wash, 10 lks. wide, course N.; continue along same.

20.00 Leave wash, course NE.; asc. 46 ft. over SE. slope.

27.00 Top of ascent; desc. 56 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
S 18 | S 17
1933

from which

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046

- Chains. A pinyon, 12 ins. diam., bears N. $7\frac{1}{2}^{\circ}$ E., 42 lks. dist., mkd. $\frac{1}{4}$ S 17 BT
- A pinyon, 12 ins. diam., bears S. $15\frac{3}{4}^{\circ}$ W., 46 lks. dist., mkd. $\frac{1}{4}$ S 18 BT
- 43.20 Drain, 3 lks. wide, course E.; asc. 23 ft. over SE. slope.
- 48.00 Top of ascent; desc. 121 ft. over broken NE. slope.
- 66.34 Wash, 10 lks. wide, course NW.; asc. 110 ft. over SW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to bedrock, with a limestone, 14x14x10 ins. mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 7, 8, 17, and 18, with brass cap mkd.

T 36 N R 6 W
 S 7 | S 8
 S 18 | S 17
 1933

from which

- A juniper, 12 ins. diam., bears N. $64\frac{1}{2}^{\circ}$ E., 90 lks. dist., mkd. T36N R6W S8 BT
- A juniper, 12 ins. diam., bears S. $19\frac{1}{2}^{\circ}$ E., 186 lks. dist., mkd. T36N R6W S17 BT

Land, rolling.
 Soil, rocky; 4th rate.
 Timber, scattered juniper and pinyon.
 Undergrowth, desert holly and sage brush.

- N. $89^{\circ}55'$ E., on a random line bet. secs. 8 and 17.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.10 Intersect N. and S. line, 9 lks. N. of the cor. of secs. 8, 9, 16, and 17.
- Thence
- S. $89^{\circ}59'$ W., on a true line bet. secs. 8 and 17.
- Over rolling land, through scattered timber and undergrowth.
- Ascend 51 ft. over gradual NE. slope.
- 2.50 Drain, 5 lks. wide, course N.
- 10.00 Drain, 5 lks. wide, course N.
- 31.20 Wash, 10 lks. wide, course NE.; road in same bears NE. and S.
- 40.05 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$ S 8
 S 17
 1933

Chains.	from which
	A juniper, 16 ins. diam., bears S. 50 ³ / ₄ ° E., 93 lks. dist., mkd. $\frac{1}{4}$ S17 BT
	A juniper, 10 ins. diam., bears W. 42 ¹ / ₄ ° W., 55 lks. dist., mkd. $\frac{1}{4}$ S8 BT
41.50	Drain, 5 lks. wide, course N.
74.00	Low spur, slopes NW.; desc. 29 ft. over SW. slope.
80.10	The cor. of secs. 7,8,17, and 18.
	Land, rolling. Soil, rocky; 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.
	S.89°58'W., on a random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.60	Intersect W. bdy. of Tp., 2 lks. S. of the cor. of secs. 7,12,13, and 18.
	Thence
	N.89°59'E., on a true line bet. secs. 7 and 18.
	Over rolling land, through scattered timber and undergrowth.
	Desc. 78 ft. over E. slope.
31.90	Wash, 50 lks. wide, course N.
36.60	Top of ascent; continue over nearly level land.
38.60	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a lava stone, 10x8x6 ins. mkd. X; deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ <u>S 7</u> S 18 1933
42.60	Drain, 5 lks. wide, course NE.; asc. 57 ft. over W. slope.
47.40	Road, bears NE. and SW.
63.60	Top of ascent; desc. 32 ft. over NE. slope.
68.96	Wash, 10 lks. wide, course NW.; asc. 134 ft. over SW. slope.
78.60	The cor. of secs. 7,8,17, and 18.
	Land, rolling. Soil, rocky; 4th rate. Timber, scattered pinyon and juniper. Undergrowth, desert holly and sage brus.

SUBDIVISION OF T. 36 N., R. 6 W.

4046

Chains.	N.0°03'W., bet. secs. 7 and 8.
	Over rolling land, through scattered timber and undergrowth.
.50	Descend 105 ft. over NW. slope.
23.20	Road, bears E. and W. Foot of slope.
37.30	Road, bears NE. and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 7 S 8 1933
	dig pits,
	18x18x12 ins. N. and S., 3 ft. from post.
79.50	Road, bears NE. and SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 5, 6, 7, and 8, with brass cap mkd.
	T 36 N R 6 W S 6 S 5 S 7 S 8 1933
	raise a mound
	of stone, 4 ft. base, 3 ft. high, W. of cor.
	Land, rolling.
	Soil, rocky; 4th rate.
	Timber, scattered juniper and pinyon.
	Undergrowth, sage brush and desert holly.
	N.89°59'E., on a random line bet. secs. 5 and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.16	Intersect N. and S. line, 7 lks. N. of the cor. of secs. 4, 5, 8, and 9.
	Thence
	N.89°58'W., on a true line bet. secs. 5 and 8.
	Over rolling land, through scattered timber and undergrowth.
	Ascend 49 ft. over gradual SE. slope.
10.76	Fence, bears N. and S.30°E.
24.00	Top of ascent; desc. 148 ft. over NW. slope.
29.40	Road bears NE and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.


SUBDIVISION OF T. 36 N., R. 6 W.

Chains.	$\frac{1}{4}$ <u>S 5</u> S 8 1933
	<p style="text-align: right;">raise a mound</p> of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
42.86	Road, bears NE. and SW.
60.46	Same road, bears NW. and SE.
76.56	Same road, bears NE. and SW.
80.16	The cor. of secs. 5, 6, 7, and 8.
	Land, rolling. Soil, rocky; 4th rate. Timber, scattered juniper and pinyon. Undergrowth, sage brush.
	S. $89^{\circ}59'$ W., on a random line bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.47	Intersect W. bdy. of Tp., 5 lks. N. of the cor. of secs. 1, 6, 7, and 12.
	Thence
	N. $89^{\circ}57'$ E., on a true line bet. secs. 6 and 7.
	Over rolling land, through scattered timber and undergrowth.
10.00	Fence, bears NW. and SE.
11.00	Road, bears NE. and SW.
18.00	F. Heaton's Reservoir, bears N. about 9.00 chs. dist.
23.40	Cor. of fence surrounding reservoir, bears NW. and NE.
26.40	Wash, 80 lks. wide, course NW.
36.60	Road, bears NW. and SE.
37.40	Line of fence posts, bears N. and S. 120 lks. to cor.
38.47	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ <u>S 6</u> S 7 1933
	<p style="text-align: right;">raise a mound</p> of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
78.47	The cor. of secs. 5, 6, 7, and 8.
	Land, rolling. Soil, sandy clay; 3rd rate. Timber, scattered juniper and pinyon. Undergrowth, desert holly and sage brush.

SUBDIVISION OF T. 36 N., R. 6 W.

BOOK 4046

Chains. N.0°03'W., bet. secs. 5 and 6.
 Over rolling land, through scattered timber and undergrowth.
 21.80 Road, bears E. and W.
 30.00 Drain, 5 lks wide, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.




raise a mound
 of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Ascend 29 ft. over SW. slope.

57.60 Top of ascent; desc. 85 ft. over NW. slope.

78.45 Intersect the Ninth Standard Parallel North.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap mkd.



raise a mound
 of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, S. of cor.

From point of intersection the standard cor. of secs. 31 and 32, T. 37 N., R. 6 W., bears West, 10.84 chs. dist.; an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.

From the same point the standard $\frac{1}{4}$ sec. cor., S. bdy. sec. 32, T. 37 N., R. 6 W., bears East, 29.16 chs. dist.; an iron post, 1 in. diam., firmly set, mkd. and witnessed as described in the official record.

Land, rolling.
 Soil, sandy clay; 3rd rate.
 Timber, scattered pinyon and juniper.
 Undergrowth, sage brush and desert holly.

FINAL TEST OF SOLAR ATTACHMENT.

April 23, 1933; on the meridian hereinbefore described at 8h 30m a.m., app. t., I set off $36^{\circ}30'40''$ N., on the lat. arc; $12^{\circ}32\frac{1}{4}'$ N., on the decl. arc; and orient the instrument with the solar; the line of sight agrees with the meridian established by Polaris observation.

At 4h 30m p.m. app. t., I set off $36^{\circ}30'40''$ N., on the lat. arc; $12^{\circ}39'$ N., on the decl. arc; and repeat the test of the solar; the line of sight agrees with the meridian established by Polaris observation.

April 23, 1933.

GENERAL DESCRIPTION.

The land embraced within T. 36 N., R. 6 W., is generally rolling. The soil is sandy clay of medium texture; gravelly and rocky, usually shallow on crests of low spurs and ridges; formation principally lime with volcanic outcroppings in portions of the township. The undergrowth is sage brush and desert holly. Scattered juniper and pinyon timber is found throughout the Tp. There is a fair growth of native grass over most of the township, suited for grazing purposes. There is one settler in the NE. $\frac{1}{4}$ of sec. 4. Several small reservoirs are scattered throughout the township,

BOOK 4046

CERTIFICATE OF UNITED STATES SURVEYOR

I, Walter H. Good, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 15th day of October, 1932, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed ~~all those parts or portions of~~ the East and West boundaries and subdivisional lines, completing the survey of Township 36 North, Range 6 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Walter H. Good
U. S. Surveyor.
Boise, Idaho,
Sept. 9, 1933

APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,
Denver, Colorado, June 1, 1934. ~~xxx~~

The foregoing field notes of the survey of the East and West boundaries and subdivisional lines, completing the survey of Township 36 North, Range 6 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Walter H. Good, U.S. Surveyor, under his special instructions dated October 15, 1932., having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

[Signature]
U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.