

Book F

FIELD NOTES

BOOK 4048

OF THE

Dependent Resurvey of a Portion of the East Boundary of Luis

Maria Baca Float No. 5, from Mile Corner 22 to Mile Corner 28;

Survey of the South Boundary and a Portion of the Subdivisional

Lines, Completing the Subdivision of

Fractional Township 18 North, Range 7 West.

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Benjamin J. Mollette, U. S. Transitman.

In the capacity of U. S. Surveyor, under Special Instructions dated September 12, 1933, issued by the District Cadastral Engineer to govern surveys included in Group No. 184, which were approved by the Commissioner of the General Land

Office, October 13, 1933, and Assignment Instructions dated December 24, 1933

Survey commenced February 27, 1934.

Survey completed March 10, 1934.

4048

4048

INDEX DIAGRAM.


Township -----, *Range* -----

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

BOOK 4048

INDEX DIAGRAM

FRACTIONAL TOWNSHIP 18 NORTH, RANGE 7 WEST.



Resurvey of a portion of the East Boundary of the

Luis Maria Baca Float No. 5.

Chains

The resurvey of a portion of the Luis Maria Baca Float No. 5, and the completion of the survey of fractional T. 18 N., R. 7 W., was executed with Buff & Buff solar transit No. 9223, description and test of which are found in notes of exterior and subdivisional lines of T. 18 N., R. 6 W., resurveyed or surveyed under this group.

The E. bdy. of the Luis Maria Baca Float No. 5, was surveyed in 1877, by C. B. Foster, U. S. Deputy Surveyor. This line, from the 21-mile cor. to the 23-mile cor., was resurveyed in 1920, by Otis Ross, U. S. Surveyor. The following notes describe a resurvey from the 23-mile to the 28-mile monuments.

Beginning at the 23-mile cor. of Luis Maria Baca Float No. 5.

S. 1° 30' W., on a random line on E. bdy. of Luis Maria Baca Float No. 5.

80.61 A point 7 lks. W. of the 24-mile cor.

Thence from cor.

S. 1° 30' W., on a random line on E. bdy. of Luis Maria Baca Float No. 5.

79.06 A point 12 lks. W. of the 25-mile cor.

Thence from cor.

S. 1° 30' W., on a random line on E. bdy. of Luis Maria Baca Float No. 5.

80.00 Fail to find 26-mile cor. Set temp. cor.

159.52 A point 33 lks. S. 88½° E. of the 27-mile cor.

Thence from cor.

S. 1° 30' W., on a random line on E. bdy. of Luis Maria Baca Float No. 5.

79.95 A point 5 lks. W. of the 28-mile cor., which is a sandstone, 16x16x8 ins. set in a mound of stone, mkd. 28M on S. face.

In place of the stone, with the stone alongside.

Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for the 28-mile cor. of the Luis Maria Baca Float No. 5, with brass cap mkd.

LMB
F#5
28M

1934

from which

The original bearing tree:

A yellow pine, 42 ins. diam., bears N. 12½° E., 50 lks. dist., marks plainly legible.

And new bearing trees:

A pinon, 10 ins. diam., bears S. 14½° W., 80 lks. dist.,

Chains

mkd. LMB F#5 28M B T.

A yellow pine, 42 ins. diam., bears N. $51\frac{1}{2}^{\circ}$ W.,
1.28 chs. dist., mkd. LMB F#5 28M B T.

Thence

N. $1^{\circ} 27'$ E., on a true line on the E. bdy. of Luis Maria
Baca Float No. 5.

Over mountainous land, through scattering pinon, scrub
cedar and pine and medium undergrowth.

Asc. 136 ft. over SW. slope.

- 0.80 Corner of fences to S., W., and NE.
- 9.70 Spur, slopes SW.; desc. 75 ft. over NW. slope.
- 13.80 Head of ravine, course NW.; asc. 32 ft. over SW. slope.
- 18.40 Change to NW. slope; desc. 332 ft.
- 29.80 Ravine, course NW.; asc. 35 ft. over SW. slope.
- 37.80 Over W. slope; desc. 142 ft.
- 51.00 Fence, bears NE. and SW.
- 52.20 Small ravine, course NW.; asc. slightly.
- 53.40 Short spur, slopes NW.; desc. 104 ft. over NW. slope.
- 64.80 Old road, bears SW. to Camp Wood and NE. to Ranger Sta-
tion.
- 66.20 Canyon, dry bed of S. Walnut Creek, 30 lks. wide, course
NE.
- 66.50 Mouth of ravine from W.; asc. 194 ft. over SW. slope.
- 79.95 The 27-mile cor. of the Luis Maria Baca Float No. 5, which
is a stone, 10x8x4 ins. above ground, mkd. 27M on S. face.

In place of the stone, with the stone alongside.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, and in a small mound of stone, for the
27-mile cor. of the Luis Maria Baca Float No. 5, with
brass cap mkd.

LMB
F#5
27M

1934

from which

The original-bearing tree:

A pinon, 12 ins. diam., bears N. $3\frac{1}{4}^{\circ}$ E., 34 lks. dist.,
marks partly visible.

And new bearing tree:

A yellow pine, 16 ins. diam., bears S. $13\frac{1}{2}^{\circ}$ W., 2.08
chs. dist., mkd. LMB F#5 27M B T.

Resurvey of a portion of the East Boundary of the

Luis Maria Baca Float No. 5.

Chains

Land, mountainous and rolling.
Soil, adobe and gravel; 3d rate.
Timber, scrub cedar, pinon, juniper and pine; undergrowth,
scrub oak, mahogany, manzanita and quinine.

N. 1° 37' E., on a true line on the E. bdy. of Luis Maria
Baca Float No. 5.

Over rolling land, through scattering growth of pine,
pinon and scrub cedar and medium undergrowth.

0.24 Midway bet. the SW. and NW. closing cors. of sec. 36,
hereinafter described.

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in
the ground to bedrock, with a stone mkd. X, deposited at
the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor.
of sec. 36, only, with brass cap mkd.

LMB
F#5
26M
1934

No suitable bearing trees available.
Desc. 118 ft. over NE. slope.

7.20 Ravine, course SE.; asc. 394 ft. over SW. slope.

25.30 Spur, slopes SE.; over SE. slope.

34.40 Spur, splits to E. and NE.; desc. 210 ft. over N. slope.

46.80 Ravine, course E.; asc. 280 ft. over SE. slope.

79.76 Proportional distance

Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the
ground to bedrock, with a stone mkd. X, deposited at the
base, and in a mound of stone to top, for the 26-mile cor.
of the Luis Maria Baca Float No. 5, with brass cap mkd.

LMB
F#5
26M

1934

No suitable bearing trees available.

A North and South fence bears E. 3.20 chs. dist.

Land, rolling.
Soil, adobe, rocky; 3d rate.
Timber, scrub cedar, pinon, juniper and pine; undergrowth,
scrub oak, manzanita, mahogany and quinine.

N. 1° 37' E., on a true line on the E. bdy. of Luis Maria
Baca Float No. 5.

Over rolling land, through scattering pinon and scrub
cedar and medium undergrowth.

Asc. 65 ft. over SE. slope.

0.49 Midway bet. the NW. and SW. closing cors. of sec. 25,
hereinafter described.

Chains

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a stone mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 25, only, with brass cap mkd.

LMB F#5
 $\frac{1}{4}$ S 25
1934

from which

A pinon, 10 ins. diam., bears N. $38\frac{1}{2}^{\circ}$ E., 70 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.

No other suitable trees available.

- 3.00 Spur, slopes SE.; desc. 25 ft.
- 10.00 Change to SE. slope; asc. 90 ft. over SE. slope.
- 31.50 Spur, slopes E.; desc. 225 ft. over N. slope.
- 38.80 Ravine, course E.; asc. 480 ft. over S. slope.
- 57.10 Spur, slopes SE.; desc. 212 ft. over NE. slope.
- 65.70 Ravine, course E.; asc. 202 ft. over S.-slope.
- 78.40 Spur, slopes S. 60° E.; desc. 8 ft.
- 79.76 The 25-mile cor. of the Luis Maria Baca Float No. 5, which is a sandstone rock, 14x14x6 ins. above ground, firmly set, mkd. 25M on S. face; from which

The original bearing tree:

A scrub cedar limb, 10 ins. diam., bears N. 32° W., 34 lks. dist., marks weathered.

And new bearing trees:

A pinon, 10 ins. diam., bears S. 22° W., 78 lks. dist., mkd. LMB F#5 25M B T.

A scrub cedar limb, 14 ins. diam., bears N. 37° W., 38 lks. dist., mkd. LMB F#5 25 B T.

Land, rolling and mountainous.

Soil, adobe, rocky; 3d rate.

Timber, scrub cedar, pinon, pine and juniper; undergrowth, scrub oak, manzanita, mahogany and quinine.

N. $1^{\circ} 25'$ E., on a true line on the E. bdy. of Luis Maria Baca Float No. 5.

Over mountainous land, through scattering pinon, scrub cedar and juniper and medium undergrowth.

Desc. 597 ft. over N. slope.

- 0.72 Midway bet. the NW. and SW. closing cors. of sec. 24, hereinafter described.

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a stone mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 24, only, with brass cap mkd.

Resurvey of a portion of the East Boundary of the

Luis Maria Baca Float No. 5.

Chains	
	$\frac{LMB}{F\#5} S 24$ 1934
	from which
	A pinon, 12 ins. diam., bears N. 2° E., 53 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.
	No other suitable trees.
27.70	Ravine, course NW.; asc. 52 ft. over SW. slope.
39.30	Short spur, slopes NW.; desc. 17 ft. Desc. 128 ft. over NE. slope.
47.00	Ravine, course NE.; asc. 288 ft. over SE. slope.
47.50	Dim old road, bears SW. and NE.
48.50	Corner of fences, bears N., S., and W.
68.80	Corner of fences, bears N., S., and E.
79.06	The 24-mile cor. of the Luis Maria Baca Float No. 5, which is a sandstone, 16x12x4 ins. above ground, mkd. M24 on S. face. In place of the stone, with the stone alongside. Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for the 24-mile cor. of the Luis Maria Baca Float No. 5, with brass cap mkd.
	$\frac{LMB}{F\#5} M24$ 1934
	from which
	The original bearing tree: A juniper, 10 ins. diam., bears N. 64½° W., 26 lks. dist., marks partly legible. And new bearing tree: A bull pine, 6 ins. diam., bears S. 9½° W., 1.37 chs. dist., mkd. LMB F#5 M24 B T.
	Cor. stands 5 lks. E. of a North and South fence.
	Land, mountainous and rolling. Soil, adobe, rocky; 3d rate. Timber, pinon, scrub cedar, pine and juniper; undergrowth, scrub oak, manzanita and mahogany.

	N. 1° 26' E., on a true line on the E. bdy. of Luis Maria Baca Float No. 5.
	Over E. slope, through scattering pinon, juniper, scrub cedar, pine and medium undergrowth.
1.62	Midway bet. the NW. and SW. closing cors. of sec. 13, hereinafter described.

Chains	
	<p>Set an iron post, 3 ft. long, 1 in. diam., to bedrock, with a stone mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 13, only, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 13 1934 </p> <p>Cor. stands on a North and South fence.</p>
4.10	Trail, bears SW. and NE.
15.00	Small drain, course NE.; asc. 78 ft. over SE. slope.
22.60	Spur, slopes E.; desc. 17 ft.
26.30	Drain, course SE.; asc. 570 ft. over S. slope.
45.00	Ridge, bears NE. and SW.; desc. 60 ft. over NW. slope.
52.60	Head of wide draw, course W.; asc. 42 ft. over SW. slope.
56.60	Over flat top of ridge, bears W.
65.60	Cross from E. to W. side of fence; irregularly on line.
66.60	Leave ridge; desc. 126 ft. over NW. slope.
75.60	Head of ravine, course NW.; asc. 30 ft. over SW. slope.
80.61	<p>The 23-mile cor., which is an iron post, 2 ins. diam., projecting 8 ins. above a small mound of stone, firmly set, properly mkd. on brass cap, dated 1920, and witnessed as described in the official record.</p> <p>Land; rolling to mountainous. Soil, adobe, rocky; 3d rate. Timber, scrub cedar, pinon, juniper and pine; undergrowth, scrub oak, manzanita, mahogany and locust.</p>

	<p>N. 1° 50' E., on a random and a true line on the E. bdy. of Luis Maria Baca Float No. 5.</p>
0.96	<p>At this point which is 40.00 chs. in latitude from the SW. cor. of frac. sec. 12,</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 12, only, with brass cap mkd.</p> <p style="text-align: center;"> LMBFS S 12 1934 </p> <p style="text-align: right;">from which</p> <p>A scrub cedar, 10 ins. diam., bears N. 70° E., 39 lks. dist., mkd. $\frac{1}{4}$ S12 B T.</p> <p>A pinon, 8 ins. diam., bears S. 10° E., 57 lks. dist., mkd. $\frac{1}{4}$ S12 B T.</p>
52.84	The closing cor. of frac. secs. 1 and 12, which is an iron post, 2 ins. diam., firmly set, and mkd. and witnessed as described in the official record.
79.07	The 22-mile cor. of the Luis Maria Baca Float No. 5,

Resurvey of a portion of the East Boundary of the

Luis Maria Baca Float No. 5.

Chains

which is an iron post, 2 ins. diam., firmly set, and mkd. and witnessed as described in the official record.

SOUTH BOUNDARY OF FRACTIONAL

T. 18 N., R. 7 W.

Beginning at the cor. of Tps. 18 N., Rs. 6 and 7 W., described in the field notes of the south boundary of T. 18 N., R. 6 W., surveyed under this group.

West, on a true line on the S. bdy. of frac. sec. 36.

Over mountainous land, through medium growth of scrub cedar, pinon, juniper and undergrowth.

Asc. 80 ft. over NE. slope.

3.50 Spur, slopes NW.; desc. 593 ft. over W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a stone mkd. X, deposited at the base, and in a mound of stone to top, for 1/4 sec. cor. of frac. sec. 36, only, with brass cap mkd.


1/4 S 36

1934

No suitable trees available.

42.46 Intersect the E. bdy. of Luis Maria Baca Float No. 5.

Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for closing cor. of frac. Tps. 17 and 18 N., R. 7 W., with brass cap mkd.



1934

from which

A yellow pine, 10 ins. diam., bears N. 14° E., 54 lks. dist., mkd. T18N R7W S36 CC B T.

A juniper, 4 ins. diam., bears S. 25° E., 27 lks. dist., mkd. T17N R7W S1 CC B T.

From point of intersection the 27-mile cor., hereinbefore described, bears N. 1° 27' E., 39.83 chs. dist.

Land, mountainous.

Soil, adobe, rocky; 3d rate.

Timber, scrub cedar, pinon, juniper and pine; undergrowth, scrub oak, manzanita, mahogany and locust.

SUBDIVISIONS OF FRACTIONAL

T. 18 N., R. 7 W.

From the cor. of secs. 25, 30, 31 and 36, described in the field notes of the west boundary of T. 18 N., R. 6 W.,

Subdivisions of Fractional

T. 18 N., R. 7 W.

BOOK 4048

Chains	<p>surveyed under this group.</p> <p>West, on a true line bet. frac. secs. 25 and 36.</p> <p>Over rolling land, through scattering scrub cedar and pinon and medium undergrowth.</p> <p>Desc. 19 ft. over SW. slope.</p> <p>3.40 Drain, course S. 20° E.; asc. 346 ft. over NE. slope.</p> <p>31.00 Spur, slopes NE.; desc. 70 ft. over NW. slope.</p> <p>33.20 Fence, bears N. and S.</p> <p>35.60 Head of ravine, course NW.; asc. slightly.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of frac. sec. 36, only, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 36 1934 </p> <p>No suitable bearing trees available.</p> <p>40.22 Intersect the E. bdy. of Luis Maria Baca Float No. 5.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a stone mkd. X, deposited at the base, and in a mound of stone to top, for closing cor. of frac. secs. 25 and 36, with brass cap mkd.</p> <p style="text-align: center;"> <table style="border-collapse: collapse; margin: auto;"> <tr><td style="border-right: 1px solid black; padding: 0 5px;">L</td><td style="padding: 0 5px;">T18N</td><td></td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">M</td><td style="padding: 0 5px;">R7W</td><td></td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">B</td><td style="padding: 0 5px;">S25</td><td></td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">F</td><td style="padding: 0 5px;">S36</td><td style="border-left: 1px solid black; padding: 0 5px;">CC</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">5</td><td style="padding: 0 5px;"></td><td style="border-left: 1px solid black; padding: 0 5px;"></td></tr> </table> 1934 </p> <p>No suitable bearing trees available.</p> <p>From point of intersection the 26-mile cor. of the Luis Maria Baca Float No. 5, hereinbefore described, bears N. 1° 37' E., 39.46 chs. dist.</p> <p>Land, rolling. Soil, adobe, rocky; 3d rate. Timber, scrub cedar, pinon, and juniper; undergrowth, scrub oak, manzanita and mahogany.</p> <hr style="border-top: 1px dashed black;"/> <p>From the cor. of secs. 19, 30, 24 and 25, on the E. bdy. of the township described in the field notes of the west boundary of T. 18 N., R. 6 W., surveyed under this group.</p> <p>West, on a true line bet. frac. secs. 24 and 25.</p> <p>Over rolling land, through medium growth of scrub cedar, pinon, juniper, pine and undergrowth.</p> <p>Asc. 30 ft. over rocky SE. slope.</p> <p>2.50 Short spur, slopes S. 30° W.; desc. 135 ft. over SW. slope.</p> <p>12.20 Short ravine, course S.; asc. 100 ft. over S. slope, to cor.</p>	L	T18N		M	R7W		B	S25		F	S36	CC	5		
L	T18N															
M	R7W															
B	S25															
F	S36	CC														
5																

Chains

26.80

Canyon, bends from S. 70° W., to SE.

32.30

Fence, bears N. and S.

37.98

Intersect the E. bdy. of Luis Maria Baca Float No. 5.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of frac. secs. 24 and 25, with brass cap mkd.

L	T18N
M	R7W
B	S24
E	S25 CC

1934

from which

A yellow pine, 10 ins. diam., bears N. 76° E., 3.10 chs. dist., mkd. T18N R7W S24 CC B T.

An alligator juniper, 36 ins. diam., bears S. 83° E., 3.06 chs. dist., mkd. T18N R7W S25 CC B T.

From point of intersection, the 25-mile cor. of the Luis Maria Baca Float No. 5, hereinbefore described, bears N. 1° 37' E., 39.31 chs. dist.

Land, rolling.

Soil, adobe, rocky; 3d rate.

Timber, scrub cedar, pinon, juniper and pine; undergrowth, scrub oak, manzanita, mahogany and quinine.

From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the township described in the field notes of the west boundary of T. 18 N., R. 6 W., surveyed under this group.

West, on a true line bet. frac. secs. 13 and 24.

Over rolling land, through scattering scrub cedar, pinon, and juniper and medium undergrowth.

Asc. 60 ft. over E. slope.

3.20 Point of spur, slopes N.; over NW. slope.

14.20 Ravine, course NE.; asc. 220 ft. over E. slope.

21.50 Spur, slopes NE.; over NW. slope.

35.30 Fence, bears N. and S.

35.88 Intersect the E. bdy. of Luis Maria Baca Float No. 5.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a stone mkd. X, deposited at the base, and in a mound of stone to top, for closing cor. of frac. secs. 13 and 24, with brass cap mkd.

L	T18N
M	R7W
B	S13
E	S24 CC

1934

No suitable bearing trees available.

From the point of intersection, the 24-mile cor. of the

Subdivisions of Fractional

11

T. 18 N., R. 7 W.

4048

Chains

Luis Maria Baca Float No. 5, bears N. 1° 25' E., 38.32 chs. dist.

Land, rolling.

Soil, adobe, rocky; 3d rate.

Timber, scrub oak, pinon, scrub cedar, juniper and pine; undergrowth, scrub oak, manzanita and mahogany.

From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the township described in the field notes of the west boundary of T. 18 N., R. 6 W., surveyed under this group.

West, on a true line bet. secs. 12 and 13.

Over mountainous land, through scattering scrub cedar, pinon and juniper and medium undergrowth.

0.10 Ravine, course S.; asc. 538 ft. over SE. slope.

33.78 Intersect the E. bdy. of Luis Maria ^{Baca} Float No. 5.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for closing cor. of frac. secs. 12 and 13, with brass cap mkd.

T18N
 R7W
 S12
 S13 CC
 1934

No suitable bearing trees available.

From the point of intersection, the 23-mile cor. of the Luis Maria Baca Float No. 5, bears N. 1° 26' E., 39.05 chs. dist.

Land, mountainous.

Soil, adobe, rocky; 3d rate.

Timber, scrub cedar, pinon, juniper and pine; undergrowth, scrub oak, manzanita and mahogany.

FINAL TEST

For final test of solar attachment of transit No. 9223, see the field notes of exterior and subdivisional lines of T. 18 N., R. 6 W., resurveyed and surveyed under this group.

GENERAL DESCRIPTION

Fractional T. 18 N., R. 7 W., is located NW. of Prescott, Ariz., about 50 miles by road, the last few miles of which are not maintained and likely soon to become impassable.

The township is a fraction of about $\frac{1}{2}$ mile wide adjoining the Luis Maria Baca Float No. 5, a private land grant, totaling about 150 square miles in area. It is operated at this time as a single stock ranch and has been for a considerable time past. Land adjoining the grant has seen little development. This fractional township is still in its natural state.

The township lies between 6,000 and 7,000 ft. elevation,

Subdivisions of Fractional

T. 18 N., R. 7 W.

Chains

has a moderate amount of the varieties of timber and brush common to Arizona at that elevation, and rather good grazing.

There is sufficient water for stock-raising purposes; some fences, notably one approximately on the grant boundary; little, if any, evidence of mineral; no residents.

BOOK 4048

4-680
(August, 1926)

FIELD ASSISTANTS.

NAMES.	CAPACITY.
Stanley S. Palmer	1st Chairman
Clifton A. Lewis	2nd Chairman
Glen Greenhaw	Flagman
Claude Burk	Moundsman
Walter Herbold	2nd Chairman
Shamus O'Brien	Axman
Orland Parks	Axman

14

18

BOOK 4048

CERTIFICATE OF UNITED STATES SURVEYOR

I, Benjamin J. Mollette, U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 12th day of September, 1933, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, resurveyed a portion of the east boundary of Luis Maria Baca Float No. 5, from mile corner 22 to mile corner 28; surveyed the south boundary and a portion of the subdivisional lines, completing the subdivision of fractional Township 18 North, Range 7 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey and resurvey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey and resurvey.

Benjamin J. Mollette
U.S. Transitman.
Phoenix, Ariz.

APPROVAL Apr. 10th, 1935.

OFFICE OF U. S. SUPERVISOR OF SURVEYS,
Denver, Colorado, May 1, 1935.

The foregoing field notes of the dependent resurvey of a portion of the east boundary of Luis Maria Baca Float No. 5, from mile corner 22 to mile corner 28; survey of the south boundary and a portion of the subdivisional lines, completing the subdivision of fractional Township 18 North, Range 7 West, of the Gila and Salt River Meridian in the State of Arizona,

executed by Benjamin J. Mollette, U. S. Transitman, under his special instructions dated September 12, 1933, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys and resurveys they describe, are hereby approved.

U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above-described surveys in has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.