

BOOK 4054

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISIONS

of

Township 8 South, Range 7 West

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Gilden Redewill, Dexter S. King, R.E. McMahan,

Frank C. Mulford and Robt. H. Williams,

Temporary Transistmen

In the capacity of U. S. Surveyors, under Special Instructions dated December 12, 1933, issued by the District Cadastral Engineer to govern surveys included in Group No. 199, Arizona, which were approved by the Commissioner of the General Land Office, February 17, 1934, and Assignment Instructions dated Dec. 15, 1933 Feb. 2, 1934

Survey commenced February 2, 1934.

Survey completed February 14, 1934.

4054

4054

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
INDEX DIAGRAM

INDEX DIAGRAM.

Township _____, Range _____

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

INDEX-DIAGRAM.

BOOK 4054

T.7S. R.8W.		T.7S.- R.7W.						
6 31	5 23	4 17	3 12	2 6	1			
30	30	22	17	12 11	7	6		
7 29	8 22	9 16	10 11	11 5	12			
29	28	21	16	11 10	5			
18 28	17 21	16 15	15 10	14 4	13			
27	27	T.8S. 20	R.7W. 15	10 9	4			
19 26	20 20	21 14	22 9	23 3	24			
26	25	19	14	9 8	3			
30 25	29 19	28 13	27 8	26 2	25			
24	24	19 18	13	8 7	2			
31 23	32 18	33 12	34 7	35 1	36			

- Accepted surveys.
- Resurveyed under this group (Notes in Book "B")
- Surveyed under this group (Field Notes in Book "B")
- Resurveyed under Group No. 200.
- Surveyed under Group No. 200.
-  Areas surveyed as per accepted plats on file.

SUBDIVISION OF T. 8 S., R. 7 W.

1 B

BOOK 4054

Shains

The subdivisional survey of T. 8 S. R. 7 W. was executed with Young & Sons transits Nos. 8493, 8584, and 8588, W. & L. E. Gurley transit No. 20117 and Keuffel & Esser transit No. 9699, used respectively by Dexter S. King, Robt. H. Williams, R. E. McMahan, Frank C. Mulford and Gilden Redewill, Temporary Transitmen. The instruments are constructed in accordance with the standard specifications of the General Land Office. They have full vertical circles reading to single minutes, which is also the least count of the two verniers of the horizontal circles of each instrument. The transits were in good condition, and having been placed in satisfactory adjustment prior to beginning the survey, and tested and found free from appreciable error, were approved by the district cadastral engineer on Dec. 15, 1933 and Feb. 2, 1934.

The types of land, timber and undergrowth in T. 8 S., R. 7 W., offer few objections to projection of lines by back and foresight method; that method is selected in view of the unfamiliarity of the instrumentmen with the solar attachments with which the instruments are equipped.

Lines are initiated from the S. bdy. of the Tp., which line was carefully surveyed at this time with instruments tested as described in notes of that line. The true bearings of all lines are checked by repetition of angles, double back and foresights and occasional direct altitude observations on the sun for azimuth, and where feasible, by check of the azimuths initiated at different points on the S. bdy. against each other.

The measurements were made with Lallie and Lufkin steel tapes, 5 chs. in length, graduated every link for the first 100 lks. and the balance at intervals of 10 lks. The tapes were tested by comparison with a Lufkin standard and found correct. The measurements are made on the slope; the vertical angle of each interval is ascertained with a clinometer in good adjustment; the horizontal equivalents are entered in the field note record.

Beginning at the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., established under this Group, as described in notes of that line.

N.0°01'W., bet. secs. 35 and 36.

Over rolling land; through scattering timber and undergrowth.

10.00 Road, bears NW. and SE.

18.00 Road, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

↑
S35 | S36

1934

18 x 18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits,

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

Chains

T8S	R7W
S26	S25
S25	S36

1934

raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and cactus.

N. 89° 57' E., on random line, bet. secs. 25 and 36.

40.00 Set temp. & sec. cor.

79.98 Intersect the E. bdy. of the Tpm. 5 lks. N. of the cor. of secs. 25, 30, 31 and 36, established under this Group, as described in notes of that line.

Thence S. 89° 59' W., on true line, bet. secs. 25 and 36

Over gently rolling land; through scattering timber and undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4	S25
	S36

1934

18 x 18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits,

79.98 The cor. of secs. 25, 26, 35 and 36.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and cactus.

N. 0° 01' W., bet. secs. 25 and 26

Over gently rolling land; through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 in. in the ground, for 1/4 sec. cor., with brass cap mkd.

↑	
S26	S25

1934

18 x 18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits,

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

SUBDIVISION OF T.8 S., R.7 W.

3
BOOK 4054

Chains

T8S R7W	
S23	S24
S26	S25
1934	

raise a mound of
stone, 2 ft. base, 1½ ft. high, W. of cor.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood and a few cacti.

N.89°59'E., on random line, bet. secs. 24 and 25.

40.00 Set temp. ¼ sec. cor.

79.98 Intersect the E. bdy. of the Tp., 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, established under this Group, described in notes of that line.

Thence

West, on true line, bet. secs. 24 and 25.

Over gently rolling land; through scattering timber and undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

S24	
¼	S25
1934	

dig pits, 18 x 18
x 12 ins., E. and W. of post, 3 ft. dist.

79.98 The cor. of secs. 23, 24, 25 and 26.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood and cactus.

N.0°01'W., bet. secs. 23 and 24.

Over gently rolling land; through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼	
S23	S24
1934	

dig pits, 18 x 18
x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

SUBDIVISION OF T.8 S., R.7 W.

Chains

T8S R7W
 S14 | S13
 S23 | S24
 1934

18 x 18 x 12 ins., one in each sec., 3 ft. dist. dig pits,

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood and scattering cacti.

East, on random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect the E. bdy. of the Tp., 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, established under this Group, described in notes of that line.

Thence

S.89°59'W., on true line, bet. secs. 13 and 24.

Over gently rolling land; through scattering timber and dense undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S13
 $\frac{1}{4}$ S24

1934

x 18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18

79.98 The cor. of secs. 13, 14, 23 and 24.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, ocotillo and cactus.

N.0°01'W., bet. secs. 13 and 14.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S14 | S13

1934

x 18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains

T8S R7W	
S11	S12
S14	S13
1934	

dig pits, 18

x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, ocotillo and cactus.

N.89°59'E., on random line, bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect the E. bdy. of the Tp., 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, established under this Group, described in notes of that line.

Thence

N.89°58'W., on true line, bet. secs. 12 and 13.

Over gently rolling land; through scattering timber and dense undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S12	
$\frac{1}{4}$	
S13	
1934	

dig pits, 18

x 18 x 12 ins., E. and W. of post, 3 ft. dist.

79.98 The cor. of secs. 11, 12, 13 and 14.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, ocotillo and cactus.

N.0°01'W., bet. secs. 11 and 12.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S11	S12
1934	

dig pits, 18

x 18 x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

SUBDIVISION OF T.8 S., R.7 W.

Chains

T8S R7W	
S2	S1
S11	S12
1934	

dig pits, 18

x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, ocotillo and cactus.

S.89°58'E., on random line, bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect the E. bdy. of the Tp., 2 lks. N. of the cor. of secs. 1, 6, 7 and 12, established under this Group, described in notes of that line.

Thence

N.89°57'W., on true line, bet. secs. 1 and 12.

Over gently rolling land; through scattering timber and dense undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 1
$\frac{1}{4}$ S12

1934

dig pits, 18

x 18 x 12 ins., E. and W. of post, 3 ft. dist.

79.98 The cor. of secs. 1, 2, 11 and 12,

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, ocotillo and cactus.

North, on random line, bet. secs. 1 and 2.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

75.31 Intersect the N. bdy. of the Tp., 2 lks. E. of the cor. of secs. 1 and 2, only, established under this Group, described in notes of resurvey of S. bdy. of T.7 S., R.7 W.

Thence

S.0°01'E., on true line, bet. secs. 1 and 2.

Over gently rolling land; through scattering timber and dense undergrowth.

35.31 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4084

Chains

$$\begin{array}{c} \frac{1}{4} \\ | \\ S2 | S1 \\ | \\ 1934 \end{array}$$

18 x 18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits,

75.31 The cor. of secs. 1, 2, 11 and 12.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, ocotillo and cactus.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., established under this Group, described in notes of that line.

N.0°01'W., bet. secs. 34 and 35.

Asc. 58 ft. over SE. slope; through scattering timber and dense undergrowth.

11.50 Spur, slopes NE.; desc. 29 ft. over N. slope.

21.50 Wash, 10 lks. wide, course NW.; over gently rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ S34 | S35 \\ | \\ 1934 \end{array}$$

mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. raise a

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

$$\begin{array}{c} T8S R7W \\ \hline S27 | S26 \\ \hline S34 | S35 \\ \hline 1934 \end{array}$$

mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. raise a

Land: hilly and rolling.
Soil: sandy and gravelly loam, stony, 1st and 2nd rates.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and a few cacti.

N.89°57'E., on random line, bet. secs. 26 and 35.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.96 A point 5 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence

S.89°55'W., on true line, bet. secs. 26 and 35.

Over gently rolling land; through scattering timber and dense undergrowth.

78

SUBDIVISION OF T.8 S., R.7 W.

Chains
39.98Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S26 $\frac{1}{4}$ S35

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

50.00 Road, bears NW. and SE.

79.96 The cor. of secs. 26, 27, 34 and 35.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood and scattering cacti.

N.0°01'W., bet. secs. 26 and 27.

Over gently rolling land; through scattering timber and dense undergrowth.

36.90 Road, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$
S27 | S26

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

T8S | R7W
S22 | S23
S27 | S26

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood and scattering cacti.

N.89°55'E., on random line, bet. secs. 23 and 26.40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 A point 5 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence

S.89°53'W., on true line, bet. secs. 23 and 26.

Over gently rolling land; through scattering timber and dense undergrowth.

Chains

39.94 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} S23 \\ \hline S26 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.88 The cor. of secs. 22, 23, 26 and 27.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood and scattering cacti.

N.0°01'W., bet. secs. 22 and 23.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ S22 | S23 \end{array}$$

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

$$\begin{array}{c} T8S R7W \\ S15 | S14 \\ \hline S22 | S23 \end{array}$$

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood and scattering cacti.

N.89°53'E., on random line, bet. secs. 14 and 23.40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 A point 12 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence

S.89°58'W., on true line, bet. secs. 14 and 23.

Over gently rolling land; through scattering timber and dense undergrowth.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains

$$\frac{1}{4} S14$$

$$\frac{1}{4} S23$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.88 The cor. of secs. 14, 15, 22 and 23.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and scattering cacti.

N. 0° 01' W., bet. secs. 14 and 15.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4}$$

$$S15 \quad S14$$

$$1934$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

$$T8S \quad R7W$$

$$S10 \quad S11$$

$$S15 \quad S14$$

$$1934$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and scattering cacti.

N. 89° 58' E., on random line, bet. secs. 11 and 14.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 A point 7 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence

S. 89° 55' W., on true line, bet. secs. 11 and 14.

Over gently rolling land; through scattering timber and dense undergrowth.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} S11$$

$$\frac{1}{4} S14$$

$$1934$$

SUBDIVISION OF T.8 S., R.7 W.

Chains

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.88 The cor. of secs. 10, 11, 14 and 15.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and scattering cacti.

N.0°01'W., bet. secs. 10 and 11.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.



18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.
Soil: sandy and gravelly loam, 1st and 2nd rates.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and a few cacti.

N.89°55'E., on random line, bet. secs. 2 and 11.

40.00 Set temp. 1/4 sec. cor.


79.92 A point 2 lks. N. of the cor. of secs. 1, 2, 11 and 12.

Thence

S.89°56'W., on true line, bet. secs. 2 and 11.

Over gently rolling land; through scattering timber and dense undergrowth.

39.96 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

SUBDIVISION OF T.8 S., R.7 W.

Chains 79.92	<p>The cor. of secs. 2,3,10 and 11.</p> <p>Land: gently rolling. Soil: sandy and gravelly loam, 1st rate. Timber: ironwood, mesquite and palo verde. Undergrowth: greasewood and scattering cacti.</p> <hr/> <p>N.0°01'W., on random line, bet. secs. 2 and 3.</p>
40.00	Set temp. $\frac{1}{2}$ sec. cor.
75.57	<p>Intersect the N. bdy. of the Tp., 7 lks. E. of the cor. of secs. 2 and 3, only, established under this Group, described in notes of resurvey of S. bdy. of T.7 S., R.7 W.</p> <p>Thence</p> <p>S.0°04'E., on true line, bet. secs. 2 and 3.</p> <p>Over gently rolling land; through scattering timber and dense undergrowth.</p>
35.57	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{2}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{2}$ S3 S2 1934 </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.</p>
75.57	<p>The cor. of secs. 2,3,10 and 11.</p> <p>Land: gently rolling. Soil: sandy and gravelly loam, 1st rate. Timber: ironwood, mesquite and palo verde. Undergrowth: greasewood and scattering cacti.</p> <hr/> <p>From the cor. of secs. 3,4,33 and 34, on the S. bdy. of the Tp., established under this Group, described in notes of that line,</p> <p>N.0°02'W., bet. secs. 33 and 34.</p> <p>Over gently rolling land; through scattering timber and dense undergrowth.</p>
21.00	Enter wash, 3 ft. deep, course N.70°W.
23.20	Leave same.
31.30	Wash, 60 lks. wide, course W.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{2}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{2}$ S33 S34 1934 </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.</p>
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27,28,33 and 34, with brass cap mkd.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains

T8S	R7W
S28	S27
S33	S34

1934

dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, catclaw, ocotillo and cactus.

N.89°57'E., on random line, bet. secs. 27 and 34.

40.00 Set temp. 1/4 sec. cor.

80.00 A point 7 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence

West, on true line, bet. secs. 27 and 34.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4	S27
1/4	S34

1934

dig pits, 18 x 18 x 12 ins., E. and W. of cor., 3 ft. dist.

80.00 The cor. of secs. 27, 28, 33 and 34.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, ocotillo, catclaw and cactus.

N.0°02'W., bet. secs. 27 and 28.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4	S28	S27
-----	-----	-----

1934

dig pits, 18 x 18 x 12 ins., N. and S. of cor., 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.

T8S	R7W
S21	S22
S28	S27

1934

SUBDIVISION OF T.8 S., R.7 W.

Chains

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

East, on random line, bet. secs. 22 and 27.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 A point 2 lks. S. of the cor. of secs. 22, 23, 26 and 27.

Thence

S. 89° 59' W., on true line, bet. secs. 22 and 27.

Over gently rolling land; through scattering timber and dense undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S22
S27

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

48.50 Road, bears NW. and SE.

80.02 The cor. of secs. 21, 22, 27 and 28.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, small mesquite and cactus.

N. 0° 02' W., bet. secs. 21 and 22.

Over gently rolling land; through scattering timber and dense undergrowth.

17.00 Road, bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor.; with brass cap mkd.

S21 | S22
1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

T8S R7W
S16 | S15
S21 | S22
1934

SUBDIVISION OF T.8 S., R.7 W.

15
BOOK 4054

Chains

dig pits, 18 x
18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw, ocotillo and cactus.

N.89°59'E., on random line, bet. secs. 15 and 22.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect the cor. of secs. 14,15,22 and 23.

Thence

S.89°59'W., on true line, bet. secs. 15 and 22.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S15}{S22}$
1934

dig pits, 18 x
18 x 12 ins., E. and W. of post, 3 ft. dist.

80.00 The cor. of secs. 15,16,21 and 22.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw, ocotillo and cactus.

N.0°02'W., bet. secs. 15 and 16.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S16 | S15
1934

dig pits, 18 x
18 x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 9,10,15 and 16, with brass cap mkd.

T8S. R7W
S9 | S10
S16 | S15
1934

dig pits, 18 x
18 x 12 ins., one in each sec., 3 ft. dist.

SUBDIVISION OF T.8 S., R.7 W.

Chains

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, catclaw, ocotillo and cactus.

 N.89°59'E., on random line, bet. secs. 10 and 15.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect the cor. of secs. 10,11,14 and 15.

Thence

S.89°59'W., on true line, bet. secs. 10 and 15.

Over gently rolling land; through scattering timber and dense undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S10}{S15}$
 1934

dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.

79.98 The cor. of secs. 9,10,15 and 16.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite, and palo verde.
 Undergrowth: greasewood, catclaw and cactus.

 N.0°02'W., bet. secs. 9 and 10.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S9 | S10
 1934

dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3,4,9 and 10, with brass cap mkd.

T8S R7W
 S4 | S3
 S9 | S10
 1934

dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.

Chains

Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

N.89°59'E., on random line, bet. secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 A point 2 lks. S. of the cor. of secs. 2,3,10 and 11.

Thence

S.89°58'W., on true line, bet. secs. 3 and 10.

Over gently rolling land; through scattering timber and dense undergrowth.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{33}{4S10}$
1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.90 The cor. of secs. 3,4,9 and 10.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and scattering cacti.

N.0°04'W., on random line, bet. secs. 3 and 4.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

75.70 Intersect the N. bdy. of the Tp., 18 lks. E. of the cor. of secs. 3 and 4, only, established under this Group, described in notes of resurvey of S. bdy. of T.7 S., R.7 W.

Thence

S.0°12'E., on true line, bet. secs. 3 and 4.

Over gently rolling land; through scattering timber and dense undergrowth.

35.70 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S4 | S3
1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

75.70 The cor. of secs. 3,4,9 and 10.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood and scattering cacti.

SUBDIVISION OF T.8 S., R.7 W.

Chains

From the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., established under this Group, described in notes of that line,

N.0°02'W., bet. secs. 32 and 33.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S32 | S33
 1934

dig pits, 18 x
18 x 12 ins., N. and S. of post, 3 ft. dist.

58.70 Wash, 50 lks. wide, course NW.

70.00 Wash, 100 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

T8S, R7W
 S29 | S28
 S32 | S33
 1934

dig pits, 18 x
18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw, ocotillo and cactus.

N.89°57'E., on random line, bet. secs. 28 and 33.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect the cor. of secs. 27, 28, 33 and 34.

Thence

S.89°57'W., on true line, bet. secs. 28 and 33.

Over gently rolling land; through scattering timber and dense undergrowth.

10.50 Begin ascent of 37 ft. over E. slope.

14.50 Hill, bears N. and S.; desc. 40 ft. over W. slope.

17.20 Base of hill, bears N. and S.; over gently rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S28
 S33
 1934

dig pits, 18 x
18 x 12 ins., E. and W. of post, 3 ft. dist.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains


80.00 The cor. of secs. 28, 29, 32 and 33.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, ocotillo, catclaw and cactus.

N.0°02'W., bet. secs. 28 and 29.


Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.



18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

N.89°57'E., on random line, bet. secs. 21 and 28.

40.00 Set temp. $\frac{1}{4}$ sec. cor.


80.04 Intersect the cor. of secs. 21, 22, 27 and 28.

Thence:

S.89°57'W., on true line, bet. secs. 21 and 28.

Over gently rolling land; through scattering timber and dense undergrowth.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.

80.04 The cor. of secs. 20, 21, 28 and 29.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.

SUBDIVISION OF T.8 S., R.7 W.

Chains

Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

N.0°02'W., bet. secs. 20 and 21.


Over gently rolling land; through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16,17,20 and 21, with brass cap mkd.



dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

N.89°57'E., on random line, bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.


80.10 A point 7 lks. S. of the cor. of secs. 15,16,20 and 21.

Thence

S.89°54'W., on true line, bet. secs. 16 and 21.

Over gently rolling land; through scattering timber and dense undergrowth.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.

65.70 Road, bears NW. and SE.

80.10 The cor. of secs. 16,17,20 and 21.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains

N.0°02'W., bet. secs. 16 and 17.

Over gently rolling land; through scattering timber and dense undergrowth.


9.20 Road, bears NW, and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x 18

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 8,9,16 and 17, with brass cap mkd.



18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x 18

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

N.89°54'E., on random line, bet. secs. 9 and 16.

40.00 Set temp. 1/4 sec. cor.


80.14 A point 12 lks. N. of the cor. of secs. 9,10,15 and 16.

Thence

S.89°59'W., on true line, bet. secs. 9 and 16.

Over gently rolling land; through scattering timber and dense undergrowth.

40.07 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



18 x 12 ins., E. and W. of post; 3 ft. dist. dig pits, 18 x 18

80.14 The cor. of secs. 8,9,16 and 17.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

SUBDIVISION OF T.8 S., R.7 W.

Chains

N.0°02'W., bet. secs. 8 and 9.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S8 | S9

1934

dig pits, 18 x
18 x 12 ins., N. and S. of post, 3 ft. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.

T8S | R7W

S5 | S4

S8 | S9

1934

dig pits, 18 x
18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

N.89°59'E., on random line, bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.16 A point 2 lks. N. of the cor. of secs. 3, 4, 9 and 10.

Thence

West, on true line, bet. secs. 4 and 9.

Over gently rolling land; through scattering timber and dense undergrowth.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S4
 S9

1934

dig pits, 18 x
18 x 12 ins., E. and W. of post, 3 ft. dist.

80.16 The cor. of secs. 4, 5, 8 and 9.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains

- N.0°12'W., on random line, bet. secs. 4 and 5.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 75.91 Intersect the N. bdy. of the Tp., 11 lks. W. of the cor. of secs. 4 and 5, only, established under this Group, described in notes of resurvey of S. bdy. of T.7 S., R.7 W.
- Thence
- S.0°07'E., on true line, bet. secs. 4 and 5.
- Over gently rolling land; through scattering timber and dense undergrowth.
- 35.91 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- | | |
|------|----|
| S5 | S4 |
| ↑ | |
| 1934 | |
- dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.
- 75.91 The cor. of secs. 4, 5, 8 and 9.
- Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.
-
- From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., established under this Group, described in notes of that line,
- N.0°03'W., bet. secs. 31 and 32.
- Over gently rolling land; through scattering timber and dense undergrowth.
- 11.70 Wash, 4 lks. wide, course N.20°W.
- 25.00 Wash, 8 lks. wide, course N.20°W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- | | |
|------|-----|
| S31 | S32 |
| ↑ | |
| 1934 | |
- dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
- | | |
|------|-----|
| T8S | R7W |
| S30 | S29 |
| S31 | S32 |
| ↑ | |
| 1934 | |
- dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.
- Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.
-

SUBDIVISION OF T.8 S., R.7 W.

Chains N.89°57'E., on random line, bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.94 A point 2 lks. N. of the cor. of secs. 28, 29, 32 and 33.

Thence

S.89°58'W., on true line, bet. secs. 29 and 32.

Over gently rolling land; through scattering timber and dense undergrowth.

12.60 Wash, 150 lks. wide, course NW.

33.20 Wash, 50 lks. wide, course NW.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} .329 \\ \frac{1}{4} 332 \\ \hline 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.

63.10 Road, bears NW. and SE.

79.94 The cor. of secs. 29, 30, 31 and 32.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, ocotillo, catclaw and cactus.

S.89°57'W., on random line, bet. secs. 30 and 31.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.46 Intersect the W. bdy. of the Tp., 12 lks. S. of the cor. of secs. 25, 30, 31 and 36, established under this Group, described in notes of that line.

Thence

S.89°58'E., on true line, bet. secs. 30 and 31.

Over gently rolling land; through scattering timber and dense undergrowth.

12.45 Wash, 10 lks. wide, course NW.

39.46 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} .830 \\ \frac{1}{4} 831 \\ \hline 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., E. and W. of line, 3 ft. dist.

79.46 The cor. of secs. 29, 30, 31 and 32.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw, ocotillo and cactus.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains

N.0°03'W., bet. secs. 29 and 30.

Over gently rolling land; through scattering timber and dense undergrowth.

10.05 Road, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S30		S29
1934		

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

49.10 Wash, 20 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

T8S	R7W	
S19		S20
S30		S29
1934		

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw, ocotillo and cactus.

N.89°58'E., on random line, bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.96 A point 7 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence

S.89°55'W., on true line, bet. secs. 20 and 29.

Over gently rolling land; through scattering timber and dense undergrowth.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S20	
$\frac{1}{4}$ S29	
1934	

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

60.00 Wash, 100 lks. wide, course N.10°W.

79.96 The cor. of secs. 19, 20, 29 and 30.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

Chains

N.89°58'W., on random line, bet. secs. 19 and 30.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.30 Intersect the W. bdy. of the Tp., $\frac{1}{2}$ lks. N. of the cor. of secs. 19, 24, 25 and 30, established under this Group, described in notes of that line.

Thence

East, on true line, bet. secs. 19 and 30.

Over gently rolling land; through scattering timber and dense undergrowth.

3.50 Road, bears NW. and SE.

39.30 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd

$\frac{1}{4}$ S19
 $\frac{1}{4}$ S30

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.30 The cor. of secs. 19, 20, 29 and 30.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

N.0°03'W., bet. secs. 19 and 20.

Over gently rolling land; through scattering timber and dense undergrowth.

28.30 Wash, 40 lks. wide, course N.20°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S19 | S20

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.

T8S R7W
S18 | S17

S19 | S20

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

SUBDIVISION OF T.8 S., R.7 W.

Chains	N.89°55'E., on random line, bet. secs. 17 and 20.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 5 lks. N. of the cor. of secs. 16,17,20 and 21.
	Thence
	S.89°57'W., on true line, bet. secs. 17 and 20.
	Over gently rolling land; through scattering timber and dense undergrowth.
10.00	Wash, 5 lks. wide, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S17}{S20}$ 1934
	dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.
80.00	The cor. of secs. 17,18,19 and 20.
	Land: gently rolling. Soil: sandy and gravelly loam, 1st rate. Timber: ironwood, mesquite and palo verde. Undergrowth: greasewood, catclaw and cactus.

	West, on random line, bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.21	Intersect the W. bdy. of the Tp., 14 lks. S. of the cor. of secs. 13,18,19 and 24, established under this Group, described in notes of that line.
	Thence
	S.89°54'E., on true line, bet. secs. 18 and 19.
	Over gently rolling land; through scattering timber and dense undergrowth.
11.70	Wash, 4 lks. wide, course NW.
29.20	Wash, 500 lks. wide, course N.80°W.
39.21	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S18}{S19}$ 1934
	dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.
79.21	The cor. of secs. 17,18,19 and 20.
	Land: gently rolling. Soil: sandy and gravelly loam, 1st rate. Timber: ironwood, mesquite and palo verde. Undergrowth: greasewood, catclaw and cactus.


SUBDIVISION OF T.8 S., R.7 W.

Chains

N.0°03'W., bet. secs. 17 and 18.


Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7,8,17 and 18, with brass cap mkd.



18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw, ocotillo and cactus.

N.89°57'E., on random line, bet. secs. 8 and 17.

40.00 Set temp. 1/4 sec. cor.


80.00 A point 14 lks. N. of the cor. of secs. 8,9,16 and 17.

Thence

N.89°57'W., on true line, bet. secs. 8 and 17.

Over gently rolling land; through scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

68.70 Road, bears NW. and SE.

80.00 The cor. of secs. 7,8,17 and 18.

Land: gently rolling.
Soil: sandy and gravelly loam, 1st rate.
Timber: ironwood, mesquite and palo verde.
Undergrowth: greasewood, catclaw and cactus.

Chains

N.89°54'W., on random line, bet. secs. 7 and 18.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.00 Intersect the W. bdy. of the Tp., 19 lks. N. of the cor. of secs. 7, 12, 13 and 18, established under this Group, described in notes of that line.

Thence

N.89°58'E., on true line, bet. secs. 7 and 18.

Over gently rolling land; through scattering timber and dense undergrowth.

39.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4}S7 \\ \hline \frac{1}{4}S18 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.00 The cor. of secs. 7, 8, 17 and 18.

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

N.0°03'W., bet. secs. 7 and 8.

Over gently rolling land; through scattering timber and dense undergrowth.

16.50 Road, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \hline S7 | S8 \end{array}$$

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

$$\begin{array}{c} T8S, R7W \\ \hline S6 | S5 \\ \hline S7 | S8 \end{array}$$

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly loam, 1st rate.

Timber: ironwood, mesquite and palo verde.

Undergrowth: greasewood, catclaw and cactus.

SUBDIVISION OF T.8 S., R.7 W.

Chains	S.89°57'E., on random line, bet. secs. 5, and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	A point 16 lks. S. of the cor. of secs. 4,5,8 and 9.
	Thence
	S.89°56'W., on true line, bet. secs. 5 and 8.
	Over gently rolling land; through scattering timber and dense undergrowth.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}S 5$ $\frac{1}{4}S 8$
	1934
	dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.
80.04	The cor. of secs. 5,6,7 and 8.
	Land: gently rolling. Soil: sandy and gravelly loam, 1st rate. Timber: ironwood, mesquite and palo verde. Undergrowth: greasewood, catclaw and cactus.

	S.89°58'W., on random line, bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.92	Intersect the W. bdy. of the Tp., 7 lks. S. of the cor. of secs. 1,6,7 and 12, established under this Group, described in notes of that line.
	Thence
	S.89°59'E., on true line, bet. secs. 6 and 7.
	Over gently rolling land; through scattering timber and dense undergrowth.
23.90	Road, bears NW. and SE.
38.92	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}S 6$ $\frac{1}{4}S 7$
	1934
	dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.
78.92	The cor. of secs. 5,6,7 and 8.
	Land: gently rolling. Soil: sandy and gravelly loam, 1st rate. Timber: ironwood, mesquite and palo verde. Undergrowth: greasewood, catclaw and cactus.

SUBDIVISION OF T.8 S., R.7 W.

BOOK 4054

Chains

- N.0°07'W., on random line, bet. secs. 5 and 6.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 76.47 Intersect the N. bdy. of the Tp., at the cor. of secs. 5 and 6, only, established under this Group, described in notes of resurvey of S. bdy. of T.7 S., R.7 W.
- Thence
- S.0°07'E., on true line, bet. secs. 5 and 6.
- Over gently rolling land; through scattering timber and dense undergrowth.
- 36.47 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
 36 | 35
 1934
- dig pits, 18 x
18 x 12 ins., N. and S. of post, 3 ft. dist.
- 76.47 The cor. of secs. 5,6,7 and 8.
- Land: gently rolling.
 Soil: sandy and gravelly loam, 1st rate.
 Timber: ironwood, mesquite and palo verde.
 Undergrowth: greasewood, catclaw and cactus.

GENERAL DESCRIPTION

T.8 S., R.7 W., lies about 20 miles SW. of the town of Gila Bend, Ariz. An old road from Sentinel to Ajo runs south-easterly through the township, which is about midway between those two towns.

With the exception of two volcanic hills in the S. part the township is nearly level at an elevation of about 1000 ft. above sea-level. Some washes run north-westerly thru the SW. cor. of the township; the remainder is so nearly level that washes are not formed. Soil is nearly everywhere of good quality and depth, excellent for agriculture with irrigation.

There is a heavy growth of palo verde, mesquite and ironwood along the washes, with lesser amounts elsewhere. Greasewood is the most common undergrowth, with a scattering of catclaw and several varieties of cactus, notably ocotillo.

There are no residents, no evidence of mineral and no improvements. There is no water.

4-679 b

~~SECTION~~ DIAGRAM.

Township 8 South, Range 7 West.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

6-4817

- Surveyed by Robt. H. Williams, Temporary Transitman.
- Surveyed by Gilden Redewill, Temporary Transitman.
- Surveyed by Frank C. Mulford, Temporary Transitman.
- Surveyed by R. E. McMahan, Temporary Transitman.
- Surveyed by Dexter S. King, Temporary Transitman.

4-680
(August, 1926)

FIELD ASSISTANTS.
to

Gilden Redewill, Temporary Transitman

NAMES.	CAPACITY.
I.L.Dial	1st Chainman
Larry Hickey	2nd Chainman
W.C.Barney	Flagman
W.V.Wheat	Flagman
J.A.Burt	Axman
Paul Greenhaw	Axman
J.G.Hickey	Cornerman
W.T.Moore	Cornerman

BOOK 4054 CERTIFICATE OF UNITED STATES SURVEYOR

I, Dexter S. King Temporary Transitman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 12th day of December, 1933, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the SUBDIVISION LINES of Township 8 South, Range 7 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Dexter S. King Temporary Transitman

APPROVAL

Office of U. S. Supervisor of Surveys,

, 19

The foregoing field notes of the survey of

executed by under his special instructions dated, 10, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Supervisor of Surveys

I certify that the foregoing transcript of the field notes of the above described surveys in, has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys

37 142
BOOK 4054

CERTIFICATE OF UNITED STATES SURVEYOR

I, R. E. McMahan *Temporary Transitman*, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 12th day of December, 1933, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the SUBDIVISION LINES of
Township 8 South, Range 7 West
of the Gila and Salt
River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

R. E. McMahan
Temporary Transitman.

~~APPROVAL~~

~~OFFICE OF U. S. SUPERVISOR OF SURVEYS,~~

~~....., 19~~

~~The foregoing field notes of the survey of~~

~~executed by~~
~~under his special instructions dated~~, 10 ~~having been~~
~~critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys~~
~~they describe, are hereby approved.~~

~~U. S. Supervisor of Surveys.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~
~~....., has been correctly copied from the original notes on file in this office.~~

~~U. S. Supervisor of Surveys.~~

39

144

BOOK 4054

CERTIFICATE OF UNITED STATES SURVEYOR

I, Frank C. Mulford, Temporary Transitionman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 12th day of December, 1933, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the SUBDIVISION LINES of Township 8 South, Range 7 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Frank C. Mulford, Temporary Transitionman.

APPROVAL

Office of U. S. Supervisor of Surveys,

10

The foregoing field notes of the survey of

executed by

under his special instructions dated, 10, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in, has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.

4-680
(August, 1926)

FIELD ASSISTANTS.
to
Robt. H. Williams, Temporary Transitman

NAMES.	CAPACITY.
G. C. Capes	1st Chainman
Odis Kent	2nd Chainman
Harmon Yoakum	Flagman
A.L.Hart	Cornerman
LeRoy De Brown	Cornerman
R.P.Childers	Axman
Albert Scott	Axman

41
146
BOOK 4054

CERTIFICATE OF UNITED STATES SURVEYOR

I, Robt. H. Williams.....*Temporary Transitman*, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 12th day of December....., 1933....., I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the SUBDIVISION LINES of Township 8 South, Range 7 West of the Gila and Salt River Base and Meridian, in the State of Arizona....., which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona..... and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Robt. H. Williams
Temporary Transitman.

APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,

Denver, Colorado, May 16....., 1935.....

The foregoing field notes of the survey of the SUBDIVISION LINES of Township 8 South, Range 7 West of the Gila and Salt River Base and Meridian, in the State of Arizona executed by Gilden Redewill, Dexter S. King, R.E. McMahan and by Frank C. Mulford, and Robt. H. Williams, Temporary Transitmen under special instructions dated December 12, 1933- Group 199, Arizona....., having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Wm. H. Johnson
U. S. Supervisor of Surveys.

~~I certify that the foregoing transcript of the field notes of the above described surveys in has been correctly copied from the original notes on file in this office.~~

~~U. S. Supervisor of Surveys.~~