

# FIELD NOTES

OF THE RESURVEY OF

THE SUBDIVISION LINES of

TOWNSHIP 7 SOUTH, RANGE 11 WEST

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

### EXECUTED BY

Daniel M. Wier, Jess R. Horak, William M. Heina

David D. Baker and George Welsh Danehy

U.S. Transitmen

In the capacity of U. S. Surveyor<sup>s</sup>, under Special Instructions dated Feb. 15

1934, issued by the District Cadastral Engineer to govern<sup>re</sup> surveys included in Group

No. 201, Arizona, which were approved by the Commissioner of the General Land

Office, April 13, 1934, and Assignment Instructions dated Jan. 15, Jan. 26, Jan. 28, 1934.

ReSurvey commenced January 23, 1934


ReSurvey completed March 15, 1934

4087

4087

# INDEX DIAGRAM.

Township \_\_\_\_\_, Range \_\_\_\_\_



ORIGINAL FILED WITH

# ~INDEX~ DIAGRAM.

BOOK 4087

	31	32	33	34	35	36	
				20			
	6 35	5 25	4 19	3 13	2 7	1	6
	35 34	34	25	19	13	7	
12	7 33	8 24	9 18	10 12	11 6	12	7
	33 32	32	24	18	12	6 5	
13	18 31	17 23	16 17	15 11	14 5	13	18
	31 30	30	T.75. 23 22	R.IIW. 17 16	11 10	5 4	
24	19 30	20 22	21 16	22 10	23 4	24	19
	29 29	28	22	16	10 9	4 3	
25	30 28	29 21	28 15	27 9	26 3	25	30
	27 27	27 26	21 20	15 14	9 8	3 2	
36	31 26	32 20	33 14	34 8	35 2	36	31

————— Accepted surveys.

- - - - - Resurveyed under this group.

 Areas surveyed as per accepted plats on file.

16

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

The resurvey of the subdivision lines of T.7 S., R.11 W., was executed with Buff & Buff light-mountain transits, Serial Nos. 9208 and 9305; Young & Sons transits, Serial Nos. 8487 and 8585; and W. & L.E. Gurley transits, Serial Nos. 20116 and 20117, by Daniel M. Wier, Jess R. Horak, Wm. M. Heina, David D. Baker and George W. Danehy, all U.S. Transitmen. The transits are property of the General Land Office and the solar attachments with which they were originally equipped have been removed. All the instruments have full vertical circles with one double vernier reading to single minutes, which is also the least count of the two double opposite verniers of the horizontal circles. The instruments were in good condition, and having been placed in satisfactory adjustment prior to beginning the resurvey, and tested and found free from appreciable error, were approved by the district cadastral engineer on January 15, 1934.

The directions of the resurveyed lines were determined by deflection from back and fore-sight lines on the south boundary of the township or from other lines whose bearings were so determined. The bearings of the lines were checked against each other at the subdivisional sec. cors. and checked again on the E., W. and N. boundaries of the township. The determination of the directions of the exterior lines of the township is described in the notes of those lines, three of the four of which are resurveyed under this Group.

The measurements were made with Lallie and Lufkin steel tapes, 5 chs. in length, graduated every link for the first 100 lks. and the balance at intervals of 10 lks. The tapes were tested by comparison with a Lufkin standard and found correct. The measurements are made on the slope; the vertical angle of each interval is determined with a clinometer in good adjustment; the horizontal equivalents are entered in the field note record.

The geographic position of the SE. cor. of T.7 S., R.11 W., is shown by the data furnished with the special instructions to be: latitude,  $32^{\circ}46'00''$ N., and longitude,  $113^{\circ}19'55''$ W.

-----

#### RETRACEMENT FOR RESURVEY.

Preliminary to the resurvey, the lines of the original survey were retraced and diligent search was made for all original corners. Missing section corners were re-established by double proportion between the nearest known and identified subdivisional corners and original or re-established corners on the township boundaries, or between identified subdivisional corners, as appropriate, all lines being based on the original record. Missing  $\frac{1}{2}$  sec. cors. were re-established at mid-points between original or re-established section corners, except in the N. tier and W. range of sections, where they were re-established by single proportion, based upon the original record.

A plat, showing the random retracement lines as surveyed on the ground, is filed with the field tablets and other preliminary data.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

Beginning at the cor. of secs. 35 and 36, only, on the S. bdy. of the Tp. is re-monumented under this Group, as described in notes of resurvey of that line,

N.0°20'W., bet. secs. 35 and 36. (S.  $\frac{1}{2}$ )

Over flat; through scattering desert growth.

40.02 The  $\frac{1}{4}$  sec. cor., a flattened mesquite post, 3 ins. diam., projecting 3 ft. above ground, mkd.  $\frac{1}{2}$ S.

In place of the old post, which is re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a glass insulator deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S35 | S36

1934

dig pits, 18 x  
18 x 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.0°01'E., bet. secs. 35 and 36, (N.  $\frac{1}{2}$ ).

40.05 (Proportional point bet. cors.  $\frac{1}{2}$  mile S., E. and W. and 1 mile N.) Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with glass deposited at base, for re-established cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

T7S R11W

S26 | S25

S35 | S36

1934

- dig pits, 18 x  
18 x 12 ins., one in each sec., 3 ft. dist.

Land: flat.

Soil: sandy loam, 2nd rate.

No timber. Undergrowth: greasewood, sage, cactus and mesquite.

From the cor. of secs. 25 and 36, only, on the E. bdy. of the Tp., an iron post, 2 ins. diam., firmly set and mkd. on brass cap and witnessed as described in the official record,

N.89°59'W., bet. secs. 25 and 36. (E.  $\frac{1}{2}$ )

Over flat; through scattering desert growth.

39.97 The  $\frac{1}{4}$  sec. cor., the stub of an old post in a mound of earth. In place of the stub, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a glass insulator deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S25

S36

1934

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

N.89°59'W., bet. secs. 25 and 36 (W.  $\frac{1}{4}$ ).

40.39 The reestablished cor. of secs. 25, 26, 35 and 36.

Land: flat.

Soil: sandy, 2nd rate.

No timber. Undergrowth: greasewood, cactus, sage and mesquite.

N.0°44'W., bet. secs. 25 and 26.

Over gently rolling land; through scattering desert growth.

40.06 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a glass bottle deposited at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \hline \begin{array}{|c|c|} \hline S26 & S25 \\ \hline \end{array} \\ \hline 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.11 The cor. of secs. 23, 24, 25 and 26, which is a mesquite post, 4 ins. square by 30 ins. above ground, with weathered illegible marks. In place of the post, which is re-set beside

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with a cococola bottle deposited at base, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

$$\begin{array}{c} T7S \quad R11W \\ \hline \begin{array}{|c|c|} \hline S23 & S24 \\ \hline S26 & S25 \\ \hline \end{array} \\ \hline 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat and gently rolling.

Soil: sandy, 2nd rate.

No timber. Undergrowth: greasewood, cactus and sage.

From the cor. of secs. 24 and 25, only, on the E. bdy. of the Tp., an iron post, 2 ins. diam., firmly set and mkd. on brass cap and witnessed as described in the official record,

S.89°59'W., bet. secs. 24 and 25.

Over flat; through scattering desert growth.

40.57 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a blue bottle deposited at base, for reestablished  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} S24 \\ \hline S25 \\ \hline 1934 \end{array}$$

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

81.14 The cor. of secs. 23, 24, 25 and 26.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: sage, cactus and greasewood.

N.0°24'E., bet. secs. 23 and 24.\*

Over flat, through scattering desert growth.

40.01 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ S23 | S24 \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.02 The cor. of secs. 13, 14, 23 and 24, the remains of a rotted mesquite post in a small mound of earth. In the mound

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a bottle deposited at base, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

$$\begin{array}{c} T7S \quad R11W \\ \hline S14 \quad S13 \\ \hline S23 \quad S24 \\ 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, sage and cactus.

From the cor. of secs. 13 and 24, only, on the E. bdy. of the Tp., an iron post, 2 ins. diam., firmly set and mkd. on brass cap and witnessed as described in the official record,

S.89°51'W., bet. secs. 13 and 24 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

40.36 The  $\frac{1}{4}$  sec. cor., a flattened wood post, 3 ins. diam. by 3 ft. above ground, with illegible marks. In place of the post, which is re-set besideSet an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a bottle deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} S13 \\ \hline S24 \\ 1934 \end{array}$$

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains	<p>Thence</p> <p>West, bet. secs. 13 and 24 (W. <math>\frac{1}{2}</math>).</p> <p>40.50 The cor. of secs. 13, 14, 23 and 24.</p> <p>Land: flat. Soil: sandy, 2nd rate. Undergrowth: greasewood, cactus and sage.</p> <p>-----</p> <p>N.0°25'W., bet. secs. 13 and 14 (S. <math>\frac{1}{2}</math>).</p> <p>Over flat; through scattering desert growth.</p> <p>40.00 The <math>\frac{1}{4}</math> sec. cor., a flattened mesquite post, 4 ins. diam., projecting 30 ins. above a dim mound of earth, mkd. <math>\frac{1}{2}</math>S on W. face. In place of the post, which is reset beside</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>        S14   S13        1934     </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.</p> <p>Thence</p> <p>N.0°14'W., bet. secs. 13 and 14 (N. <math>\frac{1}{2}</math>).</p> <p>40.16 (Proportional point bet. cors. <math>\frac{1}{2}</math> mile to S. and E. and 1 mile to W. and N.) Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a bottle deposited at base, for re-established cor. of secs. 11, 12, 13 and 14, with brass cap mkd.</p> <div style="text-align: center;">       T7S   R11W        S11   S12        S14   S13        1934     </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.</p> <p>Land: flat. Soil: sandy, 2nd rate. Undergrowth: greasewood, cactus and sage.</p> <p>-----</p> <p>From the cor. of secs. 12 and 13, only, on the E. bdy. of the Tp., an iron post, 2 ins. diam., firmly set, and mkd. on brass cap and witnessed as described in the official record,</p> <p>S.89°10'W., bet. secs. 12 and 13. (E. <math>\frac{1}{2}</math>).</p> <p>Over flat; through scattering desert growth.</p> <p>40.53 The <math>\frac{1}{4}</math> sec. cor., a mesquite post, 4 ins. diam., projecting 25 ins. above ground, mkd. <math>\frac{1}{4}</math>S on N. side. In place of the post, which is reset beside</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 2 ins. in the ground to bedrock, with a bottle deposited at base, and</p>
--------	---

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains

in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} S12 \\ \frac{1}{4} S13 \\ 1934 \end{array}$$

Thence

N.89°25'W., bet. secs. 12 and 13 (W. $\frac{1}{2}$ ).

40.23 The reestablished cor. of secs. 11, 12, 13 and 14.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: sage, cactus and mesquite.

N.0°15'W., bet. secs. 11 and 12.

Over flat; through scattering desert growth.

40.16 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for reestablished  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S11 | S12 \\ | \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

50.36 Telephone line, parallels railroad.

50.46 Fence, parallels railroad.

51.30 Telephone line, parallels railroad.

52.00 Southern Pacific R.R., bears N.81°16'E. and S.81°16'W.

52.70 Telephone line, parallels railroad.

53.50 Fence, parallels railroad.

54.30 U. S. Highway, No. 80, parallels railroad.

54.90 Telephone line; parallels highway.

60.00 Service Station and House, bears East about 10 chs. dist.

80.32 The cor. of secs. 1, 2, 11 and 12, a mesquite stake, 4 ins. square by 30 ins. long, set in a dim mound of earth, with illegible marks. In place of the stake, which is reset beside

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with purple glass lamp base deposited at base, for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

$$\begin{array}{c} T7S \quad R11W \\ \frac{1}{4} S2 \quad S1 \\ \frac{1}{4} S11 \quad S12 \\ 1934 \end{array}$$

18 x 12 ins., one in each sec, 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, cactus and sage.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

## Chains

From the cor. of secs. 1 and 12, only, on the E. bdy. of the Tp., an iron post, 2 ins. diam., firmly set, and mkd. on brass cap and witnessed as described in the official record,

S.89°35'W., bet. secs. 1 and 12.(E. $\frac{1}{2}$ ).

Over flat, through scattering desert growth.

40.65 The  $\frac{1}{4}$  sec. cor., which is a mesquite stake, 3 ins. diam. by 18 ins. above ground, set in a mound of stone, mkd. S  $\frac{1}{2}$  on N. side. In place of the stake, which is reset beside

Set an iron post, 3 ft. long, 1 in. diam., 2 ins. in the ground to bedrock, with a glass insulator deposited at base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S1  
 $\frac{1}{4}$ S12

1934

Thence

N.89°52'W., bet. secs. 1 and 12 (W. $\frac{1}{2}$ ).

40.54 The cor. of secs. 1,2,11 and 12.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, cactus and sage.

N.0°03'E., bet. secs. 1 and 2.(S. $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

Along winding road from the S., approximately on line.

40.07 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 4 ins. diam., projecting 3 ft. above ground, mkd.  $\frac{1}{4}$ S on W. side. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, with a glass insulator deposited at base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S2 | S1  
 1934

raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

Thence

N.0°50'E., bet. secs. 1 and 2. (N. $\frac{1}{2}$ )

3.10 A house bears East, 4 chs. dist.

3.80 Dim road, bears E. and W.; about 20 lks. E. of junction with road from S.

40.03 The cor. of secs. 1,2,35 and 36, on the N. bdy. of the Tp., resurveyed under this Group, described in notes of re-survey of that line.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

Land: flat.  
Soil: sandy, 2nd rate.  
Undergrowth: sage, cactus, greasewood and catclaw.

-----  
Beginning at the the cor. of secs. 34 and 35, only, on the S. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

N.1°02'W., bet. secs. 34 and 35. (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

40.29 The  $\frac{1}{2}$  sec. cor., a mesquite stake, 2 ins. diam., by 30 ins. long, mkd. S  $\frac{1}{4}$  on N. side. In place of the stake, which is reset beside,

Set an iron post, 3 ft. long, 1 in. diam., 2 ins. in the ground to bedrock, with deposit of broken glass at base, and in a mound of stone to top, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S34 | S35  
 1934

Thence

N.0°50'E., bet. secs. 34 and 35. (N.  $\frac{1}{2}$ )

39.96 The cor. of secs. 26, 27, 34 and 35, a mesquite stake, 4 ins. square by 30 ins. above ground, bearing illegible marks. In place of the stake, which is reset beside

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

T7S R11W  
 S27 | S26  
 S34 | S35  
 1934

dig pits, 18 x  
18 x 12 ins., one in each sec., 3 ft. dist.

Land: flat.  
Soil: sandy, 2nd rate.  
Undergrowth: greasewood, sage and cactus.

-----  
From the reestablished cor. of secs. 25, 26, 35 and 36.

N.89°49'W., bet. secs. 26 and 35. (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

40.13 The  $\frac{1}{2}$  sec. cor., a mesquite stake, 3 ins. diam., 36 ins. long, fallen, no marks, lying on dim mound of earth. In the mound, with old stake re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a glass insulator deposited at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

S26  
 S35  
 1934

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W. BOOK 4087

Chains

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S.89°58'W., bet. secs. 26 and 35 (W.  $\frac{1}{2}$ ).

40.40 The cor. of secs. 26, 27, 34 and 35.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: sage, greasewood and cactus.

N.0°18'W., bet. secs. 26 and 27 (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

40.09 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 4 ins. diam., projecting 30 ins. above ground, with illegible marks. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S27} | \text{S26} \\ | \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°19'E., bet. secs. 26 and 27 (N.  $\frac{1}{2}$ ).

40.10 The cor. of secs. 22, 23, 26 and 27, a mesquite stake, 4 ins. square by 30 ins. above ground, bearing illegible marks. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a bottle deposited at base, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

$$\begin{array}{c} \text{T7S R11W} \\ | \\ \text{S22} | \text{S23} \\ | \\ \text{S27} | \text{S26} \\ | \\ 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, sage and cactus.

From the cor. of secs. 23, 24, 25 and 26.

N.89°53'W., bet. secs. 23 and 26 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.68 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 4 ins. square by 4 ft. long, mkd.  $\frac{1}{2}$ S, lying on a dim mound of earth. In the mound, with old stake re-set beside

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} S23 \\ \hline S26 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

West, bet. secs. 23 and 26 (W.  $\frac{1}{2}$ ).

39.99 The cor. of secs. 22, 23, 26 and 27.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, cactus and sage.

-----  
N.0°16'E., bet. secs. 22 and 23.

Over flat; through scattering desert growth.

40.03 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for reestablished  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S22 | S23 \end{array}$$

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.06 The cor. of secs. 14, 15, 22 and 23, a mesquite stake, 3 ins. square, projecting 20 ins. above ground, with illegible scribe marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a glass insulator deposited at base, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

$$\begin{array}{c} T7S \quad R11W \\ \hline S15 \quad S14 \\ \hline S22 \quad S23 \end{array}$$

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, catclaw, cactus and sage.

-----  
From the cor. of secs. 13, 14, 23 and 24,

N.89°36'W., bet. secs. 14 and 23. (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.98 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam. by 30 ins. long, bearing dim scribe marks, lying on a dim mound of earth. In the mound, with old stake re-set beside,

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} S14 \\ \frac{1}{4} S23 \\ 1934 \end{array}$$

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S.89°54'W., bet. secs. 14 and 23 (W.  $\frac{1}{4}$ ).

40.01 The cor. of secs. 14, 15, 22 and 23.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, catclaw, sage and cactus.

N.0°30'W., bet. secs. 14 and 15 (S.  $\frac{1}{4}$ ).

Over flat; through scattering desert growth.

Along winding road, approximately on line.

40.05 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 2 ins. diam., projecting 24 ins. above ground, with illegible marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ S15 | S14 \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°06'W., bet. secs. 14 and 15 (N.  $\frac{1}{4}$ ).

40.15 The cor. of secs. 10, 11, 14 and 15, a mesquite stake, 4 ins. square by 3 ft. above ground, with illegible marks. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a bottle deposited at base, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

$$\begin{array}{r} T7S \quad R11W \\ S10 | S11 \\ S15 | S14 \\ 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, sage and cactus.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains	
	<p>From the reestablished cor. of secs. 11,12,13 and 14.  N.89°53'W., bet. secs. 11 and 14.  Over flat; through scattering desert growth.</p>
39.92	<p>(Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for re-established <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} \frac{1}{4} \text{ S11} \\ \hline \text{S14} \\ 1934 \end{array}</math> </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.</p>
79.85	<p>The cor. of secs. 10,11,14 and 15.</p> <p>Land: flat.  Soil: sandy loam, 2nd rate.  Timber: mesquite. Undergrowth: greasewood, cactus and sage.</p>
-----	
	<p>N.0°04'W., bet. secs. 10 and 11.  Over flat; through scattering desert growth.</p>
	<p>Along winding road, approximately on line.</p>
37.75	<p>Telephone line, parallels railroad.</p>
39.56	<p>Southern Pacific R.R., bears N.81°16'E. and S.81°16'W.</p>
40.21	<p>(Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with an iron stove leg and broken glass deposited at base, for re-established <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p>
	<div style="text-align: center;"> <math display="block">\begin{array}{c} \frac{1}{4} \\ \hline \text{S10} \mid \text{S11} \\ \hline 1934 \end{array}</math> </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.</p>
40.29	<p>Telephone line, parallels Railroad.</p>
43.60	<p>U.S.Highway #80, parallels railroad; end of winding road from S.</p>
44.20	<p>Telephone line, parallels highway.</p>
80.42	<p>The cor. of secs. 2,3,10 and 11, a decayed mesquite post, lying on ground beside stub of same post in a dim mound of earth. In place of the stub</p>
	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 2,3,10 and 11, with brass cap mkd.</p>
	<div style="text-align: center;"> <math display="block">\begin{array}{c} \text{T7S} \quad \text{R11W} \\ \hline \text{S3} \mid \text{S2} \\ \hline \text{S10} \mid \text{S11} \\ \hline 1934 \end{array}</math> </div> <p style="text-align: right;">dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.</p>

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

Land: flat.  
Soil: sandy loam, 2nd rate.  
Undergrowth: greasewood, mesquite brush and sage.

-----

From the cor. of secs. 1, 2, 11 and 12,

S.89°51'W., bet. secs. 2 and 11 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

0.10 A winding road, bears N. and S.

39.92 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam., projecting 3 ft. above ground, mkd. S  $\frac{1}{4}$  on N. side. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S2 \\ \hline S11 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

A triangulation tower bears N.7°W.

Thence, from cor.,

N.89°31'W., bet. secs. 2 and 11 (W.  $\frac{1}{2}$ ).

15.00 Same triangulation tower bears N.33°E.

39.85 The cor. of secs. 2, 3, 10 and 11.

Land: flat.  
Soil: sandy loam, 2nd rate.  
Undergrowth: greasewood, mesquite brush and sage.

-----

N.0°12'E., bet. secs. 2 and 3 (S.  $\frac{1}{2}$ ).

Over flat; through desert growth.

40.00 A desert road, bears NE. and SW.

40.04 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 2 ins. square, projecting 30 ins. above ground, mkd. S  $\frac{1}{4}$  on W. side. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S3 \\ \hline S2 \end{array}$$

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°10'E., bet. secs. 2 and 3 (N.  $\frac{1}{2}$ ).

Chains

39.62

The cor. of secs. 2,3,34 and 35, on the N. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

Land: flat.

Soil: sandy loam, 2nd rate.

Undergrowth: greasewood, mesquite brush and sage.

From the cor. of secs. 33 and 34, only, on the S. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

N.0°02'E., bet. secs. 33 and 34. (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.66

The  $\frac{1}{2}$  sec. cor., a mesquite stake, 2 ins. square by 24 ins. long, lying on ground beside the stub of same in a dim mound of earth. In place of the stub

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{2} \\ | \\ S33 | S34 \\ | \\ 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.0°03'W., bet. secs. 33 and 34 (N.  $\frac{1}{2}$ ).

40.50

The cor. of secs. 27,28,33 and 34, a mesquite stake, 3 ins. square by 30 ins. long, with illegible marks, lying on ground beside stub of same in a dim mound of earth. In place of the stub, with old stake beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 27,28,33 and 34, with brass cap mkd.

$$\begin{array}{c} T7S R11W \\ S28 | S27 \\ \hline S33 | S34 \\ | \\ 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: flat.

Soil: sandy loam, 2nd rate.

Undergrowth: greasewood, mesquite brush and sage.

From the cor. of secs. 26,27,34 and 35,

S.89°30'W., bet. secs. 27 and 34 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.91

The  $\frac{1}{2}$  sec. cor., a mesquite stake, 3 ins. diam., projecting 30 ins. above ground, with illegible scribe marks. In place of the stake, which is re-set beside,

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W. BOOK 4087

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a glass insulator deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4}S27 \\ \hline \frac{1}{4}S34 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

N.89°27'W., bet. secs. 27 and 34 (W. $\frac{1}{4}$ ).

39.75 The cor. of secs. 27, 28, 33 and 34.

Land: flat.

Soil: sandy loam, 2nd rate.

Undergrowth: greasewood, mesquite brush and sage.

N.0°12'E., bet. secs. 27 and 28 (S. $\frac{1}{4}$ ).

Over flat; through scattering desert growth.

40.59 The  $\frac{1}{4}$  sec. cor., which is stub of old mesquite stake, set in a dim mound of earth. In place of the stub, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ \hline S28 \quad S27 \\ \hline 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°21'W., bet. secs. 27 and 28 (N. $\frac{1}{4}$ ).

39.53 The cor. of secs. 21, 22, 27 and 28, a mesquite stake, 4 ins. square by 2 ft. long, no legible marks, lying beside stub of same stake, set in a dim mound of earth. In place of the stub, with fragments of old stake beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.

$$\begin{array}{r} T7S \quad R11W \\ \hline S21 \quad S22 \\ \hline S28 \quad S27 \\ \hline 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy loam, 2nd rate.

Undergrowth: greasewood, mesquite brush and sage.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains

From the cor. of secs. 22, 23, 26 and 27.

S.89°51'W., bet. secs. 22 and 27.

Over gently rolling land; through scattering desert growth.

39.87 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \text{S22} \\ \hline \frac{1}{4} \text{S27} \\ 1934 \end{array}$$

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

79.74 The cor. of secs. 21, 22, 27 and 28.

Land: nearly level.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood and sage.

N.0°12'E., bet. secs. 21 and 22.

Over flat; through scattering desert growth.

40.20 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \uparrow \\ \text{S21} | \text{S22} \\ \downarrow \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

80.41 The cor. of secs. 15, 16, 21 and 22, a weathered mesquite stake, 4 ins. square by 3 ft. above ground, with illegible scribe marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a bottle deposited at base, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

$$\begin{array}{c} \text{T7S R11W} \\ \hline \text{S16} | \text{S15} \\ \hline \text{S21} | \text{S22} \\ 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy loam, 1st rate.

Undergrowth: greasewood and sage.

From the cor. of secs. 14, 15, 22 and 23.

N.89°54'W., bet. secs. 15 and 22 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

17

BOOK 4087

Chains	Along winding desert road, approximately on line.
9.00	A house bears N., about 5 chs. dist.
10.00	The SW. cor. of a 10-acre cleared field.
39.93	The $\frac{1}{4}$ sec. cor., a weathered mesquite stake, 3 ins. diam. by 14 ins. long, no legible marks, lying beside stub of same, set in a dim mound of earth. In place of the stub, with both fragments placed beside,  Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  $\begin{array}{r} \frac{1}{4} S15 \\ \hline \frac{1}{4} S22 \\ \hline 1934 \end{array}$  18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x
	Thence
	S. 89°58' W., bet. secs. 15 and 22 (W. $\frac{1}{2}$ ).
39.94	The cor. of secs. 15, 16, 21 and 22.  Land: flat. Soil: sandy loam, 1st rate. Undergrowth: greasewood and sage.
	-----
	N. 0°30' W., bet. secs. 15 and 16.  Over flat; through scattering desert growth.
40.08	(Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for reestablished $\frac{1}{4}$ sec. cor., with brass cap mkd.  $\begin{array}{r} \frac{1}{4} \\ \hline S16 \mid S15 \\ \hline 1934 \end{array}$  18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x
55.08	Wash, 10 lks. wide, course NW.
80.16	(Proportional point bet. cors. 1 mile E., and S., 3 miles W. and $\frac{1}{2}$ mile to N.) Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for re-established cor. of secs. 9, 10, 15 and 16, with brass cap mkd.  $\begin{array}{r} T7S \quad R11W \\ \hline S \ 9 \mid S10 \\ \hline S16 \mid S15 \\ \hline 1934 \end{array}$  18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x  Land: flat. Soil: sandy loam, 1st rate. Undergrowth: greasewood and sage.
	-----

RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains

From the cor. of secs. 10,11,14 and 15,  
 N.89°58'W., bet. secs. 10 and 15.  
 Over flat; through scattering desert growth.

0.25 A winding road, bears N. and S.

40.03 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a bottle deposited at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$ S10  
 $\frac{1}{4}$ S15  
 1934

dig pits, 18 x  
 18 x 12 ins., E. and W. of post, 3 ft. dist.

Continue over gently rolling land.

80.06 The reestablished cor. of secs. 9,10,15 and 16.

Land: flat and gently rolling.  
 Soil: sandy loam, 1st and 2nd rates.  
 Timber: mesquite. Undergrowth: greasewood and sage.

-----

N.1°27'E., bet. secs. 9 and 10 (S. $\frac{1}{4}$ ).

Over flat; through scattering desert growth.

26.00 Telephone line, parallels railroad.

27.30 Southern Pacific R.R., bears N.81°15'E. and S.81°15'W.

27.90 Telegraph and telephone line, parallels railroad.

29.50 U.S. Highway #80, parallels railroad.

30.00 Telephone line, parallels highway.

34.00 Drain ditch, course NW.

40.09 The  $\frac{1}{4}$  sec. cor., a weathered mesquite stake, 2 ins. diam. by 24 ins. above ground, firmly set, and mkd.  $\frac{1}{4}$ S on W. side. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with an iron wheel hub deposited at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 39 | S10  
 1934

dig pits, 18 x  
 18 x 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.1°13'W., bet. secs. 9 and 10 (N. $\frac{1}{4}$ ).

40.09 The cor. of secs. 3,4,9 and 10, a weathered mesquite stake, 3 ins. diam., projecting 3 ft. above ground, firmly set, and bearing illegible scribe marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

ground, with deposit of glass at base, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

T73	R11W
S4	S3
S9	S10
1934	

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy loam, 1st rate.

Undergrowth: mesquite brush, greasewood and sage.

From the cor. of secs. 2, 3, 10 and 11,

N.89°29'W., bet. secs. 3 and 10 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.46 The  $\frac{1}{4}$  sec. cor., a rotted mesquite stake, set in a dim mound of earth, with no legible marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S	3
$\frac{1}{4}$ S10	
1934	

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S.89°21'W., bet. secs. 3 and 10 (W.  $\frac{1}{2}$ ).

17.90 Desert road, bears NE. and SW.

30.00 A small house bears S., about 15 chs. dist.

40.28 The cor. of secs. 3, 4, 9 and 10.

Land: flat and gently rolling.

Soil: sandy and gravelly loam, 1st and 2nd rates.

Undergrowth: greasewood and sage.

N.0°24'E., bet. secs. 3 and 4. (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

40.20 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 4 ins. diam., projecting 30 ins. above ground, firmly set, and mkd. S.  $\frac{1}{4}$  on W. side. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S4	S3
1934	

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

and dig pits, 18  
x 18 x 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.0°52'W., bet. secs. 3 and 4 (N.  $\frac{1}{2}$ ).

39.27 The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp. re-monumented under this Group, described in notes of X resurvey of that line.

Land: flat.

Soil: sandy loam, 1st rate.

Undergrowth: mesquite, greasewood and sage.

---

\*\*

From the cor. of secs. 32 and 33, only, on the S. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

N.0°03'E., bet. secs. 32 and 33.

Over flat; through desert growth.

40.04 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{2} \\ | \\ S32 | S33 \\ | \\ 1934 \end{array}$$

dig pits, 18 x  
18 x 12 ins., N. and S. of post, 3 ft. dist.

80.09 The cor. of secs. 28, 29, 32 and 33, the stub of a mesquite post in a dim mound of earth. In place of the stub,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

$$\begin{array}{c} T7S R11W \\ S29 | S28 \\ \hline S32 | S33 \\ | \\ 1934 \end{array}$$

dig pits, 18 x  
18 x 12 ins., one in each sec., 3 ft. dist.

Land: level.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood and sage.

---

From the cor. of secs. 27, 28, 33 and 34,

N.89°52'W., bet. secs. 28 and 33 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.98 The  $\frac{1}{2}$  sec. cor., the stub of a mesquite stake in a dim mound of earth. In place of the stub,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

$$\begin{array}{r} \text{S28} \\ \hline \text{S33} \\ 1934 \end{array}$$

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S.89°42'W., bet. secs. 28 and 33 (W.  $\frac{1}{2}$ ).

40.25 The cor. of secs. 28, 29, 32 and 33.

Land: flat.

Soil: sandy loam, 1st and 2nd rates.

Undergrowth: mesquite brush, greasewood and sage.

-----  
N.0°04'E., bet. secs. 28 and 29 (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

20.00 A small house bears E., about 10 chs. dist.

37.70 Desert road, bears SE. to house and NW.

39.79 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam., projecting 24 ins. above mound of earth, with old marks illegible from decay. In place of the stake, which is re-set beside,Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{r} \frac{1}{4} \\ \text{S29} \mid \text{S28} \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°37'W., bet. secs. 28 and 29 (N.  $\frac{1}{2}$ ).

17.90 A small house bears E., about 3 chs. dist.

39.77 The cor. of secs. 20, 21, 28 and 29, a weathered mesquite stake, 3 ins. diam. by 3 ft. long, with no legible marks, lying beside stub of same, set in a small mound of earth. In place of the stub, with both fragments of stake re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.

$$\begin{array}{r} \text{T7S R11W} \\ \text{S20} \mid \text{S21} \\ \hline \text{S29} \mid \text{S28} \\ 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood and sage.  
-----

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

From the cor. of secs. 21, 23, 27 and 28,  
S. 89° 38' W., bet. secs. 21 and 28.

Over gently rolling land; through scattering desert growth.

40.28 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4}S21 \\ \frac{1}{4}S28 \end{array}$$

1934

dig pits, 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.

80.55 The cor. of secs. 20, 21, 28 and 29.

Land: gently rolling.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood and sage.

-----  
N. 0° 18' E., bet. secs. 20 and 21.

Over gently rolling land; through scattering desert growth.

40.20 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S20 | S21 \\ 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

80.40 The cor. of secs. 16, 17, 20 and 21, a mesquite stake, 3 ins. square, projecting 24 ins. above ground, with illegible marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

$$\begin{array}{c} T7S, R11W \\ S17 | S16 \\ S20 | S21 \\ 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: gently rolling.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite and palo verde. Undergrowth: greasewood and sage.

-----  
From the cor. of secs. 15, 16, 21 and 22,

N. 89° 33' W., bet. secs. 16 and 21. (E.  $\frac{1}{2}$ )

Over flat; through scattering desert growth.

Along winding desert road, approximately on line.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

- Chains  
40.02 The  $\frac{1}{4}$  sec. cor., a weathered mesquite stake, 3 ins. diam., 18 ins. long, lying on ground near stub of same set in a small mound of earth. In place of the stub, with both fragments re-set beside.
- Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
- $\frac{1}{4}$  S16  
 $\frac{1}{4}$  S21  
 1934
- 18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x
- Thence  
S.88°54'W., bet. secs. 16 and 21 (W. $\frac{1}{3}$ ).
- 40.40 The cor. of secs. 16, 17, 20 and 21.
- Land: flat.  
Soil: sandy loam, 1st and 2nd rates.  
Timber: mesquite. Undergrowth: greasewood and sage.
- 
- N.0°33'W., bet. secs. 16 and 17 (S. $\frac{1}{3}$ ).
- Over gently rolling land; through scattering desert growth
- 1.20 Desert road, bears E. and W.
- 40.13 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 4 ins. diam., projecting 24 ins. above ground, firmly set, mkd.  $\frac{1}{4}$ S on W. side. In place of the stake, which is re-set beside,
- Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
- $\frac{1}{4}$   
 S17 | S16  
 1934
- 18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x
- Thence  
N.0°26'W., bet. secs. 16 and 17 (N. $\frac{1}{3}$ ).
- 10.80 Wash, 20 lks. wide, course NW.
- 40.07 (Proportional point bet. cors.  $\frac{1}{2}$  mile to N and S. and 2 miles to E. and W.) Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for re-established cor. of secs. 8, 9, 16 and 17, with brass cap mkd.
- T7S R11W  
 S8 | S9  
 S17 | S16  
 1934
- 18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x
- Land: gently rolling.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

Soil: sandy loam, 1st and 2nd rates.  
 Timber: mesquite. Undergrowth: greasewood and sage.

From the reestablished cor. of secs. 9, 10, 15 and 16.

S. 89° 47' W., bet. secs. 9 and 16.

Over flat; through scattering desert growth.

- 40.18 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\frac{S 9}{\frac{1}{4} S 16}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

- 80.36 The reestablished cor. of secs. 8, 9, 16 and 17.

Land: flat.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood.

N. 0° 30' E., bet. secs. 8 and 9. (S.  $\frac{1}{2}$ )

Over flat; through scattering desert growth.

- 13.40 Telegraph and telephone line and fence, parallel railroad.

- 14.30 Signal wire line, parallels railroad.

- 14.90 Southern Pacific R.R., bears N. 81° 14' E. and S. 81° 14' W.

- 17.20 U.S. Highway #80, parallels railroad.

- 17.90 Telephone line, parallels railroad.

- 40.07 The  $\frac{1}{4}$  sec. cor., a weathered mesquite stake, 3 ins. diam. by 24 ins. long, with illegible marks, lying beside stub of same set in a small mound of earth. In place of the stub, with both fragments re-set beside.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\frac{S 8 39}{1934}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N. 0° 03' W., bet. secs. 8 and 9 (N.  $\frac{1}{2}$ ).

- 40.11 The cor. of secs. 4, 5, 8 and 9, a mesquite stake, 3 ins. square by 24 ins. above ground, firmly set, with dim remains of old marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

ground, with deposit of glass at base, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.

T7S R11W

35	34
38	39

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood.

From the cor. of secs. 3, 4, 9 and 10,

N. 89° 49' W., bet. secs. 4 and 9 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

40.39 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam., by 30 ins. long, lying on ground beside stub of same, set in a dim mound of earth. In place of the stub, with both fragments re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

34
39

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S. 89° 33' W., bet. secs. 4 and 9 (W.  $\frac{1}{2}$ ).

39.92 The cor. of secs. 4, 5, 8 and 9.

Land: flat.

Soil: sandy loam, 1st and 2nd rates.

Timber: mesquite. Undergrowth: greasewood.

N. 0° 04' E., bet. secs. 4 and 5.

Over flat; through scattering desert growth.

40.06 (Proportional point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$	
35	34

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

79.11 The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

Land: flat.  
Soil: sandy loam, 1st and 2nd rates.  
Timber: mesquite. Undergrowth: greasewood.

-----  
From the cor. of secs. 31 and 32, only, on the S. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

N.0°12'E., bet. secs. 31 and 32 (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.87 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam. by 3 ft. above ground, firmly set, and mkd.  $\frac{1}{2}$  S on W. side. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \uparrow \\ S31 | S32 \\ \downarrow \\ 1934 \end{array}$$

dig pits, 18 x 18 x 12 ins., N. and S. of post, 3 ft. dist.

Thence

N.0°15'E., bet. secs. 31 and 32<sup>1833</sup> (N.  $\frac{1}{2}$ ).

30.00 A desert road, bears SE. and NW.

39.71 The cor. of secs. 29, 30, 31 and 32, a mesquite stake, 3 ins. diam., projecting 2 ft. above ground, firmly set and bearing illegible marks. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.

$$\begin{array}{c} T7S, R11W \\ \hline S30 | S29 \\ \hline S31 | S32 \\ 1934 \end{array}$$

from which

An ironwood, 10 ins. diam., bears N.48°W., 92 lks. dist., mkd. T7S R11W S30 BT. (New BT).

and dig pits, 18 x 18 x 12 ins., one in each sec., 3 ft. dist.

Land: flat.  
Soil: sandy loam, 1st rate.  
Timber: ironwood. Undergrowth: greasewood and sage.

-----  
From the cor. of secs. 28, 29, 32 and 33,

S.89°20'W., bet. secs. 29 and 32.

Over flat; through scattering desert growth.

- Chains  
40.02 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.
- $\frac{1}{4}$ S29  
S32  
1934
- from which
- A palo verde, 6 ins. diam., bears S.12°E., 165 lks. dist., mkd.  $\frac{1}{4}$  S32 BT.
- and dig pits, 18  
x 18 x 12 ins., E. and W. of post, 3 ft. dist.
- 80.04 The cor. of secs. 29,30,31 and 32.
- Land: flat.  
Soil: sandy loam, 1st rate.  
Timber: ironwood and palo verde. Undergrowth: greasewood and sage.
- 
- N.89°54'W., bet. secs. 30 and 31 (E. $\frac{1}{2}$ ).
- Over flat; through scattering desert growth.
- 40.00 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam., projecting 12 ins. above ground, firmly set, with illegible marks. In place of the stake, which is re-set beside,
- Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
- $\frac{1}{4}$ S30  
S31  
1934
- dig pits, 18 x  
18 x 12 ins., E. and W. of post, 3 ft. dist.
- Thence
- S.88°45'W., bet. secs. 30 and 31 (W. $\frac{1}{2}$ ).
- 31.60 Wash, 10 lks. wide, course N.
- 38.80 The cor. of secs. 25,30,31 and 36, on the W. bdy. of the Tp., remonumented under this Group, described in notes of resurvey of that line.
- Land: flat.  
Soil: sandy loam, 1st rate.  
Timber: ironwood and palo verde. Undergrowth: greasewood and sage.
- 
- From the cor. of secs. 29,30,31 and 32,  
N.0°49'E., bet. secs. 29 and 30 (S. $\frac{1}{2}$ ).
- Over flat; through scattering desert growth.
- 40.23 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 2 ins. diam. by 24 ins. above ground, firmly set, with illegible marks. In

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains

place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S30 | S29 \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°46'W., bet. secs. 29 and 30 (N. $\frac{1}{2}$ ).

40.08 The cor. of secs. 19,20,29 and 30, the top of a mesquite stake, 3 ins. square by 18 ins. long, with illegible marks, lying beside stub of same set in a dim mound of earth. In place of the stub, with both fragments beside

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 19,20,29 and 30, with brass cap mkd.

$$\begin{array}{c} T7S R11W \\ S19 | S20 \\ S30 | S29 \\ 1934 \end{array}$$

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: flat.

Soil: sandy loam, 2nd rate.

Timber: ironwood; undergrowth: greasewood and sage.

From the cor. of secs. 20,21,28 and 29,

S.89°19'W., bet. secs. 20 and 29 (E. $\frac{1}{2}$ ).

Over gently rolling land; through scattering desert growth.

39.53 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. square by 3 ft. above ground, firmly set, mkd. S  $\frac{1}{4}$  on N. face. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} S20 \\ \frac{1}{4} \\ S29 \\ 1934 \end{array}$$

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

N.89°51'W., bet. secs. 20 and 29 (W. $\frac{1}{2}$ ).

15.00 Desert road, bears NW. and SE.

39.96 The cor. of secs. 19,20,29 and 30.

Land: gently rolling.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

Soil: sandy loam, 2nd rate.  
 Timber: mesquite and ironwood. Undergrowth: greasewood,  
 cactus and sage.

-----  
 S.88°53'W., bet. secs. 19 and 30 (E.  $\frac{1}{2}$ ).

Over gently rolling land; through scattering desert growth.

12.00 Desert road, bears NW. and SE.

40.46 The  $\frac{1}{4}$  sec. cor.; a mesquite stake, 3 ins. diam. by 2 ft.  
 above ground, firmly set, with illegible marks. In place  
 of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
 ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor.,  
 with brass cap mkd.

$\frac{1}{4}$ S19  
 $\frac{1}{4}$ S30

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S.89°44'W., bet. secs. 19 and 30 (W.  $\frac{1}{4}$ ).

38.63 The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the  
 Tp., re-monumented under this Group, described in notes  
 of resurvey of that line.

Land: gently rolling.  
 Soil: sandy loam, 2nd rate.  
 Timber: palo verde, mesquite and ironwood.  
 Undergrowth: sage, greasewood and cactus.

-----  
 From the cor. of secs. 19, 20, 29 and 30.

N.0°03'W., bet. secs. 19 and 20 (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

Along winding road, approximately on line.

39.86 The  $\frac{1}{4}$  sec. cor., the stub of a mesquite stake in a dim  
 mound of earth. In place of the stub, which is re-set  
 beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
 ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor.,  
 with brass cap mkd.

$\frac{1}{4}$   
 S19 | S20  
 1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°20'E., bet. secs. 19 and 20 (N.  $\frac{1}{2}$ ).

0.40 A farm house bears  $1\frac{1}{2}$  chs. W.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

## Chains

2.00 A farm house bears  $1\frac{1}{2}$  chs. E.

3.50 A deep-well pump bears about 2 chs. E.

40.30 Desert road, bears E. and W.

40.41 The cor. of secs. 17,18,19 and 20, a mesquite stake, 2 ins. square by 2 ft. above ground, firmly set, with illegible marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 17,18,19 and 20, with brass cap mkd.

T7S	R11W
S18	S17
S19	S20

1934

dig pits, 18 x  
18 x 12 ins., one in each sec., 3 ft. dist.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, sage and cactus.

From the cor. of secs. 16,17,20 and 21,

N.89°33'W., bet. secs. 17 and 20 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

39.88 The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam., by 3 ft. long, mkd.  $\frac{1}{4}$ S, lying beside stub of same set in a dim mound of earth. In place of the stub, with both fragments beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$ S17
$\frac{1}{4}$ S20

1934

dig pits, 18 x  
18 x 12 ins., E. and W. of post, 3 ft. dist.

Thence

S.88°39'W., bet. secs. 17 and 20 (W.  $\frac{1}{2}$ ).

39.70 Desert road, bears N. and S.

39.85 The cor. of secs. 17,18,19 and 20.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, sage and cactus.

S.89°26'W., bet. secs. 18 and 19 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

Along winding road, approximately on line.

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

## Chains

40.16

The  $\frac{1}{4}$  sec. cor., a mesquite stake, 3 ins. diam., by 2 $\frac{1}{2}$  ft. long, mkd. S, lying beside stub of same stake, which is set in a dim mound of earth. In place of the stub, with both fragments re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} s18 \\ \frac{1}{4}s19 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence,

S.88°57'W., bet. secs. 18 and 19 (W. $\frac{1}{2}$ ).

16.00 Leave road, bears NW. and E.

39.25 The cor. of secs. 13,18,19 and 24, on the W. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

Land: level.

Soil: sandy, 2nd rate.

Undergrowth: greasewood, mesquite brush and sage.

-----  
From the cor. of secs. 17,18,19 and 20,

N.0°06'E., bet. secs. 17 and 18. (S. $\frac{1}{2}$ )

Over flat; through scattering undergrowth.

Along winding road, approximately on line.

40.16 The  $\frac{1}{2}$  sec. cor., a weathered mesquite stake, 3 ins. diam. by 30 ins. above ground, firmly set, and mkd. S on W. side. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{2} \\ s18 | s17 \\ 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.1°56'W., bet. secs. 17 and 18 (N. $\frac{1}{2}$ ).

9.60 A small house bears 10 lks. E.; end of road from S.

40.12 (Proportional point bet. cors.  $\frac{1}{2}$  mile to N. and S., 3 miles to E. and re-established cor. on Tp. bdy. 1 mile W.) Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for re-established cor. of secs. 7,8,17 and 18, with brass cap mkd.

$$\begin{array}{r} T7S | R11W \\ S7 | S8 \\ \frac{1}{2} \\ s18 | s17 \\ 1934 \end{array}$$

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

Chains

dig pits, 18 x  
18 x 12 ins., one in each sec., 3 ft. dist.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood and sage.

-----  
From the reestablished cor. of secs. 8, 9, 16 and 17.

S. 89°34'W., bet. secs. 8 and 17.

Over gently rolling land; through scattering desert growth.

35.90 Wash, 30 lks. wide, course NW.

40.08 (Mid-point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{r} \frac{1}{4}S8 \\ \frac{1}{4}S17 \\ \hline 1934 \end{array}$$

dig pits, 18 x  
18 x 12 ins., E. and W. of cor., 3 ft. dist.

49.60 A white house bears S. 42 $\frac{1}{2}$ °W.

51.20 Wash, 150 lks. wide, course NE.

79.30 Same house bears S. 50°E.

80.16 The re-established cor. of secs. 7, 8, 17 and 18.

Land: gently rolling.

Soil: sandy, 2nd rate.

Timber: mesquite and palo verde. Undergrowth: greasewood and sage.

-----  
S. 89°12'W., bet. secs. 7 and 18.

Over flat; through scattering desert growth.

13.10 Telephone line, parallels railroad.

15.00 A Texaco service station bears about 4 chs. N.

17.40 Telephone line, parallels railroad.

21.70 Southern Pacific R.R., bears N. 81°14'E. and S. 81°14'W.

25.25 Telephone line, parallels railroad.

38.80 U.S. Highway No. 80, parallels railroad.

40.08 (Proportional point) Set an iron post, 3 ft. long, 1 in. diam., 42 ins. in the ground, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{r} \frac{1}{4}S7 \\ \frac{1}{4}S18 \\ \hline 1934 \end{array}$$

In addition, the point being in roadway, at a point 50 lks. North,

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness cor. to re-established  $\frac{1}{2}$  sec. cor., with brass cap mkd.

WC .50N

$$\begin{array}{r} \frac{1}{4}S7 \\ \hline \frac{1}{4}S18 \end{array}$$

1934

18 x 12 ins., E. and W. of W.C. post, 3 ft. dist. dig pits, 18 x

43.00 Telephone line, parallels highway.

78.15 The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., re-established under this Group, described in notes of resurvey of that line.

Land: gently rolling.

Soil: sandy and gravelly, 2nd rate.

Timber: mesquite and palo verde.

Undergrowth: greasewood, cactus and sage.

-----  
From the reestablished cor. of secs. 7, 8, 17 and 18.

N.1°35'E., bet. secs. 7 and 8. (S.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

1.90 Telephone line, parallels railroad.

2.50 Telephone line, parallels railroad.

3.05 Southern Pacific R.R., bears N.81°14'E. and S.81°14'W.

3.55 Telephone line, parallels railroad.

5.60 U.S. Highway #80, parallels railroad.

6.20 Telephone line, parallels highway.

40.11 The  $\frac{1}{2}$  sec. cor., a weathered mesquite stake, 3 ins. diam., projecting 20 ins. above ground, firmly set, mkd.  $\frac{1}{4}$ S on W. side. In place of the stake, which is re-set beside

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ S7 | S8 \\ \hline 1934 \end{array}$$

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

Thence

N.0°31'W., bet. secs. 7 and 8 (N.  $\frac{1}{2}$ ).

12.90 Wash, 10 lks. wide, course W.

39.97 The cor. of secs. 5, 6, 7 and 8, a weathered mesquite stake, 3 ins. diam., projecting 30 ins. above ground, firmly set, with illegible scribe marks. In place of the stake, which is re-set beside,

## RESURVEY OF SUBDIVISION OF T.7 S., R.11W.

## Chains

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with deposit of glass at base, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

T7S R11W

S6 | S5

S7 | S8

1934

18 x 12 ins., one in each sec., 3 ft. dist. dig pits, 18 x

Land: gently rolling.

Soil: sandy and gravelly, 2nd rate.

Undergrowth: greasewood and sage.

From the cor. of secs. 4, 5, 8 and 9,

S. 89°15'W., bet. secs. 5 and 8 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

27.50 Old desert road, bears N. and S.

40.05 The  $\frac{1}{2}$  sec. cor., a weathered mesquite stake, 3 ins. diam., projecting 30 ins. above ground, with illegible marks. In place of the stake, which is re-set beside,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{2}$  sec. cor., with brass cap mkd.

S 5  
1/4 S 8

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

S. 89°33'W., bet. secs. 5 and 8 (W.  $\frac{1}{2}$ ).

35.00 Wash, 5 lks. wide, course S.

39.57 The cor. of secs. 5, 6, 7 and 8.

Land: flat.

Soil: sandy, 2nd rate.

Timber: mesquite. Undergrowth: greasewood, sage and cactus.

S. 88°56'W., bet. secs. 6 and 7 (E.  $\frac{1}{2}$ ).

Over flat; through scattering desert growth.

12.00 Wash, 5 lks. wide, course SW.

12.50 Wash, 5 lks. wide, course SW.

33.50 Wash, 10 lks. wide, course SW.

40.33 The  $\frac{1}{2}$  sec. cor., a weathered mesquite stake, 3 ins. diam., projecting 2 ft. above ground, firmly set, with illegible scribe marks. In place of the stake, which is re-set beside,

## RESURVEY OF SUBDIVISION OF T.7 S., R.11 W.

BOOK 4087

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} S 6 \\ \frac{1}{4} S 7 \end{array}$$

1934

18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits, 18 x

Thence

West, bet. secs. 6 and 7 (W.  $\frac{1}{2}$ ).

31.00 Wash, 5 lks. wide, course NW.

38.83 The cor. of secs. 1,6,7 and 12, on the W. bdy. of the Tp., re-monumented under this Group, described in notes of resurvey of that line.

Land: flat and gently rolling.

Soil: sandy, 2nd rate.

Timber: mesquite. Undergrowth: greasewood and sage.

-----  
From the cor. of secs. 5,6,7 and 8,

N.0°40'W., bet. secs. 5 and 6.

Over flat; through scattering desert growth.

7.50 Wash, 5 lks. wide, course SW.

40.09 (Proportional point) Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with deposit of glass at base, for re-established  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ S 6 | S 5 \end{array}$$

1934

18 x 12 ins., N. and S. of post, 3 ft. dist. dig pits, 18 x

79.42 The cor. of secs. 5,6,31 and 32, on the N. bdy. of the Tp. re-monumented under this Group, described in notes of resurvey of that line.

Land: flat.

Soil: sandy, 2nd rate.

Undergrowth: greasewood and sage.

-----  
GENERAL DESCRIPTION.

Land is level, or nearly so, except for two small lava hills in the S. portion. Elevation is from 440 to 850 ft. above sea-level. Soil is a sandy loam of good quality and depth.

Timber and undergrowth are of the usual desert varieties with very little large enough for firewood.

There is no surface water and there are few water channels. Sub-surface water is reached at about 150 ft.

There are scattering homesteads with residential developments; none have land under cultivation.

The Southern Pacific R.R. and U.S. Highway #80 cross the N. part of the Tp. Two service stations adjoin the highway.

4-679 b

~~INDEX~~ DIAGRAM.

Township 7 South, Range 11 West

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

6-4817

- Resurveyed by Daniel M. Wier, U. S. Transitman.
- Resurveyed by Jess R. Horak, U. S. Transitman.
- Resurveyed by William M. Heina, U. S. Transitman.
- Resurveyed by David D. Baker, U. S. Transitman.
- Resurveyed by George Welsh Danehy, U. S. Transitman.



23

BOOK 4087

CERTIFICATE OF UNITED STATES SURVEYOR

I, Daniel H. Wier, U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 15th day of February, 1934, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, resurveyed all those parts or portions of

The SUBDIVISION LINES of

Township 7 South, Range 11 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said resurvey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such resurvey.

For signatures of George Welch Danehy, David D. Baker, William M. Heina and Jess R. Horak see attached certificates.

Daniel H. Wier, U.S. Transitman.

APPROVAL

Sentinel, Arizona, March 26, 1934

Office of U. S. Supervisor of Surveys

, 19

The foregoing field notes of the survey of

executed by

under his special instructions dated, 19, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Supervisor of Surveys

I certify that the foregoing transcript of the field notes of the above described surveys in

has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys



41

BOOK 4087

CERTIFICATE OF UNITED STATES SURVEYOR

I, Jess R. Horak, U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 15th day of February, 1934, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, resurveyed all those parts or portions of

The SUBDIVISION LINES of

Township 7 South, Range 11 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said resurvey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such resurvey.

For signatures of George Welch Danehy, David D. Baker, William M. Heina and Daniel M. Wier see attached certificates.

Jess R. Horak, U.S. Transitman

APPROVAL Sentinel, Arizona March 26, 1934

Office of U. S. Supervisor of Surveys,

19

The foregoing field notes of the survey of

executed by

under his special instructions dated, 19, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Supervisor of Surveys

I certify that the foregoing transcript of the field notes of the above described surveys in

has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys

147  
42

FORM 4087

4-680  
(August, 1926)

**FIELD ASSISTANTS.**  
to

William M. Heina

U.S. Transitman

NAMES.	CAPACITY.
Dee W. Kay	Principal Assistant
John Maddux	Chainman
W.C. Clark	Field Assistant
Chas. A. Mayes	Field Assistant
Alva Mills	Field Assistant
Chas. Grinstaff	Field Assistant

148  
43

BOOK 4087

# CERTIFICATE OF UNITED STATES SURVEYOR

I, William M. Heina ~~U. S. Transitman~~, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 15th day of February, 1934, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~resurveyed~~ all those parts or portions of

The SUBDIVISION LINES of

Township 7 South, Range 11 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said ~~resurvey~~ have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such ~~resurvey~~.

For signatures of George Welch Danehy, David D. Baker, Jess R. Horak and Daniel M. Wier see attached certificates

*William M. Heina*

~~U. S. Transitman~~

Sentinel, Arizona,  
March 26, 1934

~~APPROVAL~~

~~Office of U. S. Supervisor of Surveys,~~

~~, 19~~

~~The foregoing field notes of the survey of~~

~~executed by~~

~~under his special instructions dated~~, ~~10~~, ~~having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.~~

~~U. S. Supervisor of Surveys.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~, ~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Supervisor of Surveys.~~



150  
45

BOOK 4087

# CERTIFICATE OF UNITED STATES SURVEYOR

I, David D. Baker ~~U.S. Transitman~~, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 15th day of February, 1934, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~resurveyed~~ all those parts or portions of

The SUBDIVISION LINES of

Township 7 South, Range 11 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said ~~resurvey~~ have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such ~~resurvey~~.

For signatures of George Welch Danehy, William M. Heina, Jess R. Horak and Daniel M. Wier see attached

**APPROVAL**

*David D. Baker*  
~~U.S. Transitman~~

Sentinel, Arizona  
January 25, 1934

~~Office of U. S. Supervisor of Surveys,~~

~~19~~

~~The foregoing field notes of the survey of~~

~~executed by~~

~~under his special instructions dated~~ 10 ~~19~~, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

~~U. S. Supervisor of Surveys.~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~

~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Supervisor of Surveys.~~

157  
46

BOOK 4087

4-680  
(August, 1926)

**FIELD ASSISTANTS.**

George Welsh Danehy

to

U.S. Transitman

NAMES.	CAPACITY.
Rowland Norris	Principal Assistant
H.B. Burt	Chainman
Ernest L. Shockley	Field Assistant
Phil C. Ensign	Field Assistant
Merrit Preston	Field Assistant
Aubrey Washburn	Field Assistant
Robert Wallis	Field Assistant

152  
47

BOOK 4087

# CERTIFICATE OF UNITED STATES SURVEYOR

I, George Welsh Danehy, Trans U.S. Transitman, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 15th day of February, 1934, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~resurveyed~~ resurveyed all those parts or portions of

The SUBDIVISION LINES of

Township 7 South, Range 11 West of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said ~~resurvey~~ resurvey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such ~~resurvey~~ resurvey.

For signatures of David D. Baker, William M. Heina, Jess R. Horak and Daniel M. Wier see attached certificates.

George Welsh Danehy  
Trans U.S. Transitman  
Sentinel, Arizona,  
January 27, 1934.

## APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,  
Denver, Colorado, June 10, 1935

The foregoing field notes of the ~~resurvey of~~ resurvey of

the SUBDIVISION LINES of

Township 7 South, Range 11 West

of the Gila and Salt River Base and Meridian, in the State of Arizona.

~~executed by~~ executed by Daniel M. Wier, Jess R. Horak, William M. Heina, David D. Baker and George Welsh Danehy. Trans U.S. Transitman

under special instructions dated February 15, 1934 - Group 201, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the ~~resurveys~~ resurveys they describe, are hereby approved.

Charlotte Johnson  
U. S. Supervisor of Surveys.

~~I certify that the foregoing transcript of the field notes of the above described surveys in~~  
~~has been correctly copied from the original notes on file in this office.~~

~~U. S. Supervisor of Surveys.~~