

Original

4-679
(April 1933)

Book E.

BOOK 4184

FIELD NOTES

of the

Subdivisional Lines

of

Township 7 South, Range 3 West

Of the Gila and Salt River Meridian,

In the State of Arizona.

EXECUTED BY

Claude F. Warner, Transitman, and

Frank Moteh, Public Land Surveyor,

General Land Office.

Under special instructions dated December 12, 1933, which provided for the surveys included under Group No. 198, bearing the approval of the Commissioner of the General Land Office under date of March 26, 1934 and assignment instructions dated January 10, 1938.

Survey commenced February 24, 1938.

Survey completed March 25, 1938.

4184

4184

BOOK 4184

INDEX DIAGRAM.

Township 7 South, Range 3 West

6	46	5	34	4	26	3	18	2	8	1
45		45		33		25		17		8
7	44	8	32	9	24	10	16	11	7	12
43		42		32		24		15		6
18	42	17	31	16	23	15	14	14	6	13
41		40		30		22		13		5
19	39	20	29	21	22	22	12	23	4	24
39		38		29		21		11		3
30	37	29	28	28	20	27	11	26	3	25
36		35		27		19		10		2
31	35	32	26	33	18	34	9	35	1	36

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

The subdivisional survey of Township 7 South, Range 3 West, was executed with Buff & Buff solar transit No. 9984, and a Young & Sons solar transit, No. 8526, property of the General Land Office. The instruments are equipped with full vertical circles and the Smith solar attachments and were approved by the District Cadastral Engineer on Jan. 10, 1938, conditional upon satisfactory field tests. We examine all the instrumental adjustments before making the field tests hereinafter described.

The directions of the lines were determined by the solar transit method. The measurements were made with Lallie steel tapes, 5 chs. in length, graduated every link for the first 100 lks., and thereafter at intervals of 10 lks. The tapes were tested by comparison with a Lufkin standard and found to be correct. The measurements were made on the slope and the vertical angle at each interval ascertained by clinometers in good adjustment; the horizontal equivalents are entered in the field note record.

The geographical position of the SE. cor. of the Tp., as furnished with the special instructions, is as follows: latitude $32^{\circ}46'02''N.$, and longitude $112^{\circ}30'44''W.$

Feb. 22, 1938, with Young & Sons solar transit No. 8526 on the meridian established by Polaris observation described in the field notes of the exterior lines surveyed under this group, every 30 min. from 8:00 a. m. to 10:30 a. m. and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than $1'30''$.

Feb. 20, 1938, with Buff & Buff solar transit No. 9984 on the meridian established by Polaris observation described in the field notes of the exterior lines surveyed under this group, every 30 min. from 8:00 a. m. to 10:30 a. m. and from 1:30 p. m. to 4:00 p. m., the proper setting are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than $1'30''$.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., described in the field notes of the N. bdy. of T.8 S., R.3 W., surveyed under this group.

$N.0^{\circ}01'W.$, bet. secs. 35 and 36.

Over rolling desert land; thru medium heavy timber and undergrowth.

- 4.00 Wash, 30 lks. wide, course $N.70^{\circ}W.$
- 9.30 Wash, 20 lks. wide, course W.
- 13.07 Road, bears E. and W.
- 27.70 Wash, 50 lks. wide, course W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 35 | S 36
 1938

from which

Subdivision of T.7 S., R.3 W.

Chains

A paloverde, 5 ins. diam., bears S.80 $\frac{1}{2}$ °E., 28 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

A paloverde, 5 ins. diam., bears S.71°W., 73 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.

Enter rough, mountainous land, bears E. and W.; asc. 767 ft. over S. slope.

73.80 Spur, slopes S.70°W.; desc. 183 ft. over N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

T 7 S R 3 W

S 26	S 25
S 35	S 36

1938

No suitable bearing trees are available.

Land, rolling desert and rough mountains.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

S.89°56'E., on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 The cor. of secs. 25, 30, 31 and 36, described in the field notes of the E. bdy. of the Tp., surveyed under this group.

Thence,

N.89°56'W., on a true line between secs. 25 and 36.

Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 616 ft. over E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 25

$\frac{1}{4}$

S 36

1938

No suitable bearing trees are available.

Asc. 113 ft. over NE. slope.

45.00 Short spur, slopes N.; desc. 60 ft. over NW. slope.

48.70 Head of gulch; course N.; asc. 85 ft. along N. slope.

52.70 Spur, slopes S.80°E.; desc. 73 ft. along S. slope.

64.00 Spur, slopes SW. 10 chs. thence W.; desc. 205 ft. along W. slope.

72.10 Gulch, course N.30°W.; asc. 45 ft. along broken N. slope.

80.00 The cor. of secs. 25, 26, 35 and 36.

Subdivision of T.7 S., R.3 W.

BOOK 4180

Chains	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	N.0°01'W., bet secs. 25 and 26.
	Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 383 ft. over N. and NE. slope.
13.60	Gulch, 10 lks. wide, course NW. for 5 chs.; thence W.; asc. 514 ft. over S. and SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 26 S 25 1938 from which
	A paloverde, 5 ins. diam., bears S.54 $\frac{3}{4}$ °E., 116 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
	A paloverde, 4 ins. diam., bears S.72 $\frac{1}{2}$ °W., 73 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	Asc. 245 ft. over S. and SW. slope.
46.20	Ridge, bears N.5°W., and S.60°E.; desc. 115 ft. along NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.
	T 7 S R 3 W S 23 S 24 S 26 S 25 1938
	No suitable accessory.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	S.89°56'E., on a random line, bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.03	The cor. of secs. 19, 24, 25 and 30, described in the field notes of the E. bdy. of the Tp., surveyed under this group.
	Thence,
	N.89°56'W., on a true line bet. secs. 24 and 25.
	Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 615 ft. over E. slope.
21.50	Spur, slopes N.; desc. 53 ft. over W. slope.
29.30	Drain, course N.; asc. 96 ft. over E. slope.
36.00	Short spur, slopes N.; desc. 32 ft. over NW. slope.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$

Subdivision of T.7 S., R.3 W.

Chains	sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} \text{S 24} \\ \hline \text{S 25} \end{array}$
	No suitable accessory. 1938
40.20	Small drain, course N.30°E.; asc. 68 ft. over SE. slope.
46.00	Spur; slopes N.20°E.; desc. 51 ft. over W. slope.
50.50	Gulch, 5 lks. wide, course N.; asc. 63 ft. over E. slope.
56.50	Ridge, bears N. and S.; desc. 161 ft. over W. slope.
71.10	Gulch, 10 lks. wide, course N.; asc. 213 ft. over E. slope.
80.03	The cor. of secs. 23, 24, 25 and 26.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	N.0°01'W., bet. secs. 23 and 24.
	Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 553 ft. along a broken rocky E. slope.
32.00	Drain, course E. 3 chs. to gulch which drains NE.; asc. 40 ft. over S. slope.
37.50	Spur, slopes E., 5 chs. to toe; desc. 56 ft. over N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} \text{S 23} \text{S 24} \\ \hline \text{S 23} \text{S 24} \end{array}$
	No suitable accessories; asc. 229 ft. over SE. slope.
51.00	Spur, slopes E. 3 chs.; thence N.10°E.; desc. 143 ft. E. slope.
68.00	Small drain, course NW.; asc. 17 ft. along W. slope.
76.00	Spur, slopes N., bears E. 150 lks.; desc. 81 ft. over W. slope
80.00	Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, and in a mound of stone to top, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.
	T 7 S R 3 W
	$\begin{array}{c} \text{S 14} \text{S 13} \\ \hline \text{S 23} \text{S 24} \end{array}$
	1938
	from which
	A paloverde, 5 ins. diam., bears S.6°E., 60 lks. dist., mkd. T 7 S R 3 W S 24 B T.
	A paloverde, 5 ins. diam., bears S.27 $\frac{1}{4}$ °W., 91 lks. dist., mkd. T 7 S R 3 W S 23 B T.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

A paloverde, 5 ins. diam., bears N.42½°W., 58 lks. dist., mkd. T 7 S R 3 W S 14 B T.

Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

S.89°56'E., on a random line, bet. secs. 13 and 24.

40.00 Set temp. ¼ sec. cor.

80.01 A point 12 lks. N. of the cor. of secs. 13,18,19 and 24, described in the field notes of the E. bdy. of the Tp., surveyed under this group.

Thence,

N.89°51'W., on a true line bet. secs. 13 and 24.

Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 16 ft. over NE. slope.

4.00 Spur, slopes N. 3 chs. to toe; desc. 29 ft. over W. slope.

15.60 Wash, 50 lks. wide; course N.

19.80 Wash, 30 lks. wide, course N.; asc. 85 ft. over E. slope.

31.50 Spur, slopes NE. 10 chs. to toe; desc. 52 ft. over W. slope.

37.50 Wash, 30 lks. wide, course NE.; asc. 11 ft. over NE. slope.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

¼ $\frac{S 13}{S 24}$

1938

from which

A paloverde, 6 ins. diam., bears N.57½°E., 29 lks. dist., mkd. ¼ S 13 B T.

A paloverde, 5 ins. diam., bears S.67°E., 140 lks. dist., mkd. ¼ S 24 B T.

Asc. 443 ft. over NE. slope.

61.60 Big spur, slopes NW.; desc. 124 ft. over W. and SW. slope.

73.00 Small drain, course NW.; asc. 29 ft. over NE. slope.

79.20 Spur, slopes N. 5 chs. to toe.

80.01 The cor. of secs. 13,14,23 and 24.

Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

N.0°01'W., bet. secs. 13 and 14.

Subdivision of T.7 S., R.3 W.

Chains	
	Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 74 ft. along W. slope.
4.00	Small gulch, course NW.; asc. 76 ft. over SW. slope.
14.00	Spur, slopes NW.; desc. 52 ft. over NE. slope.
24.00	Small drain, course NW.; asc. 119 ft. over SW. slope.
37.40	Spur, slopes NW.
40.00	True point for $\frac{1}{4}$ sec. cor. falls on edge of ledge in an insecure position.
40.15	Set an iron post, 3 ft. long, 1 in. diam., on bedrock and in a mound of stone to top, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 14 S 13 W C 1938 from which A paloverde, 6 ins. diam., bears S. $32\frac{1}{2}^{\circ}$ E., 44 lks. dist., mkd. W C $\frac{1}{4}$ S 13 B T. A paloverde, 5 ins. diam., bears N. 36° W., 107 lks. dist., mkd. W C $\frac{1}{4}$ S 14 B T. Desc. 510 ft. along broken E. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.
	T 7 S R 3 W S 11 S 12 S 14 S 13 1938 from which A paloverde, 5 ins. diam., bears N. 55° E., 112 lks. dist., mkd. T 7 S R 3 W S 12 B T. A paloverde, 4 ins. diam., bears S. $16\frac{1}{2}^{\circ}$ E., 45 lks. dist., mkd. T 7 S R 3 W S 13 B T. A paloverde, 4 ins. diam., bears S. $47\frac{3}{4}^{\circ}$ W., 25 lks. dist., mkd. B T only. A paloverde, 4 ins. diam., bears N. $15\frac{1}{4}^{\circ}$ W., 20 lks. dist., mkd. T 7 S R 3 W S 11 B T. Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	S. $89^{\circ}51'$ E., on a random line, bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.93	A point 2 lks. N. of the cor. of secs. 7, 12, 13 and 18, described in the field notes of the E. bdy. of the Tp., surveyed under this group.

Subdivision of T.7 S., R.3 W.

Chains

Thence,

N.89°50'W., on a true line, bet. secs. 12 and 13.

Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 131 ft. over W. slope.

4.50 Gulch, course S.; asc. 290 ft. over E. slope.

11.75 Spur, ^{from N.} slopes W. 3 chs.; thence SW.; desc. 620 ft. over SW. slope.39.96 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{l} \text{S 12} \\ \hline \text{S 13} \end{array}$$

1938

No suitable accessory.

Desc. 63 ft. over W. slope.

44.90 Enter valley, bears NW. and SE.

70.00 Wash, 100 lks. wide, course NW., leave valley; asc. 69 ft. over E. slope.

79.93 The cor. of secs. 11, 12, 13 and 14.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood and scattered mesquite; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

N.0°01'W., bet secs. 11 and 12.

Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 76 ft. along E. slope.

10.35 Wash, 100 lks. wide, course NW.; enter gently rolling land, bears NW. and SE.

18.25 East channel of same wash as at 10.35, 50 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{l} \text{S 11} \mid \text{S 12} \end{array}$$

1938

from which

A paloverde, 6 ins. diam., bears N.67 $\frac{1}{2}$ °E., 143 lks. dist., mkd. $\frac{1}{4}$ S. 12 B T.A paloverde, 8 ins. diam., bears N.41 $\frac{1}{4}$ °W., 162 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

46.30 Wash, 100 lks. wide, course NE.

53.20 Same wash, 100 lks. wide, course NW.

Subdivision of T.7 S., R.3 W.

Chains 80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in the ground, and in a mound of stone to top, for cor. of secs. 1,2,11 and 12, with brass cap mkd.</p> <p style="text-align: center;">T 7 S R 3 W</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 2</td> <td style="padding: 0 5px;">S 1</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 11</td> <td style="padding: 0 5px;">S 12</td> </tr> </table> <p style="text-align: center;">1938</p> <p>No suitable accessory.</p> <p>Land, rough mountains and rolling desert. Soil, rocky; 3rd and 4th rate. Timber, paloverde and ironwood and scattered mesquite; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.</p>	S 2	S 1	S 11	S 12
S 2	S 1				
S 11	S 12				
	<p>S.89°50'E., on a random line, bet. secs. 1 and 12.</p>				
40.00	Set temp. $\frac{1}{4}$ sec. cor.				
80.00	<p>The cor. of secs. 1,6,7 and 12; described in the field notes of the E. bdy. of the Tp., surveyed under this group.</p> <p>Thence,</p> <p>N,89°50'W., on a true line bet. secs. 1 and 12.</p> <p>Over rolling desert land, thru medium heavy timber and undergrowth.</p>				
27.50	Wash, 20 lks. wide, course N.20°W.				
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 0 5px;">S 1</td> </tr> <tr> <td style="text-align: center;">$\frac{1}{4}$</td> </tr> <tr> <td style="padding: 0 5px;">S 12</td> </tr> </table> <p style="text-align: center;">1938</p> <p style="text-align: right;">raise a mound</p> <p>of stone 2 ft. base, $\frac{1}{2}$ ft. high, N. of cor.</p>	S 1	$\frac{1}{4}$	S 12	
S 1					
$\frac{1}{4}$					
S 12					
76.00	Low ridge, bears NW. and SE.				
80.00	<p>The cor. of secs. 1,2,11 and 12.</p> <p>Land, rolling desert. Soil, rocky; 4th rate. Timber, paloverde, ironwood and scattered mesquite; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.</p>				
	<p>N.0°01'W., on a random line bet. secs. 1 and 2.</p>				
40.00	Set temp. $\frac{1}{4}$ sec. cor.				
79.55	<p>A point 1 lk. W. of the cor. of secs. 1,2,35 and 36, described in the field notes of the N. bdy. of the Tp., surveyed under this group.</p> <p>Thence,</p> <p>S.0°01'E., on a true line, bet. secs. 1 and 2.</p>				

Subdivision of T.7 S., R.3 W.

BOOK 4786

Chains

Over rolling desert land, thru medium heavy timber and undergrowth.

19.55 Wash, 20 lks. wide, course NW.

39.55 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S \ 2 \ | \ S \ 1 \\ 1938 \end{array}$$

No suitable accessory.

48.00 Wash, 25 lks. wide, course W.

54.55 Wash, 20 lks. wide, course NW.

74.55 Low ridge, bears NW. and SE.

79.55 The cor. of secs. 1, 2, 11 and 12.

Land, rolling desert.

Soil; rocky; 3rd and 4th rate.

Timber, paloverde, ironwood and scattered mesquite; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., described in the field notes of the N. bdy. of T.8S., R.3 W., surveyed under this group.

N.0°01'W., bet. secs. 34 and 35.

Over mountainous land, thru medium heavy timber and undergrowth; asc. 44 ft. over SW. slope.

1.60 Rocky spur, slopes NW.; desc. 191 ft. over NE. slope.

8.70 Wash, 60 lks. wide, course N.60°W.; enter nearly level land.

23.00 Wash, 75 lks. wide, course W.

26.55 Well traveled road, bears E. and W.

35.80 Wash, 50 lks. wide, course S.60°W.; asc. 40 ft. over S. slope of very small spur.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S \ 34 \ | \ S \ 35 \\ 1938 \end{array}$$

from which

A paloverde, 4 ins. diam., bears N.37°E., 103 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.


A paloverde, 6 ins. diam., bears N.43°W., 84 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.

Desc. 35 ft. over N. slope of small spur.

48.60 Ravine, course N.70°W.; asc. 389 ft. over S. slope.

Subdivision of T.7 S., R.3 W.

Chains
 68.00 Rocky spur, slopes NW.; desc. 229 ft. over NE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, and in a mound of stone to top, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.



1938

from which

An ironwood, 14 ins. diam., bears N.16 $\frac{1}{2}$ °E., 347 lks. dist., mkd. T 7 S R 3 W S 26 B T.

A paloverde, 8 ins. diam., bears S.73 $\frac{1}{4}$ °E., 226 lks. dist., mkd. T 7 S R 3 W S 35 B T.

A paloverde, 4 ins. diam., bears S.52 $\frac{1}{2}$ °W., 235 lks. dist., mkd. T 7 S R 3 W S 34 B T.

A paloverde, 3 ins. diam., bears N.42 $\frac{1}{2}$ °W., 272 lks. dist., mkd. T 7 S R 3 W S 27 B T.

Land, rough and mountainous.
 Soil, rocky; 4th rate.
 Timber, paloverde and ironwood; undergrowth, sage, cactus and greasewood.

S.89°56'E., on a random line, bet. secs. 26 and 35.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 A point 5 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence,

N.89°58'W., on a true line, bet. secs. 26 and 35.


Over mountainous land, thru medium heavy timber and undergrowth; desc. 385 ft. over NW. slope.

21.50 Ravine, course N.20°W.; asc. 90 ft. over NE. slope.

26.20 Spur, slopes NW.; desc. 233 ft. over broken NW. slope.

36.20 Ravine, course N.40°W.; enter rolling desert land.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 23 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1938

from which

A paloverde fork, 6 ins. diam., bears S.23°W., 52 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.

40.80 Point of spur, NW.; desc. 87 ft. over NW. slope.

60.90 Wash, 50 lks. wide, course N.75°W.

79.88 The cor. of secs. 26, 27, 34 and 35.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

Land, mountainous to rolling desert.
Soil, rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, sage,
cactus and greasewood.

N.0°01'W., bet. secs. 26 and 27.

Over rough mountainous land, thru scattered timber and undergrowth.

2.40 Wash, 100 lks. wide, course S.10°W.; asc. 613 ft. over rocky SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, and in a mound of stone, 4 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 27 \text{ | } \text{S } 26 \\ | \\ 1938 \end{array}$$

from which

A paloverde, 8 ins. diam., bears N.87 $\frac{1}{2}$ °E., 238 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.

A paloverde, 6 ins. diam., bears N.78 $\frac{1}{2}$ °W., 24 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.

Asc. 519 ft. over SW. slope.

52.40 Spur, bears S.75°W.; asc. 63 ft. along W. slope.

67.40 S. edge of flat top ridge, bears N.20°W. and S.20°E.

72.40 N. edge of flat top ridge, bears N.20°W. and S.20°E.

78.50 Wash, course N.45°E.; desc. 101 ft. over N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, and in a mound of stone, 4 ft. base, to top, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

$$\text{T } 7 \text{ S R } 3 \text{ W}$$

$$\begin{array}{c} \text{S } 22 \text{ | } \text{S } 23 \\ \text{S } 27 \text{ | } \text{S } 26 \end{array}$$

1938

from which

A paloverde, 6 ins. diam., bears N.37°W., 136 lks. dist., mkd. T 7 S R 3 W S 22 B T.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, sage, cactus and greasewood.

S.89°58'E., on a random line, bet. secs. 23 and 26.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.78 A point 14 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence,

S.89°56'W., on a true line, bet. secs. 23 and 26.

Over rough mountainous land, thru scattered scrub timber

Subdivision of T.7 S., R.3 W.

Chains	
	and undergrowth; asc. 10 ft. over E. slope.
0.80	Top of spur, slopes N.30°W.; desc. 25 ft. over rolling NW. slope.
20.70	Top of spur; desc. 447 ft. over rocky W. slope.
31.80	Wash, 50 lks. wide, course N.20°W.
33.50	Short spur; desc. 55 ft. over NW. slope.
36.60	Wash, 100 lks. wide, course N.20°W.; asc. 90 ft. over NE. slope.
39.89	Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone, 4 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 23 \\ \hline S 26 \end{array}$
	1938
	from which
	. A paloverde, 4 ins. diam., bears N.86 $\frac{3}{4}$ °E., 115 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.
	. A paloverde, 6 ins. diam., bears S.5°W., 35 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	Asc. 263 ft. over NE. slope.
45.10	Top of cliff, 100 ft. high, and rocky spur, bears N.; desc. 306 ft. over W. slope.
52.50	Wash, 100 lks. wide, course N.10°E.; asc. 585 ft. over rocky E. slope.
64.80	Spur, bears N.40°E.; desc. 46 ft. along rocky N. slope.
78.15	Wash, course N.45°E.; asc. 50 ft. over NE. slope.
79.78	The cor. of secs. 22, 23, 26 and 27.
	Land, rough mountains. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, sage, cactus and greasewood.
	N.0°01'W., bet secs. 22 and 23.
	Over rough mountainous land, thru scattered timber and undergrowth; asc. 25 ft. along NE. slope.
6.99	Top of spur, bears N.40°E.; desc. 115 ft. along NE. slope.
20.54	Change to steep rocky NE slope; desc. 270 to $\frac{1}{4}$ sec. cor.
39.00	Top of spur, bears N.30°E.; desc. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 22 S 23 \\ \hline \end{array}$
	1938

Subdivision of T.7 S., R.3 W.

Book 4184

Chains

from which

A paloverde, 5 ins. diam., bears S.85°E., 11 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.

A paloverde, 6 ins. diam., bears N.71 $\frac{1}{2}$ °W., 118 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.

Desc. 215 ft. over NW. slope.

49.30 Wash, ^{from SW.} 20 lks. wide, course N.; desc. 102 ft.; running down wash.

51.90 Leave wash, bears NE.; desc. 322 ft. over rocky E. slope.

78.80 Enter canyon, bears N.50°W.

80.00 In bottom of a canyon about 2.50 chs wide,

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

T 7 S R 3 W

S 15	S 14
S 22	S 23

1938

from which

A paloverde, 5 ins. diam., bears N.9 $\frac{3}{4}$ °E., 231 lks. dist., mkd. T 7 S R 3 W S 14 B T.

A paloverde, 6 ins. diam., bears S.77 $\frac{1}{2}$ °E., 164 lks. dist., mkd. T 7 S R 3 W S 23 B T.

A paloverde, 6 ins. diam., bears S.14°W., 124 lks. dist., mkd. T 7 S R 3 W S 22 B T.

A paloverde, 8 ins. diam., bears N.8 $\frac{1}{2}$ °W., 98 lks. dist., mkd. T 7 S R 3 W S 15 B T.

Land, rough mountains.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.89°56'E., on a random line, bet. secs. 14 and 23.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.80 A point 12 lks. N. of the cor. of secs. 13, 14, 23 and 24.

Thence,

N.89°59'W., on a true line, bet. secs. 14 and 23.

Over rough mountainous land, thru scattered timber and undergrowth; desc. 75 ft. over rocky NW. slope.

3.10 Rocky wash, 40 lks. wide, course N.30°E.; asc. 189 ft. over rocky E. slope.

8.85 Spur, slopes N.; desc. 50 ft. over rocky W. slope.

12.30 Wash, 20 lks. wide, course N.; asc. 94 ft. over SE. slope.

17.00 Spur, slopes N.35°E., desc. 35 ft. over rocky W. slope.

Subdivision of T.7 S., R.3 W.

Chains	
22.80	Wash, course N.10°E.; asc. 352 ft. over rocky NE. slope.
39.90	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S 14 \\ \frac{1}{4} \\ \hline S 23 \end{array}$
	1938
	from which
	A paloverde, 4 ins. diam., bears N.11 $\frac{3}{4}$ °W., 124 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.
	No other suitable accessory.
40.00	Spur, slopes N.20°W.; desc. 70 ft. over W. slope.
43.60	Wash, 15 lks. wide, course N.5°W.; asc. 50 ft. over NE. slope.
48.10	Top of spur, bears N.20°W.; desc. 35 ft.
53.70	Top of rim, bears NE. and S.; desc. 686 ft. over Rocky SW. slope.
75.50	Enter canyon bed, course NW.
75.90	Main wash, 70 lks. wide, course N.60°W.
79.80	The cor. of secs. 14, 15, 22 and 23.
	Land, Rough and mountainous. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, sage, cactus and greasewood.
	N.0°01'W., bet. secs. 14 and 15.
	Over rolling mountainous land, thru scattered timber and undergrowth.
2.50	Wash, 30 lks. wide, course S.70°W.
2.80	Leave canyon; asc. 580 ft. over rocky SW. slope.
23.55	Top of rim, bears N.70°W., and S.70°E.
24.00	Ridge, bears N.10°W. and S.10°E., desc. 53 ft. to $\frac{1}{4}$ sec. cor.
32.00	Head of small wash, course N.40°E.; along rocky E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S 15 S 14 \end{array}$
	1938
	from which
	A paloverde, 5 ins. diam., bears N.69°E., 10 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.
	A paloverde, 5 ins. diam., bears S.4 $\frac{1}{4}$ °W., 161 lks.

Subdivision of T.7 S., R.3 W.

BOOK 4184

- Chains
- dist., mkd. $\frac{1}{4}$ S 15 B T.
- 42.40 Desc. 337 ft. over rocky NE. slope.
- 53.30 Wash, 20 lks. wide, course N.30°W.; asc. 98 ft. along rocky SW. slope.
- 62.50 Short spur, slopes W.; desc. 77 ft. over rocky N. slope.
- 66.50 Small wash, course W.; asc. 208 ft.
- 70.20 Top of spur, slopes W.; desc. 218 ft. over rocky N. slope.
- 76.50 Wash, 20 lks. wide, course W.; asc. 115 ft. over rocky S. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, and in a mound of stone, 4 ft. base, to top, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.
- T 7 S R 3 W
- | | |
|------|------|
| S 10 | S 11 |
| S 15 | S 14 |
- 1938
- from which
- A paloverde, 5 ins. diam., bears N.70°E., 69 lks. dist., mkd. T 7 S R 3 W S 11 B T.
- A paloverde, 5 ins. diam., bears S.74°E., 145 lks. dist., mkd. T 7 S R 3 W S 14 B T.
- A paloverde, 5 ins. diam., bears N.32 $\frac{1}{2}$ °W., 93 lks. dist., mkd. T 7 S R 3 W S 10 B T.
- Land, rough and mountainous.
Soil, rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, cactus and greasewood.
-
- S.89°59'E., on a random line, bet. secs. 11 and 14.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.80 A point 12 lks. N. of the cor. of secs. 11, 12, 13 and 14.
- Thence,
- N.89°54'W., on a true line, bet. secs. 11 and 14.
- Over rough mountainous land, thru scattered timber and undergrowth; asc. 439 ft. over rocky NE. slope.
- 19.20 Top of rocky spur, slopes N.; desc. 390 ft. over NW. slope.
- 37.00 Wash, 30 lks. wide, course N.10°E.; asc. 70 ft. over E. slope.
- 39.90 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 11
 $\frac{1}{4}$ —————
S 14

1938


Chains	
	<p style="text-align: right;">.. from which</p> <p>A paloverde, 4 ins. diam., bears S.32½°W., 108 lks. dist., mkd. ¼ S 14 B T.</p> <p>A paloverde, 5 ins. diam., bears N.12°W., 124 lks. dist., mkd. ¼ S 11 B T.</p> <p>Asc. 547 ft. over rocky E. slope.</p>
55.00	Top of ridge, bears N.45°W.; desc. 44 ft.
64.50	Leave top of ridge; desc. 232 ft. along S. slope of spur.
79.80	The cor. of secs. 10, 11, 14 and 15.
	<p>Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.</p>
	<p>N.0°01'W., bet. secs. 10 and 11.</p> <p>Over rough mountainous land, thru scattered timber and undergrowth; asc. 160 ft. over rocky S. slope.</p>
7.15	Top of spur, slopes W.; desc. 110 ft. over rocky N. slope.
18.35	Wash, 10 lks. wide, course W.; asc. 147 ft. over rocky S. slope.
27.65	Spur, slopes W.
30.00	Head of draw, course W.
35.00	Top of ridge, bears N.75°W., and S. 80° E.; desc. 73 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for ¼ sec. cor., with brass cap mkd.
	<p>¼</p> <p>S 10 S 11</p> <p>1938</p> <p style="text-align: right;">from which</p>
	<p>A paloverde, 6 ins. diam., bears N.49°E., 147 lks. dist., mkd. ¼ S 11 B T.</p> <p>A paloverde, 6 ins. diam., bears S.58½°W., 90 lks. dist., mkd. ¼ S 10 B T.</p> <p>Desc. 162 ft. over NE. slope.</p>
46.90	Wash, 10 lks. wide, course N.40°W.; asc. 27 ft. SW. slope.
62.50	Rocky spur, slopes N.80°W.; desc. 420 ft. over NE. slope.
76.80	Base of mountains; enter level land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

T 7 S R 3 W



1938

from which

A paloverde, 5 ins. diam., bears S.68°E., 67 lks. dist., mkd. T 7 S R 3 W S 11 B T.

A paloverde, 4 ins. diam., bears S.3½°W., 46 lks. dist., mkd. T 7 S R 3 W S 10 B T.

A paloverde, bears N.18°W., 159 lks. dist., mkd. T 7 S R 3 W S 3 B T.

Land, rough and mountainous.
Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus and greasewood;

S.89°54'E., on a random line, bet. secs. 2 and 11.

40.00 Set temp. ¼ sec. cor.

79.80 A point 8 lks. S. of the cor. of secs. 1,2,11 and 12.


Thence,

N.89°57'W., on a true line, bet. secs. 2 and 11.

Over nearly level land, thru scattered timber and undergrowth,

15.80 Wash, 100 lks. wide, course NW.

39.90 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for ¼ sec. cor., with brass cap mkd.



1938

from which

An ironwood, 6 ins. diam., bears N.64½°W., 94 lks. dist., mkd. ¼ S 2 B T.

A paloverde, 5 ins. diam., bears S.89°W., 22 lks. dist., mkd. ¼ S 11 B T.

41.00 Wash, 100 lks. wide, course N.50°W.

58.90 Wash, 30 lks. wide, course N.

79.80 The cor. of secs. 2,3,10 and 11.

Land, nearly level desert.
Soil, rocky; 3rd rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°02'W., on a random line, bet. secs. 2 and 3.

40.00 Set temp. ¼ sec. cor.

Subdivision of T.7 S., R.3 W.

Chains	
79.65	A point 16 lks. E. of the cor. of secs. 2, 3, 34 and 35, described in the field notes of the N. bdy. of the Tp., surveyed under this group.
	Thence,
	S.0°09'E., on a true line, bet. secs. 2 and 3.
	Over mountainous land, thru scattered timber and undergrowth.
0.75	Wash, 30 lks. wide; course N.70°W.; asc. 206 ft. over N. slope.
15.70	Top of spur, slopes W.; desc. 184 ft. over SE. slope.
29.65	Base of spur; enter rolling desert land.
39.65	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $S\ 3\ \ S\ 2$
	.1938.
	from which
	A paloverde, 5 ins. diam., bears S.82°E., 29 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.
	An ironwood, 6 ins. diam., bears N.26 $\frac{1}{2}$ °W., 84 lks. dist.; mkd. $\frac{1}{4}$ S 3 B T.
51.50	Wash, 100 lks. wide, course W.
79.65	The cor. of secs. 2, 3, 10 and 11.
	Land, mountainous and rolling desert.
	Soil, rocky and sandy; 4th rate.
	Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., described in the field notes of the N. bdy. of T.8 S., R.3 W., surveyed under this group.
	N.0°02'W., bet. secs. 33 and 34.
	Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 40 ft. over NW. slope.
4.00	Ravine, course W.; asc. 121 ft. over SW. slope.
10.70	Spur, slopes N.60°W.; desc. 251 ft. over N. slope.
21.40	Gulch, 20 lks. wide, course N.60°W.; asc. 84 ft. over S. slope.
28.00	Spur, slopes W.; desc. 85 ft. over N. slope.
34.75	Wash, near head, course W.; asc. 23 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $S\ .33\ \ S\ .34$
	1938

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

from which

A paloverde, 4 ins. diam., bears S.72 $\frac{1}{2}$ °E., 107 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.

A paloverde, 5 ins. diam., bears N.71°W., 55 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.

Asc. 41 ft. over S. slope.

44.50 Spur, slopes W., 5 chs. to toe; desc. 52 ft. over N. slope.

49.30 Leave rough mountainous land; enter gently rolling desert, bears E. and W.

55.40 Wash, , 100 lks. wide, course N.80°W.

66.70 Road, bears *NW.* and *SE.*

75.20 Wash, 30 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

T 7 S R 3 W

S 28	S 27
S 33	S 34

1938

from which

An ironwood, 6 ins. diam., bears N.72 $\frac{1}{2}$ °E., 272 lks. dist., mkd. T 7 S R 3 W S 27 B T.

A paloverde, 6 ins. diam., bears S.45 $\frac{3}{4}$ °E., 100 lks. dist., mkd. T 7 S R 3 W S 34 B T.

An ironwood, 4 ins. diam., bears S.14 $\frac{3}{4}$ °W., 273 lks. dist., mkd. T 7 S R 3 W S 33 B T.

An ironwood, 5 ins. diam., bears N.13 $\frac{1}{4}$ °W., 170 lks. dist., mkd. T 7 S R 3 W S 28 B T.

Land, rough mountains and rolling desert.

Soil, rocky; 3rd and 4th rate.

Timber, paloverde, ironwood and scattered mesquite; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

S.89°56'E., on a random line, bet. secs. 27 and 34.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.01 A point 5 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence,

N.89°54'W., on a true line, bet. secs. 27 and 34.

Over rough mountainous land, thru medium heavy timber and undergrowth.

5.50 Wash, 30 lks. wide, course SW.; asc. 298 ft. over E. slope.

27.70 Top of butte, bears N. and S.; desc. 329 ft. over W. slope.

Subdivision of T.7 S., R.3 W.

Chains 40.00	<p style="text-align: center;"><i>lin. diam.</i></p> <p>Set an iron post, 3 ft. long, ^A on bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ $\frac{S\ 27}{S\ 34}$</p> <p style="text-align: center;">1938</p> <p style="text-align: right;">from which</p> <p>An ironwood, 3 ins. diam., bears N. $81\frac{1}{2}^{\circ}$W., 11 lks. dist., mkd. B T only.</p> <p>A paloverde, 5 ins. diam., bears S. $41\frac{1}{2}^{\circ}$E., 16 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.</p> <p>Desc. 81 ft. over broken W. slope.</p>
60.00	Toe of spur, enter nearly level land.
80.01	The cor., of secs. 27, 28, 33 and 34.
	<p>Land, mountainous and rolling. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.</p>
	<p>N. $0^{\circ}02'$W., bet. secs. 27 and 28.</p> <p>Over gently rolling desert land, thru medium heavy timber and undergrowth.</p>
15.00	Leave gently rolling land; enter rough mountains, bears E. and W.; asc. 109 ft. over SW. slope.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ $\frac{S\ 28\ \ S\ 27}{1938}$</p> <p style="text-align: right;">from which</p> <p>A paloverde, 6 ins. diam., bears N. $20\frac{1}{4}^{\circ}$E., 63 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.</p> <p>A paloverde, 6 ins. diam., bears N. $75\frac{3}{4}^{\circ}$W., 36 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.</p> <p>Asc. 197 ft. over S. and SW. slope.</p>
52.70	Large spur, slopes W. 15 chs.; thence NW.; desc. 108 ft. over N. slope.
58.30	Gulch, near head, course W. for 10 chs.; thence NW.; asc. 208 ft. over S. and SW. slope.
67.00	Spur, slopes NW.; desc. 291 ft. over NE. slope.
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.</p> <p style="text-align: center;">T 7 S R 3 W $\frac{S\ 21\ \ S\ 22}{S\ 28\ \ S\ 27}$</p> <p style="text-align: center;">1938</p>

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

from which

An ironwood, 4 ins. diam., bears N.8°E., 83 lks.
dist., mkd. T 7 S R 3 W S 22 B T.

A paloverde, 5 ins. diam., bears S.11 $\frac{3}{4}$ °E., 140 lks.
dist., mkd. T 7 S R 3 W S 27 B T.

A paloverde, 6 ins. diam., bears S.54 $\frac{1}{2}$ °W., 123 lks.
dist., mkd. T 7 S R 3 W S 28 B T.

A paloverde, 4 ins. diam., bears N.33 $\frac{1}{4}$ °W., 105 lks.
dist., mkd. T 7 S R 3 W S 21 B T.

Land, mountainous.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

S.89°54'E., on a random line, bet. secs. 22 and 27.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.97 A point 12 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence,

N.89°49'W., on a true line, bet. secs. 22 and 27.

Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 80 ft.

5.90 Top of ridge, bears N.30°W. and S.30°E.; desc. 430 ft. over rocky SW. slope.

24.90 Top of spur, slopes S.70°W.; desc. 396 ft. over rocky W. slope.

33.30 Head of wash, 20 lks. wide, course S.80°W.; desc. 107 ft. over rocky SW. slope.

39.99 Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone, 5 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \frac{S 22}{S 27}$$

1938

from which

A paloverde, 5 ins. diam., bears N.64 $\frac{1}{2}$ °E., 44 lks.
dist., mkd. $\frac{1}{4}$ S 22 B T.

A paloverde, 5 ins. diam., bears S.69 $\frac{3}{4}$ °E., 49 lks.
dist., mkd. $\frac{1}{4}$ S 27 B T.

Desc. 262 ft. over rocky SW. slope.

68.10 Wash, 40 lks. wide, course N.70°W.

79.97 The cor. of secs. 21, 22, 27 and 28.

Land, rough mountains.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, cactus and greasewood.

Subdivision of T.7 S., R.3 W.

Chains	
	N.0°02'W., bet. secs. 21 and 22.
	Over rough mountainous land, thru medium heavy timber and undergrowth.
3.00	Wash, 30 lks. wide, course NW.; along S. slope.
20.00	Change of slope; asc. 185 ft. over SW. slope.
31.00	Spur, slopes W. 5 chs. to toe; desc. 36 ft. over NW. slope.
36.60	Ravine, course W.; asc. 22 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 21 S 22 1938
	No suitable accessory.
	Asc. 331 ft. over S. and SW. slope.
53.30	Spur, slopes W.; desc. 110 ft. over N. slope.
57.70	Ravine, course W.; asc. 125 ft. over broken SW. slope.
71.00	Spur, slopes N.5°W.; desc. 79 ft. along E. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, and in a mound of stone to top, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.
	T 7 S R 3 W S 16 S 15 S 21 S 22 1938
	No suitable accessory.
	Land, rough mountains. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	S.89°49'E., on a random line, bet. secs. 15 and 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.97	A point 12 lks. S. of the cor. of secs. 14, 15, 22 and 23. Thence,
	N.89°54'W., on a true line, bet. secs. 15 and 22.
	Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 264 ft. over NE. slope.
16.10	Enter nearly level land.
27.90	Spur, slopes N.70°W.; thence along N. slope, leave level land; desc. 295 ft. over W. and SW. slope.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

- 39.50 Gulch, 15 lks. wide, course N.
- 39.99 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$ $\frac{S\ 15}{S\ 22}$
- 1938
- No suitable accessory.
- Asc. 501 ft. over E. slope.
- 61.00 Spur, slopes N.; desc. 257 ft. over W. slope.
- 75.60 Gulch, 10 lks. wide, course N.; asc. 156 ft. over E. slope.
- 79.97 The cor. of secs. 15, 16, 21 and 22.
- Land, rough and mountainous.
Soil, rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

N.0°02'W., bet. secs. 15 and 16..

Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 32 ft. along E. slope.

- 3.50 Top of spur, bears W. 1.50 chs.; desc. 161 ft. along E. slope.
- 15.50 Top of same spur, bears W. 1.50 chs.; asc. 50 ft. along broken E. slope.
- 36.20 Short spur, slopes NE.; desc. 57 ft. along E. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
- S 16 | S 15
- 1938
- No. suitable accessory.
- Desc. 165 ft. over NE. slope.
- 50.50 Spur, slopes N.80°E.; desc. 324 ft. over NE. slope.
- 63.30 Gulch, course W.; asc. 261 ft. over S. slope.
- 75.50 Spur, slopes W.; desc. 31 ft. over broken NW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T 7 S R 3 W

S 9 | S 10
S 16 | S 15

1938.

Subdivision of T.7 S., R.3 W.

Chains	
	No suitable accessory.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	S.89°54'E., on a random line, bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	A point 3 lks. N. of the cor. of secs. 10, 11, 14 and 15. Thence,
	N.89°53'W., on a true line, bet. secs. 10 and 15.
	Over rough mountainous land, thru medium heavy timber and undergrowth; desc. 191 ft. over S. and SW. slope.
16.10	Gulch, bears S. 2 chs., thence W.; asc. 92 ft. along S. and SE. slope.
23.20	Top of spur; desc. 279 ft. along S. and SW. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S 10}{S 15}$ 1938
	from which
	A paloverde, 5 ins. diam., bears N.47 $\frac{3}{4}$ °E., 95 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
	A paloverde, 5 ins. diam., bears South, 48 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
44.60	Gulch, 15 lks. wide, course NW. from N. 60°W.
48.10	Wash, 30 lks. wide, course N.20°W.; asc. 476 ft. over E. slope.
69.70	Ridge, bears N.20°W. and S.; desc. 213 ft. over W. slope.
80.10	The cor. of secs. 9, 10, 15 and 16.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara, sage and cactus.
	N.0°02'W., bet. secs. 9 and 10.
	Over rough mountainous land, thru medium heavy timber and undergrowth.
1.20	Head of gulch, bears SW. 10 chs.; thence W.; asc. 257 ft. over SW. slope.
16.30	Spur, slopes NW.; desc. 120 ft. over N. slope.
24.00	Head of gulch, course NW.; asc. 96 ft. over SW. slope.
36.00	Ridge, bears NW. 2 chs.; thence NE.; desc. 37 ft. over

Subdivision of T.7 S., R.3 W.

BOOK 4186

Chains

N. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S\ 9\ | S\ 10 \\ 1938 \end{array}$$

No suitable accessory.

Desc. 85 ft. over N. slope.

54.20 Top of ridge, bears W. 40 lks.; from NW. and SW.; desc. 40 ft. along E. slope.

61.20 Head of gulch, course E.; asc. 40 ft. along W. slope.

66.00 Spur, bears SE.; desc. 170 ft. along broken E. slope.

79.70 Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, and in a mound of stone to top, for witness cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

$$\begin{array}{c} T\ 7\ S\ R\ 3\ W \\ W\ C \\ S\ 4\ | S\ 3 \\ \hline S\ 9\ | S\ 10 \\ 1938 \end{array}$$

No suitable accessory.

80.00 True point for cor. falls on ledge of rock.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

S.89°53'E., on a random line, bet. secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.03 A point 2 lks. N. of the cor. of secs. 2, 3, 10 and 11.

Thence,

N.89°52'W., on a true line, bet. secs. 3 and 10.

Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 97 ft. along N. slope.

13.00 Spur, slopes N. 5 chs. to toe; desc. 59 ft. over NW. slope.

20.00 Enter nearly level land along NW. slope.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} S\ 3 \\ \frac{1}{4} \\ \hline S\ 10 \\ 1938 \end{array}$$

Subdivision of T.7 S., R.3 W.

Chains	
	No suitable accessory.
40.03	Spur, slopes N.5 chs. to toe; desc. 66 ft. over NW. slope.
48.30	Wash, 30 lks. wide, course N.; asc. 411 ft. over E. slope.
80.03	The true point for cor. of secs. 3,4,9 and 10; the witness cor. thereof being 30 lks. dist., S.0°02'E. Land, rough mountains. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara, sage and cactus.
	N.0°10'W., on a random line, bet. secs. 3 and 4.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.35	A point 14 lks. W. of the cor. of secs. 3,4,33 and 34, described in the field notes of the N. bdy. of the Tp., surveyed under this group. Thence, S.0°04'E., on a true line, bet. secs. 3 and 4. Over nearly level desert land; thru medium heavy timber and undergrowth.
39.35	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 4 S 3 1938
	No suitable accessory.
52.35	Enter mountainous land, bears E. and W.; asc. 465 ft. along E. slope.
79.35	The cor. of secs. 3,4,9 and 10. Land, nearly level desert and rough mountains. Soil, rocky; 3rd and 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	From the cor. of secs. 4,5,32 and 33, on the S. bdy. of the Tp., described in the field notes of the N. bdy. of T.8 S., R.3 W., surveyed under this group. N.0°02'W., bet. secs. 32 and 33 Over rough mountainous land, thru medium heavy timber and undergrowth.
.1.00	Ridge, bears NW. and SE.; desc. 263 ft. over NE. slope.
10.10	Gulch, course NW.; asc. 287 ft. over SW. slope.
23.00	Spur, slopes N.80°W., desc. 170 ft. over N. slope.
32.70	Gulch, course W.; asc. 167 ft. over S. slope.
37.00	Spur, slopes W.; desc. 86 ft. over NE. slope.

Subdivision of T.7 S., R.3 W.

4184

Chains

40.00

Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S\ 32\ | S\ 33 \\ 1938 \end{array}$$

No suitable accessory.

Desc. 301 ft. along broken E. slope.

75.00

Slopes changes; asc. 29 ft. over SE. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

$$\begin{array}{c} T\ 7\ S\ R\ 3\ W \\ S\ 29\ | S\ 28 \\ S\ 32\ | S\ 33 \\ 1938 \end{array}$$

from which

A paloverde, 5 ins. diam., bears S.76 $\frac{1}{4}$ °E., 43 lks. dist., mkd. T 7 S R 3 W S 33 B T.

A paloverde, 5 ins. diam., bears S.42°W., 99 lks. dist., mkd. T 7 S R 3 W S 32 B T.

A paloverde, 5 ins. diam., bears N.50 $\frac{1}{2}$ °W., 64 lks. dist., mkd. T 7 S R 3 W S 29 B T.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

S.89°56'E., on a random line, bet. secs. 28 and 33.

40.00

Set temp. $\frac{1}{4}$ sec. cor.

79.99

A point 2 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence,

N.89°55'W., on a true line, bet. secs. 28 and 33.

Over rolling desert land, thru medium heavy timber and undergrowth.

3.70

Wash, 20 lks. wide, course NW.

12.00

Road, bears NW. and SE.

32.60

Low hill, bears NW. and SE. 5 chs.; desc. 34 ft. over SW. slope.

39.99

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} S\ 28 \\ \frac{1}{4} \\ S\ 33 \\ 1938 \end{array}$$

Subdivision of T.7 S., R.3 W.

Chains	
	raise a mound of stone N. of cor.
55.65	Wash, 100 lks. wide, course N.60°W.
64.90	Wash, 50 lks. wide, course NW.
72.50	Leave rolling land; enter mountainous land, bears N. and S.; asc. 81 ft. over SE. slope.
79.99	The cor. of secs. 28, 29, 32 and 33. Land, rolling desert and mountainous. Soil, rocky; 3rd and 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	N.0°02'W., bet. secs. 28 and 29. Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 141 ft. over SE. slope.
8.00	Butte, 50 to 60 ft. high, bears W. 5 chs. dist., on spur, which slopes E.; desc. 203 ft. over broken NE. slope.
33.30	Wash, 150 lks. wide, course NW.; road bears N.60°W. and S.60°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ \text{S } 29 \mid \text{S } 28 \\ \hline 1938 \end{array}$ from which An ironwood, 10 ins. diam., bears N.89 $\frac{3}{4}$ °E., 388 lks. dist., mkd. $\frac{1}{4}$ S 28 B T. An ironwood, 8 ins. diam., bears S.64 $\frac{1}{4}$ °W., 159 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
50.00	Asc. 136 ft. over S. slope.
55.70	Spur, slopes N.60°W., desc. 107 ft. over NE. slope.
61.90	Gulch, 10 lks. wide, course N.60°W.; asc. 174 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd. $\begin{array}{c} \text{T } 7 \text{ S } \text{R } 3 \text{ W} \\ \text{S } 20 \mid \text{S } 21 \\ \hline \text{S } 29 \mid \text{S } 28 \\ \hline 1938 \end{array}$ from which A paloverde, 6 ins. diam., bears S.19°E., 114 lks. dist., mkd. T 7 S R 3 W S 28 B T. A paloverde, 6 ins. diam., bears S.21 $\frac{3}{4}$ °W., 107 lks. dist., mkd. T 7 S R 3 W S 29 B T.

Subdivision of T.7 S., R.3 W.

4184

Chains

Land, rough and mountainous.
Soil, rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
cholla, ocotillo, sahuara and sage.

S.89°55'E., on a random line, bet. secs. 21 and 28.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.08 The cor. of secs. 21,22,27 and 28.

Thence,

N.89°55'W., on a true line, bet. secs. 21 and 28.

Over rough mountainous land, thru scattered timber and
undergrowth; asc. 217 ft. over rocky NE. slope.

12.10 Top of spur, slopes N.30°W.; desc. 306 ft. over rocky
SW. slope.

31.90 Wash, 20 lks. wide, course N.20°W.; asc. 204 ft. over
rocky NW. slope.

40.04 Set an iron post, 3 ft. long, 1 in. diam., on bedrock,
and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with
brass cap mkd..

$$\frac{1}{4} \frac{S 21}{S 28}$$

1938

from which

A paloverde, 6 ins. diam., bears N.33 $\frac{3}{4}$ °W., 18 lks.
dist., mkd. $\frac{1}{4}$ S 21 B T.

A paloverde, 6 ins. diam., bears S.1 $\frac{3}{4}$ °W., 39 lks.
dist., mkd. $\frac{1}{4}$ S 28 B T.

Asc.. 20 ft. over rocky E. slope.

41.10 Short spur, slopes N.; desc. 79 ft. over rolling NW.
slope.

50.30 Short spur, slopes N.; desc, 213 ft. over rocky W. slope.

60.00 Wash, near head, 10 lks. wide, course N.30°E.; asc. 158
ft. over NE. slope.

71.80 Desc. along top of spur, 15 ft.

80.08 The cor. of secs. 20,21,28 and 29.

Land, rough and mountainous.
Soil, rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, cactus
and greasewood.

N.0°02'W., bet. secs. 20 and 21.

Over rough mountainous land, thru scattered timber and
undergrowth.

3.50 Spur, slopes NW.; desc. 179 ft. over NE. slope.

12.80 Wash, 30 lks. wide, course NW.

Subdivision of T.7 S., R.3 W.

Chains	
30.50	Asc. 78 ft. over broken SW. slope.
35.70	Dese. 75 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd...
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 20 \mid \text{S } 21 \\ 1938 \end{array}$
	from which
	A paloverde, 5 ins. diam., bears N.39 $\frac{3}{4}$ °E., 22 lks. dist., mkd. $\frac{1}{4}$ S. 21 B T.
	A paloverde, 5 ins. diam., bears S.55°W., 48 lks. dist., mkd. $\frac{1}{4}$ S. 20 B T.
	Asc. 201 ft. over SW. slope.
51.10	Spur, slopes NW.; desc. 74 ft. over NE. slope.
58.00	Drain, course NE.; asc. 63 ft. over SE. slope.
66.50	Short spur, slopes E. for 12 chs. to toe from SW.; desc. 131 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, and in a mound of stone to top, for cor. of secs. 16,17,20 and 21, with brass cap mkd.
	$\begin{array}{c} \text{T } 7 \text{ S } \text{R } 3 \text{ W} \\ \text{S } 17 \mid \text{S } 16 \\ \text{S } 20 \mid \text{S } 21 \\ 1938 \end{array}$
	.. from which
	A paloverde, 6 ins. diam., bears N23°E., 212 lks. dist., mkd. T 7 S R 3 W S 16 B T.
	A paloverde, 4 ins. diam., bears S.38 $\frac{1}{2}$ °E., 130 lks. dist., mkd. T 7 S R 3 W S 21 B T.
	A paloverde, 6 ins. diam., bears S.22 $\frac{3}{4}$ °W., 124 lks. dist., mkd. T.7 S R 3 W S 20 B T.
	A paloverde, 5 ins. diam., bears N.58°W., 37 lks. dist., mkd. T 7 S R 3 W S 17 B T.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.
	S.89°55'E., on a random line, bet. secs. 16 and 21.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.14	A point 5 lks. S. of the cor. of secs. 15,16,21 and 22. Thence, N.89°57'W., on a true line, bet. secs. 16 and 21.

Subdivision of T.7 S., R.3 W.

E 000 4184

Chains

Over mountainous land, thru medium heavy timber and undergrowth; asc. 42 ft. over E. slope.

- 1.60 Ridge, bears N. and S.; desc. 691 ft. over NW. and W. slope.
- 40.07 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$ $\frac{S\ 16}{S\ 21}$
1938
- No suitable accessory.
- Desc. 38 ft. over NW. slope.
- 55.10 Gulch, 20 lks. wide, course NW.; asc. 88 ft. over NE. slope.
- 73.00 Spur, slopes N.; desc. 104 ft. over SW. slope.
- 78.80 Drain, course NW.; asc. 8 ft. over E. slope.
- 80.14 The cor. of secs. 16, 17, 20 and 21.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and sage.

N.6°02'W., bet. secs. 16 and 17.

Over rough mountainous land, thru medium heavy timber and undergrowth.

- 3.40 Small drain, course NW.; asc. 143 ft. over SW. slope.
- 10.65 Spur, slopes NW.; desc. 223 ft. over broken NE. slope.
- 37.70 Gulch, 15 lks. wide, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ Sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 17 | S 16
1938

from which

An ironwood, 6 ins. diam., bears S.88 $\frac{1}{2}$ °E., 99 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.

A paloverde, 5 ins. diam., bears S.88 $\frac{3}{4}$ °W., 184 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.

Over nearly level broken land.

- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone to top, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.

Subdivision of T.7 S., R.3 W.

Chains

$$\begin{array}{r|l} T\ 7\ S\ R\ 3\ W & \\ S\ 8 & S\ 9 \\ \hline S\ 17 & S\ 16 \end{array}$$

1938

from which

A paloverde, 6 ins. diam., bears N.69 $\frac{1}{4}$ °E., 284 lks. dist., mkd. T 7 S R 3 W S 9 B T.

A paloverde, 5 ins. diam., bears S.24 $\frac{1}{4}$ °E., 196 lks. dist., mkd. T 7 S R 3 W S 16 B T.

Land, rough and mountainous.

Soil, rocky; 3rd and 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara, sage and cactus.

S.89°57'E., on a random line, bet. secs. 9 and 16.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.12 A point 5 lks. S. of the cor. of secs. 9, 10, 15 and 16.

Thence,

N.89°59'W., on a true line, bet. secs. 9 and 16.

Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 54 ft. over N. slope.

40.06 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S\ 9}{S\ 16}$$

1938

No suitable accessory.

40.60 Spur, slopes NW; desc. 117 ft. over W. slope.

47.90 Wash, 10 lks. wide, course NW.

63.00 Wash, 20 lks. wide, course N. 10 chs.; thence NW.; asc. 63 ft. over E. slope.

66.10 Spur, slopes NW.; desc. 100 ft. over W. slope.

80.12 The cor. of secs. 8, 9, 16 and 17.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, greasewood, Cholla, ocotillo, sahuara, sage and cactus.

N.0°02'W., bet. secs. 8 and 9.

Over rough mountainous land, thru medium heavy timber and undergrowth; thence over broken wash land.

10.00 Asc. 41 ft. over S. slope.

12.60 Low hill, bears NW. and SE.; desc. 40 ft. over NE. slope.

Subdivision of T.7 S., R.3 W.

4184

Chains	
24.60	Low hill, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 8 \mid \text{S } 9 \\ \text{1938} \end{array}$
	No suitable accessory.
48.90	Wash, 25 lks. wide, course W.
66.70	Base of mountain, bears N.30°W. and SE.; asc. 154 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, and in a mound of stone to top, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.
	$\begin{array}{c} \text{T } 7 \text{ S } \text{R } 3 \text{ W} \\ \text{S } 5 \mid \text{S } 4 \\ \text{S } 8 \mid \text{S } 9 \\ \text{1938} \end{array}$
	from which
	A paloverde, 5 ins. diam., bears N.70°E., 54 lks. dist., mkd. T 7 S R 3 W S 4 B T.
	A paloverde, 5 ins. diam., bears S.71 $\frac{3}{4}$ °E., 52 lks. dist., mkd. T 7 S R 3 W S 9 B T.
	A paloverde, 6 ins. diam., bears S.52 $\frac{1}{4}$ °W., 150 lks. dist., mkd. T 7 S R 3 W S 8 B T.
	A paloverde, 5 ins. diam., bears N.62 $\frac{1}{2}$ °W., 174 lks. dist., mkd. T 7 S R 3 W S 5 B T.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara, sage and cactus.
	S.89°59'E., on a random line, bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	A point 11 lks. N. of the true point of the cor. of secs. 3, 4, 9 and 10; the witness cor. thereof being 30 lks. S.0°02'E.
	Thence,
	N.89°54'W., on a true line, bet. secs. 4 and 9.
	Over rough mountainous land, thru medium heavy timber and undergrowth; asc. 107 ft. over E. slope.
2.50	Ridge, bears NW. and S.
14.10	Spur, slopes N.30°W.; desc. 593 ft. over broken NW. slope.
36.70	Gulch, 15 lks. wide, course N. 10 chs.; thence NW.; asc. 80 ft. over E. slope.

Subdivision of T.7 S., R.3 W.

Chains	
40.03	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 4 \\ \hline S 9 \\ 1938 \end{array}$
	No suitable accessory.
	Asc. 126 ft. over E. slope.
46.30	Spur, slopes NW.; desc. 187 ft. over SW. slope.
56.10	Head of small drain, course SW.; asc. 157 ft. along S. slope.
72.20	Spur, slopes S.; desc. 208 ft. over SW. slope.
80.06	The cor. of secs. 4,5,8 and 9.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara, sage and cactus.
	N.0°05'W., on a random line, bet. secs. 4 and 5.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.31	A point 14 lks. W. of the cor. of secs. 4,5,32 and 33, described in the field notes of the N. bdy. of the Tp., surveyed under this group.
	Thence,
	S.0°01'W., on a true line, bet. secs. 4 and 5.
	Over rolling desert land.
10.20	Wash, 10 lks. wide,, course NW.
29.30	Leave rolling land, enter mountainous land; asc. 46 ft. over NW. slope.
39.30	Top of low hill, bears NW. and SE.
39.31	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a rock 5x4x3 ins., mkd with a cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 5 S 4 \\ \hline 1938 \end{array}$
	No suitable accessory.
	Desc. 61 ft. over SW. slope.
49.90	Wash, 20 lks. wide, course W.; asc. 308 ft. over NW. slope.
68.30	Spur, slopes NW.; desc. 219 ft. over SW. slope.
79.31	The cor. of secs. 4,5,8 and 9.

Subdivision of T.7 S., R.3 W.

JOK 4184

Chains

Land, rolling desert and rough mountains.
Soil, rocky; 3rd and 4th rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
cholla, ocotillo, sahuara, sage and cactus.

From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of
the Tp., described in the field notes of the N. bdy. of
T.8 S., R.3 W., surveyed under this group.

N.0°03'W., bet. secs. 31 and 32.

Over rough mountainous land, thru scattered timber and
undergrowth; asc. 35 ft. over S. slope of flat top spur.

25.40 Leave spur, slopes SE.; desc. 300 ft. over rocky NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in
the ground to bedrock, and in a mound of stone to top,
for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 31 \mid \text{S } 32 \\ 1938 \end{array}$$

from which

A paloverde, 5 ins. diam., bears N.52°E., 16 lks.
dist., mkd. $\frac{1}{4}$ S 32 B T.

A paloverde, 5 ins. diam., bears S.43 $\frac{1}{2}$ °W., 81 lks.
dist., mkd. $\frac{1}{4}$ S 31 B T.

Desc. 25 ft. over rocky NE. slope.

41.90 Wash, 20 lks. wide, course N.40°W.; asc. 58 ft. along
rolling W. slope.

65.00 Top of ascent; desc. 48 ft.

75.20 Wash, 20 lks. wide, course S.60°W.; asc. 62 ft. over S.
slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in
the ground to bedrock, and in a mound of stone to top,
for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.

$$\begin{array}{c} \text{T } 7 \text{ S } R \text{ } 3 \text{ W} \\ \text{S } 30 \mid \text{S } 29 \\ \text{S } 31 \mid \text{S } 32 \\ 1938 \end{array}$$

1938

from which

An ironwood, 5 ins. diam., bears S.34 $\frac{1}{4}$ °E., 497 lks.
dist., mkd. T 7 S R 3 W S 32 B T.

No other suitable accessories.

Land, rolling mountains.
Soil, rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, cactus;
sage and greasewood.

S.89°56'E., on a random line, bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

Subdivision of T.7 S., R.3 W.

Chains	
80.07	A point 5 lks. N. of the cor. of secs. 28, 29, 32 and 33. Thence, N.89°54'W., on a true line, bet. secs. 29 and 32. Over rough mountainous land, thru scattered timber and undergrowth; asc. 55 ft.
2.45	Spur, slopes N.30°W.; desc. 145 ft. over S. slope.
11.90	Wash, 10 lks. wide, course N.50°W.; asc. 40 ft. along N. slope.
23.20	Spur, slopes N.40°W.; desc. 70 ft. over W. slope.
30.10	Wash, 10 lks. wide, course N.40°W.; asc. 40 ft. along N. slope.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4} \frac{S \ 29}{S \ 32}$ </div> <div style="text-align: center;">1938</div> <div style="text-align: right;">from which</div> A paloverde, 5 ins. diam., bears N.33 $\frac{1}{4}$ °E., 169 lks. dist., mkd. $\frac{1}{4}$ S 29 B T. No other suitable accessory. Asc. 69 ft. along N. slope.
52.40	Peak, slopes N.
68.50	Top of spur in saddle, slopes N.80°W; desc. 63 ft. along S. slope.
80.07	The cor. of secs. 29, 30, 31 and 32. Land, rough and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	N.89°56'W., on a random line, bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.37	A point 14 lks. S. of the cor. of secs. 29, 30, 31 and 36, described in the field notes of the E. bdy. of T.7 S., R.4 W., surveyed under this group. Thence, S.89°50'E., on a true line bet. secs. 30 and 31.
5.20	Wash, 14 lks. wide., course NW.; asc. 90 ft. over N.slope.
17.60	Spur, slopes N.; desc. 70 ft. over N.slope.
32.70	Wash, 10 lks. wide, course N., asc. 85 ft. along W. slope.
39.37	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

$$\frac{1}{4} \begin{array}{c} \text{S } 30 \\ \hline \text{S } 31 \end{array}$$

1938.

from which

A paloverde, 5 ins. diam., bears N.12 $\frac{1}{4}$ °W., 76 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

A paloverde, 5 ins. diam., bears S.56 $\frac{3}{4}$ °E., 35 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

- 40.40 Top of peak, slopes N.; desc. 80 ft. over NE. slope.
 47.10 Base of NE. slope; over nearly level land.
 58.30 Wash, 30 lks. wide, course N.40°W.
 72.40 Toe of slope; asc. 81 ft. over S. slope.
 79.37 The cor. of secs. 29,30,31 and 32.

Land, rolling desert.

Soil, rocky; 3rd rate.

Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°03'W., bet. secs. 29 and 30.

Over mountainous land, thru scattered timber and undergrowth; asc. 84 ft. over S. slope.

- 3.20 Top of ridge, slopes W.; desc. 201 ft. along NW. slope.
 22.30 Junction of washes, 30 lks. wide, from S.80°E. and N.; course N. 80°W., enter level land.
 30.20 Leave wash, from N.60°E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} \text{S } 30 \mid \text{S } 29 \\ \hline \text{S } 30 \mid \text{S } 29 \end{array}$$

1938

from which

An ironwood, 6 ins. diam., bears N.78°E., 102 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.

An ironwood, 6 ins. diam., bears S.82 $\frac{3}{4}$ °W., 154 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

- 68.58 Ungraded road, bears N.47 $\frac{1}{2}$ °W. and S.63 $\frac{1}{4}$ °E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19,20,29 and 30, with brass cap mkd.

T 7 S R 3 W

$$\begin{array}{c} \text{S } 19 \mid \text{S } 20 \\ \hline \text{S } 30 \mid \text{S } 29 \end{array}$$

1938

from which

Subdivision of T.7 S., R.3 W.

Chains

An ironwood, 6 ins. diam., bears N.65½°E., 48 lks. dist., mkd. T 7 S R 3 W S 20 B T.

An ironwood, 5 ins. diam., bears S.31½°E., 30 lks. dist., mkd. T 7 S R 3 W S 29 B T.

A paloverde, 6 ins. diam., bears S.65°W., 96 lks. dist., mkd. T 7 S R 3 W S 30 B T.

An ironwood, 6 ins. diam., bears N.51°W., 56 lks. dist., mkd. T 7 S R 3 W S 19 B T.

U.S. C. & G.S. Bench Mark bears N.87°19'W., 14.32 chs. dist., mkd. U S C & G S Bench Mark A87- 1935.

Land, level and rolling.
Soil, 3rd and 4th rate.
Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.

S.89°54'E., on a random line, bet. secs. 20 and 29..

40.00 Set temp. ¼ sec. cor.

80.02 A point 2 lks. S. of the cor. of secs. 20,21,28 and 29.

Thence,

N.89°55'W., on a true line, bet..secs..20 and.29.

Over mountainous land, thru scattered timber and undergrowth, along top of flat top spur; desc. 239 ft. over rocky W. slope.

19.80 Wash, 15 lks. wide, course N.30°W.; asc. 171 ft. over NE. slope.

37.00 Spur, slopes N.70°W.; along N.slope of spur.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for ¼ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 20}{S 29}$$

1938

from which

A paloverde, 5 ins. diam., bears N.67°E., 79 lks. dist., mkd. ¼ S 20 B T.

A paloverde, 6 ins. diam., bears S.25°E., 85 lks. dist., mkd. ¼ S 29 B T.

Continue along N. slope of spur.

44.20 Desc. 156 ft. along rocky SW. slope.

55.70 Base of spur, over nearly level land.

77.50 Wash, 100 lks. wide, course N.50°W.

80.02 The cor. of secs. 19,20,29 and 30.

Land, nearly level desert to mountains.
Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

N.89°50'W., on a random line, bet. secs. 19 and 30.

40.00 Set temp. 1/4 sec. cor.

79.28 A point 7 lks. N. of the cor. of secs. 19, 24, 25 and 30, described in the field notes of the E. bdy., of T.7 S., R.4 W., surveyed under this group.

Thence,

S.89°53'E., on a true line, bet secs. 19 and 30.

Over nearly level land, thru scattered timber and undergrowth.

8.10 Base of hill; asc. 143 ft. over rocky W. slope.

20.45 Top of short spur, slopes N.20°W.; desc. 112 ft. over rocky E. slope.

24.30 Base of hill; thence over nearly level land.

37.40 Wash, 15 lks. wide, course NW.

39.28 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for 1/4 sec. cor., with brass cap mkd.

1/4 S 19
S 30
1938

from which

An ironwood, 6 ins. diam., bears N.89°W., 182 lks. dist., mkd. 1/4 S.19 B T.

A paloverde, 8 ins. diam., bears S.23 1/2°W., 120 lks. dist., mkd. 1/4 S 30 B T.

66.70 Old road, bears N.30°W. and S.30°E.

79.28 The cor. of secs. 19, 20, 29 and 30.

Land, rolling and nearly level.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°03'W., bet. secs. 19 and 20.

Over rolling land, thru scattered timber and undergrowth.

1.10 Wash, 100 lks. wide, course N.40°W.

9.20 Wash, 50 lks. wide, course N.40°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone, 3 ft. base, to top, for 1/4 sec. cor., with brass cap mkd.

1/4 S 19 | S 20
1938

from which

An ironwood, 6 ins. diam., bears N.3 1/4°E., 160 lks.

Subdivision of T.7 S., R.3 W.

Chains

dist., mkd. $\frac{1}{4}$ S 20 B T.An ironwood, 6 ins. diam., bears N.37 $\frac{3}{4}$ °W., 286 lks.
dist., mkd. $\frac{1}{4}$ S 19 B T.Over-rolling desert land, thru scattered timber and
undergrowth.80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in
the ground to bedrock, and in a mound of stone, 4 ft.
base, to top, for cor. of secs. 17, 18, 19 and 20, with
brass cap mkd.

T 7 S R 3 W

S 18	S 17
S 19	S 20

1938

from which

An ironwood, 10 ins. diam., bears N.35 $\frac{3}{4}$ °E., 186 lks.
dist., mkd. T 7 S R 3 W S 17 B T.An ironwood, 6 ins. diam., bears S.34 $\frac{1}{4}$ °E., 148 lks.
dist., mkd. T 7 S R 3 W S 20 B T.An ironwood, 10 ins. diam., bears S.88°W., 114 lks.
dist., mkd. T 7 S R 3 W S 19 B T.An ironwood, 8 ins. diam., bears N.10°W., 172 lks.
dist., mkd. T 7 S R 3 W S 18 B T.

Land, rolling and nearly level.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth,
Cactus, sage and greasewood.

S.89°55'E., on a random line, bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 The cor. of secs. 16, 17, 20 and 21.

Thence,

N.89°55'W., on a true line, bet. secs. 17 and 20.

Over rolling mountainous land, thru scattered timber and
undergrowth; asc. 100 ft. over rocky E. slope.

4.50 Short spur, slopes N.; desc. 100 ft. over rocky NW. slope.

10.80 Wash, 10 lks. wide, course N.10°E.; asc. 90 ft. over
rocky SE. slope.

18.50 Spur, slopes N.70°W.; desc. 225 ft. over NW. slope.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in
the ground to bedrock, and in a mound of stone, 4 ft. base,
to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 17
	S 20

1938

from which

An ironwood, 4 ins. diam., bears N.78 $\frac{3}{4}$ °W., 46 lks.

Subdivision of T.7 S., R.3 W.

BOOK 4184

Chains

dist., mkd. $\frac{1}{4}$ S. 17 B. T.A paloverde, 5 ins. diam., bears S.48°E., 60 lks.
dist., mkd. $\frac{1}{4}$ S 20 B T.

- 40.00 Enter wash, 20 lks. wide, ~~from~~ S.30°E.
 51.40 Leave wash, course S.80°W.; asc. 46 ft.
 53.30 Rocky point, slopes S.; desc. 43 ft. over SW. slope.
 61.80 Wash, 20 lks. wide, course N.80°W.
 79.88 The cor. of secs. 17,18,19 and 20.

Land, mountainous and rolling.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth,
cactus, sage and greasewood.

N.89°53'W., on a random line, bet. secs. 18 and 19.

- 40.00 Set temp.
- $\frac{1}{4}$
- sec. cor.

- 79.20 A point 2 lks. N. of the cor. of secs. 13,18,19 and 24,
-
- described in the field notes of the E. bdy. of T.7 S.,
-
- R.4 W., surveyed under this group.

Thence,

S.89°54'E., on a true line bet. secs. 18, and 19.

Over nearly level desert land, thru scattered timber
and undergrowth.

- 11.30 Wash, 50 lks. wide, course N.20°W.

- 22.90 Wash, 50 lks. wide, course N.

- 39.20 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
-
- the ground, for
- $\frac{1}{4}$
- sec. cor., with brass cap mkd.

S 18

 $\frac{1}{4}$
S 19

1938

from which

A paloverde, 6 ins. diam., bears N.40 $\frac{1}{4}$ °W., 169 lks.
dist., mkd. $\frac{1}{4}$ S 18 B. T.An ironwood, 5 ins. diam., bears S.64 $\frac{3}{4}$ °W., 78 lks.
dist., mkd. $\frac{1}{4}$ S 19 B T.

Over nearly level land.

- 79.20 The cor. of secs. 17,18,19 and 20.

Land, nearly level desert.

Soil, rocky; 3rd rate.

Timber, scattered paloverde and ironwood; undergrowth,
cactus, sage and greasewood.

N.0°03'W., bet. secs. 17 and 18.

Over rough mountainous land, thru scattered timber and
undergrowth..

Subdivision of T.7 S., R.3 W.

Chains	
1.50	Wash, 30 lks. wide, course N.70°W.; asc. 20 ft.
10.00	Enter rolling rocky hills.
12.20	Point of Spur, slopes W.
32.00	Asc. 130 ft. over rocky S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 9 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $S\ 18\ S\ 17$
	1938
	from which
	A paloverde, 5 ins. diam., bears N.84°W., 188 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	No other suitable accessory.
	Over rolling rocky hills; asc. 68 ft. over S. slope.
41.60	Slopes changes from S. to W.; desc. 29 ft.
66.50	Short spur, slopes N.30°W.; desc. 172 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7,8,17 and 18, with brass cap mkd.
	$T\ 7\ S\ R\ 3\ W$ $\frac{S\ 7\ S\ 8}{S\ 18\ S\ 17}$
	1938
	from which
	A paloverde, 8 ins. diam., bears N.28 $\frac{1}{4}$ °E., 93 lks. dist., mkd. T 7 S R 3 W S 8 B T.
	A paloverde, 4 ins. diam., bears S.70°E., 132 lks. dist., mkd. T 7 S R 3 W S 17 B T.
	A paloverde, 5 ins. diam., bears S.12°W., 215 lks. dist., mkd. T 7 S R 3 W S 18 B T.
	A paloverde, 5 ins. diam., bears N.71°W., 218 lks. dist., mkd. T 7 S R 3 W S 7 B T.
	Land, rough and mountainous. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	S.89°55'E., on a random line, bet. secs. 8 and 17.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.84	A point 20 lks. S. of the cor. of secs. 8,9,16 and 17.
	Thence,
	S.89°56'W., on a true line, bet. secs. 8 and 17.
	Over level land, thru scattered timber and undergrowth.

Subdivision of T.7 S., R.3 W.

FOUR 4184

Chains	
12.20	Wash, 20 lks. wide, course N.65°W.; enter rolling mountainous land; asc. 100 ft. over rocky E. slope.
16.50	Short spur, slopes N.20°W.; desc. 102 ft. over rocky W. slope.
24.90	Wash, 10 lks. wide, course N.40°W.; asc. 160 ft. over rocky NE. slope.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 8 \\ \frac{1}{4} \\ \hline S\ 17 \end{array}$
	1938
	from which
	A paloverde, 4 ins. diam., bears S.26 $\frac{1}{2}$ °E., 103 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
	No other suitable accessory; asc. 70 ft. over rocky NE. slope.
44.60	Rocky spur, slopes N.40°W.; desc. 261 ft. over NW. slope.
66.90	Wash, 20 lks. wide, course N.50°W.; asc. 104 ft. over NE. slope.
73.70	Spur, slopes N.60°W.; desc. 83 ft. over SW. slope.
78.60	Wash, 10 lks. wide, course N.70°W.
79.84	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling mountains. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	N.89°54'W., on a random line, bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.16	A point 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, described in the field notes of the survey of the E. bdy. of T.7 S., R.4 W., surveyed under this group.
	Thence,
	S.89°57'E., on a true line, bet. secs. 7 and 18.
	Over rolling mountainous land, thru medium heavy timber and undergrowth; asc. 230 ft. over W. slope.
28.10	Spur, slopes N.30°W.; desc. 50 ft..
32.70	Head of ravine, course NW.; asc. 110 ft. over NW. slope.
39.16	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 7 \\ \frac{1}{4} \\ \hline S\ 18 \end{array}$
	1938
	from which

Subdivision of T.7 S., R.3 W.

Chains

A paloverde, 5 ins. diam., bears N.36 $\frac{1}{2}$ °E., 82 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

No other suitable accessory;

Asc. 50 ft. over NW. slope.

46.50 Spur, slopes N.20°E.; desc. 284 ft. over E. slope.

63.40 Wash, 10 lks. wide, course N.60°W.; asc. 99 ft. over NW. slope.

72.80 Rocky point, slopes N.; desc. 102 ft. over NE. slope.

79.16 The cor. of secs. 7, 8, 17 and 18.

Land, rough and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°03'W., bet. secs. 7 and 8.

Over rolling hills, thru scattered timber and undergrowth.


0.90 Wash, 10 lks. wide, course N.40°W.; asc. 50 ft. over S. slope.

8.10 Rocky point, slopes W.; desc. 81 ft. along W. slope.

16.15 Over rolling land.

24.00 Wash, 20 lks. wide; course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.




from which

An ironwood, 9 ins. diam., bears S:86°W., 421 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

Raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft high, W. of cor.

Over nearly level land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.



from which

A paloverde, 6 ins. diam., bears S.27°W., 259 lks. dist., mkd. T 7 S R 3 W S 7 B T.

A mesquite, 10 ins. diam., bears N.21 $\frac{3}{4}$ °W., 175 lks. dist., mkd. T 7 S R 3 W S 6 B T.

Subdivision of T.7 S., R.3 W. BOOK 4184

Chains

No other suitable accessories.

Land, nearly level desert.

Soil, rocky; 3rd rate.

Timber, scattered paloverde and mesquite; undergrowth, cactus, sage and greasewood.

N.89°56'E., on a random line, bet. secs. 5 and 8.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.87 A point 21 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence,

N.89°55'W., on a true line, bet. secs. 5 and 8.

Over mountainous land, thru scattered timber and undergrowth; desc. 162 ft. over SW. slope.

9.90 Base of mountain, enter nearly level land.

10.20 Wash, 10 lks. wide, course NW.

23.80 Used road, bears S.10°E., and N.30°W.

38.20 Wash, 20 lks. wide, course N.50°W.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 5 \\ S 8 \end{array}$$

1938

from which

A paloverde, 4 ins. diam., bears N.25 $\frac{1}{4}$ °W., 108 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.

A paloverde, 6 ins. diam., bears S.18 $\frac{1}{4}$ °E., 156 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.

42.90 Enter rolling land; asc. 118 ft. over rocky NE. slope.

54.00 Spur, slopes N.30°W.; desc. 140 ft. over SW. slope.

64.30 Toe of slope, asc. 35 ft. over S. slope.

70.30 Knoll; desc. 45 ft. over S. slope.

79.87 The cor. of secs. 5, 6, 7 and 8.

Land, rolling and rough.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.89°57'W., on a random line, bet. secs. 6 and 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.19 A point 12 lks. N. of the cor. of secs. 1, 6, 7 and 12, described in the field notes of the survey of the E. bdy. of T.7 S., R.4 W., surveyed under this group.

Thence,

BOOK 4184

Subdivision of T.7 S., R.3 W.

Chains	<p>N.89°58'E., on a true line, bet. secs. 6 and 7.</p> <p>Over rolling hills, thru scattered timber and undergrowth; asc. 182 ft. along S. and W. slope.</p> <p>34.50 Spur, slopes N.; desc. 65 ft. over rocky E. slope.</p> <p>39.19 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4} \begin{array}{c} S 6 \\ \hline S 7 \end{array}$ <p>1938</p> <p>from which</p> <p>A paloverde, 6 ins. diam., bears N.27$\frac{3}{4}$°W., 67 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.</p> <p>A paloverde, 6 ins. diam., bears S.61$\frac{1}{2}$°E., 140 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.</p> <p>Desc. 242 ft. over rocky E. slope.</p> <p>66.90 Wash, 20 lks. wide, course N.</p> <p>79.19 The cor. of secs. 5,6,7 and 8.</p> <p>Land, rolling. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.</p> <hr/> <p>North, on a random line, bet. secs. 5 and 6.</p> <p>40.00 Set temp. $\frac{1}{4}$ sec. cor.</p> <p>79.12 A point 16 lks. E. of the cor. of secs. 5,6,31 and 32, described in the field notes of the N. bdy. of the Tp., surveyed under this group.</p> <p>Thence,</p> <p>S.0°07'E., on a true line, bet. secs. 5 and 6.</p> <p>Over nearly level land, thru scattered timber and undergrowth.</p> <p>26.60 Wash, 20 lks. wide, course W.</p> <p>39.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4} \begin{array}{c} S 6 S 5 \\ \hline \end{array}$ <p>1938</p> <p>raise a mound of stone, 4 ft. base, 2 ft. high, W. of cor.</p> <p>Over nearly level land.</p> <p>79.12 The cor. of secs. 5,6,7 and 8.</p> <p>Land, nearly level. Soil, rocky; 3rd rate.</p> </div></div>
--------	---

Subdivision of T.7 S., R.3 W.

4184

Chains

Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.

Final test of the solar attachment.

April 3, 1938, with Young & Sons solar transit No. 8526, every 30 min. from 8:00 a. m. to 10:30 a. m., and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, described hereinbefore, has a maximum error of less than 1'30".

Mar. 27, 1938, with Buff & Buff solar transit No. 9984, every 30 min. from 8:00 a. m. to 10:30 a. m., and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, described hereinbefore, has a maximum error of less than 1'30".

General Description

The land in Township 7 South, Range 3 West, is generally mountainous with rolling hills in some parts.

The soil is sandy, gravelly and rocky; 2nd, 3rd and 4th rate.

The timber is paloverde and ironwood, a heavy growth along the washes and a medium heavy growth along the higher land. The undergrowth is greasewood, sahuara, ocotillo, cholla, cactus and some sage and bunch grass.

There is no permanent water supply in the township, but there are numerous dry washes, the principal one being the Sandtanks wash, which enters the township at the NW. cor. of sec. 19, and extends SE. thru secs. 19, 30, 28, 29, 33, 34 and 35.

No settlers reside in the area and no evidence of mineral deposits was noted. The principal commercial possibility is cattle grazing to a limited extent.

The observed magnetic declination was 14°20'E.

280
49 S

BOOK 5184

CERTIFICATE OF ~~UNITED STATES~~ SURVEYOR

Claude F. Warner, Transitman, and
WE ~~is~~ Frank Motch, Public Land Surveyor, HEREBY CERTIFY upon honor that, in
pursuance of special instructions bearing date of the 12th day of December 1933,
received from the district cadastral engineer for Arizona, with assignment
instructions dated January 10, 1938, ~~is~~ have surveyed the subdivisional lines of
Township 7 South, Range 3 West,

River
of the Gila and Salt Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by ~~me~~ us and under ~~my~~ our
direction; and that said
survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey
of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Phoenix, Ariz.
Mar. 2, 1940.

Claude F. Warner
Transitman
Frank Motch
Public Land Surveyor
General Land Office

CERTIFICATE OF APPROVAL

OFFICE OF ~~THE~~ SUPERVISOR OF SURVEYS,
Denver, Colorado, MAR 6, 19 40.

The foregoing field notes of the survey of the subdivisional lines of Township 7
South, Range 3 West, of the Gila and Salt River Meridian, in the State
of Arizona

executed by Claude F. Warner, Transitman, and Frank Motch, Public Land
Surveyor, General Land Office.
under special instructions dated December 12, 1933, and assignment
instructions dated January 10, 1938, having been critically examined, and
the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey
therein described, are hereby approved.


~~is~~ Supervisor of Surveys.

~~CERTIFICATE OF TRANSCRIPT~~

~~I hereby certify that the foregoing transcript of the field notes of the above described surveys is~~
is a true copy of the original field notes on file in the public survey office

~~U.S. Supervisor of Surveys.~~