

Original

4-879  
(April 1933)

Book F.

BOOK 4216

# FIELD NOTES

OF THE SURVEY OF THE

South Boundary, West Boundary and Subdivision of

Township 10 South, Range 15 West

Of the Gila and Salt River Meridian,

In the State of Arizona

### EXECUTED BY

Horace M. Muscott, Public Land Surveyor,  
Carroll I. Parkman, Transitman,  
Thornton Fitzhugh, Transitman,  
John Boggs, Transitman,  
General Land Office.

Under special instructions dated November 20, 1936, which provided for the surveys included under Group No. 218, bearing the approval of the Commissioner of the General Land Office under date of December 18, 1936 and assignment instructions dated February 23, 1937.

Survey commenced March 22, 1937.

Survey completed April 12, 1937.

4216

4216

BOOK 4216

# INDEX DIAGRAM.

Township 10 South, Range 15 West, G. & S.R. Mer.

38						
8 6	38 5	30 4	24 3	19 2	13 1	
37	37	29	24	18	13	
7 7	36 8	29 9	23 10	18 11	12 12	
36	35	28	23	17	12	
6 18	35 17	28 16	22 15	17 14	11 13	
34	34	27	22	16	11	
6 19	33 20	27 21	21 22	16 23	10 24	
33	32	26	21	15	10	
5 30	32 29	26 28	20 27	15 26	9 25	
31	31	25	20	14	9	
5 31	30 32	25 33	19 34	14 35	8 36	
4	4	3	3	2	2	

Beginning on March 22, 1937, the survey of the South and West Boundaries of T.10 S., R.15 W., was executed by Horace M. Muscott, Public Land Surveyor, using Buff transit No.16723 of 1924 model. All subdivisional lines of the township were surveyed by Transitsmen, Parkmen, Boggs and Fitzhugh, using instruments as follows: Young and Sons transit No.8491 of 1911 model, Lietz transit No.6166 of 1913 model and Young and Sons transit No.8385 of 1911 model. All instruments are equipped with solar attachments and were approved by the District Cadastral Engineer, conditional upon satisfactory field tests.

The direction of the initial line of the survey was determined by solar transit method. The survey was then extended by the transit method, using fore and back sights and deflection angles, this method being found quite adaptable to the open country. However, the azimuths were checked by solar method at frequent intervals throughout the survey.

The measurements were made with Lallie steel tapes, 5 chs. in length, graduated every link for the first 100 lks., and the balance at intervals of 10 lks. The tapes were all tested by comparison with a Lufkin standard and found correct. The surface of the township was so near level, that the use of clinometers was unnecessary.

The data furnished with the special instructions gives the geographic position of the SE. cor. of the township as follows: latitude  $32^{\circ}30'35''$  N., and longitude  $113^{\circ}45'24''$  W.

The survey of the entire township was carried on from one camp, located near the  $\frac{1}{4}$  sec. cor. of secs. 24 and 25, T.8 S., R.15 W., which is about  $1\frac{1}{2}$  miles south of Mohawk, Arizona.

March 9, 1937, in camp, at 8h 28m p.m., l.m.t., or 9h 3m p.m. by my watch, which reads correct 105th. meridian time as determined by comparison with Western Union time, I observe Polaris at western elongation, making three sights each with the telescope in direct and reversed positions, and place a nail at the mean point, in a stake driven firmly in the ground about 10 chs. N. After sunrise I lay off the azimuth of Polaris  $1^{\circ}13'30''$  to the east, and note that the vertical wire of my transit bisects a prominent point on the Mohawk mountains about 3 miles north of my station.

In order to verify the latitude of my station, I make an altitude observation on Polaris at lower culmination, on March 10, at 3h 31m a.m., by my watch. The mean observed altitude of Polaris is  $31^{\circ}41'45''$ . The reduced latitude is therefore  $32^{\circ}42'04''$ , which agrees within one half minute, with the latitude determined from the special instructions.

Note: the above observations were made by Horace M. Muscott Chief of Party.

March 21, Buff transit No.16723, was tested on the meridian, by Horace M. Muscott. At half hour intervals throughout the usual hours of solar work, proper settings were made on the arcs of the solar attachment, the resulting orientation of the instrument, when compared with the meridian determined by Polaris observation had a maximum error of less than  $1'30''$ .

March 28, Lietz transit No. 6166, was tested on the meridian by John Boggs in a similar manner, and was found to be in satisfactory adjustment.

April 4, Young and Sons transits Nos. 8491 and 8385 were tested by Parkman and Fitzhugh, and were in satisfactory adjustment.

The survey of this township was carried on in conjunction with the survey of other townships in the group. The survey of the subdivisional lines of this township was begun on April 6.

## South Boundary of T.10 S.,R.15 W.

Chains	<p>From the cor. of Ts. 10 S.,Rs. 14 and 15 W., described in the field notes of the survey of the S. bdy. of T.10 S., R.14 W.,under this group.</p>
	<p>West, along the S. bdy. of sec. 36, T.10 S.,R.15 W.,on a transit line describing the tangent.</p>
	<p>Over nearly level land, through greasewood and sage.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam.,27 ins. in the ground, with broken glass deposited at the base, for <math>\frac{1}{4}</math> sec. cor. of sec. 36 only, with brass cap mkd.</p>
	$\frac{1}{4} \text{ S } 36$ <hr/> 1937
	<p>No suitable accessory.</p>
80.00	<p>N. 1 lk. from the tangent,</p>
	<p>Set an iron post, 3 ft. long, 2 ins. diam.,27 ins. in the ground, with broken glass deposited at base, for cor. of secs. 35 and 36 only, with brass cap mkd.</p>
	$\begin{array}{c} \text{T10 S R15W} \\ \text{S } 35   \text{S } 36 \\ \hline 1937 \end{array}$
	<p>x 12 ins., in each sec. 3 ft. dist. . . . . dig pits 18 x 18</p>
	<p>Land, nearly level. Soil, sandy, 2nd. rate. Undergrowth, greasewood and sage.</p>
	<p>West, along the S. bdy. of sec. 35, on a transit line describing the tangent, which bears S.89°59.4'W.</p>
	<p>Over nearly level desert land.</p>
40.00	<p>N. 1 lk. from the tangent,</p>
	<p>Set an iron post, 3 ft. long, 1 in. diam.,27 ins. in the ground, with broken glass deposited at the base, for <math>\frac{1}{4}</math> sec. cor. of sec. 35 only, with brass cap mkd.</p>
	$\frac{1}{4} \text{ S } 35$ <hr/> 1937
	<p>18 x 18 x 12 ins.,on line E. and W. of post,3 ft.dist. . . . . dig pits,</p>
80.00	<p>3 lks. N. from the tangent,</p>
	<p>Set an iron post, 3 ft. long, 2 ins. diam.,27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 34 and 35, only, with brass cap mkd.</p>
	$\begin{array}{c} \text{T10S R15W} \\ \text{S } 34   \text{S } 35 \\ \hline 1937 \end{array}$
	<p>18 x 18 x 12 ins.,in each sec. 3 ft. dist. . . . . dig pits,</p>
	<p>Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.</p>

## South Boundary of T.10 S., R.15 W.

4216

Chains	West, along the S. bdy. of sec. 34, on a transit line describing the tangent, which bears S.89°58.9'W. Over nearly level desert land.
40.00	N. 4 lks. from the tangent, Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  <u><math>\frac{1}{4}</math> S 34</u> 1937 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits,
51.00	Wash, 15 lks. wide, 2 ft. deep, course N.15°E.
80.00	N. 6 lks. from the tangent, Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 33 and 34 only, with brass cap mkd.  <u>T10S R15W</u> <u>S 33   S 34</u> 1937 18 x 18 x 12 ins., in each sec. 3 ft. dist. dig pits, Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	West, along the S. bdy. of sec. 33, on a transit line describing the tangent, which bears S.89°58.3'W. Over nearly level desert land.
26.00	Drain, 10 lks. wide, $1\frac{1}{2}$ ft. deep, course NE.
40.00	N. 8 lks. from the tangent, Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. of sec. 33 only, with brass cap mkd.  <u><math>\frac{1}{4}</math> S 33</u> 1937 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist. dig pits,
80.00	N. 10 lks. from the tangent, Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 32 and 33 only, with brass cap mkd.  <u>T10S R15W</u> <u>S 32   S 33</u> 1937 from which An ironwood, 4 ins. diam., bears N.88 $\frac{3}{4}$ °W., 516 lks. dist. mkd. T 10 S R 15 W S 32 B T

South Boundary of T.10 S.,R.15 W.

Chains Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, a few ironwood. Undergrowth, greasewood and sage.

West, along the S. bdy. of sec. 32, on a transit line describing the tangent, which bears S.89°57.7'W.

Over nearly level desert land.

40.00 N. 13 lks. from the tangent,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at base, for 1/4 sec. cor., with brass cap mkd.

1/4 S 32  
1937

No suitable accessory.

80.00 N. 16 lks. from the tangent,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 31 and 32 only, with brass cap mkd.

T10S R15W  
S 31 | S 32  
1937

No suitable accessory.

Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, a few palo verde and ironwood. Undergrowth, greasewood and sage.

West, along the S. bdy. of sec. 31, on a transit line describing the tangent, which bears S.89°57.2'W.

Over nearly level desert land.

39.00 Dim road, bears N. and S.

40.00 N. 20 lks. from the tangent,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor. of sec. 31 only, with brass cap mkd.

1/4 S 31  
1937

from which

A palo verde, 6 ins. diam., bears N.41 3/4°W., 522 lks. dist., mkd. 1/4 S 31 B T  
A palo verde, 8 ins. diam., bears N.87 1/4°W., 596 lks. dist., mkd. 1/4 S 31 B T

77.70 N. 24 lks. from the tangent,

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of Ts.10 S.,Rs.15 and 16 W., with brass cap mkd.

T10S  
R16W | R15W  
S 36 | S 31  
1937

## South Boundary of T.10 S.,R.15 W.

Chains No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, very scattering palo verde and ironwood.

## West Boundary of T.10 S.,R.15 W.

From the cor. of Ts.10 S.,Rs.15 and 16 W.,  
North, bet. secs. 31 and 36.

Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.

$$\frac{1}{4}$$

S 36	S 31
------	------

1937

from which

A palo verde, 10 ins. diam., bears S.  $58\frac{3}{4}^{\circ}$  E., 688 lks.  
dist., mkd.  $\frac{1}{4}$  S 31 B T

No other accessory available.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, with broken glass deposited at the base, for cor.  
of secs. 25, 30, 31 and 36, with brass cap mkd.

T10S	
R16W	R15W
S 25	S 30
S 36	S 31

1937

from which

A palo verde, 8 ins. diam., bears N.  $67^{\circ}$  E., 319 lks.  
dist., mkd. T 10 S R 15 W S 30 B T

An ironwood, 14 ins. diam., bears S.  $69^{\circ}$  E., 345 lks.  
dist., mkd. T 10 S R 15 W S 31 B T

No other accessories available.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, very scattering ironwood and palo verde.  
Undergrowth, greasewood and sage.

North, bet. secs. 25 and 30.

Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.

$$\frac{1}{4}$$

S 25	S 30
------	------

1937

Chains	No suitable accessory.										
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T10S</td></tr> <tr><td style="text-align: center;">R16W</td><td style="text-align: center;">R15W</td></tr> <tr><td style="text-align: center;">S 24</td><td style="text-align: center;">S 19</td></tr> <tr><td style="text-align: center;">S 25</td><td style="text-align: center;">S 30</td></tr> <tr><td colspan="2" style="text-align: center;">1937</td></tr> </table> <p>No suitable accessory.</p> <p>Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, a few ironwood and palo verde. Undergrowth, greasewood and sage.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over nearly level land.</p>	T10S		R16W	R15W	S 24	S 19	S 25	S 30	1937	
T10S											
R16W	R15W										
S 24	S 19										
S 25	S 30										
1937											
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for <math>\frac{1}{4}</math> sec. cor. with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;"><math>\frac{1}{4}</math></td></tr> <tr><td style="text-align: center;">S 24</td><td style="text-align: center;">S 19</td></tr> <tr><td colspan="2" style="text-align: center;">1937</td></tr> </table> <p style="text-align: right;">from which</p> <p>An ironwood, 5 ins. diam., bears N.23<math>\frac{1}{4}</math>°W., 437 lks. dist., mkd. <math>\frac{1}{4}</math> S 24 B T</p> <p>No other accessory available.</p>	$\frac{1}{4}$		S 24	S 19	1937					
$\frac{1}{4}$											
S 24	S 19										
1937											
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T10S</td></tr> <tr><td style="text-align: center;">R16W</td><td style="text-align: center;">R15W</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">S 18</td></tr> <tr><td style="text-align: center;">S 24</td><td style="text-align: center;">S 19</td></tr> <tr><td colspan="2" style="text-align: center;">1937</td></tr> </table> <p>No suitable accessory.</p> <p>Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, scattering palo verde and ironwood. Undergrowth, greasewood and sage.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over nearly level land.</p>	T10S		R16W	R15W	S 13	S 18	S 24	S 19	1937	
T10S											
R16W	R15W										
S 13	S 18										
S 24	S 19										
1937											
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for <math>\frac{1}{4}</math> sec. cor. with brass cap mkd.</p>										

West Boundary of T.10 S.,R.15 W.

DOCI 4218

Chains

$\frac{1}{4}$   
 S 13 | S 18  
 1937

No suitable accessory.

58.00 Drain, 14 lks. wide, 1 ft. deep, course N.20°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

T10S  
 R16W | R15W  
 S 12 | S 7  
 S 13 | S 18  
 1937

No suitable accessory.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Timber, a few ironwood and palo verde.  
 Undergrowth, greasewood and sage.

North, bet. secs. 7 and 12.

Over nearly level desert land.

35.00 Drain, 10 lks. wide, 1 ft. deep, course N.15°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
 S 12 | S 7  
 1937

from which

An ironwood, 12 ins. diam., bears S.38°W., 288 lks. dist., mkd.  $\frac{1}{4}$  S 12 B T

No other accessory available.

Cor. falls on S. bank of drain, 15 lks. wide, course N.20°E.

80.00, Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T10S  
 R16W | R15W  
 S 1 | S 6  
 S 12 | S 7  
 1937

from which

A palo verde, 6 ins. diam., bears N.57 $\frac{3}{4}$ °E., 548 lks. dist., mkd. T 10 S R 15 W S 6 B T

An ironwood, 8 ins. diam., bears S.38 $\frac{1}{4}$ °E., 445 lks. dist., mkd. T 10 S R 15 W S 7 B T

## BOOK 4216

West Boundary of T.10 S.,R.15 W.

Chains No other accessory available.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, very scattering ironwood and palo verde.  
Undergrowth, greasewood and sage.

North, bet. secs. 1 and 6.

Over nearly level desert land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.
$$\frac{1}{4}$$

$$S 1 | S 6$$

1937

from which

An ironwood, 10 ins. diam., bears N.26°E., 416 lks.  
dist., mkd.  $\frac{1}{4}$  S 6 B T

No other accessory available.

59.50 Intersect the 2nd. Stan. Par. N.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, with a pint bottle deposited at the base, for closing cor. of Ts.10 N.,Rs.15 and 16 W., with brass cap mkd.

$$\begin{array}{l} T9S R16W \\ S 36 \end{array}$$

$$\begin{array}{l} S 1 | S 6 \\ R16W | R15W \end{array}$$

T10S

C C

1937

No suitable accessory available.

From this point, the standard  $\frac{1}{4}$  sec. cor. of sec. 36, T.9 S.,R.16 W., bears N.89°40'E., 8.50 chs. dist.; described in the field notes of the 2nd. Stan. Par. S., resurveyed under this group.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, very scattering palo verde and ironwood.  
Undergrowth, greasewood and sage.

## Subdivision of T.10 S.,R.15 W.

From the cor. of secs. 35 and 36, on S. bdy. of Tp., here-  
inbefore described,

N.0°01'W., bet. secs. 35 and 36.

Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

Subdivision of T.10 S.,R.15 W.

BOOK 4216

Chains

$\frac{1}{4}$   
S 35 | S 36  
1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

T10S R15W  
S 26 | S 25  
S 35 | S 36  
1937

No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood, sage and cacti.

East, on a random line bet. secs. 25 and 36.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect the cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp., described in the field notes of the W. bdy. of T. 10 S., R.14 W., surveyed under this group.

Thence . . . . .

West, on a true line bet. secs. 25 and 36.

Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$  S 25  
S 36  
1937

No suitable accessory.

80.00 The cor. of secs. 25, 26, 35 and 36.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

N.0°01'W., bet. secs. 25 and 26.

Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 26 | S 25  
1937

Chains	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.  <div style="text-align: center;">           TLOS R15W            S 23   S 24            S 26   S 25            1937         </div>
	No suitable accessory.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	East, on a random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	A point 4 lks. S. of the cor. of secs. 19, 24, 25 and 30, on E. bdy. of Tp., described in the field notes of the W. bdy. of T.10 S., R.14 W., surveyed under this group.  Thence  S.89°58'W., on a true line bet. secs. 24 and 25.  Over nearly level land.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.  <div style="text-align: center;">           S.24  <math>\frac{1}{4}</math>            S 25            1937         </div>
	No suitable accessory.
79.90	The cor. of secs. 23, 24, 25 and 26.  Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	N.0°01'W., bet. secs. 23 and 24.  Over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.  <div style="text-align: center;"> <math>\frac{1}{4}</math>            S 23   S 24            1937         </div>
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

Subdivision of T.10 S., R.15 W.

Chains	<p style="text-align: center;">T10S R15W S.14   S 13 S 23   S 24 1937</p> <p>No suitable accessory.</p> <p>Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.</p> <hr/> <p>N.89°58'E., on a random line bet. secs. 13 and 24.</p> <p>40.00 Set temp. <math>\frac{1}{4}</math> sec. cor.</p> <p>79.88 A point 4 lks. N. of the cor. of secs. 13, 18, 19 and 24, on E. bdy. of Tp., described in the field notes of the W. bdy. of T.10.S., R.14 W., surveyed under this group.</p> <p>Thence</p> <p>West, on a true line bet. secs. 13 and 24.</p> <p>Over nearly level land.</p> <p>39.94 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. with brass cap mkd.</p> <p style="text-align: center;">S 13 <math>\frac{1}{4}</math> ——— S 24 1937</p> <p style="text-align: right;">dig pits,</p> <p>18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.</p> <p>79.88 The cor. of secs. 13, 14, 23 and 24.</p> <p>Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.</p> <hr/> <p>N.0°01'W., bet. secs. 13 and 14.</p> <p>Over nearly level land.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S 14   S 13 1937</p> <p>No suitable accessory.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.</p> <p style="text-align: center;">T10S R15W S 11   S 12 S 14   S 13 1937</p> <p>No suitable accessory.</p>
--------	--

Chains	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	East, on a random line bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.88	A point 4 lks. S. of the cor. of secs. 7, 12, 13 and 18, on E. bdy. of Tp., described in the field notes of the W. bdy of T.10 S., R.14 W., surveyed under this group.
	Thence
	S.89°58'W., on a true line bet. secs. 12 and 13.
	Over nearly level land.
39.94	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	S 12 $\frac{1}{4}$ S 13 1937
	No suitable accessory.
79.88	The cor. of secs. 11, 12, 13 and 14.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood.
	N.0°01'W., bet. secs. 11 and 12.
	Over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$ S 11   S 12 1937
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.
	T10S R15W S 2   S 1 S 11   S 12 1937
	No suitable accessory.
	Land, nearly level. Soil, sandy loa, 2nd. rate. Undergrowth, greasewood and sage.

## Subdivision of T.10 S., R.15 W.

BOOK 4216

- Chains N.89°58'E., on a random line bet. secs. 1 and 12.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.88 A point 4 lks. N. of the cor. of secs. 1, 6, 7 and 12, on E. bdy. of Tp., described in the field notes of the W. bdy. of T.10 S., R.14 W., surveyed under this group.
- Thence
- West, on a true line bet. secs. 1 and 12.
- Over nearly level land.
- 39.94 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.
- $\frac{1}{4}$  S 1  


---

S 12  
1937
- No suitable accessory.
- 79.88 The cor. of secs. 1, 2, 11 and 12.
- Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.
- 
- N.0°01'W., bet. secs. 1 and 2.
- Over nearly level land.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.
- $\frac{1}{4}$   
S 2 | S 1  
1937
- No suitable accessory.
- 59.92 Intersect the 2nd. Stan. Par. S.
- Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for closing cor. of secs. 1 and 2, with brass cap mkd.
- T9S R15W  
S 35  


---


S 2 | S 1  
T10S R15W  
C C  
1937
- No suitable accessory.
- From this point, the standard  $\frac{1}{4}$  sec. cor. of sec. 35, T.9 S., R.15 W., bears East, 8.76 chs. dist.; an iron post, 1 in. diam., firmly set, mkd. and witnessed as described in the official record.
- Land, nearly level. Soil, sandy, 2nd. rate.  
Undergrowth, greasewood and sage.

Chains. From the cor. of secs. 34 and 35, on S. bdy. of Tp., here-  
inbefore described,

N.0°01'W., bet. secs. 34 and 35.


Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.



No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, with broken glass deposited at the base, for cor.  
of secs. 26, 27, 34 and 35, with brass cap mkd.



No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

N.89°54'E., on a random line, bet. secs. 26 and 35, a flag  
on objective cor. being visible.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.


80.08 Intersect the cor. of secs. 25, 26, 35 and 36.

Thence

S.89°54'W., on a true line bet. secs. 26 and 35.

Over nearly level land, through scattering undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.



No suitable accessory.

80.08 The cor. of secs. 26, 27, 34 and 35.


Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

Subdivision of T.10 S.,R.15 W.

4210


Chains N.0°01'W., bet. secs. 26 and 27.  
Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for 1/4 sec. cor. with brass cap mkd.



No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.



No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood.

N.89°54'E., on a random line bet. secs. 23 and 26.

40.00 Set temp. 1/4 sec. cor.


80.08 Intersect the cor. of secs. 23, 24, 25 and 26.

Thence

S.89°54'W., on a true line bet. secs. 23 and 26.

Over nearly level land, through scattering undergrowth.

40.04 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for 1/4 sec. cor., with brass cap mkd.



No suitable accessory.

80.08 The cor. of secs. 22, 23, 26 and 27.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.


Chains	N.0°01'W., bet. secs. 22 and 23.
	Over nearly level land, through scattering undergrowth.
40.00.	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 22 \mid \text{S } 23 \\ 1937 \end{array}$
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.
	$\begin{array}{c} T10S \ R15W \\ \text{S } 15 \mid \text{S } 14 \\ \hline \text{S } 22 \mid \text{S } 23 \\ 1937 \end{array}$
	No suitable accessory.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	N.89°54'E., on a random line bet. secs. 14 and 23.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	A point 7 lks. S. of the cor. of secs. 13, 14, 23 and 24. Thence
	S.89°51'W., on a true line bet. secs. 14 and 23.
	Over nearly level land, through scattering undergrowth.
40.05.	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 14 \\ \hline \text{S } 23 \\ 1937 \end{array}$
	No suitable accessory.
80.10	The cor. of secs. 14, 15, 22 and 23.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.

Subdivision of T.10 S.,R.15 W.

Chains N.0°01'W., bet. secs. 14 and 15.

Over nearly level land, through scattering undergrowth.


40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for 1/4 sec. cor. with brass cap mkd.



1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.



1937

No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

N.89°49'E., on a random line bet. secs. 11 and 14, a flag on objective cor. being visible.

40.00 Set temp. 1/4 sec. cor.


80.06 Intersect the cor. of secs. 11, 12, 13 and 14.

Thence

S.89°49'W., on a true line bet. secs. 11 and 14.

Over nearly level land, through scattering undergrowth.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for 1/4 sec. cor. with brass cap mkd.



No suitable accessory.

80.06 The cor. of secs. 10, 11, 14 and 15.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

Chains	N.0°01'W., bet. secs. 10, and 11.
	Over nearly level land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ S\ 10\   \ S\ 11 \\ 1937 \end{array}$
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.
	$\begin{array}{c} T10S\ R15W \\ S\ 3\   \ S\ 2 \\ \hline S\ 10\   \ S\ 11 \\ 1937 \end{array}$
	No suitable accessory.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	N.89°50'E., on a random line bet. secs. 2 and 11, a flag on objective cor. being visible.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect the cor. of secs. 1, 2, 11 and 12.
	Thence
	S.89°50'W., on a true line bet. secs. 2 and 11.
	Over nearly level land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} S\ 2 \\ \hline \frac{1}{4} \\   \\ S\ 11 \\ 1937 \end{array}$
	No suitable accessory.
80.00	The cor. of secs. 2, 3, 10 and 11.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.

## Subdivision of T.10 S., R.15 W.

Chains N.0°01'W., bet. secs. 2 and 3.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 3 | S 2  
1937

No suitable accessory.

60.12 Intersect the 2nd. Stan. Par. S.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for closing cor. of secs. 2 and 3, with brass cap mkd.

T9S R15W  
S 34  
-----  
S 3 | S 2  
T10S R15W  
C C  
1937

No suitable accessory.

From this point, the  $\frac{1}{4}$  sec. cor. of sec. 34, T.9 S., R. 15 W., bears East, 8.60 chs. dist.; an iron post, 1 in. diam., 10 ins. above ground, mkd. and witnessed as described in the official record.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

From the cor. of secs. 33 and 34, on S. bdy. of Tp., here-  
inbefore described,

N.0°02'W., bet. secs. 33 and 34.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 33 | S 34  
1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

T10S R15W  
S 28 | S 27  
-----  
S 33 | S 34  
1937

No suitable accessory.

Subdivision of T.10 S.,R.15 W.

Chains Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

---

East, on a random line bet. secs. 27 and 34.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect the cor. of secs. 26, 27, 34 and 35.

Thence

West, on a true line bet. secs. 27 and 34.

Over nearly level land, through scattering undergrowth.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$  S 27  
S 34  
1937

No suitable accessory.

80.04 The cor. of secs. 27, 28, 33 and 34.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

---

N.0°02'W., bet. secs. 27 and 28.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 28 | S 27  
1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.

T10S R15W  
S 21 | S 22  
S 28 | S 27  
1937

No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

---

. Subdivision of T.10 S.,R.15 W.

Chains East, on a random line bet. secs. 22 and 27.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.06 Intersect the cor. of secs. 22, 23, 26 and 27.

Thence

West, on a true line bet. secs. 22 and 27.

Over nearly level land, through scattering undergrowth.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$  S 22  
 S 27  
 1937

No suitable accessory.

80.06 The cor. of secs. 21, 22, 27 and 28.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Undergrowth, greasewood and sage.

---

N.0°02'W., bet. secs. 21 and 22.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
 S 21 | S 22  
 1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

T10S R15W  
S 16 | S 15  
 S 21 | S 22  
 1937

No suitable accessory.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Undergrowth, greasewood and sage.

## Subdivision of T.10 S., R.15 W.

Chains	East; on a random line bet. secs. 15 and 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect the cor. of secs. 14, 15, 22 and 23.
	Thence
	West, on a true line bet. secs. 15 and 22.
	Over nearly level land, through scattering undergrowth.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} S\ 15 \\ \frac{1}{4} \text{---} \\ S\ 22 \\ 1937 \end{array}$
	No suitable accessory.
80.08	The cor. of secs. 15, 16, 21 and 22.
	Land, nearly level.
	Soil, sandy loam, 2nd. rate.
	Undergrowth, greasewood and sage.
<hr/>	
	N.0°02'W., bet. secs. 15 and 16.
	Over nearly level land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S\ 16\   \ S\ 15 \\ 1937 \end{array}$
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.
	$\begin{array}{r} T10S\ R15W \\ S\ 9\   \ S\ 10 \\ \text{---} \\ S\ 16\   \ S\ 15 \\ 1937 \end{array}$
	No suitable accessory.
	From this cor., a bench mark of the U.S. Geological survey, bears N.50°51'W., 26.46 chs. dist.; an iron post, 3 ins. diam., 18 ins. above ground, with brass cap. Published elevation 540.6 ft. above sea level.
	Land, nearly level.
	Soil, sandy loam, 2nd. rate.
	Undergrowth, greasewood and sage.

Subdivision of T.10 S., R.15 W.

Chains East, on a random line bet. secs. 10 and 15.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 A point 2 lks. S. of the cor. of secs. 10, 11, 14 and 15.

Thence

S.89°59'W., on a true line bet. secs. 10 and 15.

Over nearly level land, through scattering undergrowth.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$  S 10  
S 15  
1937

80.04 No suitable accessory.  
The cor. of secs. 9, 10, 15 and 16.

Land, nearly level.

Soil, sandy loam, 2nd. rate.

Undergrowth, greasewood and sage.

N.0°02'W., bet. secs. 9 and 10.

Over nearly level land, through scattering undergrowth.

19.50 Dim road, bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 9 | S 10  
1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

T10S R15W  
S 4 | S 3  
S 9 | S 10  
1937

No suitable accessory.

Land, nearly level.

Soil, sandy loam, 2nd. rate.

Undergrowth, greasewood and sage.

Chains N.89°59'E., on a random line bet. secs. 3 and 10.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 80.04 A point 2 lks. N. of the cor. of secs. 2, 3, 10 and 11.  
 Thence  
 West, on a true line bet. secs. 3 and 10.  
 Over nearly level land, through scattering undergrowth.  
 40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
 sec. cor. with brass cap mkd.

$$\begin{array}{r} S 3 \\ \frac{1}{4} \\ S 10 \\ 1937 \end{array}$$

No suitable accessory.

80.04 The cor. of secs. 3, 4, 9 and 10.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Undergrowth, greasewood and sage.

N.0°02'W., bet. secs. 3 and 4.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the  
 ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
 sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ S 4 | S 3 \\ 1937 \end{array}$$

No suitable accessory.

60.11 Intersect the 2nd. Stan. Par. S.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the  
 ground, with broken glass deposited at the base, for clos-  
 ing cor. of secs. 3 and 4, with brass cap mkd.

$$\begin{array}{r} T9S R15W \\ S 33 \\ \hline S 4 | S 3 \\ T10S R15W \\ C C \\ 1937 \end{array}$$

No suitable accessory.

From this point, the standard  $\frac{1}{4}$  sec. cor. of sec. 33,  
 T.9 S.,R.15 W., bears East, 8.67 chs. dist.; an iron post,  
 1 in. diam., 10 ins. above ground, mkd. and witnessed as  
 described in the official record.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Undergrowth, greasewood and sage.

## Subdivision of T.10 S., R.15 W.

1937 4216

- Chains From the cor. of secs. 32 and 33, on S. bdy. of Tp., here-  
inbefore described,  
N.0°02'W., bet. secs. 32 and 33.  
Over nearly level land.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the  
ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.
- $\frac{1}{4}$   
S 32 | S 33  
1937
- No suitable accessory.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the  
ground, with broken glass deposited at the base, for cor.  
of secs. 28, 29, 32 and 33, with brass cap mkd.
- T10S R15W  
S 29 | S 28  
-----  
S 32 | S 33  
1937
- No suitable accessory.
- Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.
- 
- East, on a random line bet. secs. 28 and 33.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.98 A point 9 lks. N. of the cor. of secs. 27, 28, 33 and 34.  
Thence  
N.89°56'W., on a true line bet. secs. 28 and 33.  
Over nearly level land.
- 39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the  
ground, with broken glass deposited at the base, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.
- $\frac{1}{4}$  S 28  
-----  
S 33  
1937
- No suitable accessory.
- 79.98 The cor. of secs. 28, 29, 32 and 33.  
Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood, sage and cacti.


Chains	N.0°02'W., bet. secs. 28 and 29. Over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ S\ 29 \mid S\ 28 \\ 1937 \end{array}$
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd. $\begin{array}{c} T10S\ R15W \\ S\ 20 \mid S\ 21 \\ \hline S\ 29 \mid S\ 28 \\ 1937 \end{array}$
	No suitable accessory. Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	S.89°56'E., on a random line bet. secs. 21 and 28.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	A point 2 lks. N. of the cor. of secs. 21, 22, 27 and 28. Thence N.89°55'W., on a true line bet. secs. 21 and 28. Over nearly level land.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{c} S\ 21 \\ \frac{1}{4} \mid \\ S\ 28 \\ 1937 \end{array}$
	No suitable accessory.
79.98	The cor. of secs. 20, 21, 28 and 29. Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.

Subdivision of T.10,S.,R.15 W.

BOOK 4216


Chains N.0°02'W., bet. secs. 20 and 21.  
Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for 1/4 sec. cor. with brass cap mkd.



No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.



No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

S.89°55'E., on a random line bet. secs. 16 and 21.

40.00 Set temp. 1/4 sec. cor.


79.98 Intersect the cor. of secs. 15, 16, 21 and 22.

Thence

N.89°55'W., on a true line bet. secs. 16 and 21.

Over nearly level land.

39.99. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, with broken glass deposited at the base, for 1/4 sec. cor. with brass cap mkd.



No suitable accessory.

79.98 The cor. of secs. 16, 17, 20 and 21.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

BOOK 4216

Subdivision of T.10 S., R.15 W.

Chains	N.0°02'W., bet. secs. 16 and 17.. Over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ S\ 17\   \ S\ 16 \\ 1937 \end{array}$
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd. $\begin{array}{c} T10S\ R15W \\ S\ 8\   \ S\ 9 \\ \hline S\ 17\   \ S\ 16 \\ 1937 \end{array}$
	No suitable accessory. Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	S.89°55'E., on a random line bet. secs. 9 and 16.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Intersect the cor. of secs. 9; 10, 15 and 16. Thence N.89°55'W.; on a true line bet. secs. 9 and 16. Over nearly level land.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\begin{array}{c} S\ 9 \\ \frac{1}{4} \frac{\quad}{\quad} \\ S\ 16 \\ 1937 \end{array}$
	No suitable accessory.
79.98	The cor. of secs. 8, 9, 16 and 17. Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.

Subdivision of T.10 S.,R.15 W.

Chains N.0°02'W., bet. secs. 8 and 9.  
Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.  
 $\frac{1}{4}$   
S 8 | S 9  
1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, .2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.  
T10S R15W  
S 5 | S 4  
S 8 | S 9  
1937

No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

S.89°55'E., on a random line bet. secs. 4 and 9.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.98 A point 2 lks. S. of the cor. of secs. 3, 4, 9 and 10.  
Thence

N.89°56'W., on a true line bet. secs. 4 and 9.

Over nearly level land.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.  
 $\frac{1}{4}$   
S 4  
S 9  
1937

No suitable accessory.

79.98 The cor. of secs. 4, 5, 8 and 9.  
Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.

Chains	N.0°02'W., bet. secs. 4 and 5.
	Over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$
	S 5   S 4
	1937
	No suitable accessory.
59.91	Intersect the 2nd. Stan. Par. S.
	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with broken glass deposited at the base, for closing cor. of secs. 4 and 5, with brass cap mkd.
	T9S R15W S 32
	S 5   S 4
	T10S R15W C C 1937
	No suitable accessory.
	From this point, the standard $\frac{1}{4}$ sec. cor. of sec. 32, bears East, 8.56 chs. dist.; an iron post, 1 in. diam., 10 ins. above ground, mkd. and witnessed as described in the official record.
	Land, nearly level. Soil, sandy loam, 2nd. rate. Undergrowth, greasewood and sage.
	From the cor. of secs. 31 and 32, on S. bdy. of Tp., here- inbefore described,
	N.0°03'W., bet. secs. 31 and 32.
	Over nearly level land, through scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 31   S 32
	1937
	No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
	T10S R15W S 30   S 29
	S 31   S 32
	1937

Subdivision of T.10 S.,R.15 W.

Chains

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, ironwood and palo verde.  
Undergrowth, greasewood and sage.

East, on a random line bet. secs. 29 and 32.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.02 Intersect the cor. of secs. 28, 29, 32 and 33.

Thence

West, on a true line bet. secs. 29 and 32.

Over nearly level land, through scattering timber and undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$       S 29  
            —  
            S 32  
            1937

No suitable accessory.

80.02 The cor. of secs. 29, 30, 31 and 32.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, ironwood and palo verde.  
Undergrowth, greasewood and sage.

West, on a random line bet. secs. 30 and 31.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

77.68 Intersect the cor. of secs. 25, 30, 31 and 36, on W. bdy. of Tp. hereinbefore described.

Thence

East, on a true line bet. secs. 30 and 31.

Over nearly level land, through scattering timber and undergrowth.

37.68 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$       S 30  
            —  
            S 31  
            1937

from which

An ironwood, 12 ins. diam., bears S. 86 $\frac{1}{4}$ ° W., 120 lks. dist., mkd.  $\frac{1}{4}$  S 31 B T

No other accessory available.

77.68 The cor. of secs. 29, 30, 31 and 32.

Land, nearly level. Soil, sandy, 2nd. rate.  
Timber, ironwood and palo verde. Undergrowth, greasewood.

Chains	N.0°03'W., bet. secs. 29 and 30. Over nearly level land, through scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ $S\ 30\   S\ 29$ 1937 No suitable accessory.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd. $\begin{array}{r l} T10S\ R15W \\ S\ 19\   S\ 20 \\ \hline S\ 30\   S\ 29 \\ 1937 \end{array}$ No suitable accessory. Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, ironwood and palo verde. Undergrowth, greasewood and sage.
40.00	East, on a random line bet. secs. 20 and 29. Set temp. $\frac{1}{4}$ sec. cor.
80.02	A point 5 lks. S. of the cor. of secs. 20, 21, 28 and 29. Thence S.89°58'W., on a true line bet. secs. 20 and 29. Over nearly level land; through scattering timber and undergrowth.
40.01,	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd. $\frac{1}{4}$ $S\ 20$ $S\ 29$ 1937 No suitable accessory.
80.02	The cor. of secs. 19, 20, 29, and 30. Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, ironwood and palo verde. Undergrowth, greasewood and sage.

Subdivision of T.10 S.,R.15 W.

1937 4210

Chains- West, on a random line bet. secs. 19 and 30.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

77.68 Intersect the cor. of secs. 19, 24, 25 and 30, on W. bdy. of Tp., hereinbefore described.

Thence

East, on a true line bet. secs. 19 and 30.

Over nearly level land, through scattering timber and undergrowth.

37.68 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$  S 19  
S 30  
1937

No suitable accessory.

58.00 Dim road, bears N. and S.

77.68 The cor. of secs. 19, 20, 29 and 30.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.  
No timber.

N.0°03'W., bet. secs. 19 and 20.

Over nearly level land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
S 19 | S 20  
1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.

T10S R15W  
S.18 | S 17  
S 19 | S 20  
1937

No suitable accessory.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Timber, ironwood and palo verde.  
Undergrowth, greasewood and sage.

Chains	N.89°58'E., on a random line bet. secs. 17 and 20.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	A point 5 lks. N. of the cor. of secs. 16, 17, 20 and 21. Thence West, on a true line bet. secs. 17 and 20. Over nearly level land, through scattering timber and undergrowth.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.  $\begin{array}{r} \frac{1}{4} \quad \underline{S 17} \\ S 20 \\ 1937 \end{array}$ No suitable accessory.
80.02	The cor. of secs. 17, 18, 19 and 20. Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, ironwood and palo verde. Undergrowth, greasewood and sage.
	West, on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
77.68	Intersect the cor. of secs. 13, 18, 19 and 24, on W. bdy. of Tp., hereinbefore described. Thence East, on a true line bet. secs. 18 and 19. Over nearly level land, through scattering timber and undergrowth.
37.68	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.  $\begin{array}{r} \frac{1}{4} \quad \underline{S 18} \\ S 19 \\ 1937 \end{array}$ No suitable accessory.
50.74	Dim road, bears N. and S.
77.68	The cor. of secs. 17, 18, 19 and 20. Land, nearly level. Soil, sandy loam, 2nd. rate. Timber, ironwood and palo verde. Undergrowth, greasewood and sage.

Subdivision of T.10 S., R.15 W.

BOOK 4216

Chains N.0°03'W., bet. secs. 17 and 18.  
 Over nearly level land, through scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
 S 18 | S 17  
 1937

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

T10S R15W  
 S 7 | S 8  
 S 18 | S 17  
 1937

No suitable accessory.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Timber, ironwood and palo verde.

East, on a random line bet. secs. 8 and 17.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 A point 4 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence

N.89°58'W., on a true line bet. secs. 8 and 17.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   
 S 8  
 S 17  
 1937

No suitable accessory.

80.00 The cor. of secs. 7, 8, 17 and 18.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Undergrowth, greasewood and sage.  
 No timber.

Chains West, on a random line bet. secs. 7 and 18.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 77.66 Intersect the cor. of secs. 7, 12, 13 and 18, on W. bdy. of Tp.,hereinbefore described.

Thence

East, on a true line bet. secs. 7 and 18.

Over nearly level land, through scattering timber and undergrowth.

37.66 Set an iron post, 3 ft. long, 1 in. diam.,27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ \hline S\ 7 \\ S\ 18 \\ 1937 \end{array}$$

No suitable accessory.

50.66 Dim road, bears N. and S.

77.66 The cor. of secs. 7, 8, 17 and 18.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Timber, ironwood and palo verde.  
 Undergrowth, greasewood and sage.

N.0°03'W., bet. secs. 7 and 8.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam.,27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ \hline S\ 7 | S\ 8 \\ 1937 \end{array}$$

No suitable accessory.

80.00 Set an iron post, 3 ft. long, 2 ins. diam.,27 ins. in the ground, with broken glass deposited at the base, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

$$\begin{array}{r} T10S\ R15W \\ \hline S\ 6 | S\ 5 \\ \hline S\ 7 | S\ 8 \\ 1937 \end{array}$$

No suitable accessory.

Land, nearly level.  
 Soil, sandy loam, 2nd. rate.  
 Undergrowth, greasewood and sage.  
 No timber.

Subdivision of T.10 S., R.15 W.

4218

Chains S.89°58'E., on a random line bet. secs. 5 and 8.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect the cor. of secs. 4, 5, 8 and 9.

Thence

N.89°58'W., on a true line bet. secs. 5 and 8.

Over nearly level land, through scattering undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   $\frac{S.5}{S.8}$   
1937

No suitable accessory.

80.00 The cor. of secs. 5, 6, 7 and 8.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.  
No timber.

---

West, on a random line bet. secs. 6 and 7.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

77.66 A point 2 lks. N. of the cor. of secs. 1, 6, 7 and 12, on W. bdy. of Tp., hereinbefore described.

Thence

N.89°59'E., on a true line bet. secs. 6 and 7.

Over nearly level land, through scattering undergrowth.

37.66 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor. with brass cap mkd.

$\frac{1}{4}$   $\frac{S.6}{S.7}$   
1937

No suitable accessory.

47.96 Dim road, bears N. and S.

77.66 The cor. of secs. 5, 6, 7 and 8.

Land, nearly level.  
Soil, sandy loam, 2nd. rate.  
Undergrowth, greasewood and sage.  
No timber.

## Subdivision of T.10 S., R.15 W.

Chains	N.0°03'W., bet: secs. 5 and 6.
	Over nearly level land, through scattering undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$\frac{1}{4}$
	S 6   S 5
	1937
	No suitable accessory.
59.83	Intersect the 2nd. Stan. Par. S.
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with broken glass deposited at the base, for closing cor. of secs. 5 and 6, with brass cap mkd.
	T9S R15W
	S 31
	S 6   S 5
	T10S R15W
	C C
	1937
	No suitable accessory.
	From this point, the standard $\frac{1}{4}$ sec. cor. of Sec. 31, T.9 S., R.15 W., bears East, 8.50 chs. dist.; an iron post, 1 in. diam., 10 ins. above ground, mkd. and witnessed as described in the official record.
	Land, nearly level.
	Soil, sandy loam, 2nd. rate.
	Undergrowth, greasewood and sage.
	No timber.
	At a point on the N. bdy. of sec. 6, 40.00 chs. from the closing cor. of secs. 5 and 6,
	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. of sec. 6 only, with brass cap mkd.
	$\frac{1}{4}$ S 6
	1937
	No suitable accessory..
	From this point, the Standard cor. of Ts. 9 S., Rs. 15 and 16 W., bears N.89°40'E., 11.00 chs. dist.; an iron post, 3 ins. diam., 10 ins. above ground, mkd. and witnessed as described in the official record.

ZOLN 410

For final test of the solar attachments, see the field notes of township 10 south, range 16 west, surveyed under this group.

---

General Description.

-----

Township 10 South, Range 15 West, is gently sloping land, the elevation at the northeast corner being about 475 feet, and at the southwest corner about 700 feet above sea level.

The vegetation is mostly greasewood and sage, with some palo verde and ironwood.

There are no streams, springs or wells and no improvements.

---



88  
41

BOOK 4216

CERTIFICATE OF SURVEYOR

We, Horace M. Muscott, Public Land Surveyor and Carroll I. Parkman, Thornton Fitzhugh and John Boggs, Transitmen, General Land Office, \_\_\_\_\_, HEREBY CERTIFY upon honor that, in

pursuance of special instructions bearing date of the 20th day of November 1936, received from the district cadastral engineer for Arizona, with assignment instructions dated February 23, 1937, we have surveyed the South and West boundaries and subdivisional lines of Township 10 South, Range 15 West,

\_\_\_\_\_ River of the Gila and Salt Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, California, March 21, 1939. *Horace M. Muscott*  
Public Land Surveyor  
Phoenix, Ariz., April 3, 1939. *Carroll I. Parkman*  
Transitman  
Phoenix, Ariz., April 3, 1939. *Thornton Fitzhugh*  
Transitman

*Bonnie Ariz March 27 1938* CERTIFICATE OF APPROVAL *John Boggs*  
Transitman  
General Land Office.  
OFFICE OF SUPERVISOR OF SURVEYS,

Denver, Colorado, AUG 26 1940, 19

The foregoing field notes of the survey of the South and West boundaries and subdivisional lines of Township 10 South, Range 15 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Horace M. Muscott, Public Land Surveyor, and Carroll I. Parkman, Thornton Fitzhugh, and John Boggs, Transitmen, General Land Office

under special instructions dated November 20, 1936, and assignment instructions dated February 23, 1937, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

*Frank M. Johnson*  
Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above described surveys in \_\_\_\_\_, is a true copy of the original field notes on file in the public survey office.

\_\_\_\_\_  
Supervisor of Surveys.