

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

12-23-42  
1-4-43

# FIELD NOTES

BOOK 4264

OF THE

Survey of the Subdivisional Lines of

Township 9 North, Range 4 East,

4264

Of the Gila and Salt River Meridian,

In the State of Arizona

### EXECUTED BY

Ty White,	Assistant Cadastral Engineer.
Raymond F. Moss,	Assistant Cadastral Engineer.
G. Marvin Litz,	Junior Cadastral Engineer.

General Land Office

Under special instructions dated May 13, 1941, which provided

for the surveys included under Group No. 238, bearing the approval of the

Commissioner of the General Land Office under date of June 21, 1941,

and assignment instructions dated May 19, 1941.  
August 1, 1941.

Survey commenced June 20, 1941.

Survey completed August 16, 1941.

BOOK 4264

# INDEX DIAGRAM.

Township 9 North, Range 4 East.

6	53 5	39 4	29 3	19 2	10 1
52	51	38	28	19	9
7	50 8	37 9	27 10	18 11	9 12
50	49	36	26	17	8
18	48 17	35 16	25 15	16 14	7 13
47	46	34	24	15	6
19	45 20	33 21	24 22	14 23	5 24
44	44	33	23	14	4
30	43 29	31 28	22 27	13 26	3 25
42	41	31	21	12	2
31	40 32	30 33	20 34	11 35	1 36

## Subdivision of T. 9 N., R. 4 E.

4264

## Chains.

The surveys hereinafter described were executed by Ty White, using Buff solar transits Nos. 18002 and 16724, Raymond F. Moss, using Gurley solar transit No. 371537 and G. Marvin Litz, using Gurley solar transit No. 371535 and Young and Sons solar transit No. 8592. Description of equipment and description and tests of transits excepting Gurley solar transit No. 371535 are to be found in the field notes of the boundaries of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this Group.

Gurley solar transit No. 371535 was constructed in accordance with the standard specifications of the General Land Office. The instrument is equipped with the improved Smith solar attachment. The instrument was in good condition, and was placed in satisfactory adjustment prior to its use on the survey and tested and found free from appreciable error, was approved by the district cadastral engineer on May 19, 1941.

I examine all the instrumental adjustments before making the field tests hereinafter recorded.

June 3, 1941, on the meridian established on May 26, 1941, near the ¼ sec. cor. of secs. 27 and 34, T. 10 N., R. 4 E., the establishment of which is described in the field notes of the boundaries of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this Group, every hour from 8 to 11 a.m. and from 1 to 4 p.m. I make proper settings on the arcs of the solar attachment and ascertain that the resulting orientations of the instrument, when compared with the meridian established by Polaris observation, have a maximum error of less than 1' 30".

I repeat the tests of the arcs daily by noon observation and verify the meridional indications at frequent intervals through out the survey.

From the standard cor. of secs. 35 and 36 on the S. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this Group,

N. 0° 01' W., bet. secs. 35 and 36.

Over mountainous land, through scattering timber and dense undergrowth; asc. 129 ft. over a steep S. slope.

- 3.30 Top of steep ascent, bears E. and W.; asc. over a gentle SW. slope.
- 26.00 Top of ascent, bears E. and SW.; desc. 31 ft. over a N. slope.
- 29.40 Rimrock, 20 ft. high, bears S. 70° W. and N. 70° E.; desc. 158 ft. over a steep NW. slope, through dense undergrowth.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼  
S 35 | S 36  
1941

raise a mound  
of stone, 3 ft. base, 2 ft. high, W. of cor.

## Subdivision of T. 9 N., R. 4 E.

- Chains. Desc. 35 ft. over a NW. slope.
- 41.30 North Fork of New River, 15 lks. wide, course SW. (A good spring is located in this canyon, approx. 20 chs. below this crossing.) Asc. 68 ft. over a SE. slope.
- 48.00 Point of a spur, slopes E.; asc. gradually over an E. slope.
- 54.85 Ravine, course S. 10° E.; asc. 60 ft. over a SE. slope.
- 58.20 Short spur, slopes SW.; asc. 48 ft. over a W. slope.
- 64.80 Recross ravine, course S. 10° W.; asc. 223 ft. over a SE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

T	9	N	R	4	E
	S	26		S	25
	S	35		S	36
1941					

from which

A juniper, 3 ins. diam., bears N. 70° E., 48 lks. dist., mkd. B T.

A juniper, 12 ins. diam., bears S. 89° E., 73 lks. dist., mkd. T 9 N R 4 E S 36 B T.

A juniper, 4 ins. diam., bears S. 8¼° W., 90 lks. dist., mkd. B T.

A juniper, 3 ins. diam., bears N. 24½° W., 206 lks. dist., mkd. B T.

Land, mountainous, and rolling mesa.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

East, on a random line, bet. secs. 25 and 36.

- 40.00 Set temp. ¼ sec. cor.
- 80.10 A point 8 lks. S. of the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this Group.

Thence

✓ S. 89° 57' W., on true line, bet. secs. 25 and 36.

Over mountainous land, through scattering timber and dense undergrowth; asc. 376 ft. over a steep NE. slope.

- 13.45 A 5 - strand barbed wire fence, bears NE. and SW.
- 20.10 Rimrock, 15 ft. high, bears NW. and SE. Thence over the top of a rolling mesa.
- 21.00 Top of main divide bet. New River and Lime Creek, bears NW. and SE.; desc. over a gradual W. slope.

Subdivision of T. 9 N., R. 4 E.

2251

Chains. 26.30	Trail, bears NW. and SE.
34.50	Rimrock, 8 ft. high, bears SE. for $\frac{1}{4}$ chs. then S. and NW. for 2 chs. then W.; desc. over a W. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 25 \\ \frac{1}{4} \\ \hline S\ 36 \\ 19\frac{1}{4} \end{array}$
	from which
	A juniper, 12 ins. diam., bears N. $67\frac{1}{2}^\circ$ W., 87 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
	Asc. SE. slope.
44.50	Rimrock, 8 ft. high, bears NE. and SW.; asc. a gradual E. slope.
49.80	Spur, slopes SW.; desc. 231 ft. over a W. slope.
71.10	Ravine, course S. $30^\circ$ W.; asc. 137 ft. over a steep E. slope.
80.10	The cor. of secs. 25, 26, 35 and 36.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	N. $0^\circ 01'$ W., bet. secs. 25 and 26.
	Over mountainous land, through scattering timber and dense undergrowth.; asc. 30 ft. over an E. slope.
3.70	Top of steep ascent, bears NE. and SW.; asc. over a gradual SE. slope.
14.70	Flat spur, slopes SW.; asc. over a gradual W. slope of rolling mesa land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ \hline S\ 26 \mid S\ 25 \\ 19\frac{1}{4} \end{array}$
	from which
	A juniper, 7 ins. diam., bears N. $80\frac{1}{2}^\circ$ E., 51 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
	A juniper, 10 ins. diam., bears N. $6\frac{1}{2}^\circ$ W., 550 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	This cor. is located on top of a flat spur, main divide bet. New River and Squaw Creek, bears E. and W. Thence over a gradual W. slope, top of mesa land.

- Chains.  
45.90 Rimrock, 40 ft. high, bears E. and W.; desc. 361 ft. over a steep NE. slope.
- 61.00 Ravine, course NE.; desc. 47 ft. over an E. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

T 9	N R 4	E
S 23	S 24	
-----		
S 26	S 25	
1941		

from which

A juniper, 4 ins. diam., bears N.  $64\frac{1}{2}^{\circ}$  E., 29 lks. dist., mkd. T 9 N R 4 E S 24 B T.

A juniper, 4 ins. diam., bears S.  $56^{\circ}$  E., 62 lks. dist., mkd. T 9 N R 4 E S 25 B T.

A juniper, 3 ins. diam., bears S.  $83\frac{3}{4}^{\circ}$  W., 110 lks. dist., mkd. B T.

A juniper, 8 ins. diam., bears N.  $26\frac{1}{2}^{\circ}$  W., 78 lks. dist., mkd. T 9 N R 4 E S 23 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel, catclaw.

- N.  $89^{\circ} 57'$  E., on a random line, bet. secs. 24 and 25.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.08 A point 13 lks. N. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the tp., described in the field notes of the bdrs. of Tps. 9,  $9\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this Group.
- Thence
- ✓ N.  $89^{\circ} 57'$  W., on true line, bet. secs. 24 and 25.
- Over mountainous land, through scattering timber and dense undergrowth; Asc. 120 ft. over a SE. slope.
- 6.58 A 4-strand barbed wire fence on top of a ridge, the main divide bet. Squaw Creek and Lime Creek, bears S. for 15 chs. then SW. and N.; desc. 114 ft. over a SW. slope.
- 23.80 Ravine, course S.; asc. 20 ft. over an E. slope.
- 26.50 Top of ascent, enter/ <sup>top of</sup> mesa, bears N. and S.; desc. a gradual W. slope.
- 40.04 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S 24
$\frac{1}{4}$ -----
S 25
1941

from which

## Subdivision of T. 9 N., R. 4 E.

4264

Chains.	<p>A juniper, 4 ins. diam., bears N. 81° W., 210 lks. dist., mkd. <math>\frac{1}{4}</math> S 24 B T.</p> <p>A juniper, 7 ins. diam., bears S. 54<math>\frac{3}{4}</math>° E., 88 lks. dist., mkd. <math>\frac{1}{4}</math> S 25 B T.</p> <p>Desc. over a gradual W. slope.</p> <p>45.20 Rimrock, 8 ft. high, bears NW. and S. 30° E., leave top of mesa; desc. 215 ft. over a SW. slope.</p> <p>56.75 Wash, 20 lks. wide, water in pools, course NW.; asc. 14 ft. over a N. slope.</p> <p>58.50 Spur, slopes N.; descend 24 ft. over a N. slope.</p> <p>62.35 Ravine, course N.; asc. 10 ft. over an E. slope.</p> <p>63.85 Spur, slopes N.; desc. 13 ft. over a W. slope.</p> <p>64.65 Ravine, course N. 10° E.; asc. 262 ft. over an E. slope.</p> <p>70.89 A 4-strand barbed wire fence bears S. 60° E. and N. 60° W.</p> <p>80.08 The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓</p> <hr/> <p>N. 0° 01' W., bet. secs. 23 and 24.</p> <p>Over mountainous land, through scattering timber and dense undergrowth; over an E. slope.</p> <p>4.40 A 4-strand barbed wire fence, bears S. 70° E. and N. 70° W.</p> <p>10.20 Spur, slopes E.; desc. 410 ft. over a NE. slope.</p> <p>38.10 Dry wash, 20 lks. wide, in the bottom of a canyon, course N. 80° W.; asc. 7 ft. over a S. slope.</p> <p>38.90 Point of a spur, slopes W.; desc. 5 ft. over a NW. slope. A corral bears N. 62° E.</p> <p>39.20 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, to bedrock, and in a mound of stone to top, for witness <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <p>W C</p> <p><math>\frac{1}{4}</math></p> <p>S 23   S 24</p> <p>1941</p> </div> <p style="text-align: right;">from which</p> <p>A juniper, 5 ins. diam., bears N. 24° E., 95 lks. dist., mkd. W C <math>\frac{1}{4}</math> S 24 B T.</p> <p>A juniper, 4 ins. diam., bears N. 30<math>\frac{1}{4}</math>° W., 164 lks. dist., mkd. W C <math>\frac{1}{4}</math> S 23 B T.</p> <p>40.00 The true point for <math>\frac{1}{4}</math> sec. cor. falls on land subject to overflow from a large wash, an unsuitable place for a permanent cor.</p>
---------	---

- Chains.  
 40.80 Dry wash, 50 lks. wide, course SW. to junction of a wash, course W.; asc. 453 ft. over a SE. slope.  
 41.25 Trail, bears E. and W.  
 59.49 Corral, bears S.  $24\frac{1}{2}^{\circ}$  E.  
 66.00 Top of steep ascent, bears E. and W.; desc. 47 ft. along steep E. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

T 9 N R 4 E	S 14 S 13
S 23 S 24	1941

from which

A mountain mahogany 4 ins. diam., bears N.  $47\frac{1}{2}^{\circ}$  E., 112 lks. dist., mkd T 9 N R 4 E S 13 B T.

A juniper, 9 ins. diam., bears S.  $21\frac{3}{4}^{\circ}$  E., 76 lks. dist., mkd. T 9 N R 4 E S 24 B T.

A juniper, 4 ins. diam., bears S.  $69\frac{1}{2}^{\circ}$  W., 64 lks. dist., mkd. B T.

A mountain mahogany 5 ins. diam., bears N.  $56\frac{1}{4}^{\circ}$  W., 97 lks. dist., mkd. T 9 N R 4 E S 14 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, sycamore and ash; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.

- S.  $89^{\circ} 57'$  E., on a random line, bet. secs. 13 and 24.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.98 A point 14 lks. S. of the cor of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9,  $9\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this Group.  
 Thence  
 S.  $89^{\circ} 57'$  W., on true line, bet. secs. 13 and 24.  
 Over mountainous land, through scattering timber and dense undergrowth; desc. 62 ft. over a steep SW. slope.  
 1.90 Steep ravine, course S.  $20^{\circ}$  W.; asc. 115 ft. over a SE. slope.  
 9.00 Spur, slopes S.; desc. 75 ft. over a steep S. slope.  
 13.50 Steep ravine, course SE. to junction of a ravine course S.; asc. 60 ft. over an E. slope.  
 18.00 Spur, slopes S.; desc. 470 ft. over a steep W. slope.  
 34.10 Dry wash, 15 lks. wide, in the bottom of a canyon, course S. for 15 chs. then SW.; asc. 297 ft. over an E. slope.  
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for

## Subdivision of T. 9 N., R. 4 E.

## Chains.

$\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} S\ 13 \\ \frac{1}{4} \\ \hline S\ 24 \\ 1941 \end{array}$$

raise a mound

of stone,  $3\frac{1}{2}$  ft. base, 2 ft. high, N. of cor.

Ascend 32 ft. over an E. slope.

42.00 Spur, slopes S.; desc. 585 ft. over a W. slope.

70.00 Dry wash, 15 lks. wide, in the bottom of a canyon, course S.; asc. 256 ft. over a steep E. slope.

79.98 The cor. of secs. 13, 14, 23 and 24.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, sycamore and ash; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

N. 0° 01' W., bet. secs. 13 and 14.

Over mountainous land, through scattering timber and undergrowth; desc. 72 ft. over a NE. slope.

3.50 Dry wash, 10 lks. wide, course N. 70° E.; asc. 220 ft. over a SE. slope.

17.12 Wire fence, bears E. and W..

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ S\ 14 \mid S\ 13 \\ \hline 1941 \end{array}$$

from which

A juniper, 16 ins. diam., bears N.  $36\frac{1}{2}$ ° E., 144 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.

A juniper, 18 ins. diam., bears S. 86° W., 78 lks. dist., mkd.  $\frac{1}{4}$  S 14 B T.

Asc. 199 ft. over a SE. slope.

51.80 Top of ascent; desc. 222 ft. over a NE. slope.

63.90 Dry wash, 15 lks. wide, course S. 45° E.; asc. 158 ft. over a SW. slope.

71.00 Recross wash, 15 lks wide, course S. 30° W.; continue ascent over a S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 3 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd. ✓

$$\begin{array}{r} T\ 9\ N\ R\ 4\ E \\ S\ 11 \mid S\ 12 \\ \hline S\ 14 \mid S\ 13 \\ 1941 \end{array}$$

from which

## Chains.

A juniper, 4 ins. diam., bears N.  $40\frac{1}{2}^{\circ}$  E., 138 lks. dist., mkd. T 9 N R 4 E S 12 B T.

A juniper, 4 ins. diam., bears S.  $58^{\circ}$  E., 59 lks. dist., mkd. T 9 N R 4 E S 13 B T.

A juniper, 6 ins. diam., bears N.  $12\frac{1}{4}^{\circ}$  W., 134 lks. dist., mkd. T 9 N R 4 E S 11 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.

N.  $89^{\circ} 57'$  E., on a random line, bet. secs. 12 and 13.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.12 A point 14 lks. S. of the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9,  $9\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this Group.

Thence

S.  $89^{\circ} 51'$  W., on true line, bet. secs. 12 and 13.

Over mountainous land, through scattering timber and undergrowth; asc. 531 ft. over a steep E. slope.

12.80 Top of a bluff, 80 ft. high, bears N. and S.; asc. 150 ft. over an E. slope.

18.40 Ridge, main divide bet. Squaw Creek and Lime Creek, bears N. and S.; desc. 302 ft. over a SW. slope.

40.06 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} S\ 12 \\ \frac{1}{4} \\ \hline S\ 13 \\ 1941 \end{array}$$

from which

A juniper, 8 ins. diam., bears N.  $23^{\circ}$  W., 101 lks. dist., mkd.  $\frac{1}{4}$  S 12 B T.

A juniper, 10 ins. diam., bears S.  $10^{\circ}$  E., 95 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.

Desc. 30 ft. over a SW. slope.

42.15 Foot of descent; asc. 12 ft. over a SE. slope.

56.40 Top of ascent; desc. 178 ft. over a SW. slope.

70.30 Foot of descent; asc. 11 ft. over the S. slope of a ridge bearing E. and W.

72.90 Trail, bears NW. to Mud Springs Creek and SE. to 6 Bar Ranch.

80.12 The cor. of secs. 11, 12, 13 and 14.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.

## Subdivision of T. 9 N., R. 4 E.

Chains.

N. 0° 01' W., bet. secs. 11 and 12.

Over mountainous land, through scattering timber and undergrowth.

.5.00 Low ridge, bears E. and W.; desc. N. slope.

25.00 Bottom of canyon, course W.; asc. S. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 11 \text{ | S } 12 \\ | \\ 1941 \end{array}$$

from which

A juniper, 5 ins. diam., bears S.  $76\frac{1}{2}^{\circ}$  E., 87 lks. dist., mkd.  $\frac{1}{4}$  S 12 B T.A juniper, 3 ins. diam., bears N.  $19\frac{3}{4}^{\circ}$  W., 53 lks. dist., mkd B T.

Asc. 12 ft. over a SE. slope.

42.00 Spur, slopes N.  $45^{\circ}$  E. from top of a hill 5 chs. W.; desc. 253 ft. over a NE. slope.

56.20 Wash, 15 lks. wide, course W.; asc. 57 ft. over a SW. slope.

67.20 Point of a spur, slopes SW.; desc. 69 ft. over a W. slope.

72.90 Wash, 15 lks. wide, course S.  $45^{\circ}$  W.; asc. 69 ft. over a SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for cor. of secs. 1 2, 11 and 12, with brass cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N } R \text{ } 4 \text{ E} \\ \text{S } 2 \text{ | S } 1 \\ \hline \text{S } 11 \text{ | S } 12 \\ 1941 \end{array}$$

from which

A juniper, 6 ins. diam., bears S.  $82\frac{1}{4}^{\circ}$  E., 291 lks. dist., mkd. T 9 N R 4 E S 12 B T.A juniper, 12 ins. diam., bears S.  $87^{\circ}$  W., 226 lks. dist., mkd. T 9 N R 4 E S 11 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

N.  $89^{\circ} 51'$  E., on a random line, bet. secs. 1 and 12.40.00 Set temp.  $\frac{1}{4}$  sec. cor.79.96 The cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9,  $9\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this Group.

Thence,

Chains.	
	S. 89° 51' W., on true line, bet. secs. 1 and 12. Over mountainous land, through scattering timber and undergrowth; desc. 33 ft. over a SW. slope.
4.80	Dry wash, 15 lks. wide, course S. 30° W.; asc. 244 ft. over a steep SE. slope.
14.85	Rimrock, bears N. 30° E. and SW. on top of a spur, slopes S.; desc. 266 ft. over a steep SW. slope.
27.60	Dry creek bed, 20 lks. wide, course S 45° E.; asc. 316 ft. over a NE. slope.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S. 1 \\ \hline \frac{1}{4} \\ S 12 \\ 1941 \end{array}$
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
	Asc. 289 ft. over a steep NE. slope.
57.20	Rim of Bloody Basin, bears NW. and SE., continue ascent over a NE. slope.
59.50	Trail, bears SE. to 6 Bar ranch and NW. to TT ranch, on top of a ridge bears NW. and SE.; desc. 43 ft. over a SW. slope.
72.50	Dry wash, 10 lks. wide, course S. 30° W.; over a gradual SW. slope.
79.96	The cor. of secs. 1, 2, 11 and 12.  Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak and sycamore; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓
	N. 0° 01' W., on a random line, bet. secs. 1 and 2.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.05	The cor. of secs. 1, 2, 35 and 36 on the N. bdy. of the Tp.; described in the field notes of the bdrs. of Tps. 9, $9\frac{1}{2}$ and 10 N., Rs. 4 and 5 E., surveyed under this Group.  Thence,  S. 0° 01' E., on the true line, bet. secs. 1 and 2.  Asc. 8 ft, over a NE. slope.
1.40	Top of ascent; desc. 231 ft. over a steep SE. slope.
10.70	Jacks Gulch, 20 lks. wide, course S. 50° W.; asc. 537 ft. over a NW. slope.
30.90	Ridge, bears S. 50° W. and N. 50° E.; desc. 222 ft. over a SE. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

## Subdivision of T. 9 N., R. 4 E.

4264

Chains.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 2 \text{ | S } 1 \\ 1941 \end{array}$$

from which

A juniper, 14 ins. diam., bears S. 79° E., 74 lks.  
dist., mkd.  $\frac{1}{4}$  S 1 B T.

A juniper, 10 ins. diam., bears S. 41 $\frac{1}{2}$ ° W., 144 lks.  
dist., mkd.  $\frac{1}{4}$  S 2 B T.

Desc. 84 ft. over a SE. slope.

- 43.80 Dry wash, 10 lks. wide, course S. 20° W.; asc. 23 ft. over a NW. slope.
- 50.00 Spur, slopes SW.; desc. 267 ft. over a SW. slope.
- 59.80 Ravine, course S. 45° W.; asc. 191 ft. over a NW. slope.
- 77.30 Spur, slopes SW.; desc. 50 ft. over a SW. slope.
- 80.05 The cor. of secs. 1, 2, 11 and 12.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, oak and sycamore; undergrowth, oak, cat-claw, mountain mahogany and mountain laurel. ✓

From the standard cor. of secs. 34 and 35, on the S. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9 $\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this Group,

N. 0° 01' W., bet. secs. 34 and 35.

Asc. 70 ft. over a S. slope.

- 9.50 Top of steep descent, bears E. and W.; desc. 500 ft. over a N. slope, into New River canyon.
- 30.55 Enter bottom of New River canyon, bears E. and W.
- 31.05 Center of New River, clear running water, 10 lks. wide, 3 ins. deep, course W.;
- 31.55 Leave bottom of New River canyon, bears E. and W.; asc. 64 ft. over a S. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 34 \text{ | S } 35 \\ 1941 \end{array}$$

Asc. 173 ft. over a SE. slope.

- 55.00 Wash, 40 lks. wide, course S. 45° E.; asc. 392 ft. over a steep rocky, SW. slope.
- 61.00 Rim of canyon, bears E. and NW.; asc. 93 ft. over a gradual S. slope.

## Subdivision of T. 9 N., R. 4 E.

Chains.  
80.00

Set an iron post, 3 ft. long, 2 ins. diam., over a cross (X) mkd. on solid surface rock, and in a mound of stone to top, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

T 9 N R 4 E	S 27	S 26
S 34	S 35	1941

from which

A juniper, 8 ins. diam., bears N.  $73\frac{1}{4}^{\circ}$  E., 189 lks. dist., mkd. T 9 N R 4 E S 26 B T.

A juniper, 6 ins. diam., bears S.  $84\frac{3}{4}^{\circ}$  E., 234 lks. dist., mkd. B T.

A juniper, 5 ins. diam., bears N.  $59\frac{1}{4}^{\circ}$  W., 337 lks. dist., mkd. T 9 N R 4 E S 27 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, oak and sycamore; undergrowth, oak, mountain mahogany and mountain laurel. ✓

East, on a random line, bet. secs. 26 and 35.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.06 A point 4 lks. S. of the cor. of secs. 25, 26, 35 and 36.

Thence.

S.  $89^{\circ} 58'$  W., on true line, bet. secs. 26 and 35.

Over mountainous land, through scattering timber and undergrowth; asc. 27 ft. over an E. slope.

4.35 Spur, slopes SW.; desc. 114 ft. over a W. slope.

22.25 Wash, 15 lks. wide, course S.  $20^{\circ}$  W.; asc. 118 ft. over an E. slope.

32.85 Long spur, slopes SE.; over a W. slope.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S 26
$\frac{1}{4}$ S 35
1941

from which

A juniper, 4 ins. diam., bears N.  $12\frac{1}{2}^{\circ}$  E., 80 lks. dist., mkd. B T.

A juniper, 6 ins. diam., bears S.  $21\frac{1}{2}^{\circ}$  E., 48 lks. dist., mkd.  $\frac{1}{4}$  S 35 B T.

Desc. 71 ft. over a W. slope.

47.40 Wash, 20 lks. wide, course S.; asc. 103 ft. over an E. slope.

55.80 Spur, slopes SW.; desc. 148 ft. over a W. slope.

## Subdivision of T. 9 N., R. 4 E.

BOOK 4264

Chains. 66.75	Deep rocky ravine, course S.; asc. 151 ft. over an E. slope.
75.00	Spur, slopes S. 20° E.; desc. 17 ft. over a gentle SW. slope.
80.06	The cor. of secs. 26, 27, 34 and 35.  Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
N. 0° 01' W., bet. secs. 26 and 27.	
Over mountainous land, through scattering timber and undergrowth; desc. 58 ft. over a NE. slope.	
1.92	Corral, bears N. 13° W. Top of low spur, slopes E.
11.75	Dry wash, 10 lks. wide, course S. 45° E.; asc. 21¼ ft. over a SW. slope.
24.60	Corral bears W. about 6 chs. dist.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.
$\begin{array}{c} \frac{1}{4} \\   \\ \text{S } 27 \quad   \quad \text{S } 26 \\   \\ 1941 \end{array}$	
from which	
A juniper, 8 ins. diam., bears S. 33½° E., 160 lks. dist., mkd. ¼ S 26 B T.	
A juniper, 4 ins. diam., bears S. 19° W., 82 lks. dist., mkd. ¼ S 27 B T.	
Corral, bears S. 26° W.	
Asc. 12 ft. over a SW. slope.	
42.00	Low ridge, bears E. and SW.; desc. 37 ft. over a N. slope.
52.40	Ravine, course E.; asc. 40 ft. over a S. slope.
63.60	Low spur, slopes E.; desc. 41 ft. over the top of a low spur, slopes N.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., over a cross (X) mkd. on solid surface rock, and in a mound of stone to top, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.
$\begin{array}{c} \text{T } 9 \text{ N } R \text{ 4 } E \\ \text{S } 22 \quad   \quad \text{S } 23 \\ \hline \text{S } 27 \quad   \quad \text{S } 26 \\   \\ 1941 \end{array}$	
Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain mahogany and mountain laurel.	

Chains.	N. 89° 58' E., on a random line, bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	A point 7 lks. S. of the cor. of secs. 23, 24, 25 and 26. Thence, S. 89° 55' W., on true line, bet. secs. 23 and 26. Over mountainous land, through scattering timber and undergrowth; asc. 402 ft. over a steep E. slope.
14.50	Spur, slopes N. 15° E.; desc. $\frac{3}{4}$ ft. over a NW. slope.
20.10	Head of a ravine, course N. 15° W.; asc. 40 ft. over a NE. slope.
29.70	Spur, slopes N.; desc. 58 ft. over a W. slope.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 23 \\ \frac{1}{4} \\ \hline S\ 26 \\ 1941 \end{array}$
	from which
	A juniper, 10 ins. diam., bears N. $42\frac{1}{4}$ ° W., 152 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.
	A juniper, 5 ins. diam., bears S. $32\frac{1}{2}$ ° W., 58 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
41.80	Edge of mesa, bears N. and S.; desc. over a NW. slope.
55.00	Wash, 15 lks. wide, course N.; asc. over a NE. slope.
72.00	Edge of mesa, bears N. and S.
79.98	The cor. of secs. 22, 23, 26 and 27. Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	N. 0° 01' W., bet. secs. 22 and 23. Over mountainous land, through scattering timber and undergrowth; Desc. 202 ft. over a NW. slope.
11.80	Dry wash, 15 lks. wide, course N. 60° E.; asc. 126 ft. over a SE. slope.
29.00	Top of ascent on arm of mesa; desc. 173 ft. over a NE. slope.
32.05	Rim of mesa, bears SE. and NW.; desc. 177 ft. over a NE. slope.
35.50	Wire fence, bears S. 50° E. and N. 50° W.
38.15	Ravine, 15 lks. wide, course N. 45° E.; asc. 15 ft. over a SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the

## Subdivision of T. 9 N., R. 4 E.

## Chains.

ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 22 \mid \text{S } 23 \\ | \\ 1941 \end{array}$$

from which

A juniper, 18 ins. diam., bears N.  $17\frac{3}{4}^{\circ}$  E., 90 lks. dist., mkd.  $\frac{1}{4}$  S 23 B T.

Descend 717 ft. over a NE. slope.

42.30 Rimrock, bears N  $15^{\circ}$  W. and S.  $15^{\circ}$  E.

74.55 Creek, clear running water, 10 lks. wide,  $1\frac{1}{2}$  ins. deep, course W.; asc. 68 ft. over a S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N } R \text{ } 4 \text{ E} \\ \text{S } 15 \mid \text{S } 14 \\ \hline \text{S } 22 \mid \text{S } 23 \\ | \\ 1941 \end{array}$$

from which

A juniper, 3 ins. diam., bears N.  $79\frac{1}{4}^{\circ}$  E., 107 lks. dist., mkd T 9 N R 4 E S 14 B T.

A juniper, 3 ins. diam., bears S.  $26\frac{3}{4}^{\circ}$  E., 75 lks. dist., mkd T 9 N R 4 E S 23 B T.

A juniper, 5 ins. diam., bears S.  $81\frac{3}{4}^{\circ}$  W., 40 lks. dist., mkd. T 9 N R 4 E S 22 B T.

A granite boulder in place, 10x5x4 ft. above ground bears N.  $35\frac{1}{2}^{\circ}$  W., 35 lks. dist., mkd B X O S 15.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, oak and sycamore; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

N.  $89^{\circ} 55'$  E., on a random line, bet. secs. 14 and 23.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 A point 5 lks. S. of the cor. of secs. 13, 14, 23 and 24.

Thence,

S.  $89^{\circ} 53'$  W., on true line, bet. secs. 14 and 23.

Over mountainous land, through scattering timber and undergrowth; asc. 238 ft. over a NE. slope.

9.30 Ridge, bears N  $10^{\circ}$  W. and S.  $10^{\circ}$  W.; desc. 595 ft. over a SW. slope.


33.10 Ravine, course S.  $45^{\circ}$  W.; asc. 102 ft. over a SE. slope.

Chains. 40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> $\begin{array}{r} \frac{1}{4} \quad \text{S } 14 \\ \hline \text{S } 23 \\ 1941 \end{array}$ <p style="text-align: right;">from which</p> <p>A juniper, 5 ins. diam., bears N. <math>13\frac{3}{4}^{\circ}</math> E., 18 lks. dist., mkd. <math>\frac{1}{4}</math> S 14 B T.</p> <p>A juniper, 4 ins. diam., bears S. <math>30\frac{1}{2}^{\circ}</math> E., 66 lks. dist., mkd. <math>\frac{1}{4}</math> S 23 B T.</p> <p>Asc. 46 ft. over a SE. slope.</p>
43.45	Spur, slopes SW.; desc. 142 ft. over a SW. slope.
48.90	Dry wash, 15 lks. wide, course S. $30^{\circ}$ E.; asc. 116 ft. over a SE. slope.
57.30	Top of ascent. A spring, bears S. $21^{\circ}$ W., 3.55 chs. dist.; desc. 204 ft. over a SW. slope.
68.60	Dry wash, 10 lks. wide, course S.; asc. 23 ft. over a SE. slope.
71.50	Spur, slopes S. $30^{\circ}$ W.; desc. 35 ft. over a NW. slope.
76.15	Dry wash, 10 lks. wide, course S.; asc. 29 ft. over a SE. slope.
80.00	The cor. of secs. 14, 15, 22 and 23.
	<p>Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, oak, juniper and sycamore; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓</p>
	<p>N. <math>0^{\circ} 01'</math> W., bet. secs. 14 and 15.</p> <p>Over mountainous land, through scattering timber and undergrowth; asc. 115 ft. over a SE. slope.</p>
2.75	Top of a high point of large boulders, slopes S. $30^{\circ}$ W.; desc. 152 ft. over a steep rocky NW. slope.
9.75	Ravine, course S. $60^{\circ}$ W.; asc. 247 ft. over a SW. slope.
18.20	Dry wash, 20 lks. wide, course S. $30^{\circ}$ W.; continue ascent over a SW. slope.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap. mkd.</p> $\begin{array}{r} \frac{1}{4} \\ \text{S } 15 \quad   \quad \text{S } 14 \\ \hline 1941 \end{array}$ <p style="text-align: right;">from which</p> <p>A juniper, 26 ins. diam., bears N. <math>70\frac{3}{4}^{\circ}</math> E., 24 lks. dist., mkd. <math>\frac{1}{4}</math> S 14 B T.</p> <p>A juniper, 16 ins. diam., bears N. <math>27\frac{1}{2}^{\circ}</math> W., 22 lks. dist., mkd. <math>\frac{1}{4}</math> S 15 B T.</p>

Subdivision of T. 9 N., R. 4 E.

PLAT 4284

- Chains.  
 Asc. 87 ft. over a SW. slope.  
 52.00 Spur, slopes S. 45° W.; desc. 346 ft. over a NW. slope.  
 76.24 Trail, bears S. 60° W. to corral in sec. 15 and N. 60° E. to 6 Bar ranch.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.




from which

- A juniper, 16 ins. diam., bears N. 85 $\frac{3}{4}$ ° E., 48 lks. dist., mkd. T 9 N R 4 E S 11 B T.  
 A juniper, 32 ins. diam., bears S. 6° E., 91 lks. dist., mkd. T 9 N R 4 E S 14 B T.  
 A juniper, 24 ins. diam., bears S. 8° W., 102 lks. dist., mkd. T 9 N R 4 E S 15 B T.  
 A juniper, 4 ins. diam., bears N. 4 $\frac{1}{2}$ ° W., 50 lks. dist., mkd. T 9 N R 4 E S 10 B T.

Land, mountainous.  
 Soil, 3rd and 4th rates, rocky.  
 Timber, juniper, sycamore and oak; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

- N. 89° 53' E., on a random line, bet. secs. 11 and 14.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.96 A point 9 lks. N. of the cor. of secs. 11, 12, 13 and 14.  
 Thence,  
 S. 89° 57' W., on true line, bet. secs. 11 and 14.  
 Over mountainous land, through scattering timber and undergrowth; asc. 90 ft. over a SE. slope.  
 12.75 Ridge, bears S. 20° W. and N. 20° E.; desc. 675 ft. over a NW. slope.  
 39.98 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.



from which

- A juniper, 4 ins. diam., bears N. 12 $\frac{1}{2}$ ° W., 54 lks. dist., mkd.  $\frac{1}{4}$  S 11 B T.  
 A juniper, 5 ins. diam., bears S. 16 $\frac{1}{4}$ ° W., 28 lks. dist., mkd.  $\frac{1}{4}$  S 14 B T.  
 42.10 Ravine, course N. 45° W.; desc. 177 ft. over a NW. slope.

<p>Chains. 15.54 52.30 57.60 59.85 74.50 79.96</p>	<p>6 Bar ranch spring, bears N. <math>13\frac{1}{2}^\circ</math> W. 8.93 chs. dist., Wash, 20 lks. wide, course N. <math>30^\circ</math> W.; asc. 65 ft. over a NE. slope. Spur, slopes N. <math>15^\circ</math> E.; desc. 136 ft. over a NW. slope. A 4-strand barbed wire fence, bears N. and S. Foot of descent; asc. 29 ft. over a NE. slope. The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, Juniper, oak and sycamore; undergrowth, oak, mountain mahogany and mountain laurel.</p>
	<p>N. <math>0^\circ 01'</math> W., bet. secs. 10 and 11.</p> <p>Over mountainous land, through scattering timber and undergrowth; desc. 67 ft. over a NW. slope.</p> <p>4.10 Bottom of Jacks Gulch, stream of clear running water, 10 lks. wide, <math>1\frac{1}{2}</math> ins. deep, course W.; asc. 826 ft. over a SW. slope.</p> <p>8.55 Rock ledge, bears E. and W.</p> <p>10.76 Trail, bears N. <math>70^\circ</math> W. to Middle Fork of Squaw Creek and S. <math>70^\circ</math> E. to 6 Bar ranch.</p> <p>27.20 Ravine, course S. <math>45^\circ</math> W.; continue ascent over a SW. slope.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} \frac{1}{4} \\   \\ \text{S } 10 \text{   S } 11 \\   \\ 1941 \end{array}</math> </div> <p style="text-align: right;">from which</p> <p>A juniper, 6 ins. diam., bears S. <math>51\frac{1}{2}^\circ</math> E., 35 lks. dist., mkd. <math>\frac{1}{4}</math> S 11 B T.</p> <p>A juniper, 12 ins. diam., bears N. <math>10^\circ</math> W., 36 lks. dist., mkd. <math>\frac{1}{4}</math> S 10 B T.</p> <p>Asc. 381 ft. over a steep SW. slope.</p> <p>45.40 Rock ledge, 30 ft. high, bears N. and S., continue ascent.</p> <p>64.50 Top of mountain; descend 350 ft. over a N. slope.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.</p>
	<div style="text-align: center;"> <math display="block">\begin{array}{c} \text{T } 9 \text{ N } \text{R } 4 \text{ E} \\ \text{S } 3 \text{   S } 2 \\ \hline \text{S } 10 \text{   S } 11 \\ 1941 \end{array}</math> </div>

## Subdivision of T. 9 N., R. 4 E.

BOOK 4804

Chains.	from which
	A juniper, 6 ins. diam., bears N. 63° E., 146 lks. dist., mkd. T 9 N R 4 E S 2 B T.
	A juniper, 3 ins. diam., bears S. 2½° W., 140 lks. dist., mkd. T 9 N R 4 E S 10 B T.
	A juniper, 5 ins. diam., bears N. 12¼° W., 215 lks. dist., mkd. T 9 N R 4 E S 3 B T.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓
	N. 89° 57' E., on a random line, bet. secs. 2 and 11.
40.00	Set temp. ¼ sec. cor.
79.94	A point 2 lks. N. of the cor. of secs. 1, 2, 11 and 12.
	Thence,
	S. 89° 58' W., on true line, bet. secs. 2 and 11.
	Over mountainous land, through scattering timber and undergrowth; asc. over a SE. slope.
5.00	Spur, slopes S. 80° W.; desc. 344 ft. over a steep W. slope.
30.50	Ravine, course N. 30° W., continue descent.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for ¼ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{r} S 2 \\ \hline S 11 \\ 1941 \end{array}$
	from which
	A juniper, 8 ins. diam., bears N. 27¼° W., 79 lks. dist., mkd. B T.
	A juniper, 24 ins. diam., bears S. 14¾° W., 77 lks. dist., mkd. ¼ S 11 B T.
	Desc. 96 ft. over a NW. slope.
44.50	Bottom of Jacks Gulch, 30 lks. wide, with water in pools, course S.; asc. 558 ft. over a steep NE. slope.
47.70	Ravine, course S. 45° E., continue ascent.
79.30	Top of ridge, bears N. and S.; over a NW. slope.
79.94	The cor. of secs. 2, 3, 10 and 11.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw. ✓
	N. 0° 01' W., on a random line, bet. secs. 2 and 3.
40.00	Set temp. ¼ sec. cor.
80.08	A point 21 lks. E. of the cor. of secs. 2, 3, 34 and 35

Chains.	
	on the N. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this Group.
	Thence,
	S. 0° 10' E., on true line, bet. secs. 2 and 3.
	Over mountainous land, through scattering timber and undergrowth; desc. 216 ft. over a SW. slope.
12.80	E. Branch of Middle Fork of Squaw Creek, clear running water, 10 lks. wide, 1½ ins. deep, course W.; asc. 421 ft. over a NW. slope.
29.40	Spur, slopes N. 45° W.; desc. 154 ft. over a SW. slope.
38.90	Ravine, course W.; asc. 19 ft. over a NW. slope.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ S \ 3 \   \ S \ 2 \\   \\ 1941 \end{array}$
	from which
	A juniper, 6 ins. diam., bears S. 23° E., 95 lks. dist., mkd. ¼ S 2 B T.
	Raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.
41.00	Ravine, course W.; asc. 554 ft. over a NE. slope.
52.60	Top of ascent; desc. 96 ft. over a steep SW. slope.
57.50	Head of a ravine, course W.; asc. 173 ft. over a NW. slope.
80.08	The cor. of secs. 2, 3, 10 and 11.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.
	From the standard cor. of secs. 33 and 34, on the S. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this group,
	N. 0° 02' W., bet. secs. 33 and 34.
	Over mountainous land, through scattering timber and undergrowth; asc. 209 ft. over a steep S. slope.
12.10	Rim of New River Canyon, bears NE. and SW., continue ascent over a gradual SE. slope.
17.00	Spur, slopes SW. from N.; continue along top of same.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

Subdivision of T. 9 N., R. 4 E.

4204

Chains.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 33 \mid \text{S } 34 \\ 1941 \end{array}$$

from which

A juniper, 10 ins. diam., bears N.  $47\frac{1}{2}^{\circ}$  E., 88 lks.  
dist., mkd.  $\frac{1}{4}$  S 34 B T.

A juniper, 12 ins. diam., bears N.  $63\frac{1}{2}^{\circ}$  W., 110 lks.  
dist., mkd.  $\frac{1}{4}$  S 33 B T.

Ascend 68 ft. over top of spur.

72.60 Saddle in a spur, slopes E.; desc. 14 ft. over a NE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N } \text{R } 4 \text{ E} \\ \text{S } 28 \mid \text{S } 27 \\ \hline \text{S } 33 \mid \text{S } 34 \\ 1941 \end{array}$$

raise a mound  
of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.

East, on a random line, bet. secs. 27 and 34.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.14 A point 4 lks. N. of the cor. of secs. 26, 27, 34 and 35.

Thence.

N.  $89^{\circ} 58'$  W., on true line, bet. secs. 27 and 34.

Over mountainous land, through scattering timber and  
undergrowth; desc. 141 ft. over a W. slope.

12.25 Low spur, slopes S.; continue descent.

20.25 Dry wash, 15 lks. wide, course S.  $20^{\circ}$  E.; continue descent 141 ft. over a W. slope.37.35 Dry wash, 10 lks. wide, course S.  $45^{\circ}$  W.40.07 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \text{S } 27 \\ \frac{1}{4} \text{ ---} \\ \text{S } 34 \\ 1941 \end{array}$$

from which

A juniper, 4 ins. diam., bears S.  $43^{\circ}$  W., 108 lks.  
dist., mkd.  $\frac{1}{4}$  S 34 B T.

Raise a mound of stone 3 ft. base,  $2\frac{1}{2}$  ft. high, N.  
of cor.

Asc. 51 ft. over an E. slope.

BOOK

## Subdivision of T. 9 N., R. 4 E.

Chains.	
48.15	Spur, slopes S.; desc. 55 ft. over a W. slope.
60.35	Dry wash, 15 lks. wide, course S.
78.05	Dry wash, 10 lks. wide, course S. 60° E.; asc. 66 ft. over a NE. slope.
80.14	The cor. of secs. 27, 28, 33 and 34. Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, and mountain mahogany. ✓
	N. 0° 02' W., bet. secs. 27 and 28. Over mountainous land, through scattering timber and undergrowth; desc. 12 ft. over a gradual NE. slope.
3.60	Ravine, course S. 30° E.; asc. 305 ft. over a SW. slope.
24.20	Corral, bears N. 48 $\frac{3}{4}$ ° W.
28.75	Ridge, main divide bet. Squaw Creek and New River, bears NE. and SW.; desc. 124 ft. over a NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 28 \text{   S } 27 \\ \hline 1941 \end{array}$
	from which
	A juniper, 8 ins. diam., bears S. 15 $\frac{3}{4}$ ° E., 119 lks. dist., mkd. $\frac{1}{4}$ S. 27 B T.
	A juniper, 8 ins. diam., bears N. 61 $\frac{1}{4}$ ° W., 186 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	Desc. 63 ft. over a NW. slope.
49.05	NW. cor. of corral bears W., 10 lks. dist.
49.95	Ravine, course W.; asc. 72 ft. over a S. slope.
58.50	Spur, slopes W.; desc. 181 ft. over a N. slope.
63.40	Corral, bears S. 42° W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.
	$\begin{array}{c} \text{T. 9 N R 4 E} \\ \text{S } 21 \text{   S } 22 \\ \hline \text{S } 28 \text{   S } 27 \\ \hline 1941 \end{array}$
	from which
	A juniper, 8 ins. diam., bears N. 68 $\frac{3}{4}$ ° E., 169 lks. dist., mkd. T 9 N R 4 E S 22 B T.
	A juniper, 10 ins. diam., bears S. 36° E., 137 lks. dist., mkd. T 9 N R 4 E S 27 B T.
	A juniper, 8 ins. diam., bears S. 52 $\frac{3}{4}$ ° W., 246 lks. ✓ dist., mkd T 9 N R 4 E S 28 B T.

## Subdivision of T. 9 N., R. 4 E.

## Chains.

A juniper, 10 ins. diam., bears N.  $21\frac{1}{4}^{\circ}$  W., 202 lks. dist., mkd. B T.

Land, mountainous.

Soil, 3rd and 4th rates.

Timber, juniper and oak; undergrowth, oak, mountain laurel, and mountain mahogany.

S.  $89^{\circ} 58'$  E., on a random line, bet. secs. 22 and 27.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.16 A point 5 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence,

✓ N.  $89^{\circ} 56'$  W., on true line, bet. secs. 22 and 27.

Over mountainous land, through scattering timber and undergrowth; desc. 17 ft. over a NW. slope.

7.15 Dry wash, 20 lks. wide, course N.  $30^{\circ}$  E.; asc. 75 ft. over a NE. slope.

12.15 Spur, slopes NE.; desc. 130 ft. over a NW. slope.

28.40 Dry wash, 10 lks. wide, course N.  $30^{\circ}$  W., asc. 39 ft. over a NE. slope.

31.15 Spur, slopes N.  $15^{\circ}$  W.; desc. 133 ft. over a W. slope.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 22}{S 27} \\ 1941$$

from which

A mountain mahogany, 4 ins. diam., bears N.  $62\frac{1}{2}^{\circ}$  E., 182 lks. dist., mkd  $\frac{1}{4}$  S 22 B T.

A juniper, 8 ins. diam., bears S.  $30\frac{1}{2}^{\circ}$  E., 63 lks. dist., mkd.  $\frac{1}{4}$  S 27 B T.

Desc. 23 ft. over a W. slope.

45.15 Dry wash, 10 lks. wide, course N.; asc. 200 ft. over an E. slope.

51.95 From this point an arm of the mesa extends N.; desc. 122 ft. over a W. slope.

66.45 Dry wash, 15 lks. wide, course N.; asc. 56 ft. over an E. slope.

78.95 Saddle in a ridge, bears N. and S.; desc. 6 ft. over a NW. slope.

80.16 The cor. of secs. 21, 22, 27 and 28.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper and oak; undergrowth, oak, catclaw, mountain mahogany and mountain laurel.

## Subdivision of T. 9 N., R. 4 E.

Chains.

N.  $0^{\circ} 02'$  W., bet. secs. 21 and 22.

Over mountainous land, through scattering timber and undergrowth; Asc. 95 ft. over a broken W. slope.

2.90 Small spur, slopes W.; continue ascent over a S. slope.

16.30 Enter top of mesa, bears E. and W.; desc. 73 ft. over a gradual N. slope.

37.30 Bluff, bears NW. and E., leave top of mesa, descend 149 ft. over a steep NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 21 \mid \text{S } 22 \\ | \\ 1941 \end{array}$$

from which

A juniper, 12 ins. diam., bears N.  $50^{\circ}$  E., 164 lks. dist., mkd.  $\frac{1}{4}$  S 22 B T.A juniper, 7 ins. diam., bears N.  $7\frac{1}{2}^{\circ}$  W., 104 lks. dist., mkd.  $\frac{1}{4}$  S 21 B T.

Desc. 626 ft. over a broken NE. slope.

61.58 A 4-strand barbed wire fence, bears E. and W.

74.10 Wash, in bottom of canyon, 20 lks. wide, water in pools, course NW.; asc. 48 ft. over a SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N } R \text{ } 4 \text{ E} \\ \text{S } 16 \mid \text{S } 15 \\ \hline \text{S } 21 \mid \text{S } 22 \\ 1941 \end{array}$$

from which

A juniper, 8 ins. diam., bears N.  $21\frac{1}{2}^{\circ}$  E., 95 lks. dist., mkd. T 9 N R 4 E S 15 B T.A juniper, 3 ins. diam., bears S.  $74\frac{3}{4}^{\circ}$  E., 76 lks. dist., mkd. B T.A juniper, 6 ins. diam., bears S.  $9\frac{1}{2}^{\circ}$  W., 144 lks. dist., mkd. T 9 N R 4 E S 21 B T.A juniper, 5 ins. diam., bears N.  $23^{\circ}$  W., 201 lks. dist., mkd. T 9 N R 4 E S 16 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, sycamore, ash and walnut; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.

40.00

S.  $89^{\circ} 56'$  E., on a random line, bet. secs. 15 and 22Set temp.  $\frac{1}{4}$  sec. cor.

## Subdivision of T. 9 N., R. 4 E.

Chains.	
80.16	A point 2 lks. S. of the cor. of secs. 14, 15, 22 and 23. Thence, ✓ N. 89° 57' W., on true line, bet. secs. 15 and 22. Over mountainous land, through scattering timber and undergrowth; Asc. 13 ft. over a rocky SE. slope.
1.00	Top of ascent; descend 161 ft. over a SW. slope.
10.70	Trail, bears S. 45° E. and N. 45° W.
12.90	Creek, clear running water, 15 lks. wide, 2 ins. deep, course N. 45° W.; asc. 158 ft. over a NE. slope.
21.00	Spur, slopes N.; desc. 84 ft. over a NW. slope.
24.00	Ravine, 15 lks. wide, course N.; asc. 165 ft. over a NE. slope.
34.70	Corral, bears N. about 20 chs. dist.
35.90	Ravine, course N. 20° E.; continue ascent.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \text{ S } 15 \\ \hline \text{S } 22 \\ 1941 \end{array}$
	from which
	A juniper, 32 ins. diam., bears N. 2° W., 85 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	A juniper, 14 ins. diam., bears S. 63 $\frac{3}{4}$ ° E., 66 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.
	A corral, bears N. 7° E.
	Asc. 105 ft. over a NE. slope.
55.30	Spur, slopes N. 45° W., A corral, bears N. 33 $\frac{1}{2}$ ° E.; desc 374 ft. over a SW. slope.
76.75	Dry wash, 20 lks. wide, course S.; continue descent over a SE. slope.
80.16	The cor. of secs. 15, 16, 21 and 22. Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, sycamore and oak; undergrowth, oak, mountain laurel, catclaw and mountain mahogany,
	N. 0° 02' W., bet. secs. 15 and 16. Over mountainous land, through scattering timber and undergrowth; asc. 104 ft. over a broken SE. slope.
32.00	Spur, slopes W. from SE.; desc. 163 ft. over a steep NW. slope, over large granite boulders.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the

Chains.

ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 16 \text{ | S } 15 \\ \hline 1941 \end{array}$$

from which

A mountain laurel, 4 ins. diam., bears N.  $37\frac{3}{4}^{\circ}$  E., 9 lks. dist., mkd B T.

A mountain mahogany, 3 ins. diam., bears S.  $38^{\circ}$  W., 24 lks. dist., mkd. B T.

Desc. 170 ft. over a steep NW. slope.

44.10 Squaw Creek, 35 lks. wide, running water, 3 lks. wide, 2 ins. deep, course SW.; asc. 190 ft. over a broken SE. slope.

48.66 Trail, bears E. and NW.

65.30 Spur, slopes S.  $60^{\circ}$  W.; desc. 37 ft. over a W. slope.

68.05 Ravine, course S.  $60^{\circ}$  W.; asc. 50 ft. over a S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N } \text{R } 4 \text{ E} \\ \text{S } 9 \text{ | S } 10 \\ \hline \text{S } 16 \text{ | S } 15 \\ \hline 1941 \end{array}$$

from which

A juniper, 3 ins. diam., bears N.  $66^{\circ}$  E., 164 lks. dist., mkd. B T.

A juniper, 4 ins. diam., bears S.  $70\frac{1}{2}^{\circ}$  E., 86 lks. dist., mkd. T 9 N R 4 E S 15 B T.

A juniper, 3 ins. diam., bears S.  $29\frac{3}{4}^{\circ}$  W., 12 lks. dist., mkd. B T.

A juniper, 4 ins. diam., bears N.  $79^{\circ}$  W., 158 lks. dist., mkd. B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, sycamore and ash; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

S.  $89^{\circ} 57'$  E., on a random line, bet. secs. 10 and 15.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.22 The cor. of secs. 10, 11, 14 and 15.

Thence,

N.  $89^{\circ} 57'$  W., on true line, bet. secs. 10 and 15.

Over mountainous land, through scattering timber and undergrowth; desc. 65 ft. over a NW. slope.

## Subdivision of T. 9 N., R. 4 E.

BOOK 4264

Chains.	
4.45	Enter creek bed in bottom of Jacks Gulch, course W. from NE.; desc. 19 ft. along bottom of creek bed.
11.30	Leave bottom of Jacks Gulch, course N. 80° W.; asc. 18 ft. over a N. slope.
12.70	Point of spur, sloping NW.; desc. 35 ft. over a N. slope.
16.55	Recross wash in bottom of Jacks Gulch, 25 lks. wide, water in pools, course SW.; asc. 88 ft. over a steep S. slope.
25.00	Steep ravine, course SE.; asc. 167 ft. over an E. slope.
34.00	Spur, slopes S.; trail, bears N. and S.; asc. 34 ft. over a NW. slope.
37.60	Ravine, course SW.; over a S. slope.
40.11	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 10 \\ \hline \frac{1}{4} \\ S\ 15 \\ 1941 \end{array}$
	from which
	. A juniper, 6 ins. diam., bears N. 9 $\frac{1}{2}$ ° W., 92 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
	A juniper, 9 ins. diam., bears S. 72 $\frac{1}{4}$ ° E., 168 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	Desc. 60 ft. over a S. slope.
57.20	Ravine, course SE.; for 15 chs. then S.; asc. 115 ft. over a NE. slope.
64.00	Spur, slopes SW. from N. 10° E.; desc. 116 ft. over a W. slope.
68.70	Head of a ravine, course S. 60° W.; asc. 160 ft. over a S. slope.
80.22	The cor. of secs. 9, 10, 15 and 16.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak and sycamore; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓
	N. 0° 02' W., bet. secs. 9 and 10.
	Over mountainous land through scattering timber and undergrowth; asc. 13 ft. over a S. slope.
1.20	Spur, slopes SW.; desc. 77 ft. over a NW. slope.
6.40	Ravine, course W.; asc. 150 ft. over a S. slope.
17.60	Spur, slopes W.; desc. 136 ft. over a NW. slope.
25.20	Ravine, course W.; asc. 134 ft. Over a SW. slope.
31.50	Spur, slopes W.; desc. 150 ft. over a NW. slope.
38.00	Ravine, course W.; asc. 50 ft. over a SW. slope.

## Subdivision of T. 9 N., R. 4 E.

Chains 40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <p style="text-align: center;"> <math>\frac{1}{4}</math>            S 9   S 10            1941         </p> <p style="text-align: right;">from which</p> <p>A juniper, 5 ins. diam., bears S. <math>28\frac{1}{2}^{\circ}</math> E., 97 lks. dist., mkd. <math>\frac{1}{4}</math> S 10 B T.</p> <p>A juniper, 9 ins. diam., bears N. <math>60\frac{1}{2}^{\circ}</math> W., 60 lks. dist., mkd. <math>\frac{1}{4}</math> S 9 B T.</p> <p>Asc. 54 ft. over a SW. slope.</p>
43.20	Spur, slopes W.; desc. 263 ft. over a steep NW. slope.
64.00	Middle Fork of Squaw Creek, 35 lks. wide, water in pools, course SW.; asc. 200 ft. over a SE. slope.
67.70	Trail, bears NW. to Rock House and E. to 6 Bar ranch.
73.70	Chimney at E. end of cabin, bears N. $77^{\circ}$ E.
80.00	<p>The true point for the cor. of secs. 3, 4, 9 and 10, Mark a cross (X) on the steep E. slope of solid surface rock, an unsuitable place to set a permanent corner, for cor. of secs. 3, 4, 9 and 10. For witness cor. see line bet. secs. 3 and 4.</p> <p>Land, mountainous.            Soil, 3rd and 4th rates, rocky.            Timber, juniper, sycamore and ash; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.</p>
	S. $89^{\circ} 57'$ E., on a random line, bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	A point 2 lks. S. of the cor. of secs. 2, 3, 10 and 11.
	Thence,
	✓ N. $89^{\circ} 58'$ W., on true line, bet. secs. 3 and 10.
	Over mountainous land, through scattering timber and undergrowth; desc. 375 ft. over a NW. slope.
12.30	Ravine, course N. $30^{\circ}$ W.; asc. 51 ft. over a NE. slope.
18.10	Spur, slopes N. $45^{\circ}$ W.; desc. 438 ft. over a SW. slope.
38.50	Deep rocky ravine, course N.; asc. 60 ft. over a steep NE. slope.
40.04	<p>Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <p style="text-align: center;">           S 3  <math>\frac{1}{4}</math> —————            S 10            1941         </p> <p>Ascend 382 ft. over a NE. slope.</p>

## Subdivision of T. 9 N., R. 4 E.

- Chains.
- 43.30 Spur, slopes NW.; desc. 382 ft. over a SW. slope.
- 59.35 Corral fence, bears NW. to cor. and SE. for 50 lks. then S. 10° W. to SE. fence cor.
- 59.80 Corral fence, bears S. 85° W. and N. 85° E.
- 62.35 Rock chimney at E. end of cabin, bears S. A good spring is located in the bottom of a ravine, approx. 7.00 chs. S. of this cabin.
- 63.30 Middle Fork of Squaw Creek, 35 lks. wide, with water in pools, course SW.; asc. 149 ft. over a broken SE. slope.
- 80.08 The true point for cor. of secs. 3, 4, 9 and 10. For witness cor. see line bet. secs. 3 and 4.

Land, mountainous.  
Soil, 3rd and 4th rates, rocky.  
Timber, juniper, sycamore and ash; undergrowth, oak, mountain laurel, mountain mahogany and catclaw. ✓

From the true point for cor. of secs. 3, 4, 9 and 10.

N. 0° 11' W., on a random line, bet. secs. 3 and 4.

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.15 A point 9 lks. W. of the cor. of secs. 3, 4, 33 and 34 on the N. bdry. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9 $\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this Group.
- Thence,
- ✓ S. 0° 07' E., on true line, bet. secs. 3 and 4.
- Over mountainous land, through scattering timber and undergrowth; asc. 190 ft. over a steep NE. slope.
- 12.25 Spur, slopes E. for 5 chs. then SE.; desc. 135 ft. over a S. slope.
- 17.40 Steep ravine, course SE.; asc. 126 ft. over a steep E. slope.
- 24.35 Steep spur, slopes SE.; desc. 257 ft. over a rocky, broken SE. slope.
- 40.15 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S 4 | S 3  
 1941

Descend 540 ft. over a rocky, broken SE. slope.

- 79.80 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for witness cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

## Subdivision of T. 9 N., R. 4 E.

Chains.

T 9	N R	4 E
S	4	S 3
S	9	S 10
	W C	
	1941	

from which

A juniper, 4 ins. diam., bears S.  $4^{\circ}$  E., 51 lks.  
dist., mkd. W C T 9 N R 4 E S 10 B T.

A juniper, 5 ins. diam., bears N.  $88\frac{3}{4}^{\circ}$  W., 16 lks.  
dist., mkd. W C T 9 N R 4 E S 4 B T.

80.15 The true point for cor. of secs. 3, 4, 9 and 10.

Land, mountainous.  
Soil, 3rd and 4th rates, rocky.  
Timber, juniper; undergrowth, oak, mountain mahogany,  
mountain laurel and catclaw. ✓

From the standard cor. of secs. 32 and 33 on the S. bdy.  
of the Tp., described in the field notes of the bdrs. of  
Tps. 9,  $9\frac{1}{2}$  and 10 N., Rs. 4 and 5 E., surveyed under this  
Group,

N.  $0^{\circ} 02'$  W., bet. secs. 32 and 33.

Over mountainous land, through scattering timber and  
undergrowth; asc. 23 ft. over a S. slope.

4.40 Spur, slopes SE.; desc. 55 ft. over a NE. slope.

11.20 Ravine, course SE.; asc. 80 ft. over a S. slope.

19.00 Short spur, slopes SE.; desc. over a gradual E. slope.

34.20 Top of steep descent, bears SE and NW., desc. 20 ft. over  
a NE. slope.40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the  
ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$   
sec. cor., with brass cap mkd.

	$\frac{1}{4}$	
S 32	S 33	
	1941	

from which

A juniper, 10 ins. diam., bears S.  $50^{\circ}$  E., 53 lks.  
dist., mkd.  $\frac{1}{4}$  S 33 B T.

A juniper, 6 ins. diam., bears S.  $33\frac{1}{4}^{\circ}$  W., 83 lks.  
dist., mkd.  $\frac{1}{4}$  S 32 B T.

Desc. 28 ft. over a NE. slope.

42.45 Ravine, course SE.; asc. 126 ft. over a S. slope.

50.00 Trail, bears S.  $80^{\circ}$  W. to corral and N.  $80^{\circ}$  E. to Cook's  
ranch.55.00 Ridge, main divide bet. Agua Fria and New River bears  
W. and NE.; leave scattering undergrowth, enter dense  
undergrowth; desc. 290 ft. over a NW. slope.

## Subdivision of T. 9 N., R. 4 E.

T. 9 N. R. 4 E.

Chains.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross (X) and a glass bottle, deposited at the base, and in a mound of stone to top, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

T. 9	N	R	4	E
	S	29		S
			—	28
	S	32		S
			—	33
				1941

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

East, on a random line, bet. secs. 28 and 33.

40.00

Set temp.  $\frac{1}{4}$  sec. cor.

80.12

A point 9 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence,

✓ N. 89° 56' W., on true line, bet. secs. 28 and 33.

Over mountainous land; through scattering timber and undergrowth; asc. 88 ft. over an E. slope.

10.10

Ridge spur, slopes S., divide bet. New River and Squaw Creek; desc. 114 ft. over a gradual W. slope.

40.06

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd with a cross (X) deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

	S	28
	—	
$\frac{1}{4}$	S	33
		1941

from which

A juniper, 16 ins. diam., bears N. 81 $\frac{1}{4}$ ° E., 162 lks. dist., mkd.  $\frac{1}{4}$  S 28 B T.

A juniper, 6 ins. diam., bears S. 30 $\frac{1}{2}$ ° W., 200 lks. dist., mkd  $\frac{1}{4}$  S 33 B T.

Desc. 17 ft. over a W. slope.

41.35

Small drain, 10 lks. wide, course N.; asc. 13 ft. over an E. slope.

45.05

Spur, slopes N.; Desc. 100 ft. over mesa land, sloping NW.

73.05

Leave mesa, bears N. and S.; continue descent 110 ft. over W. slope.

80.12

The cor. of secs. 28, 29, 32 and 33.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

N. 0° 02' W., bet. secs. 28 and 29.

## Subdivision of T. 9 N.; R. 4 E.

Chains.	Over mountainous land, through scattering timber and undergrowth; desc. 222 ft. over a steep NW. slope.
12.90	Rocky gulch, water in pools, course NE.; asc. 128 ft. over a steep SE. slope.
22.90	Spur, slopes NE.; desc. 124 ft. over a N. slope.
26.70	Ravine, course N. 80° E. for 6 chs. to junction of a gulch draining N.; asc. 40 ft. gradually over a steep E. slope.
34.00	Top of ascent, bears E. and W.; desc. 76 ft. over a steep E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ S\ 29 \mid S\ 28 \\   \\ 1941 \end{array}$
	from which
	A juniper, 7 ins. diam., bears N. 70 $\frac{1}{2}$ ° E., 76 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	A juniper, 5 ins. diam., bears S. 21° W., 93 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
	Desc. 147 ft. over a steep E. slope.
51.10	Dry wash, 20 lks. wide, course N. 20° W.; asc. 128 ft. over a W. slope.
72.80	Side hill drain, course S. 80° W.; asc. 100 ft. over a SW. slope.
79.53	Set an iron post, 3 ft. long, 2 ins. diam., over a cross (X) mkd. on solid surface rock, and in a mound of stone to top, for witness cor. of secs. 20, 21, 28 and 29, with brass cap mkd.
	$\begin{array}{c} W\ C \\ T\ 9\ N\ R\ 4\ E \\ S\ 20 \mid S\ 21 \\ \hline S\ 29 \mid S\ 28 \\   \\ 1941 \end{array}$
	from which
	A juniper, 8 ins. diam., bears N. 4 $\frac{3}{4}$ ° E., 32 lks. dist., mkd. W C T 9 N R 4 E S 28 B T
	A juniper, 12 ins. diam., bears S. 57 $\frac{1}{2}$ ° E., 66 lks. dist., mkd. W C T 9 N R 4 E S 28 B T.
	A juniper, 3 ins. diam., bears S. 56 $\frac{3}{4}$ ° W., 50 lks. dist., mkd. B T.
	A juniper, 10 ins. diam., bears N. 36 $\frac{1}{2}$ ° W., 17 lks. dist., mkd. W C T 9 N R 4 E S 29 B T.
80.00	The true point for cor. falls on a steep W. slope of solid surface rock, an unsuitable place to set a permanent cor. At point for cor. I mark a cross (X) for cor. of secs. 20, 21, 28 and 29.

## Subdivision of T. 9 N., R. 4 E.

Chains.	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	S. 89° 56' E., on a random line, bet. secs. 21 and 28.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.96	The cor. of secs. 21, 22, 27 and 28. Thence, ✓ N. 89° 56' W., on true line, bet. secs. 21 and 28. Over mountainous land, through scattering timber and undergrowth; desc. 35 ft. over a NW. slope.
6.65	Dry wash, 10 lks. wide, course N. 30° W.; asc. 64 ft. over an E. slope.
30.30	Top of a rock ledge on the rim of the mesa, bears N. and S. desc. 344 ft. over a W. slope.
35.30	Rocky ravine, course NW.; desc. 22 ft. over a N. slope.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 5 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \text{S } 21 \\ \frac{1}{4} \\ \hline \text{S } 28 \\ 1941 \end{array}$
	Asc. 34 ft. over a N. slope.
45.25	Spur, slopes NW.; desc. 324 ft. over a W. slope.
59.85	Rocky ravine, course N.; a good spring is located 2 chs. below crossing; asc. 291 ft. over an E. slope.
70.95	Narrow ridge, bears N. and S. ; desc. 194 ft. over a SW. slope.
79.96	The true point for cor. of secs. 20, 21, 28 and 29. For witness cor. see line bet. secs. 28 and 29. Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	From the true point for cor. of secs. 20, 21, 28 and 29. (for witness cor. see line bet. secs. 28 and 29), N. 0° 02' W., bet. secs. 20 and 21. Over mountainous land, through scattering timber and dense undergrowth; asc. 143 ft. over a SW. slope.
9.90	Short, steep, rocky spur, slopes W.; desc. 240 ft. over a steep NW. slope.
19.85	Ravine, course W.; desc. 107 ft. over a steep W. slope of broken granite cliffs.

BOOK 200

## Subdivision of T. 9 N., R. 4 E.

Chains.

40.00

True point for  $\frac{1}{4}$  sec. cor. falls on the side of a large granite boulder, an unsafe place to set a permanent cor.

Asc. 13 ft. over a W. slope.

41.23

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 20 \text{ | S } 21 \\ | \\ \text{W C} \\ 1941 \end{array}$$

from which

A juniper, 10 ins. diam., bears N.  $8\frac{3}{4}^{\circ}$  E., 44 lks. dist., mkd. W C  $\frac{1}{4}$  S 21 B T.

A juniper, 6 ins. diam., bears N.  $64\frac{1}{4}^{\circ}$  W., 153 lks. dist., mkd. W C  $\frac{1}{4}$  S 20 B T.

This witness  $\frac{1}{4}$  sec. cor. is located on top of a rocky spur, sloping NW;; desc. 238 ft. over a NE. slope.

51.35

Woven wire fence, bears E. and W.

55.90

Wash, 25 lks. wide, in bottom of canyon, with water in pools, course NW., thence along a rocky W. slope.

58.55

Woven wire fence, bears N.  $80^{\circ}$  W. and S.  $80^{\circ}$  E.

61.00

A 4-strand barbed wire fence, bears E. and W.

61.70

Wire corral, bears S.  $66^{\circ}$  W., 7.50 chs. dist.

75.30

Trail, bears NE. to 6 Bar ranch and SW. to corral.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, to bedrock, and in a mound of stone to top, for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N } \text{R } 4 \text{ E} \\ | \\ \text{S } 17 \text{ | S } 16 \\ \hline \text{S } 20 \text{ | S } 21 \\ 1941 \end{array}$$

from which

A juniper, 5 ins. diam., bears N.  $44\frac{1}{4}^{\circ}$  E., 81 lks. dist., mkd. T 9 N R 4 E S 16 B T.

A juniper, 4 ins. diam., bears S.  $37\frac{1}{4}^{\circ}$  E., 114 lks. dist., mkd. T 9 N R 4 E S 21 B T.

A juniper, 6 ins. diam., bears S.  $8\frac{3}{4}^{\circ}$  W., 127 lks. dist., mkd. T 9 N R 4 E S 20 B T.

Raise a mound of stone,  $2\frac{1}{2}$  ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, sycamore and ash; undergrowth, oak, catclaw, mountain laurel and mountain mahogany. ✓

S.  $89^{\circ} 56'$  E., on a random line, bet. secs. 16 and 21.

## Subdivision of T. 9 N., R. 4 E.

Chains.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.94	The cor. of secs. 15, 16, 21 and 22.
	Thence
	N. $89^{\circ} 56'$ W., on true line, bet. secs. 16 and 21.
	Over mountainous land, through scattering timber and dense undergrowth; desc. 97 ft. over a SW. slope.
5.95	Wash, 15 lks. wide, with water in pools, course NW.; asc. 18 ft. over a N. slope.
8.55	Ravine, course NE.; asc. 280 ft. over an E. slope.
19.75	Spur, slopes N.; asc. 26 ft. <b>along</b> a steep N. slope.
28.15	Top of ascent, bears S. and NE.; desc. 165 ft. over a steep NW. slope.
38.55	Ravine, clear running water, 2 lks. wide, 1 in. deep, from a spring, 2.00 chs. above, course N. $20^{\circ}$ E.; asc. 32 ft. over an E. slope.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 16 \\ \frac{1}{4} \text{---} \\ S\ 21 \\ 1941 \end{array}$
	from which
	A juniper, 5 ins. diam., bears N. $27\frac{1}{4}^{\circ}$ W., 118 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
	A mountain mahogany, 4 ins. diam., bears S. $21^{\circ}$ W., 65 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
	Asc. 407 ft. over a steep E. slope.
49.85	High rocky point, on a spur, slopes N.; desc. 117 ft. over a NW. slope.
54.65	Head of a ravine, course N.; asc. 40 ft. over a steep N. slope.
58.15	Top of a cliff, 30 ft. high, faces NE.
58.35	Spur, slopes N.; desc. 640 ft. over a W. slope.
58.45	Top of cliff, 50 ft. high, faces W.
77.45	Trail, bears NE. to 6 Bar ranch and SW. to corral on the S. fork of Squaw Creek.
79.94	The cor. of secs. 16, 17, 20 and 21.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, sycamore and ash; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓
	N. $0^{\circ} 02'$ W., bet. secs. 16 and 17.
	Over mountainous land, through scattering timber and dense undergrowth; desc. 230 ft. over a broken W. slope of broken cliffs and large granite boulders.

Subdivision of T. 9 N., R. 4 E.

Chains. 33.90	Squaw Creek, 30 lks. wide, with water in pools, course NW. for 50 lks. to junction with the S. Fork of Squaw Creek, then course N.; asc. 141 ft. over a steep S. slope.
36.70	Short, steep spur, slopes SW.; desc. 8 ft. over a steep W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ S\ 17\   \ S\ 16 \\   \\ 1941 \end{array}$
	Desc. 154 ft. over a steep NW. slope.
46.40	Squaw Creek, 50 lks. wide, with water in pools, course NE.; asc. 48 ft. over a SE. slope.
50.00	Spur, slopes NE.; desc. 70 ft. over a NE. slope.
54.00	Recross Squaw Creek, course W. for 5 chs., then course N.; asc. 6 ft. over a SW. slope.
56.00	Spur, slopes W.; desc. 54 ft. over a N. slope.
58.50	Middle Fork of Squaw Creek, 40 lks. wide, with water in pools, course W. for 3 chs. to junction with Squaw Creek, then course N.; asc. 141 ft. over a rocky, steep S. slope.
63.90	Short, steep, rocky spur, slopes W.; desc. 222ft. <b>along</b> steep W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.
	$\begin{array}{c} T\ 9\ N\ R\ 4\ E \\ S\ 8\   \ S\ 9 \\ \hline S\ 17\   \ S\ 16 \\ 1941 \end{array}$
	from which
	A juniper, 16 ins. diam., bears N. 28° E., 67 lks. dist., mkd. T 9 N R 4 E S 9 B T.
	A juniper, 14 ins. diam., bears S. 41° E., 102 lks. dist., mkd. T 9 N R 4 E S 16 B T.
	A juniper, 6 ins. diam., bears S. 44° W., 197 lks. dist., mkd. T 9 N R 4 E S 17 B T.
	A juniper, 10 ins. diam., bears N. 85½° W., 28 lks. dist., mkd. T 9 N R 4 E S 8 B T.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, sycamore and ash; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
40.00	S. 89° 56' E., on a random line, bet. secs. 9 and 16. Set temp. $\frac{1}{4}$ sec. cor.

## Subdivision of T. 9 N., R. 14 E.

Chains,  
79.96 A point 9 lks. N. of the cor. of secs. 9, 10, 15 and 16.  
Thence  
✓ N. 89° 52' W., on true line, bet. secs. 9 and 16.  
Over mountainous land, through scattering timber and undergrowth; desc. gradually over a S. slope.

3.50 Spur, slopes W. from N. 60° E.; desc. 364 ft. over top of same.

29.20 Middle Fork of Squaw Creek, 40 lks. wide, course SW. for approx. 12 chs., then W.; asc. 210 ft. over a broken SE. slope.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{r} S 9 \\ \hline S 16 \\ 1941 \end{array}$$

from which

A juniper, 3 ins. diam., bears N. 9 $\frac{1}{2}$ ° E., 59 lks. dist., mkd. B T.

A juniper, 4 ins. diam., bears S. 19 $\frac{1}{2}$ ° W., 50 lks. dist., mkd.  $\frac{1}{4}$  S 16 B T.

Asc. 110 ft. over a SE. slope.

49.70 Spur, slopes S.; desc. 58 ft. over a SW. slope.

54.20 Head of a ravine, course S.; asc. 32 ft. over a SE. slope.

58.30 Long spur, slopes S. 45° E.; desc. 446 ft. over a W. slope.

79.96 The cor. of secs. 8, 9, 16 and 17.  
Land, mountainous.  
Soil. 3rd and 4th rates, rocky.  
Timber, juniper, oak and sycamore; undergrowth, oak, mountain mahogany and mountain laurel. ✓

N. 0° 02' W., bet. secs. 8 and 9.

Over mountainous land, through scattering timber and undergrowth; asc. 51 ft. over a broken W. slope.

4.10 Spur, slopes W.; desc. 102 ft. over a W. slope.

16.90 Foot of descent; asc. 518 ft. over top of a spur, slopes S.

35.00 Leave top of spur, slopes S. from N. 30° E.; continue ascent over a W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{r} S 8 \\ | \\ S 9 \\ 1941 \end{array}$$

from which

Subdivision of T. 9 N., R. 4 E.

Chains.

A juniper, 4 ins. diam., bears N.  $59\frac{1}{4}^\circ$  E., 48 lks. dist., mkd. B T.

A juniper, 3 ins. diam., bears S.  $86\frac{3}{4}^\circ$  W. 59 lks. dist., mkd.  $\frac{1}{4}$  S 8 B T.

Asc. 270 ft. **along** a broken W. slope, over a series of small ravines.

64.70 Ravine, 15 lks. wide, course W.; continue ascent.

69.30 Short spur, slopes W.; desc. 116 ft. over a NW. slope.

75.80 Creek, clear running water, 5 lks. wide, 2 ins. deep, course S.  $45^\circ$  W.; asc. 102 ft. over a SE. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 22 ins. in the ground, to bedrock, and in a mound of stone to top, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.

T	9	N	R	4	E
	S	5	S	4	
	S	8	S	9	
				19	41

from which

A juniper, 12 ins. diam., bears N.  $51\frac{3}{4}^\circ$  E., 141 lks. dist., mkd. B T.

A juniper, 4 ins. diam., bears S.  $37\frac{1}{4}^\circ$  E., 31 lks. dist., mkd. T 9 N R 4 E S 9 B T.

A juniper, 4 ins. diam., bears S.  $40^\circ$  W., 80 lks. dist., mkd. B T.

A juniper, 6 ins. diam., bears N.  $25\frac{3}{4}^\circ$  W. 83 lks. dist., mkd. T 9 N R 4 E S 5 B T.

Land, mountainous.  
Soil, 3rd and 4th rates, rocky.  
Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw. ✓

S.  $89^\circ 52'$  E., on a random line, bet. secs. 4 and 9.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

79.94 A point 7 lks. S. of the true point for cor. of secs. 3, 4, 9 and 10. For witness cor. see line bet. secs. 3 and 4.

Thence

✓ N.  $89^\circ 55'$  W., on true line, bet. secs. 4 and 9.

Over mountainous land, through scattering timber and undergrowth; asc. 556 ft. over a broken, rocky SE. slope.

35.20 Trail, bears N. to Rock House and SE. for 2 chs. then S.  $80^\circ$  E., along the top of a spur, to 6 Bar ranch.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

	S	4
$\frac{1}{4}$		
	S	9
		19
		41

from which

Subdivision of T. 9 N., R. 1 E.

- Chains. A juniper, 1 1/2 ins. diam., bears N. 42 3/4° W., 92 lks. dist., mkd. 1/4 S 1/4 B T.
- A juniper, 3 ins. diam., bears S. 36 3/4° E., 67 lks. dist., mkd. B T.
- Asc. 98 ft. over a SE. slope.
- 46.10 High ridge spur, slopes SW. from Brooklyn Peak NE.; desc. 376 ft. over a W. slope.
- 62.45 Creek, clear running water, 5 lks. wide, 2 ins deep, course S., from N. 10° E.; asc. 16 ft. over an E. slope.
- 63.25 Point of a spur, slopes S.; desc. 376 ft. over a S. slope.
- 69.35 Recross creek, course N. 45° W.; asc. 16 ft. over a NE. slope.
- 72.45 Point of a spur, slopes N.; desc. 53 ft. over a NW. slope.
- 75.85 Recross creek, course S. 60° W.; asc. 51 ft. over a S. slope.
- 79.10 Ravine, course S. 45° E.
- 79.94 The cor. of secs. 4, 5, 8 and 9.
- Land, mountainous.  
Soil, 3rd and 4th rates, rocky.  
Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
- 
- N. 0° 07' W., on a random line, bet. secs. 4 and 5.
- 40.00 Set temp. 1/4 sec. cor.
- 80.00 The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9 1/2 and 10 N., Rs. 4 and 5 E., surveyed under this Group.
- Thence
- S. 0° 07' E., on true line, bet. secs. 4 and 5.
- Over mountainous land, through scattering timber and undergrowth; Asc. 164 ft. over a W. slope.
- 8.40 Ravine, course W.
- 17.00 Spur, slopes W.; ascend gradually over a W. slope.
- 20.40 Ravine, course W.
- 26.80 Ravine, course W.
- 28.70 Spur, slopes N. 45° W.; asc. 100. ft. over a W. slope.
- 36.50 Point of a spur, slopes W.; desc. 63 ft. over a W. slope.
- 39.25 Ravine, course W.; asc. 18 ft. over a W. slope.
- 39.85 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for witness 1/4 sec. cor., with brass cap mkd.

1/4  
S 5 | S 4  
W C  
1941

Chains.	
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
40.00	True point for $\frac{1}{4}$ sec. cor. falls on a large boulder, an unsuitable place to set a permanent cor. Asc. 63 ft. over a broken W. slope.
54.75	Rocky spur, slopes S. $45^\circ$ W.; desc. 646 ft. over a S. slope.
65.60	Ravine, course SW.
69.00	Spur, slopes SW.
79.50	Ravine, course S. $45^\circ$ E.
80.00	The cor. of secs. 4, 5, 8 and 9. Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	From the standard cor. of secs. 31 and 32 on the S. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, $9\frac{1}{2}$ and 10 N., Rs. 4 and 5 E., surveyed under this Group, N. $0^\circ 03'$ W., bet. secs. 31 and 32. Over mountainous land, through scattering timber and undergrowth; desc. 270 ft. over a N. slope.
14.90	Ravine, course W.; asc. 31 ft. over a SW. slope.
21.15	Spur, slopes W.; desc. 10 ft. over a N. slope.
24.35	Rocky ledge, bears E. and SW.; desc. 252 ft. over a N. slope.
30.80	South Fork of Squaw Creek, 40 lks. wide, course N. $30^\circ$ E.; asc. 34 ft. over a SE. slope.
33.38	Spur, slopes E.; desc. 19 ft. over a NE. slope. From this point, a good spring in a corral on the E. side of Squaw Creek, bears S. $35^\circ 39'$ W., 20.68 chs. dist.
36.80	Ravine, course E.; asc. 46 ft. over a SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ S\ 31\   S\ 32 \\   \\ 19\frac{1}{4} \end{array}$
	from which
	A juniper, 6 ins diam., bears N. $56\frac{1}{4}^\circ$ E., 44 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
	A juniper, 12 ins. diam., bears S. $41\frac{1}{4}^\circ$ W., 121 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.
	Asc. 100 ft. over a SE. slope.

## Subdivision of T. 9 N., R. 4 E.

- Chains.  
 42.70 Spur, slopes E.; desc. 125 ft. over a NE. slope.  
 51.40 Ravine, course S. 80° E.; asc. 121 ft. over a SE. slope.  
 62.70 Spur, slopes E.; desc. 130 ft. over a NE. slope.  
 71.00 Ravine, course S. 70° E.; asc. 14 ft. over a S. slope.  
 73.80 Spur, slopes N. 70° E.; desc. 17 ft. over a N. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, to bedrock, with a stone mkd. with a cross (X) deposited at the base and in a mound of stone to top, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.

T. 9	N	R. 4	E
S	30	S	29
-----			
S	31	S	32
1941			

from which

A juniper 20 ins. diam., bears N. 30 $\frac{3}{4}$ ° E., 117 lks, dist., mkd. T 9 N R 4 E S 29 B T.

A juniper, 10 ins. diam., bears S. 53 $\frac{1}{4}$ ° E., 86 lks. dist., mkd. T 9 N R 4 E S 32 B T.

A juniper. 8 ins. diam., bears S. 24 $\frac{3}{4}$ ° W., 120 lks. dist., mkd. T 9 N R 4 E S 31 B T.

A juniper, 8 ins. diam., bears N. 80 $\frac{1}{4}$ ° W., 66 lks. dist., mkd. T 9 N R 4 E S 30 B T.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper, sycamore and oak; undergrowth, oak and mountain laurel.

East, on a random line, bet. secs. 29 and 32.

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.98 A point, 5 lks. S. of the cor. of secs. 28, 29, 32 and 33.  
 Thence  
 ✓ S. 89° 58' W., on true line, bet. secs. 29 and 32.  
 Over mountainous land, through scattering timber and dense undergrowth; desc. 120 ft. over a NW. slope.  
 3.50 Ravine, course N. 20° E.; asc. 240 ft. over a steep, rocky E. slope.  
 9.50 Spur, slopes NE.; desc. 60 ft. over a N. slope.  
 29.00 Ravine, course N. 60° E.; asc. 164 ft. over a SE. slope.  
 37.50 Spur, slopes NE.; desc. 78 ft. over a steep NW. slope.  
 39.99 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$	S	29
-----		
	S	32
1941		

Chains.	
	raise a mound of stone, 2½ ft. base, 2 ft. high, N. of cor.
	Desc. 373 ft. over a NW. slope.
56.70	South Fork of Squaw Creek, 30 lks. wide, with water in pools, course NE.; asc. 194 ft. over a SE. slope.
67.30	Ravine, course SE.; asc. 130 ft. over a broken E. slope.
78.20	Spur, slopes NE.
79.98	The cor. of secs. 29, 30, 31 and 32.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak, hackberry and sycamore; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	West, on a random line, bet. secs. 30 and 31.
40.00	Set temp. ¼ sec. cor.
80.03	A point 2 lks. S. of the cor of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this Group.
	Thence
	S. 89° 59' E., on true line, bet. secs. 30 and 31.
	Over mountainous land, through scattering timber and dense undergrowth; asc. 100 ft. over a steep N. slope.
3.75	Trail, bears NE. and SW.
6.40	Steep, short spur, slopes N.; asc. 135 ft. over a NW. slope.
19.60	High, long spur, slopes NE.; desc. 528 ft. over a steep E. slope.
39.53	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for witness ¼ sec. cor., with brass cap mkd.
	S 30 ¼ ————— W C S 31 1941
40.03	True point for ¼ sec. cor. falls on the steep S. bank of a ravine, course S. 50° E., an unsuitable place to set a permanent corner.
40.40	Ravine, course S. 50° E.; asc. 26 ft. over a SW. slope.
41.25	Rock ledge on E. bank of ravine,
46.35	Spur; slopes S. 10° E.; desc. 758 ft. over a steep E. slope.
62.85	Rocky ravine, course N. 60° E.; desc. 214 ft. over an E. slope.
80.03	The cor. of secs. 29, 30, 31 and 32.

## Subdivision of T. 9 N., R. 4 E.

## Chains.

Land, mountainous.  
Soil, 3rd and 4th rates, rocky.  
Timber, juniper and oak; undergrowth, oak, mountain laurel,  
mountain mahogany and catclaw.

N. 0° 03' W., bet. secs. 29 and 30.

Over mountainous land, through scattering timber and  
undergrowth; desc. 91 ft. over a N. slope.

- 4.90 Rocky ravine, course NE.  
25.30 Spur, slopes E.; desc. 42 ft. over a S. slope.  
34.70 Ravine, course E.; asc. 99 ft. over a S. slope.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the  
ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$   
sec. cor. with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 30 \text{ | S } 29 \\ 1941 \end{array}$$

from which

A juniper, 12 ins. diam., bears N.  $34\frac{1}{2}^{\circ}$  E., 153 lks.  
dist., mkd.  $\frac{1}{4}$  S 29 B T.

A juniper, 6 ins. diam., bears N.  $43\frac{1}{2}^{\circ}$  W., 106 lks.  
dist., mkd.  $\frac{1}{4}$  S 30 B T.

Asc. 23 ft. over a S. slope.

- 43.80 Spur, slopes S.  $80^{\circ}$  E.; desc. 62 ft. over a N. slope.  
46.65 Ravine, course E.; asc. 191 ft. over a S. slope.  
55.20 Spur, slopes SE.; desc. 29 ft. over a NE. slope.  
57.70 Ravine, course SE.; asc. 253 ft. over a S. slope.  
66.15 Top of ridge, bears W. and NE.; desc. 225 ft. over a N.  
slope.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the  
ground for cor. of secs. 19, 20, 29 and 30, with brass  
cap mkd.

$$\begin{array}{c} \text{T } 9 \text{ N R } 4 \text{ E} \\ \text{S } 19 \text{ | S } 20 \\ \hline \text{S } 30 \text{ | S } 29 \\ 1941 \end{array}$$

from which

A juniper, 6 ins. diam., bears N.  $28\frac{3}{4}^{\circ}$  E., 257 lks.  
dist., mkd. T 9 N R 4 E S 20 B T.

A mountain mahogany, 6 ins. diam., bears S.  $65\frac{3}{4}^{\circ}$  E.,  
213 lks. dist., mkd. T 9 N R 4 E S 29 B T.

A juniper, 6 ins. diam., bears S.  $59^{\circ}$  W., 129 lks.  
dist., mkd. T 9 N R 4 E S 30 B T.

A juniper, 16 ins. diam., bears N.  $58\frac{3}{4}^{\circ}$  W., 68 lks.  
dist., mkd. T 9 N R 4 E S 19 B T.

Chains.	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.
	N. 89° 58' E., on a random line, bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.20	A point 19 lks. S. of the true point for the cor. of secs. 20, 21, 28 and 29. For witness cor, see line bet. secs. 28 and 29.
	Thence
	✓ S. 89° 50' W., on true line, bet. secs. 20 and 29.
	Over mountainous land, through scattering timber and undergrowth; desc. 295 ft. over a general SW. slope.
16.20	Rock ledge on the point of a spur, which slopes SW.
18.95	South Fork of Squaw Creek, 100 lks. wide, with water in pools, course N.; asc. 306 ft. over a general E. slope.
24.60	Ravine, course N., continue ascent.
40.10	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \text{S } 20 \\ \frac{1}{4} \text{ ---} \\ \text{S } 29 \\ 1941 \end{array}$
	Asc. 727 ft. over a general E. slope.
49.35	Ravine, course N. 85° E.
64.10	Ridge, bears N. and S.; desc. 226 ft. over a W. slope.
80.20	The cor. of secs. 19, 20, 29 and 30.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.
	N. 89° 59' W., on a random line, bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.97	A point 12 lks. S. of the cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., described in the field notes of the bdrs. of Tps. 9, 9 $\frac{1}{2}$ and 10 N., Rs. 4 and 5 E., surveyed under this Group.
	Thence
	✓ S. 89° 54' E., on true line, bet. secs. 19 and 30.
	Over mountainous land, through scattering timber and undergrowth; desc. 46 ft. over an E. slope.
0.56	Corral fence, bears NW. and SE.

## Subdivision of T. 9 N., R. 4 E.

Chains.	
4.65	Ravine, course N.; Asc. 54 ft. over a W. slope.
7.20	Spur, slopes N.; desc. 140 ft. over an E. slope.
15.40	Dry wash, 15 lks. wide, course N. 20° W.; asc. 68 ft. over a NW. slope.
19.40	Rock ledge on a spur, which slopes N. 45° W.; desc. 114 ft. over a steep NE. slope.
30.25	Dry wash, 15 lks. wide, course N. 15° W.; asc. 120 ft. over a rocky NW. slope.
37.95	Spur, slopes N. 20° W.
39.97	Set an iron post, 3 ft. long, 1 in. diam., over a cross (X) marked on solid surface rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 19 \\ \frac{1}{4} \\ \hline S\ 30 \\ 1941 \end{array}$
	Desc. 27 ft. over a steep NE. slope.
43.95	Dry wash, 25 lks. wide, course N. 30° W.; asc. 295 ft. over a steep NW. slope.
54.85	Rocky spur, slopes N.; desc. 28 ft. over a NE. slope.
68.05	Dry wash, 10 lks. wide, course N.; asc. 38 ft. over a W. slope.
73.15	Rocky spur, slopes N.; desc. 64 ft. over an E. slope.
78.45	Ravine, course N.
79.97	The cor. of secs. 19, 20, 29 and 30.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.
	N. 0° 03' W., bet. secs. 19 and 20.
	Over mountainous land, through scattering timber and undergrowth; desc. 61 ft. over a NW. slope.
5.80	Ravine, course N. 70° W.; asc. 46 ft. over a SW. slope.
9.10	Spur, slopes N. 45° W.; desc. 207 ft. over a NW. slope.
20.20	Dry wash, 15 lks. wide, course N. 30° E.; asc. 60 ft. over a SE. slope.
29.20	Spur, slopes E.; desc. 130 ft. over a NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S\ 19 \mid S\ 20 \\ 1941 \end{array}$
	from which

## Chains.

A juniper, 36 ins. diam., bears N. 30° E., 168 lks. dist., mkd.  $\frac{1}{4}$  S 20 B T.

A juniper, 26 ins. diam., bears N. 84 $\frac{1}{2}$ ° W., 137 lks. dist., mkd.  $\frac{1}{4}$  S 19 B T.

Desc. 17 ft. over a NE. slope.

40.75 Dry wash, 15 lks. wide, course N. 30° W.; asc. 117 ft. over a SW. slope.

51.30 Spur, slopes N. 45° W.; desc. 173 ft. over a steep rocky NW. slope.

57.40 Deep, rocky ravine, course W.; asc. 232 ft. over a SW. slope.

64.41 An old 5 strand, smooth wire fence, bears S. 80 $\frac{1}{2}$ ° W. and N. 80 $\frac{1}{2}$ ° E.

65.91 A 4 strand barbed wire fence, bears S. 75° W. and S. 71 $\frac{3}{4}$ ° E.

70.50 Spur, slopes W.; desc. 111 ft. over a NW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.

T 9	N R 4	E
S 18		S 17
S 19		S 20
1941		

from which

A juniper, 24 ins. diam., bears S. 59 $\frac{3}{4}$ ° E., 57 lks. dist., mkd. T 9 N R 4 E S 20 B T.

A juniper, 4 ins. diam., bears N. 29 $\frac{3}{4}$ ° W., 173 lks. dist., mkd. T 9 N R 4 E S 18 B T.

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

Land, mountainous.

Soil, 3rd and 4th rates, rocky.

Timber, juniper and oak; undergrowth, oak, catclaw, mountain mahogany and mountain laurel.

N. 89° 50' E., on a random line, bet. secs. 17 and 20.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.14 A point 9 lks. N. of the cor. of secs. 16, 17, 20 and 21.

Thence,

✓ S. 89° 54' W., on true line, bet. secs. 17 and 20.

Over mountainous land, through scattering timber and undergrowth; desc. 41 ft. over a W. slope.

4.15 South Fork of Squaw Creek, 50 lks. wide, clear running water, 10 lks. wide, 2 ins. deep, course N.; asc. 581 ft. over a general E. slope.

21.00 Top of a knoll on a spur, which slopes E. from NW.

## Subdivision of T. 9 N., R. 4 E.

BOOK 4264

Chains.	
36.75	Ravine, course SE.
40.07	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{r} S 17 \\ \hline S 20 \\ 1941 \end{array}$
	from which
	A mountain mahogany, 4 ins. diam., bears N. $68^{\circ}$ E., 85 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
	A mountain mahogany, 6 ins. diam., bears S. $15\frac{1}{4}^{\circ}$ E., 19 lks. dist., mkd. B T.
	Asc. 586 ft. over a general E. slope.
56.20	Ridge, bears N. and S.; desc. over a W. slope.
80.14	The cor. of secs. 17, 18, 19 and 20.
	Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper and oak; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.
	N. $89^{\circ} 54'$ W., on a random line, bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	A point 7 lks. N. of the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., described in the field notes of the Bdrs. of Tps. 9, $9\frac{1}{2}$ and 10 N., Rs. 4 and 5 E., surveyed under this Group.
	Thence
	S. $89^{\circ} 57'$ E., on true line, bet. secs. 18 and 19.
	Over mountainous land, through scattering timber and undergrowth; desc. 214 ft. over a steep rocky SE. slope.
12.75	Wash, in the bottom of a canyon, 20 lks. wide, with water in pools, course NE.; asc. 37 ft. over a W. slope.
17.10	Spur, slopes N.; desc. 45 ft. over a N. slope.
25.70	Wash, in the bottom of a canyon, 20 lks. wide, with water in pools, course NW. for 8 chs. to junction with canyon wash from SW. then course N.; asc. 369 ft. over a SW. slope.
39.90	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{r} S 18 \\ \hline S 19 \\ 1941 \end{array}$
	Asc. 155 ft. over a SW. slope.
44.75	Spur, slopes N. $20^{\circ}$ W.; desc. 216 ft. over a NE. slope.

- Chains.  
53.65 Dry wash, 20 lks. wide, course N. 45° W.; asc. 805 ft. over a NW. slope.  
69.35 Spur, slopes NW.; asc. 202 ft. over a W. slope.  
71.85 Dry wash, 15 lks. wide, course N. 35° W.; continue ascent.  
79.90 The cor. of secs. 17, 18, 19 and 20.

Land, mountainous.  
Soil, 3rd and 4th rates, rocky.  
Timber, juniper, oak and sycamore; undergrowth, oak, mountain mahogany and mountain laurel.

N. 0° 03' W., bet. secs. 17 and 18.

Over mountainous land, through scattering timber and undergrowth; desc. 186 ft. over a steep NE. slope.

- 6.90 Deep rocky ravine, course N. 70° W.; asc. 45 ft. over a SW. slope.  
11.15 Spur, slopes NW.; desc. 343 ft. over a NW. slope.  
26.50 Ravine, course W.; asc. 34 ft. over steep SW. slope.  
27.00 Rocky point slopes W.; desc. 76 ft. over a N. slope.  
29.00 Ravine, course S. 80° W.; asc. 187 ft. over a SW. slope.  
35.30 Spur, slopes W. for 8 chs. then NW.; desc. 65 ft. over a NW. slope.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, with a stone mkd. with a cross (X) deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 18\ | \ S\ 17 \\ | \\ 1941 \end{array}$$

Desc. 872 ft. over a NE. slope.

- 69.00 Ravine, course N. 35° W.; continue descent over a NW. slope.  
71.60 Spur, slopes W., continue descent.  
78.20 Squaw Creek, 1:00 ch. wide, with water pools, course S. 50° W.; asc. 70 ft. over a steep S. slope.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

$$\begin{array}{c} T\ 9\ N\ R\ 4\ E \\ S\ 7\ | \ S\ 8 \\ \hline S\ 18\ | \ S\ 17 \\ | \\ 1941 \end{array}$$

from which

A juniper, 3 ins. diam., bears N. 48 $\frac{1}{4}$ ° E., 71 lks. dist., mkd. B T.

An oak, 5 ins. diam., bears S. 33 $\frac{1}{2}$ ° E., 239 lks. dist., mkd. T 9 N R 4 E S 17 B T.

## Subdivision of T. 9 N., R. 4 E.

T. 9 N. R. 4 E.

Chains.	<p>A juniper, 6 ins. diam., bears S. <math>44\frac{1}{2}^{\circ}</math> W., 240 lks. dist., mkd. T 9 N R 4 E S 18 B T.</p> <p>A sycamore, 8 ins. diam., bears S. <math>20^{\circ}</math> W., 241 lks. dist., mkd. T 9 N R 4 E S 18 B T.</p> <p>Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak and sycamore; undergrowth, oak mountain mahogany, mountain laurel and catclaw.</p>
	<p>N. <math>89^{\circ} 54'</math> E., on a random line, bet. secs. 8 and 17.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	A point 7 lks. N. of the cor. of secs. 8, 9, 16 and 17.
	Thence
	✓ S. $89^{\circ} 57'$ W., on true line, bet. secs. 8 and 17.
	Over mountainous land, through scattering timber and undergrowth; desc. 43 ft. over a W. slope.
1.30	Squaw Creek, clear running water, 50 lks. wide, $1\frac{1}{2}$ ins. deep, course N.; asc. 404 ft. over a steep rocky E. slope.
12.60	Spur, slopes N. $10^{\circ}$ E.; desc. 472 ft. over a W. slope.
29.60	Squaw Creek, course S. $45^{\circ}$ W.; asc. 92 ft. over a SE. slope.
34.60	Spur, slopes S.; desc. 112 ft. over a W. slope.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S 8 \\ \frac{1}{4} \\ \hline S 17 \\ 1941 \end{array}$
	from which
	A juniper, 8 ins. diam., bears N. $23^{\circ}$ W., 48 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.
	A juniper, 4 ins. diam., bears S. $82\frac{1}{4}^{\circ}$ E., 30 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
	Desc. 11 ft. over a W. slope.
41.00	Squaw Creek, clear running water, 50 lks. wide, $1\frac{1}{2}$ ins. deep, course N. $45^{\circ}$ W.; asc. 88 ft. over an E. slope.
54.80	Spur, slopes N. $45^{\circ}$ E.; desc. 128 ft. over a NW. slope.
64.00	Squaw Creek, clear running water, 50 lks. wide, $1\frac{1}{2}$ ins. deep, course S. $70^{\circ}$ W.; asc. 43 ft. over a S. slope.
80.08	The cor. of secs. 7, 8, 17 and 18.
	<p>Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak and sycamore; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.</p>

Chains.	N. 89° 57' W., on a random line, bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.78	A point 7 lks. S. of the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., described in the field notes of the bdrs. of T. 9 N. R. 4 E. surveyed under this Group.
	Thence
v	S. 89° 54' E., on true line, bet. secs. 7 and 18.
	Over mountainous land, through scattering timber and undergrowth; asc. 246 ft. over a SW. slope.
14.00	Head of a ravine, course S.
16.50	Fork of a spur, slopes W. and S. from N. 60° E.; desc. 247 ft. over an E. slope.
25.50	Ravine, course SE.; desc. 456 ft. over a precipitous SE. slope.
38.03	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S \ 7 \\ \frac{1}{4} \text{---} \\ S \ 18 \\ 1941 \end{array} \quad W \ C$
	from which
	A cottonwood, 14 ins. diam., bears N. 64° E., 100 lks. dist., mkd. W C $\frac{1}{4}$ S 7 B T.
	A cottonwood, 14 ins. diam., bears S. 58° E., 76 lks. dist., mkd. W C $\frac{1}{4}$ S 18 B T.
39.55	Squaw Creek, clear running water, 10 lks. wide, 1 in. deep, course S.
39.78	The true point for $\frac{1}{4}$ sec. cor. falls on the E. edge of Squaw Creek, an unsuitable place to set a permanent cor. Asc. 414 ft. over a NW. slope.
54.30	Spur, slopes N.; desc. 311 ft. over an E. slope.
62.45	Squaw Creek, clear running water, 10 lks. wide, 6 ins. deep, course NE.; asc. 366 ft. over a W. slope.
71.45	Top of a peak on a rocky spur, slopes S. 30° W.; desc. 266 ft. over a broken SE. slope.
79.78	The cor. of secs. 7, 8, 17 and 18.  Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper, oak and cottonwood; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	N. 0° 03' W., bet. secs. 7 and 8.  Over mountainous land, through scattering timber and undergrowth; asc. 117 ft. over a S. slope.

Subdivision of T. 19 N., R. 4 E.

Chains.	
5.00	Spur, slopes S. 60° W.; desc. 90 ft. over a N. slope.
8.95	Dry wash, 20 lks. wide, course W. from NE.; asc. 239 ft. over a S. slope.
25.40	Ravine, course SE.; asc. 166 ft. over a S. slope.
30.60	Spur, slopes E.; desc. 68 ft. over a NE. slope.
36.00	Ravine, course E.; asc. 135 ft. over a SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap, m.k.d.
	1941
	Set a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Asc. 31 ft. over a SE. slope.
49.15	Head of a ravine, course SE.; asc. 444 ft. over a S. slope.
67.80	Ridge, bears NE. and SW.; desc. 206 ft. over a NW. slope.
80.00	The true point for the cor. of secs. 5, 6, 7 and 8 falls in a ravine; course N. 60° W.; an unsuitable place to set a permanent cor. For witness cor. see line bet. secs. 5 and 6.
	Land, mountainous; soil, 3rd and 4th. water, rocky; timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	N. 89° 57' E., on a random line, bet. secs. 5 and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor. end to
60.02	A point 14 lks. S. of the cor. of secs. 4, 5, 8 and 9.
	Thence
	S. 89° 51' W., on true line, bet. secs. 5 and 8.
	Over mountainous land, through scattering timber and undergrowth; asc. 110 ft. over an E. slope.
6.20	Spur, slopes S. 45° W.; desc. 189 ft. over a W. slope.
12.60	Ravine, course S. 45° W.; continue descent over a W. slope.
17.60	Spur, slopes S. 30° W.; desc. 36 ft. over a steep, rocky W. slope.
20.50	Creek, clear running water, 10 lks. wide, 2 ins. deep, course S.; asc. 446 ft. over a spur, slopes E.
35.70	Leave top of spur, slopes E. from NW.; desc. 54 ft. over a W. slope.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$

BOOK 2264

Subdivision of T. 9 N., R. 4 E.

Chains.

sec. cor., with brass cap mkd.  $\frac{1}{4}$  S 5 B T. 1941

$\frac{1}{4}$  S 8

1941 from which

A juniper, 12 ins. diam., bears N. 10° E., 131 lks.  
dist., mkd.  $\frac{1}{4}$  S 5 B T.

A juniper, 8 ins. diam., bears S. 62° E., 370 lks.  
dist., mkd.  $\frac{1}{4}$  S 8 B T.

Desc. 46 ft. over a W. slope.

41.70 Ravine, course S; continue descent 76 ft. over a SW. slope.

47.10 Ravine, course SW.; asc. 241 ft. over a SE. slope.

60.80 Ridge, bears N. and S.; desc. 88 ft. over a NW. slope.

64.20 Slope changes to a W. slope.

75.00 Head of a ravine, course NW.; desc. 127 ft. over a NW. slope.

80.02 The true point for cor. of secs. 5, 6, 7 and 8. For witness cor. see line bet. secs. 5 and 6. Land, mountainous. Soil, 3rd and 4th rates, rocky. Timber, juniper; undergrowth, oak, mountain laurel, mountain mahogany and catclaw.

N. 89° 54' W., on a random line, bet. secs. 6 and 7.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.65 A point 9 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., described in the field notes of the bdrs. of T. 9 N., R. 4 E., surveyed under this Group.

Thence

✓ S. 89° 50' E., on true line, bet. secs. 6 and 7.

Over mountainous land, through scattering timber and undergrowth; asc. 283 ft. over a W. slope.

17.60 Flat spur, slopes SW.; desc. 195 ft. over an E. slope.

30.05 Ravine, course SE.

39.65 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S 6

$\frac{1}{4}$  S 7

1941 from which

A juniper, 12 ins. diam., bears N. 58° E., 418 lks.  
dist., mkd.  $\frac{1}{4}$  S 6 B T.

A juniper, 6 ins. diam., bears S. 33° W., 113 lks.  
dist., mkd.  $\frac{1}{4}$  S 7 B T.

## Subdivision of T. 9 N., R. 4 E.

Chains	Desc. 67 ft. over an E. slope.
43.95	Dry wash, 10 lks. wide, course SE.; asc. 170 ft. over W. slope.
54.60	Spur, slopes S.30°W.; desc. 67 ft. over SE. slope.
63.55	Dry wash, 15 lks. wide, course SW.; asc. 146 ft. over NW. slope.
73.10	Ravine, course SW.; asc. 163 ft. over NW. slope.
79.65	The true point for the cor. of secs. 5, 6, 7 and 8. For witness cor., see line bet. secs. 5 and 6.
	Land, mountainous. Soil, rocky, 3rd. and 4th. rates. Timber, juniper; undergrowth, oak, mountain mahogany, mountain laurel and catclaw.
	From the true point for cor. of secs. 5, 6, 7 and 8, N.0°08'W., on random line bet. secs. 5 and 6.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.13	A point 5 lks. E. of the cor. of secs. 5, 6, 31 and 32 on the N. bdy. of Tp. described in the field notes of the bdrs. of T.9 N., R.4 E., surveyed under this group.
	Thence S.0°10'E., on true line, bet. secs. 5 and 6. Over mountainous land, through scattering timber and undergrowth; asc. 23 ft. over broken W. slope.
11.65	Spur, slopes SW. from E.; desc. 88 ft. over S. slope.
21.25	Ravine, course W.; asc. 200 ft. over NW. slope.
33.40	Spur, slopes N.30°W.; desc. 60 ft. over SW. slope.
39.65	Ravine, course W.
40.13	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 6   S 5 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
	Desc. gradual SW. slope.
41.45	Ravine, course NW.; asc. 140 ft. over N. slope.
58.20	Spur, slopes NW.; desc. 193 ft. over SW. slope.
71.75	Dry wash, 15 lks. wide, course NW.; asc. 90 ft. over broken NW. slope.
79.63	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for witness cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

T	9	N	R	4	E
	S	6	S	5	
	S	7	S	8	
		W	C		
			1941		

80.13

raise a mound of  
stone, 4 ft. base, 3 ft. high, W. of cor.

The true point for. cor. of secs. 5, 6, 7 and 8.

Land, mountainous.  
Soil, rocky, 3rd. and 4th. rates.  
Timber, juniper; undergrowth, oak, mountain mahogany,  
mountain laurel and catclaw.

#### FINAL TEST OF TRANSITS.

For final test of Buff solar transits Nos. 18002 and 16724 and Young and Sons solar transit No. 8592, see the field notes of the bdrs. of Ts. 9, 9½ and 10 N., Rs. 4 and 5 E., surveyed under this group.

#### FINAL TEST OF GURLEY TRANSIT NO. 371535.

June 22, 1941: at camp, near the ¼ sec. cor. of secs. 31 and 32, T.9 N., R.4 E., at 9h 00m a.m., app.t., I set off 34°04½' N. on the lat. arc, 23°27' N. on the decl. arc and orient the instrument with the solar; the line of sight agrees with the meridian established by observation on Polaris.

At 3h 00m p.m., app.t., with the settings unchanged, I again orient the instrument with the solar; the line of sight agrees with the meridian established from Polaris.

#### FINAL TEST OF GURLEY TRANSIT NO. 371537.

August 17, 1941: at camp, near the ¼ sec. cor. of secs. 27 and 34, T.10 N., R.4 E., at 9h 00m a.m., app.t., with the proper settings on the arcs of the solar attachment, I orient the instrument with the solar; the line of sight agrees with the meridian established by observation on Polaris.

At 3h 00m p.m., app.t., using the proper settings on the arcs of the solar attachment, I repeat the test of the solar; the line of sight agrees with the meridian established by observation on Polaris.

#### GENERAL DESCRIPTION.

The general elevation of T.9 N., R.4 E. ranges from about 3300 to 5500 ft. above sea level. The general drainage of the township is to the west into Squaw Creek. The extreme southeast corner of the township is drained by the head of New River. The soil is rocky, of 3rd. and 4th. rates. A good spring and corral are located in the SW. ¼ of sec. 11, and another good spring, cabin and corral are located in the NW. ¼ of sec. 10. At the time of this survey, there was good running water in all the forks of Squaw Creek and also in New River, which is fed by a large spring in the E. ½ of sec. 35.

There are no mining activities within the township, although there are a few prospects in the NW. portion. There are no roads in the township, but a good trail to the 6-Bar Ranch, which is used as a camp for stockmen. There is good grazing for cattle and sheep. There are no settlers. The mean magnetic declination is 15°30'E.

157  
5

BOOK 4264

4-680  
(Revised May 1934)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES	CAPACITY
Bert E. Wakeman	Principal Assistant
Kenneth N. Burrow	Principal Assistant
Ernest E. Anderson	Principal Assistant
Charles W. Shadle	Chainman
Mozell J. Phipps	Chainman
Mike Knezevich	Chainman
Robert F. Shrigley	Flagman
Herbert W. Jacobs, Jr.	Flagman
Arthur G. Dodds	Flagman
Lloyd E. Hackler	Moundman
Wesley B. Farley	Moundman
Eugene A. Wailes	Moundman
Dick A. Titensor	Axeman
C. Richard Blount	Axeman
Lynn Ferrell	Axeman
Richard Bridgewater	Axeman
Robert . Lamparter	Axeman
George P. Sampson	Axeman

BOOK 56 4264

CERTIFICATE OF SURVEYOR

We, Raymond F. Moss and Ty White, Assistant Cadastral Engineers and G. Marvin Litz, Jr. Cadastral Engineer, General Land Office, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 13th day of May, 1941, received from the district cadastral engineer for Arizona, with assignment instructions dated May 19, and August 1, 1941, we have surveyed the subdivisional lines of Township 9 North, Range 4 East,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Phoenix, Arizona, January 31, 1942
Phoenix, Arizona, Sept. 21, 1942
Glendale, California, Sept. 23, 1942.
Assistant Cadastral Engineer.
Assistant Cadastral Engineer.
Jr. Cadastral Engineer.
General Land Office.

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS,

Denver, Colorado, December 23, 1942.

The foregoing field notes of the survey of the Subdivisional Lines of Township 9 North, Range 4 East, of the Gila and Salt River Meridian, in the State of Arizona, executed by Raymond F. Moss and Ty White, Assistant Cadastral Engineers and G. Marvin Litz, Jr. Cadastral Engineer, General Land Office, under special instructions dated May 13, 1941, and assignment instructions dated May 19, and August 1, 1941, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above described surveys in is a true copy of the original field notes on file in the public survey office.

Supervisor of Surveys