

BOOK 4082

Form 4-679  
(January 1963)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

# FIELD NOTES

SURVEY

of the

Subdivisional Lines

of

Township 36 North, Range 15 West

Of the Gila and Salt River Meridian,

In the State of Arizona.

### EXECUTED BY

Boyd S. Owens, Cadastral Surveyor

Paul G. Bauer, Surveying Technician

Wallace R. Ott, Surveying Aid

Under special instructions dated June 15, 19 62, which provided for the surveys included under Group Number 375, approved June 26, 1962, and assignment instructions dated October 22, 19 62.

Survey commenced October 26, 19 62

Survey completed December 4, 19 62

1A

BOOK 4882

# INDEX DIAGRAM

Township 36 North, Range 15 West,

39( $\frac{1}{4}$ )	39( $\frac{1}{4}$ )	29( $\frac{1}{4}$ )	21( $\frac{1}{4}$ )	15( $\frac{1}{4}$ )	8( $\frac{1}{4}$ )
6 38	5 28	4 21	3 14	2 7	1
38	37	28	20	13	6
7 37	8 27	9 20	10 13	11 6	12
36	35	26	19	12	5
18 35	17 26	16 18	15 12	14 5	13
34	34	25	18	11	4
19 33	20 24	21 17	22 10	23 3	24
32	32	24	17	10	3
30 31	29 23	28 16	27 9	26 2	25
30	30	22	16	9	2
31 29	32 22	33 15	34 8	35 1	36

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Township 36 North, Range 15 West Gila and Salt River Meridian, Arizona
	<p>A portion of the north boundary, the Ninth Standard Parallel North, was surveyed in 1929 by D. R. Averill. The remainder of the boundary was surveyed in 1932 by Kinsey, Good and Hiester. The south and east boundaries were surveyed in 1956 by G. M. Boofer. The west boundary was surveyed in 1932 by Kinsey, Hiester and Good.</p> <p>The following notes are those of the survey of the subdivisional lines of Township 36 North, Range 15 West, Gila and Salt River Meridian, Arizona.</p> <p>This survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated June 15, 1962.</p> <p>Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base, and with a brass cap riveted to the top.</p> <p>The geographic position of the southeast corner of the township is: Latitude, 36°28'12" North, and Longitude, 113°50'37" West.</p> <p>The magnetic declination was found to be 15½° East.</p>
	Survey of the Subdivisional Lines Township 36 North, Range 15 West
	<p>From the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over rolling rocky hills through scattered joshua trees.</p>
22.90	Small wash, drains NE.
34.00	Grand Wash, 3.00 chs. wide, 5 ft. deep, drains SW.
40.00	Point for the ¼ sec. cor. of secs. 35 and 36.
	Set the iron post 24 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W ¼ S35 S36 1962
80.00	Point for the cor. of secs. 25, 26, 35 and 36.
	Set the iron post 20 ins. in the ground, mound with stones to top, cap mkd.

2

CHAINS

T36N R15W  
S26 | S25  
S35 | S36  
 1962

Land, rolling.  
 Soil, rocky, sandy loam.  
 Timber, scattered joshua trees.  
 Undergrowth, creosote brush, blackbrush and sage.

From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the township, monumented by an iron post as described in the official record.

N. 89°48' W., bet. secs. 25 and 36.

Descend over rolling hills through scattered joshua trees.

36.20 Grand Wash, 100 lks. wide, 2 ft. deep, drains SW.

39.96 Point for the 1/4 sec. cor. of secs. 25 and 36.

Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
 1/4 S 25  
           S 36  
 1962

from which

The casing on a well, 8 ins. diam., enclosed in a tin house, 10 x 20 ft., bears N. 67°54' E., 16.33 chs. dist.

Asc. over E. slope.

45.80 Top of ascent, bears N. and S.

66.70 Wash, 10 lks. wide, 1 ft. deep, drains irregularly S.

79.92 The cor. of secs. 25, 26, 35 and 36.

Land, rolling hills.  
 Soil, rocky, sandy loam.  
 Timber, scattered joshua trees.  
 Undergrowth, creosote brush, blackbrush and cactus.

N. 0°01' W., bet. secs. 25 and 26.

Over rolling hills through scattered joshua trees.

12.00 Wash, 10 lks. wide, 1 ft. deep, drains SW.

35.50 Wash, 40 lks. wide, 2 ft. deep, steep sloping banks, drains W. for about 5.00 chs., thence S.; asc. over S. slope.

40.00 Point for the 1/4 sec. cor. of secs. 25 and 26.

Set the iron post on solid rock, mound with stones to top, cap mkd.

T36N R15W  
 1/4 S26 | S25  
 1962

44.90 Top of ascent, slopes W.; thence over gently rolling land.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 15 W., Arizona
79.70	Wash, 100 lks. wide, 3 ft. deep, drains SW. circling to S.
80.00	True point for the cor. of secs. 23, 24, 25 and 26, falls in wash.  Land, rolling hills. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.
	From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the township, monumented by an iron post as described in the official record.  N. 89°48' W., bet. secs. 24 and 25.  Over rolling land, through scattered joshua trees.
1.20	Wash, 20 lks. wide, 1 ft. deep, drains S. from NW.
11.10	Wash, 10 lks. wide, 1 ft. deep, drains S. about 2.00 chs. thence SE.
31.50	Track road, bears N. 10° W., and S. 10° E.
39.99	Point for the ¼ sec. cor. of secs. 24 and 25.  Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.  T36N R15W ¼ $\frac{S\ 24}{S\ 25}$ 1962
42.90	Wash, 10 lks. wide, 1 ft. deep, drains SW.
59.70	Wash, 30 lks. wide, 1 ft. deep, drains SW.; asc. SE. slope.
68.20	Low bluff slopes SW.; desc. NW. slope.
79.98	True point for the cor. of secs. 23, 24, 25 and 26.  Land, rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.
	N. 0°01' W., bet. secs. 23 and 24.  Over rolling hills through scattered joshua trees.
1.00	Point selected for the witness sec. cor. of secs. 23, 24, 25 and 26.  Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.

CHAINS			
		<p>T36N R15W            WC            S23 S24            S26 S25            ↓            1962</p>	
20.90	Wash, 10 lks. wide, 1 ft. deep, drains SE.		
29.90	Wash, 100 lks. wide, 2 ft. deep, drains SE.		
37.40	Wash, 100 lks. wide, 3 ft. deep, drains SW. circling to SE.		
40.00	Point for the 1/4 sec. cor. of secs. 23 and 24.  Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.		
		<p>T36N R15W            1/4            S23 S24            1962</p>	
59.80	Ravine, 50 lks. wide, 30 ft. deep, drains SE. for about 5.00 chs., thence S.		
80.00	Point for the cor. of secs. 13, 14, 23 and 24.  Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.		
		<p>T36N R15W            S14 S13            S23 S24            1962</p>	
	Land, rolling hills. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush, cactus and brigham tea.		
	From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the township, monumented by an iron post as described in the official record.		
	N. 89°51' W., bet. secs. 13 and 24.		
	Asc. gentle SE. slope through scattered joshua trees.		
4.30	Low spur, slopes SW.		
11.00	Wash, 20 lks. wide, 1 ft. deep, drains SW.		
22.10	Wash, 10 lks. wide, 1 ft. deep, drains S. 15° E.		
34.50	Wash, 10 lks. wide, 1 ft. deep, drains S. 15° E. circling to SW.		
39.97	Point for the 1/4 sec. cor. of secs. 13 and 24.  Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.		
		<p>T36N R15W            1/4 S 13            S 24            1962</p>	
70.60	Wash, 100 lks. wide, 3 ft. deep, drains SW.		
79.94	The cor. of secs. 13, 14, 23 and 24.		

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 15 W., Arizona
	<p>Land, rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	N. 0°01' W., bet. secs. 13 and 14.
	Over gently rolling land, through scattered joshua trees.
8.80	Road to Pakoon Springs, bears E. and NW.
22.40	Wash, 10 lks. wide, 1 ft. deep, drains SW.
38.90	Track road, bears SW. and NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 14.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ S14   S13 1962
61.00	Wash, 15 lks. wide, 1 ft. deep, drains SW.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.
	Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W S11   S12 S14   S13 1962
	<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the township, monumented by an iron post as described in the official record.
	N. 89°49' W., bet. secs. 12 and 13.
	Asc. over gentle SE. slope through scattered joshua trees.
2.50	Spur, slopes S.; desc. over W. slope.
22.30	Wash, 70 lks. wide, 2 ft. deep, drains S.; asc. steep E. slope.
32.00	Ridge, bears N. and S.; desc. over W. slope.
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13.
	Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.

6

CHAINS

T36N R15W

$\frac{1}{4}$   $\frac{S 12}{S 13}$   
1962

Raise a mound of stone N. of the cor.

40.10 Wash, 20 lks. wide, 2 ft. deep, drains S. 30° W.; asc. over E. slope.

47.20 Spur, slopes S. 15° E.

57.20 Track road, bears NE. and SW.

61.50 Wash, 20 lks. wide, 1 ft. deep, drains SW. from N. 10° W.; thence over gently rolling land.

79.94 The cor. of secs. 11, 12, 13 and 14.

Land, rolling hills.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, creosote brush, cactus and black brush.

N. 0°01' W., bet. secs. 11 and 12.

Asc. over gentle SW. slope through scattered joshua trees.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 11 and 12.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W

$\frac{1}{4}$   $\frac{S 11}{S 12}$   
1962

45.70 Spur, slopes SE.

75.70 Wash, 10 lks. wide, 1 ft. deep, drains W.

80.00 Point for the cor. of secs. 1, 2, 11 and 12.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W

$\frac{S 2}{S 11} | \frac{S 1}{S 12}$   
1962

Land, rolling.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, creosote brush, cactus and black brush.

From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the township, monumented by an iron post as described in the official record.

N. 89°50' W., bet. secs. 1 and 12.

Asc. over SE. slope.

2.30 Spur, slopes S. 20° W.; desc. over W. slope.

7.90 Wash, 15 lks. wide, 1 ft. deep, drains SW.

9.70 Wash, 25 lks. wide, 1 ft. deep, drains SE.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
19.30	Low spur, slopes S.
35.40	Wash, 60 lks. wide, 5 ft. deep, drains S.; asc. E. slope.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12.  Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ $\frac{S}{S}$ $\frac{1}{12}$ 1962
46.10	Top of ascent, bears N. and S.
56.90	Track road, bears NE. and SW.
65.50	Wash, 20 lks. wide, 1 ft. deep, drains SW. from N.
79.98	The cor. of secs. 1, 2, 11 and 12.  Land, rolling hills. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, cactus, blackbrush and brigham tea.
	N. 0°01' W., bet. secs. 1 and 2.  Asc. over SW. slope.
12.80	Rim, bears E. and irregularly N.
16.80	Same rim.
34.90	Same rim.
39.90	Same rim; bears irregularly N. and S.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2.  Set the iron post on solid rock, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ S 2   S 1 1962
50.50	Same rim, bears irregularly S. and N. 15° W.; asc. gentle S. slope.
82.97	Intersect the S. bdy. of T. 37 N., R. 15 W.  Point for the closing cor. of secs. 1 and 2.  Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

CHAINS

T37N R15W  
S 36  
 S 2 | S 1  
 T36N R15W  
 CC  
 1962

The Standard  $\frac{1}{4}$  sec. cor. of sec. 36, T. 37 N., R. 15 W., bears East 12.43 chs. dist., monumented by an iron post as described in the official record.

Land, ledgy along rim, gently rolling on remainder. Soil, lava rock and sandy clay loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.

The point for the  $\frac{1}{4}$  sec. cor. of sec. 1 is on the N. bdy. at mid-point bet. the closing corners.

Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T37N R15W  
 $\frac{1}{4}$  S 1  
 T36N R15W  
 1962

The Standard cor. of secs. 31 and 36, T. 37 N., Rs. 14 and 15 W., bears East, 12.50 chs. dist., monumented by an iron post as described in the official record.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the township, monumented by an iron post as described in the official record.

N.  $0^{\circ}01'$  W., bet. secs. 34 and 35.

Over gently rolling hills through scattered joshua trees.

9.50 Small wash, drains SW.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 34 and 35.

Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
 $\frac{1}{4}$   
 S34 | S35  
 1962

80.00 Point for the cor. of secs. 26, 27, 34 and 35.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
S27 | S26  
S34 | S35  
 1962

Land, gently rolling. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, cactus and blackbrush.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N. R. 15 W., Arizona
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>N. 89°48' W., bet. secs. 26 and 35.</p> <p>Over rolling hills through scattered joshua trees.</p>
6.80	Wash, 10 lks. wide, 1 ft. deep, drains S.
27.00	Wash, 50 lks. wide, 3 ft. deep, drains SE. about 8.00 chs. thence S.; asc. steep E. slope.
30.90	Spur, slopes SE.
35.20	Wash, 20 lks. wide, 1 ft. deep, drains SE.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 35.
	Set the iron post 24 ins. in the ground and in a collar of stone, cap mkd.
	<p>T36N R15W</p> <p><math>\frac{1}{4}</math> <math>\frac{S\ 26}{S\ 35}</math></p> <p>1962</p>
	Raise a mound of stone N. of the cor.
65.75	Road to Pakoon Springs, bears N. 10° W. and S. 10° E.
65.95	Set a fir post, painted red, 4 ins. square, 4 ft. long, 18 ins. in the ground with metal location marker attached.
69.10	Track road, bears N. 15° W. and S. 15° E.
70.60	Track road, bears NW. and SE.
80.04	The cor. of secs. 26, 27, 34 and 35.
	<p>Land, rolling hills.</p> <p>Soil, rocky, sandy loam.</p> <p>Timber, scattered joshua trees.</p> <p>Undergrowth, creosote brush, black brush, brigham tea and cactus.</p>
	N. 0°01' W., bet. secs. 26 and 27.
	Over gently rolling land through scattered joshua trees.
21.70	Track road, bears NW. and SE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 27.
	Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R15W</p> <p><math>\frac{1}{4}</math> S27   S26</p> <p>1962</p>

CHAINS		
42.17	Set a fir post, painted red, 4 ins. square, 4 ft. long, 18 ins. in the ground with metal location marker attached.	
42.50	Road to Pakoon Springs, bears SE. and NW.	
80.00	Point for the cor. of secs. 22, 23, 26 and 27.	
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R15W <u>S22   S23</u> <u>S27   S26</u> 1962	
	Land, gently rolling hills. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.	
	From the true point for the cor. of secs. 23, 24, 25 and 26.	
	N. 89°48' W., bet. secs. 23 and 26.	
	Over gently rolling land through scattered joshua trees.	
24.10	Wash, 20 lks. wide, 1 ft. deep, drains S.	
40.00	Point for the ¼ sec. cor. of secs. 23 and 26.	
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R15W ¼ <u>S 23</u> S 26 1962	
48.70	Deep gully, 40 lks. wide, drains SW. about 3.00 chs. thence SE.	
53.70	Deep gully, 30 lks. wide, drains SE.	
68.60	Wash, 20 lks. wide, 1 ft. deep, drains SE.	
80.00	The cor. of secs. 22, 23, 26 and 27.	
	Land, rolling. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.	
	N. 0°01' W., bet. secs. 22 and 23.	
	Over rolling land, through scattered joshua trees.	
5.80	Wash, 10 lks. wide, 1 ft. deep, drains SE.	
22.40	Road to Pakoon Springs, bears NE. and SW.	
22.60	Set a fir post, painted red, 4 ins. square, 4 ft. long, 20 ins. in the ground with metal location marker attached.	
40.00	Point for the ¼ sec. cor. of secs. 22 and 23.	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 15 W., Arizona
	<p>Set the iron post 24 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W <math>\frac{1}{2}</math> S22 S23 1962</p>
55.60	Wash, 10 lks. wide, 1 ft. deep, drains S. 80° W.
68.10	Road to Waynes Well, bears S. 30° W. and N. 30° E.
68.40	Set a fir post, painted red, 4 ins. square, 4 ft. long, 20 ins. in the ground with location marker attached.
69.80	Wash, 20 lks. wide, 1 ft. deep, drains SW.
74.70	Dim blade road, bears NE. and SW.
77.50	Small wash, drains SE.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	<p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W S15 S14 S22 S23 1962</p> <p>Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.</p>
	<p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>N. 89°48' W., bet. secs. 14 and 23.</p> <p>Over gently rolling desert land through scattered joshua trees.</p>
4.40	Small wash, drains S. 15° E.
11.72	Set a fir post, painted red, 4 ins. square, 4 ft. long, 18 ins. in the ground with metal location marker attached.
11.90	Road to Pakoon Springs, bears SW. and NE.
23.90	Wash, 30 lks. wide, 1 ft. deep, drains S.
35.30	Blade road, bears NE. and SW.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 14 and 23.
	<p>Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.</p>

CHAINS		
56.80 69.30 80.00	Blade road, bears SE. and NW. Wash, 15 lks. wide, 1 ft. deep, drains SW. The cor. of secs. 14, 15, 22 and 23.  Land, gently rolling. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.	T36N R15W $\frac{1}{4}$ $\frac{S 14}{S 23}$ 1962
18.30 40.00	N. 0°01' W., bet. secs. 14 and 15.  Over gently rolling land, through scattered joshua trees.  Wash, 30 lks. wide, 1 ft. deep, drains SW.  Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15.  Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.	T36N R15W $\frac{1}{4}$ S15 S14 1962
80.00	Point for the cor. of secs. 10, 11, 14 and 15.  Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.	T36N R15W $\frac{1}{4}$ S10 S11 S15 S14 1962  Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.
40.00  41.70 72.80 80.00	From the cor. of secs. 11, 12, 13 and 14.  N. 89°48' W., bet. secs. 11 and 14.  Over gently rolling land through scattered joshua trees.  Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14.  Set the iron post 16 ins. in the ground, mound with stones to top, cap mkd.	T36N R15W $\frac{1}{4}$ $\frac{S 11}{S 14}$ 1962

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
	<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush, cactus and brigham tea.</p>
	<p>N. 0°01' W., bet. secs. 10 and 11. Asc. over SE. slope.</p>
12.80	Desc. over NE. slope.
19.10	Wash, 15 lks. wide, 1 ft. deep, drains SE.; asc. SE. slope.
36.50	Mesa rim, bears N. 15° E. and S. 15° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11.  Set the iron post 2 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R15W <math>\frac{1}{4}</math> S10 S11 1962</p>
	Asc. over rolling mesa sloping SW.
71.50	Mesa rim, bears NE. and SW.; desc. over steep NW. slope.
80.00	Point for the cor. of secs. 2, 3, 10 and 11.  Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R15W S 3   S 2 S10   S11 1962</p>
	<p>Land, rolling and broken. Soil, rocky, sandy clay, loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush, cactus and brigham tea.</p>
	<p>From the cor. of secs. 1, 2, 11 and 12.  N. 89°46' W., bet. secs. 2 and 11.  Over rolling slope of Mud Mountain through scattered joshua trees.</p>
6.10	Wash, 20 lks. wide, 2 ft. deep, drains S. 15° W.
13.00	Low spur, slopes S.
17.70	Wash, 20 lks. wide, 1 ft. deep, drains S. 15° E.; asc. over E. slope.
26.50	Mesa rim, bears N. and SW.; thence over gently rolling land.

CHAINS		
37.80	Small wash, drains SW.	
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11.	
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R15W $\frac{1}{4}$ $\frac{S \ 2}{S \ 11}$ 1962	
54.40	Wash, 20 lks. wide, 1 ft. deep, drains S. 15° W.	
72.50	Mesa rim, bears NE. and SW.; desc. over steep NW. slope.	
79.94	The cor. of secs. 2, 3, 10 and 11.	
	Land, rolling and broken. Soil, rocky clay, loam. Timber, scattered joshua trees. Undergrowth, black brush, cactus and creosote brush.	
	N. 0°01' W., bet. secs. 2 and 3.	
	Desc. over NW. slope.	
3.30	Wash, 10 lks. wide, 2 ft. deep, drains W.	
4.60	Finger spur, slopes N. 80° W.	
9.40	Draw, drains irregularly NW.	
17.60	Draw, drains W.	
31.50	Wash, 5 lks. wide, 1 ft. deep, drains irregularly S. 30° W.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.	
	Set the iron post 22 ins. in the ground and in a collar of stone, cap mkd.	
	T36N R15W $\frac{1}{4}$ S 3   S 2 1962	
	Raise a mound of stone W. of the cor.	
	Continue over gently rolling land.	
42.40	Wash, 30 lks. wide, 2 ft. deep, drains SW.	
49.00	Wash, 20 lks. wide, 4 ft. deep, drains SW.	
81.50	Wash, 10 lks. wide, 2 ft. deep, drains S. 70° E.	
82.73	Intersect the S. bdy. of T. 37 N., R. 15 W.	
	Point for the closing cor. of secs. 2 and 3.	
	Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.	
	T37N R15W S 35 S 3   S 2 T36N R15W CC 1962	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
	<p>The Standard <math>\frac{1}{4}</math> sec. cor. of sec. 35, T. 37 N., R. 15 W., bears East, 12.49 chs. dist., monumented by an iron post as described in the official record.</p> <p>Land, rolling, slightly broken. Soil, rocky clay loam. Timber, scattered joshua trees. Undergrowth, blackbrush and cactus.</p>
	<p>The point for the <math>\frac{1}{4}</math> sec. cor. of sec. 2 is on the N. bdy. at mid-point bet. the closing corners.</p> <p>Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;"> <u>T37N R15W</u>  <math>\frac{1}{4}</math> S 2            T36N R15W            1962         </p> <p>The Standard Cor. of secs. 35 and 36, T. 37 N., R. 15 W., bears East, 12.46 chs. dist., monumented by an iron post as described in the official record.</p>
	<p>From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>N. <math>0^{\circ}02'</math> W., bet. secs. 33 and 34.</p> <p>Over gently rolling land through scattered joshua trees.</p>
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34.</p> <p>Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">           T36N R15W  <math>\frac{1}{4}</math>            S33 S34            1962         </p> <p>Raise a mound of stone W. of the cor.</p>
57.00	<p>Track road, bears NW. and SE.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">           T36N R15W  <u>S28 S27</u>            S33 S34            1962         </p> <p>Land, gentle S. slope. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.</p>

CHAINS		
	<p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>N. 89°46' W., bet. secs. 27 and 34.</p> <p>Over gently rolling land through scattered joshua trees.</p> <p>12.40 Wash, 20 lks. wide, 1 ft. deep, drains SW.</p> <p>19.30 Wash, 15 lks. wide, 1 ft. deep, drains SE. about 4.00 chs. thence SW.</p> <p>39.50 Wash, 30 lks. wide, 1 ft. deep, drains SE.</p> <p>40.00 Point for the ¼ sec. cor. of secs. 27 and 34.</p>	
	<p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R15W  <math>\frac{1}{4}</math> <math>\frac{S\ 27}{S\ 34}</math>                      1962</p>	
	<p>47.90 Wash, 10 lks. wide, 1 ft. deep, drains S. 20° E.</p>	
	<p>80.00 The cor. of secs. 27, 28, 33 and 34.</p> <p>Land, gently rolling.                      Soil, rocky sandy loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote brush, black brush and cactus.</p>	
	<p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over gently rolling land, through scattered joshua trees.</p> <p>40.00 Point for the ¼ sec. cor. of secs. 27 and 28.</p> <p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R15W  <math>\frac{1}{4}</math> S28 S27                      1962</p>	
	<p>74.10 Track road, bears SW. and NE.</p>	
	<p>80.00 Point for the cor. of secs. 21, 22, 27 and 28.</p> <p>Set the iron post on solid rock, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R15W  <math>\frac{S21 S22}{S28 S27}</math>                      1962</p>	
	<p>from which</p> <p style="padding-left: 40px;">Waynes Well bears S. 46°31' W., 40.70 chs. dist.</p> <p>The cor. is located on the SE. rim of canyon bearing NE. and SW.</p> <p>Land, gently rolling.                      Soil, rocky sandy loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote brush, black brush, cactus and brigham tea.</p>	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N. R. 15 W., Arizona
	From the cor. of secs. 22, 23, 26 and 27.
	N. 89°45' W., bet. secs. 22 and 27.
	Over gently rolling land through scattered joshua trees.
1.30	Road to Pakoon Springs, bears S. and NW.
2.20	Old track road, bears NW. and SE.
8.50	Wash, 30 lks. wide, 1 ft. deep, drains SE.
35.10	Wash, 10 lks. wide, 1 ft. deep, drains S.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 27.
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ $\frac{S\ 22}{S\ 27}$ 1962
	Raise a mound of stone N. of the cor.
63.50	Wash, 10 lks. wide, 1 ft. deep, drains S.
76.10	Track road, bears NE. and SW.
80.00	The cor. of secs. 21, 22, 27 and 28.
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush, cactus and brigham tea.
	N. 0°02' W., bet. secs. 21 and 22.
	By triangulation, desc. over steep NW. slope.
13.50	Wash, 30 lks. wide, 1 ft. deep, drains W.; asc. over rolling land.
16.15	Set a fir post, painted red, 4 ins. square, 4 ft. long, 10 ins. in the ground and in a mound of stone, with metal location marker attached.
16.40	Road to Waynes Well, bears E. and N. 80° W.
30.60	Small wash, drains SW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22.
	Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ S21   S22 1962
	End of triangulation.

CHAINS	
60.50	Blade road, bears NW. and SE.
60.70	Set a fir post, painted red, 4 ins. square, 4 ft. long, with metal location marker attached.
80.00	Point for the cor. of secs. 15, 16, 21 and 22.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W <u>S16   S15</u> <u>S21   S22</u> 1962
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.
<hr/>	
	From the cor. of secs. 14, 15, 22 and 23.
	N. 89°47' W., bet. secs. 15 and 22.
	Over gently rolling land, through scattered joshua trees.
9.60	Blade road, bears SE. and N. 10° W.
40.02	Point for the ¼ sec. cor. of secs. 15 and 22.
	Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W ¼ <u>S 15</u> S 22 1962
40.40	Wash, 30 lks. wide, 1 ft. deep, drains SW.
41.40	Wash, 15 lks. wide, 1 ft. deep, drains S. about 1.00 chain to intersection with wash at 40.40.
54.40	Wash, 10 lks. wide, 1 ft. deep, drains S.
67.40	Wash, 10 lks. wide, 1 ft. deep, drains SE.
80.04	The cor. of secs. 15, 16, 21 and 22.
	Land, gently rolling. Soil, rocky sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.
<hr/>	
	N. 0°02' W., bet. secs. 15 and 16.
	Asc. over SE. slope through scattered joshua trees.
16.90	Rim, bears N. 25° E. and S. 25° W.; asc. over gently rolling land.
25.00	Wash, 15 lks. wide, 1 ft. deep, drains SW.
40.00	Point for the ¼ sec. cor. of secs. 15 and 16.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
	<p style="text-align: center;">T36N R15W  <math>\frac{1}{2}</math>            S16 S15            1962</p> <p>52.50 Wash, 15 lks. wide, 1 ft. deep, drains SW.</p> <p>64.20 SE. rim of small canyon, bears N. 20° E., and S. 20° W.; desc. over NW. slope.</p> <p>72.50 Wash, 20 lks. wide, 1 ft. deep, drains S. 20° W.; asc. over SE. slope.</p> <p>79.90 NW. rim of canyon, bears NE. and S. 20° W.</p> <p>80.00 Point for the cor. of secs. 9, 10, 15 and 16.</p> <p>Set the iron post on solid rock, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W            S 9 S10            S16 S15            1962</p> <p>Land, rolling, slightly broken.            Soil, rocky, sandy loam.            Timber, scattered joshua trees.            Undergrowth, blackbrush, creosote brush and cactus.</p>
	<p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>N. 89°50' W., bet. secs. 10 and 15.</p> <p>Over rolling land through scattered joshua trees.</p> <p>3.00 Small wash, drains SE.; asc. over E. slope.</p> <p>10.50 Rim of Mud Mountain, bears N. and S.; thence over gently rolling land.</p> <p>26.30 Wash, 15 lks. wide, 1 ft. deep, drains SW. circling to SE.</p> <p>35.90 Small wash, drains S. for about 4.00 chs. thence SW.</p> <p>40.00 Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 10 and 15.</p> <p>Set the iron post on solid rock, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W  <math>\frac{1}{2}</math> S 10            S 15            1962</p> <p>68.30 Canyon rim, bears S. 20° W. and N. 60° E.; desc. over NW. slope.</p> <p>73.10 Wash, 10 lks. wide, 1 ft. deep, drains SW.; asc. over SE. slope.</p> <p>80.00 The cor. of secs. 9, 10, 15 and 16.</p>

CHAINS

Land, rolling.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, creosote brush, blackbrush, cactus and sage.

N. 0°02' W., bet. secs. 9 and 10.

Over nearly level land.

- 3.75 Blade road, bears NE. and SW.
- 5.30 Rim of mesa, bears NE. and SW.; desc. steep NW. slope.
- 14.90 Wash, 40 lks. wide, 2 ft. deep, drains W.; asc. over steep S. slope.
- 21.00 Asc. steep SW. slope.
- 23.60 Spur, slopes sharply W.; desc. over steep NW. slope.
- 39.20 Top of small knoll.
- 40.00 Point for the 1/4 sec. cor. of secs. 9 and 10.

Set the iron post 20 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
1/4  
S 9 | S10  
1962

- 51.90 Wash, 30 lks. wide, 1 ft. deep, drains SW.; asc. over gently rolling land, S. drainage and exposure.

- 80.00 Point for the cor. of secs. 3, 4, 9 and 10.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
S 4 | S 3  
S 9 | S10  
1962

Land, S. 1/2 mile broken, N. 1/2 gently rolling.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, blackbrush, creosote brush and cactus.

From the cor. of secs. 2, 3, 10 and 11.

N. 89°46' W., bet. secs. 3 and 10.

Desc. over steep NW. slope.

- 11.70 Base of steep slope, thence over gently rolling land.
- 34.70 Wash, 30 lks. wide, 2 ft. deep, drains S. 20° W.
- 40.01 Point for the 1/4 sec. cor. of secs. 3 and 10.

Set the iron post 20 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
1/4 S 3  
S 10  
1962

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p style="text-align: center;">Subdivision, T. 36 N., R. 15 W., Arizona</p> <hr/>
	<p>Raise a mound of stone N. of the cor.</p>
48.70	<p>Wash, 20 lks. wide, 2 ft. deep, drains S.</p>
66.00	<p>Wash, 10 lks. wide, 1 ft. deep, drains S.</p>
71.30	<p>Wash, 5 lks. wide, 1 ft. deep, drains S. 70° E.</p>
80.02	<p>The cor. of secs. 3, 4, 9 and 10.</p>
	<p>Land, rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, cactus and brush.</p> <hr/>
	<p>N. 0°02' W., bet. secs. 3 and 4.</p>
	<p>Over gently rolling land, S. drainage and exposure.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 3 and 4.</p>
	<p>Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R15W     ½     S4 S3     1962</p>
	<p>Asc. SE. slope.</p>
69.50	<p>Rim of mesa, bears irregularly N. 10° E. and S. 30° W., thence over mesa top.</p>
82.51	<p>Intersect the S. bdy. of T. 37 N., R. 15 W.</p>
	<p>Point for the closing cor. of secs. 3 and 4.</p>
	<p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T37N R15W     S 34     S 4 S 3 T36N R15W     CC     1962</p>
	<p>The Standard ¼ sec. cor. of sec. 34, T. 37 N., R. 15 W.; bears East, 12.49 chs. dist., monumented by an iron post as described in the official record.</p>
	<p>Land, rolling and broken. Soil, rocky, sandy clay loam. Timber, scattered joshua trees. Undergrowth, cactus and brush.</p> <hr/>
	<p>The point for the ¼ sec. cor. of sec. 3 is on the N. bdy. at mid-point bet. the closing corners.</p>
	<p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>

CHAINS		
	<p>The Standard cor. of secs. 34 and 35, T. 37 N., R. 15 W., bears East 12.49 chs. dist., monumented by an iron post as described in the official record.</p>	<p>T37N R15W  <math>\frac{1}{4}</math> S 3                      T36N R15W                      1962</p>
	<p>From the true point for the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the township, whose witness cor. bears S. 89°46' E., 0.80 chs. dist., monumented by an iron post as described in the official record.</p> <p>N. 0°03' W., bet. secs. 32 and 33.</p> <p>Begin in bottom of wash, 1.00 chain wide, 3 ft. deep, drains irregularly S.; asc. gradually along the E. side of canyon cut by numerous gullies draining W.</p>	
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 32 and 33.</p> <p>Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.</p>	<p>T36N R15W  <math>\frac{1}{4}</math>                      S32 S33                      1962</p>
	<p>Asc. steep SW. slope.</p>	
61.30	<p>Canyon rim, bears E. and N. 20° W.; thence over mesa top.</p>	
66.70	<p>Deep gully, drains SW.</p>	
74.50	<p>Deep gully drains W., heads about 3.00 chains E.</p>	
77.70	<p>Canyon rim, bears S. 75° W., and NE.; desc. over steep NW. slope.</p>	
80.00	<p>Point for the cor. of secs. 28, 29, 32 and 33.</p> <p>Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.</p>	<p>T36N R15W  <math>\frac{1}{4}</math>                      S29 S28                      S32 S33                      1962</p>
	<p>Land, rolling and broken.                      Soil, rocky, sandy clay loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote brush, black brush and cactus.</p>	
	<p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>N. 89°49' W., bet. secs. 28 and 33.</p> <p>Over gently rolling land.</p>	
5.90	<p>Wash, 10 lks. wide, 1 ft. deep, drains S.</p>	
8.20	<p>Track road, bears SE. and NW.</p>	
23.60	<p>Wash, 20 lks. wide, 1 ft. deep, drains S.</p>	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
32.90	Small gully, drains S.; heads about 1.00 chain N.
40.05	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 33.  Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.  <div style="text-align: center;">                     T36N R15W  <math>\frac{1}{4}</math> <math>\frac{S\ 28}{S\ 33}</math>                      1962                 </div>
40.30	Small wash, drains SE.
78.40	Canyon rim, bears SW. and NE.; desc. over steep NW. slope.
80.10	The cor. of secs. 28, 29, 32 and 33.  Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.
	N. 0°03' W., bet. secs. 28 and 29.  Desc. over steep NW. slope.
8.50	Wash, 90 lks. wide, 1 ft. deep, drains SW.; asc. steep S. slope.
15.90	Asc. along steep E. slope.
23.40	Mesa top, bears NE. and SW.; desc. steep NW. slope.
34.70	Wash, 20 lks. wide, 1 ft. deep, drains irregularly SW.; asc. steep S. slope.
40.00	True point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 29 falls on canyon rim bearing E. and W.
40.20	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 28 and 29.  Set the iron post on solid rock, mound with stones to top, cap mkd.  <div style="text-align: center;">                     T36N R15W  <math>\frac{1}{4}</math>                      S29   S28                      ↓                      WC                      1962                 </div>
	Asc. over gently rolling mesa top.
80.00	Point for the cor. of secs. 20, 21, 28 and 29.  Set the iron post on solid rock, mound with stones to top, cap mkd.  <div style="text-align: center;">                     T36N R15W                      S20   S21                      S29   S28                      1962                 </div>

CHAINS

The cor. is located on rim, on E. side of Cottonwood Canyon.

Land, broken on S. 1/2 mile, rolling mesa on remainder.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, blackbrush, creosote brush and cactus.

From the cor. of secs. 21, 22, 27 and 28.

N. 89°51' W., bet. secs. 21 and 28.

By triangulation, topography as estimated.

Desc. over NW. slope.

11.00 Road to Waynes Well, in bottom of Canyon draining S. 30° W.; asc. over E. slope.

26.70 End of triangulation on mesa rim, bears irregularly N. and S.; thence over gently rolling land.

40.03 Point for the 1/4 sec. cor. of secs. 21 and 28.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W

1/4 S 21  
S 28

1962

42.70 Desc. over NW. slope.

49.50 Bottom of small canyon, drains SW.; asc. SE. slope.

66.30 Mesa top, bears N. and S.; desc. along gently NW. slope.

80.06 The cor. of secs. 20, 21, 28 and 29.

Land, rolling and broken.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, creosote brush, black brush and cactus.

N. 0°03' W., bet. secs. 20 and 21.

By triangulation across short side canyon draining W.

9.20 N. side of canyon bears SE. and NW.; thence over point projecting W.; end of triangulation.

19.70 Canyon rim, bears SW. and NE.; desc. over steep NW. slope.

28.00 Wash, 90 lks. wide, 3 ft. deep, drains W. about 5.00 chs., thence SW.; asc. over steep SW. slope.

40.00 Point for the 1/4 sec. cor. of secs. 20 and 21.

Set the iron post on solid rock, mound with stones to top, cap mkd.

T36N R15W

1/4 S20 | S21

1962

Desc. over general W. slope.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona								
51.50	Wash, 30 lks. wide, 2 ft. deep, drains SW.; asc. S. slope.								
56.10	Canyon rim, bears N. 70° E. and W.; asc. over gently rolling mesa.								
72.70	Wash, 10 lks. wide, 1 ft. deep, drains W.								
80.00	Point for the cor. of secs. 16, 17, 20 and 21.  Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.								
	<table border="1"> <tr><td>T36N</td><td>R15W</td></tr> <tr><td>S17</td><td>S16</td></tr> <tr><td>S20</td><td>S21</td></tr> <tr><td colspan="2">1962</td></tr> </table>	T36N	R15W	S17	S16	S20	S21	1962	
T36N	R15W								
S17	S16								
S20	S21								
1962									
	Land, gentle slopes cut by deep side canyons draining W. into Cottonwood Canyon. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.								
	From the cor. of secs. 15, 16, 21 and 22.  N. 89°48' W., bet. secs. 16 and 21.  Asc. over SE. slope.								
8.70	Spur, slopes S.; desc. over SW. slope.								
15.60	Blade road, bears N. 20° W. and S. 20° E.								
16.70	Wash, 20 lks. wide, 3 ft. deep, drains S. 20° E.; asc. over steep E. slope.								
21.70	Canyon rim, bears N. 20° W. and S. 20° E.; thence over gently rolling mesa.								
40.02	Point for the 1/2 sec. cor. of secs. 16 and 21.  Set the iron post on solid rock, mound with stones to top, cap mkd.								
	<table border="1"> <tr><td>T36N</td><td>R15W</td></tr> <tr><td>1/2</td><td>S 16</td></tr> <tr><td></td><td>S 21</td></tr> <tr><td colspan="2">1962</td></tr> </table>	T36N	R15W	1/2	S 16		S 21	1962	
T36N	R15W								
1/2	S 16								
	S 21								
1962									
45.50	Small wash, drains SE.								
58.10	Blade road, bears SE. and NW.								
74.00	Wash, 10 lks. wide, 1 ft. deep, drains SW.								
80.04	The cor. of secs. 16, 17, 20 and 21.  Land, rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, black brush, creosote brush and cactus.								

CHAINS	
	N. 0°03' W., bet. secs. 16 and 17.
	Over gently rolling mesa top.
19.60	Canyon rim, bears NE. and SW.; desc. over steep NW. slope.
34.00	Base of steep slope; thence over canyon bottom.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 17.
	Set the iron post 26 ins. in the ground, cap mkd.
	<div style="text-align: center;">           T36N R15W  <math>\frac{1}{4}</math>            S17 S16            1962         </div>
	Raise a mound of stone W. of cor.
45.70	Cottonwood Wash, 1.10 chs. wide, 3 ft. deep, drains SW.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.
	Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.
	<div style="text-align: center;">           T36N R15W            S 8   S 9            S17   S16            1962         </div>
	Land, broken on S. 34 chs., rolling canyon bottom on remainder.
	Soil, sandy and rocky.
	Timber, scattered joshua trees.
	Undergrowth, cactus, creosote brush and black brush.
	From the cor. of secs. 9, 10, 15 and 16.
	N. 89°48' W., bet. secs. 9 and 16.
	Over gently rolling mesa top.
6.70	Blade road, bears NE. and SW.
11.20	Mesa rim, bears irregularly NE. and SW.; desc. over W. slope.
16.84	Set a fir post, painted red, 4 ins. square, 4 ft. long, 10 ins. in the ground and in a mound of stone, with metal location marker attached.
17.10	Blade road, bears N. and S.
18.70	Old blade road, bears N. and S.
19.80	Wash, 10 lks. wide, 2 ft. deep, drains N.; asc. E. slope.
27.90	Rim, bears N. and S.; thence over point of mesa projecting N. 15° E.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 16.
	Set the iron post on solid rock, mound with stones to top, cap mkd.
	<div style="text-align: center;">           T36N R15W  <math>\frac{1}{4}</math> <math>\frac{S 9}{S 16}</math>            1962         </div>

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 15 W., Arizona
40.20	Mesa rim, bears NE. and SW.; desc. over steep broken NW. slope.
62.20	Cottonwood Wash, 1.10 chs. wide, 3 ft. deep, drains S. from N. 20° W.; thence across canyon bottom.
79.98	The cor. of secs. 8, 9, 16 and 17.  Land, rolling and broken. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.
	N. 0°03' W., bet. secs. 8 and 9.  Asc. over SE. slope.
9.30	Finger spur, slopes E.
12.50	Blade road, near bottom of switch backs, bears NE. and W.
13.10	Small draw, drains E.
14.10	Set a fir post, painted red, 4 ins. square, 4 ft. long, 18 ins. in the ground with metal location marker attached.
25.00	Enter broken lava rock on E. slope of Cottonwood Wash.
40.00	Point for the 1/2 sec. cor. of secs. 8 and 9.  Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.  T36N R15W 1/2 S8 S9 1962
45.30	Desc. over broken lava rock on NE. slope.
57.80	Base of steep slope; thence along canyon bottom.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.  Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.  T36N R15W S 5 S 4 S 8 S 9 1962  Land, rolling and broken. Soil, lava rock and sandy. Timber, scattered joshua trees. Undergrowth, creosote brush, cactus and blackbrush.

CHAINS		
	From the cor. of secs. 3, 4, 9 and 10. N. 89°52' W., bet. secs. 4 and 9. Over gently rolling land.	
5.80	Small wash, drains S. 20° E.; asc. over E. slope.	
30.20	Mesa rim, bears N. 15° W. and S. 15° E.; thence over nearly level land.	
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9.  Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.	
		T36N R15W $\frac{1}{4} \frac{S 4}{S 9}$ 1962
51.30	Mesa rim, bears irregularly N. and S.; by triangulation, topography as taken from U.S.G.S. topographic sheet. Desc. over steep W. slope.	
62.00	Cottonwood Wash, 1.00 chain wide, 3 ft. deep, drains S.; thence over canyon bottom.	
80.04	The cor. of secs. 4, 5, 8 and 9.  Land, rolling and broken. Soil, sandy and rocky. Timber, scattered joshua trees. Undergrowth, black brush, creosote brush and cactus.	
	N. 0°03' W., bet. secs. 4 and 5.  Over gently rolling canyon bottom on W. side of Cottonwood Wash.	
14.30	Small wash, drains E.	
20.70	Small wash, drains E.	
25.80	Small wash, drains E.	
26.20	Small wash, drains E.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5.  Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.	
		T36N R15W $\frac{1}{4} S 5   S 4$ 1962
44.90	Small wash, drains E.	
53.80	Blade road, bears N. from SW.	
56.40	Same road, bears N. 20° W.	
60.70	Small wash, drains E.	
69.60	Cottonwood Wash, 1.20 chs. wide, 3 ft. deep, drains S. 15° E.; thence along the E. side of Cottonwood Wash.	
82.29	Intersect the S. bdy. of T. 37 N., R. 15 W.	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
	<p>Point for the closing cor. of secs. 4 and 5.</p> <p>Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T37N R15W S 33 S 5   S 4 T36N R15W CC 1962</p> <p>The Standard <math>\frac{1}{4}</math> sec. cor. of sec. 33, T. 37 N., R. 15 W., bears East, 12.57 chs. dist., monumented by an iron post as described in the official record.</p> <p>Land, rolling canyon bottom. Soil, sandy clay loam and rocky. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>The point for the <math>\frac{1}{4}</math> sec. cor. of sec. 4 is on the N. bdy. at mid-point bet. the closing corners.</p> <p>Set the iron post 22 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T37N R15W <math>\frac{1}{4}</math> S 4 T36N R15W 1962</p> <p>Raise a mound of stone S. of the cor.</p> <p>The Standard cor. of secs. 33 and 34, T. 37 N., R. 15 W., bears East 12.53 chs. dist., monumented by an iron post as described in the official record.</p>
	<p>From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>N. 0°03' W., bet. secs. 31 and 32.</p> <p>Over gently rolling canyon bottom; asc. along E. side.</p>
34.90	Wash, 20 lks. wide, 1 ft. deep, drains SW.; asc. steep S. slope.
37.00	Point of bluff, slopes W.; desc. over NW. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32.
	<p>Set the iron post on solid rock, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W <math>\frac{1}{4}</math> S31   S32 1962</p>
75.20	Wash, 20 lks. wide, 1 ft. deep, drains SW. circling to S.; thence along canyon bottom.
80.00	Point for the cor. of secs. 29, 30, 31 and 32.

CHAINS		
	<p>Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W  <math>\frac{S30}{S31}   \frac{S29}{S32}</math>                      1962</p> <p>Land, rolling and slightly broken.                      Soil, rocky, sandy loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote brush, cactus and black brush.</p>	
	<p>From the cor. of secs. 28, 29, 32 and 33.</p> <p>N. 89°45' W., bet. secs. 29 and 32.</p> <p>Desc. over steep NW. slope.</p>	
7.20	Wash, 30 lks. wide, 2 ft. deep, drains SW. from N.; asc. over SE. slope.	
15.50	Desc. over SW. slope.	
27.40	Cottonwood Wash, 200 lks. wide, 4 ft. deep, drains S. 10° E.	
35.00	Asc. over steep E. slope.	
40.01	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.	
	<p>Set the iron post 2 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W  <math>\frac{1}{4} \frac{S 29}{S 32}</math>                      1962</p>	
43.20	Canyon rim, bears N. and S. 10° E.; thence over rolling mesa top.	
55.70	Wash, 20 lks. wide, 1 ft. deep, drains SE. from N.	
58.60	Dim track road, bears irregularly N. and S.	
60.00	Small wash, drains SW.	
73.10	Canyon rim, bears N. and S.; desc. over steep W. slope.	
78.30	Wash, 20 lks. wide, 1 ft. deep, drains SW. from N. 10° W.	
80.02	The cor. of secs. 29, 30, 31 and 32.	
	<p>Land, rolling and broken.                      Soil, rocky sandy loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote brush, cactus and black brush.</p>	
	<p>N. 89°45' W., bet. secs. 30 and 31.</p> <p>Over canyon bottom through scattered joshua trees.</p>	
2.60	End of point sloping from N.	
10.44	Barbed wire fence, bears NE. and SW.	
17.40	Wash, 35 lks. wide, 1 ft. deep, drains SW. circling to SE.	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
32.50	Wash, 100 lks. wide, 1 ft. deep, drains SE.; asc. over NE. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.  Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.
T36N R15W $\frac{1}{4}$ $\frac{S\ 30}{S\ 31}$ 1962	
44.60	Mesa rim, bears NW. and SE.; thence over rolling mesa top.
48.80	Track road, bears NW. and SE.
66.90	Small wash, drains S.; asc. gentle E. slope.
75.42	The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the township, monumented by an iron post as described in the official record.
Land, rolling and broken. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, cactus and blackbrush.	
From the cor. of secs. 29, 30, 31 and 32.  N. 0°03' W., bet. secs. 29 and 30.  Over rolling canyon bottom.	
3.70	Wash, 20 lks. wide, 1 ft. deep, drains SE. circling to SW.
9.00	Same wash, drains from NW.; asc. over SE. slope.
17.80	Rim of hill, bears N. 20° E. and S. 20° W.
22.50	Desc. over NE. slope.
32.50	Asc. over SE. slope of mesa.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30.  Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.
T36N R15W $\frac{1}{4}$ S30 S29 1962	
Asc. over gently rolling mesa top.	
80.00	Point for the cor. of secs. 19, 20, 29 and 30.
Set the iron post on solid rock, mound with stones to top, cap mkd.	

CHAINS		
	<p>T36N R15W  <math>\frac{S19}{S30}   \frac{S20}{S29}</math>                      1962</p> <p>Land, moderate slopes on S. <math>\frac{1}{2}</math> mile, gently rolling on remainder.                      Soil, rocky, sandy loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote brush, cactus, blackbrush and brigham tea.</p>	
	<p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>N. <math>89^{\circ}42'</math> W., bet. secs. 20 and 29.</p> <p>By triangulation, topography as estimated; desc. over steep ledgy W. slope.</p>	
12.00	Base of steep descent; thence across bottom of Cottonwood Canyon.	
25.00	Cottonwood wash, 100 lks. wide, 3 ft. deep, drains S. $15^{\circ}$ E.	
30.00	Asc. over steep E. slope.	
38.00	Top of black hill, bears N. $15^{\circ}$ W. and S. $15^{\circ}$ E.; desc. gentle W. slope; end of triangulation.	
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 29.	
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.	
	<p>T36N R15W  <math>\frac{1}{4} \frac{S 20}{S 29}</math>                      1962</p> <p>By triangulation, topography as estimated; desc. over steep W. slope.</p>	
50.00	Bottom of small canyon, drains S.; asc. over E. slope.	
58.20	End of triangulation on mesa rim bearing N. and S.; thence over rolling mesa top.	
59.40	Track road, bears S. $30^{\circ}$ W. and N.	
74.40	Low rise, bears N. and S.; desc. gentle W. slope.	
80.04	The cor. of secs. 19, 20, 29 and 30.	
	<p>Land, gently rolling on W. 20.00 chs., broken on remainder.                      Soil, sandy and rocky.                      Timber, scattered joshua trees.                      Undergrowth, blackbrush, creosote brush and cactus.</p>	
	<p>N. <math>89^{\circ}45'</math> W., bet. secs. 19 and 30.</p> <p>Desc. over gentle W. slope.</p>	
2.00	Small wash, drains S.	
14.80	Rim, bears N. and S.; desc. over steep W. slope.	
21.40	Wash, 1.50 chs. wide, 3 ft. deep, drains S.; asc. over steep E. slope.	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N. R. 15 W., Arizona
37.70	Rim, bears N. and S.; thence, over gently rolling mesa top.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.
	Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ $\frac{S\ 19}{S\ 30}$ 1962
51.50	Rim, bears NE. and S.; desc. over steep NW. slope.
58.50	Wash, 200 lks. wide, 4 ft. deep, drains S.; asc. over moderate E. slope.
75.17	The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the township, monumented by an iron post as described in the official record.
	Land, rolling and broken by deep canyons. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, blackbrush, creosote brush, cactus and brigham tea.
	From the cor. of secs. 19, 20, 29 and 30.
	N. 0°03' W., bet. secs. 19 and 20.
	Over gently rolling land, through scattered joshua trees.
18.70	Wash, 20 lks. wide, 1 ft. deep, drains SW. for about 100 lks. thence S.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ S19   S20 1962
73.70	Track road, bears N. 20° W. and S. 20° E.
80.00	Point for the cor. of secs. 17, 18, 19 and 20.
	Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W S18   S17 S19   S20 1962

CHAINS

Land, gently rolling.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, black brush, creosote brush and cactus.

From the cor. of secs. 16, 17, 20 and 21.

N. 89°43' W., bet. secs. 17 and 20.

By triangulation, topography as taken from U.S.G.S. topographic sheet.

Over gently rolling mesa top, through scattered joshua trees.

8.50

Draw, drains SW.

11.70

Rim, bears N. 15° E. and S. 15° W.; desc. over steep W. slope.

21.00

Base of steep slope; thence over canyon bottom.

30.60

Cottonwood Wash, 100 lks. wide, 3 ft. deep, drains S.

40.00

Point for the ¼ sec. cor. of secs. 17 and 20.

Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

T36N R15W  
¼  $\frac{S\ 17}{S\ 20}$   
1962

56.50

Asc. over steep E. slope.

76.00

Rim, bears N. 30° W. and S. 30° E.; thence over rolling mesa top.

80.00

The cor. of secs. 17, 18, 19 and 20.

Land, rolling and broken.  
Soil, sandy and rocky.  
Timber, scattered joshua trees.  
Undergrowth, blackbrush, creosote brush, cactus and brigham tea.

N. 89°45' W., bet. secs. 18 and 19.

Over gently rolling mesa top.

.40

Track road, bears S. 15° E. and N. 15° W.

37.40

Wash, 15 lks. wide, 1 ft. deep, drains SW.

40.00

Point for the ¼ sec. cor. of secs. 18 and 19.

Set the iron post on solid rock, mound with stones to top, cap mkd.

T36N R15W  
¼  $\frac{S\ 18}{S\ 19}$   
1962

40.30

Rim, bears SE. and NW.; desc. over steep SW. slope.

48.80

Wash, 30 lks. wide, 2 ft. deep, drains SE. circling to S.; asc. over steep NE. slope.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 15 W., Arizona
58.80	Rim, bears NW. and SE.; thence over rolling mesa top.
72.60	Wash, 15 lks. wide, 1 ft. deep, drains S. 10° W.
74.96	<p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>Land, rolling and broken. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, cactus and black brush.</p>
	<p>From the cor. of secs. 17, 18, 19 and 20.</p>
	<p>N. 0°03' W., bet. secs. 17 and 18.</p>
	<p>Over gently rolling mesa top.</p>
6.00	Rim, bears N. 15° W. and S. 15° E.; thence along canyon rim.
34.20	Same rim, bears S. 15° W. and N. 15° E.; asc. over gently rolling land.
40.00	<p>Point for the ¼ sec. cor. of secs. 17 and 18.</p> <p>Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R15W ¼ S18 S17 1962</p>
80.00	<p>Point for the cor. of secs. 7, 8, 17 and 18.</p> <p>Set the iron post 16 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R15W S 7 S 8 S18 S17 1962</p>
	<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.</p>
	<p>From the cor. of secs. 8, 9, 16 and 17.</p>
	<p>N. 89°43' W., bet. secs. 8 and 17.</p>
	<p>Asc. over steep SE. slope.</p>
25.90	W. rim of Cottonwood Canyon, bears NE. and S.; thence over point projecting S.
32.50	Same rim, bears N. and S.; desc. over W. slope.
35.50	Wash in bottom of small canyon, 40 lks. wide, 3 ft. deep, drains S.; asc. E. slope.

## CHAINS

- 38.50 Same rim, bears N. 30° E. and S.; thence over gently rolling land.
- 39.99 Point for the  $\frac{1}{4}$  sec. cor. of secs. 8 and 17.  
Set the iron post on solid rock, mound with stones to top, cap mkd.
- T36N R15W  
 $\frac{1}{4} \frac{S \ 8}{S \ 17}$   
1962
- 59.00 Same rim, bears N and S.
- 62.10 Bottom of small canyon, drains S.
- 66.00 Same rim, bears irregularly N. and S.; thence over gently rolling mesa.
- 79.98 The cor. of secs. 7, 8, 17 and 18.  
Land, rolling and broken.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, black brush, creosote brush and cactus.
- 
- N. 89°45' W., bet. secs. 7 and 18.  
Over gently rolling mesa top.
- 4.30 Track road, bears N. and S.
- 16.70 Wash, 10 lks. wide, 1 ft. deep, drains SW.
- 20.20 Rim of small canyon, bears N. and S.; desc. over steep W. slope.
- 23.50 Wash, 50 lks. wide, 1 ft. deep, drains S.; asc. steep E. slope.
- 26.00 Canyon rim, bears N. and S.; thence over rolling hills.
- 40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 7 and 18.  
Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.
- T36N R15W  
 $\frac{1}{4} \frac{S \ 7}{S \ 18}$   
1962
- 59.70 Blade road, bears NE. and SW.
- 62.50 Same road, bears SE. and W.
- 63.50 Same road, bears S. 70° W. and E.
- 74.80 The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the township, monumented by an iron post as described in the official record.  
Land, rolling and slightly broken.  
Soil, rocky, sandy loam.  
Timber, scattered joshua trees.  
Undergrowth, cactus, brigham tea and brush.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 15 W., Arizona
	From the cor. of secs. 7, 8, 17 and 18.
	N. 0°03' W., bet. secs. 7 and 8.
	Over gently rolling land through scattered joshua trees.
18.90	Track road, bears N. 15° E. and S. 15° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8.
	Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W $\frac{1}{4}$ S7 S8 1962
48.36	Barbed wire fence, bears NE. and SW.
51.30	Wash, 35 lks. wide, 1 ft. deep, drains SW. for 3.00 chs. thence S.
75.80	Blade road, bears NW. and SE.
78.40	Blade road, bears W. and NE.
80.00	Point for the cor. of secs. 5, 6, 7 and 8.
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.
	T36N R15W S 6   S 5 S 7   S 8 1962
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, cactus, creosote brush and brigham tea.
	From the cor. of secs. 4, 5, 8 and 9.
	N. 89°40' W., bet. secs. 5 and 8.
	By triangulation, asc. over steep E. slope of Cottonwood Canyon.
29.50	Canyon rim, bears N. and S.; fence bearing W. from canyon rim bears N. about 3.50 chs. dist.; end of triangulation, continue over gently rolling land.
30.60	Faint blade road, bears N. 15° W. and S. 15° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8.
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

CHAINS	
	<p>T36N R15W  <math>\frac{1}{4} \frac{S \ 5}{S \ 8}</math>                      1962</p>
61.60	Desc. SW. slope.
72.80	Wash, 20 lks. wide, 1 ft. deep, drains S. 20° E.
74.40	Barbed wire fence, bears N. 15° W. and S. 15° E.
76.30	Blade road, bears SW. and NE. circling to N.
80.00	The cor. of secs. 5, 6, 7 and 8.
	<p>Land, rolling and broken.                      Soil, rocky, sandy loam.                      Timber, widely scattered joshua trees.                      Undergrowth, creosote brush and cactus.</p>
	<p>N. 89°40' W., bet. secs. 6 and 7.</p> <p>Over rolling hills, through widely scattered joshua trees.</p>
11.40	Blade road, bears S. 70° E. and N. 80° W.
16.90	Blade road, bears N. 85° E. and S.
21.40	Wash, 15 lks. wide, 1 ft. deep, drains SE.
25.50	Barbed wire fence, bears S. 88°34' E. and N. 88°34' W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7.
	<p>Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R15W  <math>\frac{1}{4} \frac{S \ 6}{S \ 7}</math>                      1962</p>
46.60	Wash, 10 lks. wide, 1 ft. deep, drains S.; barbed wire fence bears N. 89° W. and S. 89° E.
64.50	Barbed wire fence, bears N. 89°57' E. and S. 89°57' W.
74.00	Barbed wire fence, bears N. 85° W. and S. 88° E.
74.92	The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the township, monumented by an iron post as described in the official record.
	<p>Land, rolling hills.                      Soil, rocky, sandy loam.                      Timber, scattered joshua trees.                      Undergrowth, blackbrush, creosote brush, cactus and brigham tea.</p>
	<p>From the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0°03' W., bet. secs. 5 and 6.</p> <p>Over rolling land through scattered joshua trees.</p>
1.27	Fence, bears S. 87° W. and N. 87° E.
4.00	Blade road, bears N. 80° W. and S. 80° E.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 15 W., Arizona
4.60	Wash, 30 lks. wide, 1 ft. deep, drains S. 60° E.; asc. along rolling E. slope.
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 6.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R15W <math>\frac{1}{4}</math> S 6   S 5 1962</p>
63.00	Wash, 30 lks. wide, 1 ft. deep, drains S. 15° E.
73.10	Same wash, drains S. 30° W.
81.83	<p>Intersect the S. bdy. of T. 37 N., R. 15 W.</p> <p>Point for the closing cor. of secs. 5 and 6.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T37N R15W S 6   S 5 CC T36N 1962</p> <p>The Standard <math>\frac{1}{4}</math> sec. cor. of sec. 32, T. 37 N., R. 15 W., bears East, 12.52 chs. dist., monumented by an iron post as described in the official record.</p> <p>Land, rolling. Soil, rocky, sandy loam. Timber, scattered joshua trees. Undergrowth, cactus, creosote brush and black brush.</p>
	<p>The point for the <math>\frac{1}{4}</math> sec. cor. of sec. 5 is on the N. bdy. at mid-point bet. the closing corners.</p> <p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T37N R15W <math>\frac{1}{4}</math> S 5 T36N R15W 1962</p>
	<p>The Standard cor. of secs. 32 and 33, T. 37 N., R. 15 W., bears East, 12.54 chs. dist., monumented by an iron post as described in the official record.</p>
	<p>The point for the <math>\frac{1}{4}</math> sec. cor. of sec. 6 is on the N. bdy. at 40 chs. West of the closing cor. of secs. 5 and 6.</p> <p>Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.</p>

CHAINS

T37N R15W

1/4 S 6

T36N

1962

The Standard cor. of secs. 31 and 32, T. 37 N., R. 15 W., bears East 12.52 chs. dist., monumented by an iron post as described in the official record.

GENERAL DESCRIPTION

The land in Township 36 North, Range 15 West is mostly rolling mesa cut by numerous canyons and gullies draining southerly. The Grand Wash and its tributaries drain the land in the SE. part of the township; Cottonwood Wash drains the north and central portions; the extreme west and southwest is drained by Cedar Wash and its tributaries.

The township is used primarily for limited grazing of livestock with Waynes Well, located near the center of section 28, being the only permanent source of water noted in the area. Lava rock overlays most of the township with a rocky, sandy sub-soil, which supports a fair growth of grass on some of the slopes, with creosote, black brush, cactus, brigham tea and joshua trees the major growth.

The main road leading northerly through Pocum Wash, primarily a jeep road, and southerly to Pakoon Springs and Lake Mead, enters the township in section 35 and leaves in section 13. One main jeep road extends westerly through the township from the road to Waynes Well in section 22, forking near the corner of sections 5, 6, 7 and 8 and leaving the township in sections 6 and 18. Both forks extend westerly, one to the Lime Kiln Road, the other to Cove Spring. Several dead end roads branch off from this jeep road, giving access to most of the township.

2001 4002

Form 4-680  
(January 1963)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Alan R. Crockett	Note keeper
Harold Chemas	Front Chainman
Tom Carter	Flagman
Albert H. Emett	Cornerman
Jimmie V. Schmutz	Axeman
Gary Oviatt	Transit man
Daniel Bauer	Note keeper
Gordon Black	Front Chainman
Robert Monasmith	Flagman
George Chemas	Cornerman

42

BOOK 407

CERTIFICATE OF SURVEY

Boyd S. Owens  
Paul G. Bauer  
I, Wallace R. Ott

, HEREBY CERTIFY upon honor that,

in pursuance of special instructions bearing date of the 15th day of June, 1962,

I have surveyed the subdivisional lines of Township 36 North, Range 15 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

April 15, 1963  
(Date)

Boyd S. Owens  
(Cadastral Surveyor)

April 15, 1963

Paul G. Bauer Surveying Technician

April 15, 1963  
(Date)

Wallace R. Ott  
Surveying (Cadastral Surveyor) Aid

CERTIFICATE OF APPROVAL  
Bureau of Land Management

The foregoing field notes of the survey of the subdivisional lines of Township 36 North, Range 15 West, Gila and Salt River Meridian, Arizona

executed by Boyd S. Owens, Cadastral Surveyor  
Paul G. Bauer, Surveying Technician  
Wallace R. Ott, Surveying Aid

having been critically examined and found correct, are hereby approved.

Washington, D. C.

OCT 7 1963  
(Date)

Clark L. Gumm  
Acting (Chief, Division of Engineering)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in  
, is a true copy of the original field notes.

Arizona

(Date)

(Chief, Division of Engineering)