

Form 4-679
(January 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

DEPENDENT RESURVEY

of the

East Boundary

of

Township 7 North, Range 17 West

(Fourth Guide Meridian West)

and

COMPLETION SURVEY

of the

Subdivisional Lines

of

Township 7 North, Range 16 West

Of the Gila and Salt River Meridian,

In the State of Arizona.

EXECUTED BY

Leonard W. Murphy, Cadastral Surveyor

Under special instructions dated June 27, 19 62, which provided for the surveys
included under Group Number 379, approved July 2, 1962,
and assignment instructions dated February 18, 19 63.

Survey commenced April 22, 19 63

Survey completed May 17, 19 63

1A

BOOK 4686

INDEX DIAGRAM

Township 7 North, Range 16 West,

	($\frac{1}{4}$)42	($\frac{1}{4}$)42				
6	($\frac{1}{4}$)41 ₆ 41 40	5 30 40	4 23 29	3 23	2	1
6	($\frac{1}{4}$)41 ₇ 39 38	8 28 38	9 22 28	10 17 21	11 12 16	12 11
5	($\frac{1}{4}$)39 ₁₈ 37 36	17 27 35	16 21 27	15 16 20	14 10 15	13 10
4	($\frac{1}{4}$)37 ₁₉ 35 34	20 26 33	21 19 26	22 14 19	23 9 14	24 9
3	($\frac{1}{4}$)34 ₃₀ 32 31	29 25 31	28 18 24	27 13 18	26 8 13	25 8
1	($\frac{1}{4}$)32 ₃₁ 30	32 24	33 17	34 12	35 7	36

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Township 7 North, Range 16 West
Gila and Salt River Meridian, Arizona

The west boundary, the Fourth Guide Meridian West, was surveyed in 1908 and 1909 by J. F. Hesse. The south boundary was surveyed in 1923 by Thorn and White. The east boundary was surveyed in 1923 by Ty White. The north boundary was surveyed in 1956 by Godwin and Harding. Sections 1 and 2 were surveyed in 1956 by Godwin and Harding.

The following field notes are those of the dependent resurvey of the east boundary of Township 7 North, Range 17 West and the completion survey of the subdivisional lines of Township 7 North, Range 16 West.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated June 27, 1962.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base and with a brass cap riveted to the top.

The geographic position of the southeast corner of the township is: Latitude: 33°53'48" N. and Longitude 113°51'48" W. as determined by computation from Coast and Geodetic triangulation station BOUSE which is located in section 4 of Township 6 North, Range 16 West.

The average magnetic declination of several readings was found to be 14°15' E.

Dependent Resurvey, East Boundary
Township 7 North, Range 17 West, Arizona

Reestablishment of the Survey Executed by
J. F. Hesse in 1909

Beginning at the cor. of Ts. 6 and 7 N., Rs. 16 and 17 W., monumented by a silica stone 24 x 12 x 10 ins., firmly set and marked 7 N on NE., 16 W on SE., 6 N on SW., and 17 W on NW. face, with 6 notches on each edge. This cor. now functions as the cor. of Ts. 6 and 7 N., R. 17 W., only.

At the corner point

Set the iron post 24 ins. in the ground, the cap mkd.

T7N T6N
R17W R16W
S36 | S 6
S 1 |
T6N
1963

CHAINS

I destroy the original cor. stone.

N. 0°06' W., along the E. bdy. of sec. 36.

Over gently rolling land, through scattered undergrowth.

4.02 The closing cor. of Ts. 6 and 7 N., R. 16 W., monumented by an iron post, set, mkd. and witnessed as described in the official record.

from which

U. S. Coast & Geodetic survey bench mark bears N. 68°08' E., 12.27 chs. dist., and is marked K99 1935.

12.90 Wash, 120 lks. wide, 2 ft. deep, drains N. 80° W.

16.30 Centerline of state highway No. 72, bears N. 49°15' W. to Parker, Arizona, and S. 49°15' E., to Hope, Arizona.

16.85 Powerline, parallels highway.

18.90 A.T.& S.F. Railroad, bears N. 49°15' W. and S. 49°15' E.

40.00 The 1/2 sec. cor. of secs. 31 and 36, monumented with a lava stone, 22 x 10 x 8 ins., firmly set, mkd. 1/2 on W. face, mound of stone and pits still in evidence. This cor. now functions as the cor. of sec. 36 only.

At the cor. point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W | R16W
1/2 S36 |
1963

Raise a mound of earth and stone, 3 ft. base, 2 ft. high, W. of post. Bury original corner alongside post.

N. 0°06' W., beginning new measurement.

1.00 Enter low sand hills.

9.15 Wash, 15 lks. wide, 3 ft. deep, drains W.

40.03 The cor. of secs. 25, 30, 31 and 36, monumented by a lava stone, 22 x 12 x 10 ins., firmly set, mkd. with 1 notch on S. and 5 notches on N. edge. This cor. now functions as the cor. of secs. 25 and 36 only.

At the cor. point

Set the iron post 24 ins. in the ground, cap mkd.

T7N T7N
S25 | R16W
S36 | S31
R17W
1963

Raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of post.

Cor. falls on level land.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Resurvey, E. Bdy., T. 7 N., R. 17 W., Arizona

Land, gently rolling.
Soil, sandy and rocky.
Timber, none; undergrowth, greasewood and cactus.

N. 0°05' W., along the E. bdy. of sec. 25.

Over hilly land, through sparse undergrowth.

24.70 Center of airstrip, bears E. for 42 chs. and W. for 8 chs.

38.50 The witness $\frac{1}{4}$ sec. cor. of secs. 25 and 30, monumented by a granite stone, 22 x 10 x 8 ins., loosely set, faintly marked WC $\frac{1}{4}$ on W. face, mound of stone to W. of cor. This cor. now functions as the cor. of sec. 25 only.

At the cor. point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
WC $\frac{1}{4}$
S25
1963

Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of post.

Cor. falls on nearly level land.

Bury original cor. alongside post.

40.00 True point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 30; now functions as the $\frac{1}{4}$ sec. cor. of sec. 25 only, falls in wash 15 lks. wide, 1 ft. deep, drains W.

N. 0°36' E., beginning new measurement.

10.20 Wash, 40 lks. wide, 1 ft. deep, drains W.

14.50 Unimproved road, bears W. to Bouse and E. to a mine.

30.30 Wash, 20 lks. wide, 2 ft. deep, drains S. 5° W. from N. 30° W.

31.10 Asc. S. slope of hill.

39.84 The cor. of secs. 19, 24, 25 and 30, monumented by a lava stone, 24 x 10 x 8 ins. firmly set, mkd. with 2 notches on S. and 4 notches on N. edge. This cor. now functions as the cor. of secs. 24 and 25 only.

At the cor. point

Set the iron post 24 ins. in the ground, cap mkd.

T7N T7N
R17W R16W
S24 S30
S25
R17W
1963

CHAINS

Raise a mound of earth and stone to W. of post.

Cor. falls on S. slope of hill.

Bury original cor. alongside post.

Land, hilly.

Soil, gravelly and rocky.

Timber, none; undergrowth, greasewood and scrub palo verde.

N. 0°07' E., along the E. bdy. of sec. 24.

Asc. S. slope of hill.

3.00 Top of hill, bears E. and W.; desc. N. slope.

15.50 Wash, 15 lks. wide, 2 ft. deep, drains N. 35° W.; over a series of low hills.

39.78 The 1/4 sec. cor. of secs. 19 and 24, monumented by a granite stone, 22 x 10 x 8 ins., firmly set, mkd. 1/4 on W. face. This cor. now functions as the 1/4 sec. cor. of sec. 24 only.

At the corner point

Set the iron post 6 ins. in the ground to bedrock and in a mound of stone to top, cap mkd.

T7N
R17W R16W
1/4S24|
1963

Cor. falls on gentle NW. slope.

Bury the original cor. alongside the post.

N. 0°22' W., beginning new measurement.

30.20 Wash, 20 lks. wide, 3 ft. deep, drains N. 45° W.

40.43 The cor. of secs. 13, 18, 19 and 24, monumented by a granite stone, 22 x 12 x 10 ins., firmly set, mkd. with 3 notches on S. and 3 notches on N. edge. This cor. now functions as the cor. of secs. 13 and 24 only.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N T7N
S13| R16W
S24| S19
R17W|
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.

Bury the original cor. alongside the post.

Cor. falls on gentle SW. slope.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Resurvey, E. Bdy., T. 7 N., R. 17 W., Arizona

Land, hilly.
Soil, rocky.
Timber, none; undergrowth, greasewood and cactus.

North, along the E. bdy. of sec. 13.

Over hilly land, no timber.

13.90 Wash, 15 lks. wide, 4 ft. deep, drains W.

34.20 Wash, 30 lks. wide, 3 ft. deep, drains N. 45° W.

40.06 The ¼ sec. cor. of secs. 13 and 18, monumented by a lava stone, 22 x 10 x 8 ins. firmly set, mkd. ¼ on W. face. This cor. now functions as the ¼ sec. cor. of sec. 13 only.

At the corner point

Set the iron post 14 ins. in the ground to bedrock and in a mound of stone to top, cap mkd.

T7N
R17W R16W
¼S13 |
1963

Bury the original cor. alongside post.

N. 0°07' E., beginning new measurement.

Continue over rolling hills.

17.50 Wash, 15 lks. wide, 2 ft. deep, drains irregularly N.

26.90 Same wash, drains NW.

40.02 The cor. of secs. 7, 12, 13 and 18, monumented by a lava stone, 22 x 12 x 8 ins., firmly set, mkd. with 4 notches on S., and 2 notches on N. edge; large mound of stone W. of the cor. This cor. now functions as the cor. of secs. 12 and 13 only.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N T7N
S12 | R16W
S13 | S18
R17W |
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.

Bury the original cor. alongside post.

Land, gently rolling.
Soil, gravelly and rocky.
Timber, none; undergrowth, greasewood and cactus.

CHAINS

N. 0°05' E., along the E. bdy. of sec. 12.

Over rolling land.

19.40 Wash, 20 lks. wide, 1 ft. deep, drains W.

35.50 Leave rolling land, enter level land; through medium dense undergrowth.


39.82 True point for the 1/4 sec. cor. of secs. 7 and 12; now functions as the 1/4 sec. cor. of sec. 12 only.

North, beginning new measurement.

0.20 The witness 1/4 sec. cor. of secs. 7 and 12, monumented by a granite stone, 22 x 12 x 8 ins., firmly set, mkd. WC 1/2 on W. face; small mound of stone west of cor. This cor. now functions as the 1/4 sec. cor. of sec. 12 only.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.



Bury the original cor. alongside post.

Raise a mound of stone 2 ft. base, 2 ft. high, W. of post.


Cor. falls on level land.

31.90 Unimproved road, bears W. to Bouse and E. to Butler Valley.

40.21 The cor. of secs. 1, 6, 7 and 12, monumented by a granite stone, 18 x 10 x 8 ins., firmly set, mkd. with 5 notches on S. and 1 notch on N. edge. This cor. now functions as the cor. of secs. 1 and 12 only.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.



Bury the original cor. alongside post.

Raise a small mound of earth and stone W. of post.

Land, level.

Soil, sandy and gravelly.

Timber, none; undergrowth, greasewood, bur sage and cactus.

North, along the E. bdy. of sec. 1.

Over level land, through medium dense undergrowth.

5.60 Wash, 20 lks. wide, 3 ft. deep, drains W.

32.00 Small wash, drains SW.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p>Resurvey, E. Bdy., T. 7 N., R. 17 W., Arizona</p> <hr/>
39.99	<p>The $\frac{1}{4}$ sec. cor. of secs. 1 and 6, monumented by a granite stone, 24 x 10 x 8 ins., firmly set, mkd. with $\frac{1}{2}$ on W. face. This cor. now functions as the $\frac{1}{4}$ sec. cor. of sec. 1 only.</p> <p>At the corner point</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7N R17W R16W $\frac{1}{2}$ S1 1963</p> <p>Raise a small mound of earth and stone W. of post.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°03' E., beginning new measurement.</p>
35.85	<p>Wash, 30 lks. wide, 1 ft. deep, drains W.</p>
40.03	<p>The cor. of Ts. 7 and 8 N., R. 17 W., monumented by an iron post 3 ins. diam., firmly set, mkd. and witnessed as described in the official record.</p> <p>from which</p> <p style="padding-left: 40px;">The Closing Township Cor. of Ts. 7 and 8 N., R. 16 W., bears N. 0°03' E., 4.28 chs. dist., monumented by an iron post, firmly set, mkd. and witnessed as described in the official record.</p> <p>Land, level. Soil, sandy. Timber, none; undergrowth, greasewood, scrub mesquite and cactus.</p> <hr/>
	<p style="text-align: center;">Portion, Subdivisional Lines, T. 7 N., R. 16 W., Arizona</p> <hr/>
40.00	<p>From the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over level land, through medium dense undergrowth.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W $\frac{1}{2}$ S35 S36 1963</p>
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p>

CHAINS

T7NR16W
 S26|S25
 S35|S36
 1963

Raise a small mound of earth and stone W. of post.

Land, level.
 Soil, sandy.
 Timber, none; undergrowth, greasewood and bur sage.

From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.

West, bet. secs. 25 and 36.

Over level land, through medium dense undergrowth.

40.01 Point for the 1/4 sec. cor. of secs. 25 and 36.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
 1/4 S 25
 S 36
 1963

Raise a small mound of earth and stone N. of post.

80.02 The cor. of secs. 25, 26, 35 and 36.

Land, level.
 Soil, sandy and gravelly.
 Timber, none; undergrowth, greasewood, cacti and scrub palo verde.

N. 0°01' W., bet. secs. 25 and 26.

Over level land, through medium dense undergrowth.

40.00 Point for the 1/4 sec. cor. of secs. 25 and 26.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
 1/4
 S26|S25
 1963

50.05 Wash, 20 lks. wide, 2 ft. deep, drains W.

80.00 Point for the cor. of secs. 23, 24, 25 and 26.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
 S23|S24
 S26|S25
 1963

Raise a small mound of earth and stone W. of post.

Land, level.
 Soil, sandy and gravelly.
 Timber, none; undergrowth, scrub palo verde, greasewood and sage.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 7 N., R. 16 W., Arizona
	<p>From the true point for the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the township; the witness cor., monumented by an iron post, set, mkd. and witnessed as described in the official notes, bears N., 0.30 chs. distant.</p> <p>S. 89°58' W., bet. secs. 24 and 25.</p> <p>Over gently rolling land, through scattered patches of undergrowth.</p>
15.20	Wash, 15 lks. wide, 2 ft. deep, drains S. 70° W.
32.00	Wash, 40 lks. wide, 2 ft. deep, drains S.
40.03	Point for the ¼ sec. cor. of secs. 24 and 25.
	Set the iron post 22 ins. in the ground, cap mkd.
	<p>T7NR16W ¼ $\frac{S\ 24}{S\ 25}$ 1963</p>
	Raise a small mound of earth and stone N. of post.
57.00	Wash, 20 lks. wide, 1 ft. deep, drains S. 25° E.
69.20	Low spur, bears N. 15° W. and S.
80.06	The cor. of secs. 23, 24, 25 and 26.
	Land, gently rolling. Soil, sandy and gravelly. Timber, none; undergrowth, greasewood, cholla and scrub palo verde.
	N. 0°01' W., bet. secs. 23 and 24.
	Over rolling and hilly land, through sparse undergrowth.
14.00	Enter low hills.
40.00	Point for the ¼ sec. cor. of secs. 23 and 24.
	Set the iron post 24 ins. in the ground, cap mkd.
	<p>T7NR16W ¼ S23 S24 1963</p>
	Raise a small mound of earth and stone W. of post.
40.20	Small wash, drains S. 15° E.
80.00	Point for the cor. of secs. 13, 14, 23 and 24.
	Set the iron post 24 ins. in the ground, cap mkd.
	<p>T7NR16W S14 S13 S23 S24 1963</p>

CHAINS

Raise a small mound of earth and stone W. of post.

Cor. falls 350 lks. S. of large wash.

Land, gently rolling hills.

Soil, sandy and gravelly.

Timber, scattered ironwood; undergrowth, greasewood, bur sage and scrub palo verde.

From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.

S. 89°56' W., bet. secs. 13 and 24.

Over rolling and broken land, asc. steep E. slope of ridge.

6.55 Ridge top, bears N. 20° W. and S. 20° E.; desc. steep and rocky W. slope of ridge.

16.65 Draw, drains S. 55° W.; along S. slope.

25.00 Desc. SW. slope.

34.20 Wash, 15 lks. wide, 1 ft. deep, drains S. 40° W.

40.05 Point for the 1/4 sec. cor. of secs. 13 and 24.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W

1/4 S 13
S 24

1963

Raise a mound of stone, 2 ft. base, 2 ft. high, N. of post.

Cor. falls on gentle SW. slope.

47.30 Wash, 15 lks. wide, 2 ft. deep, drains S. 15° E.

53.80 Ridge, bears NW. and SE.

68.40 Spur, bears N. 15° W. and S.; desc. gentle SW. slope.

80.10 The cor. of secs. 13, 14, 23 and 24.

Land, rolling W. 1/2 mile; broken mountainous E. 1/2 mile.

Soil, rocky.

Timber, none; undergrowth, greasewood, cholla, ocotillo and buckhorn.

N. 0°01' W., bet. secs. 13 and 14.

Over gently rolling land, through sparse undergrowth.

3.50 Wash, 50 lks. wide, 2 ft. deep, drains S. 35° W.

29.90 Same wash, drains from N. 20° E.

40.00 Point for the 1/4 sec. cor. of secs. 13 and 14.

Set the iron post 10 ins. in the ground to bedrock and in a mound of stone to top, cap mkd.

T7NR16W

1/4 S14 | S13

1963

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 7 N., R. 16 W., Arizona
	Cor. falls on SE. slope.
51.00	Top of hill, bears E. and W.
59.10	Wash, 15 lks. wide, 2 ft. deep, drains irregularly S.
79.60	Wash, 15 lks. wide, 2 ft. deep, drains generally NW.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.
	Set the iron post 24 ins. in the ground, cap mkd.
	T7NR16W <u>S11 S12</u> S14 S13 1963
	Cor. falls 15 lks. E. of small wash.
	Land, rolling hills. Soil, gravelly and rocky. Timber, scattered ironwood; undergrowth, greasewood, sage and cactus.
	From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.
	S. 89°48' W., bet. secs. 12 and 13.
	Over rolling and mountainous land.
11.00	Small wash, drains SE.; over series of low rolling hills.
35.85	Asc. along S. slope.
39.10	Low saddle, bears N. 20° E. and S. 20° W.
40.06	Point for the ¼ sec. cor. of secs. 12 and 13.
	Set the iron post 6 ins. in the ground to bedrock and in a mound of stone to top, cap mkd.
	T7NR16W ¼ <u>S 12</u> S 13 1963
	Raise a small mound of stone N. of post.
	Cor. falls on SW. slope.
53.60	Low spur, bears N. and S.
61.45	Wash, 15 lks. wide, 2 ft. deep, drains irregularly W.
66.55	Same wash.
78.90	Same wash, drains NW.
80.12	The cor. of secs. 11, 12, 13 and 14.

CHAINS

Land, rolling hills.
Soil, rocky.
Timber, none; undergrowth, greasewood, sage and cactus.

North, bet. secs. 11 and 12.

Over gently rolling hills, through sparse undergrowth.

- 1.20 Junction of 2 washes, drains irregularly NW.
- 4.90 Top of hill, bears E. and W.
- 9.40 Wash, 10 lks. wide, 1 ft. deep, drains W.; asc. gentle S. slope.
- 19.10 Saddle, bears N. 70° W. and S. 70° E.; desc. N. slope.
- 23.80 Wash, 15 lks. wide, 2 ft. deep, drains N. 30° W.; over nearly level land.
- 37.10 Wash, 25 lks. wide, 1 ft. deep, drains N. 45° W.
- 40.14 Point for the ¼ sec. cor. of secs. 11 and 12.

Set the iron post 12 ins. in the ground to bedrock and in a mound of stone to top, cap mkd.

T7NR16W
¼
S11|S12
1963

- 43.40 Wash, 20 lks. wide, 1 ft. deep, drains N. 45° W.
- 77.25 Low ridge, bears NW. and SE.; desc. to cor.
- 80.28 The cor. of secs. 1, 2, 11 and 12, monumented by an iron post, set, mkd. and witnessed as described in the official record.

Land, rolling hills.
Soil, sandy and rocky.
Timber, none; undergrowth, greasewood, scrub palo verde and cactus.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.

N. 0°01' W., bet. secs. 34 and 35.

Over level land, through medium dense undergrowth.

- 40.00 Point for the ¼ sec. cor. of secs. 34 and 35.
- Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
¼
S34|S35
1963

- 80.00 Point for the cor. of secs. 26, 27, 34 and 35.
- Set the iron post 24 ins. in the ground, cap mkd.

4001 4003
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 7 N., R. 16 W., Arizona
	<p style="text-align: center;">T7NR16W S27 S26 S34 S35 1963</p> <p>Raise a small mound of earth and stone W. of post.</p> <p>Land, level. Soil, sandy. Timber, none; undergrowth, greasewood, sage, scrub palo verde and cactus.</p>
40.01	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>S. 89°57' W., bet. secs. 26 and 35.</p> <p>Over level land, through medium dense undergrowth.</p> <p>Point for the ¼ sec. cor. of secs. 26 and 35.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W ¼ S 26 S 35 1963</p>
80.02	<p>Raise a small mound of earth and stone N. of post.</p> <p>The cor. of secs. 26, 27, 34 and 35.</p> <p>Land, level. Soil, sandy. Timber, none; undergrowth, greasewood, sage and cactus.</p>
13.30	<p>N. 0°01' W., bet. secs. 26 and 27.</p> <p>Over level land, through medium dense undergrowth.</p> <p>Small wash, drains SW.</p>
17.50	<p>Wash, 20 lks. wide, 3 ft. deep, drains S. 40° W.</p>
32.90	<p>Wash, 15 lks. wide, 1 ft. deep, drains S. 45° W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 26 and 27.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W ¼ S27 S26 1963</p>
59.40	<p>Raise a small mound of earth and stone W. of post.</p> <p>Wash, 20 lks. wide, 1 ft. deep, drains S. 30° W.</p>
69.40	<p>Small wash, drains SW.</p>

CHAINS

80.00

Point for the cor. of secs. 22, 23, 26 and 27.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
S22 | S23
S27 | S26
1963

Raise a small mound of earth and stone W. of post.

Land, nearly level.

Soil, gravelly.

Timber, none; undergrowth, greasewood, bur sage and saguaro.

From the cor. of secs. 23, 24, 25 and 26.

S. 89°54' W., bet. secs. 23 and 26.

Over level desert land.

3.45

Small wash, drains SW.; asc. E. slope.

13.50

Low ridge, bears N. and S.; desc. W. slope.

18.80

Small wash, drains S.

40.02

Point for the 1/4 sec. cor. of secs. 23 and 26.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
1/4 S 23
S 26
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, N. of post.

51.20

Small wash, drains S.

57.30

Wash, 20 lks. wide, 1 ft. deep, drains S.

75.30

Wash, 15 lks. wide, 1 ft. deep, drains SW.

80.04

The cor. of secs. 22, 23, 26 and 27.

Land, level.

Soil, sandy, gravelly.

Timber, none; undergrowth, greasewood, bur sage and cactus.

N. 0°01' W., bet. secs. 22 and 23.

Over level land, through scattered undergrowth.

3.70

Jeep road, bears NE. and SW.

7.30

Wash, 10 lks. wide, 1 ft. deep, drains S. 55° W.

14.00

Wash, 60 lks. wide, 1 ft. deep, drains S. 30° W.

40.00

Point for the 1/4 sec. cor. of secs. 22 and 23.

Set the iron post 24 ins. in the ground, cap mkd.

BOOK 4003
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 7 N., R. 16 W., Arizona
	<p>T7NR16W $\frac{1}{4}$ S22 S23 1963</p>
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of the post.
51.90	Jeep road, bears NE. and SW.
61.80	Wash, 70 lks. wide, drains S. 35° W.; leave level land, asc. over gently rolling Bouse Hills.
80.00	Point for the cor. of secs. 14, 15, 22 and 23. Set the iron post 24 ins. in the ground, cap mkd.
	<p>T7NR16W S15 S14 S22 S23 1963</p>
	Cor. falls on gentle E. slope.
	Land, level S. $\frac{1}{2}$ mile; gently rolling N. $\frac{1}{2}$ mile. Soil, gravelly. Timber, none; undergrowth, greasewood, sage and cactus.
	From the cor. of secs. 13, 14, 23 and 24. S. 89°53' W., bet. secs. 14 and 23. Over gently rolling land, through scattered timber and undergrowth.
3.20	Wash, 50 lks. wide, drains S. 35° W.
7.10	Small wash, drains S. for 250 lks. to empty into the above wash.
22.40	Jeep road, bears NW. and SE.
40.04	Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 23. Set the iron post 24 ins. in the ground, cap mkd.
	<p>T7NR16W $\frac{1}{4}$ S 14 S 23 1963</p>
	Cor. falls on level land.
41.30	Wash, 40 lks. wide, 1 ft. deep, drains S. 60° W.
49.00	Wash, 20 lks. wide, 1 ft. deep, drains S.
58.60	Small wash, drains S.
67.50	Wash, 10 lks. wide, 1 ft. deep, drains S.

CHAINS

80.08

The cor. of secs. 14, 15, 22 and 23.

Land, gently rolling.
Soil, sandy and gravelly.
Timber, ironwood, mesquite; undergrowth, cactus.

N. 0°01' W., bet. secs. 14 and 15.

Over gently rolling desert land, through sparse undergrowth.

15.50

Wash, 40 lks. wide, 1 ft. deep, drains SW.

40.00

Point for the ¼ sec. cor. of secs. 14 and 15.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
¼
S15 | S14
1963

Cor. falls on gentle N. slope.

41.90

Small draw, drains SW.

58.50

Wash, 15 lks. wide, 1 ft. deep, drains S. 20° W.

73.40

Low saddle, bears E. and W.

80.00

Point for the cor. of secs. 10, 11, 14 and 15.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
S10 | S11
S15 | S14
1963

Land, gently rolling hills.
Soil, rocky.
Timber, none; undergrowth, greasewood, cholla, ocotillo and palo verde.

From the cor. of secs. 11, 12, 13 and 14.

S. 89°57' W., bet. secs. 11 and 14.

Over rollingland, through sparse undergrowth.

.15

Small wash, drains NW.

19.90

Low ridge, bears N. and S.

40.05

Point for the ¼ sec. cor. of secs. 11 and 14.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
¼ $\frac{S\ 11}{S\ 14}$
1963

57.10

Wash, 55 lks. wide, 1 ft. deep, drains N. 10° W.

78.10

Wash, 10 lks. wide, 1 ft. deep, drains N.

80.10

The cor. of secs. 10, 11, 14 and 15.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p style="text-align: center;">Subdivision, T. 7 N., R. 16 W., Arizona</p> <hr/>
	<p>Land, gently rolling. Soil, gravelly and rocky. Timber, none; undergrowth, greasewood and cactus.</p> <hr/>
	<p>N. 0°16' E., bet. secs. 10 and 11.</p>
	<p>Over rolling desert hills.</p>
23.20	<p>Wash, 65 lks. wide, 1 ft. deep, drains N. 25° W.</p>
40.20	<p>Point for the ¼ sec. cor. of secs. 10 and 11.</p>
	<p>Set the iron post 22 ins. in the ground, cap mkd.</p>
	<p>T7NR16W ¼ S10 S11 1963</p>
48.35	<p>Wash, 40 lks. wide, 1 ft. deep, drains W.</p>
53.70	<p>Deep wash, 70 lks. wide, drains W.</p>
80.40	<p>The cor. of secs. 2, 3, 10 and 11, monumented by an iron post, set, mkd. and witnessed as described in the official record.</p>
	<p>Land, rolling hills. Soil, sandy and rocky. Timber, scattered ironwood and mesquite; undergrowth, greasewood.</p> <hr/>
	<p>From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.</p>
	<p>N. 0°02' W., bet. secs. 33 and 34.</p>
	<p>Over level land.</p>
24.30	<p>Wash, 25 lks. wide, 2 ft. deep, drains W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 33 and 34.</p>
	<p>Set the iron post 24 ins. in the ground, cap mkd.</p>
	<p>T7NR16W ¼ S33 S34 1963</p>
	<p>Raise a small mound of stone W. of post.</p>
50.35	<p>Jeep road, bears NE. and SW.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p>
	<p>Set the iron post 24 ins. in the ground, cap mkd.</p>

CHAINS		
	<p style="text-align: center;">T7NR16W $\frac{S28}{S33} \frac{S27}{S34}$ 1963</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.</p> <p>Land, level. Soil, sandy and gravelly. Timber, none; undergrowth, greasewood, sage and cactus.</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>S. 89°59' W., bet. secs. 27 and 34.</p> <p>Over level desert land, through medium dense undergrowth.</p>	
16.50	Wash, 40 lks. wide, 1 ft. deep, drains S. 50° W.	
29.20	Wash, 30 lks. wide, 1 ft. deep, drains S. 45° W.	
40.01	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34.	
	Set the iron post 24 ins. in the ground, cap mkd.	
	<p style="text-align: center;">T7NR16W $\frac{1}{4} \frac{S 27}{S 34}$ 1963</p>	
	Raise a small mound of earth and stone N. of post.	
45.90	Jeep road, bears NE. and SW.	
68.40	Jeep road, bears N. 15° E. and S. 15° W.	
80.02	The cor. of secs. 27, 28, 33 and 34.	
	Land, level. Soil, sandy and gravelly. Timber, none; undergrowth, greasewood, bur sage, buffalo grass, cactus and scrub palo verde. <hr/> <p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over level desert land.</p>	
22.30	Wash, 80 lks. wide, 1 ft. deep, drains irregularly SW.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 28.	
	Set the iron post 24 ins. in the ground, cap mkd.	
	<p style="text-align: center;">T7NR16W $\frac{1}{4} \frac{S28}{S27}$ 1963</p>	
	Raise a mound of stone, 4 ft. base, 3 ft. high, W. of post.	
42.00	Leave level land; asc. over rolling hills.	
80.00	Point for the cor. of secs. 21, 22, 27 and 28.	
	Set the iron post 24 ins. in the ground, cap mkd.	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p style="text-align: center;">Subdivision, T. 7 N., R. 16 W., Arizona</p> <hr/>
	<p style="text-align: center;">T7NR16W S21 S22 S28 S27 1963</p>
	<p>Cor. falls on gentle SW. slope.</p> <p>Land, gently rolling. Soil, rocky. Timber, none; undergrowth, cholla, ocotillo and scrub palo verde.</p> <hr/>
	<p>From the cor. of secs. 22, 23, 26 and 27.</p>
	<p>West, bet. secs. 22 and 27.</p>
	<p>Over rolling desert land.</p>
1.45	<p>Jeep road, bears NE. and SW.</p>
6.20	<p>Small wash, drains SW.</p>
19.00	<p>Wash, 10 lks. wide, 1 ft. deep, drains S. 15° W.</p>
35.60	<p>Jeep road, bears NE. and SW.</p>
40.03	<p>Point for the ¼ sec. cor. of secs. 22 and 27.</p>
	<p>Set the iron post 24 ins. in the ground, cap mkd.</p>
	<p style="text-align: center;">T7NR16W ¼ S 22 S 27 1963</p>
	<p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of post.</p>
49.95	<p>Wash, 60 lks. wide, 1 ft. deep, drains SW.; leave level land.</p>
51.10	<p>Jeep road, bears NE. and SW.</p>
52.70	<p>Wash, 15 lks. wide, 1 ft. deep, drains S.</p>
61.00	<p>Wash, 20 lks. wide, 3 ft. deep, drains S.; asc. gentle E. slope.</p>
72.00	<p>Low saddle, bears N. and S.; desc. over gently rolling SW. slope to cor.</p>
80.06	<p>The cor. of secs. 21, 22, 27 and 28.</p>
	<p>Land, gently rolling W. ½ mile; nearly level E. ½. Soil, sandy, rocky. Timber, scattered ironwood. Undergrowth, greasewood, buckhorn and cactus.</p> <hr/>
	<p>N. 0°02' W., bet. secs. 21 and 22.</p>
	<p>Over rolling land; asc. gentle SW. slope.</p>

CHAINS

17.90	Small wash, drains W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22. Set the iron post 12 ins. in the ground to bedrock and in a mound of stone to top, cap mkd. T7NR16W $\frac{1}{4}$ S21 S22 1963 Cor. falls on top of small hill. Desc. along W. slope.
49.35	Wash, 10 lks. wide, 1 ft. deep, drains W.
51.15	Bladed road, bears irregularly N. and SW.
55.80	Unimproved road, bears W. and E. for 5 chains then N.
58.20	Wash, 130 lks. wide, drains W.
61.80	Wash, 20 lks. wide, 1 ft. deep, drains W.
77.60	Road, bears N. 15° W. and S. 35° E.
80.00	Point for the cor. of secs. 15, 16, 21 and 22. Set the iron post 24 ins. in the ground, cap mkd. T7NR16W S16 S15 S21 S22 1963 Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post. Land, rolling hills. Soil, rocky. Timber, none; undergrowth, greasewood and cactus.
	From the cor. of secs. 14, 15, 22 and 23. S. $89^\circ 58'$ W., bet. secs. 15 and 22. Over rolling desert land; asc. gentle E. slope.
1.80	Top of hill; desc. NW. slope.
5.70	Wash, 30 lks. wide, 1 ft. deep, drains S. 35° W.; over level land.
40.08	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22. Set the iron post 22 ins. in the ground, cap mkd. T7NR16W $\frac{1}{4}$ S 15 S 22 1963 Raise a small mound of earth and stone, N. of post.
41.20	Wash, 20 lks. wide, 1 ft. deep, drains W.
45.80	Same wash, drains S. 60° W.
50.25	Wash, 25 lks. wide, 1 ft. deep, drains SW.; asc. over rolling hills.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 7 N., R. 16 W., Arizona
58.40	Wash, 40 lks. wide, 1 ft. deep, drains S. 30° W.
80.16	The cor. of secs. 15, 16, 21 and 22. Land, level E. ½ mile; rolling W. ½ mile. Soil, rocky. Timber, none; undergrowth, greasewood, sage and cactus.
	N. 0°02' W., bet. secs. 15 and 16. Over rolling hills, through sparse undergrowth.
16.20	Asc. S. slope of hill.
23.10	Top of hill; desc. N. slope.
40.00	Point for the ¼ sec. cor. of secs. 15 and 16. Set the iron post over an "X" chiseled on solid rock, and in a mound of stone to top, cap mkd. T7NR16W ½ S16 S15 1963
	Cor. falls on gentle N. slope.
40.85	Small wash, drains W.; asc. S. slope.
61.20	Top of hill, bears N. 20° W. and S. 20° E.; desc. E. slope.
80.00	Point for the cor. of secs. 9, 10, 15 and 16. Set the iron post 12 ins. in the ground to bedrock and in a mound of stone to top, cap mkd. T7NR16W S 9 S10 S16 S15 1963
	Land, rolling hills. Soil, rocky. Timber, none; undergrowth, cholla, sage, ocotillo and greasewood.
	From the cor. of secs. 10, 11, 14 and 15. S. 89°57' W., bet. secs. 10 and 15. Asc. gentle NE. slope.
13.25	Low ridge, bears N. and S.; desc. W. slope.
20.15	Small wash, drains N. 15° W. for 4 chains then N.
23.00	Small wash, drains N. to join above wash; asc. NE. slope.

CHAINS		
38.80	Crest of spur, bears N. and S.; desc. NW. slope.	
40.09	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15.	
	Set the iron post 24 ins. in the ground, cap mkd.	
	T7NR16W $\frac{1}{4}$ $\frac{S 10}{S 15}$ 1963	
	Cor. falls on rocky NW. slope.	
49.60	Ridge, bears N. and S.; cont. desc.	
75.00	Wash, 40 lks. wide, 1 ft. deep, drains irregularly N.; asc. to cor.	
80.18	The cor. of secs. 9, 10, 15 and 16.	
	Land, rolling and broken. Soil, rocky. Timber, none; undergrowth, greasewood and cactus.	
<hr/>		
	N. $0^{\circ}02'$ W., bet. secs. 9 and 10.	
	Over rolling desert land.	
.15	Small wash, drains E.	
7.40	Wash, 40 lks. wide, 1 ft. deep, drains irregularly N.	
17.65	Same wash, same general drainage.	
29.60	Same wash, drains N. 20° W.	
33.00	Leave rolling land; over nearly level land.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10.	
	Set the iron post 22 ins. in the ground, cap mkd.	
	T7NR16W $\frac{1}{4}$ S 9 S 10 1963	
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.	
45.00	Wash, 30 lks. wide, 1 ft. deep, drains W.	
63.60	Wash, 30 lks. wide, 1 ft. deep, drains N. 70° W.	
80.00	Point for the cor. of secs. 3, 4, 9 and 10.	
	Set the iron post 20 ins. in the ground, cap mkd.	
	T7NR16W S 4 S 3 S 9 S 10 1963	
	Cor. falls on level land.	
	Land, level N. $\frac{1}{2}$ mile; rolling S. $\frac{1}{2}$ mile. Soil, rocky. Timber, none; undergrowth, greasewood, sage, scrub palo verde and cactus.	
<hr/>		

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 7 N., R. 16 W., Arizona
	From the cor. of secs. 2, 3, 10 and 11.
	S. 89°48' W., bet. secs. 3 and 10.
	Over nearly level desert land.
.80	Wash, 30 lks. wide, 1 ft. deep, drains irregularly W.
19.20	Same wash, same general drainage.
37.30	Same wash.
40.20	Point for the ¼ sec. cor. of secs. 3 and 10.
	Set the iron post 24 ins. in the ground, cap mkd.
	T7NR16W ¼ $\frac{S \ 3}{S \ 10}$ 1963
52.30	Same wash, 15 lks. wide, 1 ft. deep, drains N. 80° W.
80.40	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level. Soil, gravelly. Timber, scattered ironwood and mesquite; undergrowth, cactus, greasewood and sage.
	N. 0°08' E., bet. secs. 3 and 4.
	Over level desert land.
4.90	Wash, 35 lks. wide, 1 ft. deep, drains N. 35° W.
17.60	Wash, 15 lks. wide, 1 ft. deep, drains W.
30.50	Small wash, drains W.
39.40	Wash, 30 lks. wide, 1 ft. deep, drains W.
40.00	Point for the ¼ sec. cor. of secs. 3 and 4.
	Set the iron post 24 ins. in the ground, cap mkd.
	T7NR16W ¼ S 4 S 3 1963
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.
67.90	Wash, 70 lks. wide, 1 ft. deep, drains W.
69.10	Bladed road, bears W. and E.
80.42	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.

CHAINS		
	<p>Land, nearly level. Soil, sandy and gravelly. Timber, ironwood and mesquite; undergrowth, greasewood, ocotillo and saguaro.</p> <hr/> <p>From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the township, monumented by an iron post, set, mkd. and witnessed as described in the official record.</p> <p>N. 0°02' W., bet. secs. 32 and 33.</p> <p>Over level desert land, through medium dense undergrowth.</p>	
34.80	Jeep road, bears NE. and SW.	
36.80	Small wash, drains SW.	
40.00	Point for the 1/4 sec. cor. of secs. 32 and 33.	
	Set the iron post 24 ins. in the ground, cap mkd.	
	<p>T7NR16W 1/4 S32 S33 1963</p>	
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.	
50.50	Wash, 90 lks. wide, 1 ft. deep, drains W.	
80.00	Point for the cor. of secs. 28, 29, 32 and 33.	
	Set the iron post 24 ins. in the ground, cap mkd.	
	<p>T7NR16W S29 S28 S32 S33 1963</p>	
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.	
	Land, level. Soil, sandy and gravelly. Timber, none; undergrowth, greasewood, and cactus. <hr/>	
	From the cor. of secs. 27, 28, 33 and 34.	
	S. 89°55' W., bet. secs. 28 and 33.	
	Over level desert land.	
14.60	Wash, 40 lks. wide, 2 ft. deep, drains S.; leave level land, enter gently rolling hills.	
37.80	Ridge top, bears N. 15° W. and S. 15° E.; desc. steep W. slope.	
40.05	Point for the 1/4 sec. cor. of secs. 28 and 33.	
	Set the iron post 24 ins. in the ground, cap mkd.	
	<p>T7NR16W 1/4 S 28 S 33 1963</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 7 N., R. 16 W., Arizona
	Raise a small mound of stone N. of post. Cor. falls on rocky W. slope.
48.70	Small wash, drains S.
55.20	Wash, 20 lks. wide, 2 ft. deep, drains S.
69.10	Wash, 25 lks. wide, 1 ft. deep, drains S.
80.10	The cor. of secs. 28, 29, 32 and 33. Land, rolling. Soil, rocky. Timber, none; undergrowth, cholla, greasewood, saguaro and buckhorn.
	N. 0°02' W., bet. secs. 28 and 29. Over rolling hills, through sparse undergrowth.
10.70	Wash, 10 lks. wide, 1 ft. deep, drains S. 40° W., leave level land; asc. over rolling Bouse Hills.
28.40	Ridge, bears E. and W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 29. Set the iron post 4 ins. in the ground to bedrock and in a mound of stone to top, cap mkd. T7NR16W $\frac{1}{4}$ S29 S28 1963
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post. Cor. falls on gentle W. slope of small saddle.
58.80	Wash, 20 lks. wide, 1 ft. deep, drains N. 20° W.; asc. SW. slope.
78.60	Ridge top, bears E. and W.
80.00	Point for the cor. of secs. 20, 21, 28 and 29. Set the iron post over a "X" chiseled on solid rock and in a mound of stone to top, cap mkd. T7NR16W S20 S21 S29 S28 1963
	Cor. falls on gentle N. slope Land, rolling. Soil, rocky. Timber, none; undergrowth, greasewood and cactus.

CHAINS	
	<p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>S. 89°54' W., bet. secs. 21 and 28.</p> <p>Over rolling desert land.</p>
40.07	<p>Point for the ¼ sec. cor. of secs. 21 and 28.</p> <p>Set the iron post 22 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W ¼ S 21 S 28 1963</p>
64.85	<p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of post.</p>
72.70	<p>Asc. E. slope.</p>
77.70	<p>Ridge, bears N. and S.; desc. W. slope.</p>
80.14	<p>Wash, 10 lks. wide, 1 ft. deep, drains N.</p>
	<p>The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, rolling. Soil, rocky. Timber, none; undergrowth, scrub palo verde, bur sage and greasewood.</p>
	<p>N. 0°02' W., bet. secs. 20 and 21.</p> <p>Desc. gentle N. slope.</p>
9.00	<p>Draw, drains E.; asc. S. slope of rocky hill.</p>
16.10	<p>Top of hill; desc. abrupt N. slope.</p>
26.10	<p>Small wash, drains N. 75° W.; over rolling hills.</p>
28.60	<p>Jeep road, bears E. and W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 20 and 21.</p>
	<p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W ¼ S20 S21 1963</p>
	<p>Cor. falls on gentle N. slope.</p>
41.70	<p>Wash, 60 lks. wide, 1 ft. deep, drains W.</p>
43.50	<p>Graded road, bears E. and W.</p>
49.60	<p>Wash, 30 lks. wide, 1 ft. deep, drains S. 80° W.</p>
57.15	<p>Low saddle, bears E. and W.</p>
79.10	<p>Wash, 40 lks. wide, 1 ft. deep, drains S. 85° W.</p>
80.00	<p>Point for the cor. of secs. 16, 17, 20 and 21.</p>
	<p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W S17 S16 S20 S21 1963</p>
	<p>Raise a small mound of stone W. of post.</p>
	<p>Cor. falls on level land.</p>

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 7 N., R. 16 W., Arizona
	<p>Land, rolling. Soil, rocky. Timber, none; undergrowth, scrub mesquite, greasewood and ocotillo.</p>
	<p>From the cor. of secs. 15, 16, 21 and 22. S. 89°50' W., bet. secs. 16 and 21. Over rolling land, through sparse undergrowth.</p>
2.75	Bladed road, bears N. 15° W. and S. 35° E.
17.70	Small wash, drains irregularly S.
35.70	Small wash, drains SE.
40.10	Point for the ¼ sec. cor. of secs. 16 and 21. Set the iron post 22 ins. in the ground, cap mkd.
	<p>T7NR16W ¼ $\frac{S\ 16}{S\ 21}$ 1963</p>
	<p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of post. Cor. falls on top of small rocky hill.</p>
41.80	Desc. SW. slope of hill.
50.00	Over nearly level land.
76.70	Wash, 40 lks. wide, 1 ft. deep, drains S. 85° W.
80.20	The cor. of secs. 16, 17, 20 and 21. Land, rolling. Soil, rocky. Timber, scattered mesquite; undergrowth, greasewood, sage and cactus.
	<p>N. 0°02' W., bet. secs. 16 and 17. Over rolling desert land, through sparse undergrowth.</p>
19.30	Small wash, drains SW.
27.20	Small wash, drains SW.
40.00	Point for the ¼ sec. cor. of secs. 16 and 17. Set the iron post 10 ins. in the ground to bedrock and in a collar of stone to top, cap mkd.
	<p>T7NR16W ¼ S17 S16 1963</p>

CHAINS	
	<p>Cor. falls on level land.</p>
42.60	Asc. rocky S. slope of hill.
48.00	Top of hill; desc. N. slope.
64.50	Wash, 30 lks. wide, 1 ft. deep, drains W.
73.65	Wash, 20 lks. wide, 1 ft. deep, drains W.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.
	<p>Set the iron post 22 ins. in the ground, cap mkd.</p> <div style="text-align: center;"> <p>T7NR16W $\frac{S\ 8}{S\ 17} \frac{S\ 9}{S\ 16}$ 1963</p> </div> <p>Raise a small mound of stone W. of post.</p> <p>Land, rolling. Soil, rocky. Timber, none; undergrowth, cactus.</p> <hr/> <p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>S. 89°52' W., bet. secs. 9 and 16.</p> <p>Over rolling land, no timber.</p>
26.00	Wash, 20 lks. wide, 1 ft. deep, drains N.; asc. rolling hills.
38.00	Small wash, drains N.; asc. E. slope.
40.11	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 16.
	<p>Set the post 24 ins. in the ground, cap mkd.</p> <div style="text-align: center;"> <p>T7NR16W $\frac{1}{4} \frac{S\ 9}{S\ 16}$ 1963</p> </div> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of post.</p> <p>Cor. falls on gentle NE. slope.</p>
45.50	Spur, bears N. and S.; desc. W. slope.
64.10	Small wash, drains SW.
80.22	The cor. of secs. 8, 9, 16 and 17.
	<p>Land, rolling. Soil, rocky and gravelly. Timber, none; undergrowth, greasewood, buckhorn and cactus.</p> <hr/> <p>N. 0°02' W., bet. secs. 8 and 9.</p> <p>Over rolling land.</p>
4.90	Wash, 20 lks. wide, 1 ft. deep, drains W.
18.20	Small wash, drains SW.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 7 N., R. 16 W., Arizona
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 9.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W $\frac{1}{4}$ S 8 S 9 1963</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.</p> <p>Cor. falls on level land.</p>
49.70	Small wash, drains W.
62.90	Wash, 80 lks. wide, 1 ft. deep, drains W.; over nearly level land.
80.00	<p>Point for the cor. of secs. 4, 5, 8 and 9.</p> <p>Set the iron post 22 ins. in the ground with the cap mkd.</p> <p style="text-align: center;">T7NR16W S 5 S 4 S 8 S 9 1963</p> <p>Raise a small mound of earth and stone W. of post.</p> <p>Land, gently rolling. Soil, rocky. Timber, none; undergrowth, greasewood, cholla, saguaro and ocotillo.</p>
	From the cor. of secs. 3, 4, 9 and 10.
	S. $89^{\circ}52'$ W., bet. secs. 4 and 9.
	Over nearly level land, through sparse undergrowth.
12.40	Wash, 35 lks. wide, 1 ft. deep, drains generally W.
40.12	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W $\frac{1}{4}$ $\frac{S 4}{S 9}$ 1963</p>
	Raise a mound of stone, 3 ft. base, 2 ft. high, N. of post.
80.24	<p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Land, nearly level. Soil, sandy and gravelly. Timber, scattered ironwood, mesquite; undergrowth, greasewood and cactus.</p>

CHAINS

N. 0°02' W., bet. secs. 4 and 5.

Over nearly level desert land.

9.00 Wash, 10 lks. wide, 1 ft. deep, drains W.

28.00 Wash, 240 lks. wide, drains W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W

$\frac{1}{4}$
S 5 | S 4
1963

Raise a mound of stone to W. of post.

52.90 Wash, 15 lks. wide, 1 ft. deep, drains S. 65° W.

56.25 Graded road, bears W. and E.

63.50 Wash, 10 lks. wide, 1 ft. deep, drains S. 45° W.

80.61 Point for the C.C. of secs. 4 and 5 on the N. bdy. of the township.

Set the iron post 24 ins. in the ground, cap mkd.

T8NR16W

S32
S 5 | S 4
CC
T7N
1963

From this cor. the cor. of secs. 4, 5, 32 and 33 bears East, 0.58 chs. dist., monumented by an iron post, set, marked and witnessed as described in the official record. This cor. now functions as the cor. of secs. 32 and 33, T. 8 N., R. 16 W., only, cap remarked

T8NR16W

S32 | S33
S4
T7N
1956
1963

Land, nearly level desert.

Soil, sandy and gravelly.

Timber, scattered mesquite and ironwood; undergrowth, cactus and sage.

From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the township, monumented by an iron post, set, mkd., and witnessed as described in the official record.

N. 0°03' W., bet. secs. 31 and 32.

Over level desert land.

7.50 Small wash, drains W.

19.90 Jeep road, bears W. and N. 80° E.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32.

Set the iron post 24 ins. in the ground, cap mkd.

BOOK 4000
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 7 N., R. 16 W., Arizona
	<p style="text-align: center;">T7NR16W $\frac{1}{4}$ S31 S32 1963</p> <p>Raise a small mound of earth and stone W. of post.</p>
54.40	Wash, 40 lks. wide, 1 ft. deep, drains W.
59.90	Wash, 10 lks. wide, 1 ft. deep, drains S. 20° W.
80.00	Point for the cor. of secs. 29, 30, 31 and 32.
	Set the iron post 24 ins. in the ground, cap mkd.
	<p style="text-align: center;">T7NR16W S30 S29 S31 S32 1963</p> <p>Raise a small mound of earth and stone W. of post.</p> <p>Land, level. Soil, sandy and gravelly. Timber, none; undergrowth, greasewood, saguaro and palo verde.</p>
	<p>From the cor. of secs. 28, 29, 32 and 33.</p> <p>S. 89°57' W., bet. secs. 29 and 32.</p> <p>Over level desert land.</p>
40.03	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.
	Set the iron post 24 ins. in the ground, cap mkd.
	<p style="text-align: center;">T7NR16W $\frac{1}{4}$ S 29 S 32 1963</p> <p>Raise a small mound of earth and stone N. of post.</p>
60.20	Wash, 40 lks. wide, 2 ft. deep, drains S.
80.06	The cor. of secs. 29, 30, 31 and 32.
	<p>Land, nearly level. Soil, sandy and gravelly. Timber, none; undergrowth, greasewood, palo verde, sage and cactus.</p>
	<p>West, bet. secs. 30 and 31.</p> <p>Over gently rolling land.</p>
21.80	Wash, 30 lks. wide, 1 ft. deep, drains S.
39.00	Wash, 10 lks. wide, 1 ft. deep, drains S. 15° W.

CHAINS

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.
Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
 $\frac{1}{4}$ $\frac{S}{S}$ $\frac{30}{31}$
1963

Raise a small mound of earth and stone N. of post.

53.60 Wash, 15 lks. wide, 1 ft. deep, drains S. 10° W.

70.60 Small wash, drains S.

81.07 Point for the C.C. of secs. 30 and 31 on the W. bdy. of the township, the Fourth Guide Meridian West.

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
S 25 $\frac{S}{S}$ $\frac{30}{31}$ C
1963

Raise a mound of stone, 4 ft. base, 3 ft. high, E. of the post.

From this cor., the cor. of secs. 25 and 36, E. bdy., T. 7 N., R. 17 W., bears S. 0°05' E., 4.00 chs. dist.

Land, gently rolling.
Soil, gravelly and rocky.
Timber, none; undergrowth, greasewood, sage and cactus.

The point for the W. $\frac{1}{4}$ sec. cor. of sec. 31 is at mid-point and on the W. bdy. of the township, the Fourth Guide Meridian West.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
 $\frac{1}{4}$ S 31
1963

Raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 ft. high, E. of post.

From this corner, the $\frac{1}{4}$ sec. cor. of sec. 36, T. 7 N., R. 17 W., bears S. 0°06' E., 4.02 chs. dist.

From the cor. of secs. 29, 30, 31 and 32.

N. 0°03' W., bet. secs. 29 and 30.

Over rolling desert land, through scattered undergrowth.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
 $\frac{1}{4}$
S30 | S29
1963

5001, 4000
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 7 N., R. 16 W., Arizona
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.
	Cor. falls on level land.
50.60	Wash, 60 lks. wide, 2 ft. deep, drains W.
61.80	Graded road, bears W. and E.
65.50	Asc. gentle S. slope of hill.
80.00	Point for the cor. of secs. 19, 20, 29 and 30.
	Set the iron post 24 ins. in the ground, cap mkd.
	T7NR16W S19 S20 S30 S29 1963
	Raise a mound of stone, 3½ ft. base, 2 ft. high, W. of post.
	Cor. falls on gentle SE. slope.
	Land, gently rolling. Soil, gravelly and rocky. Timber, none; undergrowth, sage and cactus.
	From the cor. of secs. 20, 21, 28, and 29.
	N. 89°57' W., bet. secs. 20 and 29.
	Over rolling land; asc. along N. slope.
4.70	Top of small hill; desc. along N. slope.
12.50	Small wash, drains SW.; asc. along S. slope.
25.90	Desc. SW. slope.
36.40	Over nearly level land.
40.03	Point for the ¼ sec. cor. of secs. 20 and 29.
	Set the iron post 24 ins. in the ground, cap mkd.
	T7NR16W ¼ S 20 S 29 1963
	Raise a mound of stone, 3½ ft. base, 2½ ft. high, N. of post.
	Cor. falls on level land.
57.85	Graded road, bears SW. and NE.
60.50	Wash, 90 lks. wide, 1 ft. deep, drains S. 10° W.; asc. over rolling land.

CHAINS

74.70 Small wash, drains S. 5° W.; asc. E. slope to cor.

80.06 The cor. of secs. 19, 20, 29 and 30.

Land, rolling hills.
Soil, sandy and rocky.
Timber, none; undergrowth, greasewood, cactus and sage.

West, bet. secs. 19 and 30.

Over rolling land; asc. SE. slope.

1.70 Ridge top, slopes S.; desc. along S. slope of hill.

20.45 Wash, 25 lks. wide, 2 ft. deep, drains irregularly SW.

38.65 Wash, 45 lks. wide, 2 ft. deep, drains SW.

40.00 Point for the ¼ sec. cor. of secs. 19 and 30.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
¼ S 19
S 30
1963

Raise a mound of stone, 3 ft. base, 3 ft. high, N. of post.

Cor. falls on level land.

64.00 Asc. E. slope of hill to cor.

80.60 Point for the C.C. of secs. 19 and 30 on the W. bdy. of the township, the Fourth Guide Meridian West.

Set the iron post 14 ins. in the ground, cap mkd.

T7N
R17W R16W
S 24 | S 19 C
S 30 C
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, E. of post.

Cor. falls on N. slope of hill.

From this cor., the cor. of secs. 24 and 25, E. bdy., T. 7 N., R. 17 W., bears S. 0°07' W., 4.04 chs. dist.

Land, rolling.
Soil, gravelly and rocky.
Timber, none; undergrowth, greasewood and cactus.

The point for the ¼ sec. cor. of sec. 30 is at mid-point and on the W. bdy. of the township, the Fourth Guide Meridian West.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
¼ S 30
1963

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 7 N., R. 16 W., Arizona

Raise a mound of stone, 3 ft. base, 2½ ft. high, E. of post.

From this cor. the true point for the ¼ sec. cor. of sec. 25, T. 7 N., R. 17 W., bears S. 0°36' W., 3.94 chs. dist.

From the cor. of secs. 19, 20, 29 and 30.

N. 0°03' W., bet. secs. 19 and 20.

Asc. along SE. slope of hill.

18.20 Top of hill, bears E. and W.; desc. N. slope.

27.30 Wash, 15 lks. wide, 1 ft. deep, drains irregularly W.; asc. over low hill.

40.00 Point for the ¼ sec. cor. of secs. 19 and 20.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W

¼
S19 | S20
1963

Raise a mound of stone, 3 ft. base, 2½ ft. high, W. of post.

Cor. falls on gentle S. slope.

66.90 Small wash, drains SE.; asc. over lava hills.

80.00 Point for the cor. of secs. 17, 18, 19 and 20.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W

S18 | S17
S19 | S20
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.

Land, rolling hills.

Soil, gravelly and rocky.

Timber, none; undergrowth, cholla, greasewood and bur sage.

From the cor. of secs. 16, 17, 20 and 21.

N. 89°54' W., bet. secs. 17 and 20.

Over gently rolling land.

15.00 Wash, 25 lks. wide, 1 ft. deep, drains S. 45° W.

29.85 Small wash, drains S.

CHAINS	
40.05	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 20.</p> <p>Set the iron post 24 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T7NR16W $\frac{1}{4}$ $\frac{S\ 17}{S\ 20}$ 1963</p> <p>Raise a mound of stone, 4 ft. base, 3 ft. high, N. of post.</p> <p>Cor. falls on gentle N. slope.</p>
58.50	<p>Wash, 20 lks. wide, 1 ft. deep, drains S. 15° E.</p>
80.10	<p>The cor. of secs. 17, 18, 19 and 20.</p> <p>Land, gently rolling. Soil, rocky. Timber, none; undergrowth, scrub palo verde, cactus and greasewood.</p>
<hr/>	
<p>West, bet. secs. 18 and 19.</p>	
<p>Over rolling desert land; asc. E. slope of hill.</p>	
6.45	<p>Top of hill, bears N. and S.; desc. W. slope.</p>
14.40	<p>Small wash, drains S.; asc. E. slope of hill.</p>
24.90	<p>Spur, slopes S.; desc. W. slope.</p>
30.60	<p>Wash, 10 lks. wide, 1 ft. deep, drains S. 15° W.; asc. SE. slope.</p>
36.60	<p>Top of hill; desc. gentle W. slope.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 18 and 19.</p>
<p>Set the iron post 18 ins. in the ground to bedrock and in a collar of stone to top, cap mkd.</p>	
<p style="text-align: center;">T7NR16W $\frac{1}{4}$ $\frac{S\ 18}{S\ 19}$ 1963</p>	
<p>Raise a mound of stone, 2½ ft. base, 2 ft. high, N. of post.</p>	
<p>Cor. falls on gentle W. slope.</p>	
61.30	<p>Low spur, bears N. and S.; desc. W. slope.</p>
75.30	<p>Ridge, bears N. and S.; desc. W. slope to cor.</p>
80.47	<p>Point for the C.C. of secs. 18 and 19 on the W. bdy. of the township, the Fourth Guide Meridian West.</p>
<p>Set the iron post 24 ins. in the ground, cap mkd.</p>	
<p style="text-align: center;">T7N R17W R16W S13 $\frac{S18\ C}{S19\ C}$ 1963</p>	
<p>Raise a mound of stone 2½ ft. base, 2 ft. high, E. of post.</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 7 N., R. 16 W., Arizona

From this cor., the cor. of secs. 13 and 24, E. bdy.,
T. 7 N., R. 17 W., bears South, 3.88 chs. dist.

Land, gently rolling hills.
Soil, rocky.
Timber, none; undergrowth, scrub palo verde and cholla.

The point for the $\frac{1}{4}$ sec. cor. of sec. 19 is at mid-point
and on the W. bdy. of the township, the Fourth Guide
Meridian West.

At the corner point

Set the iron post 22 ins. in the ground, cap mkd.

T7N
R17W R16W
|
 $\frac{1}{4}$ S19
1963

From this cor. the $\frac{1}{4}$ sec. cor. of sec. 24, T. 7 N.,
R. 17 W., bears S. $0^{\circ}22'$ E., 4.29 chs. dist.

From the cor. of secs. 17, 18, 19 and 20.

N. $0^{\circ}03'$ W., bet. secs. 17 and 18.

Over barren rolling hills.

4.30 Small wash, drains SE.

25.70 Ridge, bears E. and W.; desc. N. slope.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 18.

Set the iron post 12 ins. in the ground to bedrock
and in a collar of stone to top, cap mkd.

T7NR16W
 $\frac{1}{4}$
S18|S17
1963

62.50 Wash, 25 lks. wide, 2 ft. deep, drains N. 25° W.

80.00 Point for the cor. of secs. 7, 8, 17 and 18.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
S 7 | S 8
S18 | S17
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, W.
of post.

Land, gently rolling.
Soil, gravelly.
Timber, none; undergrowth, greasewood, sage and cactus.

CHAINS	
	From the cor. of secs. 8, 9, 16 and 17. N. 89°54' W., bet. secs. 8 and 17. Over rolling land, through sparse undergrowth.
16.30	Wash, 25 lks. wide, 2 ft. deep, drains N. 20° W.
40.08	Point for the ¼ sec. cor. of secs. 8 and 17.
	Set the iron post 24 ins. in the ground, cap mkd. T7NR16W $\frac{1}{4} \frac{S \ 8}{S \ 17}$ 1963
42.75	Low spur; desc. along NE. slope.
66.10	Wash, 20 lks. wide, 2 ft. deep, drains NW.; asc. along N. slope.
71.70	Low spur, bears NE. and SW.; desc. gentle W. slope of hill.
79.70	Wash, 20 lks. wide, 1 ft. deep, drains NW.
80.16	The cor. of secs. 7, 8, 17 and 18. Land, gently rolling. Soil, gravelly and rocky. Timber, none; undergrowth, greasewood, sage, scrub palo verde and cactus.
	<hr/> West, bet. secs. 7 and 18. Over rolling desert land.
7.90	Wash, 40 lks. wide, 1 ft. deep, drains N. 20° W.
21.00	Wash, 20 lks. wide, 1 ft. deep, drains NW.
34.15	Wash, 30 lks. wide, 1 ft. deep, drains N.
40.00	Point for the ¼ sec. cor. of secs. 7 and 18.
	Set the iron post 22 ins. in the ground, cap mkd. T7NR16W $\frac{1}{4} \frac{S \ 7}{S \ 18}$ 1963
	Raise a mound of stone 3½ ft. base, 2 ft. high, N. of post.
49.70	Wash, 25 lks. wide, 1 ft. deep, drains NW.
66.10	Wash, 15 lks. wide, 3 ft. deep, drains NW.
80.30	The point for the C.C. of secs. 7 and 18 on the W. bdy. of the township, the Fourth Guide Meridian West.
	Set the iron post 24 ins. in the ground, cap mkd. T7N R17W R16W $S \ 12 \left \begin{array}{l} S \ 7 \ C \\ S \ 18 \ C \end{array} \right.$ 1963
	Raise a mound of stone 2½ ft. base, 2 ft. high, E. of post.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 7 N., R. 16 W., Arizona

From this cor. the cor. of secs. 12 and 13, E. bdy.,
T. 7 N., R. 17 W., bears S. 0°05' W., 3.74 chs. dist.

Land, nearly level.

Soil, rocky.

Timber, none; undergrowth, greasewood and cactus.

The point for the W. $\frac{1}{4}$ cor. of sec. 18 is at mid-point
and on the W. bdy. of the township, the Fourth Guide
Meridian West.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
| $\frac{1}{4}$ S18
1963

Raise a mound of stone, 3 ft. base, 2 ft. high, E. of
post.

From this cor., the $\frac{1}{4}$ sec. cor. of sec. 13, T. 7 N.,
R. 17 W., bears S. 0°07' W., 3.79 chs. dist.

From the cor. of secs. 7, 8, 17 and 18.

N. 0°03' W., bet. secs. 7 and 8.

Over nearly level land, through sparse undergrowth.

- .35 Wash, 20 lks. wide, 1 ft. deep, drains NW.
- 4.50 Wash, 40 lks. wide, 2 ft. deep, drains W.
- 23.60 Wash, 60 lks. wide, 2 ft. deep, drains W.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W
 $\frac{1}{4}$
S 7 | S 8
1963

- 42.40 Small wash, drains W.
- 48.00 Wash, 100 lks. wide, 2 ft. deep, drains W.
- 78.00 Wash, 40 lks. wide, 1 ft. deep, drains SW.
- 80.00 Point for the cor. of secs. 5, 6, 7 and 8.

Set the iron post 22 ins. in the ground, cap mkd.

T7NR16W
S 6 | S 5
S 7 | S 8
1963

CHAINS

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of post.

Land, nearly level.

Soil, gravelly.

Timber, none; undergrowth, greasewood, scrub palo verde and cactus.

From the cor. of secs. 4, 5, 8 and 9.

N. 89°55' W., bet. secs. 5 and 8.

Over nearly level desert land.

40.05 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W

$\frac{1}{4} \frac{S 5}{S 8}$

1963

Raise a small mound of earth and stone N. of post.

53.70 Wash, 50 lks. wide, 1 ft. deep, drains S. 75° W.

77.90 Wash, 80 lks. wide, 1 ft. deep, drains S. 70° W.

80.10 The cor. of secs. 5, 6, 7 and 8.

Land, nearly level.

Soil, sandy and gravelly.

Timber, none; undergrowth, greasewood and cactus.

West, bet. secs. 6 and 7.

Over nearly level desert land, through medium dense undergrowth.

23.70 Wash, 30 lks. wide, 1 ft. deep, drains S. 65° W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7.

Set the iron post 24 ins. in the ground, cap mkd.

T7NR16W

$\frac{1}{4} \frac{S 6}{S 7}$

1963

Raise a small mound of earth and stone N. of post.

47.00 Bladed road, bears S. 60° W. and N. 60° E.

80.11 Point for the C.C. of secs. 6 and 7 on the W. bdy. of the township, the Fourth Guide Meridian West.

Set the iron post 24 ins. in the ground, cap mkd.

T7N

R17W R16W

S 1 $\frac{S 6 C}{S 7 C}$

1963

From this cor. the cor. of secs. 1 and 12, E. bdy., T. 7 N., R. 17 W., bears South, 3.69 chs. dist.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 7 N., R. 16 W., Arizona

Land, nearly level.
Soil, sandy and gravelly.
Timber, none; undergrowth, greasewood, sage and cactus.

The point for the W. $\frac{1}{4}$ sec. cor. of sec. 7 is at mid-point and on the W. bdy. of the township, the Fourth Guide Meridian West.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
| $\frac{1}{4}$ S 7.
1963

Raise a small mound of earth and stone E. of post.

From this cor., the true point for the $\frac{1}{4}$ sec. cor. of sec. 12, T. 7 N., R. 17 W., bears South, 3.91 chs. dist.

The point for the W. $\frac{1}{4}$ sec. cor. of sec. 6 is 40.00 chs. in northing from the closing cor. of secs. 6 and 7, on the W. bdy. of the township, the Fourth Guide Meridian West.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T7N
R17W R16W
| $\frac{1}{4}$ S 6
1963

Raise a small mound of stone E. of the post.

From this cor. the $\frac{1}{4}$ sec. cor. of sec. 1, T. 7 N., R. 17 W., bears S. $0^{\circ}03'$ W., 3.70 chs. dist.

From the cor. of secs. 5, 6, 7 and 8.

N. $0^{\circ}03'$ W., bet. secs. 5 and 6.

Over level desert land.

13.50 Small wash, drains W.

15.90 Bladed road, bears W. and E.

19.10 Wash, 20 lks. wide, 1 ft. deep, drains N. 30° W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.

Set the iron post 24 ins. in the ground, cap mkd.

CHAINS

T7NR16W

$\frac{1}{2}$
S 6 | S 5
1963

Raise a small mound of earth and stone W. of post.

68.00

Wash, 30 lks. wide, 2 ft. deep, drains N. 20° W.

80.60

Point for the C.C. of secs. 5 and 6 on the N. bdy. of the township.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T8NR16W

S 31
S 6 | S 5
CC
T7N
1963

From this cor. the cor. of secs. 5, 6, 31 and 32, Ts. 7 and 8 N., R. 16 W., monumented by an iron post, set, mkd. and witnessed as described in the official record, bears East, 0.68 chs. dist. This cor. now functions as the cor. of secs. 31 and 32 only, cap remarked

T8NR16W

S31 | S32
T7N
1956
1963

Land, gently rolling.

Soil, gravelly.

Timber, none; undergrowth, cactus, greasewood and palo verde.

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 5 is at mid-point and on the N. bdy. of the township.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

T8NR16W

$\frac{1}{4}$ S 5
T7N
1963

From this cor. the $\frac{1}{4}$ sec. cor. of secs. 5 and 32, Ts. 7 and 8 N., R. 16 W., bears East, 0.63 chs. dist. This cor. now functions as the $\frac{1}{4}$ sec. cor. of sec. 32 only, cap remarked

$\frac{1}{4}$ S 32

1956
1963

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 6 is at 40 chs. in westing from the C.C. of secs. 5 and 6 and on the N. bdy. of the township.

At the corner point

Set the iron post 24 ins. in the ground, cap mkd.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Township 7 North, Range 16 West
Gila and Salt River Meridian, Arizona

T8NR16W

$\frac{1}{4}$ S 6

T7N

1963

From this cor. the $\frac{1}{4}$ sec. cor. of secs. 6 and 31,
Ts. 7 and 8 N., R. 16 W., bears East, 0.68 chs. dist.
This cor. now functions as the $\frac{1}{4}$ sec. cor. of sec.
31 only, cap remarked

$\frac{1}{4}$ S 31

1956

1963

General Description

The land included in this survey consists mainly of rolling and rocky hills with the exception of the land in sections 26 through 36, which consists of gently rolling sand hills.

The soil in the eastern portion and throughout the Bouse Hills area is rocky. At the lower elevations the soil is sandy to gravelly.

There is no evidence of any perennial water supply. The drainage in the northeast part of the township is toward the northwest; the northwest part of the township drains to the southwest. All the area south of the Bouse Hills drains into Cunningham Wash.

Except for State Highway No. 72 in section 31, the roads consist of several dirt roads leading to various manganese mineral claims in the interior of the township. There is no mining activity at this time and no settlements.

Vegetation consists of greasewood, ironwood, scrub palo verde and cactus.

45

BOOK 4686

CERTIFICATE OF SURVEY

I, Leonard W. Murphy, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 27 day of June, 1962, I have made a dependent resurvey of the West Boundary and a Completion Survey of the Subdivisional Lines of Township 7 North, Range 16 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

May 25, 1963
(Date)

Leonard W. Murphy
(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL
Bureau of Land Management

The foregoing field notes of the dependent resurvey of the West Boundary and survey completing the Subdivisional Lines of T. 7 N., R. 16 W., Gila and Salt River Meridian, Arizona,

executed by Leonard W. Murphy, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

Washington, D.C.

JAN 17 1964
(Date)

E. E. Lemington
(Chief, Division of Engineering)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date)

(Chief, Division of Engineering)