

1A

BOOK 4715

INDEX DIAGRAM

Township 21 North, Range 1 East,

	6	6 5	4 4	3 3	2 2	1 1
7	6	40 8	4	28 8	22 2	16 1
	39	39	33	27 28	21 21	15 16
7	7	38 8	32 9	27 10	20 11	12
7	38	37 37	31 32	26 26	20	14
	18	37 17	31 16	25 15	19 14	14 18
		36	30	25 25	19	13
	19	36 20	21	22	18 28	24
8	35	35		24 24	18	13
8	30	35 29	28	23 27	26	12 25
		34 34	29 30	23 23	17 17	11
9	31	33 32	28 33	22 34	16 35	36
			9 10	10 11	11	

BOOK 4716

Township 21 North, Range 1 East
Gila & Salt River Meridian, Arizona

16

CHAINS

Township 21 North, Range 1 East, Gila & Salt River, Meridian, Arizona; The south and east boundaries were surveyed in 1883 by W. R. Fitzgerald. The west boundary was surveyed in 1883 by J. T. Smith. The north boundary and the subdivisional lines were surveyed in 1892 by F. B. Jacobs. The east boundary was resurveyed in 1941 by Muscott and Warner.

The following field notes are those of remonumentation of cadastral survey corners by agreement with the U. S. Forest Service. The detailed cooperative agreement was approved by the Director, Bureau of Land Management, by memorandum (5.04b) dated October 16, 1958.

The approval of the Special Instructions on June 22, 1964 gave authority to proceed with the remonumentation in accordance with the Director's Order No. 54, dated April 21, 1954.

The assistants furnished by the Forest Service, remonumented the original corner positions after verification. An open site Dietzen compass was used to obtain the bearings and a standard steel tape was used to measure the distances.

The $\frac{1}{4}$ sec. cor. of secs. 1 and 36, Ts. 21 and 22 N., R. 1 E., is monumented by a malpais stone, 14 X 18 X 36 ins.; loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the original bearing trees

A pine, 24 ins. diam., bears N. 63° W., 70 lks. dist., blaze has grown over.

A pine stump, bears S. 24° W., 107 lks. dist., no marks.

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 12 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T22NR1E

 $\frac{1}{4}$ S36

S1

T21N

from which

1964

An alligator juniper, 10 ins. diam., bears N. 77° E., 32 lks. dist., mkd $\frac{1}{4}$ S36BT

A pine, 9 ins. diam., bears S. 26° W., 47 lks. dist., mkd. $\frac{1}{4}$ SLBT

Bury the original corner stone alongside the iron post.

Cor. in heavy timber on a gentle SW. slope about 3 chs. S. of an E. and W. fence.

The cor. of secs. 1, 2, 35 and 36, Ts. 22 and 21 N., R. 1 E., was established from an original bearing tree

An alligator juniper, 30 ins. diam., bears N. 67° 30' W., 74 lks. dist., mkd. on the W. side TXX1LN
RLESXXXVBT

No trace of the other bearing tree.

CHAINS

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T22NR1E
S35 | S36
S2 | S1
T21N
1964

from which

An oak, 5 ins. diam., bears S. 64° E., 61 lks. dist., mkd. S1BT

A pine, 14 ins. diam., bears N. 37° W., 207 lks. dist., mkd. T22NR1ES35BT

Cor. is 1 ch. W. of the top of a spur sloping S. and about 1.50 chs. SW. of the S.F.R.R. radio building on top of the spur.

The $\frac{1}{4}$ sec. cor. of secs. 2 and 35, Ts. 22 and 21 N., R. 1 E., is monumented by a small mound of stones the center of which is accepted as the point for the corner, from which the remains of the original bearing trees

A hole where tree stood, bears N. 1° W., 159 lks. dist., tree, an alligator juniper, 42 ins. diam., has been pushed and is mkd. $\frac{1}{4}$ SBT

A hole where tree stood, bears S. 33° W., 237 lks. dist., tree, an alligator juniper, 24 ins. diam., has been pushed and is mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground with brass cap mkd.

T22NR1E
 $\frac{1}{4}$ S35
 $\frac{1}{4}$ S2
T21N
1964

from which

A pine, 8 ins. diam., bears N. 45° W., 228 lks. dist., mkd, $\frac{1}{4}$ S35BT

A pine, 6 ins. diam., bears S. 76° E., 112 lks. dist., mkd. BT

Cor. is on a gentle W. slope of a pasture and 2 lks. N. of an E. and W. fence.

The cor. of secs. 2, 3, 34 and 35, Ts. 22 and 21 N., R. 1 E., is monumented by a small mound of stones the center of which is accepted as the point for the corner, from which the remains of the original bearing trees,

An alligator juniper, 36 ins. diam., bears N. 50° E., 191 lks. dist., chopped out top part of blaze and find mks. TXX

An alligator juniper, 36 ins. diam., bears S. 82° E., 287 lks. dist., mkd. by an over grown blaze.

At the cor. point

D0000000

Township 21 North, Range 1 East, Arizona

3.

CHAINS

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground with a collar of stones to the top, with brass cap mkd.

T22NR1E

S34 | S35

S 3 | S2

T21N

1964

from which

A pine, 8 ins. diam., bears N. 52° E., 101 lks. dist., mkd. T22NR1ES35BT

A double pine, 10 ins. diam., bears S. 51° E., 309 lks. dist., mkd. T21NR1ES2BT

A pine, 8 ins. diam., bears S. 11° W., 81 lks. dist., mkd. T21NR1ES3BT

An alligator juniper, 6 ins. diam., bears N. 42° W., 53 lks. dist., mkd. BT

Cor. is in fairly open area and S. of R.R. in a hair-pin curve.

The $\frac{1}{4}$ sec. cor. of secs. 3 and 34, Ts. 21 and 22 N., R. 1 E., is monumented by a malpais stone, 6 X 12 X 12 ins., firmly set, mkd. $\frac{1}{4}$ on the N., with a mound of stones to the S., from which the remains of an original bearing tree

An alligator stump, bears S. 52° E., 267 lks. dist., no marks found.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T22NR1E

 $\frac{1}{4}$ S34

S3

T21N

1964

from which

A pine, 4 ins. diam., bears S. 53° E., 241 lks. dist., mkd. BT

Raise a mound of stone to the N.

Bury the original corner stone alongside the iron post.

Cor. is in a cleared area.

The cor. of secs. 3, 4, 33 and 34, Ts. 22 and 21 N., R. 1 E., is monumented by a malpais stone, 6 X 8 X 14 ins., firmly set, mkd. with 3 notches on the E. and W., with a small mound of stones to the NW., from which the original bearing trees

A dead pine, 26 ins. diam., bears N. 47° W., 246 lks. dist., mkd. TXX11NR1ESXXX111BT

A pine, 32 ins. diam., bears N. 3° E., 305 lks. dist., mkd. with an over grown blaze.

At the cor. point

CHAINS

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T22NR1E
 $\frac{S33}{S4} | \frac{S34}{S3}$
 T21N
 1964

from which

A juniper, 10 ins. diam., bears N. 20° E., 37 lks. dist., mkd. S34BT

A pine, 12 ins. diam., bears S. 1° E., 66 lks. dist., mkd. T21NR1ES3BT

A pine, 10 ins. diam., bears S. 27° W., 90 lks. dist., mkd. T21NR1ES4BT

A pine, 4 ins. diam., bears N. 38° W., 37 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is in pine and juniper timber on a gentle W. slope.

The $\frac{1}{4}$ sec. cor. of secs. 4 and 33, Ts. 21 and 22 N., R. 1 E., is monumented by a malpais stone, 12 X 18 X 26 ins., firmly set, mkd. $\frac{1}{4}$ on the N., with a small mound of stones to the S., from which the original bearing trees

A juniper stump, 28 ins. diam., bears N. 5° E., 105 lks. dist., mkd. $\frac{1}{4}$ SBT

A juniper, 24 ins. diam., bears N. 49° E., 171 lks. dist., mkd. $\frac{1}{4}$ SBT

No tree was found at S. 37° 45' E., 171 lks.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T22NR1E
 $\frac{1}{4} \frac{S33}{S4}$
 T21N
 1964

from which

A juniper, 14 ins. diam., bears N. 12° E., 86 lks. dist., mkd. $\frac{1}{4}$ S33BT

A juniper, 6 ins. diam., bears S. 1° E., 9 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area.

The cor. of secs. 4, 5, 33 and 32, Ts. 21 and 22 N., R. 1 E., is monumented by a malpais stone, 8 X 14 X 36 ins., loosely set in a collar of stones, mkd. with 4 notches on the E. and 2 notches on the W., from which the original bearing trees

A juniper, 20 ins. diam., bears N. 11° E., 187 lks.

CHAINS

dist., mkd. TXXLNRLESXXXL11BT

A pine, 18 ins. diam., bears S. 33° E., 53 lks.
dist., mkd. with a grown over blaze.

A juniper, 36 ins. diam., bears S. 18° W., 204 lks.
dist., mkd. TXXLNRLESVBT

A juniper, 36 ins. diam., bears N. 69° W., 91 lks.
dist., mkd. TXXLNRLESXXXL11BT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 4 ins.
in the ground, with a collar of stones to the top, with
brass cap mkd.

T22NRLE
S32 | S33
S 5 | S 4
T21N
1964

from which

A pine, 6 ins. diam., bears N. 53° E., 74 lks.
dist., mkd. S33BT

A juniper, 6 ins. diam., bears S. 59° E., 72 lks.
dist., mkd. S4BT

A juniper, 6 ins. diam., bears S. 19° W., 105 lks.
dist., mkd. S5BT

A pine, 16 ins. diam., bears N. 2° W., 162 lks.
dist., mkd. T22NRLES32BT

Bury the original corner stone in the collar of stones
around the iron post.

Cor. is on a SW. slope.

The ¼ sec. cor. of secs. 5 and 32, Ts. 21 and 22 N.,
R. 1 E., is monumented by a malpais stone, 6 X 12 X 14
ins., firmly set, mkd. ¼ on the N. with a mound of stones
to the S., from which the remains of an original bear-
ing tree

Hole where tree stood, bears S. 65° E., 218 lks.
dist., tree, a pine, 26 ins. diam., has fallen and
is mkd. ¼SBT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins.
in the ground, with brass cap mkd.

T22NRLE
¼ S32
¼ S 5
T21N
1964

from which

A pine, 8 ins. diam., bears S. 29° W., 37 lks.
dist., mkd. ¼S5BT

A pine, 8 ins. diam., bears N. 47° E., 163 lks.
dist., mkd. ¼S32BT

Bury the original corner stone alongside the iron post.

CHAINS

Cor. is in a small valley about 6 chs. S. of a drain, course W.

The cor. of secs. 5, 6, 31 and 32, Ts. 21 and 22 N., R. 1 E., is monumented by a volcanic stone, 4 X 10 X 24 ins., mkd. with 5 notches on the E. and 1 notch on the W., with a mound of stones to the W., from which the original bearing trees

A pine, 30 ins. diam., bears N. 26° E., 155 lks. dist., mkd. with faint scribe marks.

Hole where pine tree stood, bears S. 48° E., 127 lks.

A pine, 34 ins. diam., bears S. 76° W., 240 lks. dist., mkd. with a grown over blaze.

A pine, 36 ins. diam., bears N. 62° W., 68 lks. dist., mkd. with a grown over blaze.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T22NR1E
S31 | S32
S 6 | S 5

from which

T21N
1964

A pine, 32 ins. diam., bears S. 75° E., 324 lks. dist., mkd. T21NR1ES5BT

A pine, 10 ins. diam., bears N. 74° E., 198 lks. dist., mkd. T22NR1ES32BT

Bury the original corner stone alongside the iron post.

Cor. is about 4 chs. W. of a drain, course NW. and in a pasture about 10 chs. N. of Rod's Ranch.

The ¼ sec. cor. of secs. 6 and 31, Ts. 22 and 21 N., R. 1 E., is marked by a volcanic stone, 10 X 12 X 30 ins., firmly set, mkd. ¼ on the N., from which the remains of an original bearing tree

Hole where tree stood, bears N. 11° W., 208 lks. dist., tree, a juniper, 26 ins. diam., has been pushed and is mkd. ¼ SBT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T22NR1E
¼ S31
S 6

from which

T21N
1964

A juniper, 6 ins. diam., bears N. 46° E., 105 lks. dist., mkd. ¼ S31BT

A juniper, 3 ins. diam., bears S. 58° E., 209 lks. dist., mkd. ¼ S6BT

CHAINS

Bury the original corner stone alongside the iron post.

Cor. is in a pasture and on a gentle S. slope.

The $\frac{1}{4}$ sec. cor. of secs. 1 and 6, T. 21 N., Rs. 1 E. and 1 W., is monumented by a malpais stone, 6 X 14 X 18 ins., firmly set, mkd. $\frac{1}{4}$ on the W., with a mound of stones to the N.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21N
RLW RLE

$\frac{1}{4}$
S 1 | S 6

from which

1964

A juniper, 8 ins. diam., bears N. 76° E., 56 lks. dist., mkd. $\frac{1}{4}$ S6BT

An alligator juniper, 6 ins. diam., bears S. 72° W., 44 lks. dist., mkd. $\frac{1}{4}$ S1BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area and about 50 lks. W. of an old fence, bearing N. and S.

The $\frac{1}{4}$ sec. cor. of secs. 7 and 12, T. 21 N., Rs. 1 E. and 1 W., is monumented by a small mound of stones the center of which is accepted as the point for the cor., from which an original bearing tree

A juniper, 18 ins. diam., bears S. 31° W., 133 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21N
RLW RLE

$\frac{1}{4}$
S12 | S 7

from which

1964

An alligator juniper, 20 ins. diam., bears S. 52° E., 108 lks. dist., mkd. $\frac{1}{4}$ S7BT

An alligator juniper, 6 ins. diam., bears S. 74° W., 66 lks. dist., mkd. BT

Cor. is on a gentle S. slope.

The cor. of secs. 7, 12, 13 and 18, T. 21 N., Rs. 1 E. and 1 W., is monumented by a malpais stone, 8 X 12 X 14 ins., firmly set, mkd. with 2 notches on the N. and 4 notches on the S., with a mound of stones to the N.

At the cor. point

CHAINS

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21N
 RLW RLE
 S12 | S 7
 S13 | S18

from which

1964

A juniper, 7 ins. diam., bears N. 54° E., 28 lks. dist., mkd. S7BT

A juniper, 10 ins. diam., bears S. 48° E., 54 lks. dist., mkd. BT

A juniper, 12 ins. diam., bears S. 15° W., 32 lks. dist., mkd. BT

An alligator juniper, 6 ins. diam., bears N. 7° W., 65 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on a SE. slope.

The cor. of secs. 19, 24, 25 and 30, T. 21 N., Rs. 1 W. and 1 E., is monumented by a malpais stone 4 X 14 X 30 ins., loosely set in a collar of stones, mkd. with 4 notches on the N. and 2 notches on the S.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21N
 RLW RLE
 S24 | S19
 S25 | S30

from which

1964

An alligator juniper, 48 ins. diam., bears N. 48° E., 331 lks. dist., mkd. T21NRLES19BT

A juniper, 6 ins. diam., bears S. 71° W., 54 lks. dist., mkd. S25BT

An alligator juniper, 8 ins. diam., bears N. 42° W., 37 lks. dist., mkd. S24BT

Bury the original corner stone alongside the iron post.

Cor. is on a rocky E. slope and about 5 chs. W. of a canyon rim.

The $\frac{1}{4}$ sec. cor. of secs. 25 and 30, T. 21 N., Rs. 1 E. and 1 W., is monumented by a malpais stone 4 X 8 X 12 ins., firmly set, mkd. $\frac{1}{4}$ on the W., with a mound of stones to the E., from which an original bearing tree

A juniper, 12 ins. diam., bears S. 22° E., 98 lks. dist., mkd. on a limb $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 16 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

BOOK 4716

Township 21 North, Range 1 East, Arizona

CHAINS

T21N
RLW RLE
 $\frac{1}{4}$
S25|S30
1964

from which

A juniper, 8 ins. diam., bears N. 13° E., 43 lks. dist., mkd. $\frac{1}{4}$ S30BT

An alligator juniper, 10 ins. diam., bears S. 74° W., 69 lks. dist., mkd. $\frac{1}{4}$ S25BT

Bury the original corner stone alongside the iron post.

Cor. is on a N. slope.

The $\frac{1}{4}$ sec. cor. of secs. 31 and 36, T. 21 N., Rs. 1 E. and 1 W., is monumented by a malpais stone, 6 X 10 X 12 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the W.,

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21N
RLW RLE
 $\frac{1}{4}$
S36|S31
1964

from which

A juniper, 6 ins. diam., bears S. 61° E., 45 lks. dist., mkd. $\frac{1}{4}$ S31BT

An alligator juniper, 7 ins. diam., bears N. 52° W., 83 lks. dist., mkd. $\frac{1}{4}$ S36 BT

Bury the original corner stone alongside the iron post.

Cor. is on a W. slope about 7 chs. W. of a saddle in a ridge.

The SC of secs. 32 and 33, T. 21 N., R. 1 E., is monumented by a malpais stone, 6 X 12 X 24 ins., mkd. 4 notches on the E. and 2 notches on the W. and SC on the S., firmly set in a collar of stones, from which an original bearing tree

An alligator juniper, 30 ins. diam., bears N. 3° W., 50 lks. dist., mkd. T21NR1ES32BT

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 10 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

SC
T21NR1E
S32|S33
 $\frac{1}{4}$
T20N
1964

from which

A juniper, 6 ins. diam., bears N. 82° E., 113 lks. dist., mkd. S33SCBT

CHAINS

A juniper, 6 ins. diam., bears N. 48° W., 80 lks. dist., mkd. S32SCBT

Bury the original corner stone alongside the iron post.

Cor. is about 2.50 chs. W. of the W. rim of Hell's Canyon.

The SC $\frac{1}{4}$ sec. cor. of sec. 33, T. 21 N., R. 1 E., is monumented by a malpais stone, 6 X 12 X 20 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the remains of an original bearing tree

A pine stump, 22 ins. diam.; bears S. 68° E., 16 lks. dist., mkd. BT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 4 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

SC
T21NR1E
 $\frac{1}{4}$ S33

from which 1964

A pine, 4 ins. diam., bears N. 27° W., 26 lks. dist., mkd. $\frac{1}{4}$ S33SCBT

A pine, 7 ins. diam., bears N. 56° E., 44 lks. dist., mkd. $\frac{1}{4}$ S33SCBT

Bury the original corner stone in collar around the iron post.

Cor. is on a rocky spur and about 5 chs. E. of the E. rim of Hell's Canyon.

The SC of secs. 33 and 34, T. 21 N., R. 1 E., is monumented by a malpais stone, 6 X 12 X 24 ins., firmly set in a collar of stones, mkd. with 3 notches on the E. and W. and SC on the N., from which the remains of the original bearing trees

A pine, 30 ins. diam., bears N. 46° E., 74 lks. dist., mkd. with an over grown blaze.

A rotted pine stump, bears N. 15° W., 188 lks. dist.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

SC
T21NR1E
S33|S34

from which
S3
T20N
1964

A pine, 10 ins. diam., bears N. 59° W., 40 lks. dist., mkd. T21NR1ES33SCBT

Bury the original corner stone alongside the iron post.

Cor. is on a NE. slope in an oak thicket.

CHAINS

The SC $\frac{1}{4}$ sec. cor. of sec. 34, is monumented by a malpais stone, 6 X 10 X 24 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the original bearing trees

A pine, 38 ins. diam., bears S. 41° W., 15 lks. dist., blazed partly closed, mks. BT visible.

A rotted pine stump, bears N. 25° E., 88 lks. dist.

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 14 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

SC
T21NR1E
 $\frac{1}{4}$ S34

from which

1964

A juniper, 4 ins. diam., bears N. 8° W., 68 lks. dist., mkd. BT

An oak, 4 ins. diam., bears N. 80° E., 50 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on an E. slope in mountainous area.

The SC of secs. 34 and 35, T. 21 N., R. 1 E., is monumented by a malpais stone, 4 X 12 X 24 ins., firmly set in a collar of stones, mkd. with 2 notches on the E. and 4 notches on the W. and SC on the N., from which the original bearing trees

A pine, 22 ins. diam., bears N. 54° E., 102 lks. dist., mkd. with an over grown blaze.

A pine, 28 ins. diam., bears N. 31° W., 27 lks. dist., mkd. T21NR1ES34BT

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 16 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

SC
T21 N R1 E
S34 | S35

S 2

T20N

from which

1964

A pine, 6 ins. diam., bears N. 50° E., 23 lks. dist., mkd. S35SCBT

A pine, 4 ins. diam., bears N. 41° W., 72 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on a W. slope in mountainous area.

The cor. of secs. 25, 26, 35 and 36, is monumented by a mound of stones the center of which is accepted as the

CHAINS

cor. point, from which the remains of the original bearing trees

A pine, 18 ins. diam., bears N. 47° E., 11¼ lks. dist., mkd. with an over grown blaze.

An oak, 16 ins. diam., bears S. 50° E., 6¼ lks. dist., mkd. with an over grown blaze.

A pine, 22 ins. diam., bears N. 15° W., 9¼ lks. dist., mkd. with a blaze that is almost closed but parts of the scribe marks are visible.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 2¼ ins. in the ground, with brass cap mkd.

T21NR1E	
S26	S25
S35	S36

from which

1964

A pine, 12 ins. diam., bears N. 17° E., 42 lks. dist., mkd. T21NR1ES25BT

A pine, 12 ins. diam., bears S. 56° E., 60 lks. dist., mkd. T21NR1ES36BT

An oak, 18 ins. diam., bears S. 64° W., 59 lks. dist., mkd. T21NR1ES35BT

A pine, 12 ins. diam., bears N. 49° W., 43 lks. dist., mkd. T21NR1ES26BT

Cor. is in large timber on gentle SW. slope.

The ¼ sec. cor. of secs. 25 and 26, is monumented by a mound of stones the center of which is accepted as the cor. point, from which the remains of the original bearing trees

A pine stump, 26 ins. diam., bears S. 5° W., 15 lks. dist., fallen tree is marked ¼SBT

A pine stump, 26 ins. diam., bears N. 26° W., 15 lks. dist., fallen tree is rotted but parts of scribe marks are visible.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E	
¼	
S26	S25

from which

1964

A pine, 9 ins. diam., bears S. 86° E., 45 lks. dist., mkd. ¼S25BT

A pine, 9 ins. diam., bears N. 48° W., 42 lks. dist., mkd. ¼S26BT

Cor. is on a long flat spur in thick growth of timber.

CHAINS

The cor. of secs. 23, 24, 25 and 26, is monumented by a malpais stone, 8 X 14 X 24 ins., firmly set in a collar of stones, mkd. with 2 notches on the S. and 1 notch on the E., from which the remains of the original bearing trees

An alligator juniper, 40 ins. diam., bears N. 17° E., 83 lks. dist., mkd. TXX1NR1ESXX1VBT

Hole where tree stood, bears S. 2° E., 57 lks. dist., tree has fallen, a pine, 26 ins. diam., and is mkd. TXX1NR1ESXXVBT

A pine, 30 ins. diam., bears S. 64° W., 92 lks. dist., mkd. with an over grown blaze.

A pine, 20 ins. diam., bears N. 68° W., 57 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E	
S23	S24
S26	S25

from which

1964

An oak, 4 ins. diam., bears N. 77° E., 40 lks. dist., mkd. BT

A pine, 7 ins. diam., bears S. 33° E., 56 lks. dist., mkd. S25BT

An alligator juniper, 6 ins. diam., bears S. 64° W., 37 lks. dist., mkd. S26BT

A pine, 6 ins. diam., bears N. 79° W., 13 lks. dist., mkd. S23BT

Bury the original corner stone alongside the iron post.

Cor. is on a W. slope in thick growth of timber.

The cor. of secs. 13, 14, 23 and 24 is monumented by the remains of a wood stake in a mound of stones, from which the remains of the original bearing trees

A pine, 28 ins. diam., bears N. 49° E., 106 lks. dist., mkd. TXX1NR1E with other marks to faint to read.

A pine, 16 ins. diam., bears S. 77° E., 146 lks. dist., mkd. with an over grown blaze.

A pine, 20 ins. diam., bears S. 65° W., 147 lks. dist., parts of scribe marks are visible.

An alligator juniper, 60 ins. diam., bears N. 66° W., 160 lks. dist., mkd. TXX1NR1ESX1VBT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

CHAINS

T21NR1E
S14|S13
S23|S24
1964

from which

A pine, 5 ins. diam., bears N. 7° E., 16 lks. dist., mkd. S13BT.

An alligator juniper, 10 ins. diam., bears S. 83° E., 63 lks. dist., mkd. S24BT

A pine, 6 ins. diam., bears S. 29° W., 45 lks. dist., mkd. S23BT

An alligator juniper, 12 ins. diam., bears N. 40° W., 88 lks. dist., mkd. T21NR1ES14BT

Cor. is on a long flat ridge.

The 1/4 sec. cor. of secs. 13 and 14, is monumented by a granite stone, 6 X 14 X 20 ins., firmly set in a collar of stones, mkd. 1/4 on the W., from which the remains of the original bearing trees

A rotted pine stump, bears N. 56° E., 108 lks. dist.

An oak, 14 ins. diam., bears S. 32° W., 15 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E
1/4
S14|S13
1964

from which

An alligator juniper, 14 ins. diam., bears S. 52° E., 19 lks. dist., mkd. 1/4 S13BT

An alligator juniper, 6 ins. diam., bears N. 87° W., 10 lks. dist., mkd. 1/4 S14BT

Bury the original corner stone alongside the iron post.

Cor. is near the top of a spur, sloping W.

The cor. of secs. 11, 12, 13 and 14, is monumented by a granite stone, 8 X 12 X 18 ins., firmly set in a collar of stones, mkd. with 4 notches on the S. and 1 notch on the E., from which the remains of the original bearing trees

A dead pine, 18 ins. diam., bears N. 49° E., 81 lks. dist., mkd. TXX1NR1ESX11BT

An oak, 16 ins. diam., bears S. 70° E., 95 lks. dist., mkd. with an over grown blaze.

A dead oak, 12 ins. diam., bears S. 28° W., 92 lks. dist., mkd. with an over grown blaze.

At the cor. point

CHAINS

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

S11 | S12

S14 | S13

from which

1964

A pine, 7 ins. diam., bears N. 46° E., 20 lks. dist., mkd. S12BT

A pine, 8 ins. diam., bears S. 55° E., 26 lks. dist., mkd. S13BT

A pine, 12 ins. diam., bears S. 64° W., 14 lks. dist., mkd. T21NR1ES14BT

A pine, 6 ins. diam., bears N. 46° W., 7 lks. dist., mkd. S11BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle W. slope in pine and oak timber.

The cor. of secs. 1, 2, 11 and 12, is monumented by a mound of stones the center of which is accepted as point for the corner, from which the remains of the original bearing trees,

A pine, 24 ins. diam., bears S. 85° E., 80 lks. dist., mkd. with a blaze, partly closed with parts of scribe marks visible.

A pine, 18 ins. diam., bears S. 8° W., 114 lks. dist., tree is badly scared by lightning and fence.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

S 2 | S 1

S11 | S12

from which

1964

A pine, 12 ins. diam., bears N. 55° E., 48 lks. dist., mkd. T21NR1ES1BT

A pine, 6 ins. diam., bears S. 62° E., 28 lks. dist., mkd. S12BT

A pine, 6 ins. diam., bears S. 20° W., 16 lks. dist., mkd. S11BT

A pine, 8 ins. diam., bears N. 61° W., 130 lks. dist., mkd. S2BT

R-O-W concrete monument, 8 X 8 X 10 ins. of it above ground, bears S. 19° W., 44 lks. dist.

R-O-W concrete monument, 8 X 8 X 10 ins. of it above ground, bears S. 73° E., 50 lks. dist.

Cor. is 80 lks. S. of old U. S. Hwy. 66.

CHAINS

The 1/4 sec. cor. of secs. 1 and 12, is monumented by a granite stone, 6 X 12 X 20 ins., loosely set in a collar of stones, mkd. 1/4 on the N., from which the remains of the original bearing trees

A pine, 18 ins. diam., bears SOUTH, 41 lks. dist., mkd. with an over grown blaze.

A pine stump, 16 ins. diam., bears N. 49° E., 55 lks. dist.. mkd. with parts of scribe marks.

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

1/4 S 1
1/4 S 12

from which

1964

An oak, 8 ins. diam., bears N. 40° W., 6 lks. dist., mkd. 1/4 S1BT

An oak, 6 ins. diam., bears S. 61° E., 73 lks. dist., mkd. 1/4 S12BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle SW. slope in pine and oak timber.

The 1/4 sec. cor. of secs. 1 and 2, is monumented by a malpais stone, 6 X 12 X 20 ins., firmly set, mkd. 1/4 on the W., with a mound of stones to the N., from which the remains of the original bearing trees

A pine, 20 ins. diam., bears S. 71° W., 266 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

1/4 S 2 | S 1

from which

1964

A pine, 10 ins. diam., bears S. 38° E., 55 lks. dist., mkd. 1/4 S1BT

A pine, 10 ins. diam., bears S. 65° W., 74 lks. dist., mkd. 1/4 S2BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area and about 2.50 chs. S. of R.R. in pine timber.

The 1/4 sec. cor. of secs. 34 and 35, is monumented by the original wood stake which is badly weathered with faint scribe marks, set in a mound of stones, from which the original bearing trees

A pine, 20 ins. diam., bears S. 11° W., 26 lks. dist., mkd. with an overgrown blaze.

CHAINS

A pine, 18 ins. diam., bears N. 55° E., 13 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

¼

S34 | S35

1964

from which

An oak, 8 ins. diam., bears S. 88° W., 30 lks. dist., mkd. ¼S34BT

A pine, 12 ins. diam., bears S. 67° E., 99 lks. dist., mkd. ¼S35BT

Bury the original corner stake alongside the iron post.

Cor. is on a S. slope about 1.30 chs. N. of a drain, course N. 75° W.

The cor. of secs. 26, 27, 34 and 35, is monumented by a malpais stone, 10 X 14 X 20 ins., firmly set in a collar of stones, mkd. with 1 notch on the S. and 2 notches on the E.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 14 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E.

S27 | S26

S34 | S35

1964

from which

A pine, 8 ins. diam., bears N. 56° E., 294 lks. dist., mkd. T21NR1ES26BT

A pine, 12 ins. diam., bears S. 57° E., 186 lks. dist., mkd. T21NR1ES35BT

A pine, 12 ins. diam., bears S. 24° W., 168 lks. dist., mkd. T21NR1ES34BT

A pine, 3 ins. diam., bears N. 34° W., 65 lks. dist., mkd. BT

Bury the original cor. stone alongside the iron post.

Cor. is in flat pasture land, 5 lks. SW. of a fence corner from which fences bear N., E. and W.

The ¼ sec. cor. of secs. 26 and 35, is monumented by a malpais stone, 4 X 6 X 14 ins., loosely set in a collar of stones, mkd. ¼ on the N.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

CHAINS

T21NR1E

$\frac{1}{4}$ S26
S35

from which

1964

A pine, 12 ins. diam., bears S. 67° W., 36 lks. dist., mkd. $\frac{1}{4}$ S35BT

A pine, 6 ins. diam., bears N. 42° W., 33 lks. dist., mkd. $\frac{1}{4}$ S26BT

Bury the original corner stone alongside the iron post.

Cor. is 1 lk. N. of an E. and W. fence in fairly open area.

The cor. of secs. 22, 23, 26 and 27, is monumented by the original oak stake, badly rotted and in a mound of stones.

At the cor. point.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

S22 | S23
S27 | S26

from which

1964

A pine, 12 ins. diam., bears N. 4° E., 128 lks. dist., mkd. T21NR1ES23BT

A pine, 12 ins. diam., bears S. 69° E., 131 lks. dist., mkd. T21NR1ES26BT

The E. end of roof ridge on Double XX Ranch, bears N. 61° W.

Raise a mound of stones to the W. of the iron post.

Cor. is 2 lks. W. of a N. and S. fence.

The $\frac{1}{4}$ sec. cor. of secs. 22 and 23, is monumented by a malpais stone, 10 X 14 X 20 ins., firmly set in a collar of stones, mkd. with $\frac{1}{4}$ on the W., from which the original bearing trees

A pine, 18 ins. diam., bears S. 83° E., 112 lks. dist., mkd. with an over grown blaze.

A pine, 18 ins. diam., bears S. 31° W., 86 lks. dist., mkd. with a blaze partly grown over and parts of scribe marks visible.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S22 | S23

from which

1964

A pine, 6 ins. diam., bears S. 56° E., 14 lks. dist., mkd. $\frac{1}{4}$ S23BT

BOOK 4713

Township 21 North, Range 1 East, Arizona

19.

CHAINS

A pine, 10 ins. diam., bears S. 32° W., 39 lks. dist., mkd. $\frac{1}{4}$ S22BT

Bury the original corner stone alongside the iron post.

Cor. is on a S. slope, 1 ch. N. of a small draw, course W.

The cor. of secs. 14, 15, 22 and 23, is monumented by a malpais stone, 12 X 16 X 30 ins., loosely set in a collar of stones, mkd. with 3 notches on the S. and 2 notches on the E., from which the original bearing trees

A dead pine, 20 ins. diam., bears N. 78° E., 23 lks. dist., mkd with an over grown blaze.

An alligator juniper, 22 ins. diam., bears S. 51° E., 73 lks. dist., mkd. TXX1NR1ESXX111BT

An alligator juniper, 36 ins. diam., bears S. 32° W., 90 lks. dist., mkd. TXX1R1ESXX11BT

A pine, 16 ins. diam., bears N. 24° W., 151 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E
S15 S14
S22 S23
1964

from which

An alligator juniper, 8 ins. diam., bears N. 49° E., 43 lks. dist., mkd. S14BT

An alligator juniper, 5 ins. diam., bears S. 42° E., 20 lks. dist., mkd. BT

A pine, 4 ins. diam., bears S. 32° W., 17 lks. dist., mkd. BT

A pine, 10 ins. diam., bears N. 74° W., 43 lks. dist., mkd. T21NR1ES15BT

Bury the original corner stone in collar around the iron post.

Cor. is on a rocky W. slope.

The $\frac{1}{4}$ sec. cor. of secs. 14 and 15, reestablished from the original bearing trees

A dead pine, 30 ins. diam., bears S. 83° E., 217 lks. dist., mkd. $\frac{1}{4}$ SBT

A pine, 18 ins. diam., bears N. 41° W., 153 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stone to the top, with brass cap mkd.

CHAINS

T21NR1E

$\frac{1}{4}$
S15 | S14
1964

from which

A pine, 10 ins. diam., bears S. 70° E., 36 lks. dist., mkd. $\frac{1}{4}$ S14BT

A pine, 12 ins. diam., bears N. 7° W., 26 lks. dist., mkd. $\frac{1}{4}$ S15BT

The original corner stone was found in a pile of stones around a fence post, which was removed and buried alongside the iron post.

Cor. is on the E. side of the Loop Road, bearing N. and S. and is 4 lks. SW. of a fence cor. from which fences bears N. and E.

The $\frac{1}{4}$ sec. cor. of secs. 11 and 14, is monumented by a granite stone, 8 X 12 X 20 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the original bearing trees

A pine, 24 ins. diam., bears N. 7° E., 75 lks. dist., mkd. $\frac{1}{4}$ SET

An alligator juniper, 20 ins. diam., bears S. 27° W., 213 lks. dist., mkd. $\frac{1}{4}$ SET

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S11
S14

from which

1964

A pine, 8 ins. diam., bears S. 64° E., 27 lks. dist., mkd. $\frac{1}{4}$ S14BT

A pine, 8 ins. diam., bears N. 33° W., 59 lks. dist., mkd. $\frac{1}{4}$ S11BT

Bury the original corner stone alongside the iron post.

Cor. is on a NE. slope, 3 lks. E. of an old fence post.

The $\frac{1}{4}$ sec. cor. of secs. 10 and 11, is monumented by a mound of stones the center of which is accepted as the point for the corner, from which the remains of the original bearing trees

A pine stump, 36 ins. diam., cut off 12 ins. above ground, bears S. 56° E., 26 lks. dist.

A rotted oak stump, bears N. 65° W., 46 lks. dist.

At the corner point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S10 | S11
1964

from which

B0014716

Township 21 North, Range 1 East, Arizona

21.

CHAINS

A pine, 12 ins. diam., bears S. 36° W., 71 lks.
dist., mkd. $\frac{1}{4}$ S10BT

An oak, 8 ins. diam., bears S. 73° E., 64 lks.
dist., mkd. $\frac{1}{4}$ S11BT

Cor. is in pine and oak timber, 60 lks. N. of a small
drain, course NW.

The cor. of secs. 2, 3, 10 and 11, is monumented by a
malpais stone, 8 X 10 X 14 ins., loosely set in a collar
of stones, mkd. with 5 notches on the S. and 2 notches
on the E., find no evidence of the original wood post.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins.
in the ground, with brass cap mkd.

T21NR1E

S 3 | S 2

S10 | S11

from which

1964

A pine, 8 ins. diam., bears N. 47° E., 101 lks.
dist., mkd. T21NR1ES2BT

A pine, 12 ins. diam., bears S. 66° E., 236 lks.
dist., mkd. T21NR1ES11BT

A pine, 10 ins. diam., bears S. 15° W., 34 lks.
dist., mkd. T21NR1ES10BT

A pine, 8 ins. diam., bears N. 73° W., 87 lks.
dist., mkd. T21NR1ES3BT

Bury the original corner stone alongside the iron post.

Cor. is in flat area, about 12 chs. S. of U. S. Hwy. 66.

The $\frac{1}{4}$ sec. cor. of secs. 2 and 11, is monumented by a
sandstone, 4 X 8 X 32 ins., loosely set in a collar
of stones, mkd. $\frac{1}{4}$ on the N., from which an original
bearing tree

A pine, 20 ins. diam., bears N. 50° W., 74 lks.
dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 4 ins.
in the ground, with a collar of stones to the top, with
brass cap mkd.

T21NR1E

$\frac{1}{4}$ S 2

S11

from which

1964

A pine, 12 ins. diam., bears S. 36° W., 88 lks.
dist., mkd. $\frac{1}{4}$ S11BT

A pine, 6 ins. diam., bears N. 7° W., 68 lks.
dist., mkd. $\frac{1}{4}$ S2BT

Bury the original corner stone in collar around the
iron post.

CHAINS

Cor. is on a gentle SW. slope about 15 chs. S. of U. S. Hwy. 66.

The 1/4 sec. cor. of secs. 2 and 3, is monumented by a malpais stone, 8 X 12 X 16 ins., loosely set in a collar of stones, mkd. 1/4 on the S., from which the original bearing trees

A pine, 18 ins. diam., bears S. 39° W., 26 lks. dist., mkd. with an over grown blaze.

A pine, 24 ins. diam., bears S. 79° E., 69 lks. dist., mkd. with an over grown blaze with part of it chopped out and marks BT visible.

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

1/4
S 3 | S 2
1964

from which

An alligator juniper, 8 ins. diam., bears S. 21° E., 43 lks. dist., mkd. 1/4 S2BT

A pine, 4 ins. diam., bears N. 59° W., 46 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle N. slope.

The 1/4 sec. cor. of secs. 33 and 34, is monumented by a malpais stone, 8 X 12 X 18 ins., firmly set in a collar of stones, mkd. 1/4 on the W., from which the original bearing trees

A pine stump, 40 ins. diam., bears N. 10° W., 87 lks. dist., mkd. 1/4 SBT

A pine stump, 46 ins. diam., bears S. 78° E., 109 lks. dist., mkd. 1/4 SBT

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

1/4
S33 | S34
1964

from which

A pine, 10 ins. diam., bears N. 68° W., 49 lks. dist., mkd. 1/4 S33BT

A pine, 9 ins. diam., bears N. 10° E., 7 lks. dist. mkd. 1/4 S34BT

Bury the original corner stone alongside the iron post.

Cor. is on a W. slope in a heavy growth of pine timber.

CHAINS

The cor. of secs. 27, 28, 33 and 34, is monumented by a malpais stone, 10 X 16 X 20 ins., firmly set in a collar of stones, mkd. with 1 notch of the S. and 3 notches on the E., from which the remains of an original bearing tree

Hole where tree stood, bears N. 19° W., 228 lks. dist., tree has been cut where marks would be.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E
S28|S27
S33|S34
1964

from which

A pine, 12 ins. diam., bears N. 86° E., 87 lks. dist., mkd. T21NR1ES27BT

A juniper, 10 ins. diam., bears S. 82° E., 135 lks. dist., mkd. S34BT

A juniper, 16 ins. diam., bears S. 3° W., 339 lks. dist., mkd. T21NR1ES33BT

A juniper, 12 ins. diam., bears N. 64° W., 22 lks. dist., mkd. T21NR1ES28BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area about 5 chs. W. of Hell's Canyon Road.

The ¼ sec. cor. of secs. 27 and 34, is monumented by a malpais stone, 4 X 14 X 20 ins., loosely set in a collar of stones, mkd. ¼ on the N., from which the remains of an original bearing tree

A dead pine, 52 ins. diam., bears N. 47° E., 173 lks. dist., chopped out part of the over grown blaze and find scribe marks ¼S

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 10 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E
¼ S27
¼ S34
1964

from which

A pine, 12 ins. diam., bears S. 75° E., 38 lks. dist., mkd. ¼S34BT.

A pine, 12 ins. diam., bears N. 80° W., 38 lks. dist., mkd. ¼S27BT

Bury the original corner stone alongside the iron post.

Cor. is on a S. slope.

The ¼ sec. cor. of secs. 27 and 28, is monumented by a malpais stone, 3 X 10 X 20 ins., loosely set in a collar

CHAINS

of stones, mkd. $\frac{1}{4}$ on the W.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S28 | S27

from which

1964

An alligator juniper, 6 ins. diam., bears N. 80° W., 55 lks. dist., mkd. $\frac{1}{4}$ S28BT

A pine, 14 ins. diam., bears S. 26° E., 112 lks. dist., mkd. $\frac{1}{4}$ S27BT

Bury the original corner stone in the collar around the iron post.

Cor. is in fairly open and rocky pasture land.

The $\frac{1}{4}$ sec. cor. of secs. 22 and 27, is monumented by a malpais stone, 8 X 12 X 24 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the N.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S22
 $\frac{1}{4}$ S27

from which

1964

A pine, 10 ins. diam., bears N. 40° W., 9 lks. dist., mkd. $\frac{1}{4}$ S22BT

A pine, 8 ins. diam., bears S. 31° W., 131 lks. dist., mkd. $\frac{1}{4}$ S27 BT

Bury the original corner stone alongside the iron post.

Cor. is in a level area about 15 chs. SW. of the Double XX Ranch.

The cor. of secs. 21, 22, 27 and 28, is monumented by a malpais stone, 2 X 14 X 30 ins., firmly set in a collar of stones, mkd. with 2 notches on the S. and 3 notches on the E.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

S21 | S22
S28 | S27

from which

1964

The lookout tower on Bill Williams Mountain, bears N. 79° E.

A rocky knob on a low round hill bears N. 9° W.

CHAINS

Bury the original corner stone in collar around the iron post.

Cor. is in an open and rocky pasture land.

The cor. of secs. 15, 16, 21 and 22, is monumented by a hole where the original corner stone set, surrounded by a collar of stones. The original corner stone, a malpais, 12 X 20 X 30 ins., mkd. with 3 notches on two of its sides was found close by and hung on a fence post as a weight.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 12 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E
S16 S15
S21 S22

from which

1964

A pine, 14 ins. diam., bears N. 4° E., 283 lks. dist., mkd. T21NR1ES15BT

A pine, 14 ins. diam., bears S. 66° W., 110 lks. dist., mkd. T21NR1ES21BT

A pine, 12 ins. diam., bears N. 71° W., 249 lks. dist., mkd. T21NR1ES16BT

Bury the original corner stone alongside the iron post.

Cor. is in pasture land and 2 lks. SE. of a fence corner from which fences bear N., S. and W.

The ¼ sec. cor. of secs. 15 and 22, is monumented by a malpais stone, 5 X 12 X 24 ins., loosely set in a collar of stones, mkd. ¼ on the N.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 14 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E
¼ S15
¼ S22

from which

1964

A pine, 10 ins. diam., bears S. 15° W., 36 lks. dist., mkd. ¼S22BT

A pine, 7 ins. diam., bears N. 46° E., 144 lks. dist., mkd. ¼S15BT

Bury the original corner stone alongside the iron post.

Cor. is on the edge of open pasture land and about ¼ mile W. of the Loop Road.

The ¼ sec. cor. of secs. 15 and 16, is monumented by a malpais stone, 6 X 12 X 24 ins., firmly set in a collar of stones, mkd. ¼ on the W., from which the remains of the original bearing trees

CHAINS

A pine stump, 32 ins. diam., bears N. 54° E., 87 lks. dist., tree on ground and mkd. $\frac{1}{4}$ SBT

A dead pine, 36 ins. diam., bears S. 72° W., 164 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S16 | S15

1964

from which

A pine, 8 ins. diam., bears N. 56° E., 21 lks. dist., mkd. $\frac{1}{4}$ S15BT

A pine, 8 ins. diam., bears N. 57° W., 20 lks. dist., mkd. $\frac{1}{4}$ S16BT

Bury the original corner stone alongside the iron post.

Cor. is in flat area about 2 chs. W. of a new fence corner.

The cor. of secs. 9, 10, 15 and 16, is monumented by a galvanized iron pipe, 2 ins. diam., set flush with the ground and in a small mound of stones. This corner monument was established by George Curry, registered surveyor, who claims to have found the remains of the original wood post at this point after surveying all of the lines and using double proportion to get close to the point. The pipe is accepted as the best evidence of the original corner point but was not remonumented with a regulation iron post because the owner, Mr. Douglas Bard, of the land adjoining the corner requested that the pipe be left in place, from which

A pine, 12 ins. diam., bears S. 27° W., 152 lks. dist., mkd. with a small blaze chest high.

Cor. is in open pasture land at a fence corner from which fences bear S. and W.

The $\frac{1}{4}$ sec. cor. of secs. 10 and 15, is monumented by a malpais stone, 8 X 12 X 20 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the remains of an original bearing tree

An oak stump, 8 ins. diam., bears N. 22° E., 141 lks.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S10
S15

1964

from which

An oak, 10 ins. diam., bears N. 18° E., 141 lks. dist., mkd. $\frac{1}{4}$ S10BT

An alligator juniper, 14 ins. diam., bears S. 8° E., 130 lks. dist., mkd. $\frac{1}{4}$ S15BT

CHAINS

Bury the original corner stone alongside the iron post.

Cor. is 1 lk. E. of a new fence, bearing N. and S.

The $\frac{1}{4}$ sec. cor. of secs. 9 and 10, is monumented by a malpais stone, 8 X 14 X 24 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the W., from which the remains of the original bearing trees

A pine stump, 30 ins. diam., bears N. 56° E., 147 lks. dist., mkd. with blaze and parts of scribe mks.

A pine, 40 ins. diam., bears N. 60° W., 86 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$

S 9 | S10

from which

1964

A pine, 12 ins. diam., bears N. 59° E., 20 lks. dist., mkd. $\frac{1}{4}$ S10BT

A pine, 10 ins. diam., bears S. 65° W., 11 lks. dist., mkd. $\frac{1}{4}$ S9BT

Bury the original corner stone alongside the iron post.

Cor. is 80 lks. W. of a drain, course N. 10° W. and about 15 chs. W. of the Pine Springs Ranch.

The cor. of secs. 3, 4, 9 and 10, is monumented by a malpais stone, 8 X 12 X 30 ins., firmly set in a collar of stones, mkd. with 5 notches on the S. and 3 notches on the E., from which the remains of an original bearing tree

A dead pine, 18 ins. diam., bears N. 27° W., 209 lks. dist., mkd. TXX1NR1ES1VBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

S 4 | S 3

S 9 | S10

from which

1964

An alligator juniper, 6 ins. diam., bears N. 45° E., 65 lks. dist., mkd. BT

A pine, 12 ins. diam., bears S. 86° E., 73 lks. dist., mkd. T21NR1ES10BT

A pine, 9 ins. diam., bears N. 68° W., 26 lks. dist., mkd. T21NR1ES14BT

Bury the original corner stone alongside the iron post.

Cor. is on a SW. slope about 3 chs. S. of old R.R. bed.

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 3 and 10, is monumented by a malpais stone, 8 X 12 X 14 ins., firmly set, mkd. $\frac{1}{4}$ on the N., with a mound of stones to the N., from which an original bearing tree

An alligator juniper, 30 ins. diam., bears N. 86° E., 259 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S 3

$\frac{1}{4}$ S10

from which

1964

A pine, 7 ins. diam., bears N. 45° E., 21 lks. dist., mkd. $\frac{1}{4}$ S3BT

A pine, 9 ins. diam., bears S. 77° E., 44 lks. dist., mkd. $\frac{1}{4}$ S10BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle W. slope about 5 chs. S. of U. S. Hwy. 66.

The $\frac{1}{4}$ sec. cor. of secs. 3 and 4, is monumented by a malpais stone, 8 X 16 X 28 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the W., from which the remains of the original bearing trees

A juniper, 24 ins. diam., bears S. 80° E., 98 lks. dist., mkd. $\frac{1}{4}$ SBT

A juniper stump, bears N. 33° W., 41 lks. dist., no sign of tree to S. 33° W.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$

S 4 | S 3

from which

1964

A juniper, 8 ins. diam., bears S. 14° W., 60 lks. dist., mkd. $\frac{1}{4}$ S4BT

A juniper, 12 ins. diam., bears S. 59° E., 39 lks. dist., mkd. $\frac{1}{4}$ S3BT

Bury the original cor. stone alongside the iron post.

Cor. is in a flat area.

The $\frac{1}{4}$ sec. cor. of secs. 32 and 33, is monumented by a malpais stone; 6 X 12 X 20 ins., loosely set in a collar of stones, mks. on W. too faint to read, from which the original bearing trees

An alligator juniper, 30 ins. diam., bears S. 22° E., 94 lks. dist., mkd. $\frac{1}{4}$ SBT

CHAINS

A pine, 18 ins. diam., bears S. 42° W., 146 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

1/4
S32 | S33

from which

1964

A pine, 7 ins. diam., bears N. 76° W., 14 lks. dist., mkd. 1/4 S32BT

A pine, 8 ins. diam., bears S. 73° E., 13 lks. dist., mkd. 1/4 S33BT

Bury the original corner stone alongside the iron post.

Cor. is on a W. slope about 2 chs. E. of a drain, course S. 20° E.

The cor. of secs. 28, 29, 32 and 33, is monumented by a malpais stone, 8 X 14 X 24 ins., loosely set in a collar of stones, mkd. with 1 notch on the S. and 4 notches on the E., from which the remains of the original bearing trees

An alligator juniper, 60 ins. diam., bears N. 17° E., 77 lks. dist., mkd. with a partly closed blaze with parts of the scribe marks visible.

An alligator juniper, 36 ins. diam., bears S. 71° W., 166 lks. dist., mkd. with a partly closed blaze with parts of scribe marks visible.

An alligator juniper, 36 ins. diam., bears N. 32° W., 75 lks. dist., mkd. TXXLNR1ESXXLXBT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

S29 | S28
S32 | S33

from which

1964

A pine, 8 ins. diam., bears N. 77° E., 64 lks. dist., mkd. S28BT

A pine, 8 ins. diam., bears S. 68° E., 45 lks. dist., mkd. S33BT

A pinon, 6 ins. diam., bears S. 30° W., 30 lks. dist., mkd. S32BT

An alligator juniper, 10 ins. diam., bears N. 2° W., 83 lks. dist., mkd. T21NR1ES29BT

Bury the original corner stone alongside the iron post.

Cor. is on a SW. slope.

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 28 and 33, established from the remains of the original bearing trees

A pine, 24 ins. diam., bears S. 22° W., 72 lks. dist., mkd. with a partly closed blaze, scribe mks. BT visible.

A pine stump, 20 ins. diam., bears N. 53° E., 27 lks. dist., no marks.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S28
S33

from which

1964

A pine, 12 ins. diam., bears N. 14° E., 65 lks. dist., mkd. $\frac{1}{4}$ S28BT

A pine, 10 ins. diam., bears S. 71° E., 100 lks. dist., mkd. $\frac{1}{4}$ S33BT

Cor. falls in a scattered mound of stones and in a flat area about 3 chs. E. of a drain, course S.

The $\frac{1}{4}$ sec. cor. of secs. 21 and 28, is monumented by a malpais stone, 6 X 14 X 18 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the N.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S21
S28

from which

1964

A pine, 12 ins. diam., bears N. 9° W., 192 lks. dist., mkd. $\frac{1}{4}$ S21BT

An alligator juniper, 8 ins. diam., bears S. 26° W., 10 lks. dist., mkd. $\frac{1}{4}$ S28BT

Bury the original corner stone alongside the iron post.

Cor. is in open pasture land with scattered trees.

The cor. of secs. 16, 17, 20 and 21, is monumented by a malpais stone, 10 X 12 X 18 ins., firmly set in a collar of stones, mkd. with 3 notches on the S. and 4 notches on the E.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

S17 | S16
S20 | S21

from which

1964

CHAINS

A pine, 8 ins. diam., bears S. 21° E., 394 lks. dist., mkd. S21BT

A pine, 8 ins. diam., bears N. 37° W., 207 lks. dist., mkd. T21NRLES17BT

Bury the original corner stone alongside the iron post.
Cor. is in open pasture land.

The $\frac{1}{4}$ sec. cor. of secs. 16 and 17, is monumented by a malpais stone, 4 X 14 X 30 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the W., from which the remains of the original bearing trees

A pine stump hole, bears N. 57° E., 93 lks. dist., tree has been pushed and is mkd. $\frac{1}{4}$ SBT

A pine stump hole, bears S. 40° E., 152 lks. dist., tree is badly rotted but mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$

S17|S16

1964

from which

A pine, 12 ins. diam., bears S. 83° E., 50 lks. dist., mkd. $\frac{1}{4}$ S16BT

A pine, 10 ins. diam., bears N. 47° W., 227 lks. dist., mkd. $\frac{1}{4}$ S17BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat and open area.

The cor. of secs. 8, 9, 16 and 17, is monumented by a malpais stone, 10 X 14 X 24 ins., loosely set in a collar of stones, mkd. with 4 notches on the S. and E., from which the original bearing trees

A dead pine, 32 ins. diam., bears N. 4° E., 21 lks. dist., mkd. TXX1NRLES1XBT

A pine, 32 ins. diam., bears S. 52° E., 137 lks. dist., blaze almost closed, parts of scribe marks are visible.

A pine, 32 ins. diam., bears S. 22° W., 122 lks. dist., mkd. TXX1NRLESXV11BT

A dead pine, 36 ins. diam., bears N. 64° W., 143 lks. dist., blaze almost closed, parts of scribe marks are visible.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

CHAINS

T21NR1E
S 8 | S 9
S17 | S16

from which 1964

An oak, 6 ins. diam., bears N. 51° E., 19 lks. dist., mkd. S9BT

A pine, 7 ins. diam., bears S. 30° E., 18 lks. dist., mkd. S16BT

An oak, 5 ins. diam., bears S. 25° W., 37 lks. dist., mkd. S17BT

A pine, 10 ins. diam., bears N. 42° W., 47 lks. dist., mkd. T21NR1ES8BT

Bury the original corner stone alongside the iron post.

Cor. is on a N. slope, 1 ch. S. of open pasture land.

The 1/4 sec. cor. of secs. 9 and 16, is monumented by a malpais stone, 12 X 20 X 30 ins., loosely set in a collar of stones, mkd. 1/4 on the N.

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 1 1/4 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E
1/4 S 9
1/4 S16

from which 1964

An alligator juniper, 12 ins. diam., bears N. 81° E., 22 lks. dist., mkd. 1/4S9BT

An alligator juniper, 6 ins. diam., bears S. 32° E., 8 1/4 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on a ridge bearing N. and S.

The 1/4 sec. cor. of secs. 8 and 9, is monumented by an Arizona State Highway Department brass marker in a scattered collar of stones, from which the remains of the original bearing trees

A pine, 48 ins. diam., bears S. 74° 30' E., 236 lks. dist., mkd. 1/4SBT

At the cor. point

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E
1/4
S 8 | S 9

from which 1964

A pine, 12 ins. diam., bears S. 35° E., 31 lks. dist., mkd. 1/4S9BT

CHAINS

A pine, 12 ins. diam., bears N. 52° W., 27 lks. dist., mkd. $\frac{1}{4}$ S8BT

Find the original corner stone in collar of stone and bury it alongside the iron post together with the highway marker.

Cor. is in a flat area with pine timber.

The $\frac{1}{4}$ sec. cor. of secs. 4 and 9, is monumented by a malpais stone, 6 X 14 X 24 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the original bearing trees

An alligator juniper, 24 ins. diam., bears S. 60° W., 88 lks. dist., mkd. $\frac{1}{4}$ SBT

A pine stump, 36 ins. diam., bears N. 65° W., 128 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 6 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ $\frac{S-4}{S-9}$

from which

1964

A pine, 6 ins. diam., bears N. 54° W., 18 lks. dist., mkd. $\frac{1}{4}$ S4BT

A pine, 14 ins. diam., bears S. 17° E., 42 lks. dist., mkd. $\frac{1}{4}$ S9BT

Bury the original corner stone alongside the iron post.

Cor. is on a N. slope about 2 chs. N. of the top of a spur and 4.50 chs S. of U. S. Hwy. 66.

The $\frac{1}{4}$ sec. cor. of secs. 31 and 32, is monumented by malpais stone, 24 X 28 X 36 ins., set on solid rock, mkd. $\frac{1}{4}$ on the W., from which an original bearing tree

An alligator juniper, 38 ins. diam., bears S. 26° E., 225 lks. dist., mkd. with an overgrown blaze with parts of scribe marks visible.

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., over a + cut in solid rock, with a collar of stone to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ S31|S32

from which

1964

An alligator juniper, 6 ins. diam., bears S. 22° E., 37 lks. dist., mkd. $\frac{1}{4}$ S32BT

A juniper, 6 ins. diam., bears N. 46° W., 47 lks. dist., mkd. $\frac{1}{4}$ S31BT

Place the original corner stone in collar around the iron post.

CHAINS

Cor. is on a gentle SE. slope in a fairly open area.

The cor. of secs. 29, 30, 31 and 32, is monumented by a malpais stone, 8 X 10 X 16 ins., loosely set in a collar of stones, mkd. with 1 notch on the S. and 5 notches on the E., from which the remains of an original bearing tree

Hole where an alligator juniper stood, bears N. 34° W., 15¼ lks. dist., tree has been pushed and is mkd.
TXXLNRLESXXXBT

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E	
S30	S29
S31	S32

from which

1964

An alligator juniper, 36 ins. diam., bears N. 55° E., 378 lks. dist., mkd. T21NR1ES 29BT

An alligator juniper, 30 ins. diam., bears S. 28° W., 414 lks. dist., mkd. T21NR1ES31BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area about 8 chs. N. of a canyon rim.

The ¼ sec. cor. of secs. 29 and 32, is monumented by a malpais stone, 10 X 14 X 30 ins., loosely set in a collar of stones, mkd. ¼ on the N., from which the remains of the original bearing trees

Hole where a 28 in. alligator stood, bears N. 30° W., 93 lks. dist., tree has been pushed and is mkd. ¼ SBT

An alligator juniper, 20 ins. diam., bears S. 8° W., 135 lks. dist., mkd. ¼ SBT

NOTE: The distances seem to be reversed on these bearing trees.

At the cor. point

Set an iron post, 30 ins. long, 2½ ins. diam., 6 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E	
¼ S29	
¼ S32	

from which

1964

An alligator juniper, 9 ins. diam., bears N. 58° W., 8 lks. dist., mkd. ¼ S29BT

An alligator juniper, 12 ins. diam., bears S. 5° W., 109 lks. dist., mkd. ¼ S32BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle S. slope about 5 chs. N. of a break into a canyon.

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 29 and 30, is monumented by a malpais stone, 6 X 14 X 30 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the W., from which an original bearing tree

An alligator juniper, 40 ins. diam., bears N. 40° W., 176 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S30 | S29

from which

1964

An alligator juniper, 8 ins. diam., bears S. 2° E., 71 lks. dist., mkd. $\frac{1}{4}$ S29BT

An alligator juniper, 6 ins. diam., bears N. 23° W., 80 lks. dist., mkd. $\frac{1}{4}$ 30BT

Bury the original corner stone alongside the iron post.

Cor. is on a rocky W. slope.

The cor. of secs. 19, 20, 29 and 30, is monumented by a malpais stone, 6 X 8 X 14 ins., mkd. with 2 notches on the S. and 5 notches on the E.

At the cor, point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

S19 | S20
S30 | S29

from which

1964

An alligator juniper, 8 ins. diam., bears N. 76° E., 13 lks. dist., mkd. S20BT

An alligator juniper, 8 ins. diam., bears S. 24° E., 199 lks. dist., mkd. T21NR1ES29BT

A juniper, 6 ins. diam., bears S. 67° W., 29 lks. dist., mkd. S30BT

An alligator juniper, 6 ins. diam., bears N. 6° W., 14 lks. dist., mkd. S19BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area with scattered timber.

The $\frac{1}{4}$ sec. cor. of secs. 19 and 30, is monumented by a malpais stone, 6 X 16 X 24 ins., loosely set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the original bearing trees

An alligator juniper, 28 ins. diam., bears S. 18° W., 251 lks. dist., mkd. $\frac{1}{4}$ SBT

CHAINS

An alligator juniper, 30 ins. diam., bears N. 54° W., 47 lks. dist., mkd. on a limb $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ $\frac{S19}{S30}$

from which

1964

A juniper, 4 ins. diam., bears S. 26° E., 24 lks. dist., mkd. $\frac{1}{4}$ S30BT

An alligator juniper, 10 ins. diam., bears N. 79° E., 115 lks. dist., mkd. $\frac{1}{4}$ S19BT

Bury the original corner stone alongside the iron post.

Cor. is in a nearly flat area about 45 chs. E. of a N. and S. fence.

The $\frac{1}{4}$ sec. cor. of secs. 19 and 20, is monumented by a malpais stone, 6 X 16 X 36 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the W., from which an original bearing tree

An alligator juniper, 72 ins. diam., bears S. 19° E., 223 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ $\frac{S19}{S20}$

from which

1964

A juniper, 6 ins. diam., bears S. 63° E., 71 lks. dist., mkd. $\frac{1}{4}$ S20 BT

A pine, 10 ins. diam., bears S. 41° W., 85 lks. dist., mkd. $\frac{1}{4}$ S19BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area about 4 chs. W. of a canyon rim.

The cor. of secs. 17, 18, 19 and 20, is monumented by a malpais stone, 8 X 10 X 20 ins., firmly set in a collar of stones, mkd. with 3 notches on the S. and 5 notches on the E.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{S18}{S19}$ $\frac{S17}{S20}$

1964

Raise a mound of stones to the W. of the iron post.

BOY 4716

Township 21 North, Range 1 East, Arizona

37.

CHAINS

Bury the original corner stone alongside the iron post.
Cor. is in open pasture land.

The $\frac{1}{4}$ sec. cor. of secs. 17 and 18, is monumented by a malpais stone, 8 X 10 X 14 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the W.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S18 | S17

from which

1964

A juniper, 10 ins. diam., bears N. 52° E., 157 lks. dist., mkd. $\frac{1}{4}$ S17BT

A juniper, 6 ins. diam., bears N. 8° W., 465 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle W. slope about 8 chs. E. of the E. rim of a canyon.

The cor. of secs. 7, 8, 17 and 18, is monumented by a malpais stone, 10 X 20 X 24 ins., loosely set in a collar of stones, mkd. with 4 notches on the S. and 5 notches on the E., from which an original bearing tree

A juniper, 36 ins. diam., bears S. 80° E., 210 lks. dist., mkd. TXX1NR1ESXV11BT

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

S 7 | S 8

S18 | S17

from which

1964

A pinon, 3 ins. diam., bears N. 52° E., 73 lks. dist., mkd. BT

A pinon, 4 ins. diam., bears S. 36° E., 31 lks. dist., mkd. BT

A juniper, 7 ins. diam., bears S. 66° W., 35 lks. dist., mkd. S18 BT

A juniper, 8 ins. diam., bears N. 12° W., 80 lks. dist., mkd. S7BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle SW. slope.

The $\frac{1}{4}$ sec. cor. of secs. 8 and 17, monumented by a rotted oak post with faint scribe marks and in a mound of stones, from which the remains of the original

CHAINS

bearing trees

A pine stump, 20 ins. diam., bears S. 23° W., 52 lks. dist., log lying next to stump is mkd. $\frac{1}{4}$ SBT

An oak, 12 ins. diam., bears N. 4° E., 40 lks. dist., mkd. with an over grown blaze.

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd,

T21NR1E

$\frac{1}{4}$ $\frac{S8}{S17}$

from which

1964

A pine, 6 ins. diam., bears S. 46° E., 16 lks. dist., mkd. $\frac{1}{4}$ S17BT

An oak, 6 ins. diam., bears N. 14° E., 60 lks. dist., mkd. $\frac{1}{4}$ S8BT

Cor. is on a steep NW. slope in oak and pine timber.

The $\frac{1}{4}$ sec. cor. of secs. 7 and 18 is monumented by a malpais stone, 8 X 12 X 18 ins., firmly set in a collar of stones, mkd. $\frac{1}{4}$ on the N., from which the remains of an original bearing tree

A hole where an alligator juniper stood, bears S. 31° E., 145 lks. dist., tree has been pushed but is mkd. $\frac{1}{4}$ SBT

At the cor. point,

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 20 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$ $\frac{S7}{S18}$

from which

1964

A juniper, 6 ins. diam., bears S. 32° W., 64 lks. dist., mkd. BT

An alligator juniper, 4 ins. diam., bears N. 9° W., 120 lks. dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle NW. slope about 55 lks. E. of a N. and S. fence.

The $\frac{1}{4}$ sec. cor. of secs. 7 and 8, is monumented by a malpais stone, 4 X 8 X 24 ins., firmly set in a collar of stones, no marks, from which an original bearing tree

A juniper, 12 ins. diam., bears N. 64° W., 68 lks. dist., mkd. $\frac{1}{4}$ SBT

At the cor. point

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 20 ins. in the ground with a collar of stones to the top, with brass cap mkd.

CHAINS

T21NR1E

 $\frac{1}{4}$

S 7 | S 8

1964

from which

A juniper, 14 ins. diam., bears S. 39° W., 37 lks.
dist., mkd. $\frac{1}{4}$ S7BT

A juniper, 4 ins. diam., bears N. 51° E., 104 lks.
dist., mkd. BT

Bury the original corner stone alongside the iron post.

Cor. is in a flat area with juniper timber and about
 $\frac{1}{4}$ mile NW. of a round hill.

The cor. of secs. 5, 6, 7 and 8, is monumented by a
malpais stone, 8 X 18 X 28 ins., firmly set in a collar
of stones, mkd., with 5 notches on the S. and E.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins.
in the ground, with a collar of stones to the top, with
brass cap mkd.

T21NR1E

S 6 | S 5

S 7 | S 8

1964

from which

A juniper, 6 ins. diam., bears N. 83° E., 25 lks.
dist., mkd. BT

A juniper, 8 ins. diam., bears S. 28° E., 162 lks.
dist., mkd. S8BT

A pine, 6 ins. diam., bears S. 69° W., 174 lks.
dist., mkd. S7BT

A juniper, 9 ins. diam., bears N. 21° W., 232 lks.
dist., mkd. S6BT

Bury the original corner stone alongside the iron post.

Cor. is on a gentle N. slope, about 8 chs. S. of U. S.
Hwy. 66 at the top of Ash Fork Hill.

The $\frac{1}{4}$ sec. cor. of secs. 6 and 7, is monumented by a
malpais stone, 6 X 12 X 16 ins., firmly set in a collar
of stones, mkd. $\frac{1}{4}$ on the N.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins.
in the ground, with brass cap mkd.

T21NR1E

 $\frac{1}{4}$ S 6

S 7

1964

from which

A juniper, 10 ins. diam., bears N. 81° E., 193 lks.
dist., mkd. $\frac{1}{4}$ S6BT

An alligator juniper, 14 ins. diam., bears S. 15° W.,
296 lks. dist., mkd. $\frac{1}{4}$ S7BT

CHAINS

Bury the original corner stone alongside the iron post.

Cor. is in flat area and under an electric high line, bears S. 80° E. and N. 80° W.

The $\frac{1}{4}$ sec. cor. of secs. 5 and 6, is monumented by a malpais stone, 10 X 12 X 16 ins., firmly set, mkd. $\frac{1}{4}$ on the W., with mound of stones to the SE., from which the remains of an original bearing tree

An oak stump, 10 ins. diam., bears N. 46° E., 260 lks. dist., faint scribe marks are visible.

At the cor. point

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with a collar of stones to the top, with brass cap mkd.

T21NR1E

$\frac{1}{4}$
S 6 | S 5
1964

from which

A pine, 6 ins. diam., bears N. 80° W., 91 lks. dist., mkd. $\frac{1}{4}$ S6BT

A juniper, 4 ins. diam., bears N. 84° E., 38 lks. dist., mkd. $\frac{1}{4}$ S5BT

Bury the original corner stone alongside the iron post.

Cor. is on a N. slope about 30 chs. SW. of Rod's Ranch.

The official record was found to be in error for many of the bearings and distances given for the bearing trees. A few of the trees were misnamed as to specie. A ring growth count was made on several trees which proved they were marked at the time of the original survey.

Where the original corner monumnet appeared to be undisturbed, it was accepted as the true point for the corner.

42

BOOK 4716

CERTIFICATE OF SURVEY

I, Lester S. Mann, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 22 day of June, 1964,

I have remonumented a portion of the cadastral survey corners in cooperation with the U. S. Forest Service in T. 21 N., R. 1 E.

of the Gila & Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

Oct. 27, 1964 (Date)

Lester S. Mann (Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL Date NOV 2 1964

BUREAU OF LAND MANAGEMENT, Washington, D. C.

The foregoing field notes of the remonumentation of a portion of the cadastral survey corners in T. 21 N., R. 1 E., G. & S. R. Meridian, Arizona,

executed by Lester S. Mann, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

APR 20 1965 (Date)

[Signature] (Chief, Division of Engineering)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in, is a true copy of the original field notes.

(Date)

(Chief, Division of Engineering)