

19

INDEX DIAGRAM

Township 38 North, Range 13 West

6 55	5	42 4	32 8	20 2	10 1
55	54	41	31	20	9
7	53 8	40 9	30 10	18 11	8 12
53	52	39	29	18	8
18	51 17	38 16	28 15	16 14	7 13
50	49	37	27	16	6
19	48 20	36 21	25 22	14 23	5 24
47	47	35	25	14	4
30	45 29	35 28	23 27	13 26	3 25
45	44	34	22	12	2
31	43 32	33 33	21 34	11 35	1 36

Township 38 North, Range 13 West
Gila and Salt River Meridian, Arizona

16

CHAINS

The east boundary was surveyed in 1924 by W. E. Hiester. The north boundary was surveyed in 1925 by Hiester and Bandy. The west boundary was surveyed in 1929-30 by Siebecker and Averill. The south boundary was surveyed in 1956 by George M. Boofer.

The following field notes are those of the survey of the subdivisional lines of Township 38 North, Range 13 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated September 14, 1961.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base and with a brass cap riveted to the top.

The geographic position of the southeast cor. of the Township is: Latitude 36°38'39.9" North, and Longitude 113°38'03.7" West, as determined from tie to triangulation station "Flat".

The magnetic declination was found to be 15°45' E.

Subdivision, T. 38 N., R. 13 W., Arizona

From the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp., monumented by an iron post 2½ ins. diam., set, mkd. and witnessed as described in the official record of the 1956 survey.

N. 0°01' W., bet. secs. 35 and 36.

Over mountainous land through medium timber and undergrowth.

- 1.80 Draw drains E.; asc. S. slope.
- 7.90 Spur, slopes E.; desc. N. slope.
- 18.20 Draw, drains N. 60° E.; desc. along rolling E. slope.
- 40.00 Point for the ¼ sec. cor. of secs. 35 and 36.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 ¼
 S35 | S36
 1965

CHAINS

from which

A juniper, 6 ins. diam., bears S. 65°45' E.,
26 lks. dist., mkd. ½S36BT.

A juniper, 20 ins. diam., bears S. 71° W.,
47 lks. dist., mkd. T38NR13W¼S35BT.

- 46.30 Draw, drains NW.
- 47.20 Spur, slopes N. 80° W.
- 48.90 Wash, 10 lks. wide, 7 ft. banks drains W.
- 49.50 Dirt road, bears irregular E. and W.
- 62.50 Spur, slopes W.; desc. over N. slope.
- 68.10 Draw, drains SW.; asc. over S. slope.
- 77.40 Low hill bears N. 70° E. and S. 70° W.; desc. N. slope.
- 80.00 Point for the cor. of secs. 25, 26, 35 and 36.

Set the iron post 7 ins. in the ground, mound with
stones to top, cap mkd.

T38NR13W	
S26	S25
S35	S36
1965	

from which

A juniper, 8 ins. diam., bears N. 62° E.,
43 lks. dist., mkd. T38NR13WS25BT.

A juniper, 12 ins. diam., bears S. 51° E.,
37 lks. dist., mkd. S36BT.

A juniper, 24 ins. diam., bears S 77°30' W.,
70 lks. dist., mkd. S35BT.

Land, rolling.
Soil, rocky sandy loam.
Timber, medium juniper.
Undergrowth, sagebrush.

From the cor. of secs. 25, 30, 31 and 36, on the E.
bdy. of the Tp., monumented by an iron post 2 ins.
diam., set, mkd. and witnessed as described in the
official record of the 1924 survey.

West, bet. secs. 25 and 36.

Over rolling land, through dense timber and scattered
undergrowth.

- 6.50 Spur, slopes S.
- 10.30 Bladed road, bears N. 30° W. and S. 15° E.

CHAINS	
14.40	Dim road, bears NW. and SE.
20.80	Wash, 10 lks. wide, 1 ft. deep, drains S. 30° W.
24.40	Wash, 10 lks. wide, 1 ft. deep, drains NW.
26.00	Wash, 10 lks. wide, 1 ft. deep, drains SW.
32.80	Draw, drains S. 60° E.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36.
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	T38NR13W $\frac{1}{4}$ $\frac{S25}{S36}$ 1965
	from which
	A division bet. two ponds, bears N. 33°48' E. 29.45 chs. dist.; ponds are N. and S. of division.
47.20	Spur, slopes N.
53.90	Small wash, 5 lks. wide, 1 ft. deep, drains NE.
62.10	Small low hill, bears N. and S.
79.98	The cor. of secs. 25, 26, 35 and 36.
	Land, rolling. Soil, sandy loam. Timber, dense juniper. Undergrowth, medium sagebrush, morganbrush, cacti and mahogany.
	N. 0°01' W., bet. secs. 25 and 26.
	Over rolling land, through dense timber and medium undergrowth.
5.40	Spur, slopes E.; desc. over N. slope.
12.10	Draw, drains N. 60° W.
17.50	Spur, slopes W.
22.00	Draw, drains S. 70° W.
38.40	Small draw, drains SE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

4

CHAINS

T38NR13W
 $\frac{1}{2}$
 S26 | S25
 1965

from which

A juniper, 6 ins. diam., bears N. 64° E.,
 14 lks. dist., mkd. $\frac{1}{2}$ S25BT.

A juniper, 6 ins. diam., bears N. 30 $\frac{1}{2}$ ° W.,
 20 lks. dist., mkd. $\frac{1}{2}$ S26BT.

41.10

Ridge, bears E. and W.

55.30

Bladed road, bears S. 75° E. and N. 75° W.

80.00

Point for the cor. of secs. 23, 24, 25 and 26.

Set the iron post 20 ins. in the ground, in a
 collar of stones, cap mkd.

T38NR13W
 S23 | S24
 S26 | S25
 1965

from which

A juniper, 8 ins. diam., bears N. 25° E.,
 32 lks. dist., mkd. S24BT.

A juniper, 8 ins. diam., bears N. 30° W.,
 28 lks. dist., mkd. S23BT.

No other suitable bearing trees available.

Raise a mound of stone W. of the cor.

Land, rolling.

Soil, sandy loam.

Timber, dense juniper.

Undergrowth, medium sagebrush, scattered mormon tea
 and mountain mahogany.

From the cor. of secs. 19, 24, 25 and 30 on the E.
 bdy. of the Tp., monumented by an iron post 2 ins.
 diam., set, mkd. and witnessed as described in the
 official record of the 1924 survey.

Cor. is set in cor. of fence lines bearing S. and
 N. 80° W.

N. 89°59' W., bet. secs. 24 and 25.

Over nearly level land through heavy sagebrush and
 scattered juniper.

24.90

Wash, 5 lks. wide, 1 ft. deep, drains irregularly
 SE.; leave sagebrush flat and enter medium timber.

CHAINS	
39.98	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 24 and 25.</p> <p>Set the iron post 22 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ S24 S25 1965</p> <p>No suitable bearing trees available.</p> <p>Raise a mound of stone N. of the cor.</p> <p>Leave medium timber and enter small sagebrush flat.</p>
46.00	Leave small flat and enter medium timber.
63.00	Enter gently rolling land.
79.96	<p>The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, nearly level $\frac{3}{4}$ mile and West $\frac{1}{4}$ rolling. Soil, sandy loam. Timber, medium juniper West $\frac{3}{4}$ mile. Undergrowth, medium sagebrush and scattered mountain mahogany.</p>
	N. 0°01' W., bet. secs. 23 and 24.
	Over rolling land, through dense timber and medium undergrowth.
7.70	Spur, slopes E.
15.20	Five strand barbed wire fence, bears S. 79° E. and N. 79°50' W.
32.60	Wolfhole and Pakoon road, bears S. 70° E. and N. 70° W.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 24.</p> <p>Set the iron post 22 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ S23 S24 1965</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 12 ins. diam., bears East, 5 lks. dist., mkd. $\frac{1}{4}$S24BT.</p> <p style="padding-left: 40px;">A juniper, 12 ins. diam., bears S. 62° W., 33 lks. dist., mkd. $\frac{1}{4}$S23BT.</p>
46.70	Wash, 10 lks. wide, 2 ft. deep, drains SW.
64.00	Asc. over gentle S. slope.
66.30	Dirt road, bears S. 30° E. and N. 30° W.

6

CHAINS

74.60 Spur, slopes W.

80.00 Point for the cor. of secs. 13, 14, 23 and 24.

Set the iron post 22 ins. in the ground, cap mkd.

T38NR13W

S14	S13
S23	S24

 1965

from which

A pinon, 12 ins. diam., bears N. 51° E.,
29 lks. dist., mkd. S13BT.

A juniper, 15 ins. diam., bears S. 68°45' W.,
48 lks. dist., mkd. T38NR13WS23BT.

Raise a mound of stone W. of the cor.

Land, gently rolling to nearly level.

Soil, sandy loam.

Timber, dense juniper.

Undergrowth, sagebrush, brigham tea and cacti.

From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1924 survey.

N. 89°55' W., bet. secs. 13 and 24.

Over rolling land, through dense timber.

7.10 Wash, 5 lks. wide, 1 ft. deep, drains N. 85° E.; asc. E. slope.

31.70 E. rim of mesa bears irregularly N. and S.; thence, over nearly level land.

39.97 Point for the 1/4 sec. cor. of secs. 13 and 24.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

1/4 S13
S24

 1965

from which

A juniper, 8 ins. diam., bears S. 53°45' W.,
17 lks. dist., mkd. 1/4S24BT.

A juniper, 8 ins. diam., bears N. 39°30' W.,
44 lks. dist., mkd. 1/4S13BT.

CHAINS

- 53.40 W. rim of mesa, bears N. and S.; desc. over W. slope.
 61.90 Asc. over E. slope.
 76.10 Top of spur, slopes N. 10° W.; desc. W. slope to cor.
 79.94 The cor. of secs. 13, 14, 23 and 24.

Land, rolling.
 Soil, sandy loam.
 Timber, dense juniper and scattered pinon.
 Undergrowth, medium sage and scattered cacti.

N. 0°01' W., bet. secs. 13 and 14.

Over rolling land through dense timber.

- 14.80 Small spur, slopes S. 60° W.
 26.60 Spur, slopes W.
 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 14.

Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W

$\frac{1}{4}$
 S14 | S13
 1965

from which

A juniper, 8 ins. diam., bears S. 48°45' E.,
 22 lks. dist., mkd. $\frac{1}{4}$ S13BT.

A juniper, 12 ins. diam., bears N. 63°45' W.,
 30 lks. dist., mkd. $\frac{1}{4}$ S14BT.

Raise a mound of stone W. of the cor.

Asc. over S. slope.

- 41.70 Spur, slopes E.
 45.50 Desc. over gentle N. slope.
 80.00 Point for the cor. of secs. 11, 12, 13 and 14.

Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W

S11 | S12
 S14 | S13
 1965

from which

A juniper, 24 ins. diam., bears S. 41°30' E.,
 20 lks. dist., mkd. S13BT.

A juniper, 24 ins. diam., bears S. 20° W.,
 28 lks. dist., mkd. T38NR13WS14BT.

CHAINS

No other suitable bearing trees available.

Land, gently rolling.
Soil, sandy loam.
Timber, dense juniper and pinon.
Undergrowth, sagebrush.

From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1924 survey.

S. 89°59' W., bet. secs. 12 and 13.

Over gently rolling land, through dense timber.

14.30 Small spur, slopes N.

20.10 Wash, 5 lks. wide, 5 ft. deep, drains N. 80° E.

33.50 Wash, 5 lks. wide, 2 ft. deep, drains S. 80° E.

39.98 Point for the 1/4 sec. cor. of secs. 12 and 13.

Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
1/4 S12
S13
1965

from which

A juniper, 12 ins. diam., bears S. 37°30' W., 31 lks. dist., mkd. T38NR13W 1/4 S13BT.

No other suitable bearing trees available.

79.96 The cor. of secs. 11, 12, 13 and 14.

Land, gently rolling.
Soil, sandy loam.
Timber, dense juniper.
Undergrowth, medium sagebrush.

N. 0°01' W., bet. secs. 11 and 12.

Over gently rolling land through dense timber.

23.20 Dirt road, bears S. 75° E. and W. for 50 lks., thence SW.

40.00 Point for the 1/4 sec. cor. of secs. 11 and 12.

Set the iron post 18 ins. in the ground, cap mkd.

T38NR13W
1/4 S11 | S12
1965

from which

A juniper, 18 ins. diam., bears S. 56° E.,

CHAINS

17 lks. dist., mkd. T38NR13W $\frac{1}{4}$ S12BT.

A juniper, 10 ins. diam., bears S. 58°15' W.,
25 lks. dist., mkd. $\frac{1}{4}$ S11BT.

Raise a mound of stone W. of the cor.

62.00 Faint road, bears E. and W.

63.80 Wash, 5 lks. wide, 1 ft. deep, drains irregular SW.

Asc. S. slope.

80.00 Point for the cor. of secs. 1, 2, 11 and 12.

Set the iron post 15 ins. in the ground, mound with
stones to top, cap mkd.

T38NR13W	
S 2	S 1
S11	S12
1965	

from which

A juniper, 12 ins. diam., bears N. 54°45' E.,
27 lks. dist., mkd. S1BT.

A pinon, 8 ins. diam., bears S. 37° E.,
52 lks. dist., mkd. S12BT.

A pinon, 8 ins. diam., bears S. 43° W.,
35 lks. dist., mkd. T38NR13WS11BT.

Land, gently rolling.

Soil, sandy loam.

Timber, dense juniper and pinon.

Undergrowth, medium sagebrush and scattered cacti.

From the cor. of secs. 1, 6, 7 and 12 on the E. bdy.
of the Tp., monumented by an iron post 2 ins. diam.,
set, mkd. and witnessed as described in the official
record of the 1924 survey.

S. 89°56' W., bet. secs. 1 and 12.

Over gently rolling land, through dense timber.

40.03 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12.

Set the iron post 10 ins. in the ground, mound with
stones to top, cap mkd.

T38NR13W	
$\frac{1}{4}$ S 1	S 1
S12	S12
1965	

No suitable bearing trees available.

Asc. gentle E. slope.

71.30 Small ridge, bears N. and S.

CHAINS

80.06 The cor. of secs. 1, 2, 11 and 12.
 Land, nearly level.
 Soil, sandy loam.
 Timber, dense juniper and pinon.
 Undergrowth, sagebrush, scattered scrub oak last $\frac{1}{4}$ mile.

N. 0°01' E., bet. secs. 1 and 2.
 Over rolling land, through dense timber.

1.40 Small spur, slopes S. 25° E.
 7.10 Draw, drains NW.
 8.90 Spur, slopes NW.
 10.90 Draw, drains S. 70° W.
 18.30 Spur, slopes W.
 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2.
 Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 $\frac{1}{4}$
 S 2 | S 1
 1965

from which

A pinon, 10 ins. diam., bears S. 8°15' E.,
 117 lks. dist., mkd. $\frac{1}{4}$ S1BT.

A juniper, 8 ins. diam., bears S. 15° W.,
 128 lks. dist., mkd. $\frac{1}{4}$ S2BT.

Asc. over S. slope.

42.00 Spur, slopes E.
 45.50 Draw, drains E.
 54.20 Spur, slopes NE.
 56.30 Draw, drains NE.
 59.40 Spur, slopes E.
 62.90 Draw, drains E.
 66.80 Spur, slopes E.
 70.00 Draw, drains S. 80° E.
 74.90 Draw, drains E.
 79.90 Spur, slopes NE.; desc. over NE. slope.
 81.68 The cor. of secs. 1, 2, 35 and 36 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1925 survey.

CHAINS	
	<p>Land, rolling. Soil, sandy loam and rocky. Timber, dense juniper and pinon. Undergrowth, medium sagebrush and scrub oak.</p> <hr/> <p>From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp., monumented by an iron post 2½ ins. diam., set, mkd. and witnessed as described in the official record of the 1956 survey.</p> <p>N. 0°01' W., bet. secs. 34 and 35.</p> <p>Over rolling land through medium timber.</p>
9.50	Spur, slopes E.; desc. over N. slope.
19.00	Small ridge, bears E. and W.
26.70	Draw, drains N. 70° E.
30.50	Spur, slopes E.
34.30	Draw, drains E.; asc. over SE. slope.
40.00	Point for the ¼ sec. cor. of secs. 34 and 35.
	<p>Set the iron post 7 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W ¼ S34 S35 1965</p> <p>from which</p> <p style="text-align: center;">A juniper, 12 ins. diam., bears N. 21° E., 46 lks. dist., mkd. ¼S35BT.</p> <p>No other suitable bearing trees available.</p>
43.70	Small spur, slopes NE.; desc. NE. slope.
55.50	Wash, 10 lks. wide, 1 ft. deep drains SW. for 1.00 chs. thence N. 65° W.
64.10	Dirt road, bears N. 85° E. and S. 80° W.; desc. over NW. slope.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	<p>Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W S27 S26 S34 S35 1965</p> <p>from which</p> <p style="text-align: center;">A juniper, 8 ins. diam., bears S. 81°15' E., 87 lks. dist., mkd. S35BT.</p> <p style="text-align: center;">A juniper, 6 ins. diam., bears S. 79° W., 31 lks. dist., mkd. S34BT.</p>

CHAINS		
	<p>No other suitable bearing trees available.</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, medium juniper. Undergrowth, sagebrush, cacti and scattered mountain mahogany.</p>	
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>S. 89°54' W., bet. secs. 26 and 35.</p> <p>Over rolling land, through dense timber.</p> <p>Desc. over W. slope.</p>	
15.00	Wash, 10 lks. wide, 2 ft. deep drains irregularly S.; asc. E. slope.	
24.10	Spur, slopes S.; desc. over SW. slope.	
40.03	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 35.</p> <p>Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S26}{S35}$ 1965</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 4 ins. diam., bears S. 51°45' E., 54 lks. dist., mkd. $\frac{1}{4}$S35BT.</p> <p style="padding-left: 40px;">A juniper, 4 ins. diam., bears N. 34° W., 24 lks. dist., mkd. $\frac{1}{4}$S26BT.</p>	
	<p>Raise a mound of stone N. of the cor.</p>	
40.70	Draw, drains S. 35° W.	
43.00	Small spur, slopes S.	
47.20	Draw, drains S. 10° E.	
55.80	Spur, slopes N. 10° W.	
70.60	Draw, drains NW.	
75.80	Spur, slopes N.; desc. over NW. slope.	
80.06	<p>The cor. of secs. 26, 27, 34 and 35.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, dense juniper. Undergrowth, sagebrush, mountain mahogany and cacti.</p>	

CHAINS	
	<p>N. 0°01' W., bet. secs. 26 and 27.</p>
	<p>Over rolling land, through medium timber.</p>
	<p>Desc. over NW. slope.</p>
2.60	<p>Draw, drains S. 80° W.; asc. over SW. slope.</p>
4.00	<p>Track road, bears irregular E. and S. 70° W.</p>
11.80	<p>Wash 15 lks. wide, 1 ft. deep, drains SW.; asc. SE. slope.</p>
36.70	<p>Top of knoll; desc. over N. slope.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 26 and 27.</p>
	<p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T38NR13W</p>
	<p style="text-align: center;">¼</p>
	<p style="text-align: center;">S27 S26</p>
	<p style="text-align: center;">1965</p>
	<p>from which</p>
	<p style="padding-left: 40px;">A juniper, 8 ins. diam., bears N. 79° E., 104 lks. dist., mkd. ¼S26BT.</p>
	<p style="padding-left: 40px;">A juniper, 6 ins. diam., bears N. 49°45' W., 63 lks. dist., mkd. ¼S27BT.</p>
46.00	<p>Draw, drains W.; asc. over S. slope.</p>
62.00	<p>Ridge, bears E. and W.</p>
73.00	<p>Draw, drains E.</p>
77.70	<p>Spur, slopes N. 15° E.</p>
80.00	<p>Point for the cor. of secs. 22, 23, 26 and 27.</p>
	<p>Set the iron post over an "X" chiseled on solid rock, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T38NR13W</p>
	<p style="text-align: center;">S22 S23</p>
	<p style="text-align: center;">S27 S26</p>
	<p style="text-align: center;">1965</p>
	<p>from which</p>
	<p style="padding-left: 40px;">A juniper, 10 ins. diam., bears N. 82° E., 13 lks. dist., mkd. S23BT.</p>
	<p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S. 2°45' E., 33 lks. dist., mkd. S26BT.</p>
	<p>No other suitable bearing trees available.</p>
	<p>Land, rolling.</p>
	<p>Soil, sandy loam and limestone.</p>
	<p>Timber, medium juniper.</p>
	<p>Undergrowth, sagebrush, mountain mahogany and cacti.</p>

CHAINS	
	<p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>S. 89°55' W., bet. secs. 23 and 26.</p> <p>Over rolling land, through dense timber.</p> <p>Asc. E. slope.</p>
6.80	Spur, slopes N.; desc. over NW. slope.
13.90	Draw, drains NE.
21.50	Spur, slopes NE.
29.40	Bladed road, bears S. 30° E. and N. 30° W.
40.04	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S23}{S26}$ 1965</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 6 ins. diam., bears N. 29° E., 18 lks. dist., mkd. $\frac{1}{4}$S23BT.</p> <p style="padding-left: 40px;">A juniper, 14 ins. diam., bears S. 45° E., 34 lks. dist., mkd. $\frac{1}{4}$S26BT.</p> <p>Desc. over W. slope.</p>
44.90	Wash, 15 lks. wide, 2 ft. deep, drains S. 15° W.
57.20	Spur, slopes N.
65.00	Spur, slopes N. 10° W.
72.90	Draw, drains N. 30° E.; asc. E. slope.
78.20	Spur, slopes N.; desc. over NW. slope.
80.08	<p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, dense juniper. Undergrowth, sagebrush, mountain mahogany and cacti.</p> <hr/> <p>N. 0°01' W., bet. secs. 22 and 23.</p> <p>Over rolling land, through medium timber.</p>
17.60	Old bladed road, bears N. 53° E. and S. 50° W.
18.30	Wash, 10 lks. wide, 1 ft. deep drains NE. curving E.

CHAINS
20.20

Fence, bears S. 66° E. and N. 64°30' W.

40.00

Point for the 1/4 sec. cor. of secs. 22 and 23.

Set the iron post 16 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

1/4	
S22	S23
1965	

from which

A juniper, 12 ins. diam., bears S. 70°15' E.,
90 lks. dist., mkd. 1/4S23BT.

A juniper, 10 ins. diam., bears S. 79°30' W.,
29 lks. dist., mkd. T38NR13W 1/4S22BT.

41.50

Ridge, bears SW. and NE

49.20

Graded road, bears N. 80° E. and S. 80° W.

58.80

Graded road, bears N 10° W. and S. 10° E.

70.90

Track road, bears S. 35° W. and N. 35° E

73.80

Draw, drains W.

80.00

Point for the cor. of secs. 14, 15, 22 and 23.

Set the iron post 18 ins. in the ground, cap mkd.

T38NR13W

S15	S14
S22	S23
1965	

from which

A juniper, 12 ins. diam., bears N. 41°15' E.,
35 lks. dist., mkd. T38NR13WS14BT.

A pinon, 7 ins. diam., bears S. 82°45' E.,
72 lks. dist., mkd. S23BT.

A juniper, 14 ins. diam., bears S. 15°45' W.,
74 lks. dist., mkd. S22BT

A dry pond bears S. 59°42' W., 16.08 chs. dist.

Triangulation station Flat bears N. 42°25' E , 16.00 chs. dist., monumented by a standard disk set in an outcrop.

Raise a mound of stone W of the cor.

Land, rolling.

Soil, sandy loam and limestone.

Timber, medium juniper.

Undergrowth, sagebrush, mountain mahogany and cacti.

CHAINS

From the cor. of secs. 13, 14, 23 and 24.
 S. 89°56' W., bet. secs. 14 and 23.
 Over nearly level sage flat through scattered timber.

10.20 Track road, bears N and S.

12.00 Track road, bears S. 5° W. and N. 10° E

23.80 Leave sage flat; enter medium timber.

28.50 Asc. over E slope.

30.90 Spur, slopes S.

34.50 Desc. over W. slope.

39.30 Wash, drains S. 15° E

39.60 Enter sage flat.

40.03 Point for the ¼ sec. cor. of secs. 14 and 23.
 Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W
 ¼ $\frac{S14}{S23}$
 1965

from which

A juniper, 8 ins. diam., bears N. 62°20' E.,
 58 lks. dist., mkd. ¼S14BT.

A juniper, 18 ins. diam., bears S. 72°30' E.,
 134 lks. dist., mkd. T38NR13W¼S23BT.

41.90 Leave sage flat.

60.90 Track road, bears N. 10° W and S 10° E.

62.20 Track road, bears N. 10° E and S. 10° W.

77.30 Track road, bears N. 10° W. and S 10° E.; desc.
 over W. slope.

80.06 The cor. of secs. 14, 15, 22 and 23.

Land, rolling.
 Soil, sandy loam and limestone.
 Timber, medium juniper.
 Undergrowth, sagebrush, mountain mahogany and cacti.

N. 0°01' W., bet. secs. 14 and 15.

Over rolling land through medium timber.

4.30 Track road, bears NW and SE.

11.40 Draw, drains SE.

20.30 Wash, drains SW.

CHAINS	
23.70	Ridge, bears E. and W.
28.00	Draw, drains NE.
32.30	Spur, slopes NE.
33.80	Draw, drains E.
35.80	Spur, slopes E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15.
	Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.
	T38NR13W $\frac{1}{4}$ S15 S14 1965
	from which
	A pinon, 14 ins. diam., bears S. $49^{\circ}45'$ E., 25 lks. dist., mkd. T38NR13W $\frac{1}{4}$ S14BT.
	A juniper, 22 ins. diam., bears S. $19^{\circ}30'$ W., 47 lks. dist., mkd. $\frac{1}{4}$ S15BT.
43.70	Wash, 20 lks. wide, 1 ft. deep, drains SE.
54.40	Spur, slopes E.
57.00	Desc. over N. slope.
73.50	Enter nearly level land.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.
	Set the iron post 20 ins. in the ground, cap mkd.
	T38NR13W S10 S11 S15 S14 1965
	from which
	A juniper, 7 ins. diam., bears S. $41^{\circ}45'$ E., 65 lks. dist., mkd. S14BT.
	A juniper, 13 ins. diam., bears S. $9^{\circ}30'$ W., 55 lks. dist., mkd. S15BT.
	A juniper, 6 ins. diam., bears N. $44^{\circ}45'$ W., 29 lks. dist., mkd. S10BT.
	Land, rolling. Soil, sandy loam and limestone. Timber, medium juniper. Undergrowth, sagebrush, mountain mahogany and cacti.

CHAINS

From the cor. of secs. 11, 12, 13 and 14.

S. 89°58' W., bet. secs. 11 and 14.

Over nearly level mesa through dense timber.

31.70 W. rim of mesa, bears NE. and S. 30° W.; desc. over NW. slope.

40.03 Point for the ¼ sec. cor. of secs. 11 and 14.

Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W

¼ S11

S14

1965

from which

A juniper, 30 ins. diam., bears S. 34°45' E.,
70 lks. dist., mkd. ¼S14BT.

A pinon, 10 ins. diam., bears N. 41°30' W.,
9 lks. dist., mkd. ¼S11BT.

Raise a mound of stone N. of the cor.

46.00 Wash, 10 lks. wide, 1 ft. deep, drains NW.

75.30 Wash, 30 lks. wide, 3 ft. deep, drains NW.; continue over nearly level land.

80.06 The cor. of secs. 10, 11, 14 and 15.

Land, gently rolling to nearly level.

Soil, sandy loam and limestone.

Timber, dense juniper and pinon.

Undergrowth, sagebrush and cacti.

N. 0°01' W., bet. secs. 10 and 11.

Over nearly level land through medium timber.

2.00 Wash, 40 lks. wide, 3 ft. deep, drains SW.

5.00 Wash, 10 lks. wide, 2 ft. deep, drains SW.; asc. over SE. slope.

12.40 Spur, slopes E.

16.70 Draw, drains E.

21.00 Ridge, bears E. and W.

25.80 Track road, bears E. and W.

29.00 Ridge, bears E. and W.

CHAINS

- 34.20 Wash, 15 lks. wide, 2 ft. deep, drains W.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11.
Set the iron post 18 ins. in the ground, in a collar of stones, cap mkd.

T38NR13W
 $\frac{1}{4}$
S10 | S11
1965

from which

A juniper, 8 ins. diam., bears S. 69° E.,
27 lks. dist., mkd. $\frac{1}{4}$ S11BT.

A juniper, 12 ins. diam., bears S. 59° W.,
40 lks. dist., mkd. $\frac{1}{4}$ S10BT.

Raise a mound of stone W. of the cor.

- 49.30 Wash, 5 lks. wide, 1 ft. deep, drains W.
- 54.30 S. rim of mesa, bears E. and W.
- 60.30 N. rim of mesa, bears NE and SW.
- 66.70 Wash, 10 lks. wide, 1 ft. deep, drains W.
- 70.20 S. rim of mesa, bears N. 50° W. and S. 50° E.
- 79.90 Spur, slopes W.; desc. over N. slope.
- 80.00 Point for the cor. of secs. 2, 3, 10 and 11.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
S 3 | S 2
S10 | S11
1965

from which

A juniper, 6 ins. diam., bears N. 62°15' E.,
27 lks. dist., mkd. S2BT.

A juniper, 8 ins. diam., bears S. 56° E.,
21 lks. dist., mkd. T38NR13WS11BT.

A pinon, 6 ins. diam., bears S. 73° W.,
42 lks. dist., mkd. S10BT.

A pinon, 8 ins. diam., bears N. 83° W.,
72 lks. dist., mkd. S3BT.

Land, rolling.
Soil, sandy loam and limestone.
Timber, dense juniper and pinon.
Undergrowth, sagebrush and cacti.

CHAINS		
	<p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>S. 89°54' W., bet. secs. 2 and 11.</p> <p>Over gently rolling land through medium timber.</p>	
2.00	Draw, drains SE.	
3.50	Ridge, bears N. 40° E. and S. 40° W	
6.90	Draw, drains SW.	
13.50	Spur, slopes S.	
18.60	Wash, 13 lks. wide, 1 ft. deep, drains SW.	
22.00	Wash, 10 lks. wide, 1 ft. deep, drains SE.	
28.30	Wash, 15 lks. wide, 1 ft. deep, drains S.	
31.00	Spur, slopes S.	
32.10	Wash, 5 lks. wide, 1 ft. deep, drains S.	
33.00	Wash, 10 lks. wide, 1 ft. deep, drains S.	
37.10	Wash, 10 lks. wide, 2 ft. deep, drains S.	
38.40	Wash, 20 lks. wide, 1 ft. deep, drains SE.; asc. along rolling S. slope.	
40.01	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11.</p> <p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S\ 2}{S11}$ 1965</p> <p>from which</p> <p style="padding-left: 40px;">A pinon, 8 ins. diam., bears N. 43°30' E., 32 lks. dist., mkd. $\frac{1}{4}$S2BT.</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S. 82°30' E., 22 lks. dist., mkd. $\frac{1}{4}$S11BT.</p>	
47.00	Ridge, bears N. and S.	
58.00	Wash, 10 lks. wide, 1 ft. deep, drains SW.; continue over rolling land facing NW.	
80.02	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, medium juniper and pinon. Undergrowth, sagebrush and cacti.</p>	
	<p>N 0°07' E , bet. secs. 2 and 3.</p> <p>Over high rolling land through medium timber.</p>	

CHAINS	
1.60	Draw, drains SW.
9.70	Draw, drains S. 85° W.
33.30	Draw, drains N. 70° W.
36.30	Spur, slopes W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.
	Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.
	T38NR13W $\frac{1}{4}$ S 3 S 2 1965
	from which
	A juniper, 6 ins. diam., bears N. 88°30' E., 49 lks. dist., mkd. T38NR13W $\frac{1}{4}$ S2BT.
41.00	Wash, 5 lks. wide, 1 ft. deep, drains S. 80° W.
53.50	Wash, 5 lks. wide, 1 ft. deep, drains SW.
61.90	Wash, 5 lks. wide, 1 ft. deep, drains N. 55° W.
81.82	The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1925 survey.
	Land, high rolling. Soil, sandy loam. Timber, medium juniper and pinon. Undergrowth, sagebrush and cacti.
	From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the Tp., monumented by an iron post 2 $\frac{1}{2}$ ins. diam., set, mkd. and witnessed as described in the official record of the 1956 survey.
	N. 0°02' W., bet. secs. 33 and 34.
	Over rolling land through medium timber.
2.50	Spur, slopes E.; desc. over NE. slope.
5.60	Draw, drains E.
12.80	Spur, slopes S. 70° E.
17.20	Draw, drains S. 70° E.
30.30	Spur, slopes E.
35.90	Draw, drains SE.; asc. over SE. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34.
	Set the iron post 3 ins. in the ground, mound with stones to top, cap mkd.

CHAINS

T38NR13W

$\frac{1}{4}$
S33 | S34
1965

from which

A juniper, 8 ins. diam., bears S. 84°30' E.,
93 lks. dist., mkd. $\frac{1}{4}$ S34BT.

A juniper, 6 ins. diam., bears N. 81°30' W.,
65 lks. dist., mkd. $\frac{1}{4}$ S33BT.

41.60 Spur, slopes E.; desc. over NE. slope.

50.40 Draw, drains N. 20° E.

61.70 Draw, drains E.

63.20 Old bladed road, bears S. 75° E. and N. 75° W.

75.50 Draw, drains SE.

80.00 Point for the cor. of secs. 27, 28, 33 and 34.

Set the iron post 16 ins. in the ground, mound with
stones to top, cap mkd.

T38NR13W

S28 | S27
S33 | S34
1965

from which

A juniper, 4 ins. diam., bears S. 73° E.,
120 lks. dist., mkd. S34BT.

A juniper, 10 ins. diam., bears S. 55° W.,
43 lks. dist., mkd. S33BT.

No other BT available.

Raise a mound of stone W. of the cor.

Land, rolling.

Soil, sandy loam and limestone.

Timber, medium juniper.

Undergrowth, sagebrush, mountain mahogany and cacti.

From the cor. of secs. 26, 27, 34 and 35.

N. 89°52' W., bet. secs. 27 and 34.

Over rolling land through dense timber.

Desc. over W. slope.

1.50 Track road, bears N. 10° E. and S.

2.00 Wash, 10 lks. wide, 2 ft. deep, drains S.; asc. over
E. slope.

CHAINS	
10.80	Ridge, bears N. and S.; desc. over rolling land.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34.
	Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	<p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S27}{S34}$ 1965</p>
	from which
	A juniper, 6 ins. diam., bears N. 59° E., 9 lks. dist., mkd. $\frac{1}{4}$ S27BT.
	A juniper, 6 ins. diam., bears SE., 48 lks. dist., mkd. $\frac{1}{4}$ S34BT.
44.00	Wash, 5 lks. wide, 1 ft. deep, drains S. 10° W.; asc. over E. slope.
45.90	Spur, slopes S. 10° E.
48.90	Bladed road, bears N. and S.
54.40	Spur, slopes S.
60.70	Spur, slopes S. 10° E.
63.80	Wash, 10 lks. wide, 1 ft. deep, drains S. 30° W.
69.40	Spur, slopes S.
73.20	Wash, 10 lks. wide, 1 ft. deep, drains S. 30° E.; asc. over E. slope.
80.00	The cor. of secs. 27, 28, 33 and 34.
	Land, rolling. Soil, sandy loam and limestone. Timber, dense juniper. Undergrowth, sagebrush, mountain mahogany.
	N. 0°02' W., bet. secs. 27 and 28.
	Over rolling land, through medium timber.
	Asc. along E. slope.
5.50	Spur, slopes E.; desc. over NE. slope.
14.40	Draw, drains SE.
22.40	Spur, slopes E.
29.60	Wash, 10 lks. wide, 2 ft. deep, drains E.
31.40	Dim track road, bears E. and W.

CHAINS

38.80 Spur, slopes E.; desc. over NE. slope.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 28.

Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 $\frac{1}{4}$
 S28 | S27
 1965

from which

A juniper, 10 ins. diam., bears N. 06° E.,
 14 lks. dist., mkd. $\frac{1}{4}$ S27BT.

A juniper, 6 ins. diam., bears S. 49° W.,
 14 lks. dist., mkd. $\frac{1}{4}$ S28BT.

43.40 Wash, 10 lks. wide, 1 ft deep, drains SE. curving S.;
 asc. over SW. slope.

63.10 Spur, slopes NW.

69.70 Draw, drains W.

76.10 Draw, drains SW.

80.00 Point for the cor. of secs. 21, 22, 27 and 28.

Set the iron post 18 ins. in the ground, in a collar
 of stones, cap mkd.

T38NR13W
 S21 | S22
 S28 | S27
 1965

from which

A juniper, 8 ins. diam., bears N. 59° E.,
 145 lks. dist., mkd. S22BT.

A juniper, 6 ins. diam., bears S. 12°15' E.,
 62 lks. dist., mkd. S27BT.

A juniper, 8 ins. diam., bears S. 58° W.,
 40 lks. dist., mkd. S28BT.

No other suitable bearing tree available.

Raise a mound of stone W. of the cor.

Land, rolling.
 Soil, sandy loam and limestone.
 Timber, medium juniper.
 Undergrowth, sagebrush, mountain mahogany and cacti.

CHAINS		
	<p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>N. 89°49' W., bet. secs. 22 and 27.</p> <p>Over rolling land through dense timber.</p> <p>Desc. over NW. slope.</p> <p>5.10 Small draw, drains N. 60° E.; asc. over E. slope.</p> <p>13.30 Spur, slopes N.</p> <p>30.90 Ridge, bears NE. and S.</p> <p>40.01 Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 27.</p> <p>Set the iron post 18 ins. in the ground, in a collar of stones, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S22}{S27}$ 1965</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 15 ins. diam., bears N. 41°30' E., 34 lks. dist., mkd. $\frac{1}{4}$S22BT.</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S. 0°30' W., 45 lks. dist., mkd. $\frac{1}{4}$S27BT.</p> <p>46.60 Old bladed road, bears N. 5° W. and S. 5° E.</p> <p>49.60 Wash, 5 lks. wide, 1 ft. deep, drains SW. curving S.</p> <p>62.90 Wash, 5 lks. wide, 1 ft. deep, drains SE.</p> <p>71.50 Spur, slopes S. 10° E.</p> <p>80.02 The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, dense juniper. Undergrowth, sagebrush, mountain mahogany and cacti.</p>	
	<p>N. 0°02' W., bet. secs. 21 and 22.</p> <p>Over rolling land through medium timber.</p> <p>Asc. over S. slope.</p> <p>1.90 Spur, slopes W.; desc. over NW. slope.</p> <p>8.80 Draw, drains SW.; asc. over SE. slope.</p> <p>14.90 Rocky spur, slopes E.</p> <p>19.90 Draw, drains N. 70° E.</p> <p>25.50 Wash, 10 lks. wide, 1 ft. deep, drains S. 15° E.</p>	

CHAINS

31.50 Rocky ridge, bears E. and W.; desc. over N. slope.

32.20 Track road, bears N. 80° E. and W.

40.00 Point for the ¼ sec. cor. of secs. 21 and 22.

Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

	¼	
S21		S22
1965		

from which

A cedar, 6 ins. diam., bears N. 41°30' E.,
23 lks. dist., mkd. ¼S22BT.

A cedar, 6 ins. diam., bears N. 28°15' W.,
89 lks. dist., mkd. ¼S21BT.

42.90 Wash, drains SE.; asc. over S. slope.

43.20 Fence cor. bears West 3.65 chs. dist.; fence bears E. and S.

46.30 Ridge, bears NE. and SW.

69.00 Wash, drains NW. 50 lks.; thence N. 5° E.

73.00 Same wash, drains N. 5° E.; desc. along E. slope.

80.00 Point for the cor. of secs. 15, 16, 21 and 22.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

S16		S15
S21		S22
1965		

from which

A juniper, 6 ins. diam., bears N. 46°15' E.,
53 lks. dist., mkd. S15BT.

A juniper, 8 ins. diam., bears S. 39°30' W.,
49 lks. dist., mkd. S21BT.

A juniper, 6 ins. diam., bears N. 47° W.,
52 lks. dist., mkd. S16BT.

No other suitable bearing tree available.

Land, rolling.
Soil, sandy loam and limestone.
Timber, juniper and pinon.
Undergrowth, sagebrush and cacti.

CHAINS		
	<p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>N. 89°49' W., bet. secs. 15 and 22.</p> <p>Over rolling land through medium timber.</p>	
1.80	Draw, drains S.	
3.00	Track road, bears S. and N. 30° W.	
8.10	Fence bears N. 18° E. and S. 18° W.	
12.40	Spur, slopes S.	
16.50	Draw, drains S. 25° W.	
22.50	Track road, bears N. 70° W. and S. 70° E.	
35.60	Spur, slopes S.; desc. over SW. slope.	
40.00	<p>Point for the ¼ sec. cor. of secs. 15 and 22..</p> <p>Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W ¼ S15 S22 1965</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 6 ins. diam., bears N. 38°30' E., 25 lks. dist., mkd. ¼S15BT.</p> <p style="padding-left: 40px;">A juniper, 10 ins. diam., bears S. 50° E., 15 lks. dist., mkd. ¼S22BT.</p>	
46.90	Wash, 15 lks. wide, 2 ft. deep, drains N. 10° W.	
49.10	Small spur, slopes N.	
50.70	Wash, 50 lks. wide, 1 ft. deep, drains N. 10° E.	
55.70	Bladed road, bears N. 30° W. and S. 30° E.	
58.80	Wash, 40 lks. wide, 1 ft. deep, drains N. 30° W.	
67.20	Draw, drains NW.	
77.50	Spur, slopes NW.	
78.60	Wash, drains N.; asc. over E. slope.	
80.00	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, juniper and pinon. Undergrowth, sagebrush and cacti.</p>	

CHAINS

N. 0°02' W., bet. secs. 15 and 16.

Over rolling land, through medium timber; desc. along E. slope.

4.00 Desc. over steep NE. slope.

9.80 Wash, drains N. 15° W. from irregularly S.

13.00 Spur, slopes NW.

15.00 Wash, 20 lks. wide, 2 ft. deep, drains W.

15.30 Road in bottom of canyon, bears E. and W.

18.60 Continue over rolling land through dense juniper.

37.90 Wash, 10 lks. wide, 3 ft. deep, drains S. 25° E., asc. over SW. slope.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 16.

Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 $\frac{1}{4}$
 S16 | S15
 1965

from which

A juniper, 10 ins. diam., bears S. 64° E., 9 lks. dist., mkd. $\frac{1}{4}$ S15BT.

A juniper, 12 ins. diam., bears N. 52° W., 24 lks. dist., mkd. $\frac{1}{4}$ S16BT.

44.20 Wash, 10 lks. wide, 3 ft. deep, drains S. 25° W.

55.20 Bladed road, bears E. and W.

59.90 Top of ridge, bears E. and S. 75° W.

77.30 Top of steep rolling hill; desc. over N. slope.

80.00 Point for the cor. of secs. 9, 10, 15 and 16.

Set the iron post 17 ins. in the ground, in a collar of stones, cap mkd.

T38NR13W
 S 9 | S10
 S16 | S15
 1965

from which

A juniper, 8 ins. diam., bears N. 55°15' E., 6 lks. dist., mkd. T38NR13WS10BT.

A juniper, 8 ins. diam., bears S. 74°15' E., 23 lks. dist., mkd. T38NR13WS15BT.

CHAINS

A juniper, 6 ins. diam., bears S. 37°30' W.,
31 lks. dist., mkd. S16BT.

A juniper, 10 ins. diam., bears N. 72°30' W.,
18 lks. dist., mkd. T38NR13WS9BT.

Raise a mound of stones W. of the cor.

Land, rolling.

Soil, sandy loam and limestone.

Timber, dense juniper and scattered pinon.

Undergrowth, sagebrush, blackbrush, brigham tea and
cacti.

From the cor. of secs. 10, 11, 14 and 15.

N. 89°52' W., bet. secs. 10 and 15.

Over rolling land through medium timber.

11.50 Wash, 5 lks. wide, 1 ft. deep, drains N.

25.30 Fence, bears S. 30° E. and N. 30° W.

33.10 Road, bears NE. and SW.

33.30 Wash, 10 lks. wide, 2 ft. deep, drains N. 10° E.

36.10 Ridge, bears NE. and SW.

38.50 Small draw, near head, drains NE.

39.99 Point for the ¼ sec. cor. of secs. 10 and 15.

Set the iron post 11 ins. in the ground, mound with
stones to top, cap mkd.

T38NR13W

¼ $\frac{S10}{S15}$
1965

41.00 Ridge, bears N. and S.

46.60 Wash, 10 lks. wide, 1 ft. deep, drains N.

52.10 Ridge, bears N. and S.

67.90 Wash, 10 lks. wide, 1 ft. deep, drains N. 10° E.

71.80 Wash, 5 lks. wide, 1 ft. deep, drains N. 80° E.

77.00 Spur, slopes NE.

79.98 The cor. of secs. 9, 10, 15 and 16.

Land, rolling.

Soil, sandy loam and limestone.

Timber, medium juniper.

Undergrowth, sagebrush, Cacti and brigham tea.

CHAINS

N. 0°02' W., bet. secs. 9 and 10.

Over rolling land through medium timber.

- 1.70 Dim track road, bears NE. and SW.
 - 15.40 Wash, 40 lks. wide, 3 ft. deep, drains S. 70° W.
 - 20.30 Ridge, bears E. and S. 80° W.
 - 38.60 Wash, 5 lks. wide, 1 ft. deep, drains SE.
 - 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10.
- Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W
 $\frac{1}{4}$
 S 9 | S10
 1965

from which

A juniper, 6 ins. diam., bears N. 77°45' E.,
 22 lks. dist., mkd. $\frac{1}{4}$ S10BT.

A juniper, 8 ins. diam., bears N. 72°15' W.,
 27 lks. dist., mkd. $\frac{1}{4}$ S9BT.

Asc. over S. slope.

- 41.60 Track road, bears SE. and NW.
 - 48.90 SW. rim of high ridge, bears NW. and SE.
 - 51.60 NE. rim of ridge, bears NW. and SE.
 - 57.00 Draw, drains N. 65° W.
 - 63.40 The E. edge of ridge bearing S. 50° W.
 - 72.90 Wash, 15 lks. wide, 2 ft. deep, drains SW.
 - 77.80 Wash, 5 lks. wide, 1 ft. deep, drains SE.
 - 80.00 Point for the cor. of secs. 3, 4, 9 and 10.
- Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W
S 4 | S 3
 S 9 | S10
 1965

from which

A juniper, 5 ins. diam., bears N. 82°15' E.,
 28 lks. dist., mkd. T38NR13WS3BT.

A juniper, 8 ins. diam., bears S. 7° E.,
 65 lks. dist., mkd. T38NR13WS10BT.

A juniper, 6 ins. diam., bears S. 49°45' W.,
 40 lks. dist., mkd. T38NR13WS9BT.

A juniper, 6 ins. diam., bears N. 76°45' W.,
 33 lks. dist., mkd. T38NR13WS4BT.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, sandy loam and limestone. Timber, medium juniper with pinon and pine. Undergrowth, sagebrush, cacti, thimbleberry and brigham tea.</p> <hr/> <p>From the cor. of secs. 2, 3, 10 and 11. N. 89°52' W., bet. secs. 3 and 10. Over rolling land through medium timber.</p> <p>3.00 Wash, 25 lks. wide, 1 ft. deep, drains SW. 5.80 Wash, 20 lks. wide, 4 ft. deep, drains SW. 18.70 Track road, bears NW. and SE. 22.10 Wash, 10 lks. wide, 2 ft. deep, drains NW. 29.90 Wash, 10 lks. wide, 2 ft. deep, drains SW. 34.50 Wash, 10 lks. wide, 2 ft. deep, drains S. 20° W. 35.20 Wash, 20 lks. wide, 5 ft. deep, drains S. 38.10 Wash, 15 lks. wide, 3 ft. deep, drains S. 39.98 Point for the ¼ sec. cor. of secs. 3 and 10. Set the iron post 19 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T38NR13W ¼ $\frac{S\ 3}{S10}$ 1965</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 6 ins. diam., bears S. 29°45' E., 37 lks. dist., mkd. ½S10BT.</p> <p style="padding-left: 40px;">A juniper, 5 ins. diam., bears N. 43° W., 26 lks. dist., mkd. T38NR13W¼S3BT.</p> <p>Raise a mound of stone N. of the cor.</p> <p>61.70 Fence, bears N. 9°30' E. and S. 9°30' W. 62.40 Wash, 10 lks. wide, 3 ft. deep, drains S. 15° W. 62.80 Track road, bears N. 15° E. and S. 15° W. 71.00 Wash, 10 lks. wide, 1 ft. deep, drains S. Asc. over rolling S. slope of white limestone hill. 79.96 The cor. of secs. 3, 4, 9 and 10.</p>

CHAINS

Land, rolling.
Soil, sandy loam and limestone.
Timber, medium juniper and pinon.
Undergrowth, sagebrush, manzanita, snakeweed and cacti.

N. 0°02' W., bet. secs. 3 and 4.

Over rolling land through dense timber.

Asc. over rolling S. slope.

4.80 Top of ascent, bears irregularly NE. and SW.

10.60 Draw, drains N. 50° W.

17.80 Draw, drains S. 75° W.

27.30 Track road, bears N. 80° W. and SE.

36.50 Narrow ridge, bears N. 55° E. and S. 75° W.

Desc. over steep N. slope.

40.00 Point for the 1/4 sec. cor. of secs. 3 and 4.

Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
1/4
S 4 | S 3
1965

By triangulation, topography as estimated.

55.00 Wash, 30 lks. wide, 4 ft. banks, drains W.; asc. over S. slope.

67.00 Ledgy rim, bears E. and W.

67.70 End of triangulation on narrow ridge bearing E. and W.

69.40 Ledgy rim bears N. 70° E. and S. 70° W.; desc. over steep N. slope.

76.10 Wash in canyon bottom, 25 lks. wide, 1 ft. deep, drains W.; asc. over steep S. slope.

80.54 Rim of canyon bears N. 70° E. and S. 70° W.

81.61 The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1925 survey.

Land, steeply rolling and broken.
Soil, sandy loam and limestone.
Timber, juniper and pinon.
Undergrowth, sagebrush, manzanita, snakeweed and cacti.

CHAINS

From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp., monumented by an iron post 2½ ins. diam., set, mkd. and witnessed as described in the official record of the 1956 survey.

N. 0°03' W., bet. secs. 32 and 33.

Desc. over rolling NE. slope through medium timber.

- 14.20 Wash, 5 lks. wide, 2 ft. deep, drains N. 10° E.
- 24.10 Gully, 110 lks. wide, 2 ft. deep, drains NE.
- 25.20 Wash, 10 lks. wide, 3 ft. deep, drains NE.
- 28.30 Wash, 10 lks. wide, 5 ft. deep, drains N. 15° E.
- 31.40 Wash in bottom of Hobble Canyon, drains irregularly NW.
- 35.20 Road, bears N. 30° W. and S. 30° E.
- 35.80 Draw, drains S. 30° W.
- 37.40 Draw, drains W.
- 40.00 Point for the ¼ sec. cor. of secs. 32 and 33.
- Set the iron post 18 ins. in the ground, cap mkd.
- T38NR13W
 $\frac{1}{4}$
 S32 | S33
 1965
- from which
- A juniper, 8 ins. diam., bears S. 67°15' E.,
230 lks. dist., mkd. ¼S33BT.
- A juniper, 22 ins. diam., bears S. 26°15' E.,
126 lks. dist., mkd. ¼S33 BT.
- 44.10 Draw, drains W.
- 46.50 Draw, drains SW.; asc. over SE. slope.
- 50.50 Spur, projects W.
- 53.10 Draw, drains W.
- 55.80 Draw, drains SW.
- 62.40 Spur, slopes W.
- 65.70 Fence, bears S. 85° E. and N. 85° W.
- 66.60 Spur, slopes NW.
- 71.40 Wash, 20 lks. wide, 3 ft. deep, drains W.
- Asc. SW. slope.

CHAINS
80.00

Point for the cor. of secs. 28, 29, 32 and 33.

Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
S29 | S28
S32 | S33
1965

Land, steeply rolling.
Soil, sandy loam and limestone.
Timber, scattered juniper.
Undergrowth, sagebrush, blackbrush and cacti.

From the cor of secs. 27, 28, 33 and 34.

S. 89°58' W., bet. secs 28 and 33.

Over rolling land through dense timber.

Asc. over E. slope.

6.60 Fence, bears irregularly N. and S.

8.50 Ridge, bears N. and S.

13.50 Draw, drains SW.; asc. over SE. slope.

22.60 South end of high hill bearing from NW.; desc. over SW. slope on E. side of Hobble Canyon.

39.95 Point for the ¼ sec. cor. of secs. 28 and 33.

Set the iron post 18 ins. in the ground, cap mkd.

T38NR13W
¼ S28
S33
1965

Raise a mound of stone N. of the cor.

41.70 Draw, drains SW.; asc. over SE. slope.

47.20 Spur, slopes S.

55.60 Draw drains S.

59.30 Spur, slopes S.

62.10 Small draw, drains S.; heads 1 ch. N.

67.80 Draw, drains S.; heads about 3.50 chs. N.

79.90 The cor. of secs. 28, 29, 32 and 33.

Land, rolling.
Soil, sandy loam and limestone.
Timber, scattered juniper.
Undergrowth, sagebrush, blackbrush and cacti.

CHAINS

N. 0°03' W., bet. secs. 28 and 29.

Asc. along broken E side of Hobble Canyon; general SW. drainage and exposure.

4.70 Wash in bottom of draw, 15 lks. wide, 3 ft. deep, drains S. 60° W.

16.00 Spur, slopes W.

22.50 Wash, in bottom of draw, 10 lks. wide, 2 ft. deep, drains S. 60° W.

27.30 Draw, drains S. 15° E.

39.00 Finger spur, slopes E.

40.00 Point for the ¼ sec. cor. of secs. 28 and 29.

Set the iron post 18 ins. in the ground, cap mkd.

T38NR13W
 $\frac{1}{4}$
 S29 | S28
 1965

Raise a mound of stone W. of the cor.

55.70 S. rim of draw, bears E. and W.

61.50 Draw, drains W.

65.00 Spur, slopes W. 5 chs. to end.

70.00 Draw, drains W. 1 ch., thence SW.; asc. over S. slope.

74.90 Finger spur slopes E.

80.00 Point for the cor. of secs. 20, 21, 28 and 29.

Set the iron post 20 ins. in the ground, cap mkd.

T38NR13W
 S20 | S21
 S29 | S28
 1965

Raise a mound of stone W. of the cor.

Land, steeply rolling.
 Soil, sandy loam and limestone.
 Timber, scattered juniper.
 Undergrowth, sagebrush, blackbrush and cacti.

From the cor. of secs. 21, 22, 27 and 28.

West, bet. secs. 21 and 28.

Over rolling land through medium juniper; desc. over W. slope.

CHAINS

- 3.10 Fence, bears N. and S.
- 4.80 Draw, drains S.
Asc. over E. slope.
- 11.80 Spur, slopes S.
- 17.40 Draw, drains S.
- 23.00 Rolling hill, bears N. and S.
- 36.80 Rim of draw, bears N. 20° E. and S.; desc. over steep W. slope.
- 39.95 Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28.

Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 $\frac{1}{4}$ $\frac{S21}{S28}$
1965
- 40.50 Draw drains NW. curving W.
- 58.00 Broken spur, slopes S. 70° W. from SE.
- 68.70 Rim of draw, bears NE. and SW.; desc. over steep NW. slope.
- 76.90 Bottom of draw, drains irregularly SW.
- 79.90 The cor. of secs. 20, 21, 28 and 29.

Land, rolling and broken.
Soil, sandy loam and limestone.
Timber, scattered juniper.
Undergrowth, sagebrush, blackbrush and cacti.

- N. 0°03' W., bet. secs. 20 and 21

Over steep rolling land, through scattered timber.

Asc. over steep rocky SE. slope.
- 9.00 North rim of deep draw, bears NE. and SW.; thence over ridge top.
- 13.00 Ridge bears N. 50° W. and S. 50° E.
- 16.90 Rim bears N. 50° E. and S. 50° W.; desc. over steep N. slope.
- 23.30 Draw, drains NW.
- 35.70 Small draw, drains N. 60° W.

CHAINS		
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ S20 S21 1965</p> <p>Cor. falls on W. slope.</p>	
44.60	<p>Long spur, slopes gently W.</p>	
45.60	<p>Desc. steep N. slope.</p>	
55.40	<p>Road, bears irregular SW. and E. 2.50 chs., thence NE.</p>	
55.60	<p>Wash, 15 lks. wide, 1 ft. deep, drains SW.</p> <p>Asc. steep S. slope.</p>	
71.30	<p>Spur, slopes S. 75° W.; desc. over N. slope.</p>	
75.80	<p>Small draw, drains SW. 2 chs., thence W.</p>	
80.00	<p>Point for the cor. of secs. 16, 17, 20 and 21.</p> <p>Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W S17 S16 S20 S21 1965</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, steeply rolling. Soil, sandy loam and limestone. Timber, scattered juniper. Undergrowth, sagebrush, blackbrush, brigham tea and cacti.</p>	
<hr/>		
<p>From the cor. of secs. 15, 16, 21 and 22.</p>		
<p>S. 89°56' W., bet. secs. 16 and 21.</p>		
<p>Asc. over E. slope.</p>		
6.00	<p>Spur, slopes N.</p>	
11.90	<p>Draw, drains NW.</p>	
35.90	<p>Wash, 25 lks. wide, 3 ft. deep, drains SW.</p>	
36.10	<p>Road, bears S. 30° W. and N. 30° E., 1.50 chs. thence NE.; asc. over steep SE. slope.</p>	
39.97	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p>	

CHAINS

T38NR13W

$\frac{1}{4}$ $\frac{S16}{S21}$

1965

- 44.10 Small spur, slopes S.
- 56.90 Small spur, slopes S.
Desc. SW. slope.
- 68.40 Small draw, drains S. 20° W.; asc. over E. slope.
- 73.30 Spur, slopes S. 30° W.
- 76.80 Small draw, near head, drains SW.
- 79.94 The cor. of secs. 16, 17, 20 and 21.

Land, rolling.
Soil, sandy loam and limestone.
Timber, medium juniper.
Undergrowth, sagebrush, blackbrush and cacti.

N. 0°03' W., bet. secs. 16 and 17.

Over steeply rolling land, through scattered juniper.
Asc. over S. slope.

- 7.10 Track road, bears E. and W.
- 9.60 Top of small hill on W. side of knob; desc. over N. slope.
- 23.00 Wash, 5 lks. wide, 2 ft. deep, drains W.
- 32.30 Low rocky ridge, bears E. and W.
Asc. over S. slope.
- 40.00 Point for the $\frac{1}{4}$ cor. of secs. 16 and 17.

Set the iron post 13 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

$\frac{1}{4}$ $\frac{S17}{S16}$
1965

- 42.90 Ridge, bears E. and S. 50° W.
Desc. NW. slope.
- 47.60 Desc. steep NE. slope of canyon.
- 62.00 Deep canyon, drains N. from E.
- 64.70 Same canyon, 100 lks. wide, drains N. 10° W. for about 5 ch. thence SW.
- 66.90 Along E. side of canyon.
- 73.20 Draw, drains S 30° W. about 4 chs. to canyon.

CHAINS					
78.40	Draw, drains S. 60° E.				
80.00	Point for the cor. of secs. 8, 9, 16 and 17.				
	Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.				
	T38NR13W <table border="1" style="margin: auto;"> <tr> <td>S 8</td> <td>S 9</td> </tr> <tr> <td>S17</td> <td>S16</td> </tr> </table> 1965	S 8	S 9	S17	S16
S 8	S 9				
S17	S16				
	Raise a mound of stone W. of the cor.				
	Land, steeply rolling. Soil, sandy loam and limestone. Timber, scattered juniper, pine and scrub oak. Undergrowth, sagebrush, blackbrush, mormon tea and cacti.				
	From the cor. of secs. 9, 10, 15 and 16.				
	S. 89°57' W., bet. secs. 9 and 16.				
	Over steeply rolling land through dense timber.				
5.70	Spur, slopes S.; thence by triangulation, topography as estimated.				
15.60	Draw, drains NW. for 60 lks. thence N. 80° W.				
18.00	Spur, slopes N.				
22.00	Wash, 35 lks. wide, 1 ft. deep, drains SW.				
28.10	End of triangulation on spur sloping S.				
33.70	Desc. over steep W. slope.				
38.00	Wash, 25 lks. wide, 2 ft. deep, drains N. 10° W. curving to W.				
39.99	Point for the ¼ sec. cor. of secs. 9 and 16.				
	Set the iron post 2 ins. in the ground, mound with stones to top, cap mkd.				
	T38NR13W <table border="1" style="margin: auto;"> <tr> <td>¼ S 9</td> </tr> <tr> <td>S16</td> </tr> </table> 1965	¼ S 9	S16		
¼ S 9					
S16					
	By triangulation, topography as estimated.				
43.00	Spur, slopes N.				
49.00	Same wash, 35 lks. wide, 2 ft. deep, drains S. 1 ch. thence irregularly S. 60° W.				
	Asc. E. slope.				
63.70	End of triangulation on top of hill; desc. over W. slope.				

CHAINS

36 lks. dist., mkd. S9BT.

A juniper, 7 ins. diam., bears S. 32°30' W.,
35 lks. dist., mkd. S8BT.

A juniper, 6 ins. diam., bears N. 48° W.,
11 lks. dist., mkd. T38NR13WS5BT.

Land, steeply rolling.

Soil, sandy loam and limestone.

Timber, dense juniper and scattered pinon.

Undergrowth, sagebrush, snakeweed and cacti.

From the cor. of secs. 3, 4, 9 and 10.

S. 89°59' W., bet. secs. 4 and 9.

Over rolling land, through dense timber.

- 7.30 Hill, bears NE. and SW.
Desc. NW. slope.
- 14.50 Wash, 20 lks. wide, 15 ft. deep, drains SW.
- 19.00 Spur, slopes S.
- 22.90 Wash, 5 lks. wide, 1 ft. deep, drains SE.
- 23.00 Track road, bears SE. and NW.
- 29.00 Low hill, bears N. and S.
- 34.70 Small draw, drains N. 20° W.
- 37.70 Draw, drains S. 10° W.; asc. over steep E. slope.
- 39.98 Point for the ¼ sec. cor. of secs. 4 and 9.

Set the iron post 10 ins. in the ground, mound with
stones to top, cap mkd.

T38NR13W
¼ $\frac{S\ 4}{S\ 9}$
1965

from which

A juniper, 8 ins. diam., bears S. 30°15' W.,
49 lks. dist., mkd. T38NR13W¼S9BT.

A juniper, 13 ins. diam., bears N. 25° W.,
46 lks. dist., mkd. ¼S4BT.
- 42.00 Ridge bears N. and S.
- 53.00 Desc. steep W. slope.
- 56.70 Wash, 5 lks. wide, 1 ft. deep, drains SE.
- 66.00 Ridge, bears N. and S.

Desc. steep W. slope.

CHAINS	
73.70	Rim of canyon, bears N. and S.
78.60	Wash, 20 lks. wide, 2 ft. deep, drains S. 50 lks. thence SW.
79.96	The cor. of secs. 4, 5, 8 and 9. Land, steeply rolling. Soil, sandy loam and limestone. Timber, juniper and pinon. Undergrowth, sagebrush, thimbleberry and cacti.
<hr/>	
	N. 0°05' W., bet. secs. 4 and 5.
	Along floor of canyon, through dense timber.
16.30	Wash, in canyon bottom, 20 lks. wide, 2 ft. deep, drains SE. curving S.
	Asc. steep S. slope.
20.20	Spur, slopes S. 75° W.
29.60	Wash, 30 lks. wide, 3 ft. deep, drains SW; enter railed area.
35.70	Enter isolated clump of juniper.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5. Set the iron post 20 ins. in the ground, cap mkd.
	T38NR13W $\frac{1}{4}$ S 5 S 4 1965
	from which
	A juniper, 15 ins. diam., bears N. 47°15' E., 20 lks. dist., mkd. $\frac{1}{4}$ S4BT.
	A juniper, 15 ins. diam., bears S. 74°15' W., 48 lks. dist., mkd. $\frac{1}{4}$ S5BT.
	Raise a mound of stone W. of the cor.
42.20	Leave juniper, enter railed area.
53.00	Track road, bears E. and W.
61.50	Wash, 20 lks. wide, 3 ft. deep, drains SE.
78.90	Enter medium timber.
81.69	The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1925 survey.

CHAINS

Land, gently rolling with canyon on S. 20 chs.
 Soil, sandy loam and limestone.
 Timber, scattered juniper with railed area on N. 50
 chs.
 Undergrowth, sagebrush and cacti.

From the cor. of secs. 5, 6, 31 and 32 on the S. bdy.
 of the Tp., monumented by an iron post 2½ ins. diam.,
 set, mkd. and witnessed as described in the official
 record of the 1956 survey.

N. 0°03' W., bet. secs. 31 and 32.

Over rolling land, through scattered timber.

Asc. over SE. slope.

2.40 Spur, slopes NE.

5.50 Draw, drains NE., heads 2 chs. SW.

25.30 Wash, 15 lks. wide, 2 ft. deep, drains S. 65° W.

39.70 Draw, drains S. 80° W., heads 2.5 chs. N. 80° E.

Asc. over S. slope.

40.00 Point for the ¼ sec. cor. of secs. 31 and 32.

Set the iron post 15 ins. in the ground, mound with
 stones to top, cap mkd.

T38NR13W

¼

S31 | S32

1965

46.00 Ridge, bears E. and W.; desc. over N. slope.

53.00 Fence, bears N. 33°40' E. and S. 33°40' W., 2.30 chs.,
 thence W.

53.10 Spur, slopes NW.

66.20 Wash, 10 lks. wide, 1 ft. deep, drains W.

68.30 Small rim, bears E. and W.; desc. over steep N. slope.

71.50 Draw, drains N. 80° E.

Along NE. slope.

80.00 Point for the cor. of secs. 29, 30, 31 and 32.

Set the iron post 2 ins. in the ground, mound with
 stones to top, cap mkd.

T38NR13W

S30 | S29

S31 | S32

1965

44

CHAINS	
	<p>Land, steeply rolling. Soil, sandy loam and limestone. Timber, widely scattered juniper. Undergrowth, sagebrush, morman tea, blackbrush and cacti.</p>
	<p>From the cor. of secs. 28, 29, 32 and 33. N. 89°58' W., bet. secs. 29 and 32. Over rolling open land.</p>
2.00	Small draw, drains SW. curving W.
7.40	Same draw, drains W.
14.70	Same draw, drains S.
21.10	Wash, 5 lks. wide, 1 ft. deep, drains W.
22.50	Wash, 10 lks. wide, 2 ft. deep, drains N. 80° W.
39.98	Point for the ¼ sec. cor. of secs. 29 and 32. Set the iron post 22 ins. in the ground, cap mkd.
	<p>T38NR13W ¼ $\frac{S29}{S32}$ 1965</p>
	Raise a mound of stone N. of the cor.
40.30	Head of small draw, drains S.
43.30	Small draw, drains S., heads 1.50 chs. N.
49.20	Wash, 10 lks. wide, 3 ft. deep, drains W.
50.90	Same wash, drains SW.
52.80	Wash, 5 lks. wide, 1 ft. deep, drains S. 50 lks. then W.
54.20	Same wash, drains NW.
55.70	Fence cor. bears S. 2.80 chs.; fence bearing SW. and S. 80° E.
56.50	Road, bears SE. and NW.
58.50	Wash, 10 lks. wide, 4 ft. deep, drains NW.
61.30	Wash, in bottom of Hobble Canyon, 110 lks. wide, 18 ft. banks, drains NW.
64.60	Asc. over steep NE. slope.
68.80	Spur, slopes N.
73.10	Wash, 10 lks. wide, 1 ft. deep, drains NE.
79.96	The cor. of secs. 29, 30, 31 and 32.

CHAINS	
	<p>Land, mountainous. Soil, sandy loam and limestone. Timber, scattered juniper. Undergrowth, sagebrush, rabbitbrush, blackbrush, brigham tea and cacti.</p> <hr/> <p>N. 89°54' W., bet. secs. 30 and 31.</p> <p>Over rolling land, through scattered timber.</p> <p>Asc. over steep E. slope.</p> <p>6.30 Top of ridge, bears irregularly N. and SE.; desc. over W. slope.</p> <p>16.90 Draw, drains NW.</p> <p>20.20 Small wash, 5 lks. wide, 1 ft. deep, drains N.</p> <p>40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.</p> <p>Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S30}{S31}$ 1965</p> <p>40.10 Small wash, drains N. 75° W.</p> <p>59.80 Wash, 10 lks. wide, 2 ft. deep, drains N. 10° E.</p> <p>75.40 Track road, bears NE. and SW.</p> <p>77.30 Wash, 10 lks. wide, 2 ft. deep, drains NW.</p> <p>78.39 The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1929 survey.</p> <p>Land, rolling. Soil, sandy loam. Timber, scattered juniper. Undergrowth, sagebrush, blackbrush and cacti.</p> <hr/> <p>From the cor. of secs. 29, 30, 31 and 32.</p> <p>N. 0°03' W., bet. secs. 29 and 30.</p> <p>Over rolling land.</p> <p>2.10 Draw, drains E., heads 50 lks. W.</p> <p>2.70 Draw, drains E., heads 2.50 chs. W.</p> <p>4.80 Spur, slopes E.</p> <p>11.20 Draw, drains E.</p> <p>14.00 Enter sagebrush flat.</p> <p>15.80 Wash, in bottom of Hobble Canyon, 65 lks. wide, 18 ft. banks, drains NW.</p>

CHAINS

- 17.70 Wash, 10 lks. wide, 10 ft. banks, drains W.
- 19.90 Wash, 12 lks. wide, 9 ft. banks, drains irregular W.
- 22.00 Leave sagebrush flat.
- 24.40 Wash, 5 lks. wide, 2 ft. deep, drains SW.
- 32.20 Ridge, bears NE. and SW.
- 38.10 Wash, 15 lks. wide, 10 ft. deep, drains W.
- 39.40 Wash, 5 lks. wide, 3 ft. deep, drains NW.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30.
Set the iron post 22 ins. in the ground, cap mkd.

T38NR13W
 $\frac{1}{4}$
 S30 | S29
 1965

from which

A dry pond, bears S. $44^{\circ}40'$ W., 10.05 chs. dist.

Raise a mound of stone W. of the cor.

- 41.60 Wash, 18 lks. wide, 7 ft. banks, drains W. 2.50 chs. thence S.
- 44.60 Wash, 5 lks. wide, 1 ft. deep, drains SW.
- 46.80 Wash, 15 lks. wide, 6 ft. deep, drains W. 15 lks. thence S.
- 47.40 Wash, 20 lks. wide, 6 ft. deep, drains S. 10° W.
- 49.60 Road, bears NW. and SE.
- 51.80 Spur, slopes W.
- 54.30 Wash, 15 lks. wide, 1 ft. deep, drains S. 60° W.
- 62.00 Ridge, bears NE. and SW.
- 68.90 Wash, 10 lks. wide, 2 ft. deep, drains S. 30° W.
- 72.30 Wash, 25 lks. wide, 2 ft. deep, drains S. 30° W.
- 76.60 Enter open land, scattered undergrowth.
- 80.00 Point for the cor. of secs. 19, 20, 29 and 30.
Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 S19 | S20
 S30 | S29
 1965

CHAINS	
	<p>Land, rolling. Soil, sandy loam. Timber, scattered juniper. Undergrowth, sagebrush, blackbrush, brigham tea and cacti.</p> <hr/> <p>From the cor. of secs. 20, 21, 28 and 29. N. 89°58' W., bet. secs. 20 and 29. Over mountainous land; asc. over steep E. slope.</p>
4.90	<p>Rim of large draw, bears NE. and S. Desc. over W. slope.</p>
11.60	<p>Draw, drains S.; asc. over E. slope.</p>
18.00	<p>Ridge, bears N. 20° W. and S. 20° E.; slopes SE. into a saddle. Desc. over W. slope.</p>
21.70	<p>Slope becomes steep and broken.</p>
39.99	<p>Point for the ¼ sec. cor. of secs. 20 and 29. Set the iron post 20 ins. in the ground, cap mkd.</p> <p style="text-align: center;">T38NR13W ¼ $\frac{S20}{S29}$ 1965</p>
	<p>Raise a mound of stones N. of the cor.</p>
57.30	<p>Wash, 10 lks. wide, 2 ft. deep, drains SW.</p>
68.70	<p>Wash, 20 lks. wide, 3 ft. deep, drains SW.</p>
70.00	<p>Wash, 20 lks. wide, 2 ft. deep, drains SW.</p>
76.10	<p>Small draw, drains SE. heads 1 ch. N.</p>
79.98	<p>The cor. of secs. 19, 20, 29 and 30. Land, East ½ mile steep and broken, West ½ mile gently rolling. Soil, sandy loam and limestone. Timber, scattered juniper. Undergrowth, sagebrush, blackbrush, brigham tea and cacti.</p> <hr/> <p>N. 89°56' W., bet. secs. 19 and 30. Over open land through scattered undergrowth.</p>
30.00	<p>Road, bears N. 50° E. and S 50° W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 19 and 30. Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>

CHAINS		
	<p style="text-align: center;">T38NR13W $\frac{1}{4}$ $\frac{S19}{S30}$ 1965</p>	
53.90	Wash, 10 lks. wide, 4 ft. deep, drains S. 10° W.	
57.30	Wash, 25 lks. wide, 3 ft. deep, drains SW.	
64.70	Small gully, 20 lks. wide, 3 ft. deep, drains S. 15° E.	
78.55	<p>The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1929 survey.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered juniper. Undergrowth, sagebrush, blackbrush and cacti.</p>	
	<p>From the cor. of secs. 19, 20, 29 and 30.</p>	
	<p>N. 0°03' W., bet. secs. 19 and 20.</p>	
	<p>Over rolling land through scattered undergrowth.</p>	
10.70	Bladed road, bears N. 72° E. and S. 72° W.	
12.90	Wash, 5 lks. wide, 1 ft. deep, drains W.	
14.30	Wash, 15 lks. wide, 2 ft. deep, drains S. 50° W.	
19.00	Small draw, drains W.	
23.40	Wash, 20 lks. wide, 1 ft. deep, drains SW.	
23.80	Bladed road, bears N. 85° W. and S. 85° E.	
30.10	Wash, 10 lks. wide, 2 ft. deep, drains N. 75° W.	
30.80	Wash, 10 lks. wide, 1 ft. deep, drains S. 40° W.	
38.50	Wash, 20 lks. wide, 1 ft. deep, drains S. 30° W.	
39.60	Track road, bears S. 35° W. and N. 35° E.	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20.</p> <p>Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T38NR13W $\frac{1}{4}$ S19 S20 1965</p>	
44.00	Wash, 5 lks. wide, 1 ft. deep, drains S. 85° W.	
48.70	Wash, 3 lks. wide, 1 ft. deep, drains W.	
50.60	Draw, drains N. 85° W.	

CHAINS

- 53.50 Wash, 5 lks. wide, 1 ft. deep, drains W.
- 54.60 Wash, 10 lks. wide, 2 ft. deep, drains SW.
- 60.30 S. edge of flat, bears NE. and SW.
- 66.70 N. edge of flat.
- 68.30 Wash, 15 lks. wide, 3 ft. deep, drains S. 60° W.
- 72.90 Draw, drains SW.
- 80.00 Point for the cor. of secs. 17, 18, 19 and 20.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

S18	S17
S19	S20

 1965

Land, rolling.
 Soil, sandy loam and limestone.
 Timber, scattered juniper.
 Undergrowth, sagebrush, blackbrush and cacti.

From the cor. of secs. 16, 17, 20 and 21.

N. 89°55' W., bet. secs. 17 and 20.

Over rolling land, through scattered juniper.

Desc. over SW. slope.

- 9.70 Small draw, drains SW.
- 11.50 Track road, bears SW. and NE.
- 17.00 Draw, drains S. 15° W.
- 24.00 Draw, drains W.
- 26.30 Same draw, drains NW.
- 30.30 Spur, slopes N.
- 32.10 Draw, drains N. 10° W.
- 38.60 Draw, drains N. 10° W.
- 40.00 Point for the ¼ sec. cor. of secs. 17 and 20.

Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 ¼

S17	S20
-----	-----

 1965

from which

A corral bears S. 37°45' W., 22.10 chs. dist.

Cor. falls on NE. slope.

CHAINS

- 42.00 Spur, slopes N.; desc. over NW. slope.
- 49.00 Canyon rim, bears SW. and N. 60° E.
Desc. over steep W. slope.
- 55.80 Wash in bottom of canyon, 20 lks. wide 5 ft. deep drains SW. asc. along steep S. slope.
- 63.70 Spur, slopes sharply S.
- 65.10 Desc. over SW. slope.
- 74.90 Wash, 15 lks. wide, 2 ft. deep, drains S.
- 80.00 The cor. of secs. 17, 18, 19 and 20.

Land, steeply rolling.
Soil, sandy loam and limestone.
Timber, scattered juniper.
Undergrowth, sagebrush, blackbrush and cacti.

- N. 89°55' W., bet. secs. 18 and 19.

Over steeply rolling land.

Desc. over NW. slope.
- 12.20 Draw, drains N., heads 1.50 chs. S.
- 14.10 Draw, drains N. 20° W., heads 1.50 chs. S.
- 15.50 Draw, drains N. 20° W., heads 1.50 chs. S.
- 17.60 Draw, near head, drains N. 20° W.; the above draws drain Northerly about 1.00 ch. to draw draining W.
- 22.80 Wash, 5 lks. wide, 1 ft. deep, drains NW.
- 26.10 Wash, 30 lks. wide, 2 ft. deep, drains S.
- 31.60 Small draw, drains S.
- 40.00 Point for the ¼ sec. cor. of secs. 18 and 19.

Set the iron post over X chiseled on solid rock, mound with stones to top, cap mkd.

T38NR13W
¼ $\frac{S18}{S19}$
1965

Cor. falls on spur sloping S.

Desc. over W. slope.
- 45.00 Wash, 50 lks. wide, 4 ft. deep, drains S. 40° E.
- 57.70 Wash, 10 lks. wide, 1 ft. deep, drains SW.
- 60.20 Wash, 20 lks. wide, 6 ft. deep, drains S. 35° W.
- 62.80 Wash, 20 lks. wide, 6 ft. deep, drains S.
- 63.00 Wash, 20 lks. wide, 5 ft. deep, drains SW.

CHAINS	
	80 lks. thence S.
78.62	The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1929 survey.
	Land, rolling. Soil, sandy loam and limestone. Timber, scattered juniper. Undergrowth, sagebrush, blackbrush and cacti.
	From the cor. of secs. 17, 18, 19 and 20.
	N. 0°03' W., bet. secs. 17 and 18.
	Over rolling land through scattered timber and undergrowth.
4.40	Wash, in bottom of small draw, 5 lks. wide, 1 ft. deep, drains W.
8.10	Rocky rim of draw, bears NE. and SW.; desc. over NW. slope.
15.20	Small draw, drains S. 80° W.
18.20	Small draw, drains W., heads 1.00 ch. E.
30.20	Desc. along steep W. slope.
34.50	Draw, drains W. 1 ch. thence S. 75° W.
	Asc. steep S. slope of hill.
39.00	Top of rocky hill.
	Desc. steep N. slope.
40.00	Point for the ¼ sec. cor. of secs. 17 and 18.
	Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.
	<p style="text-align: center;">T38NR13W ¼ S18 S17 1965</p>
	Cor. falls on steep N. slope above canyon.
46.50	Steep spur, slopes N. 10° E.
48.50	Wash in bottom of canyon, 15 lks. wide, 3 ft. deep, drains W. 1.20 chs. thence SW.; asc. over steep S. slope.
53.00	Spur, slopes W.
56.20	Draw, drains S. 30° W. into canyon.
65.90	Ridge, bears N. 60° E. and S. 60° W.
67.60	Draw, drains N. 75° E.
68.20	Ridge, bears NE. and SW.
	Desc. NW. slope to rim of canyon.

52

CHAINS	
71.80	Rim of canyon, bears E. and W.
	Desc. over nearly vertical ledges facing N.
76.40	Wash, in bottom of canyon, 30 lks. wide, 3 ft. deep, drains W.; asc. over loose shale on steep S. slope.
80.00	Point for the cor. of secs. 7, 8, 17 and 18.
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	T38NR13W S 7 S 8 S18 S17 1965
	Land, rolling and broken. Soil, sandy loam, limestone and shale. Timber, scattered juniper. Undergrowth, sagebrush and blackbrush.
	From the cor. of secs. 8, 9, 16 and 17.
	N. 89°59' W., bet. secs. 8 and 17.
	Over rolling ground, with medium juniper.
3.50	Draw, drains S. 75° E.; asc. over E. slope.
9.20	Same draw, drains N. 80° E., 2 chs. thence S. 75° E.
10.50	Draw, drains SW. 30 lks. thence N. 80° E.
30.60	Wash, 15 lks. wide, 1 ft. deep, drains S. 25° W.
	Asc. E. slope.
39.30	Ridge bears NE. and S.
39.96	Point for the ¼ sec. cor. of secs. 8 and 17.
	Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	T38NR13W ¼ S 8 S17 1965
	Cor. falls on gentle W. slope.
51.20	Rim of canyon, bears NE. and SW.
	Desc. over steep NW. slope.
65.00	Bottom of canyon, drains W. from NE.; asc. along steep S. slope.
79.92	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling and broken. Soil, sandy loam and limestone. Timber, medium juniper. Undergrowth, sagebrush, blackbrush and cacti.

CHAINS

	N. 89°54' W., bet. secs. 7 and 18.
	Along shear S. face of canyon; by traverse, topography as estimated.
15.20	Asc. over steep SE. slope.
17.60	High spur, slopes SW.; desc. over W. slope.
28.50	Wash in bottom of canyon drains S. 6.5 chs.; thence SW.; asc. over steep SE. slope.
33.80	Slope changes to gentle S.; end of traverse.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18.
	Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.
	T38NR13W $\frac{1}{4}$ $\frac{S 7}{S 18}$ 1965
50.50	Wash, 20 lks. wide, 4 ft. deep, drains S.
56.60	Track road, bears SW. and NE.
76.90	Draw, drains S.
78.82	The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1929 survey.
	Land, rolling and broken. Soil, sandy loam and limestone. Timber, scattered juniper and pinon. Undergrowth, sagebrush, blackbrush and cacti.
	From the cor. of secs. 7, 8, 17 and 18.
	N. 0°03' W., bet. secs. 7 and 8.
	Over rolling and broken land.
4.10	N. rim of canyon, bears E. and W.
	Asc. steep S. slope.
11.40	Ridge, bet. canyons, bears S. 80° W. and NE.; desc. over steep N. slope.
16.80	Draw, drains W., into canyon; asc. along W. slope.
25.50	Desc. over NW. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8.
	Set the iron post 11 ins. in the ground, mound with stones to top, cap mkd.

CHAINS

T38NR13W

$\frac{1}{4}$
S 7 | S 8
1965

42.00 Wash, in bottom of canyon, 30 lks. wide, rocky bottom, drains irregularly S. 30° E. from irregularly N.

67.00 Leave canyon bottom draining from NE.; asc. over steep SE. slope.

77.60 Rim of canyon, bears SW. and NE.; continue over gently rolling land, through thick timber.

80.00 Point for the cor. of secs. 5, 6, 7 and 8.

Set the iron post 9 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

S 6 | S 5
S 7 | S 8
1965

Land, rolling and broken.
Soil, sandy loam and limestone.
Timber, juniper and pinon except in canyons.
Undergrowth, sagebrush and blackbrush.

From the cor. of secs. 4, 5, 8 and 9.

N. 89°59' W., bet. secs. 5 and 8.

Over rolling and broken land through dense timber.

Asc. over steep E. slope.

2.00 Small wash, 10 lks. wide, 2 ft. deep, drains S. 20° E.

6.80 Rocky rim of canyon, bears N. and S.; asc. E. slope.

9.00 Top of ascent, bears N. and S.; thence over rolling land.

39.95 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

$\frac{1}{4}$ S 5
S 8
1965

60.40 Rim of canyon, bears NE. and SW.

Desc. over steep NW. slope.

69.10 Bottom of canyon, drains SW.

Asc. over steep SE. slope.

77.70 Rim of canyon bears NE. and SW.

79.90 The cor. of secs. 5, 6, 7 and 8.

CHAINS

Land, rolling and broken.
Soil, sandy loam and limestone.
Timber, moderate to heavy juniper.
Undergrowth, sagebrush and blackbrush.

N. 89°48' W., bet. secs. 6 and 7.

Over gently rolling land through heavy timber.

- 6.00 Rim of canyon, bears N. and S.; by triangulation, topography estimated.
- 8.60 Bottom of canyon, drains S.; asc. over E. slope.
- 12.00 Rim of canyon, bears N. and S.
Asc. over E. slope.
- 28.50 Draw, drains SE.
- 38.20 End of triangulation on ridge, bearing N. and S.
Desc. over W. slope.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W
 $\frac{1}{4}$ $\frac{S\ 6}{S\ 7}$
1965

Raise a mound of stone N. of the cor.

- 45.00 Draw, drains SW.
- 50.50 Spur, slopes SW.
- 67.00 Bladed road, bears NW. and SE.
- 68.00 Wash, 10 lks. wide, 1 ft. deep, drains SE.
- 71.50 Fence, bears N. and S.
- 78.70 Top of small round hill.
- 78.96 The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1929 survey.

Land, rolling and broken.
Soil, sandy loam and limestone.
Timber, dense juniper and pinon East $\frac{1}{2}$ mile, scattered timber on remainder.
Undergrowth, sagebrush, blackbrush and cacti.

From the cor. of secs. 5, 6, 7 and 8.

N. 0°10' W., bet. secs. 5 and 6.

Over rolling land through heavy timber.

CHAINS
31.60

Draw, drains E.

36.00

Spur, slopes NE.

40.00

Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.

Set the iron post 16 ins. in the ground, mound with stones to top, cap mkd.

T38NR13W

$\frac{1}{4}$
S 6 | S 5
1965

42.10

Wash, 5 lks. wide, 1 ft. deep, drains N.

43.50

Same wash, drains N. 10° W.

47.90

Wash, 10 lks. wide, 1 ft. deep, drains NE. 30 lks. thence SE.

48.40

Wash, 10 lks. wide, 1 ft. deep, drains SE.

58.00

Spur, slopes E.

62.80

Bladed road, bears NW. and S. 35° E.

64.20

Wash, 25 lks. wide, 3 ft. deep, drains E. 1 ch. thence SE.

66.60

Wash, 10 lks. wide, 1 ft. deep, drains S. 20° E.

80.50

Wash, 15 lks. wide, 1 ft. deep, drains S. 25° E.

81.57

The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1925 survey.

Land, rolling.
Soil, sandy loam and limestone.
Timber, dense juniper and pinon.
Undergrowth, sagebrush, blackbrush and cacti.

General Description

The land in Township 38 North, Range 13 West is gently rolling in the eastern portion becoming progressively more rough and broken in the area to the west. The elevation ranges from about 4500 ft. to 5500 ft. above sea level with Mustang Knoll in sec. 2, 555 ft. higher. The soil is shallow clay loam and limestone cut by numerous gullies and draws. The general drainage is in a southwesterly direction emptying into Hobble Canyon which cuts through the SW. cor. of the Tp.

Scattered to dense juniper and pinon is found throughout the Tp. Sagebrush, cacti and brigham tea are the predominating undergrowth with oak, buckbrush and grass along the N. slopes and in the canyons and draws.

A bladed road enters the Tp. in sec. 12 on the E. bdy. angling southwesterly to a junction with a road in Hobble Canyon in sec. 30. Fair roads branch off this

Township 38 North, Range 13 West
Gila and Salt River Meridian, Arizona

CHAINS

main road to most of the Tp., except the NW. portion where poor jeep trails afford some access.

Allotment fences and several stock ponds have been built within the Tp. and some land railed in the northern portions of secs. 4 and 5. No flowing springs or mineral activity was noted during the survey.

25

BOOK 4784

CHAINS

Form 4-680
(June 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Robert F. Johnson	Transit
Gary T. Oviatt	Notekeeper and Chainman
Howard H. Thomas	Notekeeper and Chainman
Ralph J. Brown, Jr.	Flagman
Lyman W. Polacca	Chainman
Arthur C. Shuster	Cornerman
Loyal E. Steele	Axeman
Martin W. Fuller	Axeman

60

CERTIFICATE OF SURVEY

We

By Boyd S. Owens & Paul G. Bauer, HEREBY CERTIFY upon honor that,

in pursuance of special instructions bearing date of the 14 day of September, 1961, we

have made a survey of the subdivisional lines of Township 38 North, Range 13 West.

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

June 14, 1966 (Date)

Boyd S. Owens (Cadastral Surveyor)

June 14, 1966 (Date)

Paul G. Bauer (Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL Date AUG 18 1966

BUREAU OF LAND MANAGEMENT, Washington, D. C.

The foregoing field notes of the survey of the subdivisional lines of Township 38 North, Range 13 West, of the Gila and Salt River Meridian in the State of Arizona

executed by Boyd S. Owens and Paul G. Bauer, Cadastral Surveyors having been critically examined and found correct, are hereby approved.

SEP 13 1966 (Date)

Clark L. Gumm Acting (Chief, Division of Engineering)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in, is a true copy of the original field notes.

(Date)

(Chief, Division of Engineering)