

Form 4-679
(January 1963)

BOOK 4798
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

SURVEY
of the
EAST BOUNDARY,
A Portion of the
NORTH BOUNDARY
and a
COMPLETION SURVEY
of the
SUBDIVISIONAL LINES
of
Township 3 North, Range 7 East

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY

Wallace R. Ott, Cadastral Surveyor

Gary T. Oviatt, Surveying Technician

Under special instructions dated September 10, 19 65, which provided for the surveys
included under Group Number 434, approved September 13, 1965,
and assignment instructions dated December 16, 19 65.

Survey commenced January 13, 19 66

Survey completed March 28, 19 66

18

BOOK 4798

INDEX DIAGRAM

Township 3 North, Range 7 East

| | | | | | |
|----|----|----------|-------------|-------------|---------------|
| 6 | 5 | 4 | 6 26 3 | 7 19 2 | 7 14 1 5 |
| 7 | 8 | 26 9 | 25 25 10 | 19 18 11 | 13 13 12 4 |
| 18 | 17 | 24 16 | 24 23 15 | 18 17 14 | 12 11 13 3 |
| 19 | 20 | 23 21 | 22 22 22 | 17 16 23 | 11 10 24 3 |
| 30 | 29 | 21 28 | 21 20 27 | 15 14 26 | 9 8 25 2 |
| 31 | 32 | 33 | 34 | 35 | 8 36 1 |

CHAINS

The boundaries of the Salt River Indian Reservation were surveyed in 1888 by L. D. Chillson. A portion of the north and west boundaries and the boundary of Fort McDowell Indian Reservation was surveyed in 1900 by H. Santee. The area within Fort McDowell Indian Reservation was subdivided and the meander lines of the Verde River were surveyed in 1902 by P. Contzen. In 1910, R. S. Farmer surveyed the south 1 mile of the west boundary and resurveyed the north 5 miles. He also resurveyed a portion of the north boundary and resurveyed the east boundary of the Salt River and Fort McDowell Indian Reservations in 1910. In 1911, Farmer resurveyed a portion of the boundaries of the Salt River Indian Reservation. In the same year, he resurveyed the section lines within the Fort McDowell Indian Reservation, along with a survey of the subdivision of most of the sections and a resurvey of the meanders of the Verde River.

The east portion of the south boundary was surveyed by T. Vander Meer in 1930. White and Warner resurveyed a portion of the south boundary, surveyed secs. 33, 34 and 35, and meandered the Salt River through these sections in 1949.

The following field notes are those of the survey of the east boundary, a portion of the north boundary, and the survey of a portion of the subdivisional lines of Township 3 North, Range 7 East, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated September 10, 1965.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast corner of the township, as computed from the Triangulation Station's STEWART DAM and STEWART MOUNTAIN is: Latitude, 33°33' 11.9" North, and Longitude, 111°34'47.8" West. Stewart Dam is located in sec. 33 and Stewart Mountain is located in sec. 29, Township 3 North, Range 8 East.

The mean magnetic declination was found to be 14° East.

Survey of the East Boundary
Township 3 North, Range 7 East

From the Tp. cor. of Tps. 2 and 3 N., Rs. 7 and 8 E., monumented by an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record of the 1930 survey.

North, bet. secs. 31 and 36.

Over rolling land, through scattered palo verde.

7.40 Bladed road, bears E. and W.

9.40 Bladed road, bears E. and W.

10.10 Wash, 10 lks. wide, 7 ft. banks, drains W.

BOOK 4798

2

E. Bdy. T. 3 N., R. 7 E., Arizona

2.

CHAINS

13.00 Left bank of the Salt River, bears E. and W.

24.70 Salt River, course West.

25.70 Right bank of the Salt River, bears East and West.

34.30 Bend of wash, 25 lks. wide, 2 ft. deep, drains SW. from NW.

39.30 Wash, 30 lks. wide, 2 ft. deep, drains S. 30° W.

40.00 Point for the 1/4 sec. cor. of secs. 31 and 36.

Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.

T3N
R7E R8E
1/4
S36 | S31

1966

53.70 Wash, 50 lks. wide, 2 ft. deep, drains S. 25° E.

70.80 Spur, slopes W.

80.00 Point for the cor. of secs. 25, 30, 31 and 36.

Set the iron post 20 ins. in the ground, brass cap mkd.

T3N
R7E R8E
S25 | S30
S36 | S31

1966

Raise a mound of stone W. of the cor.

Land, nearly level S. 1/4 mile, rolling on remainder. Soil, rocky and sandy.

Timber, moderate palo verde.

Undergrowth, moderate cacti, creosote bush and cat claw.

North, bet. secs. 25 and 30.

Over rolling land, through moderate palo verde.

1.80 Mouth of wash, 100 lks. wide, 1 ft. deep, drains W. into main wash, which drains S. 40° W.

13.20 Wash, 50 lks. wide, 1 ft. deep, drains S. 15° W.

28.10 Wash, 15 lks. wide, 1 ft. deep, drains W.

40.00 Point for the 1/4 sec. cor. of secs. 25 and 30.

Set the iron post over an "x" chiseled in solid rock, mound with stone to top, brass cap mkd.

T3N
R7E R8E
1/4
S25 | S30

1966

BOOK 4798

E. Bdy., T. 3 N., R. 7 E., Arizona

3.

| CHAINS | |
|--------|--|
| 41.70 | Rocky spur, slopes S. 5° W. |
| 63.40 | Wash, 10 lks. wide, 1 ft. deep, drains S. 30° W. |
| 75.20 | Wash, 30 lks. wide, ½ ft. deep, drains S. 60° W. |
| 80.00 | Point for the cor. of secs. 19, 24, 25 and 30. |
| | Set the iron post 22 ins. in the ground, brass cap mkd. |
| | <p style="text-align: center;">T3N R7E R8E S24 S19 S25 S30</p> |
| | 1966 |
| | Raise a mound of stone W. of the cor. |
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and cat claw.</p> |
| | North, bet. secs. 19 and 24. |
| | Over rolling land, through moderate palo verde. |
| 4.40 | Low ridge, bears N. 30° E. and S. 30° W. |
| 20.30 | Small wash, drains S. 30° W. |
| 35.00 | Four-strand barbed wire fence, bears NE. and SW. |
| 40.00 | Point for the ¼ sec. cor. of secs. 19 and 24. |
| | Set the iron post 22 ins. in the ground, brass cap mkd. |
| | <p style="text-align: center;">T3N R7E R8E ¼ S24 S19</p> |
| | 1966 |
| | Raise a mound of stone W. of the cor. |
| 40.90 | Wash, 100 lks. wide, 2 ft. deep, drains S. 20° W. |
| 80.00 | Point for the cor. of secs. 13, 18, 19 and 24. |
| | Set the iron post 22 ins. in the ground, brass cap mkd. |
| | <p style="text-align: center;">T3N R7E R8E S13 S18 S24 S19</p> |
| | 1966 |
| | Raise a mound of stone W. of the cor. |
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and cat claw.</p> |
| | North, bet. secs. 13 and 18. |
| | Over rolling land, through moderate palo verde. |

BOOK 4798

N. Bdy., T. 3 N., R. 7 E., Arizona

6.


6

CHAINS

Land, rolling.
Soil, rocky and sandy.
Timber, moderate palo verde.
Undergrowth, moderate cacti, brush and scattered creosote bush.

Survey of a Portion of the North Boundary,
T. 3 N., R. 7 E., Arizona

From the C.C. of secs. 3 and 34, on the N. bdy. of the Tp., and on the E. bdy. of the Fort McDowell Indian Reservation, monumented by an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record of the 1911 survey. I remark the brass cap to read:



The cor. is set in a 5-strand barbed wire fence, bearing N. 7° E. and S. 7° W.


N. 89°57' E., bet. secs. 3 and 34.

Over rolling land, through moderate palo verde.

28.40 Wash, 10 lks. wide, 1 ft. deep, drains N. 40° W.

36.00 Point for the 1/4 sec. cor. of secs. 3 and 34, at 40.00 chs. in easting from the cor. of secs. 3, 4, 33 and 34.

Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.




Raise a mound of stone W. of the cor.

41.80 Spur, slopes N. 10° W.

44.30 Wash, 30 lks. wide, 1 ft. deep, drains N. 20° W.

76.00 Point for the cor. of secs. 2, 3, 34 and 35.

Set the iron post 22 ins. in the ground, brass cap mkd.



Raise a mound of stone W. of the cor.

Land, rolling.

Soil, rocky.

Timber, scattered palo verde.

Undergrowth, moderate cacti, creosote bush and cat claw.

BOOK 4798

N. Bdy., T. 3 N., R. 7 E., Arizona

7.

| CHAINS | | |
|--------|---|--|
| | <p>N. 89°57' E., bet. secs. 2 and 35.</p> | |
| | <p>Over rolling land, through scattered palo verde.</p> | |
| 14.70 | <p>Ridge, bears N. and S.</p> | |
| 23.80 | <p>Wash, 30 lks. wide, 1 ft. deep, drains N. 40° W.</p> | |
| 40.00 | <p>Point for the ¼ sec. cor. of secs. 2 and 35.</p> | |
| | <p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> | |
| | <p style="text-align: center;">T4N R7E ¼ <u>S 35</u> S 2 T3N 1966</p> | |
| 40.10 | <p>Draw, drains S. 25° W.</p> | |
| 51.30 | <p>Wash, 20 lks. wide, 1 ft. deep, drains S. 30° W.</p> | |
| 69.50 | <p>Wash, 10 lks. wide, 1 ft. deep, drains SW.</p> | |
| 80.00 | <p>Point for the cor. of secs. 1, 2, 35 and 36.</p> | |
| | <p>Set the iron post 15 ins. in the ground, mound with stone to top, brass cap mkd.</p> | |
| | <p style="text-align: center;">T4N R7E <u>S35</u> <u>S36</u> S 2 S 1 T3N 1966</p> | |
| | <p>Land, rolling. Soil, rocky. Timber, scattered palo verde. Undergrowth, moderate cacti and brush, and scattered cat claw.</p> | |
| | <p>N. 89°57' E., bet. secs. 1 and 36.</p> | |
| | <p>Over heavy rolling land, through moderate palo verde.</p> | |
| 25.70 | <p>Draw, drains S. 40° W.</p> | |
| 40.00 | <p>Point for the ¼ sec. cor. of secs. 1 and 36.</p> | |
| | <p>Set the iron post 6 ins. in the ground, mound with stone to top, brass cap mkd.</p> | |
| | <p style="text-align: center;">T4N R7E ¼ <u>S 36</u> S 1 T3N 1966</p> | |
| 46.70 | <p>High black spur, slopes N.</p> | |
| 74.57 | <p>The cor. of Tps. 3 and 4 N., Rs. 7 and 8 E.</p> | |

8

| CHAINS | |
|--------|--|
| | <p>Land, heavy rolling. Soil, rocky. Timber, moderate palo verde. Undergrowth, moderate cacti and brush.</p> |
| | <p>Survey of a Portion of the Subdivisional Lines, Township 3 North, Range 7 East, Arizona</p> |
| | <p>From the cor. of secs. 25, 26, 35 and 36, monumented by an iron post, 2 ins. diam., set, mkd. and witnessed as described in the official record of the 1949 survey.</p> <p>S. 89°53' E., bet. secs. 25 and 36.</p> <p>Over rolling land, through moderate palo verde.</p> |
| 1.60 | Spur, slopes S. |
| 2.80 | Wash, 30 lks. wide, 1 ft. deep, drains S. |
| 4.20 | Wash, 30 lks. wide, 1 ft. deep, drains S. 20° W. |
| 11.40 | 4-strand barbed wire fence, bears N. and S. |
| 15.30 | Wash, 35 lks. wide, 1 ft. deep, drains S. 15° W. |
| 33.00 | Spur, slopes S. 15° W. |
| 38.60 | Draw, drains S. 30° W. |
| 40.00 | Point for the ¼ sec. cor. of secs. 25 and 36. |
| | <p>Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ $\frac{S\ 25}{S\ 36}$ 1966</p> |
| 47.30 | Spur, slopes N. 10° W. |
| 61.90 | Wash, 10 lks. wide, 2 ft. deep, drains S. 10° E. |
| 71.60 | Center of large wash, 3.90 chs. wide, 1 ft. deep, drains S. 40° W., curving to S. |
| 74.80 | The cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp. |
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote, brush and cat claw.</p> |
| | <p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>N. 0°03' E., bet. secs. 25 and 26.</p> <p>Over rolling land, through moderate palo verde.</p> |
| 1.10 | Wash, 15 lks. wide, 1½ ft. deep, drains S. 5° W. |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

9.

| CHAINS | |
|--------|--|
| 9.50 | Wash, 30 lks. wide, 1 ft. deep, drains S. 30° W. |
| 40.00 | <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.</p> <p>Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ S26 S25 1966</p> |
| 43.30 | Low ridge, bears NE. and S. 15° W. |
| 73.00 | Wash, 25 lks. wide, 1 ft. deep, drains S. 20° W. |
| 80.00 | <p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E S23 S24 S26 S25 1966</p> |
| | <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and cat claw.</p> |
| | S. 89°52' E., bet. secs. 24 and 25. |
| | Over rolling land, through moderate palo verde. |
| 0.90 | Spur, slopes S. |
| 4.40 | Wash, 10 lks. wide, $\frac{1}{2}$ ft. deep, drains S. 30° W. |
| 19.50 | Ridge, bears S. 10° E. and N. 10° W. |
| 33.40 | Small spur, slopes S. |
| 40.00 | <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 24 and 25.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ S 24 S 25 1966</p> |
| | Raise a mound of stone N. of the cor. |
| 48.70 | Wash, 15 lks. wide, 1 ft. deep, drains S. 20° W. |
| 60.20 | 4-strand barbed wire fence, bears NE. and SW. |
| 67.30 | Wash, 10 lks. wide, 1 ft. deep, drains S. 20° E. |
| 74.80 | The cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp. |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

10.

10

| CHAINS | |
|--------|--|
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and scattered cat claw.</p> |
| | <p>From the cor. of secs. 23, 24, 25 and 26.</p> |
| | <p>N. 0°03' E., bet. secs. 23 and 24.</p> |
| | <p>Over rolling land, through moderate palo verde.</p> |
| 12.30 | <p>Wash, 10 lks. wide, 1½ ft. deep, drains S. 30° W.</p> |
| 16.20 | <p>Wash, 10 lks. wide, 1 ft. deep, drains SW.</p> |
| 24.80 | <p>Low ridge, bears N. 30° E. and SW.</p> |
| 40.00 | <p>Point for the ¼ sec. cor. of secs. 23 and 24.</p> |
| | <p>Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.</p> |
| | <p style="text-align: center;">T3N R7E ½ S23 S24</p> |
| | <p style="text-align: center;">1966</p> |
| 40.90 | <p>Wash, on bend, 10 lks. wide, 1½ ft. deep, drains S. 5° E., curving to S. 20° W.</p> |
| 42.90 | <p>4-strand barbed wire fence, bears N. 80° E. and S. 80° W.</p> |
| 46.40 | <p>Beeline Highway (Ariz. State Hwy. No. 87), bears N. 47°25' E. and S. 49° W.</p> |
| 51.10 | <p>4-strand barbed wire fence, bears N. 80° E. and S. 80° W.</p> |
| 67.40 | <p>Bladed road, bears N. 40° E. and S. 40° W.</p> |
| 70.80 | <p>Wash, 15 lks. wide, 2 ft. deep, drains S. 30° W.</p> |
| 80.00 | <p>Point for the cor. of secs. 13, 14, 23 and 24.</p> |
| | <p>Set the iron post 18 ins. in the ground, mound with stone to top, brass cap mkd.</p> |
| | <p style="text-align: center;">T3N R7E S14 S13 S23 S24</p> |
| | <p style="text-align: center;">1966</p> |
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote, brush and scattered cat claw.</p> |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

11.

| CHAINS | | |
|--------|---|--|
| | <p>S. 89°50' E., bet. secs. 13 and 24.</p> <p>Over rolling land, through moderate palo verde.</p> | |
| 5.20 | Wash, 20 lks. wide, 1 ft. deep, drains S. | |
| 10.50 | Bladed roads intersect, bears N. 10° E. and S. 25° E., S. 30° W. and N. 30° W. | |
| 14.70 | Bladed road, bears S. 15° E. and N. 15° W. | |
| 18.20 | Wash, 15 lks. wide, 1 ft. deep, drains S. | |
| 22.50 | Track road, bears N. 60° E. and S. 60° W. | |
| 26.00 | 4-strand barbed wire fence, bears N. 35° E. and S. 35° W. | |
| 29.15 | Beeline Highway (Ariz. State Hwy. No. 87), bears N. 35°40' E. and S. 35°40' W. | |
| 32.70 | 4-strand barbed wire fence, bears N. 39°40' E. and S. 39°40' W. | |
| 33.30 | Dirt road, bears S. 35° E. and N. 30° W. | |
| 40.00 | Point for the ¼ sec. cor. of secs. 13 and 24. | |
| | Set the iron post 24 ins. in the ground, brass cap mkd. | |
| | <p>T3N R7E</p> <p>¼ $\frac{S\ 13}{S\ 24}$</p> <p>1966</p> | |
| | Raise a mound of stone N. of the cor. | |
| 57.70 | Wash, 20 lks. wide, ½ ft. deep, drains S. | |
| 69.10 | Ridge, bears N. 10° E. and S. 10° W. | |
| 74.00 | Wash, 40 lks. wide, 1 ft. deep, drains S. | |
| 74.66 | The cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp. | |
| | <p>Land, rolling.</p> <p>Soil, rocky and sandy.</p> <p>Timber, moderate palo verde.</p> <p>Undergrowth, moderate cacti, creosote, brush and scattered cat claw.</p> | |
| | From the cor. of secs. 13, 14, 23 and 24. | |
| | N. 0°03' E., bet. secs. 13 and 14. | |
| | Over rolling land, through moderate palo verde. | |
| 10.50 | Wash, 10 lks. wide, 1½ ft. deep, drains S. 40° W. | |
| 26.60 | Dirt road, bears SE. and NW. | |
| 34.90 | Wash, 10 lks. wide, 2 ft. deep, drains SW. | |
| 40.00 | Point for the ¼ sec. cor. of secs. 13 and 14. | |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

12.

12

| CHAINS | | |
|--------|--|--|
| 76.40 | <p>Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{2}$ S14 S13</p> <p style="text-align: center;">1966</p> <p>Wash, 10 lks. wide, $\frac{1}{2}$ ft. deep, drains S. 20° W.</p> | |
| 80.00 | <p>Point for the cor. of secs. 11, 12, 13 and 14.</p> <p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E S11 S12 S14 S13</p> <p style="text-align: center;">1966</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush, brush and scattered cat claw.</p> | |
| 3.80 | <p>S. 89°55' E., bet. secs. 12 and 13.</p> <p>Over rolling land, through moderate palo verde.</p> <p>Wash, 10 lks. wide, 1 ft. deep, drains SW.</p> | |
| 20.10 | <p>Ridge, bears N. 10° W. and S.</p> | |
| 33.00 | <p>Wash, 20 lks. wide, 2 ft. deep, drains S. 20° W.</p> | |
| 39.00 | <p>Spur, slopes S. 20° W.</p> | |
| 40.00 | <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13.</p> <p>Set the iron post 6 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ S 12 S 13</p> <p style="text-align: center;">1966</p> | |
| 42.20 | <p>Wash, 20 lks. wide, 1 ft. deep, drains S. 10° W.</p> | |
| 51.40 | <p>Ridge, bears N. 25° E. and S. 15° W.</p> | |
| 73.30 | <p>Wash, 12 lks. wide, 1 ft. deep, drains S.</p> | |
| 74.61 | <p>The cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush, brush and scattered cat claw.</p> | |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

13.

| CHAINS | | |
|--|--|--|
| <p>21.70 40.00</p> | <p>From the cor. of secs. 11, 12, 13 and 14. N. 0°03' E., bet. secs. 11 and 12. Over rolling land, through moderate palo verde. Ridge, bears NE. and SW. Point for the ¼ sec. cor. of secs. 11 and 12. Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ S11 S12 1966</p> <p>from which Dam on lower end of Lost Tank, bears S. 71° W., 11.30 chs. dist.</p> | |
| <p>44.60 53.30 62.40 80.00</p> | <p>Wash, 10 lks. wide, 1 ft. deep, drains S. 60° W. Wash, 30 lks. wide, 1½ ft. deep, drains S. 35° W. 4-strand barbed wire fence, bears S. 72°10' E. and N. 72°10' W. Point for the cor. of secs. 1, 2, 11 and 12. Set the iron post over an "x" chiseled on solid rock, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E S 2 S 1 S11 S12 1966</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush, brush and scattered cat claw.</p> | |
| <p>6.60 12.10 22.70 40.00</p> | <p>S. 89°55' E., bet. secs. 1 and 12. Over rolling land, through moderate palo verde. Wash, 10 lks. wide, 1 ft. deep, drains S. 20° E. Wash, 10 lks. wide, 1 ft. deep, drains S. Wash, 10 lks. wide, 2 ft. deep, drains S. 65° W. Point for the ¼ sec. cor. of secs. 1 and 12. Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ S 1 S 12 1966</p> | |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

14.

14

| CHAINS | | |
|--------|--|--|
| 60.60 | Wash, 20 lks. wide, 1½ ft. deep, drains S. 40° W. | |
| 74.52 | <p>The cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote and brush and scattered cat claw.</p> | |
| 26.10 | <p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>N. 0°06' W., bet. secs. 1 and 2.</p> <p>Over rolling land, through moderate palo verde.</p> <p>Trail road, bears SW. and N. 30° E.</p> | |
| 26.20 | Ridge, bears SW. and N. 30° E. | |
| 40.00 | <p>Point for the ¼ sec. cor. of secs. 1 and 2.</p> <p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ½ S 2 S 1 1966</p> | |
| 44.60 | Wash, 20 lks. wide, 1 ft. deep, drains NW. | |
| 69.80 | Wash, 50 lks. wide, 2 ft. deep, drains N. 80° W. | |
| 76.20 | Wash, 20 lks. wide, 3 ft. deep, drains S. 80° W. | |
| 79.81 | <p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and brush.</p> | |
| 4.70 | <p>From the true point for the cor. of secs. 26, 27, 34 and 35, from which the witness cor. bears N. 89°55' E., 20 lks. dist., monumented by an iron post, 2 ins. in diam., set, mkd. and witnessed as described in the official record of the 1949 survey.</p> <p>N. 0°02' E., bet. secs. 26 and 27.</p> <p>Over rolling land, through moderate palo verde.</p> <p>Large draw, drains S. 20° W.</p> | |
| 13.30 | Spur, slopes S. 20° W. | |
| 15.30 | Spur, slopes W. | |
| 32.00 | Spur, slopes W. | |
| 39.50 | Wash, 30 lks. wide, 1 ft. deep, drains S. 70° W. | |
| 40.00 | Point for the ¼ sec. cor. of secs. 26 and 27. | |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

15.

| CHAINS | | |
|--------|---|--|
| | <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ S27 S26 1966</p> <p>Raise a mound of stone W. of the cor.</p> | |
| 51.70 | Spur, slopes SW. | |
| 58.30 | Spur, slopes SW. | |
| 67.00 | Wash, 10 lks. wide, 1½ ft. deep, drains SW. | |
| 74.80 | 4-strand barbed wire fence, bears N. 78° E. and S. 78° W. | |
| 80.00 | Point for the cor. of secs. 22, 23, 26 and 27. | |
| | <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E S22 S23 S27 S26 1966</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush, brush and cat claw.</p> | |
| | <p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>S. 89°57' W., bet. secs. 23 and 26. Over rolling land, through moderate palo verde.</p> | |
| 0.90 | Wash, 15 lks. wide, 1 ft. deep, drains S. | |
| 8.00 | Ridge, bears N. and S. | |
| 16.80 | Wash, 10 lks. wide, 2 ft. deep, drains S. 30° W. | |
| 38.90 | Draw, drains irreg. S. | |
| 40.04 | Point for the ¼ sec. cor. of secs. 23 and 26. | |
| | <p>Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ S 23 S 26 1966</p> | |
| 43.40 | Low ridge, bears N. and S. | |
| 51.60 | Jeep road, bears N. 35°30' E. and S. 55° W. | |
| 52.70 | Wash, 10 lks. wide, 2 ft. deep, drains S. 20° W. | |
| 54.60 | Wash, 30 lks. wide, 1 ft. deep, drains S. | |

| CHAINS | | |
|--------|--|--|
| 57.80 | 4-strand barbed wire fence, bears N. 70° E. and S. 70° W. | |
| 80.08 | The cor. of secs. 22, 23, 26 and 27. Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and cat claw. | |
| | N. 0°02' E., bet. secs. 22 and 23. | |
| | Over rolling land, through moderate palo verde. | |
| 0.30 | Beeline Highway (Arizona State Highway 87), bears N. 72° E. and S. 72° W. | |
| 4.40 | Wash, 25 lks. wide, 2 ft. deep, drains W. | |
| 6.20 | 4-strand barbed wire fence, bears N. 85°30' E. and S. 85°30' W. | |
| 18.10 | Dirt road, bears N. 60° E. and S. 60° W. | |
| 27.90 | Spur, slopes S. 30° W. | |
| 33.40 | Wash, 10 lks. wide, 1 ft. deep, drains S. 25° W. | |
| 35.80 | Bladed road, bears N. 35° E. and S. 30° W. | |
| 39.00 | Jeep road, bears N. 25° E. and SW. | |
| 40.00 | Point for the ¼ sec. cor. of secs. 22 and 23. | |
| | Set the iron post 22 ins. in the ground, brass cap mkd. | |
| | T3N R7E ¼ S22 S23 | |
| | 1966 | |
| | Raise a mound of stone W. of the cor. | |
| 45.90 | Draw, drains SW. | |
| 48.50 | Low ridge, bears N. 70° E. and W. | |
| 69.00 | Wash, 10 lks. wide, 2 ft. deep, drains W. | |
| 79.70 | Ridge, bears N. 80° E. and SW. | |
| 80.00 | Point for the cor. of secs. 14, 15, 22 and 23. | |
| | Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd. | |
| | T3N R7E S15 S14 S22 S23 | |
| | 1966 | |
| | Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and scattered cat claw. | |

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

17.

| CHAINS | |
|--------|---|
| | <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>S. 89°55' W., bet. secs. 14 and 23.</p> <p>Over rolling land, through moderate palo verde.</p> <p>6.00 Wash, 10 lks. wide, 1 ft. deep, drains SW.</p> <p>34.70 Wash, 30 lks. wide, ½ ft. deep, drains S.</p> <p>40.04 Point for the ¼ sec. cor. of secs. 14 and 23.</p> |
| | <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ S 14 S 23 1966</p> <p>Raise a mound of stone N. of the cor.</p> <p>44.50 Dirt road, bears N. and S. 20° W.</p> <p>48.90 Dirt road, bears N. 10° E. and S. 10° W.</p> <p>80.08 The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and brush.</p> |
| | <p>N. 0°02' E., bet. secs. 14 and 15.</p> <p>Over rolling land, through moderate palo verde.</p> <p>3.30 Wash, 25 lks. wide, 1 ft. deep, drains S. 30° W.</p> <p>19.70 Wash, 20 lks. wide, 1 ft. deep, drains S. 30° W.</p> <p>40.00 Point for the ¼ sec. cor. of secs. 14 and 15.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ S15 S14 1966</p> <p>Raise a mound of stone W. of the cor.</p> <p>45.10 Wash, 15 lks. wide, ½ ft. deep, drains SW.</p> <p>56.20 Spur, slopes W.</p> <p>78.50 Spur, slopes W.</p> <p>80.00 Point for the cor. of secs. 10, 11, 14 and 15.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E S10 S11 S15 S14 1966</p> |

| CHAINS | | |
|--|--|--|
| | <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush, brush and scattered cat claw.</p> | |
| <p>8.20</p> <p>15.20</p> <p>21.80</p> <p>31.70</p> <p>33.50</p> <p>39.90</p> <p>40.02</p> <p>46.50</p> <p>55.20</p> <p>72.00</p> <p>80.04</p> | <p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>S. 89°55' W., bet. secs. 11 and 14.</p> <p>Over rolling land, through moderate palo verde.</p> <p>Ridge, bears N. and S.</p> <p>Wash, 5 lks. wide, 2 ft. deep, drains S. 30° W.</p> <p>Ridge, bears N. and S.</p> <p>Dirt road, bears N. and S.</p> <p>Wash, 20 lks. wide, 1 ft. deep, drains S. 30° E.</p> <p>Small wash, 5 lks. wide, ½ ft. deep, drains S. 20° E.</p> <p>Point for the ¼ sec. cor. of secs. 11 and 14.</p> <p>Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ $\frac{S\ 11}{S\ 14}$ 1966</p> <p>Ridge, bears N. 10° E. and S. 10° W.</p> <p>Wash, 10 lks. wide, 1 ft. deep, drains S. 30° W.</p> <p>Spur, slopes NW.</p> <p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush, brush and scattered cat claw.</p> | |
| <p>40.00</p> | <p>N. 0°02' E., bet. secs. 10 and 11.</p> <p>Over rolling land, through moderate palo verde.</p> <p>Point for the ¼ sec. cor. of secs. 10 and 11.</p> <p>Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T3N R7E ¼ S10 S11 1966</p> | |

CHAINS

43.70 Wash, 30 lks. wide, 2 ft. deep, drains N. 80° W.

70.10 Fence, bears S. 65°10' E. and N. 65°10' W.

72.90 Wash, 50 lks. wide, 2 ft. deep, drains NW.

80.00 Point for the cor. of secs. 2, 3, 10 and 11.

Set the iron post 15 ins. in the ground, mound with stone to top, brass cap mkd.

T3N R7E
S 3 | S 2
S10 | S11

1966

from which

A bench mark of the U. S. Geological Survey, elevation 2,000 ft. above sea level, bears S. 33°28' E., 26.63 chs. dist., monumented by a 3 ins. brass tablet set in cement.

Land, rolling.

Soil, rocky and sandy.

Timber, moderate palo verde.

Undergrowth, cacti, creosote bush and brush.

From the cor. of secs. 1, 2, 11 and 12.

S. 89°57' W., bet. secs. 2 and 11.

Over rolling land, through moderate palo verde.

8.80 Ridge, bears N. and S.

17.20 Wash, 10 lks. wide, 2 ft. deep, drains S. 10° W.

39.80 Wash, 10 lks. wide, 1 ft. deep, drains S. 15° W.

39.99 Point for the ¼ sec. cor. of secs. 2 and 11.

Set the iron post 24 ins. in the ground, brass cap mkd.

T3N R7E
¼ S 2
S 11

1966

Raise a mound of stone N. of the cor.

46.30 Trail road, bears S. 30° W. and N. 30° E.

79.98 The cor. of secs. 2, 3, 10 and 11.

Land, rolling.

Soil, rocky and sandy.

Timber, moderate palo verde.

Undergrowth, moderate cacti, creosote and brush.

N. 0°09' W., bet. secs. 2 and 3.

Over rolling land, through moderate palo verde.

BOOK 4798

Subdivision, T. 3 N., R. 7 E., Arizona

20.

20

CHAINS

| | |
|-------|---|
| 4.30 | Wash, 60 lks. wide, 2 ft. deep, drains N. 70° W. |
| 38.20 | Wash, 20 lks. wide, 1 ft. deep, drains N. 50° W. |
| 40.00 | Point for the ¼ sec. cor. of secs. 2 and 3. Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd. T3N R7E ¼ S 3 S 2 1966 |
| 54.90 | Wash, 60 lks. wide, 2 ft. deep, drains S. 50° W. |
| 79.67 | The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp. Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote bush and brush. |
| 25.60 | From the cor. of secs. 27, 28, 33 and 34, monumented by an iron post, 2 ins. in diam., set, mkd. and witnessed as described in the official record of the 1949 survey. N. 0°02' E., bet. secs. 27 and 28. Over rolling land, through moderate palo verde. Dirt road, bears S. 50° E. and N. 45° W. |
| 40.00 | Point for the ¼ sec. cor. of secs. 27 and 28. Set the iron post 20 ins. in the ground, brass cap mkd. T3N R7E ¼ S28 S27 1966 |
| 66.40 | Raise a mound of stone W. of the cor. 4-strand barbed wire fence, bears N. 80° E. and S. 80° W. |
| 71.30 | Beeline Highway (Ariz. State Hwy. 87), bears S. 89°05' E. and N. 89°05' W. |
| 75.00 | Wash, 10 lks. wide, 3 ft. deep, drains S. 80° W. |
| 75.40 | 4-strand barbed wire fence, bears E. and W. |
| 80.00 | Point for the cor. of secs. 21, 22, 27 and 28. Set the iron post 24 ins. in the ground, brass cap mkd. T3N R7E S21 S22 S28 S27 1966 |
| | Raise a mound of stone W. of the cor. |

CHAINS

Land, rolling.
Soil, rocky and sandy.
Timber, moderate palo verde.
Undergrowth, moderate cacti, creosote, brush and scattered cat claw.

From the cor. of secs. 22, 23, 26 and 27.

S. 89°59' W., bet. secs. 22 and 27.

Over rolling land, through moderate palo verde.

1.10 Beeline Highway (Ariz. State Hwy. 87), bears N. 72° E. and S. 74°30' W.

7.80 Dirt road, bears N. 10° E. and S. 20° W.

11.40 Wash, 20 lks. wide, 2 ft. deep, drains S. 30° W.

25.00 4-strand barbed wire fence, bears N. 35° E. and S. 35° W.

39.00 Wash, 10 lks. wide, 2 ft. deep, drains S. 25° E.

40.04 Point for the ¼ sec. cor. of secs. 22 and 27.

Set the iron post 24 ins. in the ground, brass cap mkd.

T3N R7E

¼ S 22
S 27

1966

Raise a mound of stone N. of the cor.

80.08 The cor. of secs. 21, 22, 27 and 28.

Land, rolling.
Soil, rocky and sandy.
Timber, moderate palo verde.
Undergrowth, moderate cacti, creosote bush and scattered cat claw.

N. 89°59' W., bet. secs. 21 and 28.

Over rolling land, through moderate palo verde.

16.10 Wash, 30 lks. wide, 2 ft. deep, drains S. 20° W.

32.20 Dirt road, bears N. and S.

33.39 The C.C. of secs. 21 and 28, on the E. bdy. of the Fort McDowell Indian Reservation, monumented with an iron post, 1 in. in diam., set, mkd. and witnessed as described in the official record of the 1910 survey. I re-mark the brass cap to read:

C C
F M C D I R S / 21
 T3N /
 R7E /
 S / 28
 1966
 1910

22

| CHAINS | | |
|--------|---|--|
| | <p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>N. 0°02' E., bet. secs. 21 and 22.</p> <p>Over rolling land, through moderate palo verde.</p> | |
| 0.90 | Ridge, bears N. 80° E. and S. 80° W. | |
| 3.80 | Wash, 35 lks. wide, 2 ft. deep, drains N. 60° W. | |
| 22.60 | Top of ridge, bears N. 60° E. and S. 50° W. | |
| 30.20 | Wash, 10 lks. wide, 2 ft. deep, drains N. 80° W. | |
| 40.00 | Point for the ¼ sec. cor. of secs. 21 and 22. | |
| | <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ S21 S22</p> <p style="text-align: center;">1966</p> | |
| | Raise a mound of stone W. of the cor. | |
| 40.10 | Wash, 5 lks. wide, 4 ft. deep, drains S. 80° W. | |
| 51.50 | Wash, 30 lks. wide, 2 ft. deep, drains S. 80° W. | |
| 80.00 | <p>True point for the cor. of secs. 15, 16, 21 and 22, falls in the bottom of wash, draining W., in an unsafe location.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote, brush and scattered cat claw.</p> | |
| | <p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>S. 89°57' W., bet. secs. 15 and 22.</p> | |
| 4.10 | Wash, 25 lks. wide, 1 ft. deep, drains S. 30° W. | |
| 25.50 | Wash, 10 lks. wide, 1 ft. deep, drains SW. | |
| 40.05 | Point for the ¼ sec. cor. of secs. 15 and 22. | |
| | <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T3N R7E $\frac{1}{4}$ $\frac{S 15}{S 22}$</p> <p style="text-align: center;">1966</p> | |
| | Raise a mound of stone N. of the cor. | |
| 60.00 | Dirt road, bears N. 35° E. and S. 65° W. | |
| 62.00 | Wash, 35 lks. wide, 1 ft. deep, drains S. 35° W. | |
| 80.10 | The true point for the cor. of secs. 15, 16, 21 and 22. | |

CHAINS

Land, rolling.
Soil, rocky and sandy.
Timber, moderate palo verde.
Undergrowth, cacti, creosote bush, brush and scattered cat claw.

From the true point for the cor. of secs. 15, 16, 21 and 22.

S. 89°53' W., bet. secs. 16 and 21.

Over rolling land, through moderate palo verde.

9.80 Wash, 15 lks. wide, 2 ft. deep, drains S. 55° W.

24.27 The C.C. of secs. 16 and 21, on the E. bdy. of Fort McDowell Indian Reservation, monumented by an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record of the 1911 survey. I re-mark the brass cap to read:

| | | | | |
|---|--------|-----|---|------|
| | | S | / | 16 |
| C | FMCDIR | T3N | / | |
| C | | R7E | / | |
| | | S | / | 21 |
| | | | | 1966 |
| | | | | 1911 |

From the true point for the cor. of secs. 15, 16, 21 and 22.

N. 0°02' E., bet. secs. 15 and 16.

Over rolling land, through moderate palo verde.

0.10 Point selected for the witness cor. of secs. 15, 16, 21 and 22.

Set the iron post 24 ins. in the ground, brass cap mkd.

| | |
|-----|------|
| T3N | R7E |
| S16 | S15 |
| S21 | S22 |
| | ↓ |
| | W C |
| | 1966 |

Raise a mound of stone W. of the cor.

10.70 Wash, 10 lks. wide, 3 ft. deep, drains S. 60° W.

28.90 Wash, 25 lks. wide, 1 ft. deep, drains N. 80° W.

40.00 Point for the 1/4 sec. cor. of secs. 15 and 16.

Set the iron post 24 ins. in the ground, brass cap mkd.

| | |
|-----|------|
| T3N | R7E |
| | 1/4 |
| S16 | S15 |
| | 1966 |

Raise a mound of stone W. of the cor.

41.30 Wash, 15 lks. wide, 2 ft. deep, drains SW.

24

| CHAINS | |
|--------|---|
| 61.10 | Wash, 30 lks. wide, 2 ft. deep, drains S. 50° W. |
| 63.80 | Narrow ridge, bears N. 75° E. and SW. |
| 76.80 | Wash, 10 lks. wide, 2 ft. deep, drains S. 70° W. |
| 80.00 | Point for the cor. of secs. 9, 10, 15 and 16. |
| | Set the iron post 24 ins. in the ground, brass cap mkd. |
| | <p style="text-align: center;">T3N R7E $\frac{S\ 9}{S16} \frac{S10}{S15}$</p> |
| | 1966 |
| | Raise a mound of stone W. of the cor. |
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, brush and scattered creosote bush.</p> |
| | From the cor. of secs. 10, 11, 14 and 15. |
| | S. 89°57' W., bet. secs. 10 and 15. |
| | Over rolling land, through moderate palo verde. |
| 9.00 | Wash, 10 lks. wide, 1 ft. deep, drains SW. |
| 40.07 | Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15. |
| | Set the iron post 24 ins. in the ground, brass cap mkd. |
| | <p style="text-align: center;">T3N R7E $\frac{1}{4} \frac{S\ 10}{S\ 15}$</p> |
| | 1966 |
| | Raise a mound of stone N. of the cor. |
| 80.14 | The cor. of secs. 9, 10, 15 and 16. |
| | <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, brush and scattered creosote.</p> |
| | S. 89°49' W., bet. secs. 9 and 16. |
| | Over rolling land, through moderate palo verde. |
| 15.03 | <p>The C.C. of secs. 9 and 16, on the E. bdy. of the Fort McDowell Indian Reservation, monumented by an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record of the 1911 survey. I re-mark the brass cap to read:</p> |

CHAINS

| | | | |
|--------|-----|---|----|
| C | S | / | 9 |
| C | T3N | / | |
| FMCDIR | R7E | / | |
| | S | / | 16 |

1966
1911

From the cor. of secs. 9, 10, 15 and 16.

N. 0°02' E., bet. secs. 9 and 10.

Over rolling land, through moderate palo verde.

13.50 Wash, 20 lks. wide, 2 ft. deep, drains S. 80° W.

29.20 Wash, 20 lks. wide, 2 ft. deep, drains W.

40.00 Point for the ¼ sec. cor. of secs. 9 and 10.

Set the iron post 24 ins. in the ground, brass cap mkd.

T3N R7E

¼
S 9 | S 10

1966

Raise a mound of stone W. of the cor.

48.90 Wash, 20 lks. wide, 1 ft. deep, drains N. 65° W.

73.50 Wash, 10 lks. wide, 1 ft. deep, drains SW.

80.00 Point for the cor. of secs. 3, 4, 9 and 10.

Set the iron post 24 ins. in the ground, brass cap mkd.

T3N R7E

S 4 | S 3
S 9 | S 10

1966

Raise a mound of stone W. of the cor.

Land, rolling.

Soil, rocky and sandy.

Timber, moderate palo verde.

Undergrowth, moderate cacti, creosote bush and scattered cat claw.

From the cor. of secs. 2, 3, 10 and 11.

S. 89°57' W., bet. secs. 3 and 10.

40.08 Point for the ¼ sec. cor. of secs. 3 and 10.

Set the iron post 24 ins. in the ground, brass cap mkd.

T3N R7E

¼ S 3
S 10

1966

Raise a mound of stone N. of the cor.

26

| CHAINS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|-----|-----|-----|---|-----|--|---|-----|-----|--|------|---|--|------|-----|--------|------|---|--|-----|-----|--|------|--|--|------|--|
| 48.50 | Wash, 10 lks. wide, 3 ft. deep, drains NW. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.16 | <p>The cor. of secs. 3, 4, 9 and 10.</p> <p>Land, rolling. Soil, rocky and sandy. Timber, moderate palo verde. Undergrowth, moderate cacti, creosote, brush and scattered cat claw.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.43 | <p>S. 89°40' W., bet. secs. 4 and 9.</p> <p>Over rolling land, through moderate palo verde.</p> <p>The C.C. of secs. 4 and 9, on the E. bdy. of Fort McDowell Indian Reservation, monumented by an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record of the 1911 survey. I re-mark the brass cap to read:</p> <div style="text-align: center;"> <table border="0"> <tr> <td></td> <td>S</td> <td>4</td> </tr> <tr> <td>C</td> <td>T3N</td> <td></td> </tr> <tr> <td>C</td> <td>R7E</td> <td></td> </tr> <tr> <td></td> <td>S</td> <td>9</td> </tr> <tr> <td></td> <td>1966</td> <td></td> </tr> <tr> <td></td> <td>1911</td> <td></td> </tr> </table> </div> | | S | 4 | C | T3N | | C | R7E | | | S | 9 | | 1966 | | | 1911 | | | | | | | | | | |
| | S | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | T3N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | R7E | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | S | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1966 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1911 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.30 | <p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>N. 0°05' E., bet. secs. 3 and 4.</p> <p>Over rolling land, through moderate palo verde.</p> <p>4-strand barbed wire fence, bears S. 80° E. and N. 80° W.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.50 | Wash, 25 lks. wide, 2 ft. deep, drains S. 55° W. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27.80 | Wash, 20 lks. wide, 1 ft. deep, drains S. 70° W. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.00 | Point for the 1/2 sec. cor. of secs. 3 and 4. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 46.63 | <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td></td> <td>T3N</td> <td>R7E</td> </tr> <tr> <td></td> <td>1/2</td> <td></td> </tr> <tr> <td></td> <td>S 4</td> <td>S 3</td> </tr> <tr> <td></td> <td>1966</td> <td></td> </tr> </table> </div> <p>Raise a mound of stone W. of the cor.</p> <p>The C.C. of secs. 3 and 4 on the E. bdy. of Fort McDowell Indian Reservation, monumented by an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record of the 1911 survey. I remark the brass cap to read:</p> <div style="text-align: center;"> <table border="0"> <tr> <td></td> <td>T3N</td> <td>R7E</td> </tr> <tr> <td>FMCDIR</td> <td>C</td> <td>C</td> </tr> <tr> <td></td> <td>S 4</td> <td>S 3</td> </tr> <tr> <td></td> <td>1966</td> <td></td> </tr> <tr> <td></td> <td>1911</td> <td></td> </tr> </table> </div> | | T3N | R7E | | 1/2 | | | S 4 | S 3 | | 1966 | | | T3N | R7E | FMCDIR | C | C | | S 4 | S 3 | | 1966 | | | 1911 | |
| | T3N | R7E | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1/2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | S 4 | S 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1966 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | T3N | R7E | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FMCDIR | C | C | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | S 4 | S 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1966 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1911 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CHAINS

General Description

The area covered by this survey lies just east of the Fort McDowell Indian Reservation, and approximately $2\frac{1}{2}$ miles west of Stewart Dam on Saguaro Lake and lies in the Tonto National Forest.

The land is mostly rolling and is both rocky and sandy loam. The only source of timber is palo verde.

Salt River runs through the south half of sec. 36.

There is one major highway (known as the Beeline Highway), which runs through secs. 13, 22, 24, 27 and 28. There are also numerous bladed and jeep roads throughout the area.

There are no settlers and no improvements have been made. The land is used primarily for grazing.

89

BOOK 4798

| CHAINS | |
|--------|--|
| | |

30

BOOK 4798
CERTIFICATE OF SURVEY

I, We, Wallace R. Ott and Gary T. Oviatt, HEREBY CERTIFY upon honor that,
in pursuance of special instructions bearing date of the 10th day of September, 1965,
we have made a survey of the east boundary, a portion of the north boundary,
and a completion survey of the subdivisional lines of Township 3 North,
Range 7 East,

of the Gila and Salt River Meridian, in the State of Arizona, which
are represented in the foregoing field notes as having been executed by me and under my direction;
and that said survey has been made in strict conformity with said special instructions, the Manual
of Instructions for the Survey of the Public Lands of the United States, and in specific manner
described in the foregoing field notes.

November 18, 1966
(Date)

Wallace R. Ott
(Cadastral Surveyor)

November 18, 1966
(Date)

Gary T. Oviatt
(Cadastral Surveyor) -
Surveying Technician

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date NOV 24 1967

BUREAU OF LAND MANAGEMENT,
Washington, D. C.

The foregoing field notes of the survey of the east boundary, a portion of the
north boundary, and a completion survey of the subdivisional lines of
Township 3 North, Range 7 East, of the Gila and Salt River Meridian,
Arizona,

executed by Wallace R. Ott and Gary T. Oviatt
having been critically examined and found correct, are hereby approved.

DEC 21 1967
(Date)

R. E. Brown
Acting (Chief, Division of Engineering)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in
, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief, Division of Engineering)~~