

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

of

REMONUMENTED

CADASTRAL SURVEY CORNERS

in

TOWNSHIP 2 NORTH, RANGE 23 WEST

[Lined area for field notes]

Of the Gila and Salt River Meridian,

In the State of Arizona.

EXECUTED BY

Howard H. Thomas, Cadastral Surveyor

Under special instructions dated September 20, 19 68, which provided for the surveys
included under Group Number 503, approved September 20, 1968,
and assignment instructions dated September 20, 19 68.

Survey commenced September 24, 19 68

Survey completed September 25, 19 68

1A

BOOK 4883
INDEX DIAGRAM

Township 2 NORTH, Range 23 WEST,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

WP

SMC

Special Meander Corner - Sec. 35 - page 1
Witness Point on line bet. Secs. 25 and 36 - page 2

Township 2 North, Range 23 West,
Gila and Salt River Meridian, Arizona

CHAINS

The south boundary of the fractional township was surveyed in 1902 by J. A. Barry and retraced in 1917 by W. B. Kimmel, who surveyed the east boundary, subdivisional lines and Colorado River meanders. The south and east boundaries and subdivisional lines were retraced and reestablished and the accretion lands were surveyed in 1961-62 by Kaiser, Cannon and Murphy.

The following field notes are those of the remonumentation or relocation of certain corners along the bank of the Colorado River which were in danger of being destroyed by revetment and haul road construction by the Bureau of Reclamation.

The approval of the Special Instructions on September 20, 1968, gave authority to proceed with the remonumentation or relocation.

A field crew furnished by the Bureau of Reclamation assisted in the remonumentation or relocation of the corners involved. A one-minute transit was used for alignment and a standard steel tape was used for measurement of distances.

The special meander cor. at the intersection of the considered position of the 1923 left bank with the present left bank, in sec. 35, is monumented by an iron post, 28 ins. long, 2½ ins. diam., set 26 ins. in the ground, situated in an area of proposed road construction work on the left bank of the Colorado River.

I remove the iron post and its accessories.

from the true pt.


An iron post, 30 ins. long, 2½ ins. diam., set 27 ins. in the ground, for a reference monument, bears N. 70°30' E., 81.8 lks. dist., brass cap mkd.

T2N R23W
S35



An iron post, 30 ins. long, 2½ ins. diam., set 27 ins. in the ground, for a reference monument, bears S. 18°00' E., 100 lks. dist., brass cap mkd.

T2N R23W
S35



Township 2 North, Range 23 West,
Gila and Salt River Meridian, Arizona


CHAINS

The witness point on the line between secs. 25 and 36, at 26.89 chs. West of the $\frac{1}{4}$ sec. cor. of secs. 25 and 36, is monumented by an iron post, 36 ins. long, 1 in. diam., set 22 ins. in the ground, situated in an area of proposed road construction work on the left bank of the Colorado River.


I remove the iron post and its accessories.

from the true pt.

An iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., set 21 ins. in the ground, for a reference monument, bears S. $36^{\circ}30'$ E., 48.5 lks. dist., brass cap mkd.



An iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., set 21 ins. in the ground, for a reference monument, bears S. $6^{\circ}00'$ E., 68.2 lks. dist., brass cap mkd.



4

CERTIFICATE OF SURVEY

(I) (~~we~~), Howard H. Thomas, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20th day of September, 1968, (I) (~~we~~) have remonumented a portion of the cadastral survey corners in Township 2 North, Range 23 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), (~~us~~) and under (my) (~~our~~) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

May 26, 1969 (Date) Howard H. Thomas (Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL Date JUN 6 1969

BUREAU OF LAND MANAGEMENT Washington, D.C.

The foregoing field notes of the remonumentation of a portion of the cadastral survey corners in Township 2 North, Range 23 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Howard H. Thomas, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

JUN 9 1971 (Date) Clark I. Lumm (Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in is a true copy of the original field notes.

(Date) (Chief, Division of Cadastral Survey) GPO 849-626