

Township 15 North, Range 27 East  
Gila and Salt River Meridian, Arizona

CHAINS

The south boundary was surveyed in 1875 by C. B. Foster and resurveyed in 1882 by A. P. Johnson; the west three miles were retraced in 1944 by Forrest and Warner, and retraced again in 1963-64 by Owens, Bauer and Ott. The east boundary was surveyed in 1882 by A. P. Johnson and resurveyed in 1963 by Murphy and Ott. The west boundary was surveyed in 1882 by O. D. Wheeler and resurveyed in 1963-64 by Owens, Bauer and Ott. The north boundary was surveyed in 1882 by A. P. Johnson and retraced in 1963-64 by Owens, Bauer and Ott. The subdivisional lines were surveyed in 1882 by A. P. Johnson.

The following field notes are those of a retracement of a portion of the west boundary and the dependent resurvey of the north and south boundaries and the subdivisional lines of Township 15 North, Range 27 East, G&SRM, Arizona, designed to restore the corners in their true original location according to the best available evidence.

The survey was executed in accordance with the Specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated March 27, 1968.

Only the true line bearings and horizontal distances for the surveyed lines are given in these field notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast corner of the township is: Latitude, 34°39'35" North and Longitude 109°25'15" West, as determined from U.S.G.S. Quadrangle "WOLFORD SPRINGS 3 NW", 7.5 minute preliminary edition, 1955.

The mean magnetic declination was found to be 14° East.

Retracement of a Portion of the West Boundary of T. 15 N.  
R. 27 E.

Retracement of the Resurvey, executed by Owens, Bauer and Ott in 1963-64

From the ¼ sec. cor. of secs. 1 and 6, T. 15 N., Rs. 26 and 27 E., monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.

T15N  
R26E R27E  
¼  
S1 | S6  
1963

from which the original bearing trees:

A juniper, 12 ins. diam., bears N. 19¼° E.,  
77 lks. dist., mkd. ¼S6BT.

A juniper, 10 ins. diam., bears S. 89½° W.,  
63 lks. dist. mkd. ¼S1BT.

Retracement, West Boundary, T. 15 N., R. 27 E.

CHAINS	
	Original mound of stone W. of the cor. N. 0°45' E., bet. secs. 1 and 6. Over nearly level land, through moderate timber.
22.30	Fence, bears S. 87°45' E. and N. 87°45' W.
40.40	The cor. of Ts. 15 and 16 N., Rs. 26 and 27 E., monumented by an iron post 2½ ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.
	T16N R16E R17E <u>S36   S31</u> S 1   S 6 T15N 1963
	Remark the brass cap to read:
	T16N R26E R27E <u>S36   S31</u> S 1   S 6 T15N 1963 1968
	Land, nearly level. Soil, sandy. Timber, moderate juniper. Undergrowth, sagebrush.
	Dependent Resurvey of the South Boundary of T. 15 N., R. 27 E.
	Reestablishment of the Resurvey executed by A. P. Johnson in 1882
	From the cor. of Tps. 14 and 15 N., Rs. 27 and 28 E., monumented by an iron post, 2½ ins. diam., firmly set in a collar of stone, brass cap mkd.
	T15N R27E R28E <u>S36   S31</u> S 1   S 6 T14N 1963
	Cor. is located 8 lks. E. of a cor. of fences extending N., E. and W. N. 89°19' W., bet. secs. 1 and 36. Over gently rolling land.
27.20	Wash, 30 lks. wide, 3 ft. deep, drains S.
33.00	Fence cor. bears South, 30 lks. dist.; fences bear E., S. and W.

## Dep. Res., S. Bdy., T. 15 N., R. 27 E.

CHAINS											
38.30	Wash, 30 lks. wide, 2 ft. deep, drains S. 10° W.										
39.74	Point for the ¼ sec. cor. of secs. 1 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.										
71.20	Hardscrabble Wash, 20 lks. wide, 1½ ft. deep, drains NW.										
74.40	Wash, 30 lks. wide, 1 ft. deep, drains N.										
79.48	Point for the cor. of secs. 1, 2, 35 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.										
	Land, rolling. Soil, silty clay loam. No timber; undergrowth, sagebrush and bunchgrass.										
	N. 89°19' W., bet. secs. 2 and 35.										
	Over rolling land.										
16.80	Wash, 20 lks. wide, 2 ft. deep, drains NW.										
30.60	Fence cor. bears South, 131 lks. dist.; fences bear E. and SW.										
39.74	Point for the ¼ sec. cor. of secs. 2 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.										
79.00	Hardscrabble Wash, 25 lks. wide, 6 ins. deep, drains S.										
79.48	Point for the cor. of secs. 2, 3, 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.										
	Set the iron post 20 ins. in the ground, brass cap mkd.										
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2">T15N R27E</td></tr> <tr><td>S34</td><td>S35</td></tr> <tr><td>S 3</td><td>S 2</td></tr> <tr><td colspan="2">T14N</td></tr> <tr><td colspan="2">1968</td></tr> </table>	T15N R27E		S34	S35	S 3	S 2	T14N		1968	
T15N R27E											
S34	S35										
S 3	S 2										
T14N											
1968											
	Raise a mound of stone W. of the cor.										
	Land, nearly level. Soil, silty clay loam. No timber; undergrowth, bunchgrass.										
	N. 89°19' W., bet. secs. 3 and 34.										
	Over gently rolling land.										
1.80	Track road, bears N. 30° E. and S. 30° W.										
12.00	Low ridge, bears N. 20° E. and S. 20° W.										
39.74	Point for the ¼ sec. cor. of secs. 3 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.										

Dep. Res., S. Bdy., T. 15 N., R. 27 E.

CHAINS	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> <math>\frac{S34}{S 3}</math> T14N 1968</p>
	<p>Raise a mound of stone N. of the cor.</p>
47.30	<p>Track road, bears NE. and SW.</p>
60.30	<p>Track road, bears S. 10° E. and N. 10° W.</p>
79.48	<p>The cor. of secs. 3, 4, 33 and 34, monumented by a squared cedar post, 4 ins. diam., 3 ft. long, firmly set in the ground, mkd. T15NS34 on E. face, no other scribe marks visible.</p> <p>At the cor. point</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{S33}{S 4}</math>   <math>\frac{S34}{S 3}</math> T14N 1968</p> <p>Set a cedar post, 4 ins. diam., 4 ft. long, alongside the iron post.</p> <p>Raise a mound of stone W. of the cor.</p> <p>Bury the orig. cor. alongside the iron post.</p> <p>Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass.</p>
41.38	<p>West, bet. secs. 4 and 33.</p> <p>Over gently rolling land.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> <math>\frac{S33}{S 4}</math> T14N 1968</p>
62.07	<p>Raise a mound of stone N. of the cor.</p> <p>Point for the W <math>\frac{1}{16}</math> sec. cor. of secs. 4 and 33, at proportionate dist.</p>

Dep. Res., S. Bdy., T. 15 N., R. 27 E.

CHAINS	
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T15N R27E</p> <p style="text-align: center;">W 1/16 <math>\frac{S33}{S 4}</math></p> <p style="text-align: center;">T14N</p> <p style="text-align: center;">1968</p>
	Raise a mound of stone N. of the cor.
71.00	Ridge, bears N. and S.
82.76	Point for the cor. of secs. 4, 5, 32 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 6 ins. in the ground, mound of stone to the top, brass cap mkd.
	<p style="text-align: center;">T15N R27E</p> <p style="text-align: center;"><math>\frac{S32}{S 5}   \frac{S33}{S 4}</math></p> <p style="text-align: center;">T14N</p> <p style="text-align: center;">1968</p>
	Cor. is located on the S. edge of a wash, 10 lks. wide, 1 ft. deep, draining irregularly W.
	Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass.
	West, bet. secs. 5 and 32.
	Over gently rolling land.
0.10	Wash, 10 lks. wide, 1 ft. deep, drains W.
2.00	Leave wash, drains SW.
18.80	Wash, 5 lks. wide, 6 ins. deep, drains SW.
23.70	Begin gentle descent.
30.40	Fence, bears S. 85° E. and N. 85° W.
41.38	Point for the ¼ sec. cor. of secs. 5 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.
60.90	Center of dry stock tank.
70.40	Low ridge, bears N. 20° E. and S. 20° W.
81.50	Wash, 40 lks. wide, 1 ft. deep, drains N.
82.76	Point for the cor. of secs. 5, 6, 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.
	from which
	A windmill, bears N. 17°40' E., 8.20 chs. dist.
	A stock pond is E. of the windmill.

Dep. Res., S. Bdy., T. 15 N., R. 27 E.

CHAINS	
	<p>Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass.</p>
	<p>West, bet. secs. 6 and 31.</p> <p>Over nearly level land.</p>
15.90	Track road, bears N. and S.
16.30	Fence, bears N. 10° E. and S. 10° W.
28.60	Track road, bears N. 60° E. and S. 60° W.
41.38	<p>Point for the ¼ sec. cor. of secs. 6 and 31, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ <math>\frac{S31}{S 6}</math> T14N 1968</p> <p>Raise a mound of stone N. of the cor.</p>
62.07	<p>Point for the W 1/16 sec. cor. of secs. 6 and 31, at proportionate dist.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E W 1/16 <math>\frac{S31}{S 6}</math> T14N 1968</p> <p>Raise a mound of stone N. of the cor.</p>
81.96	<p>The cor. of Tps. 14 and 15 N., Rs. 26 and 27 E., monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T15N R26E R27E <math>\frac{S36}{S 1}   \frac{S31}{S 6}</math> T14N 1963</p> <p>Original mound of stone S. of the cor.</p> <p>Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass.</p>
	<p>Dependent Resurvey of the North Boundary of T. 15 N., R. 27 E.</p>
	<p>Reestablishment of the Survey executed by A. P. Johnson in 1882</p>

## Dep. Res., N. Bdy., T. 15 N., R. 27 E.

## CHAINS

From the cor. of Tps. 15 and 16 N., Rs. 27 and 28 E.,  
monumented by an iron post  $2\frac{1}{2}$  ins. diam., firmly set,  
projecting 6 ins. above ground, brass cap mkd.

T16N  
R27E R28E  
S36 | S31  
S 1 | S 6  
T15N  
1963

Original mound of stone S. of the cor.

Cor. is located 1 lk. S. of a cor. of fences extending  
N. and SW.

N.  $89^{\circ}36'$  W., bet. secs. 1 and 36.

Over rolling land.

- 37.60 Wash, 10 lks. wide, 1 ft. deep, drains irregularly SW.
- 40.04 Point for the  $\frac{1}{4}$  sec. cor. of secs. 1 and 36, at propor-  
tionate dist.; there is no remaining evidence of the  
orig. cor.; not remonumented.
- 52.80 Wash, 20 lks. wide, 2 ft. deep, drains SE.
- 79.50 Ridge, bears N.  $20^{\circ}$  E. and S.  $20^{\circ}$  W.
- 80.08 Point for the cor. of secs. 1, 2, 35 and 36, at pro-  
portionate dist.; there is no remaining evidence of the  
orig. cor.; not remonumented.
- Land, rolling.  
Soil, silty clay loam.  
No timber; undergrowth, bunchgrass.

N.  $89^{\circ}36'$  W., bet. secs. 2 and 35.

Over gently rolling land, through moderate undergrowth.

- 1.40 Fence, bears N.  $18^{\circ}$  E., and S.  $18^{\circ}$  W.
- 1.50 Track road, bears N.  $18^{\circ}$  E. and S.  $18^{\circ}$  W.
- 31.20 Wash, 20 lks. wide, 2 ft. deep, drains S.  $10^{\circ}$  W.
- 32.70 Track road, bears N.  $10^{\circ}$  E. and S.  $10^{\circ}$  W.
- 39.00 Low ridge, bears N.  $10^{\circ}$  E. and S.  $10^{\circ}$  W.
- 40.04 Point for the  $\frac{1}{4}$  sec. cor. of secs. 2 and 35, at pro-  
portionate dist.; there is no remaining evidence of the  
orig. cor.; not remonumented.
- 42.70 Fence, bears N. and S.
- 49.00 Wash, 30 lks. wide, 1 ft. deep, drains S.
- 75.80 Track road, bears N.  $20^{\circ}$  E. and S.  $20^{\circ}$  W.
- 80.08 Point for the cor. of secs. 2, 3, 34 and 35, at pro-  
portionate dist.; there is no remaining evidence of the  
orig. cor.; not remonumented.

Dep. Res., N. Bdy., T. 15 N., R. 27 E.

CHAINS	
	<p>Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass.</p>
	<p>N. 89°36' W., bet. secs. 3 and 34.</p>
	<p>Over gently rolling land, through moderate undergrowth.</p>
6.60	<p>Enter scattered timber, bears NE. and SW.</p>
31.80	<p>Track road, bears SE. and NW., and a railed area bears N. and S.</p>
33.90	<p>Track road, bears N. 20° E. and S. 20° W.</p>
40.04	<p>Point for the ¼ sec. cor. of secs. 3 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.</p>
80.08	<p>Point for the cor. of secs. 3, 4, 33 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T16N R27E S33   S34 S 4   S 3 T15N 1968</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, gently rolling. Soil, silty clay loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
	<p>N. 89°36' W., bet. secs. 4 and 33.</p>
	<p>Over gently rolling land, through widely scattered timber.</p>
29.60	<p>Leave widely scattered timber, bears N. and S.</p>
40.04	<p>Point for the ¼ sec. cor. of secs. 4 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T16N R27E ¼ S33 S 4 T15N 1968</p>
	<p>Raise a mound of stone N. of the cor.</p>
80.08	<p>Point for the cor. of secs. 4, 5, 32 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>

Dep. Res., N. Bdy., T. 15 N., R. 27 E.

CHAINS	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T16N R27E  <math>\frac{S32}{S 5}   \frac{S33}{S 4}</math>                      T15N                      1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling.                      Soil, silty clay loam.                      Timber, widely scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>
<p>4.40</p> <p>40.04</p> <p>40.80</p> <p>80.08</p>	<p>N. 89°36' W., bet. secs. 5 and 32.</p> <p>Over gently rolling land, through railed area.</p> <p>Fence, bears N. and S.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.</p> <p>Enter widely scattered juniper, bears N. and S.</p> <p>Point for the cor. of secs. 5, 6, 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T16N R27E  <math>\frac{S31}{S 6}   \frac{S32}{S 5}</math>                      T15N                      1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling.                      Soil, silty clay loam.                      Timber, widely scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>
	<p>N. 89°36' W., bet. secs. 6 and 31.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>8.10 Leave railed area, enter dense timber, bears N. and S.</p> <p>40.04 Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 6 and 31, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T16N R27E  <math>\frac{1}{4} \frac{S31}{S 6}</math>                      T15N                      1968</p>

Dep. Res., N. Bdy., T. 15 N., R. 27 E.

CHAINS									
78.62	<p>Raise a mound of stone N. of the cor.</p> <p>The cor. of Tps. 15 and 16 N., Rs. 26 and 27 E., previously described.</p> <p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered to dense juniper. Undergrowth, sagebrush and bunchgrass.</p>								
	<p>Dependent Resurvey of the Subdivisional Lines, T. 15 N., R. 27 E.</p>								
	<p>Reestablishment of the survey executed by A. P. Johnson in 1882</p> <hr/> <p>From the point for the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp.</p> <p>N. 0°47' W., bet. secs. 35 and 36.</p> <p>Over nearly level land.</p> <p>5.60 Hardscrabble Wash, 30 lks. wide, 2 ft. deep, drains N. 80° W.</p> <p>15.80 Track road, bears N. 80° E. and S. 80° W.</p> <p>22.80 Spur, slopes SW.</p> <p>35.40 Wash, 20 lks. wide, 2 ft. deep, drains S. 70° W.</p> <p>40.15 Point for the ¼ sec. cor. of secs. 35 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.</p> <p>77.50 Wash, 30 lks. wide, 2 ft. deep, drains S. 80° W.</p> <p>80.30 Point for the cor. of secs. 25, 26, 35 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T15N R27E</td> </tr> <tr> <td>S26</td> <td>S25</td> </tr> <tr> <td>S35</td> <td>S36</td> </tr> <tr> <td colspan="2">1968</td> </tr> </table> </div> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, sagebrush and bunchgrass.</p>	T15N R27E		S26	S25	S35	S36	1968	
T15N R27E									
S26	S25								
S35	S36								
1968									
	<p>From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p>								

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	T15N R27E R28E S25 S30 S36 S31 1963
	N. 89°23' W., bet. secs. 25 and 36.
	Over gently rolling land.
0.02	Fence, bears N. and S.
40.38	Point for the ¼ sec. cor. of secs. 25 and 36, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.
	from which
	A stock pond, bears N. 31° E., 21 chs. dist.
76.40	Wash, 40 lks. wide, 5 ft. deep, drains irregularly SW.
80.76	The cor. of secs. 25, 26, 35 and 36.
	Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass and gramma grass.
	N. 0°18' E., bet. secs. 25 and 26.
	Over gently rolling land.
3.30	Wash, 20 lks. wide, 2 ft. deep, drains W. curving S.
6.30	Track road, bears N. 80° E. and S. 80° W.
22.70	Low ridge, bears E. and W.
34.00	Low ridge, bears N. 80° E. and S. 80° W.
40.14	Point for the ¼ sec. cor. of secs. 25 and 26, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T15N R27E ¼ S26 S25 1968
	Raise a mound of stone W. of the cor.
71.80	Low ridge, bears N. 80° E. and S. 80° W.
77.50	Track road, bears E. and W.
80.28	Point for the cor. of secs. 23, 24, 25 and 26, at proportionate dist.; there is no remaining evidence of the orig. cor.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{S23}{S26}   \frac{S24}{S25}</math>                      1963</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling.                      Soil, silty sandy loam.                      No timber; undergrowth, sagebrush and bunchgrass.</p>	
	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set, projecting 7 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T15N                      R27E R28E  <math>\frac{S24}{S25}   \frac{S19}{S30}</math>                      1963</p> <p>N. 89°27' W., bet. secs. 24 and 25.</p> <p>Over gently rolling land.</p>	
0.04	Fence, bears N. and S.	
5.80	Track road, bears N. 75° E., and S. 75° W.	
28.10	Track road, bears irregularly NE. and SW.; enter nearly level land.	
40.26	Point for the ¼ sec. cor. of secs. 24 and 25, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{1}{4} \frac{S24}{S25}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p>	
75.00	Wash, 40 lks. wide, 5 ft. deep, drains irregularly SE.	
80.53	The cor. of secs. 23, 24, 25 and 26.	
	<p>Land, gently rolling.                      Soil, silty clay loam.                      No timber; undergrowth, bunchgrass and grama.</p>	
	<p>N. 0°04' W., bet. secs. 23 and 24.</p> <p>Over nearly level land.</p>	
4.00	Wash, 30 lks. wide, 3 ft. deep, drains irregularly SE.	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
26.20	Base of mesa; asc. S. slope.
36.30	Rim, bears E. and W.; thence over mesa.
40.14	Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 24, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 6 ins. in the ground, mound of stone to the top, brass cap mkd.
	<p style="text-align: center;">T15N R27E  <math>\frac{1}{4}</math>                  S23   S24                  1968</p>
42.10	Rim of mesa, bears E. and W.; desc. N. slope.
50.10	Base of mesa; thence over gently rolling land.
61.90	Depression, bears E. and W.
80.28	Point for the cor. of secs. 13, 14, 23 and 24, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T15N R27E                  S14   S13                  S23   S24                  1968</p>
	Raise a mound of stone W. of the cor.
	<p>Land, gently rolling.                  Soil, silty loam.                  No timber; undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., monumented by an iron post, <math>2\frac{1}{2}</math> ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T15N                  R27E R28E                  S13   S18                  S24   S19                  1963</p>
	N. $89^{\circ}30'$ W., bet. secs. 13 and 24.
	Over gently rolling land, through widely scattered timber.
0.05	Fence, bears N. and S.
40.41	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 24, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T15N R27E  <math>\frac{1}{4}</math> S13                  S24                  1968</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
80.82	<p>Raise a mound of stone N. of the cor. The cor. of secs. 13, 14, 23 and 24. Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, sagebrush and grama grass.</p>
40.14	<p>N. 0°12' E., bet. secs. 13 and 14. Over gently rolling land. Point for the ¼ sec. cor. of secs. 13 and 14, at proportionate dist.; there is no remaining evidence of the orig. cor. Set the iron post 20 ins. in the ground, brass cap mkd.  T15N R27E     ¼     S14   S13     1968</p>
52.30	<p>Raise a mound of stone W. of the cor. Track road, bears N. 30° E. and S. 30° W.</p>
80.28	<p>Point for the cor. of secs. 11, 12, 13 and 14, at proportionate dist.; there is no remaining evidence of the orig. cor. Set the iron post 20 ins. in the ground, brass cap mkd.  T15N R27E     S11   S12     S14   S13     1968</p> <p>Raise a mound of stone W. of the cor. Land, gently rolling. Soil, sandy silty loam. No timber; undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., monumented by an iron post, 2½ ins. diam., firmly set, projecting 4 ins. above ground, brass cap mkd.  T15N R27E R28E     S12   S 7     S13   S18     1963</p> <p>Original mound of stone W. of the cor. N. 89°35' W., bet. secs. 12 and 13. Over gently rolling land.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
0.10	Fence, bears N. and S.
40.38	Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T15N R27E} \\ \frac{1}{4} \frac{\text{S12}}{\text{S13}} \\ 1968 \end{array}$
	Raise a mound of stone N. of the cor.
43.80	Track road, bears N. 60° E., and S. 60° W.
80.76	The cor. of secs. 11, 12, 13 and 14.
	Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, sagebrush and bunchgrass.
	N. 0°08' W., bet. secs. 11 and 12.
	Over gently rolling land.
6.30	Track road, bears NE. and SW.
40.14	Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 12, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T15N R27E} \\ \frac{1}{4} \\ \text{S11   S12} \\ 1968 \end{array}$
	Raise a mound of stone W. of the cor.
80.28	Point for the cor. of secs. 1, 2, 11 and 12, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T15N R27E} \\ \text{S 2   S 1} \\ \text{S11   S12} \\ 1968 \end{array}$
	Raise a mound of stone W. of the cor.
	Land, gently rolling. Soil, silty loam. No timber; undergrowth, sagebrush and bunchgrass.
	From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp., monumented by an iron post $2\frac{1}{2}$ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	T15N R27E R28E $\frac{S\ 6}{S12}   \frac{S\ 1}{S\ 7}$ 1963
	Remark the iron post to read:
	T15N R27E R28E $\frac{S\ 1}{S12}   \frac{S\ 6}{S\ 7}$ 1963 1968
	Original mound of stone W. of the cor.
	N. 89°43' W., bet. secs. 1 and 12.
	Over gently rolling land.
39.90	Enter badlands, bears SW. and NW.
40.41	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 12 ins. in the ground, mound of stone to the top, brass cap mkd.
	T15N R27E. $\frac{1}{4} \frac{S\ 1}{S12}$ 1968
	from which
	A stock pond, bears N. 12° E., 16.40 chs. dist.
47.90	Leave badlands, over gently rolling land.
66.00	Track road, bears S. 20° E. and N. 40° W.
80.82	The cor. of secs. 1, 2, 11 and 12.
	Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass and grama grass.
	N. 0°14' E., bet. secs. 1 and 2.
	Over gently rolling land.
23.90	Enter widely scattered timber.
30.00	Track road, bears S. 20° E. and N. 20° W.
40.14	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2, at proportionate dist.; there is no remaining evidence of the orig. cor.; not remonumented.
42.00	Rim, bears E. and W.; enter red rolling badlands.
45.80	Fence, bears S. 88° E. and N. 88° W.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
53.00	Ridge, bears E. and W.
77.80	Rim, bears N. 10° E. and S. 10° W.; leave badlands.
80.45	The Point for the cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp.
	Land, gently rolling. Soil, silty loam, S. 42.00 chs. and silty clay N. 38.00 chs. Timber, widely scattered juniper from 24.00 chs. to 42.00 chs. Undergrowth, bunchgrass and sagebrush.
	From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp.
	N. 2°07' W., bet. secs. 34 and 35.
	Over nearly level land.
5.30	Track road, bears N. 10° E. and S. 10° W.
40.13	Point for the ½ sec. cor. of secs. 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T15N R27E ½ S34   S35 1968
	Raise a mound of stone W. of the cor.
65.60	Depression, drains E.
78.80	Track road, bears SW. and NE. for 5.50 chs. to a junction with a track road bearing from the S.
80.26	Point for the cor. of secs. 26, 27, 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T15N R27E S27   S26 S34   S35 1968
	Raise a mound of stone W. of the cor.
	Land, gently rolling.
	Soil, silty clay loam S. ½ mile and silty loam N. ½ mile. No timber; undergrowth, sagebrush and bunchgrass.
	From the cor. of secs. 25, 26, 35 and 36.
	N. 89°24' W., bet. secs. 26 and 35.
	Over gently rolling land.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
3.00	Wash, 40 lks. wide, 4 ft. deep, drains S.	
9.10	Track road, bears irregularly NE. and SW.	
40.68	Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E $\frac{1}{4}$ $\frac{S26}{S35}$ 1968	
	Raise a mound of stone N. of the cor.	
77.10	Track road, bears N. and S.	
79.50	Track road, bears irregularly NE. and SW.	
81.36	The cor. of secs. 26, 27, 34 and 35.	
	Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, bunchgrass and grama grass.	
	N. 0°28' E., bet. secs. 26 and 27.	
	Over gently rolling land.	
38.30	Base of mesa, bears NE. and SW.	
40.10	Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E $\frac{1}{4}$ S27   S26 1968	
	Raise a mound of stone W. of the cor.	
55.30	Top of mesa, bears N. 40° E. and S. 40° W.	
80.20	Point for the cor. of secs. 22, 23, 26 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E $\frac{S22}{S27}$   $\frac{S23}{S26}$ 1968	
	Raise a mound of stone W. of the cor.	
	Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper N. $\frac{1}{2}$ mile. Undergrowth, sage brush, and bunchgrass.	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
	<p>From the cor. of secs. 23, 24, 25, and 26.</p> <p>N. 89°28' W., bet. secs. 23 and 26.</p> <p>Over nearly level land.</p>	
9.00	Track road, bears SE. and NW.	
40.50	Enter widely scattered timber.	
40.57	<p>Point for the ¼ sec. cor. of secs. 23 and 26, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T15N R27E  <math>\frac{1}{4}</math> <math>\frac{S23}{S26}</math>                      1968</p>	
	Raise a mound of stone N. of the cor.	
48.20	Track road, bears NW. and SE. for 4.00 chs., thence S.	
56.60	Base of rocky ridge, bears N. and S.	
67.90	Top of rocky ridge, bears N. and S.; enter scattered timber.	
81.14	<p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, gently rolling to mountainous                      Soil, sandy clay loam.                      Timber, widely scattered to scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>	
	N. 0°06' E., bet. secs. 22 and 23.	
	Over gently rolling land, through widely scattered timber	
25.30	Track road (new road), bears N. 80° E. and S. 80° W.	
37.30	Track road (old road), bears W. and E. for 3.00 chs. to junction of roads bearing E. and SE.; road is in swale draining E.	
40.10	<p>Point for the ¼ sec. cor. of secs. 22 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T15N R27E  <math>\frac{1}{4}</math> S22   S23                      1968</p>	
	Raise a mound of stone W. of the cor.	
80.20	<p>Point for the cor. of secs. 14, 15, 22 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{S15}{S22}   \frac{S14}{S23}</math>                      1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling.                      Soil, silty loam.                      Timber, widely scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>	
<p>20.30</p> <p>27.80</p> <p>28.80</p> <p>30.40</p> <p>40.42</p> <p>80.84</p>	<p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>N. 89°30' W., bet. secs. 14 and 23.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>Wash, 20 lks. wide, 3 ft. deep, drains S.</p> <p>Dike, bears N. and S.</p> <p>Wash, 30 lks. wide, 5 ft. deep, drains SE.</p> <p>Track road, bears irregularly N. and S.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 14 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{1}{4} \frac{S14}{S23}</math>                      1968</p> <p>from which</p> <p style="padding-left: 40px;">An earthen stock tank, bears N. 27° E., 25.80 chs. dist.</p> <p>Raise a mound of stone N. of the cor.</p> <p>The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, gently rolling.                      Soil, silty clay loam.                      Timber, widely scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>	
<p>31.60</p> <p>37.30</p>	<p>N. 0°36' E., bet. secs. 14 and 15.</p> <p>Over gently rolling land.</p> <p>Top of small rise, bears N. 15° E., and S. 15° W.</p> <p>Track road, bears E. and W.</p>	

## Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
40.10	<p>Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 14 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{2}</math> S15 S14 1968</p> <p>Raise a mound of stone W. of the cor.</p>
80.20	<p>Point for the cor. of secs. 10, 11, 14 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S10 S11 S15 S14 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper. Undergrowth, bunchgrass and sagebrush.</p>
	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>N. 89°35' W., bet. secs. 11 and 14.</p> <p>Over gently rolling land.</p>
1.90	Track road, bears irregularly N. 20° E. and S. 20° W.
38.80	Wash, 30 lks. wide, 4 ft. deep, drains S. 5° E.
40.16	<p>Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 11 and 14, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{2}</math> S11 S14 1968</p> <p>Note: This cor. was not set at midpoint in the original survey.</p> <p>Raise a mound of stone N. of the cor.</p>
48.80	Enter widely scattered timber, bears N. and S.
80.34	The cor. of secs. 10, 11, 14 and 15.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
	<p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper W. 30 chs. Undergrowth, sagebrush and bunchgrass.</p>	
	<p>N. 0°05' E., bet. secs. 10 and 11. Over gently rolling land.</p>	
37.00	Enter scattered timber.	
40.10	<p>Point for the ¼ sec. cor. of secs. 10 and 11, at proportionate dist.; there is no remaining evidence of the orig. cor.  Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T15N R27E ¼ S10   S11 1968</p>	
	Raise a mound of stone W. of the cor.	
74.20	Small rim, bears S. 70° E. and N. 70° W.	
80.20	<p>Point for the cor. of secs. 2, 3, 10 and 11, at proportionate dist.; there is no remaining evidence of the orig. cor.  Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T15N R27E S 3   S 2 S10   S11 1968</p>	
	Raise a mound of stone W. of the cor.	
	<p>Land, gently rolling. Soil, sandy loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>	
	<p>From the cor. of secs. 1, 2, 11 and 12. N. 89°38' W., bet. secs. 2 and 11.</p>	
39.97	Point for the ¼ sec. cor. of secs. 2 and 11, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.	
48.70	Wash, 30 lks. wide, 4 ft. deep; drains S. 10° E. from N.	
79.94	<p>The cor. of secs. 2, 3, 10 and 11.  Land, gently rolling. Soil, sandy loam. No timber; undergrowth, sagebrush and bunchgrass.</p>	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	N. 0°08' E., bet. secs. 2 and 3.  Over gently rolling land, through widely scattered timber.
25.00	Enter bottom land; leave timber.
31.70	Depression, drains SE.
40.10	Point for the ½ sec. cor. of secs. 2 and 3, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
42.30	Small hill.
49.40	Fence, bears S. 88° E. and N. 88° W.
55.10	Wash, 20 lks. wide, 2 ft. deep, drains S. 30° E.
58.90	Wash, 20 lks. wide, 2 ft. deep, drains S. 30° E.
74.00	Track road, bears irregularly SE. and W.
80.53	The point for the cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp.  Land, gently rolling. Soil, silty loam to clay loam. Timber, widely scattered juniper on S. 25.00 chs. Undergrowth, sagebrush and bunchgrass.
	From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp.  N. 3°11' W., bet. secs. 33 and 34.  Over gently rolling land, through scattered timber.
8.60	Small ridge, bears N. 30° E. and S. 30° W.
40.17	Point for the ½ sec. cor. of secs. 33 and 34, at proportionate distance; there is no remaining evidence of the orig. cor.  Set the iron post 20 ins. in the ground, brass cap mkd.  T15N R27E ½ S33 S34 1968
	Raise a mound of stone W. of the cor.
46.20	Leave scattered timber.
73.60	Track road, bears irregularly SE. and NW.
74.30	Base of ridge, bears E. and W.
76.00	S. rim of ridge, bears E. and W.
78.60	Top of ridge, bears E. and W.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
80.30	N. rim of ridge, bears E. and W.
80.34	<p>Point for the cor. of secs. 27, 28, 33 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post over an X chiseled on solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{S28}{S33}   \frac{S27}{S34}</math>                      1968</p> <p>Land, gently rolling.                      Soil, silty loam.                      Timber, widely scattered juniper S. 46.00 chs.                      Undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>N. 89°22' W., bet. secs. 27 and 34.</p> <p>Over gently rolling land.</p>
37.20	Enter rocky area, bears irregularly N. and S.
40.51	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 27 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{1}{4} \frac{S27}{S34}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p>
44.90	Ridge, bears NE. and SW.
47.60	Draw, drains SW.; asc. abruptly over rocky ledge.
51.20	Top of rocky slope, bears irregularly NE. and SW.; thence over a mesa.
80.20	Top of small rock cliff.
81.02	<p>The cor. of secs. 27, 28, 33 and 34.</p> <p>Land, gently rolling E. <math>\frac{1}{2}</math> mile and mountainous W. <math>\frac{1}{2}</math> mile.                      Soil, rocky.                      Timber, widely scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>
	<p>N. 0°47' E., bet. secs. 27 and 28.</p> <p>Over gently rolling land.</p>
5.80	Cedar Lake Wash, 40 lks. wide, 1 $\frac{1}{2}$ ft. deep, drains W.

## Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
16.90	Cedar Lake Wash, drains SE.
40.11	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 27 and 28, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S28   S27 1968</p> <p>Raise a mound of stone W. of the cor.</p>
72.20	Cedar Lake Wash, drains S. 25° W.
80.22	<p>Point for the cor. of secs. 21, 22, 27 and 28, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S21   S22 S28   S27 1968</p> <p>from which</p> <p style="padding-left: 40px;">A windmill, bears N. 3°36' W., 20.57 chs. dist.</p> <p style="padding-left: 40px;">The NE. cor. of a cabin, bears N. 2°07' W., 22.02 chs. dist.</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. No timber; undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>N. 89°20' W., bet. secs. 22 and 27.</p> <p>Over gently rolling land, through scattered timber.</p>
25.90	Enter widely scattered timber
40.26	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 22 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S22 S27 1968</p> <p>Raise a mound of stone N. of the cor.</p>
77.40	Cedar Lake Wash, 3 chs. wide, 1 ft. deep, drains S. 15° W.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
80.52	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, gently rolling. Soil, silty clay loam. Timber, scattered to widely scattered juniper. Undergrowth, bunchgrass and grama grass.</p>	
	<p>N. 0°03' E., bet. secs. 21 and 22.</p> <p>Over gently rolling land, through widely scattered timber.</p>	
3.90	Small spur, slopes E.	
11.70	Cedar Lake Wash, drains S. 30° E.	
18.30	Track road, bears SE. and NW.	
18.40	Fence, bears E. and W.	
19.40	Fence, bears N. 70° E. and S. 70° W.	
24.40	Small ridge, bears NE. and SW.	
30.20	Track road, bears N. 40° E. and S. 50° W.	
32.80	Cedar Lake Wash, drains SW.	
40.11	<p>Point for the ¼ sec. cor. of secs. 21 and 22, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S21   S22 1968</p> <p>Raise a mound of stone W. of the cor.</p>	
49.10	Cedar Lake Wash, 25 lks. wide, 2 ft. deep, drains SE.	
53.80	Track road, bears SE. and NW.	
80.22	<p>Point for the cor. of secs. 15, 16, 21 and 22, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S16   S15 S21   S22 1968</p> <p>Raise a mound of stone W. of the cor.</p>	
	<p>Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
40.29	<p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>N. 89°18' W., bet. secs. 15 and 22.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>Point for the ½ sec. cor. of secs. 15 and 22, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ½ <math>\frac{S15}{S22}</math> 1968</p> <p>Raise a mound of stone N. of the cor.</p>
60.20	<p>Fence, bears S. 10° E. and N. 10° W.</p>
80.58	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, sagebrush and bunchgrass.</p> <hr/> <p>N. 0°40' E., bet. secs. 15 and 16.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>Fence, bears N. 70° E. and S. 70° W.</p> <p>Point for the ½ sec. cor. of secs. 15 and 16, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p> <p>Track road, bears S. 30° E. and N. 30° W.</p> <p>Point for the cor. of secs. 9, 10, 15 and 16, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S 9   S10 S16   S15 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper. Undergrowth, bunchgrass.</p>
	<p>From the cor. of secs. 10, 11, 14 and 15.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
40.24	<p>N. 89°18' W., bet. secs. 10 and 15.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>Point for the ¼ sec. cor. of secs. 10 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ <math>\frac{S10}{S15}</math> 1968</p> <p>Raise a mound of stone N. of the cor.</p>
80.48	<p>The cor. of secs. 9, 10, 15 and 16.</p> <p>Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper. Undergrowth, sagebrush and bunchgrass.</p> <hr/> <p>N. 0°17' E., bet. secs. 9 and 10.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>33.80 Track road, bears N. 40° E. and S. 40° W.</p> <p>40.11 Point for the ¼ sec. cor. of secs. 9 and 10, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S 9   S10 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>58.40 Cedar Lake Wash, 30 lks. wide, 3 ft. deep, drains SW.</p> <p>80.22 Point for the cor. of secs. 3, 4, 9 and 10, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S 4   S 3 S 9   S10 1968</p> <p>Raise a mound of stone W. of the cor.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	<p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 2, 3, 10 and 11. N. 89°16' W., bet. secs. 3 and 10. Over gently rolling land, through widely scattered timber.</p>
9.70	Enter scattered timber.
40.08	<p>Point for the ¼ sec. cor. of secs. 3 and 10, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S 3 S10 1968</p>
	Raise a mound of stone N. of the cor.
53.20	Track road, bears N. 5° E. and S. 5° W.
80.16	The cor. of secs. 3, 4, 9 and 10.
	<p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
	<p>N. 0°12' E., bet. secs. 3 and 4. Over gently rolling land, through scattered timber.</p>
40.11	<p>Point for the ¼ sec. cor. of secs. 3 and 4, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S 4   S 3 1968</p>
	Raise a mound of stone W. of the cor.
52.60	Fence, bears S. 88° E. and N. 88° W.; enter railed area.
80.03	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp.
	<p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper S. 42.00 chs. Undergrowth, sagebrush and bunchgrass.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	<p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp.</p>
	<p>N. 1°40' W., bet. secs. 32 and 33.</p>
	<p>Over rolling land.</p>
0.10	<p>Wash, 10 lks. wide, 1 ft. deep, drains W.; asc. over S. slope of black rocky hill.</p>
9.80	<p>Top of hill; desc. N. slope.</p>
31.10	<p>Wash, 15 lks. wide, 1 ft. deep, drains SW.; thence over gently rolling land, through widely scattered timber.</p>
40.19	<p>Point for the ¼ sec. cor. of secs. 32 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p>
80.38	<p>Point for the cor. of secs. 28, 29, 32 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">                     T15N R27E  <u>    S29   S28    </u>  <u>    S32   S33    </u>                      1968                 </p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, rolling.                      Soil, silty clay loam.                      Timber, widely scattered juniper N. 48.00 chs.                      Undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 27, 28, 33 and 34.</p>
	<p>N. 89°55' W., bet. secs. 28 and 33.</p>
	<p>Over rolling land, through widely scattered timber.</p>
7.20	<p>Track road, along W. edge of an earthen stock tank, bears N. and S. 70° E.</p>
40.33	<p>Point for the ¼ sec. cor. of secs. 28 and 33, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">                     T15N R27E  <u>    ½ S28    </u>  <u>    S33    </u>                      1968                 </p>
	<p>Raise a mound of stone N. of the cor.</p>
80.66	<p>The cor. of secs. 28, 29, 32 and 33.</p>

## Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	<p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, sagebrush and grama grass.</p>
	<p>N. 0°22' E., bet. secs. 28 and 29.</p>
	<p>Over gently rolling land.</p>
40.17	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 28 and 29, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S29   S28 1968</p>
	<p>Raise a mound of stone W. of the cor.</p>
72.80	<p>Track road, bears N. 70° E. and S. 70° W.</p>
80.34	<p>Point for the cor. of secs. 20, 21, 28 and 29, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T15N R27E S20   S21 S29   S28 1968</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, gently rolling. Soil, silty loam. No timber; undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 21, 22, 27 and 28.</p>
	<p>N. 89°48' W., bet. secs. 21 and 28.</p>
	<p>Over gently rolling land.</p>
34.70	<p>Track road, bears N. and S.</p>
40.61	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 21 and 28, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S21 S28 1968</p>
	<p>Raise a mound of stone N. of the cor.</p>
54.10	<p>Track road, bears NE. and SW.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
81.22	<p>The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, gently rolling. Soil, silty clay loam. No timber; undergrowth, sagebrush and grama grass.</p>
40.17	<p>N. 0°17' E., bet. secs. 20 and 21.</p> <p>Over gently rolling land.</p> <p>Point for the ¼ sec. cor. of secs. 20 and 21, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S20   S21 1968</p> <p>Raise a mound of stone W. of the cor.</p>
71.80	<p>Enter scattered timber.</p>
80.34	<p>Point for the cor. of secs. 16, 17, 20 and 21, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S17   S16 S20   S21 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper N. 8.00 chs. Undergrowth, sagebrush and bunchgrass.</p>
16.50	<p>From the cor. of secs. 15, 16, 21 and 22.</p>
19.60	<p>N. 89°42' W., bet. secs. 16 and 21.</p>
32.50	<p>Over gently rolling land, through widely scattered timber.</p>
16.50	<p>Track road, bears S. 20° E. and N. 20° W.</p>
19.60	<p>Cedar Lake Wash, 4 chs. wide, 1 ft. deep, drains S. 20° E.</p>
32.50	<p>Fence, bears S. 10° E. and N. 10° W.</p>
40.49	<p>Point for the ¼ sec. cor. of secs. 16 and 21, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p>
73.00	<p>Enter scattered timber, bears N. and S.</p>
80.98	<p>The cor. of secs. 16, 17, 20 and 21.</p>

## Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	<p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered to scattered juniper. Undergrowth, sagebrush and bunchgrass.</p> <hr/> <p>N. 1°05' E., bet. secs. 16 and 17.</p> <p>Over gently rolling land, through scattered timber.</p> <p>10.20 Track road, bears NE. and SW.</p> <p>39.00 Track road, bears NE. and SW.</p> <p>40.18 Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 16 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p> <p>80.36 Point for the cor. of secs. 8, 9, 16 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S 8   S 9 S17   S16 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>N. 89°37' W., bet. secs. 9 and 16.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>40.21 Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 9 and 16, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p> <p>41.20 Track road, bears N. and S.; leave timber; enter depression.</p> <p>49.50 Track road, bears N. 55° E. and S. 55° W.</p> <p>53.50 Dim track road, bears N. and S.</p> <p>54.00 Fence, bears N. 5° W. and S. 5° E. for 2.40 chs., thence W.</p> <p>54.60 Dike of Cedar Lake reservoir, bears N. 15° W. and S. 15° E. for 180 lks., thence S. 75° W.</p> <p>57.80 Dike of Cedar Lake reservoir, bears N. 15° W. and S. 15° E. for 260 lks., thence N. 75° E.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
59.30	Fence, bears S. 30° E. and N. 30° W.; enter scattered timber.
80.42	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
40.17	<p>N. 0°35' E., bet. secs. 8 and 9.</p> <p>Over gently rolling land, through scattered timber.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 8 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S 8   S 9 1968</p> <p>Raise a mound of stone W. of the cor.</p>
80.34	<p>Point for the cor. of secs. 4, 5, 8 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S 5   S 4 S 8   S 9 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
9.60	<p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>N. 89°31' W., bet. secs. 4 and 9.</p> <p>Over gently rolling land, through scattered timber.</p>
39.99	<p>Enter moderate timber.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S 4 S 9 1968</p>

## Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
79.98	<p>Raise a mound of stone N. of the cor.</p> <p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Land, gently rolling. Soil, silty loam. Timber, scattered to moderate juniper. Undergrowth, sagebrush and bunchgrass.</p>	
40.17	<p>N. 0°07' E., bet. secs. 4 and 5.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 5, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S 5   S 4 1968</p> <p>from which</p> <p>A squared wood post, 4 ins. diam., set firmly with 26 ins. above the ground, bears N. 15°34' W., 16.26 chs. dist. Post is scribed: SIV on E. face, TXV N14/13/38  on N. face, and illegible scribes on the W. and S. faces. Post is located 23 lks. S. of a fence. Fence bears N., N. 88° W. and S. 88° E. Origin of post is unknown.</p> <p>Raise a mound of stone W. of the cor.</p>	
55.80	Fence, bears S. 88° E. and N. 88° W.; enter railed area.	
79.94	<p>The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp.</p> <p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>	
6.90	<p>From the point for the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp.</p> <p>N. 0°30' W., bet. sec's. 31 and 32.</p> <p>Over nearly level land.</p> <p>Fence, bears S. 80° E. and N. 80° W.</p>	
8.30	Track road, bears NE. and W.	
10.60	Fence, bears E. and W.	
36.80	E. end of a small hill, 15 ft. high, 3.00 chs. long, bears E. and W.	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
40.23	Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
80.46	Point for the cor. of secs. 29, 30, 31 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T15N R27E} \\ \hline \text{S30   S29} \\ \hline \text{S31   S32} \\ \hline 1968 \end{array}$
	Raise a mound of stone W. of the cor.
	Land, gently rolling. Soil, silty loam. No timber; undergrowth, bunchgrass and sagebrush.
	From the cor. of secs. 28, 29, 32 and 33.
	N. 89°56' W., bet. secs. 29 and 32.
	Over gently rolling land, through widely scattered timber.
40.56	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
42.10	Junction of track roads; roads bear irregularly S., NE. and W.
81.12	The cor. of secs. 29, 30, 31 and 32.
	Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, bunchgrass and grama grass.
	S. 89°58' W., bet. secs. 30 and 31.
	Over gently rolling land, through widely scattered timber.
2.40	Fence, bears N. 10° E. and S. 10° W.
40.47	Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T15N R27E} \\ \hline \frac{1}{4} \frac{\text{S30}}{\text{S31}} \\ \hline 1968 \end{array}$
	Raise a mound of stone N. of the cor.

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
64.70	Wash, 15 lks. wide, 4 ft. deep, drains N.
80.11	The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set, projecting 7 ins. above ground, brass cap mkd.
	<p style="text-align: center;">T15N R26E R27E S25   S30 S36   S31 1963</p>
	Original mound of stone W. of the cor.
	<p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, bunchgrass and grama grass.</p>
	From the cor. of secs. 29, 30, 31 and 32.
	N. 0°36' E., bet. secs. 29 and 30.
	Over gently rolling land:
13.90	Fence, bears N. 10° E. and S. 10° W.
29.60	Fence, bears NW. and SE.
30.20	Track road, bears SE. and NW.
40.23	Point for the ¼ sec. cor. of secs. 29 and 30, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T15N R27E ¼ S30   S29 1968</p>
	Raise a mound of stone W. of the cor.
72.80	Track road, bears E. and W.
80.46	Point for the cor. of secs. 19, 20, 29 and 30, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T15N R27E S19   S20 S30   S29 1968</p>
	Raise a mound of stone W. of the cor.
	<p>Land, gently rolling. Soil, silty loam. No timber; undergrowth, sagebrush and bunchgrass.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
	From the cor. of secs. 20, 21, 28 and 29.	
	N. 89°51' W., bet. secs. 20 and 29.	
	Over gently rolling land.	
13.10	Track road, bears N. 20° E. and S. 20° W.	
40.37	Point for the ¼ sec. cor. of secs. 20 and 29, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E $\frac{1}{4} \frac{S20}{S29}$ 1968	
	Raise a mound of stone N. of the cor.	
80.74	The cor. of secs. 19, 20, 29 and 30.	
	Land, gently rolling.	
	Soil, silty clay loam.	
	No timber; undergrowth, sagebrush, bunchgrass and grama grass.	
	S. 89°57' W., bet. secs. 19 and 30.	
	Over gently rolling land.	
7.10	Enter widely scattered timber, bears N. and S.	
40.42	Point for the ¼ sec. cor. of secs. 19 and 30, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E $\frac{1}{4} \frac{S19}{S30}$ 1968	
	Raise a mound of stone N. of the cor.	
45.80	Track road, bears SE. and NW.	
46.10	Fence, bears SE. and NW.	
72.60	Wash, 40 lks. wide, 5 ft. deep, drains S. for 2.50 chs., thence SW.	
79.79	The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.	
	T15N R26E R27E $\frac{S24}{S25} \frac{S19}{S30}$ 1963	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
	<p>Original mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
40.23	<p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°27' E., bet. secs. 19 and 20.</p> <p>Over gently rolling land.</p> <p>Point for the ¼ sec. cor. of secs. 19 and 20, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S19   S20 1968</p> <p>Raise a mound of stone W. of the cor.</p>
40.30	<p>Enter widely scattered timber.</p>
80.46	<p>Point for the cor. of secs. 17, 18, 19 and 20, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E S18   S17 S19   S20 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, widely scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>
2.00 40.25	<p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>N. 89°47' W., bet. secs. 17 and 20.</p> <p>Over gently rolling land, through widely scattered timber.</p> <p>Track road, bears N. and S.</p> <p>Point for the ¼ sec. cor. of secs. 17 and 20, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S17 S20 1968</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
80.49	<p>Raise a mound of stone N. of the cor.</p> <p>The cor. of secs. 17, 18, 19 and 20.</p> <p>Land, gently rolling. Soil, silty clay loam. Timber, widely scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>	
0.80 40.38	<p>S. 89°56' W., bet. secs. 18 and 19.</p> <p>Over gently rolling land, through scattered timber.</p> <p>Track road, bears N. 60° E. and S. 60° W.</p> <p>Point for the ¼ sec. cor. of secs. 18 and 19, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ <math>\frac{S18}{S19}</math> 1968</p>	
79.28	<p>Raise a mound of stone N. of the cor.</p> <p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T15N R26E R27E S13 S18 S24 S19 1963</p> <p>Original mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, sagebrush and bunchgrass.</p>	
0.40 40.23	<p>From the cor. of secs. 17, 18, 19 and 20.</p> <p>N. 0°55' E., bet. secs. 17 and 18.</p> <p>Over gently rolling land, through scattered timber.</p> <p>Track road, bears N. 60° E. and S. 60° W.</p> <p>Point for the ¼ sec. cor. of secs. 17 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ S18 S17 1968</p>	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
80.46	<p>Raise a mound of stone W. of the cor.</p> <p>Point for the cor. of secs. 7, 8, 17 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{S\ 7}{S18}   \frac{S\ 8}{S17}</math>                      1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling.                      Soil, silty loam.                      Timber, scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>
40.35	<p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>N. 89°44' W., bet. secs. 8 and 17.</p> <p>Over gently rolling land, through scattered timber.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 8 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{1}{4} \frac{S\ 8}{S17}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p>
80.70	<p>The cor. of secs. 7, 8, 17 and 18.</p> <p>Land, gently rolling.                      Soil, silty loam.                      Timber, scattered juniper.                      Undergrowth, sagebrush and bunchgrass.</p>
40.28	<p>S. 89°53' W., bet. secs. 7 and 18.</p> <p>Over gently rolling land, through scattered timber.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 7 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E  <math>\frac{1}{4} \frac{S\ 7}{S18}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS		
63.90	North end of an Indian ruin covered by sand, numerous pottery sherds on surface.	
79.39	The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.	
	T15N R26E R27E <u>S12   S 7</u> S13   S18 1963	
	from which the original bearing tree:	
	A juniper, 6 ins. diam., bears N. 7¾° E., 11 lks. dist., mkd. S7BT.	
	Original mound of stone W. of the cor.	
	Land, gently rolling. Soil, silty loam. Timber, scattered juniper. Undergrowth, bunchgrass and sagebrush.	
	From the cor. of secs. 7, 8, 17 and 18.	
	N. 0°36' E., bet. secs. 7 and 8.	
	Over gently rolling land, through scattered timber.	
24.80	W. end of an Indian ruin, extends E. for approximately 2.00 chs.	
27.50	Enter moderate timber.	
40.23	Point for the ¼ sec. cor. of secs. 7 and 8, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E ¼ <u>S 7   S 8</u> 1968	
	Raise a mound of stone W. of the cor.	
80.46	Point for the cor. of secs. 5, 6, 7 and 8, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T15N R27E <u>S 6   S 5</u> <u>S 7   S 8</u> 1968	
	Raise a mound of stone W. of the cor.	

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

CHAINS	
40.35	<p>Land, gently rolling. Soil, silty loam. Timber, scattered to moderate juniper. Undergrowth, sagebrush and bunchgrass.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9. N. 89°37' W., bet. secs. 5 and 8. Over gently rolling land, through moderate timber.</p> <p>Point for the ¼ sec. cor. of secs. 5 and 8, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ <math>\frac{S\ 5}{S\ 8}</math> 1968</p> <p>Raise a mound of stone N. of the cor.</p>
80.70	<p>The cor. of secs. 5, 6, 7 and 8.</p> <p>Land, gently rolling. Soil, silty loam. Timber, moderate juniper. Undergrowth, sagebrush and bunchgrass.</p>
16.20	<p>S. 89°53' W., bet. secs. 6 and 7. Over gently rolling land, through moderate timber.</p> <p>Top of rounded ridge, bears N. and S.</p>
40.17	<p>Point for the ¼ sec. cor. of secs. 6 and 7, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E ¼ <math>\frac{S\ 6}{S\ 7}</math> 1968</p> <p>Raise a mound of stone N. of the cor.</p>
55.40	<p>Enter scattered timber.</p>
79.07	<p>The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., monumented by an iron post, 2½ ins. diam., firmly set, projecting 12 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T15N R26E R27E S 1   S 6 S 12   S 7 1963</p> <p>Original mound of stone W. of the cor.</p>

Dep. Res., Subdivisional Lines, T. 15 N., R. 27 E.

<p>CHAINS</p>	<p>Land, gently rolling. Soil, silty loam. Timber, moderate to scattered juniper. Undergrowth, sagebrush and bunchgrass.</p> <hr/> <p>From the cor. of secs. 5, 6, 7 and 8. N. 0°31' E., bet. secs. 5 and 6. Over gently rolling land, through moderate timber.</p> <p>40.23 Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 6, at proportionate dist.; there is no remaining evidence of the orig. cor. Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T15N R27E <math>\frac{1}{4}</math> S 6   S 5 1968</p> <p>59.10 Fence, bears S. 88° E. and N. 88° W.; enter railed area.</p> <p>79.93 The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp.</p> <p>Land, gently rolling. Soil, silty loam. Timber, moderate juniper. Undergrowth, sagebrush and bunchgrass.</p> <hr/> <p style="text-align: center;">General Description</p> <hr/> <p>Township 15 North, Range 27 East is located approximately 12 miles North of St. Johns, Arizona. Numerous track roads within the township provide excellent access to all parts of the area. The one dwelling in the township is located in section 21 and is used intermittently by ranch-hands. Livestock grazing is the principle use of the land. Several stock ponds are in the township as well as a windmill in section 32 and one in section 21. The elevation ranges from 6000 feet in the north to 5500 feet above sea level in the southern part. The general drainage is from north to south and flows into the Zuni River south of this township. Vegetation consists of a fairly good cover of native grasses and sagebrush and a scattered to moderate growth of juniper trees. There is no known mining activity within the township. There is abundant evidence of a previous existence of Indians within the township. This consists of broken bits of pottery, chippings, mounds and broken artifacts. The two most prominent points are identified in the field notes.</p>
---------------	--



CERTIFICATE OF SURVEY

(I) ~~We~~, Jerrold E. Knight, Cadastral Surveyor, HEREBY  
CERTIFY upon honor that, in pursuance of special instructions bearing date of the 27th day  
of March, 1968, (I) ~~We~~ have retraced a portion of the west boundary  
and dependently resurveyed the north and south boundaries and the sub-  
divisional lines of Township 15 North, Range 27 East,

of the Gila and Salt River Meridian, in the State of Arizona, which  
are represented in the foregoing field notes as having been executed by (me), ~~us~~ and under (my)  
~~our~~ direction; and that said survey has been made in strict conformity with said special instruc-  
tions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in  
specific manner described in the foregoing field notes.

Sept. 1, 1970  
(Date)

*Jerrold E. Knight*  
(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

SUBMITTED FOR APPROVAL  
Date FEB 3 1971

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Washington, D.C.

The foregoing field notes of the retracement of a portion of the west boundary and  
the dependent resurvey of the north and south boundaries and the sub-  
divisional lines of Township 15 North, Range 27 East of the Gila and  
Salt River Meridian, Arizona,  
executed by Jerrold E. Knight, Cadastral Surveyor  
having been critically examined and found correct, are hereby approved.

FEB 3 1972  
(Date)

*Clark L. Humm*  
(Chief, Division of Cadastral Survey)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in  
is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief, Division of Cadastral Survey)~~

Form 9180-6  
(April 1965)  
(formerly 4-679)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES

of the

RETRACEMENT OF A PORTION OF THE WEST BOUNDARY

and the

DEPENDENT RESURVEY

of the

NORTH AND SOUTH BOUNDARIES

and the

SUBDIVISIONAL LINES

of

TOWNSHIP 15 NORTH, RANGE 27 EAST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Jerrold E. Knight Cadastral Surveyor

Under special instructions dated March 27, 19 68, which provided for the surveys  
included under Group Number 460, approved March 28, 1968,  
and assignment instructions dated April 5, 19 68.

Survey commenced April 18, 19 68

Survey completed May 21, 19 68

BOOK 4915

# INDEX DIAGRAM

Township 15 North, Range 27 East

1	9	9	8	8	7	7				
6	44	5	35	4	29	3	16	1		
43	43	34	29	22	15					
7	42	8	34	9	28	10	22	11	15	12
41	41	33	27	21	14					
18	40	17	33	16	27	15	20	14	14	13
40	39	32	27	20	13					
19	39	20	32	21	26	22	19	23	12	24
38	38	31	25	19	12					
30	37	29	31	28	24	27	18	26	11	25
36	36	30	24	17	10					
31	35	32	30	33	23	34	17	35	10	36
6	5	4	3	3	2					