

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

COMPLETION SURVEY

of the

SUBDIVISIONAL LINES

in

TOWNSHIP 29 NORTH, RANGE 21 WEST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Gary T. Oviatt, Cadastral Surveyor

Jerrold E. Knight, Cadastral Surveyor

Under special instructions dated July 15, 19 68, which provided for the surveys
included under Group Number 450, approved July 15, 1968,
and assignment instructions dated September 12, 19 68.

Survey commenced September 25, 19 68

Survey completed October 9, 19 68

1A

BOOK 4928
INDEX DIAGRAM

Township 29 North, Range 21 West

6 19	20 5 18	8 4 8	3	2	1
7 17	18 8 16	7 9 6	10	11	12
18 15	15 17 14	5 16 5	15	14	13
19 12	13 20 12	4 21 3	22	23	24
30 10	11 29 10	3 28 2	27	26	25
31	9 32	1 33	34	35	36

Township 29 North, Range 21 West
Gila and Salt River Meridian, Arizona

CHAINS

The south boundary (Seventh Standard Parallel North) and the west boundary was surveyed in 1930 by D. R. Averill. The east and north boundaries were surveyed in 1957 by D. E. Harding. The east half of the township was subdivided in 1960 by Yundt and Spratt.

The following notes are those of the completion survey of the subdivisional lines in Township 29 North, Range 21 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated July 15, 1968.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base and with a brass cap riveted to the top.

The geographic position at the standard corner of sections 33 and 34 on the south boundary of the township, as determined by traverse from USC&GS Triangulation Station "BUILDER", located in the northeast portion of section 7, Township 28 North, Range 21 West is: Latitude 35°51'03.9" North and Longitude 114°31'50.6" W.

The mean magnetic declination was found to be 15°30' E.

Completion Survey, Subdivisional Lines,
Township 29 North, Range 21 West

Beginning at the standard cor. of secs. 32 and 33, on the S. bdy. of the Tp., (Seventh Standard Parallel North) monumented by an iron post, 2 ins. diam., firmly set with 6 ins. projecting above the ground, mound of stone N., brass cap mkd.

SC
T29N R21W
S32 | S33

1930

N. 0°03' W., bet. secs. 32 and 33.

Over nearly level land through moderate undergrowth.

6.90 Track road, bears N. 20° E. and S. 20° W.

13.00 Wash, 40 lks. wide, 2 ft. deep, drains NE.

24.00 Wash, 30 lks. wide, 1 ft. deep, drains SE.

40.00 Point for the ¼ sec. cor. of secs. 32 and 33.

Set the iron post 18 ins. in the ground, brass cap mkd.

T29N R21W
¼
S32 | S33
1968

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	Raise a mound of stone W. of the cor.
40.70	Wash, 20 lks. wide, 2 ft. deep, drains N. 70° E., 3.00 chs. dist., thence SE.
56.00	Wash area, 2 chs. wide, drains E.
61.70	Wash, 40 lks. wide, 4 ft. deep, drains S. 60° E.
80.00	Point for the cor. of secs. 28, 29, 32 and 33.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T29N R21W <u>S29</u> <u>S28</u> <u>S32</u> <u>S33</u> 1968</p>
	Raise a mound of stone W. of the cor.
	Land, nearly level, gentle east slope.
	Soil, gravelly to rocky clay loam.
	Timber, none.
	Undergrowth, scrub mesquite, rabbit brush, creosote bush, yucca and cacti.
	<p>From the cor. of secs. 27, 28, 33 and 34, monumented by an iron post, 2½ ins. diam., firmly set with 12 ins. projecting above the ground, mound of stone W., brass cap mkd.</p>
	<p>T29N R21W <u>S28</u> <u>S27</u> <u>S33</u> <u>S34</u> 1960</p>
	The cor. is located in a wash area, drains NE.
	S. 89°58' W.; bet. secs. 28 and 33.
	Over wash area through moderate undergrowth.
22.00	Leave wash area, thence over gentle E. slope.
40.00	Point for the ¼ sec. cor. of secs. 28 and 33.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	<p>T29N R21W ¼ <u>S28</u> <u>S33</u> 1968</p>
	Raise a mound of stone N. of the cor.
63.30	Track road, bears N. and S.
80.00	The cor. of secs. 28, 29, 32 and 33.
	Land, gently rolling.
	Soil, gravelly to rocky clay loam.
	Timber, none.
	Undergrowth, creosote bush, rabbit brush, yucca and cacti.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
19.50	<p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over nearly level land through moderate undergrowth.</p> <p>Wash, 20 lks. wide, 2 ft. deep, drains S. 70° E.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 29.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ S29 S28 1968</p>
74.70	<p>Raise a mound of stone W. of the cor.</p> <p>Wash, 30 lks. wide, 3 ft. deep, drains E. at the confluence of two washes draining from W. and N. 70° W.</p>
80.00	<p>Point for the cor. of secs. 20, 21, 28 and 29.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W S20 S21 S29 S28 1968</p>
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, scrub mesquite, rabbit brush, yucca, creosote bush and cacti.</p>
	<p>From the cor. of secs. 21, 22, 27 and 28, monumented by an iron post, 2½ ins. diam., firmly set with 6 ins. projecting above the ground, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T29N R21W S21 S22 S28 S27 1960</p>
35.20	<p>S. 89°57' W., bet. secs. 21 and 28.</p> <p>Over gently rolling land through moderate undergrowth.</p> <p>Track road, bears N. and S.</p>
39.98	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ S21 S28 1968</p>
	<p>Raise a mound of stone N. of the cor.</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
79.96	<p>The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, rabbit brush, creosote bush, yucca, cacti and grasses.</p>
19.40	<p>N. 0°03' W., bet. secs. 20 and 21.</p> <p>Over gently rolling land through moderate undergrowth.</p> <p>Wash, 40 lks. wide, 3 ft. deep, drains E.</p>
31.20	<p>Wash, 60 lks. wide, 4 ft. deep, drains E.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T29N R21W $\frac{1}{4}$ S20 S21 1968</p>
50.50	<p>Raise a mound of stone W. of the cor.</p> <p>Wash, 30 lks. wide, 4 ft. deep, drains E.</p>
56.10	<p>Wash, 20 lks. wide, 2 ft. deep, drains E.</p>
59.50	<p>Jeep trail, bears E. and W.</p>
61.50	<p>Wash, 100 lks. wide, 2 ft. deep, drains S. 65° E.</p>
69.80	<p>Wash, 100 lks. wide, 2 ft. deep, drains E.</p>
74.80	<p>Wash, 180 lks. wide, 3 ft. deep, drains E.</p>
79.60	<p>Wash, 20 lks. wide, 1 ft. deep, drains N. 60° E.</p>
80.00	<p>Point for the cor. of secs. 16, 17, 20 and 21.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p>
	<p style="text-align: center;">T29N R21W S17 S16 S20 S21 1968</p>
	<p>The cor. is located on a S, slope.</p> <p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, scrub mesquite, rabbit brush, creosote bush, yucca, cacti and grass.</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>From the cor. of secs. 15, 16, 21 and 22, monumented by an iron post, 2½ ins. diam., firmly set with a collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{S16}{S21} \frac{S15}{S22}$ 1960</p> <p>S. 89°56' W., bet. secs. 16 and 21.</p> <p>Over gently rolling land through moderate undergrowth.</p>
4.00	Wash, 40 lks. wide, 2 ft. deep, drains N. 45° E., 100 lks. dist., thence E.
30.70	Wash, 30 lks. wide, 2 ft. deep, drains N. 70° E. from S. 45° W.
39.99	Point for the ¼ sec. cor. of secs. 16 and 21.
	<p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4} \frac{S16}{S21}$ 1968</p> <p>Raise a mound of stone N. of the cor.</p>
52.00	Wash, 100 lks. wide, 3 ft. deep, drains NE.
78.70	Wash, 20 lks. wide, 1 ft. deep, drains N. 60° E.
79.98	The cor. of secs. 16, 17, 20 and 21.
	<p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, scrub mesquite, rabbit brush, creosote bush, yucca, cacti and grass.</p>
	<p>N. 0°03' W., bet. secs. 16 and 17.</p> <p>Over gently rolling land through moderate undergrowth.</p>
6.50	Wash, 30 lks. wide, 10 ft. deep, drains East.
15.10	Wash, 20 lks. wide, 2 ft. deep, drains East.
27.00	Wash, 100 lks. wide, 3 ft. deep, drains E., 2.00 chs. dist., thence S. 45° E.
33.90	Wash, 30 lks. wide, 3 ft. deep, drains S. 60° E.
40.00	Point for the ¼ sec. cor. of secs. 16 and 17.
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4} \frac{S17}{S16}$ 1968</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS					
	Raise a mound of stone W. of the cor.				
48.10	Wash, 40 lks. wide, 3 ft. deep, drains S. 70° E.				
64.00	Wash, 50 lks. wide, 2 ft. deep, drains East.				
73.90	Power line, bears N. 29°40' E. and S. 29°40' W., with a track road parallel to power line.				
75.50	Wash, 30 lks. wide, with 10 ft. banks, drains E.				
80.00	Point for the cor. of secs. 8, 9, 16 and 17.				
	Set the iron post 20 ins. in the ground, brass cap mkd.				
	T29N R21W <table border="1" style="margin: auto;"> <tr> <td>S 8</td> <td>S 9</td> </tr> <tr> <td>S17</td> <td>S16</td> </tr> </table> 1968	S 8	S 9	S17	S16
S 8	S 9				
S17	S16				
	Raise a mound of stone W. of the cor.				
	Land, gently rolling. Soil, gravelly and rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca, cacti and grass.				
	From the cor. of secs. 9, 10, 15 and 16, monumented by an iron post, 2½ ins. diam., firmly set in a mound of stone to top, and a mound of stone W. of the cor., brass cap mkd.				
	T29N R21W <table border="1" style="margin: auto;"> <tr> <td>S 9</td> <td>S10</td> </tr> <tr> <td>S16</td> <td>S15</td> </tr> </table> 1960	S 9	S10	S16	S15
S 9	S10				
S16	S15				
	S. 89°56' W., bet. secs. 9 and 16.				
	Over gently rolling land through moderate undergrowth.				
11.40	Enter wash area, drains S. 70° E.				
15.50	Track road, bears NE. and SW.				
17.60	Leave wash area, drains from S. 80° W.				
23.10	Same track road, bears SE. and NW.				
39.98	Point for the ¼ sec. cor. of secs. 9 and 16.				
	Set the iron post 18 ins. in the ground, brass cap mkd.				
	T29N R21W <table border="1" style="margin: auto;"> <tr> <td>¼</td> <td>S 9</td> </tr> <tr> <td></td> <td>S16</td> </tr> </table> 1968	¼	S 9		S16
¼	S 9				
	S16				
	Raise a mound of stone N. of the cor.				

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	The cor. is located 92 lks. South of a track road, bearing E. and W.
51.40	Track road, bears NE. and SW.
55.30	Track road, bears SE. and NW.
76.40	Power line, bears N. 29°40' E. and S. 29°40' W., with a track road parallel to the power line.
79.96	The cor. of secs. 8, 9, 16 and 17. Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca, cacti and grass.
<hr/>	
	N. 0°03' W., bet. secs. 8 and 9. Over gently rolling land through moderate undergrowth.
2.50	Track road, bears E. and W.
7.30	Wash, 20 lks. wide, 3 ft. deep, drains N. 70° E.
12.50	Wash, 2.00 chs. wide, 2 ft. deep, drains E.
17.40	Wash, 3.00 chs. wide, 2 ft. deep, drains E.
31.30	Wash, 150 lks. wide, 2 ft. deep, drains S. 55° E.
40.00	Point for the ½ sec. cor. of secs. 8 and 9. Set the iron post 18 ins. in the ground, brass cap mkd. T29N R21W ½ S 8 S 9 1968
	Raise a mound of stone W. of the cor.
43.80	Wash, 20 lks. wide, 2 ft. deep, drains E.
52.50	Wash, 20 lks. wide, 3 ft. deep, drains E.
65.60	Wash, 150 lks. wide, 2 ft. deep, drains E.
80.00	Point for the cor. of secs. 4, 5, 8 and 9. Set the iron post 20 ins. in the ground, brass cap mkd. T29N R21W S 5 S 4 S 8 S 9 1968
	Raise a mound of stone W. of the cor.
	The cor. is located on the S. bank of a wash, drains E.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca, cacti and grass.</p>
	<p>From the cor. of secs. 3, 4, 9 and 10, monumented by an iron post, 2½ ins. diam., firmly set in a mound of stone to top, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T29N R21W S 4 S 3 S 9 S10 1960</p> <p>S. 89°56' W., bet. secs. 4 and 9.</p> <p>Over gently rolling land through moderate undergrowth.</p>
30.75	Track road, bears N. 29°40' E. and S. 29°40' W.
31.00	Power line, bears N. 29°40' E. and S. 29°40' W.
39.96	Point for the ¼ sec. cor. of secs. 4 and 9.
	<p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W ½ S 4 S 9 1968</p> <p>Raise a mound of stone N. of the cor.</p>
59.20	Enter wash, 50 lks. wide, 2 ft. deep, drains NE. from W.
77.60	Leave wash, 50 lks. wide, 2 ft. deep, drains E. from N. 80° W.
79.92	The cor. of secs. 4, 5, 8 and 9.
	<p>Land, gently rolling E. slope. Soil, gravelly and rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>N. 0°20' W., bet. secs. 4 and 5.</p> <p>Over gently rolling land, through moderate undergrowth.</p>
1.30	Wash, 170 lks. wide, 3 ft. deep, drains E.
36.90	Wash, 10 lks. wide, 2 ft. deep, drains E.
39.20	Wash, 10 lks. wide, 1 ft. deep, drains E.
40.00	Point for the ¼ sec. cor. of secs. 4 and 5.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{2}$ S 5 S 4 1968</p> <p>The cor. is located on a S. slope.</p>
46.80	Wash, 25 lks. wide, 3 ft. deep, drains E.
54.00	Wash, 20 lks. wide, 3 ft. deep, drains E.
64.30	Wash, 110 lks. wide, 2 ft. deep, drains NE.
70.90	Wash, 30 lks. wide, 3 ft. deep, drains E.
79.85	<p>The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., firmly set with 16 ins. projecting above the ground, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T30N R21W <u>S32 S33</u> S 5 S 4 T29N 1957</p> <p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the standard cor. of secs. 31 and 32 on the S. bdy. of the Tp. (Seventh Standard Parallel North), monumented by an iron post, 2 ins. diam., firmly set with 8 ins. projecting above the ground, mound of stone N., brass cap mkd.</p> <p style="text-align: center;">SC T29N R21W <u>S31 S32</u> 1930</p> <p>from which</p> <p style="text-align: center;">USC&GS Triangulation Station "BUILDER", bears S. 3°19' E., 88.63 chs. dist., monumented by a standard disk set in a drill hole in the top of a boulder 9x10x10 ins., stamped Builder 1935. Lat., 35°50' 06.172" N., Long., 114°33'54.706" W.</p> <p>N. 0°03' W., bet. secs. 31 and 32.</p> <p>Over gently rolling land, through moderate undergrowth.</p>
20.40	Wash, 20 lks. wide, 2 ft. deep, drains E.
40.00	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 31 and 32.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{2}$ S31 S32 1968</p> <p>Raise a mound of stone W. of the cor.</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
43.00	Wash, 20 lks. wide, 1 ft. deep, drains SE.
58.90	Wash, 30 lks. wide, 2 ft. deep, drains E.
67.80	Wash, 30 lks. wide, 2 ft. deep, drains E.
75.20	Wash, 20 lks. wide, 2 ft. deep, drains E.
80.00	Point for the cor. of secs. 29, 30, 31 and 32.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T29N R21W $\frac{S30}{S31} \frac{S29}{S32}$ 1968</p>
	Raise a mound of stone W. of the cor.
	<p>Land, gently rolling east slope. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	From the cor. of secs. 28, 29, 32 and 33.
	N. 89°58' W., bet. secs. 29 and 32.
	Over gently rolling land, through moderate undergrowth.
15.00	Wash, 30 lks. wide, 2 ft. deep, drains SE.
24.90	Same wash, 30 lks. wide, 2 ft. deep, drains N. 60° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.
	Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T29N R21W $\frac{1}{4} \frac{S29}{S32}$ 1968</p>
	Raise a mound of stone N. of the cor.
44.10	Same wash, drains S. 60° E.
58.20	Wash, 30 lks. wide, 2 ft. deep, drains S. 55° E.
68.20	Wash, 30 lks. wide, 3 ft. deep, drains SE.
80.00	The cor. of secs. 29, 30, 31 and 32.
	<p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	S. 89°58' W., bet. secs. 30 and 31.
	Over gently rolling land, through moderate undergrowth.
21.00	Wash, 30 lks. wide, 2 ft. deep, drains S. 60° E.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.</p> <p>Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ $\frac{S30}{S31}$ 1968</p> <p>Raise a mound of stone N. of the cor.</p>
49.00	<p>Wash, 20 lks. wide, 3 ft. deep, drains S. 45° E.</p>
56.10	<p>Power line, bears S. 75° W. and N. 75° E. for 3.20 chs. dist., thence N. 29°40' E., with a track road parallel to power line.</p>
66.90	<p>Spur, slopes S. 40° E.</p>
71.40	<p>Wash, 20 lks. wide, with 4 ft. banks, drains SE.</p>
75.00	<p>Enter mountainous land, bears N. and S.</p>
77.60	<p>Ridge, bears N. and S.; desc. W. slope.</p>
79.95	<p>The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set with 8 ins. projecting above the ground, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T29N R22W R21W $\frac{S25}{S36}$ $\frac{S30}{S31}$ 1930</p> <p>Land, gently rolling and mountainous. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 29, 30, 31 and 32.</p>
	<p>N. 0°03' W., bet. secs. 29 and 30.</p>
	<p>Over gently rolling land, through moderate undergrowth.</p>
4.10	<p>Wash, 30 lks. wide, 2 ft. deep, drains E.</p>
20.60	<p>Wash, 15 lks. wide, 2 ft. deep, drains E.</p>
36.40	<p>Wash, 15 lks. wide, 2 ft. deep, drains S. 70° E.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ S30 S29 1968</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS					
53.90	<p>Raise a mound of stone W. of the cor. Wash, 20 lks. wide, 3 ft. deep, drains E.</p>				
61.60	<p>Wash, 20 lks. wide, 2 ft. deep, drains S. 60° E.</p>				
70.80	<p>Wash, 80 lks. wide, 2 ft. deep, drains S. 55° E.</p>				
78.80	<p>Wash, 40 lks. wide, 2 ft. deep, drains SE.</p>				
80.00	<p>Point for the cor. of secs. 19, 20, 29 and 30. Set the iron post 20 ins. in the ground, brass cap mkd.</p>				
	<p style="text-align: center;">T29N R21W <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">S19</td> <td style="padding: 2px;">S20</td> </tr> <tr> <td style="padding: 2px;">S30</td> <td style="padding: 2px;">S29</td> </tr> </table> 1968</p>	S19	S20	S30	S29
S19	S20				
S30	S29				
	<p>Raise a mound of stone W. of the cor. Land, gently rolling East slope. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>				
39.98	<p>From the cor. of secs. 20, 21, 28 and 29. N. 89°57' W., bet. secs. 20 and 29. Over gently rolling land, through moderate undergrowth. Point for the ¼ sec. cor. of secs. 20 and 29. Set the iron post 18 ins. in the ground, brass cap mkd.</p>				
	<p style="text-align: center;">T29N R21W <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">¼</td> <td style="padding: 2px;">S20</td> </tr> <tr> <td></td> <td style="padding: 2px;">S29</td> </tr> </table> 1968</p>	¼	S20		S29
¼	S20				
	S29				
79.96	<p>Raise a mound of stone N. of the cor. The cor. of secs. 19, 20, 29 and 30. Land, gently rolling, East slope. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>				
0.20	<p>S. 89°55' W., bet. secs. 19 and 30. Over gently rolling land, through moderate undergrowth. Wash, 40 lks. wide, 2 ft. deep, drains SE.</p>				
7.15	<p>Power line, bears N. 29°40' E. and S. 29°40' W., with a track road parallel to the power line.</p>				
38.70	<p>Wash, 30 lks. wide, 2 ft. deep, drains S. 70° E.</p>				

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ $\frac{S19}{S30}$ 1968</p> <p>Raise a mound of stone N. of the cor.</p>
41.60	<p>Base of mountain, bears N. and S.; asc. E. slope.</p>
79.83	<p>True point for the cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp.</p> <p>from which</p> <p style="text-align: center;">The Witness Cor. of secs. 19, 24, 25 and 30, bears North, 50 lks. dist., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone with 10 ins. projecting above the mound, brass cap mkd.</p> <p style="text-align: center;">T29N R22W R21W $\frac{S24}{S25}$ $\frac{S19}{S30}$ WC 1930</p> <p>Land, gently rolling and mountainous. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 19, 20, 29 and 30.</p>
	<p>N. $0^{\circ}03'$ W., bet. secs. 19 and 20.</p>
	<p>Over gently rolling land, through moderate undergrowth.</p>
12.80	<p>Power line, bears N. $29^{\circ}40'$ E. and S. $29^{\circ}40'$ W., with a track road parallel to power line.</p>
29.60	<p>Wash, 20 lks. wide, 2 ft. deep, drains E.</p>
38.30	<p>Wash, 2.00 chs. wide, 2 ft. deep, drains E.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ S19 S20 1968</p>
51.60	<p>Wash, 30 lks. wide, with 4 ft. banks, drains E.</p>
54.10	<p>Wash, 20 lks. wide, 3 ft. deep, drains E.</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS

- 65.80 Jeep trail, bears E. and W.
 - 67.40 Wash, 150 lks. wide, 2 ft. deep, drains E.
 - 74.20 Wash, 30 lks. wide, 2 ft. deep, drains E.
 - 77.50 Wash, 100 lks. wide, 3 ft. deep, drains S. 70° E.
 - 80.00 Point for the cor. of secs. 17, 18, 19 and 20.
- Set the iron post 18 ins. in the ground, brass cap mkd.

T29N R21W
S18 | S17
S19 | S20
 1968

Raise a mound of stone W. of the cor.

Land, gently rolling E. slope.
 Soil, gravelly to rocky clay loam.
 Timber, none.
 Undergrowth, creosote bush, rabbit brush, yucca and cacti.

From the cor. of secs. 16, 17, 20 and 21.

N. 89°55' W., bet. secs. 17 and 20.

Over gently rolling land, through moderate undergrowth.

- 12.90 Wash, 80 lks. wide, 2 ft. deep, drains SE.
 - 21.50 Wash, 90 lks. wide, 3 ft. deep, drains SE.
 - 36.90 Enter wash area, drains S. 50° E. from irregularly W.
 - 40.03 Point for the ¼ sec. cor. of secs. 17 and 20.
- Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.

T29N R21W
 ¼ S17
S20
 1968

The corner is located on a low spur in a wash area.

- 41.90 Power line, bears N. 29°40' E. and S. 29°40' W., with a track road parallel to power line.
- 54.90 Leave wash area, drains from N. 60° W. to E.
- 64.80 Same wash, 80 lks. wide, 3 ft. deep, drains N. 60° E.
- 78.80 Same wash, 20 lks. wide, 2 ft. deep, drains S. 60° E.
- 80.06 The cor. of secs. 17, 18, 19 and 20.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>Land, gently rolling E. slope. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>S. 89°50' W., bet. secs. 18 and 19. Over gently rolling land, through moderate undergrowth.</p>
4.90	Wash, 80 lks. wide, 3 ft. deep, drains S. 60° E.
34.00	Wash, 30 lks. wide, 2 ft. deep, drains SE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 18 and 19. Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T29N R21W $\frac{1}{4}$ $\frac{S18}{S19}$ 1968</p>
	Raise a mound of stone N. of the cor.
78.90	Spur, slopes SE.; desc. W. slope.
79.71	The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set with 8 ins. projecting above the ground, mound of stone W., brass cap mkd.
	<p style="text-align: center;">T29N R22W R21W $\frac{S13}{S24}$ $\frac{S18}{S19}$ 1930</p>
	<p>Land, gently rolling. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 17, 18, 19 and 20. N. 0°03' W., bet. secs. 17 and 18. Over rolling land, through moderate undergrowth.</p>
0.30	Wash, 10 lks. wide, 1 ft. deep, drains S. 60° E.
10.70	Wash, 20 lks. wide, 3 ft. deep, drains E.
20.90	Wash, 50 lks. wide, 2 ft. deep, drains E.; asc. S. slope.
31.80	Spur, slopes S. 50° E.; desc. N. slope.
35.40	Ravine, drains S. 50° E.; asc. S. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 18.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.
	T29N R21W $\frac{1}{4}$ S18 S17 1968
	Raise a mound of stone W. of the cor.
	The cor. is located on a S. slope.
41.60	High spur, slopes East; desc. N. slope.
47.30	Base of spur, bears E. and W.
49.50	Wash area, 4.00 chs. wide, drains E.
68.40	Wash, 30 lks. wide, 2 ft. deep, drains E.
76.50	Wash, 20 lks. wide, 3 ft. deep, drains SE.
80.00	Point for the cor. of secs. 7, 8, 17 and 18.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R21W S 7 S 8 S18 S17 1968
	Raise a mound of stone W. of the cor.
	The cor. is located on a SW. slope.
	Land, gently rolling and rolling. Soil, gravelly clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	From the cor. of secs. 8, 9, 16 and 17.
	N. 89°55' W., bet. secs. 8 and 17.
	Over rolling land, through moderate undergrowth.
14.10	Wash, 15 lks. wide, 2 ft. deep, drains SE.
25.00	Base of Butte, asc. along E. slope.
32.80	E. rim of Butte, asc. E. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R21W $\frac{1}{4}$ S 8 S17 1968

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	The cor. is located on top of a knoll.
53.20	Base of knoll, bears SE. and N.
78.00	Spur, slopes S. 20° E.
80.00	The cor. of secs. 7, 8, 17 and 18.
	Land, gently rolling and rolling. Soil, gravelly clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	S. 89°49' W., bet. secs. 7 and 18.
	Over rolling broken land, through moderate undergrowth.
3.50	Wash, 40 lks. wide with 4 ft. banks, drains S. 60° E.; asc. SE. slope.
15.80	Spur, slopes SE.; asc. SE. slope.
18.20	Desc. SW. slope.
23.40	Ravine, drains SE.
30.90	Spur, slopes SE.
40.00	Point for the ¼ sec. cor. of secs. 7 and 18.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T29N R21W ¼ $\frac{S\ 7}{S18}$ 1968</p>
41.70	Small spur, slopes S.; desc. SW. slope.
51.00	Ravine drains S., 150 lks. dist., thence E.; asc. E. slope.
60.70	Slope changes to S.
78.50	Desc. W. slope.
79.60	The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T29N R22W R21W $\frac{S12\ S\ 7}{S13\ S18}$ 1930</p>
	Land, mountainous. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>From the cor. of secs. 7, 8, 17 and 18.</p> <p>N. 0°03' W., bet. secs. 7 and 8.</p> <p>Over rolling land, through moderate undergrowth.</p>
2.60	Small spur, slopes SE.
21.60	Wash, 120 lks. wide, 3 ft. deep, drains E.
27.55	Track road, bears E. and W.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 8.
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R21W 1/4 S 7 S 8 1968</p>
	<p>Raise a mound of stone W. of the cor.</p> <p>The cor. is located in a small depression.</p>
44.00	Wash, 50 lks. wide, 2 ft. deep, drains N. 60° E.
61.40	Wash, 140 lks. wide, 2 ft. deep, drains E.
69.50	Wash, 80 lks. wide, 2 ft. deep, drains N. 70° E.
79.70	Main channel of wash, 20 lks. wide, 2 ft. deep, drains E.
80.00	Point for the cor. of secs. 5, 6, 7 and 8.
	<p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W S 6 S 5 S 7 S 8 1968</p>
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling E. slope. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 89°55' W., bet. secs. 5 and 8.</p> <p>Over gently rolling land, through moderate undergrowth.</p>
5.60	Wash, 30 lks. wide, 2 ft. deep, drains N. 75° E.
40.02	Point for the 1/4 sec. cor. of secs. 5 and 8.

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ $\frac{S 5}{S 8}$ 1968</p>
	<p>Raise a mound of stone N. of the cor.</p> <p>The cor. is located about 20.00 chs. dist., S. of "Black Butte."</p>
47.00	Wash, 20 lks. wide, 2 ft. deep, drains S. 60° E.
78.90	Wash, 20 lks. wide, 2 ft. deep, drains N. 60° E.
80.04	<p>The cor. of secs. 5, 6, 7 and 8.</p> <p>Land, gently rolling E. slope. Soil, gravelly to rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>S. 89°45' W., bet. secs. 6 and 7.</p> <p>Over mountainous land, through wash area draining E.</p>
24.00	Leave wash area, drains from N. 70° W.; asc. NE. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7.
	<p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R21W $\frac{1}{4}$ $\frac{S 6}{S 7}$ 1968</p>
41.40	Top of rock ledge, facing E.
76.00	Wash, 60 lks. wide, 2 ft. deep, drains N. 70° E.; asc. E. slope.
79.59	<p>The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R22W R21W $\frac{S 1}{S 12}$ $\frac{S 6}{S 7}$ 1930</p>
	<p>Land, mountainous. Soil, rocky clay loam. Timber, none. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>

Completion Survey, Subdivisional Lines, T. 29 N., R. 21 W.

CHAINS	
	<p>From the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0°20' W., bet. secs. 5 and 6.</p> <p>Over gently rolling land, through moderate undergrowth.</p>
14.70	Wash, 150 lks. wide, with 4 ft. banks, drains E.
27.50	Wash, 100 lks. wide, 2 ft. deep, drains S. 60°E.
35.20	Wash, 20 lks. wide with 4 ft. banks, drains E.
40.00	<p>Point for the ½ sec. cor. of secs. 5 and 6.</p> <p>Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.</p>
	<p>T29N R21W</p> <p>½</p> <p>S 6 S 5</p> <p>1968</p>
56.10	Wash, 40 lks. wide, 2 ft. deep, drains E.
58.70	Wash, 40 lks. wide, 2 ft. deep, drains S. 60° E.; enter mountainous land bears E. and W., asc. S. slope.
71.70	Spur, slopes SE.
79.72	<p>The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p>
	<p>T30N R21W</p> <p>S31 S32</p> <p>S 6 S 5</p> <p>T29N</p> <p>1957</p>
	<p>Land, gently rolling on S. 60 chs., mountainous on remainder.</p> <p>Soil, gravelly to rocky clay loam.</p> <p>Timber, none.</p> <p>Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>General Description</p>
	<p>The elevation in the west half of Township 29 North, Range 21 West, ranges from 2,000 ft. to 3,400 ft. above sea level. The land is mostly gently rolling with many small washes, except in the northwest portion which is mountainous. The soil is rocky in the mountainous area and gravelly clay loam throughout the rest of the Township. The vegetation consists of creosote bush, rabbit brush, yucca, cacti and a sparse growth of grass.</p> <p>The oiled road from Highway 93 and 466 to Temple Bar Resort, runs through the southeast portion of sec. 33 with several track and jeep roads branching throughout this portion of the Township. A power line, with a track road, enters the Township on the West boundary of section 31, leaving the area surveyed at the east boundary of Section 4.</p> <p>There are no settlers, mining activity, or permanent water throughout the surveyed area. The primary land use is for limited grazing of livestock.</p>

22

CERTIFICATE OF SURVEY

~~(X)~~(We), Gary T. Oviatt and Jerrold E. Knight, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 15th day of July, 19 68, ~~(X)~~(We) have completed the survey of subdivisional lines in Township 29 North, Range 21 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~(X)~~, (us) and under ~~(X)~~ (our) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

June 10, 1970
(Date)

Gary T. Oviatt
(Cadastral Surveyor)

June 10, 1970
(Date)

Jerrold E. Knight
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date JUN 16 1971

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the completion survey of the subdivisional lines in Township 29 North, Range 21 West, Gila and Salt River Meridian, Arizona,

executed by Gary T. Oviatt and Jerrold E. Knight having been critically examined and found correct, are hereby approved.

MAY 30 1972
(Date)

Clark F. Lumm
(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey)