

/

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF A PORTION OF

THE BOUNDARIES OF SECTION 15,

THE SUBDIVISION OF SECTION 15,

AND THE SURVEY OF TRACTS 37, 38, AND 39,

TOWNSHIP 6 NORTH, RANGE 30 EAST

Of the GILA AND SALT RIVER Meridian,

In the State of ARIZONA

EXECUTED BY

RAY HARPIN

CADASTRAL SURVEYOR

Under special instructions dated January 25, 1972, which provided for the surveys included under Group Number 544, approved February 10, 1972, and assignment instructions dated May 1, 1972.

Survey commenced May 4, 1972

Survey completed May 11, 1972

1A

BOOK 4937
INDEX DIAGRAM

Township 6 North, Range 30 East,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Diagram details: In the row containing tracts 18-13, tract 15 is subdivided. A horizontal line is drawn across the middle of tract 15. Above this line, the number '2' is written to the left of the line and '7' to the right. Below the line, the number '5' is written to the left and '1' to the right.

Tract 37 pp. 9-11
Tract 38 pp. 11-13
Tract 39 pp. 13-17

Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of a dependent resurvey of a portion of the boundaries of section 15, the subdivision of section 15, and the survey of Tracts 37, 38, and 39, Township 6 North, Range 30 East, Gila and Salt River Meridian, Arizona.

The boundaries of section 15 were originally surveyed by W. R. Fitzgerald in 1883 and resurveyed by Benjamin J. Kinsey in 1925. U. S. Forest Service Surveyors C. A. Long and L. R. Mercer began the original survey of Homestead Entry Survey No. 239 in 1914 and completed it in 1920. Gordon Long, also a Forest Service Surveyor, resurveyed Homestead Entry Survey No. 239 in 1968. This Homestead Entry was surveyed as Tracts A through E. Tracts D and E are a part of a roadway and only Tracts A, B, and C were patented. Tract E is made a part of Tract 39 as shown in the following field notes and Tract D is redesignated as Lot 13 of section 15.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the special instructions dated January 25, 1972.

All of the monuments from previous surveys, which were used as controlling monuments for this survey, were found in good condition.

The directions of all lines were determined by use of the solar transit and refer to the true meridian. The lines were carried by transit method and confirmed by succeeding AM and PM altitude observations of the sun.

The geographic position of the corner of sections 14, 15, 22, and 23, Township 6 North, Range 30 East, as determined from information taken from U. S. Geological Survey "Alpine Quadrangle", is:

Latitude: 33° 54.4' N.
Longitude: 109° 09.5' W.

The observed mean magnetic declination is 13½° E.

Dependent Resurvey of a Portion
of the Boundaries of Section 15
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

Reestablishment of the Resurvey Executed
by Benjamin J. Kinsey, U.S. Surveyor, in 1925

Beginning at the cor. of secs. 14, 15, 22, and 23, which is monumented with an iron post, 2 ins. diam., set firmly in the ground and in a mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd.

T6N R30E
S 15 | S 14
S 22 | S 23

1925

substantiated by the 1925 bearing trees:

Dependent Resurvey of a Portion
of the Boundaries of Section 15
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS		
	<p>A pine, 25 ins. diam., bears S. $74\frac{1}{4}^\circ$ W., 36 lks. dist., mkd. T6N R30E S22 BT. (record, S. 75° W., 35 lks.)</p> <p>A pine, 28 ins. diam., bears N. $18\frac{1}{4}^\circ$ W., 83 lks. dist., mkd. T6N R30E S15 BT. (record, N. 19° W., 84 lks.)</p> <p>S. $87^\circ 45'$ W., between secs. 15 and 22.</p> <p>Descend gentle SW. slope, through scattering pine timber.</p> <p>20.59 Point for the E 1/16 sec. cor. of secs. 15 and 22, identical with Cor. 12 of Tract 39.</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">$E \frac{1}{16} \frac{S \ 15}{S \ 22}$</p> <p style="text-align: center;">1972</p> <p>from which</p> <p>A pine, 8 ins. diam., bears N. $27\frac{1}{2}^\circ$ E., 81 lks. dist., mkd. E 1/16 S15 BT.</p> <p>A pine, 13 ins. diam., bears S. $67\frac{1}{2}^\circ$ E., 60 lks. dist., mkd. E 1/16 S22 BT.</p> <p>20.80 Fence, bears N. and S.</p> <p>37.30 Enter pasture land.</p> <p>41.18 The 1/4 sec. cor. of secs. 15 and 22, identical with Cor. 11 of Tract 39, which is monumented with an iron post, 1 in. diam., firmly set with 7 ins. projecting above the ground, with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4} \frac{S \ 15}{S \ 22}$</p> <p style="text-align: center;">1925</p> <p>substantiated by the 1925 bearing trees:</p> <p>A pine, 34 ins. diam., bears S. 80° E., 375 lks. dist., mkd. 1/4 S22 BT.</p> <p>A pine, 34 ins. diam., bears N. 78° W., 333 lks. dist., mkd. 1/4 S15 BT.</p>	
	<p>From the 1/4 sec. cor. of secs. 15 and 16, which is monumented with an iron post, 1 in. diam., firmly set with 12 ins. projecting above the ground, with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4} S \ 16 S \ 15$</p> <p style="text-align: center;">1925</p>	

Dependent Resurvey of a Portion
of the Boundaries of Section 15
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS

substantiated by the remains of old bearing trees:

A pine, 26 ins. diam., bears S. 43° E., 49 lks.
dist., mkd. 1/4 S BT.

A pine stump, 25 ins. diam., bears S. $60 \frac{3}{4}^{\circ}$ W.,
52 lks. dist. (record, S. 60° W., 53 lks.)

and the 1925 bearing trees:

A pine, 34 ins. diam., bears S. $50 \frac{1}{2}^{\circ}$ E., 84 lks.
dist., mkd. 1/4 S15 BT. (record, S. 51° E.)

A pine, 30 ins. diam., bears S. 66° W., 75 lks.
dist., mkd. 1/4 S16 BT.

N. $9^{\circ} 32'$ E., between secs. 15 and 16.

Descend a gentle NE. slope, through dense pine timber.

6.86 Cor. 1 of Homestead Entry Survey No. 239, which is monu-
mented with an iron post, 2 ins. diam., firmly set with
14 ins. projecting above the ground, with brass cap mkd.



1916

substantiated by the original bearing trees:

A pine, 24 ins. diam., bears N. $80 \frac{1}{4}^{\circ}$ E., 62 lks.
dist., with blaze grown over.


A pine, 24 ins. diam., bears N. $34 \frac{1}{2}^{\circ}$ W., 26 lks.
dist., with blaze grown over.

8.70 Creek, 10 lks. wide, 3 ins. deep, course NW.

15.00 Center line of highway, bears N. $58^{\circ} 34'$ W. and S. 58°
 $34'$ E.

16.90 Cor. 2 of Homestead Entry Survey No. 239, which is monu-
mented with a Forest Service iron post, $2 \frac{1}{2}$ ins. diam.,
firmly set with 20 ins. projecting above the ground, in
a mound of stone, with brass cap mkd.

T6N R30E



1967

substantiated by the remains of the original bearing trees:

A pine, 20 ins. diam., bears N. $79 \frac{1}{2}^{\circ}$ E., 50 lks.
dist., with blaze grown over.

Dependent Resurvey of a Portion
of the Boundaries of Section 15
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS		
	<p>A stump hole, bears N. $31\frac{1}{2}^{\circ}$ W., 46 lks. dist., with a dead pine lying alongside mkd. 2 HES 239 X BT.</p> <p>and the 1967 bearing tree:</p> <p>A fir, 30 ins. diam., bears N. 2° E., 73 lks. dist., mkd. X BT.</p> <p>Ascend SW. slope.</p>	
21.52	<p>Point for the N 1/16 sec. cor. of secs. 15 and 16.</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground to bedrock, encircled with a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">N 1/16 S 16 S 15</p> <p style="text-align: center;">1972</p> <p>from which</p> <p>A pine, 7 ins. diam., bears S. 1° W., 62 lks. dist., mkd. N 1/16 S15 BT.</p> <p>A pine, 8 ins. diam., bears N. $83\frac{1}{2}^{\circ}$ W., 43 lks. dist., mkd. N 1/16 S16 BT.</p>	
24.90	Foot of limestone bluff, ascend.	
25.40	Rim of bluff.	
30.00	Descend steep NW. slope, through spruce and pine timber.	
32.10	Dry wash, course NW. Ascend.	
43.04	<p>The cor. of secs. 9, 10, 15, and 16, which is monumented with an iron post, 2 ins. diam., firmly set with 10 ins. projecting above the ground, with a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, W. of the corner, with brass cap mkd.</p> <p style="text-align: center;">T6N R30E S 9 S 10 S 16 S 15</p> <p style="text-align: center;">1925</p> <p>substantiated by old bearing trees:</p> <p>A pine, 13 ins. diam., bears N. 53° E., 92 lks. dist., with blaze grown over.</p> <p>An oak, 11 ins. diam., bears S. $54\frac{1}{2}^{\circ}$ E., 25 lks. dist., with blaze grown over.</p> <p>A pine, 24 ins. diam., bears S. $36\frac{3}{4}^{\circ}$ E., 11 lks. dist., with blaze grown over. (record, S. 26° W.)</p> <p>A pine, 24 ins. diam., bears N. $24\frac{1}{2}^{\circ}$ W., 48 lks. dist., mkd. T6N R30E S9 BT.</p> <p>and the 1925 bearing trees:</p> <p>An oak, 22 ins. diam., bears N. 73° E., 115 lks. dist., mkd. T6N R30E S10 BT.</p>	

Dependent Resurvey of a Portion
of the Boundaries of Section 15
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS	
	A pine, 20 ins. diam., bears S. 22° E., 112 lks. dist., mkd. T6N R30E S15 BT.
	Subdivision of Section 15 Township 6 North, Range 30 East Gila and Salt River Meridian, Arizona
	From the 1/4 sec. cor. of secs. 15 and 22, hereinbefore described, N. 8° 38' E., on the N. and S. center line of sec. 15. Over nearly level pasture land.
0.13	Intersect line 9-10 of Homestead Entry Survey No. 239 at a point from which Cor. 9 bears N. 75° 36' E., 6.37 chs. dist., hereinafter described. No monument established at this point of intersection.
10.36	Intersect line 7-8 of Homestead Entry Survey No. 239 at a point from which Cor. 7 bears N. 28° 47' W., 21.77 chs. dist. This point of intersection is designated Cor. 3 of Tract 39, hereinafter described.
10.40	Point for the C-S-S 1/64 sec. cor. of sec. 15, designated Cor. 2 of Tract 39. Set an iron post, 30 ins. long, 2½ ins. diam., 28 ins. in the ground, with brass cap mkd. C S S 1/64 S 15 1972
11.40	Center line of highway, bears NW. and SE.
20.80	Point for the C-S 1/16 sec. cor. of sec. 15. Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground to bedrock, encircled with a mound of stone, 3 ft. base to top, with brass cap mkd. C S 1/16 S 15 1972 from which A pine, 8 ins. diam., bears S. 14 3/4° E., 50 lks. dist., mkd. CS 1/16 S15 BT. A pine, 10 ins. diam., bears S. 85½° W., 34 lks. dist., mkd. X BT.
41.60	Point for the center 1/4 sec. cor. of sec. 15, at the intersection with the E. and W. center line, designated Cor. 4 of Tract 38.

Subdivision of Section 15
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS		
	<p>Set an iron post, 30 ins. long, 2½ ins. diam., 12 ins. in the ground to a large boulder, encircled with a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T6N R30E C ¼ S 15</p> <p style="text-align: center;">1972</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 10 ins. diam., bears N. 48° E., 31 lks. dist., mkd. C¼ S15 BT.</p> <p style="padding-left: 40px;">A pine, 12 ins. diam., bears S. 78¼° W., 86 lks. dist., mkd. C¼ S15 BT.</p>	
42.63	<p>Intersect line 18-19 of Homestead Entry Survey No. 239 at a point from which Cor. 18 bears S. 56° 56' W., 0.24 chs. dist., hereinafter described. No monument established at this point of intersection.</p>	
49.45	<p>Intersect line 20-21 of Homestead Entry Survey No. 239 at a point from which Cor. 20 bears N. 43° 53' E., 8.18 chs. dist., hereinafter described. No monument established at this point of intersection.</p>	
57.02	<p>Point for the C-N-S-N 1/256 sec. cor. of sec. 15, designated Cor. 2 of Tract 37.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">C N S N 1/256 S 15</p> <p style="text-align: center;">1972</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 4 ins. diam., bears N. 27° E., 62 lks. dist., mkd. X BT.</p> <p style="padding-left: 40px;">A pine, 7 ins. diam., bears N. 36 3/4° W., 49 lks. dist., mkd. CNSN 1/256 S15 BT.</p>	
62.16	<p>Point for the C-N 1/16 sec. cor. of sec. 15.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 16 ins. in the ground, to bedrock, encircled with a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">C N 1/16 S 15</p> <p style="text-align: center;">1972</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 12 ins. diam., bears S. 66½° E., 7 lks. dist., mkd. CN 1/16 S15 BT.</p> <p style="padding-left: 40px;">A pine, 11 ins. diam., bears S. 20° W., 20 lks. dist., mkd. X BT.</p>	

Subdivision of Section 15
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS		
82.72	<p>The 1/4 sec. cor. of secs. 10 and 15, which is monumented with an iron post, 1 in. diam., firmly set with 10 ins. projecting above the ground, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4} \frac{S 10}{S 15}$ 1925 </p> <p>substantiated by the original bearing trees:</p> <p style="padding-left: 40px;">A pine, 15 ins. diam., bears S. 6 3/4° E., 8 lks. dist., mkd. 1/4 S BT. (record, S. 10° E.)</p> <p style="padding-left: 40px;">A pine, 23 ins. diam., bears N. 1 1/2° W., 20 lks. dist., mkd. 1/4 S BT. (record, N. 30° E.)</p> <p>and the 1925 accessories:</p> <p style="padding-left: 40px;">A pine, 23 ins. diam., bears N. 30° E., 87 lks. dist., mkd. 1/4 S10 BT.</p> <p style="padding-left: 40px;">A pine, 30 ins. diam., bears S. 31° W., 55 lks. dist., mkd. 1/4 S15 BT.</p> <p style="padding-left: 40px;">A mound of stone, 2 ft. base, 1 ft. high, is 1 1/2 ft. N. of the cor.</p>	
19.90	<p>From the 1/4 sec. cor. of secs. 14 and 15, which is monumented with an iron post, 1 in. diam., firmly set with 14 ins. projecting above the ground, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4} S 15 S 14$ 1925 </p> <p>from which a 1925 bearing tree:</p> <p style="padding-left: 40px;">A spruce snag bears S. 77 1/4° W., 39 lks. dist., with blaze grown over. (record, S. 75° W., 40 lks.)</p> <p>and new bearing trees:</p> <p style="padding-left: 40px;">A spruce, 4 ins. diam., bears S. 63 1/2° E., 18 lks. dist., mkd. X BT.</p> <p style="padding-left: 40px;">A spruce, 7 ins. diam., bears N. 51 3/4° W., 12 lks. dist., mkd. 1/4 S15 BT.</p> <p>S. 89° 24' W., on the E. and W. center line of sec. 15.</p> <p>Over mountainous terrain, through pine and spruce timber.</p> <p>Point for the C-E 1/16 sec. cor. of sec. 15.</p> <p>Set an iron post, 30 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, encircled with a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;"> C E 1/16 S 15 1972 </p>	

Subdivision of Section 15
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS		
	from which A pine, 9 ins. diam., bears N. 22° E., 103 lks. dist., mkd. CE 1/16 S15 BT. A pine, 8 ins. diam., bears N. 68¼° W., 59 lks. dist., mkd. X BT.	
29.85	Point for the C-W-E 1/64 sec. cor. of sec. 15, designated Cor. 5 of Tract 38. Set an iron post, 30 ins. long, 2½ ins. diam., 19 ins. in the ground, to bedrock, encircled with a collar of stone to top, with brass cap mkd.	
	C W E 1/64 S 15 1972	
	from which A spruce, 4 ins. diam., bears N. 81¼° W., 25 lks. dist., mkd. X BT. A pine, 9 ins. diam., bears N. 6½° W., 12 lks. dist., mkd. CWE 1/64 S15 BT.	
39.80	The center 1/4 sec. cor. of sec. 15.	
40.92	Intersect line 17-18 of Homestead Entry Survey No. 239 at point from which Cor. 17 bears S. 49° 59' W., 17.78 chs. dist. This point of intersection is designated Cor. 3 of Tract 38, hereinafter described.	
46.15	Intersect line 20-21 of Homestead Entry Survey No. 239 at a point from which Cor. 21 bears S. 43° 53' W., 1.03 chs. dist. This point of intersection is designated Cor. 5 of Tract 37, hereinafter described.	
59.87	Point for the C-W 1/16 sec. cor. of sec. 15, designated Cor. 4 of Tract 37. Set an iron post, 30 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap mkd.	
	C W 1/16 S 15 1972	
	from which A pine, 6 ins. diam., bears N. 88 3/4° E., 35 lks. dist., mkd. X BT. A pine, 10 ins. diam., bears S. 19 3/4° E., 24 lks. dist., mkd. CW 1/16 S15 BT.	
61.83	Intersect line 4-5 of Homestead Entry Survey No. 239 at a point from which Cor. 4 bears N. 14° 36' W., 2.07 chs. dist.	

Subdivision of Section 15
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS			
72.27	Intersect line 14-15 of Homestead Entry Survey No. 239 at a point from which Cor. 15 bears N. 28° 40' W., 2.21 chs. dist.		
79.94	The 1/4 sec. cor. of secs. 15 and 16, hereinbefore described.		
Survey of Tract 37 Township 6 North, Range 30 East Gila and Salt River Meridian, Arizona			
<p>Beginning at the point for Cor. 1 of Tract 37, pre-selected by the U. S. Forest Service on the computed position for the N. and S. center line of the SW¹/₄NE¹/₄ of sec. 15, and monumented with a wooden hub, 8 ins. long, 2 ins. square, set firmly in the ground.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6N R30E S 15</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">COR 1</td> </tr> <tr> <td style="padding: 2px;">TR 37</td> </tr> </table> <p>1972</p> </div> <p>from which</p> <p style="padding-left: 40px;">A pine, 22 ins. diam., bears S. 58¼° W., 30 lks. dist., mkd. Cl TR37 BT.</p> <p style="padding-left: 40px;">A pine, 20 ins. diam., bears N. 70° W., 30 lks. dist., mkd. X BT.</p> <p>deposit the wooden hub alongside the iron post.</p> <p>S. 89° 17' W., along the N. boundary of Tract 37.</p> <p>Over rolling terrain, through pine timber.</p>		COR 1	TR 37
COR 1			
TR 37			
9.84	Cor. 2 of Tract 37, identical with the C-N-S-N 1/256 sec. cor. of sec. 15, hereinbefore described.		
<hr style="width: 20%; margin: auto;"/> <p>N. 89° 37' W., continuing along the N. boundary of Tract 37, identical with the E. and W. center lines of the NE¹/₄SE¹/₄NW¹/₄ and the NW¹/₄SE¹/₄NW¹/₄ of sec. 15.</p>			
19.89	<p>Point for Cor. 3 of Tract 37, identical with the point for the C-N-S-NW 1/256 sec. cor. of sec. 15.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 10 ins. in the ground, to bedrock, encircled with a mound of stone to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6N R30E S 15</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">COR 3</td> </tr> <tr> <td style="padding: 2px;">TR 37</td> </tr> </table> <p>1972</p> </div> <p>from which</p>	COR 3	TR 37
COR 3			
TR 37			

Survey of Tract 37
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona


CHAINS		
	<p>A pine, 14 ins. diam., bears S. $46\frac{3}{4}^{\circ}$ E., 19 lks. dist., mkd. C3 TR 37 BT.</p> <p>A pine, 3 ins. diam., bears S. $84\frac{3}{4}^{\circ}$ W., 49 lks. dist., mkd. X BT.</p> <hr/> <p>S. $9^{\circ} 05'$ W., along the W. boundary of Tract 37, identical with the N. and S. center line of the NW$\frac{1}{4}$ of sec. 15.</p> <p>Over rolling terrain, through pine timber.</p>	
11.20	Trail road, bears generally E. and W.	
15.79	Cor. 4 of Tract 37, identical with the C-W 1/16 sec. cor. of sec. 15, hereinbefore described.	
	<hr/> <p>N. $89^{\circ} 24'$ E., along the S. boundary of Tract 37, identical with the E. and W. center line of sec. 15.</p>	
13.72	<p>Point for Cor. 5 of Tract 37, determined at the intersection of the E. and W. center line of sec. 15 with line 20-21 of Homestead Entry Survey No. 239.</p> <p>Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, encircled with a small collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6N R30E TR 37 C COR 5 / C HES S 15 / S 239 1972</p> </div> <hr/> <p>N. $43^{\circ} 53'$ E., continuing along the S. boundary of Tract 37, identical with line 20-21 of Homestead Entry Survey No. 239.</p>	
10.86	Intersect the N. and S. center line of sec. 15. This point of intersection not monumented.	
19.04	<p>Cor. 6 of Tract 37, identical with Cor. 20 of Homestead Entry Survey No. 239, which is monumented with an iron post, $2\frac{1}{2}$ ins. diam., firmly set with 4 ins. projecting above the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6N R30E 20 HES 239 LS 6713 1967</p> </div> <p>substantiated by the original bearing trees:</p> <p>A pine, 26 ins. diam., bears S. 85° W., 57 lks. dist., with blaze grown over. (record, N. $85\frac{1}{2}^{\circ}$ W.)</p>	

Survey of Tract 37
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS							
5.27	<p>A pine, 30 ins. diam., bears N. 45° W., 18 lks. dist., mkd. 20 HES 239. (record, N. 45¼° W.)</p> <hr/> <p>S. 63° 21' E., continuing along the S. boundary of Tract 37, identical with line 19-20 of Homestead Entry Survey No. 239.</p> <p>Point for Cor. 7 of Tract 37, determined at the intersection of line 19-20 of Homestead Entry Survey No. 239 with the computed position for the N. and S. center line of the SW¼NE¼ of sec. 15.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T6N R30E</p> <table border="0"> <tr> <td>TR 37</td> <td> </td> <td>S 15</td> </tr> <tr> <td>COR 7</td> <td> </td> <td></td> </tr> </table> <p>HES 239</p> <p>1972</p> </div> <p>from which</p> <p>A pine, 11 ins. diam., bears N. 63° E., 38 lks. dist., mkd. X BT.</p> <p>A pine, 22 ins. diam., bears N. 39¼° W., 21 lks. dist., mkd. C7 TR37 BT.</p> <p>Cor. 19 of Homestead Entry Survey No. 239 bears S. 63° 21' E., 2.76 chs. dist.</p> <hr/> <p>N. 8° 12' E., along the E. boundary of Tract 37.</p> <p>Ascend a gradual slope, through pine timber.</p> <p>Trail road, bears generally NE. and SW.</p> <p>Cor. 1 of Tract 37, the point of beginning.</p> <p>Tract 37 contains 31.97 acres.</p>	TR 37		S 15	COR 7		
TR 37		S 15					
COR 7							
	<p style="text-align: center;">Survey of Tract 38 Township 6 North, Range 30 East Gila and Salt River Meridian, Arizona</p>						
	<p>Beginning at the point for Cor. 1 of Tract 38, determined at the point of intersection of line 18-19 of Homestead Entry Survey No. 239 with the computed position for the N. and S. center line of the SW¼NE¼ of sec. 15.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap mkd.</p>						

Survey of Tract 38
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS



1972

from which

A pine, 12 ins. diam., bears N. $75\frac{1}{4}^\circ$ E., 13 lks. dist., mkd. X BT.

A pine, 8 ins. diam., bears N. $24\frac{3}{4}^\circ$ W., 5 lks. dist., mkd. X BT.


Cor. 19 of Homestead Entry Survey No. 239 bears N. $56^\circ 56'$ E., 3.48 chs. dist.

S. $56^\circ 56'$ W., along the NW. boundary of Tract 38, identical with line 18-19 of Homestead Entry Survey No. 239.

Over rolling terrain, through pine timber.

13.08 Intersect the N. and S. center line of sec. 15. This point of intersection not monumented.

13.32 Cor. 2 of Tract 38, identical with Cor. 18 of Homestead Entry Survey No. 239, which is monumented with an iron post, $2\frac{1}{2}$ ins. diam., firmly set with 4 ins. projecting above the ground, with brass cap mkd.



1967

substantiated by the remains of the original bearing trees:

A pine, 24 ins. diam., bears S. 89° E., 55 lks. dist., with blaze grown over.

A stump hole bears S. 3° E., 58 lks. dist., with a dead aspen lying alongside mkd. 18 HES 239 X BT. (record, S. $3\frac{1}{2}^\circ$ E.)

and the 1967 bearing tree:

A spruce, 4 ins. diam., bears S. 46° E., 76 lks. dist., mkd. X BT.

S. $49^\circ 59'$ W., continuing along the NW. boundary of Tract 38, identical with line 17-18 of Homestead Entry Survey No. 239.

1.39 Point for Cor. 3 of Tract 38, determined at the intersection of line 17-18 of Homestead Entry Survey No. 239 with the E. and W. center line of sec. 15.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 28 ins. in the ground, with brass cap mkd.

Survey of Tract 38
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS

T6N R30E
HES TR 38
239
C COR 3 C
S 15

1972

raise a mound of stone, 3 ft. base, 1½ ft. high, S. of the corner.

N. 89° 24' E., along the S. boundary of Tract 38, identical with the E. and W. center line of sec. 15.

- 1.12 Cor. 4 of Tract 38, identical with the center 1/4 sec. cor. of sec. 15, hereinbefore described.

N. 89° 24' E., continuing along the S. boundary of Tract 38, identical with the E. and W. center line of sec. 15.

- 9.95 Cor. 5 of Tract 38, identical with the C-W-E 1/64 sec. cor. of sec. 15, hereinbefore described.

N. 8° 12' E., along the E. boundary of Tract 38, identical with the N. and S. center line of the SW¼NE¼ of sec. 15.

- 8.13 Cor. 1 of Tract 38, the point of beginning.

Tract 38 contains 4.56 acres.

Survey of Tract 39
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

Beginning at the point for Cor. 1 of Tract 39, identical with the computed position for the C-S-SE 1/64 sec. cor. of sec. 15.

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T6N R30E
S 15
COR 1
TR 39

1972

from which

A pine, 4 ins. diam., bears N. 69½° E., 45 lks. dist., mkd. X BT.

An oak, 8 ins. diam., bears S. 54½° W., 44 lks. dist., mkd. C1 TR39 BT.

S. 88° 10' W., along the N. boundary of Tract 39, identical with the E. and W. center line of the SW¼SE¼ of sec. 15.

Survey of Tract 39
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS	
20.40	<p>Along a gradual S. slope, through pine and oak timber.</p> <p>Cor. 2 of Tract 39, identical with the C-S-S 1/64 sec. cor. of sec. 15, hereinbefore described.</p> <hr/> <p>S. 8° 38' W., along the W. boundary of Tract 39, identical with the N. and S. center line of sec. 15.</p>
0.04	<p>Point for Cor. 3 of Tract 39, determined at the point of intersection of the N. and S. center line of sec. 15 with line 7-8 of Homestead Entry Survey No. 239.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 868 1015 1104" style="text-align: center;"> <p>T6N R30E</p> <p>S</p> <p>15 C</p> <p>HES TR 39</p> <p>239 COR 3</p> <p>1972</p> </div> <p>from which</p> <p style="padding-left: 40px;">A telephone pole bears S. 31½° E., 227 lks. dist.</p> <p style="padding-left: 40px;">A telephone pole bears N. 34¼° W., 229 lks. dist.</p> <hr/> <p>S. 28° 47' E., continuing on the W. boundary of Tract 39, identical with line 7-8 of Homestead Entry Survey No. 239.</p>
5.60	<p>Cor. 4 of Tract 39, identical with Cor. 8 of Homestead Entry Survey No. 239, which is monumented with an iron post, 2½ ins. diam., firmly set with 10 ins. projecting above the ground in a small mound of stone, with brass cap mkd.</p> <div data-bbox="868 1723 998 1916" style="text-align: center;"> <p>T6N R30E</p> <p>HES 8</p> <p>239</p> <p>LS 6713</p> <p>1967</p> </div> <hr/> <p>S. 28° 14' E., continuing along the W. boundary of Tract 39, identical with line 8-9 of Homestead Entry Survey No. 239.</p>
4.10	<p>Cor. 5 of Tract 39, identical with Cor. 9 of Homestead Entry Survey No. 239, which is monumented with an iron post, 2½ ins. diam., firmly set with 4 ins. projecting above the ground, with brass cap mkd.</p> <div data-bbox="868 2306 998 2521" style="text-align: center;"> <p>T6N R30E</p> <p>HES 9</p> <p>239</p> <p>LS 6713</p> <p>1967</p> </div>

Survey of Tract 39
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS

substantiated by the original bearing trees:

A pine, 10 ins. diam., bears S. $36\frac{1}{4}^{\circ}$ E., 83 lks.
dist., with blaze grown over. (record, S. $35\frac{1}{4}^{\circ}$ E.)

A pine, 10 ins. diam., bears S. $\frac{1}{2}^{\circ}$ E., 117 lks.
dist., with blaze grown over.

S. $85^{\circ} 04'$ E., continuing along the westerly boundary
of Tract 39, identical with line 9-22 of Homestead Entry
Survey No. 239.

0.60 Cor. 6 of Tract 39, identical with Cor. 22 of Homestead
Entry Survey No. 239, which is monumented with an iron
post, $2\frac{1}{2}$ ins. diam., firmly set with $\frac{1}{4}$ ins. projecting
above the ground in a small collar of stone, with brass
cap mkd.

T6N R30E
HES 239
22
LS 6713

1967

substantiated by the original bearing trees:

An oak, 20 ins. diam., bears S. 54° E., 73 lks.
dist., with blaze grown over.

A pine, 10 ins. diam., bears S. 13° W., 104 lks.
dist., with blaze grown over. (record, S. $13\frac{1}{2}^{\circ}$ W.)

N. $28^{\circ} 14'$ W., continuing along the westerly boundary of
Tract 39, identical with line 22-23 of Homestead Entry
Survey No. 239.

4.26 Cor. 7 of Tract 39, identical with Cor. 23 of Homestead
Entry Survey No. 239, which is monumented with an iron
post, $2\frac{1}{2}$ ins. diam., firmly set with 2 ins. projecting
above the ground, with brass cap mkd.

T6N R30E
23
HES
239

LS 6713

1967

substantiated by the remains of the original bearing
trees:

A pine, 20 ins. diam., bears N. $54\frac{1}{2}^{\circ}$ E., 438 lks.
dist., with blaze grown over.

A pine stump, 30 ins. diam., bears N. $23\frac{1}{2}^{\circ}$ E.,
377 lks. dist., mkd. 23 HES + BT.

and the 1967 bearing tree:

Survey of Tract 39
Township 6 North, Range 30 East
Gila and Salt River Meridian, Arizona

CHAINS


An oak, 18 ins. diam., bears N. 22° E., 531 lks. dist., mkd. X BT.

N. 80° 20' E., continuing along the westerly boundary of Tract 39, identical with line 23-24 of Homestead Entry Survey No. 239.

10.43

Cor. 8 of Tract 39, identical with Cor. 24 of Homestead Entry Survey No. 239, which is monumented with an iron post, 2½ ins. diam., firmly set with 5 ins. projecting above the ground, with brass cap mkd.

T6N R30E



1967

substantiated by the original bearing trees:

An oak, 10 ins. diam., bears N. 89 3/4° E., 112 lks. dist., with blaze grown over.

An oak, 16 ins. diam., bears S. 76¼° W., 37 lks. dist., with blaze grown over.

and the 1967 bearing tree:


A pine, 10 ins. diam., bears N. 15° E., 99½ lks. dist., mkd. X BT.

S. 0° 07' W., continuing along the westerly boundary of Tract 39, identical with line 24-25 of Homestead Entry Survey No. 239.

6.23

Cor. 9 of Tract 39, identical with Cor. 25 of Homestead Entry Survey No. 239, which is monumented with an iron post, 2½ ins. diam., firmly set with 7 ins. projecting above the ground, with brass cap mkd.

T6N R30E



1967


substantiated by the original bearing trees:

An oak, 20 ins. diam., bears N. 4½° E., 41 lks. dist., with blaze grown over.

A pine, 8 ins. diam., bears S. 3¼° E., 153 lks. dist., with blaze grown over.

N. 85° 04' W., continuing along the westerly boundary of Tract 39, identical with line 25-22 of Homestead Entry Survey No. 239.

Survey of Tract 39
 Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS	
8.26	Cor. 6 of Tract 39, identical with Cor. 22 of Homestead Entry Survey No. 239, hereinbefore described. <hr/> N. 85° 04' W.,
0.60	Cor. 5 of Tract 39, identical with Cor. 9 of Homestead Entry Survey No. 239, hereinbefore described. <hr/> S. 75° 36' W., continuing along the westerly boundary of Tract 39, identical with line 9-10 of Homestead Entry Survey No. 239.
6.37	Intersect the N. and S. center line of sec. 15. No monument established at this point of intersection.
6.99	Point for Cor. 10 of Tract 39, determined at the point of intersection of line 9-10 of Homestead Entry Survey No. 239 with the section line between secs. 15 and 22. Set an iron post, 30 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap mkd.
	<div style="text-align: center;">  <p>1972</p> </div> <p>from which</p> <p style="padding-left: 40px;">Cor. 10 of Homestead Entry Survey No. 239 bears S. 75° 36' W., dist. not measured.</p> <p style="padding-left: 40px;">The cor. of secs. 15, 16, 21, and 22 bears S. 87° 35' W., dist. not measured.</p> <hr/>
	N. 87° 35' E., along the S. boundary of Tract 39, identical with the section line between secs. 15 and 22.
0.58	Cor. 11 of Tract 39, identical with the 1/4 sec. cor. of secs. 15 and 22, hereinbefore described. <hr/> N. 87° 45' E., continuing along the S. boundary of Tract 39, identical with the section line between secs. 15 and 22.
20.59	Cor. 12 of Tract 39, identical with the E 1/16 sec. cor. of secs. 15 and 22, hereinbefore described. <hr/> N. 7° 45' E., along the E. boundary of Tract 39, identical with the N. and S. center line of the SE¼ of sec. 15.
10.24	Cor. 1 of Tract 39, the point of beginning. Tract 39 contains 13.12 acres.

Township 6 North, Range 30 East
 Gila and Salt River Meridian, Arizona

CHAINS	General Description
	<p>The area included in this survey varies from mountainous to gently rolling hills. The timber is mostly pine with some scattering oak.</p> <p>The area is accessible by an asphalt surfaced road and is situated approximately 4 miles southeast of Nutrioso, Arizona.</p>

CERTIFICATE OF SURVEY

(I) ~~(We)~~, Ray Harpin, HEREBY

CERTIFY upon honor that, in pursuance of special instructions bearing date of the 25th day of January, 1972, (I) ~~(We)~~ have dependently resurveyed a portion of the boundaries of section 15, the subdivision of section 15, and surveyed Tracts 37, 38, and 39, Township 6 North, Range 30 East

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), ~~(us)~~ and under (my) ~~(our)~~ direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

August 1, 1972
(Date)

Ray Harpin
Ray Harpin (Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date AUG 2 1972

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the dependent resurvey of a portion of the boundaries of section 15, the subdivision of section 15, and the survey of Tracts 37, 38, and 39, Township 6 North, Range 30 East, Gila and Salt River Meridian, Arizona

executed by Ray Harpin, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

AUG 17 1972
(Date)

Clark F. Linn
(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849-626