

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

1

FIELD NOTES

RETRACEMENT

OF THE

EAST AND SOUTH BOUNDARIES

AND A

PORTION OF THE WEST AND NORTH BOUNDARIES

AND

DEPENDENT RESURVEY

OF A

PORTION OF THE

SUBDIVISIONAL LINES

TOWNSHIP 8 SOUTH, RANGE 26 EAST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Louis D. Gilbert

Cadastral Surveyor

Under special instructions dated December 24, 1968, which provided for the surveys included under Group Number 470, approved December 26, 1968, and assignment instructions dated December 26, 1968.

Survey commenced January 23, 1969

Survey completed February 13, 1969

1A

BOOK 4943

INDEX DIAGRAM

Township 8 South, Range 26 East
14 13 12 11

6	49 5	45 4	39 3	28 2	21 1	5
49	49	45	38	28	20	
7	48 8	44 9	37 10	27 11	19 12	4
48	47	44	37	26	19	
18	47 17	43 16	36 15	26 14	18 13	3
	46	42	35	25	18	
19	20	40 21	34 22	24 23	17 24	3
	40	33	32	24	17	
30	29	28	31 27	23 26	16 25	2
		31	30	22	15	
31	32	33	29 34	21 35	15 36	1
9	8	8	7	6	6	

Township 8 South, Range 26 East
Gila and Salt River Meridian, Arizona

CHAINS

The boundaries and subdivisional lines were surveyed by T. F. White in 1875. The south boundary was resurveyed by P. Contzen in 1904. The boundaries were resurveyed by D. E. Harding in 1957. A portion of the subdivisional lines were resurveyed by Dell Cazier in 1961. Section 29 was subdivided by P. Bauer in 1963. Section 19 was subdivided by P. Bauer in 1965.

The following field notes are those of a retracement of the east and south boundaries and a portion of the west and north boundaries, and a dependent resurvey of a portion of the subdivisional lines, designed to restore the corners in their true original location according to the best available evidence, in Township 8 South, Range 26 East, Gila and Salt River Meridian, Arizona.

This survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated December 24, 1968.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner is monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast corner of the township, as determined by traverse from U.S.C.&G.S. triangulation station SWIFT located in section 17, T. 8 S., R. 26 E. is: Latitude 32°41'11.4" N., and Longitude 109°37'48.7" W.

The mean magnetic declination was found to be 13° East.

Retracement, East Boundary, T. 8 S., R. 26 E.

Retracement of the Resurvey Executed by D. E. Harding
in 1957

Beginning at the cor. of Tps. 8 and 9 S., Rs. 26 and 27 E., monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.

T8S
R26E R27E
S36 | S31
S 1 | S 6
T9S
1957

The cor. is located 4 lks. W. of a corner of fences extending N., S. and W.

N. 0°03' E., bet. secs. 31 and 36.

Over nearly level land, along fence line.

Retracement, East Boundary, T. 8 S., R. 26 E.

CHAINS		
39.79	<p>The $\frac{1}{4}$ sec. cor. of secs. 31 and 36, monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E R27E $\frac{1}{4}$ S36 S31 1957</p> <p>The cor. is located in a fence line bearing N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>N. $0^{\circ}03'$ E., beginning new measurement.</p> <p>Over nearly level land, along fence line.</p>	
39.80	<p>The cor. of secs. 25, 30, 31 and 36, monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E R27E S25 S30 S36 S31 1957</p> <p>from which</p> <p style="padding-left: 40px;">A fence cor. bears N. $21^{\circ}48'$ E., 48.5 lks. dist.; fences extend E. and S.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
39.80	<p>N. $0^{\circ}03'$ E., bet. secs. 25 and 30.</p> <p>Over level land.</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 25 and 30, monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 6 ins. above ground, with mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T8S R26E R27E $\frac{1}{4}$ S25 S30 1957</p> <hr style="width: 20%; margin: auto;"/> <p>N. $0^{\circ}03'$ E., beginning new measurement.</p> <p>Over level land.</p>	
39.79	<p>The cor. of secs. 19, 24, 25 and 30, monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p>	

Retracement, East Boundary, T. 8 S., R. 26 E.

CHAINS	
	<p style="text-align: center;">T8S R26E R27E S24 S19 S25 S30 1957</p> <p>Land, level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 0°03' E., bet. secs. 19 and 24. Over gently rolling land.</p>
27.90	Wash, 10 lks. wide, 6 ins. deep, drains NW.
39.91	The ½ sec. cor. of secs. 19 and 24, monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E R27E ½ S24 S19 1957</p>
	<p>N. 0°03' E., beginning new measurement. Over nearly level land.</p>
39.70	The cor. of secs. 13, 18, 19 and 24, monumented by an iron post, 2½ ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E R27E S13 S18 S24 S19 1957</p>
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 0°03' E., bet. secs. 13 and 18. Over nearly level land.</p>
18.30	Thence along W. side of a track road bearing N. from the SE.
39.80	The ½ sec. cor. of secs. 13 and 18, monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.

Retracement, East Boundary, T. 8 S., R. 26 E.

CHAINS	
39.78	<p style="text-align: center;">T8S R26E R27E $\frac{1}{2}$ S13 S18 1957</p> <hr/> <p>N. 0°03' E., beginning new measurement.</p> <p>Over nearly level land, along W. side of track road bearing N. & S.</p> <p>The cor. of secs. 7, 12, 13 and 18, monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E R27E <u>S12 S 7</u> S13 S18 1957</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
16.00 23.70 39.79	<p>North, bet. secs. 7 and 12.</p> <p>Over nearly level land, along W. side of track road bearing N. & S.</p> <p>Power line, bears N. 28° E. and S. 28° W.; maintenance road parallels power line.</p> <p>Cor. of fences extending N. and E., bears East 6 lks. dist., thence along fence.</p> <p>The ¼ sec. cor. of secs. 7 and 12, monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p>
.7.70	<p style="text-align: center;">T8S R26E R27E $\frac{1}{2}$ S12 S 7 1957</p> <p>The cor. is located 5 lks. W. of a fence bearing N. and S.</p> <hr/> <p>N. 0°06' E., beginning new measurement.</p> <p>Over nearly level land, along W. side of track road.</p> <p>Track road, bears W. and bears E. 35 lks. to a junction of track roads bearing N., S. and W.</p>

Retracement, East Boundary, T. 8 S., R. 26 E.

CHAINS	
27.60	Corner of fences extending N., S. and E.
39.81	The cor. of secs. 1, 6, 7 and 12, monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.
	T8S R26E R27E S 1 S 6 S12 S 7 1957
	Cor. is located 5 lks. E. of fence bearing N. and S.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
	N. 0°03' E., bet. secs. 1 and 6.
	Over gently rolling land.
0.78	Fence cor., bears West, 05 lks. dist.; fences extend S. and N. 89° W.
39.79	The ¼ sec. cor. of secs. 1 and 6, monumented by an iron post, 2½ ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.
	T8S R26E R27E ¼ S 1 S 6 1957
	N. 0°03' E., beginning new measurement.
	Over gently rolling land.
39.79	The cor. of Tps. 7 and 8 S., Rs. 26 and 27 E., monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, mound of stone W., brass cap mkd.
	T7S R26E R27E S36 S31 S 1 S 6 T8S 1957
	Cor. is located under a power line bearing E. and W..
	Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.

Retracement, South Boundary, T. 8 S., R. 26 E.

CHAINS	Retracement, South Boundary, T. 8 S., R. 26 E.
	Retracement of the Resurvey Executed by D. E. Harding in 1957
	From the cor. of Tps. 8 and 9 S., Rs. 26 and 27 E., hereinbefore described.
	S. 89°50' W., along the S. bdy. of sec. 36.
	Over level land, along a fence line.
39.10	Wash, 20 lks. wide, 6 ins. deep, drains NE.
39.74	The ¼ sec. cor. of sec. 36 only, monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.
	T8S R26E ¼ S36 1957
	The cor. is located 2 lks. N. of an E-W fence line.
	S. 89°48' W., beginning new measurement.
3.60	Foot Draw, 10 lks. wide, 6 ins. deep, drains N.
39.63	The cor. of secs. 35 and 36 only, monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.
	T8S R26E S35 S36 1957
	Land, level. Soil, sandy loam. Timber, none. Undergrowth, creosote bush, cacti and bunchgrass.
	S. 89°50' W., along the S. bdy. of sec. 35.
	Over nearly level land.
0.07	Fence, bears N. and bears S., 2 lks. dist. to cor. of fences extending N., E. and S.
30.70	Wash, 20 lks. wide, 6 ins. deep, drains N.
39.90	The ¼ sec. cor. of sec. 35 only, monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.
	T8S R26E ¼ S35 1957

Retracement, South Boundary, T. 8 S., R. 26 E.

CHAINS	
	S. 89°48' W., beginning new measurement.
15.70	Wash, 20 lks. wide, 6 ins. deep, drains N.
27.60	Power line, bears N. 21°50' E. and S. 21°50' W.; maintenance road parallels power line.
34.40	Wash, 50 lks. wide, 1 ft. deep, drains N. 10° W.
39.89	The cor. of secs. 34 and 35 only, monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, in a collar of stone, brass cap mkd. T8S R26E S34 S35 1957 Land, level. Soil, sandy loam. Timber, none. Undergrowth, creosote bush, cacti and bunchgrass.
	N. 89°57' W., along the S. bdy. of sec. 34. Over nearly level land.
15.20	Wash, 70 lks. wide, 1 ft. deep, drains N. 20° W.
21.46	Corner of fences extending S. and W., thence along fence.
39.72	The ¼ sec. cor. of sec. 34 only, monumented by an iron post, 2½ ins. diam., firmly set, projecting 10 ins. above ground, with a 4 x 4 ins. wooden post set alongside, brass cap mkd.. T8S R26E ¼ S34 1957 The cor. is located in a fence line, bearing E. and W.
	N. 89°52' W., beginning new measurement.
6.10	Wash, 20 lks. wide, 1 ft. deep, drains northerly.
40.09	The cor. of secs. 33 and 34 only, monumented by an iron post, 2½ ins. diam., firmly set, projecting 9 ins. above ground, brass cap mkd. T8S R26E S33 S34 1957 The cor. is located 7 lks. SW. of a cor. of fences extending N., E. and W.

Retracement, South Boundary, T. 8 S., R. 26 E.

CHAINS	
	<p>Land, nearly level. Soil, sandy loam. Timber, none. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 89°55' W., along the S. bdy. of sec. 33.</p> <p>Over level land.</p>
0.30	Track road, bears N. and S.
39.20	Corner of fences extending E. and S.
39.81	Point for the ¼ sec. cor. of sec. 33 only, at proportionate dist., falls in a graded road bearing N. and W., and a track road bearing S. 89° E., there is no remaining evidence of the iron post; not monumented.
	Thence down graded road.
79.55	True point for the cor. of secs. 32 and 33 only, as determined from reference monuments: Spike set in 1957 was not recovered.
	<p>An iron post, bears North, 52 lks. dist., (record 57 lks.), brass cap mkd.</p> <p style="text-align: center;">T8S R26E S32 S33 R M 1957</p> <p>An iron post, 2½ ins. diam., bears South, 52 lks. dist., (record 57 lks.), brass cap mkd.</p> <p style="text-align: center;">R M 1957</p>
	<p>The cor. point is located in a graded road bearing E. and W.</p> <p>Land, level. Soil, sandy loam. Timber, none. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>S. 89°58' W., along the S. bdy. of sec. 32.</p> <p>Over level land, down graded road.</p>
37.87	R-0-W fence, bears N. and S., and end of graded road.
38.65	U. S. Highway No. 666, bears N. and S.
39.39	R-0-W fence, bears N. and S., thence down track road, bearing W.

Retracement, South Boundary, T. 8 S., R. 26 E.

CHAINS	
39.55	<p>The $\frac{1}{4}$ sec. cor. of sec. 32 only, monumented by an iron post $2\frac{1}{2}$ ins. diam., firmly set flush with the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E <u>$\frac{1}{4}$ S32</u> 1957</p> <hr/> <p>S. $89^{\circ}58'$ W., beginning new measurement. Over level land, down track road.</p> <p>6.00 Wash, 20 lks. wide, with 5 ft. banks, drains N.</p> <p>10.00 Junction of track roads, bearing E., S. and NW.</p> <p>19.75 Power line, bears N. and S.</p> <p>20.00 Stockton Wash, 30 lks. wide, 2 ft. deep, drains N.</p> <p>25.00 Underground pipeline, bears N. and S.</p> <p>39.85 Point for the cor. of secs. 31 and 32 only, at proportionate dist., the iron post was found lying alongside an irrigation ditch; not remonumented.</p> <p>Land, level. Soil, sandy loam. Timber, none. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>S. $89^{\circ}58'$ W., along the S. bdy. of sec. 31. Over level land.</p> <p>30.50 Bladed road, bears NE. and SW., enter rolling land.</p> <p>39.79 The $\frac{1}{4}$ sec. cor. of sec. 31 only, monumented by an iron post $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone 20 ins. high, brass cap mkd.</p> <p style="text-align: center;">T8S R26E <u>$\frac{1}{4}$ S31</u> 1957</p> <hr/> <p>S. $89^{\circ}51'$ W., beginning new measurement.</p> <p>16.50 Wash, 10 lks. wide, 6 ft. banks, drains N. 50° E.</p> <p>39.00 The cor. of T. 8 S., Rs. 25 and 26 E., monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set in a mound of stone 10 ins. high, brass cap mkd.</p> <p style="text-align: center;">T8S R25E R26E <u>S36 S31</u> 1957</p> <p>Land, level to rolling. Soil, rocky, sandy loam. Timber, none. Undergrowth, creosote bush, cacti and bunchgrass.</p>

Retracement, Portion West Boundary, T. 8 S., R. 26 E.

CHAINS	Retracement, Portion West Boundary, T. 8 S., R. 26 E.
	Retracement of the Resurvey Executed by D. E. Harding in 1957
	N. 0°01' E., bet. secs. 31 and 36.
	Over rolling land.
13.60	Telephone line, single wire, bears NE. and SW.
16.10	Wash, 10 lks. wide, with 6 ft. banks, drains NE.
25.40	Wash, 15 lks. wide, 1 ft. deep, drains N. 70° E.
40.00	The ¼ sec. cor. of secs. 31 and 36, monumented by an iron post, 1 ins. diam., firmly set, projecting 8 ins. above ground, mound of stone W., brass cap mkd.
	T8S R25E R26E ¼ S36 S31 1957
	North, beginning new measurement.
	Over rolling land.
3.00	Wash, 20 lks. wide, 1 ft. deep, drains NE.
25.80	Wash, 25 lks. wide, 2 ft. deep, drains NE.
39.51	The cor. of secs. 25, 30, 31 and 36, monumented by an iron post, 2½ ins. diam., firmly set in a mound of stone to the top, brass cap mkd.
	T8S R25E R26E S25 S30 S36 S31 1957
	Land, rolling. Soil, sandy, rocky loam. Timber, moderate to scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
	From the cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, mound of stone W., brass cap mkd.
	T8S R25E R26E S12 S 7 S13 S18 1957

Retracement, Portion West Boundary, T. 8 S., R. 26 E.

CHAINS	
	The cor. is located at a cor. of fences extending N. and E.
	N. 0°05' E., bet. secs. 7 and 12.
	Over nearly level land, along fence line.
5.50	Irrigation ditch (concrete lined), flows SE.
19.70	Cor. of fences extending N., E., S. and W., thence down track road bearing N. from SW. and along E. side of fence.
40.07	Point for the $\frac{1}{2}$ sec. cor. of secs. 7 and 12; at proportionate dist., falls in track road bearing E. and S., there is no remaining evidence of the iron post; not monumented.
59.80	Cor. of fences extending N., E., S. and W., thence down track road bearing N. and along E. side of fence.
80.14	Point for the cor. of secs. 1, 6, 7 and 12, at proportionate dist., falls in track road bearing N. and S., there is no remaining evidence of the iron post; not monumented.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
	North, bet. secs. 1 and 6.
	Over nearly level land, down track road bearing N. and S.
12.80	Track road, bears NE. and S., thence over rolling land.
39.66	The $\frac{1}{2}$ sec. cor. of secs. 1 and 6, monumented by an iron post, 2 $\frac{1}{2}$ ins. diam., firmly set in a mound of stone to the top, brass cap mkd.
	<p style="text-align: center;">T8S R25E. R26E $\frac{1}{2}$ S 1 S 6 1957</p>
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
	Retracement, Portion of the North Boundary T. 8 S., R. 26 E.
	Retracement of the Resurvey Executed by D. E. Harding in 1957
	From the cor. of Tps. 7 and 8 S., Rs. 26 and 27 E., hereinbefore described.

Retracement, Portion N. Bdy., T. 8 S., R. 26 E.

CHAINS		
	<p>N. 89°46' W., bet. secs. 1 and 36.</p>	
	<p>Over nearly level land, along power line.</p>	
39.70	<p>The ½ sec. cor. of secs. 1 and 36, monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p>	
	<p style="text-align: center;">T7S R26E $\frac{1}{4}$ $\frac{S36}{S 1}$ T8S 1957</p>	
	<p>The cor. is located under a power line bearing E. and W.</p>	
	<p>N. 89°45' W., beginning new measurement.</p>	
	<p>Over nearly level land, along power line.</p>	
29.10	<p>Foote Draw, 10 lks. wide, 6 ins. deep, drains N. 20° E.</p>	
39.73	<p>The cor. of secs. 1, 2, 35 and 36, monumented by an iron post, 2½ ins. diam., firmly set, projecting 3 ins. above ground, brass cap mkd.</p>	
	<p style="text-align: center;">T7S R26E $\frac{S35}{S 2}$ $\frac{S36}{S 1}$ T8S 1957</p>	
	<p>The cor. is located under a power line bearing E. and W.</p>	
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>N. 89°45' W., bet. secs. 2 and 35.</p>	
	<p>Over nearly level land, along power line.</p>	
9.00	<p>Track road, bears N. and S.</p>	
39.68	<p>The ½ sec. cor. of secs. 2 and 35, monumented by an iron post, 2½ ins. diam., firmly set, projecting 3 ins. above ground, brass cap mkd.</p>	
	<p style="text-align: center;">T7S R26E $\frac{1}{4}$ $\frac{S35}{S 2}$ T8S 1957</p>	
	<p>The cor. is located under a power line bearing E. and W.</p>	

Retracement, Portion N. Bdy., T. 8 S., R. 26 E.

CHAINS	
	<p>N. 89°49' W., beginning new measurement. Over nearly level land, along power line.</p>
3.30	<p>Wash, 10 lks. wide, 1 ft. deep, drains N. 5° W.</p>
39.73	<p>The cor. of secs. 2, 3, 34 and 35, monumented by an iron post, 2½ ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R26E <u>S34 S35</u> S 3 S 2 T8S 1957</p> </div> <p>The cor. is located 18 lks. N. of a power line bearing E. and W.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 89°45' W., bet. secs. 3 and 34. Over nearly level land, along power line.</p>
5.90	<p>Track road, bears N. and S.</p>
18.60	<p>Fence, bears N. and S.</p>
39.73	<p>The ¼ sec. cor. of secs. 3 and 34, monumented by an iron post, 2½ ins. diam., firmly set, in a collar of stone with mound of stone N., brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R26E ¼ <u>S34</u> S 3 T8S 1957</p> </div> <p>The cor. is located under a power line bearing E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>S. 89°56' W., beginning new measurement. Over gently rolling land, along power line.</p>
36.20	<p>Stockton Wash, 70 lks. wide, 2 ft. deep, drains N.</p>
39.96	<p>The cor. of secs. 3, 4, 33 and 34, monumented by an iron post, 2½ ins. diam., firmly set, projecting 4 ins. above ground, brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R26E <u>S33 S34</u> S 4 S 3 T8S 1957</p> </div> <p>The cor. is located under a power line bearing E. and W.</p>

Retracement, Portion N. Bdy., T. 8 S., R. 26 E.

CHAINS	
	<p>Land, nearly level to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>S. 89°56' W., bet. secs. 4 and 33.</p>
	<p>Over nearly level land, along power line.</p>
15.50	Marijilda Wash, 30 lks. wide, 2 ft. deep, drains N. 65° E.
16.20	Fence, bears NE. and SW.
18.90	Graded road, bears S. and W., thence along N. side of road.
39.88	The ½ sec. cor. of secs. 4 and 33, monumented by an iron post, 2½ ins. diam., firmly set, flush with the ground, brass cap mkd.
	<p>T7S R26E ½ $\frac{S33}{S 4}$ T8S 1957</p>
	The cor. is located under a power line bearing E. and W.
	<hr style="width: 20%; margin: 0 auto;"/>
	S. 89°54' W., beginning new measurement.
	Over nearly level land, along power line.
0.16	Fence, bears N. and S.
20.30	Irrigation ditch, 10 lks. wide, 1 ft. deep, drains N.
39.60	Graded road, bears N. and S.
39.93	The cor. of secs. 4, 5, 32 and 33, monumented by an iron post, 2½ ins. diam., firmly set, projecting 3 ins. above ground, brass cap mkd.
	<p>T7S R26E $\frac{S32}{S 5} \frac{S33}{S 4}$ T8S 1957</p>
	from which
	<p>A concrete monument bears S. 78°34' E., 68 lks. dist., mkd.</p>
	<p>1950 SC 44' 6" W. 9' N.</p>
	The cor. is located on the SW. side of a power line pole of a power line bearing E. and W.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite and cottonwood. Undergrowth, creosote bush, cacti and bunchgrass.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	Dependent Resurvey, Portion Subdivisional Lines T. 8 S., R. 26 E.
39.83	<p>Reestablishment of the Survey executed by T. F. White in 1875</p> <hr/> <p>From the cor. of secs. 35 and 36 only, on the S. bdy. of the Tp.</p> <p>N. 0°08' W., bet. secs. 35 and 36.</p> <p>Over level land along the E. side of a N-S fence.</p> <p>Point for the $\frac{1}{2}$ sec. cor. of secs. 35 and 36, at propor- tionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{2}$ S35 S36 1969</p> <p>Deposit glass in hole alongside the iron post.</p> <p>The cor. is located 5 lks. E. of a fence bearing N. and S.</p>
79.66	<p>Point for the cor. of secs. 25, 26, 35 and 36, at pro- portionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S26 S25 S35 S36 1969</p> <p>Deposit glass in hole alongside the iron post.</p> <p>The cor. is located 2 lks. E. of a fence bearing N. and S.</p>
22.80 32.20 39.80	<p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp.</p> <p>S. 89°54' W., bet. secs. 25 and 36.</p> <p>Over nearly level land.</p> <p>Foot Draw, 5 lks. wide; 6 ins. deep, drains N.</p> <p>Wash, 5 lks. wide, 6 ins. deep, drains N. 10° W.</p> <p>Point for the $\frac{1}{2}$ sec. cor. of secs. 25 and 36, at propor- tionate dist., there is no remaining evidence of the orig. cor.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ $\frac{S25}{S36}$ 1969</p>	
	<p>Deposit glass in hole alongside the iron post.</p>	
40.10	<p>Wash, 10 lks. wide, 6 ins. deep, drains N. 10° E.</p>	
79.61	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush and cacti.</p>	
	<p>N. 0°07' E., bet. secs. 25 and 26.</p> <p>Over nearly level land, along fence line bearing N. and S.</p>	
39.83	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26, at proportionate dist., there is no remaining evidence of the orig. cor.</p>	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ $\frac{S26}{S25}$ 1969</p>	
	<p>Deposit glass in hole alongside the iron post.</p> <p>The cor. is located 14 lks. E. of a fence bearing N. and S.</p>	
72.70	<p>Draw, drains N. 20° W.</p>	
79.66	<p>Point for the cor. of secs. 23, 24, 25 and 26, at proportionate dist., there is no remaining evidence of the orig. cor.</p>	
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{S23}{S26}$ $\frac{S24}{S25}$ 1969</p>	
	<p>from which</p> <p style="text-align: center;">A cor. of fences, extending S. and W., bears S. 62° W., 30 lks. dist.</p>	
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
23.50 27.10 39.76	<p>From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp.</p> <p>S. 89°55' W., bet. secs. 24 and 25.</p> <p>Over nearly level land.</p> <p>Footē Draw, 10 lks. wide, 6 ins. deep, drains N.</p> <p>Wash, 10 lks. wide, 6 ins. deep, drains N. 10° E.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 24 and 25, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ $\frac{S24}{S25}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
79.52	<p>The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
17.30 24.00 39.83	<p>N. 0°14' W., bet. secs. 23 and 24.</p> <p>Over gently rolling land.</p> <p>Power line and maintenance road, bears N. 21°50' E. and S. 21°50' W.</p> <p>Wash, 7 lks. wide, 6 ins. deep, drains W.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 24, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 14 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ S23 S24 1969</p>
79.66	<p>Point for the cor. of secs. 13, 14, 23 and 24, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S14 S13 S23 S24 1969</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
<p>23.60</p> <p>34.80</p> <p>39.94</p>	<p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp.</p> <p>S. 89°59' W., bet. secs. 13 and 24.</p> <p>Over rolling land.</p> <p>Footc Draw, 10 lks. wide, 6 ins. deep, drains N.</p> <p>Wash, 10 lks. wide, 1 ft. deep, drains N.</p> <p>Point for the ¼ sec. cor. of secs. 13 and 24, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E ¼ <u>S13</u> S24 1969</p>
<p>50.70</p> <p>79.88</p>	<p>Raise a mound of stone N. of the cor.</p> <p>Power line and maintenance road, bears N. 28° E. and S. 28° W.</p> <p>The cor. of secs. 13, 14, 23 and 24.</p> <p>Land, rolling to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
<p>39.83</p>	<p>N. 0°03' E., bet. secs. 13 and 14.</p> <p>Over nearly level land.</p> <p>Point for the ¼ sec. cor. of secs. 13 and 14, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E ¼ S14 S13 1969</p>
<p>79.66</p>	<p>Raise a mound of stone W. of the cor.</p> <p>Point for the cor. of secs. 11, 12, 13 and 14, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{S11}{S14} \frac{S12}{S13}$ 1969</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, nearly level to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp.</p> <p>N. 89°56' W., bet. secs. 12 and 13.</p> <p>Over nearly level land.</p>	
8.40	Power line and maintenance road, bears N. 28° E. and S. 28° W.	
32.90	Foote Draw, 10 lks. wide, 6 ins. deep, drains N.	
39.95	Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4} \frac{S12}{S13}$ 1969</p> <p>Raise a mound of stone N. of the cor.</p>	
53.20	Jeep trail, bears S. 20° E. and N. 20° W.	
58.50	Wash, 10 lks. wide, 1 ft. deep, drains N. 5° E.	
79.90	The cor. of secs. 11, 12, 13 and 14.	
	<p>Land, nearly level to rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>N. 0°12' E., bet. secs. 11 and 12.</p> <p>Over gently rolling land.</p>	
39.83	Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 12, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p style="text-align: center;">T8S R26E $\frac{1}{2}$ S11 S12 1969</p> <p>from which</p> <p style="padding-left: 40px;">A windmill, bears N. 80°22' E., 23.12 chs. dist.</p> <p>Deposit glass in hole alongside the iron post.</p> <p>79.66 Point for the cor. of secs. 1, 2, 11 and 12, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S 2 S 1 S11 S12 1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp.</p> <p>N. 89°51' W., bet. secs. 1 and 12.</p> <p>Over rolling land.</p> <p>0.05 Fence, bears S. and bears N., 78 lks. dist. to a cor. of fences extending S. and N. 89° W.</p> <p>39.82 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ S 1 S12 1969</p> <p>from which</p> <p style="padding-left: 40px;">A fence, bears North, 138 lks. dist.; fence, bears S. 89° E. and N. 89° W.</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>45.10 Foote Draw, 10 lks. wide, 6 ins. deep, drains N.</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
73.10	Track road, bears S. 20° E. and N. 20° W.
79.64	<p>The cor. of secs. 1, 2, 11 and 12.</p> <p>Land, rolling to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 0°14' E., bet. secs. 1 and 2.</p> <p>Over gently rolling land.</p>
1.99	Fence, bears S. 89° E. and N. 89° W.
6.80	Track road, bears S. 35° E. and N. 35° W., curving to the W.
39.83	<p>Point for the ¼ sec. cor. of secs. 1 and 2, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E ¼ S 2 S 1 1969</p>
79.69	<p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp.</p> <p>Land, gently rolling to nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the cor. of secs. 34 and 35 only, on the S. bdy. of the Tp.</p> <p>N. 0°02' E., bet. secs. 34 and 35.</p> <p>Over gently rolling land.</p>
14.80	Wash, 30 lks. wide, 1 ft. deep, drains N. 55° W.
39.88	<p>Point for the ¼ sec. cor. of secs. 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E ¼ S34 S35 1969</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	Deposit glass in the hole alongside the iron post.	
59.82	Point for the N 1/16 sec. cor. of secs. 34 and 35, at proportionate dist.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T8S R26E N 1/16 S34 S35 1969</p>	
	Set a post, 3 ins. square, 2 ft. long, alongside the cor.	
79.76	Point for the cor. of secs. 26, 27, 34 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T8S R26E S27 S26 S34 S35 1969</p>	
	Set a post, 4 ins. square, 3 ft. long, alongside the cor.	
	Land, gently rolling to nearly level.	
	Soil, sandy loam.	
	Timber, scattered mesquite.	
	Undergrowth, creosote bush, cacti and bunchgrass.	
	From the cor. of secs. 25, 26, 35 and 36.	
	S. 89°54' W., bet. secs. 26 and 35.	
	Over nearly level land.	
0.02	Fence, bears N. and S.	
19.20	Wash, 10 lks. wide, 6 ins. deep, drains N.	
26.90	Wash, 10 lks. wide, 6 ins. deep, drains N. 20° W.	
32.20	Spur, slopes N.	
36.60	Power line and maintenance road, bears N. 21°50' E. and S. 21°50' W.	
39.79	Point for the 1/4 sec. cor. of secs. 26 and 35, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T8S R26E 1/4 S26 S35 1969</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	Deposit glass in the hole alongside the iron post.
41.60	Wash, 8 lks. wide, 1 ft. deep, drains N. 25° E.
62.20	Small wash, drains N. 15° W.
78.20	Wash, 10 lks. wide, 1 ft. deep, drains N. 20° E.
79.58	The cor. of secs. 26, 27, 34 and 35.
	Land, nearly level.
	Soil, sandy loam.
	Timber, scattered mesquite.
	Undergrowth, creosote bush, cacti and bunchgrass.
	N. 0°15' E., bet. secs. 26 and 27.
	Over nearly level land.
19.94	Point for the S 1/16 sec. cor. of secs. 26 and 27, at proportionate dist.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E S 1/16 S27 S26 1969</p>
	Deposit glass in the hole alongside the iron post.
27.50	Wash, 10 lks. wide, 1 ft. deep, drains N. 25° W.
39.88	Point for the 1/4 sec. cor. of secs. 26 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E 1/4 S27 S26 1969</p>
	Deposit glass in the hole alongside the iron post.
50.00	Wash, 10 lks. wide, 1 ft. deep, drains N. 20° W.
59.82	Point for the N 1/16 sec. cor. of secs. 26 and 27, at proportionate dist.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E N 1/16 S27 S26 1969</p>
	Deposit glass in the hole alongside the iron post.
79.76	Point for the cor. of secs. 22, 23, 26 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{S22}{S27} \frac{S23}{S26}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
<p>6.65</p> <p>11.00</p> <p>35.00</p> <p>37.00</p> <p>39.67</p>	<p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>S. 89°57' W., bet. secs. 23 and 26.</p> <p>Over nearly level land.</p> <p>Power line and maintenance road, bears N. 21°50' E. and S. 21°50' W.</p> <p>Draw, drains NW.</p> <p>Wash, 10 lks. wide, 1 ft. deep, drains N.</p> <p>Corner of fences extending N. and E.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4} \frac{.S23}{S26}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Wash, 10 lks. wide, 6 ins. deep, drains NW.</p> <p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
<p>19.94</p>	<p>N. 0°29' W., bet. secs. 22 and 23.</p> <p>Over nearly level land.</p> <p>Point for the S 1/16 sec. cor. of secs. 22 and 23, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S 1/16 $\frac{S22}{S23}$ 1969</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
21.50	<p>Set a post, 3 ins. square, 3 ft. long, alongside the cor. Wash, 10 lks. wide, 6 ins. deep, drains N. 60° W.</p>
39.88	<p>Point for the ¼ sec. cor. of secs. 22 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor. Set the iron post 20 ins. in the ground, brass cap mkd.</p>
56.00	<p style="text-align: center;">T8S R26E ¼ S22 S23 1969</p> <p>Deposit glass in hole alongside the iron post. Track road, bears N. 30° E. and S. 30° W.</p>
79.76	<p>Point for the cor. of secs. 14, 15, 22 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor. Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T8S R26E S15 S14 S22 S23 1969</p> <p>Set a post, 4 ins. square, 3 ft. long, alongside the cor. Land, nearly level to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
38.80	<p>From the cor. of secs. 13, 14, 23 and 24. West, bet. secs. 14 and 23. Over gently rolling land.</p>
39.83	<p>Fence, bears N. and S. Point for the ¼ sec. cor. of secs. 14 and 23, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
69.40	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E ¼ .S14 S23 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
	<p>Wash, 10 lks. wide, 1 ft. deep, drains N.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
79.66	<p>The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
15.80	<p>N. 0°04' E., bet. secs. 14 and 15.</p> <p>Over nearly level land.</p> <p>Detention dam, bears N. 70° E. and S. 70° W.</p>
20.20	<p>Jeep trail, bears N. 70° E. and S. 70° W.</p>
39.88	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ S15 S14 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
59.90	<p>Wash, 50 lks. wide, 4 ft. deep, drains N. 35° W.</p>
79.76	<p>Point for the cor. of secs. 10, 11, 14 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S10 S11 S15 S14 1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
20.00	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>N. 89°56' W., bet. secs. 11 and 14.</p> <p>Over nearly level land.</p> <p>Draw, drains N. 70° W.</p>
35.80	<p>Fence, bears N. and S.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
39.82	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ $\frac{S11}{S14}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
62.30	<p>Jeep trail, bears S. 20° E. and N. 20° W.</p>
79.64	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
<hr/>	
<p>N. 0°07' E., bet. secs. 10 and 11.</p>	
<p>Over nearly level land.</p>	
21.60	<p>Wash, 20 lks. wide, 2 ft. deep, drains N. 85° W.</p>
39.88	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4}$ S10 S11 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
45.60	<p>Track road, bears SE. and NW.</p>
56.70	<p>Wash, 20 lks. wide, 3 ft. deep, drains N. 75° W.</p>
59.82	<p>Point for the N $\frac{1}{16}$ sec. cor. of secs. 10 and 11, at proportionate dist.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E N $\frac{1}{16}$ S10 S11 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
79.76	<p>Point for the cor. of secs. 2, 3, 10 and 11, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{S\ 3}{S10} \frac{S\ 2}{S11}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
39.86	<p>From the cor. of secs. 1, 2, 11 and 12..</p> <p>N. 89°51' W., bet. secs. 2 and 11.</p> <p>Over gently rolling land.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4} \frac{S\ 2}{S11}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>	
41.15	<p>Fence, bears S. and bears N. 3.45 chs. to a cor. of fences extending E., S. and W.</p>	
79.73	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, gently rolling to nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
4.50	<p>N. 0°30' E., bet. secs. 2 and 3.</p> <p>Over nearly level land.</p> <p>Fence, bears E. and W..</p>	
17.70	<p>Track road, bears S. 75° E. and N. 75° W.</p>	
19.94	<p>Point for the S 1/16 sec. cor. of secs. 2 and 3, at proportionate dist.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S 1/16 $\frac{S\ 3}{S10} \frac{S\ 2}{S11}$ 1969</p>	

Dependent. Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
39.88	<p>Deposit glass in the hole alongside the iron post.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T8S R26E $\frac{1}{4}$ S 3 S 2 1969</p>
79.64	<p>Deposit glass in the hole alongside the iron post.</p> <p>Power line, bears E. and W.</p>
79.82	<p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp.</p>
	<p>Land, nearly level to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the cor. of secs. 33 and 34 only, on the S. bdy. of the Tp., hereinbefore described.</p>
	<p>from which</p>
	<p style="padding-left: 40px;">The SE. end of a cemetery plot, bears N. $0^{\circ}17'$ W., 5.50 chs. dist.; cemetery plots extend N. 40° W.; for 4.50 chs. dist.</p>
	<p>N. $0^{\circ}15'$ E., bet. secs. 33 and 34.</p>
	<p>Over gently rolling land, bet. fence line and track road to cemetery site</p>
19.935	<p>Point for the S $\frac{1}{16}$ sec. cor. of secs. 33 and 34, at proportionate dist.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T8S R26E S $\frac{1}{16}$ S33 S34 1969</p>
	<p>Deposit glass in the hole alongside the iron post.</p>
	<p>The corner is located 6 lks. W. of a fence bearing N. and S.</p>
39.87	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T8S R26E $\frac{1}{4}$ S33 S34 1969</p>
	<p>Deposit glass in the hole alongside the iron post.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>The corner is located 8 lks. W. of a fence bearing N. and S.</p>	
55.40	<p>Irrigation ditch (concrete lined) drains N. from S. 65° W.</p>	
56.00	<p>A track road, from S. 80° W., bears N. along W. side of irrigation ditch.</p>	
59.805	<p>Point for the N 1/16 sec. cor. of secs. 33 and 34, at proportionate dist., falls in a concrete irrigation ditch.</p>	
	<p>Chisel a + in the concrete irrigation ditch at true point for the cor.</p>	
	<p>from which</p>	
	<p>An iron post, set 20 ins. in the ground, for a reference monument, bears N. 45° E., 12.1 lks. dist., with brass cap mkd. T8S R26E S34 RM 8 FT 1969 and an arrow pointing to the true point. The reference monument is located 1 lk. W. of a N. and S. fence.</p>	
	<p>An iron post, set 20 ins. in the ground, for a reference monument, bears S. 45° E., 12.1 lks. dist., with brass cap mkd. T8S R26E S34 RM 8 FT 1969 and an arrow pointing to the true point. The reference monument is located 1 lk. W. of a N. and S. fence.</p>	
76.50	<p>The track road along the west side of the irrigation ditch forks to the N. and NW.</p>	
79.50	<p>Fall 12 lks. W. of a cor. of fences extending E. and S., track road veers to the NE. from the S.</p>	
79.74	<p>Point for the cor. of secs. 27, 28, 33 and 34, at proportionate dist., falls on E. edge of an irrigation ditch draining N.; there is no remaining evidence of the orig. cor.; not monumented.</p>	
	<p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>From the cor. of secs. 26, 27, 34 and 35.</p>	
	<p>N. 89°53' W., bet. secs. 27 and 34.</p>	
	<p>Over nearly level land.</p>	
19.87	<p>Point for the E 1/16 sec. cor. of secs. 27 and 34, at proportionate dist.</p>	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T8S R26E E 1/16 <u>S27</u> S34 1969</p>	
	<p>Deposit glass in the hole alongside the iron post.</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
37.80	Wash, 10 lks. wide, 6 ins. deep, drains N.
39.74	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
57.20	Wash, 10 lks. wide, 6 ins. deep, drains N.
69.20	Fence, bears N. and bears S. 27 lks. to cor. of fences, extending N. and W.
69.40	Track road, bears N. and W., thence along road.
79.30	Track road veers to the SW.
79.48	The point for the cor. of secs. 27, 28, 33 and 34.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
	N. $89^{\circ}56'$ W., bet. secs. 28 and 33.
	Over nearly level land.
0.05	Concrete lined irrigation ditch, bears N. and S.
6.40	Track road, bears SE. and NW.
9.10	Track road, bears N. and S.
35.70	Abandoned fence, bears N. and S.
39.91	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 33, at proportionate dist., there is no remaining evidence of the orig. cor.; not monumented.
40.30	Bladed road, bears S. 20° E. and N.
60.10	Fence, bears N. and S.
71.50	Wash, 40 lks. wide, 6 ft. deep, drains N. 10° E.
79.83	The cor. of secs. 28, 29, 32 and 33, monumented by an iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 5 ins. above ground, brass cap mkd.
	<div style="text-align: center;"> T8S R26E <u>S29 S28</u> <u>S32 S33</u> 1961 </div>
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
	From the point for the cor. of secs. 27, 28, 33 and 34.

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>N. 0°09' E., bet. secs. 27 and 28.</p>	
	<p>Over nearly level land along E. side of an irrigation ditch.</p>	
19.80	<p>Fence, bears W. and E., 22 lks. dist. to cor. of fences, extending N., E. and W., and irrigation ditch bears S. and W.</p>	
39.76	<p>Fence, bears W. and E., 22 lks. dist. to cor. of fences extending S. and W.</p>	
39.87	<p>Point for the ¼ sec. cor. of secs. 27 and 28, at proportionate dist., there is no remaining evidence of the orig. cor.; not monumented.</p>	
64.00	<p>Wash, 10 lks. wide, 6 ins. deep, drains N. 30° W., curving N.</p>	
79.74	<p>Point for the cor. of secs. 21, 22, 27 and 28, at proportionate dist.; there is no remaining evidence of the orig. cor.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T8S R26E <u>S21 S22</u> <u>S28 S27</u> 1969</p>	
	<p>Deposit glass in the hole alongside the iron post.</p>	
	<p>Land, nearly level to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>From the cor. of secs. 22, 23, 26 and 27.</p>	
	<p>N. 89°57' W., bet. secs. 22 and 27.</p>	
	<p>Over nearly level land.</p>	
7.90	<p>Wash, 10 lks. wide, 6 ins. deep, drains N. 10° W.</p>	
19.89	<p>Point for the E 1/16 sec. cor. of secs. 22 and 27, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T8S R26E E 1/16 <u>S22</u> <u>S27</u> 1969</p>	
	<p>Deposit glass in the hole alongside the iron post.</p>	
26.10	<p>Wash, 10 lks. wide, 6 ins. deep, drains N.</p>	
39.78	<p>Point for the ¼ sec. cor. of secs. 22 and 27, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{4} \frac{S22}{S27}$ 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>
79.56	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>S. 89°53' W., bet. secs. 21 and 28.</p> <p>Over gently rolling land.</p>
4.10	Wash, 10 lks. wide, 1 ft. deep, drains N. 20° E.
9.30	Track road, bears N. 35° E. and S. 35° W.
12.50	Fence, bears N. 65° E. and S. 65° W.
13.00	Fence, bears N. 10° E. and S. 10° W.
20.20	Track road, bears N. 30° E. and S. 30° W.
25.60	Irrigation ditch, drains N. 50° E.
25.80	Track road, bears N. 50° E. and S. 50° W.
39.20	Enter mesquite thicket, bears N. and S.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28, at proportionate dist., there is no remaining evidence of the orig. cor.; not monumented.
48.40	Stockton Wash, 30 lks. wide, 1 ft. deep, drains NE., leave mesquite thicket, bears N. and S.
59.20	Fence, bears N. 10° E. and S. 10° W.
59.97	Point for the W 1/16 sec. cor. of secs. 21 and 28, at proportionate dist.
	<p>Set the iron post 6 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T8S R26E W 1/16 $\frac{S21}{S28}$ 1969</p>
68.80	Graded road, bears S. 10° E. and N. 10° W.
73.50	Track road, bears N. 65° E. and S. 65° W.

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
79.96	<p>The cor. of secs. 20, 21, 28 and 29, monumented by an iron post, 2½ ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S20 S21 S29 S28 1961</p> <p>Land, gently rolling to rolling. Soil, sandy loam. Timber, moderate to scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>From the cor. of secs. 21, 22, 27 and 28.</p>	
	<p>N. 0°43' W., bet. secs. 21 and 22.</p>	
	<p>Over nearly level land.</p>	
6.60	<p>Track road, bears N. 60° E. and S. 60° W.</p>	
6.80	<p>Fence, bears N. 60° E. and S. 60° W.</p>	
8.30	<p>Wash, 10 lks. wide, 6 ins. deep, drains NE.</p>	
18.50	<p>Concrete lined irrigation ditch, drains N. 63° E.</p>	
18.60	<p>Track road, bears N. 60° E. and S. 60° W.</p>	
19.935	<p>Point for the S 1/16 sec. cor. of secs. 21 and 22, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S 1/16 S21 S22 1969</p> <p>Set a post, 3 ins. square, 4 ft. long, alongside the cor.</p>	
39.87	<p>Point for the ¼ sec. cor. of secs. 21 and 22, at proportionate dist.; there is no remaining evidence of the orig. cor., not monumented.</p>	
59.805	<p>Point for the N 1/16 sec. cor. of secs. 21 and 22, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E N 1/16 S21 S22 1969</p> <p>Deposit glass in the hole alongside the iron post.</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
62.20	Stockton Wash, 30 lks. wide, with 4 ft. banks, drains N. 15° E.
79.74	The cor. of secs. 15, 16, 21 and 22, monumented by an iron post, 2½ ins. diam., firmly set in a collar of stone, brass cap mkd.
	<p style="text-align: center;">T8S R26E <u>S16</u> <u>S15</u> <u>S21</u> <u>S22</u> 1961</p>
	<p>from which</p> <p style="padding-left: 40px;">A corner of fences, bears S. 21¾° E., 3.62 chs. dist., fences extend N., S. 80° E. and S.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the cor. of secs. 14, 15, 22 and 23.</p>
	<p>West, bet. secs. 15 and 22.</p>
	<p>Over nearly level land.</p>
15.70	Track road, bears S. 25° E. and N. 25° W.
21.10	Track road, bears N. 5° E. and S. 5° W.
21.30	Fence, bears N. and S.
33.50	Irrigation ditch, bears S. 10° E. and N. 10° W.
34.70	Track road, bears N. 8° E. and S. 8° W.
38.40	Track road, bears N. 10° E. and S. 10° W.
39.93	Point for the ¼ sec. cor. of secs. 15 and 22, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
49.60	Fence, bears N. and S.
65.10	Fence, bears N. and S.
65.20	Track road, bears N. and S.
70.90	Wash, 90 lks. wide, with 6 ft. banks, drains N. 20° E.
73.10	Stockton Wash, 110 lks. wide, with 7 ft. banks, drains N. 20° E.
79.86	The cor. of secs. 15, 16, 21 and 22.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	N. 0°05' E., bet. secs. 15 and 16.	
	Over gently rolling land.	
19.935	Point for the S 1/16 sec. cor. of secs. 15 and 16, at proportionate dist.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	T8S R26E S 1/16 S16 S15 1969	
	Deposit glass in the hole alongside the iron post.	
20.60	Power line, bears S. 85° E. and N. 85° W.	
39.87	Point for the 1/4 sec. cor. of secs. 15 and 16, at proportionate dist.; there is no remaining evidence of the orig. cor.	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T8S R26E 1/4 S16 S15 1969	
	Deposit glass in the hole alongside the iron post.	
	Raise a mound of stone W. of the cor.	
58.30	Track road, bears S. 40° E. and N. 40° W.	
59.805	Point for the N 1/16 sec. cor. of secs. 15 and 16, at proportionate dist.	
	Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd.	
	T8S R26E N 1/16 S16 S15 1969	
	Deposit glass in the hole alongside the iron post.	
79.74	Point for the cor. of secs. 9, 10, 15 and 16, as determined from the orig. bearing trees:	
	A mesquite, 8 ins. diam., bears S. 76 1/4° E., 138 lks. dist., scribe marks visible but not legible. (Record S. 75 1/2° E.)	
	A mesquite, 6 ins. diam., bears S. 31 1/2° W., 27 lks. dist., scribe marks visible but not legible.	
	A mesquite, 8 ins. diam.; bears N. 77 1/2° W., 117 lks. dist.; scribe mks. visible but not legible.	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	<p>At the cor. point</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;"> T8S R26E S 9 S10 S16 S15 1969. </p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling to gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>West, bet. secs. 10 and 15.</p> <p>Over gently rolling land.</p>
10.90	Wash, 10 lks. wide, 1 ft. deep, drains N.
39.90	Point for the ¼ sec. cor. of secs. 10 and 15, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
42.60	Stockton Wash, 200 lks. wide, 2 ft. deep, drains N. 25° W.
59.85	<p>Point for the W 1/16 sec. cor. of secs. 10 and 15, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;"> T8S R26E W 1/16 $\frac{S10}{S15}$ 1969 </p>
62.40	Deposit glass in the hole alongside the iron post.
79.80	<p>Track road, bears S. 5° E. and N. 5° W.</p> <p>The cor. of secs. 9, 10, 15 and 16.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
39.74	<p>N. 0°15' E., bet. secs. 9 and 10.</p> <p>Over gently rolling land.</p> <p>Point for the ¼ sec. cor. of secs. 9 and 10, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	<p>Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{2}$ S 9 S10 1969</p>
58.90	Fence, bears E. and W.
59.61	<p>Point for the N 1/16 sec. cor. of secs. 9 and 10, at proportionate dist.</p> <p>Set the iron post 14 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T8S R26E N 1/16 S 9 S10 1969</p>
79.48	<p>The cor. of secs. 3, 4, 9 and 10, monumented by a weathered wood post, 3 x 2 ins. square, 3 ft. long, no scribe marks visible, set in a collar of stone.</p> <p>At the cor. point.</p> <p>Set the iron post 16 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{S\ 4}{S\ 9}$ $\frac{S\ 3}{S10}$ 1969</p> <p>Deposit the orig. cor. post alongside the iron post.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, widely scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>S. 89°48' W., bet. secs. 3 and 10.</p> <p>Over nearly level land.</p>
3.00	Track road, bears S. 15° E. and N. 15° W.
15.70	Wash, 80 lks. wide, with 6 ft. banks, drains N. 40° W.
16.90	Fence, bears N. and S.
19.90	<p>Point for the E 1/16 sec. cor. of secs. 3 and 10, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E E 1/16 $\frac{S\ 3}{S10}$ 1969</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	Deposit glass in the hole alongside the iron post.
39.80	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 10, at proportionate dist.; there is no remaining evidence of the orig. cor., not monumented.
50.40	Stockton Wash, 50 lks. wide, with 6 ft. banks, drains N. 5° W.
59.70	Point for the W $\frac{1}{16}$ sec. cor. of secs. 3 and 10, at proportionate dist.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E W $\frac{1}{16}$ $\frac{S\ 3}{S10}$ 1969</p>
	Raise a mound of stone N. of the cor.
79.60	The cor. of secs. 3, 4, 9 and 10.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	N. 0°28' E., bet. secs. 3 and 4.
	Over nearly level land.
11.50	Track road, bears N. 35° E. and S. 35° W.
20.00	Point for the S $\frac{1}{16}$ sec. cor. of secs. 3 and 4, at proportionate dist.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E S $\frac{1}{16}$ S 4 S 3 1969</p>
	Set a wooden post, 4 ft. long, 4 ins. squared, alongside the cor.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4, at proportionate dist.; there is no remaining evidence of the orig. cor., not monumented.
60.00	Point for the N $\frac{1}{16}$ sec. cor. of secs. 3 and 4, at proportionate dist.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E N $\frac{1}{16}$ S 4 S 3 1969</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
80.22'	<p>Set a post, 4 ins. square, 4 ft. long, alongside the cor.</p> <p>The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
<p>Reestablishment of the Survey executed by Dell Cazier in 1961</p> <hr/>		
	<p>From the cor. of secs. 20, 21, 28 and 29. N. 89°59' W., bet. secs. 20 and 29.</p> <p>Over gently rolling land.</p>	
4.00	Draw, drains N. 20° E.	
9.80	Jacobson Creek (dry), 20 lks. wide, 1 ft. deep, drains N.	
40.00	<p>The ¼ sec. cor. of secs. 20 and 29, monumented by an iron post, firmly set, projecting 4 ins. above ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T8S R26E ¼ $\frac{S\ 20}{S\ 29}$ 1961</p>	
<hr/>		
	<p>N. 89°41' W., beginning new measurement.</p> <p>Over gently rolling land.</p>	
2.60	R-0-W fence, bears S. 10° E. and N. 10° W.	
3.40	U. S. Highway No. 666, bears S. 10° E. and N. 10° W.	
4.20	R-0-W fence, bears S. 10° E. and N. 10° W.	
9.00	Draw, drains irregularly N.	
40.02	<p>The cor. of secs. 19, 20, 29 and 30, monumented by an iron post, firmly set, projecting 10 ins. above ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T8S R26E S 19 S 20 S 30 S 29 1961</p>	
<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>		
<p>Reestablishment of the Survey executed by T. F. White in 1875</p> <hr/>		
	<p>From the cor. of secs. 20, 21, 28 and 29. N. 0°30' W., bet. secs. 20 and 21.</p> <p>Over gently rolling land.</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
5.10	Wash, 5 lks. wide, 1 ft. deep, drains N. 25° E.
19.95	Point for the S 1/16 sec. cor. of secs. 20 and 21, at proportionate dist.
	Set the iron post 10 ins. in the ground, in a mound of stone, brass cap mkd.
	T8S R26E S 1/16 S 20 S 21 1969
20.16	Fence, bears W. and bears E., 29 lks. dist. to cor. of fences extending N., E. and W.
39.73	Fence, bears W. and bears E. 54 lks. dist. to cor. of fences extending N., E. (abandoned), S. and W.
39.90	Point for the 1/4 sec. cor. of secs. 20 and 21, at proportionate dist.; there is no remaining evidence of the orig. cor.
	Set the iron post 16 ins. in the ground, in a mound of stone, brass cap mkd.
	T8S R26E 1/4 S 20 S 21 1969
46.40	Fence (abandoned), bears E. and W.
50.55	Jacobson Creek (dry), 5 lks. wide, 1 ft. deep, drains N. 20° E.
51.00	Fence, bears N. 55° E. and S. 55° W.
60.70	Jacobson Creek (dry), 10 lks. wide, 1 ft. deep, drains N. 15° W.
64.50	Jacobson Creek (dry), 10 lks. wide, 1 ft. deep, drains N. 55° E.
73.20	Wash, 10 lks. wide, 6 ins. deep, drains N. 65° E.
79.80	Point for the cor. of secs. 16, 17, 20 and 21, at proportionate dist., falls in a graded road bearing E. and W. There is no remaining evidence of the orig. cor.; not monumented. The cor. point is located 71 lks. N. 82°02' W. of a cor. of fences extending N. 75° E., S. and S. 70° W.
	Land, gently rolling. Soil, sandy loam. Timber, moderate to scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>From the cor. of secs. 15, 16, 21 and 22. N. 89°50' W., bet. secs. 16 and 21. Over gently rolling land.</p>	
1.35	Fence, bears N. and S.	
6.70	Wash, 15 lks. wide, 6 ins. deep, drains N. 55° E.	
19.90	<p>Point for the E 1/16 sec. cor. of secs. 16 and 21, at proportionate dist.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E E 1/16 $\frac{S\ 16}{S\ 21}$ 1969</p> <p>Raise a mound of stone N. of the iron post.</p> <p>The cor. is located on the N. side of a track road bearing E. and W.</p>	
39.80	<p>The $\frac{1}{2}$ sec. cor. of secs. 16 and 21, monumented by a deteriorated post, 12 ins. long, 4 ins. diam., set in a mound of stone, no scribings. No evidence of the orig. bearing trees.</p> <p>At the cor. point</p> <p>Set the iron post 22 ins. in the ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T8S R26E $\frac{1}{2}$ $\frac{S\ 16}{S\ 21}$ 1969</p> <p>Bury the deteriorated cor. post alongside the iron post.</p> <p>This cor. is located on the N. side of a track road, bearing E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°41' W., beginning new measurement.</p> <p>Over gently rolling land, along N. side of track road.</p>	
3.30	Track road, veers S. 65° W.	
7.10	Graded road, bears N. 8° E. and S. 8° W.	
7.55	Fence, bears N. and S.	
15.14	Fence, bears N. 70° E. and bears S. 70° W. for 68 lks. dist. to cor. of fences extending N. 70° E. and W.	
15.40	Graded road, bears N. 70° E. and S. 89°40' W.	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
19.91	<p>Point for the W 1/16 sec. cor. of secs. 16 and 21, at proportionate dist., falls in a graded road bearing E. and W.</p> <p>Set a railroad spike at the true point.</p> <p>from which</p> <p>An iron post, 30 ins. long, 2½ ins. diam., set 20 ins. in the ground for a reference monument, bears S. 45° E., 30.3 lks. dist., with brass cap mkd. T8S R26E S21 RM 20 ft. 1969 and an arrow pointing to the cor.</p> <p>An iron post, 30 ins. long, 2½ ins. diam., set 20 ins. in the ground for a reference monument, bears S. 45° W., 30.3 lks. dist., with brass cap mkd. T8S R26E S21 RM 20 ft. 1969 and an arrow pointing to the cor.</p> <p>Both RM's are located 1 lk. S. of a fence bearing E. and W.</p> <p>Continue along graded road.</p>
36.70	<p>Jacobson Creek (dry), 10 lks. wide, 1 ft. deep, drains N.</p>
39.82	<p>The point for the cor. of secs. 16, 17, 20 and 21.</p> <p>Land, gently rolling to nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 0°13' E., bet. secs. 16 and 17.</p>
	<p>Over gently rolling land.</p>
21.00	<p>Fence, bears E. and W.</p>
27.00	<p>Track road, bears E. and W.</p>
32.00	<p>Wash, 8 lks. wide, 6 ins. deep, drains N. 80° E. from SW.</p>
39.89	<p>Point for the ¼ sec. cor. of secs. 16 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p>
60.20	<p>Fence, bears E. and W.</p>
79.40	<p>Cor. of fences, bears W., 5 lks. dist., fences extend N. and W.</p>
79.78	<p>Point for the cor. of secs. 8, 9, 16 and 17, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
	<p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>S. 89°58' W., bet. secs. 9 and 16.</p> <p>Over gently rolling land.</p>
1.90	Fence, bears N. and bears S., 53 lks. dist. to cor. of fences extending N., S. and W.
19.87	<p>Point for the E 1/16 sec. cor. of secs. 9 and 16, at proportionate dist.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T8S R26E E 1/16 $\frac{S\ 9}{S16}$ 1969</p> <p>Deposit glass in hole alongside the iron post.</p>
34.70	Wash, 100 lks. wide, 1 ft. deep, drains N. 60° W.
39.60	Fence, bears N. and bears S., 31 lks. dist. to cor. of fences extending N., E. and W.
39.74	Point for the ¼ sec. cor. of secs. 9 and 16, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.
42.65	A fence cor., bears S., 36 lks. dist., fences extend E. and S.
43.30	Graded road, bears S. 5° E. and N. 5° W.
50.90	Power line, bears N. 10° E. and S. 10° W.
52.60	Irrigation ditch, drains N. 25° E.
53.10	Track road, bears N. 15° E. and S. 15° W.
58.20	Fence, bears NE. and SW.
61.00	Jacobson Creek (dry), 30 lks. wide, 2 ft. deep, drains N. 60° E.
79.48	<p>The point for the cor. of secs. 8, 9, 16 and 17.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 0°07' E., bet. secs. 8 and 9.</p> <p>Over nearly level land.</p>
0.70	Marijilda Wash, 30 lks. wide, 1 ft. deep, drains N. 55° E.

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
28.20	Track road, bears S. 30° E. and N. 30° W.	
38.20	Track road, bears N. 80° E. and S. 80° W.	
38.55	Power line, bears N. 35° E. and S. 35° W.	
39.30	Graded road, bears S. 50° E. and N. 50° W.	
39.89	Point for the ¼ sec. cor. of secs. 8 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.	
72.50	Graded road, bears N. 10° E. and S. 10° W.	
72.90	Fence, bears N. 5° E. and S. 5° W.	
79.04	Fence, bears N. 85° W. and bears S. 85° E. for 37 lks. to a cor. of fences extending S. 5° W. and N. 85° W.	
79.34	Graded road, bears W. and bears E., 60 lks. dist. to a junction of graded roads bearing N., S., and W.	
79.78	Point for the cor. of secs. 4, 5, 8 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.	
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.	
	From the cor. of secs. 3, 4, 9 and 10.	
	N. 89°46' W., bet. secs. 4 and 9.	
	Over nearly level land.	
28.60	Marijilda Wash, 30 lks. wide, 1 ft. deep, drains N. 10° E.	
39.80	Point for the ¼ sec. cor. of secs. 4 and 9, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.	
40.10	Track road, bears NE. and SW., curving to irreg. W.	
79.00	Graded road, bears N. and S.	
79.60	The point for the cor. of secs. 4, 5, 8 and 9.	
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.	
	N. 0°22' E., bet. secs. 4 and 5.	
	Over nearly level land along W. side of graded road bearing Northerly.	
0.10	Fence, bears W. and bears E., 39 lks. dist. to cor. of fences extending irreg. N. and W.	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
37.80	Fence, bears irreg. S. 3° E. and N. 12° W.
39.20	A cor. of fences, bears W., 30 lks. dist., fences extend irreg. N., S. and W.
39.89	Point for the ¼ sec. cor. of secs. 4 and 5, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented. The cor. point is located on the W. side of a graded road bearing N. and S.
79.10	Fence, bears E. and W.
79.30	Graded road, bears E. and W.
79.76	The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp. Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.
From the point for the cor. of secs. 16, 17, 20 and 21. N. 89°55' W., bet. secs. 17 and 20.	
Over nearly level land.	
2.80	Track road, bears N. and S.
10.70	Fence (abandoned), bears N. and S.
17.20	Track road, bears N. and S.
34.10	Graded road, bears S. 80° E. and W.
39.75	Point for the ¼ sec. cor. of secs. 17 and 20, at proportionate dist., falls in graded road, bearing E. and W. There is no remaining evidence of the orig. cor.; not monumented.
69.17	R.O.W. fence, bears S. 20° E. and N. 20° W.
70.00	Junction of roads; a graded road bears E.; U. S. Highway No. 666 bears S. 20° E. and N. 20° W.; State Highway 366 bears S. 40° W.
71.00	Curved roadway, joining U. S. Highway No. 666 and State Highway 366.
72.10	Fence, bears irreg. N. and S.
79.50	The cor. of secs. 17, 18, 19 and 20, monumented by an iron post, 2½ ins. diam., firmly set, projecting 1 in. above ground, brass cap mkd.
<p>T8S R26E S 18 S 17 S 19 S 20 1961</p>	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS		
	<p>from which</p> <p>U.S.C.&G.S. triangulation station "SWIFT", bears N. 83°38'25" E., 9.99 chs. dist., monumented by a bronze disk set in a concrete post, mkd. SWIFT 1945. Geographic position of U.S.C.&G.S. triangulation station "SWIFT" is Latitude, 32°43'48.139" N., Longitude, 109°42'48.857" W.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>N. 0°08' E., bet. secs. 17 and 18.</p> <p>Over nearly level land.</p>	
2.20	Swift Canyon Wash, 130 lks. wide, 3 ft. deep, drains N. 40° E.	
13.90	Track road, bears N. 85° E. and S. 85° W.	
23.40	Marijilda Wash, 40 lks. wide, 2 ft. deep, drains N. 50° E.	
28.00	U. S. Highway No. 666, bears S. 10° E. and N., thence along E. side of highway.	
39.86	Point for the ¼ sec. cor. of secs. 17 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.	
47.00	Culvert, drains N. 55° E.	
79.72	Point for the cor. of secs. 7, 8, 17 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.; not monumented.	
	<p>The cor. point is located along the E. side of U. S. Highway No. 666.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>	
	<p>From the point for the cor. of secs. 8, 9, 16 and 17.</p> <p>N. 89°58' W., bet. secs. 8 and 17.</p> <p>Over nearly level land.</p>	
8.51	A cor. of fences bears S., 37 lks. dist.; fences extend N., N. 85° E, and S. 85° W,	
8.90	Marijilda Wash, 15 lks. wide, 1 ft. deep, drains N. 60° E.	
39.78	Point for the ¼ sec. cor. of secs. 8 and 17, at proportionate dist. There is no remaining evidence of the orig. cor.; not monumented. A cor. of fences bears S., 45 lks. dist.; fences extend N., E., S. and N. 50° W.	

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
73.80	Fence, bears N. and S.
79.10	R-0-W fence, bears N. and S.
79.56	<p>The point for the cor. of secs. 7, 8, 17 and 18.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	N. 89°51' W., bet. secs. 7 and 18.
	Over nearly level land.
0.30	U. S. Highway No. 666, bears N. and S.
0.96	R-0-W fence, bears N. and S.
15.10	Cor. of fences, bears N., 38 lks. dist., fences bear E., S. and W.
39.72	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18, at proportionate dist.; there is no remaining evidence of the orig. cor.</p>
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T8S R26E $\frac{1}{4}$ $\frac{S 7}{S 18}$ 1969</p>
	Raise a mound of stone N. of the iron post.
	The cor. is located 1 lk. W. of a cor. of fences extending N., S. and W.
73.40	Wash, 50 lks. wide, 3 ft. deep, drains NE.
78.06	<p>The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp.</p>
	<p>Land, nearly level to gently rolling. Soil, sandy loam. Timber, scattered mesquite and cottonwood. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	From the point for the cor. of secs. 7, 8, 17 and 18.
	N. 0°09' E., bet. secs. 7 and 8.
	Over nearly level land, along E. lane of U. S. Highway No. 666.
39.86	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8, at proportionate dist. There is no remaining evidence of the orig. cor.; not monumented.</p>
	The cor. point is located in the E. lane of U. S. Highway No. 666.

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
79.72	<p>Point for the cor. of secs. 5, 6, 7 and 8, at proportionate dist. There is no remaining evidence of the orig. cor.; not monumented.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the point for the cor. of secs. 4, 5, 8 and 9.</p> <p>S. 89°57' W., bet. secs. 5 and 8.</p> <p>Over nearly level land, along N. edge of graded road.</p>
39.76	<p>Point for the ¼ sec. cor. of secs. 5 and 8, at proportionate dist. There is no remaining evidence of the orig. cor.; not monumented.</p>
79.17	<p>West end of graded road, bears E.</p>
79.52	<p>The point for the cor. of secs. 5, 6, 7 and 8.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>N. 89°33' W., bet. secs. 6 and 7.</p> <p>Over nearly level land.</p>
0.20	<p>U. S. Highway No. 666, bears N. and S.</p>
0.96	<p>R.O.W. fence, bears N. and S.</p>
7.00	<p>Wash, 30 lks. wide, 2 ft. deep, drains NE.</p>
36.50	<p>S. edge of pond about 4.00 chs. wide and about 8.00 chs. long, bears N. and S.</p>
39.20	<p>Graded road, bears N. and S.</p>
39.79	<p>Point for the ¼ sec. cor. of secs. 6 and 7, at proportionate dist. There is no remaining evidence of the orig. cor.; not monumented.</p>
67.00	<p>Fence, bears N. 10° E. and S. 10° W.</p>
78.19	<p>The point for the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
	<p>From the point for the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0°08' E., bet. secs. 5 and 6.</p> <p>Over nearly level land, along E. lane of U. S. Highway No. 666.</p>

Dependent Resurvey, Portion Subdivisional Lines, T. 8 S., R. 26 E.

CHAINS	
12.40	Highway culvert, 113 lks. wide, with drainage to NE.
39.86	Point for the $\frac{1}{2}$ sec. cor. of secs. 5 and 6, at proportionate dist. There is no remaining evidence of the orig. cor.; not monumented.
79.80	<p>The true point for the cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp. is located in U. S. Highway 666, bearing N. and S. and determined from reference monuments:</p> <p>An iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 8 ins. above ground, bears N. $89^{\circ}55'$ E.; 90 lks. dist., brass cap mkd. S5 T8S S32 T7S R26E RM 1957 and an arrow pointing to the true corner.</p> <p>An iron post, $2\frac{1}{2}$ ins. diam., firmly set, projecting 6 ins. above ground, bears S. $89^{\circ}55'$ W., 90 lks. dist., brass cap mkd. S6 T8S S31 T7S R26E RM 1957 and an arrow pointing to the true corner. This reference monument is located in a N-S fence line.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite. Undergrowth, creosote bush, cacti and bunchgrass.</p>
General Description	
<p>The land covered by this survey is nearly level to rolling. The elevation ranges from about 3020 ft. to 3390 ft. above sea level. The soil is mostly a fine sandy clay loam. Vegetation consists of creosote bush, mesquite, cacti and sparse grass. Numerous farms and dwellings are located in the western portion of the township. The eastern portion of the township is used mainly for grazing. There is no evidence of mining or of mining claims in the area surveyed.</p>	

52

CERTIFICATE OF SURVEY

I, Louis D. Gilbert, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 24th day of December, 1968, I have retraced the east and south boundaries, a portion of the west and north boundaries and dependently resurveyed a portion of the subdivisional lines of Township 8 South, Range 26 East,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

November 5, 1970
(Date)

Louis D. Gilbert
(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date MAR 30 1972

BUREAU OF LAND MANAGEMENT,
Washington, D. C.

The foregoing field notes of the retracement of the east and south boundaries, a portion of the west and north boundaries and the dependent resurvey of a portion of the subdivisional lines of Township 8 South, Range 26 East, Gila and Salt River Meridian, Arizona,

executed by Louis D. Gilbert, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

SEP 11 1972
(Date)

Clark F. Lumm
(Chief, Division of ~~Engineering~~ Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date)

(Chief, Division of Engineering) Cadastral Survey

1B

Arizona State Office
3022 Federal Building
Phoenix, Arizona 85025

March 6, 1973

Memorandum

To : Director (420)
From : Chief, Branch of Cadastral Survey, ASO
Subject: Correction of Field Notes

The following discrepancies have been found in approved Field Notes:

T. 9 S., R. 31 E., G&SM., Arizona, executed under Group No. 462, Arizona, approved February 22, 1972.

Page 23, change $k \frac{830}{831}$ to $W \frac{1}{16} \frac{830}{831}$

T. 14 N., R. 5 E., G&SM., Arizona, executed under Group No. 541, Arizona, approved May 30, 1972.

Page 2, add dist., 4.83 chs.

T. 8 S., R. 26 E., G&SM., Arizona, executed under Group No. 470, Arizona, approved September 11, 1972.

Page 49, -- At point for the cor. of secs. 5, 6, 7 & 8 - add 79.72 chs.

Your approval is requested to make pencil marginal notations in these field notes to indicate the corrections.

BOYD S. OWENS

Boyd S. Owens

BSOWENS:bb

LD



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
WASHINGTON, D.C. 20240

IN REPLY REFER TO:

9186 (420)
Group Nos. 462, 470, 541
Arizona

1C

G. File

1C

March 12, 1973

TECHNICAL SERVICES

- (Chief GR) _____
- Appraisals _____
- 2 Cadastral Bto _____
- Engineering _____
- Lands _____
- Minerals _____
- Central Files _____
- Division Files _____

Memorandum

To: SD, Arizona

From: Chief, Division of Cadastral Survey

Subject: Correction of Field Notes

Your are authorized to make pencil marginal notations in the approved field notes of the following described surveys to correct errors as noted in your memorandum of March 6;

Group 462

T. 9 S., R. 31 E., G&SRM, approved February 22, 1972.

Group 470

T. 8 S., R. 26 E., G&SRM, approved September 11, 1972.

Group 541

T. 14 N., R. 5 E., G&SRM, approved May 30, 1972.

Clark L. Gunn

ARIZONA STATE OFFICE	
B.L. LAND MANAGEMENT	
MAR 14 '73	
SD	_____
ASSOC. SD	_____
PCS	_____
RESOURCES	_____
TECH SER	_____
MGMT SER	_____
P.J.S. AFF	_____
CF	_____
_____	ACTION
_____	INFO.
_____	SEE ME