

Form 9180-6  
(April 1965)  
(formerly 4-679)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

# FIELD NOTES

COMPLETION SURVEY

of the

SUBDIVISIONAL LINES,

with the

ESTABLISHMENT OF CERTAIN CORNERS

OF MINIMUM CONTROL ALONG A

PORTION OF THE NORTH BOUNDARY

of

TOWNSHIP 34 NORTH, RANGE 15 WEST

Of the Gila and Salt River Meridian,

In the State of Arizona

### EXECUTED BY

Louis D. Gilbert Cadastral Surveyor

Ira M. Thiessen Cadastral Surveyor

Under special instructions dated July 24, 19 69, which provided for the surveys  
included under Group Number 513, approved July 25, 1969,  
and assignment instructions dated August 26, 19 69,  
November 21, 19 69

Survey commenced December 3, 19 69

Survey completed January 9, 19 70

1A

BOOK 4952

INDEX DIAGRAM

Township 34 North, Range 15 West,

34	34				
6	33 5	24 4	18 3	2	1
32	32	23	17		7
7	31 8	22 9	17 10	12 11	6 12
31	30	22	16	11	6
18	29 17	21 16	15 15	11 14	5 13
29	29	21	15	10	4
19	28 20	20 21	14 22	10 23	4 24
27	27	20	14	9	3
30	26 29	19 28	14 27	9 26	2 25
26	25	19	13	8	2
31	25 32	18 33	12 34	8 35	1 36

Township 34 North, Range 15 West  
Gila and Salt River Meridian, Arizona

CHAINS

The south and west boundaries were surveyed in 1932 by B. J. Kinsey and W. E. Hiester. The east boundary was surveyed in 1939-40 by H. M. Muscott. The north boundary and Section 2 were surveyed in 1956 by G. M. Boofer.

The following field notes are those of the completion survey of the subdivisional lines, with the establishment of certain corners of minimum control along a portion of the north boundary, of Township 34 North, Range 15 West, G&SRM, Arizona.

The survey was executed in accordance with specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated July 24, 1969. The direction of all lines were determined by solar observations and all lines refer to the true meridian.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast cor. of the Township is: Latitude 36°17'46.1" North, and Longitude 113°50'36.4" West, as determined from tie to USC&GS triangulation station "BURRO". (located in section 21).

The mean magnetic declination was found to be 16°00' East.

Subdivision, T. 34 N., R. 15 W., G&SRM, Arizona

Beginning at the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, brass cap mkd.

T34N R15W  
S35 | S36  
S 2 | S 1  
T33N  
1932

N. 0°01' W., bet. secs. 35 and 36.

Over rolling land.

20.50

Dim track road, bears NE. and SW,

32.10

Wash, 65 lks. wide, 2 ft. deep, drains SW.

40.00

Point for the ¼ sec. cor. of secs. 35 and 36.

Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.

T34N R15W  
¼  
S35 | S36  
1969

Subdivision, T. 34 N., R. 15 W.

CHAINS	
75.40	Wash, 20 lks. wide, 6 ft. deep, drains W.
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{S26}{S35}   \frac{S25}{S36}</math>                      1969</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling.                      Soil, gravelly loam.                      Timber, joshua trees.                      Undergrowth, cacti, creosote bush, and catclaw.</p>
<hr/>	
	<p>From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, brass cap mkd.</p> <p style="text-align: center;">T34N                      R15W R14W  <math>\frac{S25}{S36}   \frac{S30}{S31}</math>                      1939</p> <p>N. 89°51' W., bet. secs. 25 and 36.</p> <p>Over rolling land.</p>
4.40	Track road, bears SE. and NW.
39.20	Draw, drains S.
40.01	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 25 and 36.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{4} \frac{S25}{S36}</math>                      1969</p> <p>Raise a mound of stone N. of the cor.</p>
80.02	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, rolling.                      Soil, gravelly loam.                      Timber, joshua trees.                      Undergrowth, creosote bush, cacti and yucca.</p>
<hr/>	
	<p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>Over rolling land.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
0.20	Spur, slopes W.
4.40	Wash, 50 lks. wide, 2 ft. deep, drains W.
23.60	Wash, 50 lks. wide, 3 ft. deep, drains W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>  <u>S26   S25</u>                      1969</p>
	Raise a mound of stone W. of the cor.
74.20	Head of draw, drains W.
77.60	Spur, slopes SE.
80.00	Point for the cor. of secs. 23, 24, 25 and 26.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <u>S23   S24</u>  <u>S26   S25</u>                      1969</p>
	Raise a mound of stone W. of the cor.
	<p>Land, rolling.                      Soil, gravelly loam.                      Timber, joshua trees.                      Undergrowth, creosote bush, cacti, catclaw and yucca.</p>
	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above ground, mound of stone W., brass cap mkd.</p>
	<p style="text-align: center;">T34N                      R15W R14W  <u>S24   S19</u>  <u>S25   S30</u>                      1939</p>
	N. 89°53' W., bet. secs. 24 and 25.
	Over rolling land.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 24 and 25.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <u>S24</u>  <u>S25</u>                      1969</p>
	Raise a mound of stone N. of the cor.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
64.90	Track road, bears S. 30° E. and N. 30° W.
79.96	The cor. of secs. 23, 24, 25 and 26.
	Land, rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, cacti and yucca.
	N. 0°01' W., bet. secs. 23 and 24.
	Over rolling land.
12.70	Wash, 10 lks. wide, 1 ft. deep, drains W.
30.80	Spur, slopes NW.
40.00	Point for the ½ sec. cor. of secs. 23 and 24.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T34N R15W ½ S23   S24 1969
	Raise a mound of stone W. of the cor.
43.40	Dim track road, bears SE. and NW.; wash, 15 lks. wide, 2 ft. deep, drains W.
54.20	Wash, 10 lks. wide, 1 ft. deep, drains W.
55.60	Dim track road, bears NE. and SW.
62.80	Spur, slopes W.
70.10	Wash, 40 lks. wide, 2 ft. deep, drains W.
80.00	Point for the cor. of secs. 13, 14, 23 and 24.
	Set the iron post 10 ins. in the ground, mound with stone to the top, brass cap mkd.
	T34N R15W S14   S13 S23   S24 1969
	Land, rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, mound of stone W., brass cap mkd.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>T34N R15W R14W <u>S13   S18</u> <u>S24   S19</u> 1939</p>
	<p>N. 89°55' W., bet. secs. 13 and 24.</p> <p>Over gently rolling land.</p>
11.80	Top of 30 ft. high knoll.
16.10	Enter wash area, drains SW.
39.94	Point for the ¼ sec. cor. of secs. 13 and 24.
	<p>Set the iron post 10 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p>T34N R15W ¼ <u>S13</u> S24 1969</p>
42.70	Leave wash area, drains SW.
57.00	Track road, bears N. 20° E. and S. 20° W.
60.10	Dim track road, bears S. 80° E. and N. 80° W.
79.88	The cor. of secs. 13, 14, 23 and 24.
	<p>Land, gently rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, cacti and yucca.</p>
	<p>N. 0°01' W., bet. secs. 13 and 14.</p> <p>Over rolling land.</p>
0.60	Track road, bears E. and W.
12.80	Ravine, drains W.
21.30	Dim track road, bears SE. and NW.
30.30	Wash, 45 lks. wide, 2 ft. deep, drains W.
40.00	Point for the ¼ sec. cor. of secs. 13 and 14.
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p>T34N R15W ¼ S14   S13 1969</p>
49.30	Descend N. slope of mesa.

Subdivision, T. 34 N., R. 15 W.

CHAINS		
68.60	Wash, 20 lks. wide, 1 ft. deep, drains W.	
74.70	Wash, 15 lks. wide, 2 ft. deep, drains W.	
80.00	<p>Point for the cor. of secs. 11, 12, 13 and 14.</p> <p>Set the iron post 10 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <u>S11</u>   <u>S12</u>  <u>S14</u>   <u>S13</u>                      1969</p> <p>Land, rolling.                      Soil, gravelly loam.                      Timber, joshua trees.                      Undergrowth, creosote bush, cacti and yucca.</p>	
39.90	<p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N                      R15W R14W  <u>S12</u>   <u>S 7</u>  <u>S13</u>   <u>S18</u>                      1939</p> <p>N. 89°52' W., bet. secs. 12 and 13.</p> <p>Over rolling land.</p> <p>Point for the ¼ sec. cor. of secs. 12 and 13.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W                      ¼ <u>S12</u>  <u>S13</u>                      1969</p>	
79.80	<p>Raise a mound of stone N. of the cor.</p> <p>The cor. of secs. 11, 12, 13 and 14.</p> <p>Land, rolling.                      Soil, gravelly loam.                      Timber, joshua trees.                      Undergrowth, creosote bush, cacti and yucca.</p>	
8.00	<p>N. 0°19' W., bet. secs. 11 and 12.</p> <p>Over rolling land.</p> <p>Spur, slopes W.</p>	
32.40	Wash, 35 lks. wide, 1 ft. deep, drains W.	
40.05	Point for the ¼ sec. cor. of secs. 11 and 12.	

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{2}</math>                      S11   S12                      1969</p>
46.80	Bulldozed road, bears E. and W.
63.50	Spur, slopes W.
68.70	Wash, 15 lks. wide, 1 ft. deep, drains W.
71.70	Dim track road, bears SE. and NW.
80.10	<p>The cor. of secs. 1, 2, 11 and 12, monumented by an iron post, 2½ ins. diam., firmly set, projecting 10 ins. above ground, mound of stone E., brass cap mkd.</p> <p style="text-align: center;">T34N R15W                      S 2   S 1                      S11   S12                      1956</p> <p>Land, rolling.                      Soil, gravelly loam.                      Timber, joshua trees.                      Undergrowth, creosote bush, cacti, catclaw and yucca.</p>
	<p>From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N                      R15W R14W                      S 1   S 6                      S12   S 7                      1939</p> <p>N. 89°51' W., bet. secs. 1 and 12.                      Over rolling land.</p>
11.20	Wash, 15 lks. wide, 1 ft. deep, drains SW.
21.10	Bulldozed road, bears NE. and SW.
30.60	Draw, drains SW.
40.12	<p>Point for the ½ sec. cor. of secs. 1 and 12.</p> <p>Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{2}</math> S 1                      S12                      1970</p>
80.24	The cor. of secs. 1, 2; 11 and 12.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p>T34N R15W S34 S35 S 3 S 2 T33N 1932</p>
	<p>N. 0°01' W., bet. secs. 34 and 35.</p> <p>Over rolling land.</p>
29.90	Spur, slopes W.
33.80	Wash, 15 lks. wide, 1 ft. deep, drains SW.
40.00	Point for the ½ sec. cor. of secs. 34 and 35.
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p>T34N R15W ½ S34 S35 1969</p>
67.10	Wash, 35 lks. wide, 1 ft. deep, drains W.
72.60	Spur, slopes W.
76.20	Wash, 25 lks. wide, 2 ft. deep, drains W.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	<p>Set the iron post on an X chiseled in solid rock, mound with stone to the top, brass cap mkd.</p>
	<p>T34N R15W S27 S26 S34 S35 1969</p>
	<p>Land, rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>N. 89°45' W., bet. secs. 26 and 35.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	Over rolling land.
27.70	Wash, 20 lks. wide, 1 ft. deep, drains SW.
40.00	Point for the ¼ sec. cor. of secs. 26 and 35. Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S26}{S35}</math>                      1969</p>
62.50	Enter wash area, drains SW.
68.40	Leave wash area, drains SW.
80.00	The cor. of secs. 26, 27, 34 and 35. Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.
	N. 0°01' W., bet. secs. 26 and 27.
	Over rolling land.
40.00	Point for the ¼ sec. cor. of secs. 26 and 27. Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> S27   S26                      1969</p>
80.00	Point for the cor. of secs. 22, 23, 26 and 27. Set the iron post 4 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{S22}{S27}</math>   <math>\frac{S23}{S26}</math>                      1970</p>
	Land, rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 23, 24, 25 and 26.
	N. 89°46' W., bet. secs. 23 and 26.
	Over rolling land.
40.02	Point for the ¼ sec. cor. of secs. 23 and 26.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
80.04	<p>Set the iron post 10 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S23}{S26}</math>                      1970</p> <p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>
40.00	<p>N. 0°01' W., bet. secs. 22 and 23.</p> <p>Over rolling land.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 22 and 23.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S22   S23                      1969</p> <p>Raise a mound of stone W. of the cor.</p>
64.50	<p>Wash, 60 lks. wide, 3 ft. deep, drains W.</p>
73.10	<p>Dim track road, bears SE. and NW.</p>
76.80	<p>Dim track road, bears E. and W.</p>
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{S15}{S22}</math>   <math>\frac{S14}{S23}</math>                      1969</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>
12.90	<p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>N. 89°48' W., bet. secs. 14 and 23.</p> <p>Over rolling land.</p>
39.98	<p>Track road, bears N. 85° E. and S. 85° W.</p>
39.98	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 14 and 23.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Set the iron post on an X chiseled in solid rock, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N. R15W.  <math>\frac{1}{4} \frac{S14}{S23}</math>                      1969</p>
79.96	<p>The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>
40.00	<p>N. 0°01' W., bet. secs. 14 and 15.</p> <p>Over rolling land.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 14 and 15.</p> <p>Set the iron post on an X chiseled in solid rock, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S15   S14                      1969</p>
55.60	<p>Wash, 50 lks. wide, 2 ft. deep, drains W.</p>
79.30	<p>Point selected for the witness cor. of secs. 10, 11, 14 and 15.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{S10 \uparrow S11}{S15   S14}</math>                      W C                      1969</p>
80.00	<p>True point for the cor. of secs. 10, 11, 14 and 15, falls in a wash, 30 lks. wide, 1 ft. deep, drains N. 10° W. where a monument cannot be safely perpetuated.</p> <p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>N. 89°51' W., bet. secs. 11 and 14.</p> <p>Over rolling land.</p>
9.50	<p>Wash, 10 lks. wide, 1 ft. deep, drains S. 85° W.</p>
20.40	<p>Same wash, 15 lks. wide, 1 ft. deep, drains NW.</p>
24.30	<p>Ascend steep E. slope.</p>

Subdivision, T. 34N., R. 15 W.

CHAINS		
30.30	Top of a rocky point.	
33.80	Spur, slopes N.	
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14.	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S11}{S14}</math>                      1969</p>	
	Raise a mound of stone N. of the cor.	
52.70	Wash, 20 lks. wide, 1 ft. deep, drains N.	
79.94	True point for the cor. of secs. 10, 11, 14 and 15.	
	Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.	
	N. 0°21' W., bet. secs. 10 and 11.	
	Over rolling land.	
7.30	Wash, 40 lks. wide, 2 ft. deep, drains W.	
39.60	Wash, 15 lks. wide, 1 ft. deep, drains SW.	
39.90	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11.	
	Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.	
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S10 S11                      1970</p>	
50.70	Bulldozed road, bears E. and W.	
60.90	Wash, 15 lks. wide, 1 ft. deep, drains NW.	
79.80	The cor. of secs. 2, 3, 10 and 11, monumented by an iron post, 2½ ins. diam., firmly set in a mound of stone to the top, brass cap mkd.	
	<p style="text-align: center;">T34N R15W  <math>\frac{S 3   S 2}{S10   S11}</math>                      1956</p>	
	Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.	
	From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, with pits NE., SE., SW. and NW., brass cap mkd.	

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p style="text-align: center;">T34N R15W  <math>\frac{S33}{S4}   \frac{S34}{S3}</math>                      T33N                      1932</p>
	<p>N. 0°02' W., bet. secs. 33 and 34.</p>
	<p>Over rolling land.</p>
19.30	<p>Wash, 80 lks. wide, 2 ft. deep, drains SW.</p>
40.00	<p>Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 33 and 34.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{2}</math>  <math>\frac{S33}{S34}</math>                      1969</p>
	<p>Deposit glass in the hole alongside the iron post.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{S28}{S33}   \frac{S27}{S34}</math>                      1969</p>
	<p>Deposit glass in the hole alongside the iron post.</p>
	<p>Land, rolling.</p>
	<p>Soil, gypsum.</p>
	<p>No timber; undergrowth, sagebrush.</p>
	<p>From the cor. of secs. 26, 27, 34 and 35.</p>
	<p>N. 89°46' W., bet. secs. 27 and 34.</p>
	<p>Over rolling land.</p>
39.55	<p>Point selected for the witness <math>\frac{1}{2}</math> sec. cor. of secs. 27 and 34.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{W \leftarrow S27}{C \leftarrow S34}</math>                      1969</p>
40.05	<p>True point for the <math>\frac{1}{2}</math> sec. cor. of secs. 27 and 34, falls in a ravine draining SW. where a monument cannot be safely perpetuated.</p>
80.10	<p>The cor. of secs. 27, 28, 33 and 34.</p>
	<p>Land, rolling.</p>
	<p>Soil, gravelly loam and gypsum.</p>
	<p>No timber; undergrowth, creosote bush, cacti, yucca and sagebrush.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
40.00	<p>N. 0°02' W., bet. secs. 27 and 28.                      Over rolling land.                      Point for the ¼ sec. cor. of secs. 27 and 28.                      Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W                      ¼                      S28 S27                      1969</p>
80.00	<p>Deposit glass in the hole alongside the iron post.                      Point for the cor. of secs. 21, 22, 27 and 28.                      Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W                      S21 S22                      S28 S27                      1969</p> <p>Raise a mound of stone W. of the cor.                      Land, rolling.                      Soil, gypsum.                      No timber; undergrowth, sagebrush.</p>
40.02	<p>From the cor. of secs. 22, 23, 26 and 27.                      N. 89°43' W., bet. secs. 22 and 27.                      Over rolling land.                      Point for the ¼ sec. cor. of secs. 22 and 27.                      Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W                      ¼    S22                      S27                      1970</p>
80.04	<p>The cor. of secs. 21, 22, 27 and 28.                      Land, rolling.                      Soil, gravelly loam and gypsum.                      No timber; undergrowth, sagebrush.</p>
40.00	<p>N. 0°02' W., bet. secs. 21 and 22.                      Over rolling land.                      Point for the ¼ sec. cor. of secs. 21 and 22.                      Set the iron post 24 ins. in the ground, brass cap mkd.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S21   S22                      1969</p>
	<p>Deposit glass in the hole alongside the iron post.</p>
71.00	<p>Enter wash area, drains westerly.</p>
75.10	<p>Leave wash area, drains westerly.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p>
	<p>Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W                      S16   S15                      S21   S22                      1969</p>
	<p>Land, rolling.                      Soil, gypsum.                      No timber; undergrowth, sagebrush.</p>
	<p>From the cor. of secs. 14, 15, 22 and 23.</p>
	<p>N. 89°44' W., bet. secs. 15 and 22.</p>
	<p>Over rolling land.</p>
2.10	<p>Wash, 10 lks. wide, 1 ft. deep, drains westerly.</p>
15.70	<p>Track road, bears S. 85° E. and N. 85° W.</p>
40.02	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 15 and 22.</p>
	<p>Set the iron post 14 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> S15                      S22                      1969</p>
80.04	<p>The cor. of secs. 15, 16, 21 and 22.</p>
	<p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, sagebrush, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 15 and 16.</p>
	<p>Over rolling land.</p>
0.30	<p>Wash, 15 lks. wide, 1 ft. deep, drains W.</p>
13.10	<p>Dim track road, bears E. and W.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 16.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T34N R15W $\frac{1}{4}$ S16   S15 1969
	Raise a mound of stone W. of the cor.
65.80	Wash, 20 lks. wide, 1 ft. deep, drains NE.
71.60	Spur, slopes W.
75.60	Enter wash area, drains westerly.
78.00	Leave wash area, drains westerly.
80.00	Point for the cor. of secs. 9, 10, 15 and 16.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T34N R15W S 9   S10 S16   S15 1969
	Raise a mound of stone W. of the cor.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
<hr/>	
	From the true point for the cor. of secs. 10, 11, 14 and 15.
	N. 89°47' W., bet. secs. 10 and 15.
	Over rolling land.
34.80	Wash, 30 lks. wide, 3 ft. deep, drains N.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15.
	Set the iron post over an X chiseled in solid rock, mound with stone to the top, brass cap mkd.
	T34N R15W $\frac{1}{4}$ $\frac{S10}{S15}$ 1969
65.70	Enter wash area, drains SW.
68.90	Leave wash area, drains SW.
80.04	The cor. of secs. 9, 10, 15 and 16.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
<hr/>	

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	N. 0°02' W., bet. secs. 9 and 10.
	Over rolling land.
13.40	Bulldozed road, bears E. and W.
22.90	Draw, drains W.
33.00	Ravine, drains W.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 9 and 10.
	Set the iron post over an X chiseled in solid rock, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W</p> $\begin{array}{c} \frac{1}{2} \\ \hline S 9   S10 \\ 1969 \end{array}$
43.40	Ravine, drains W.
48.80	Dim track road, bears E. and W.
78.20	Wash, 30 lks. wide, 1 ft. deep, drains W.
80.00	Point for the cor. of secs. 3, 4, 9 and 10.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W</p> $\begin{array}{c} \frac{1}{2} \\ \hline S 4   S 3 \\ S 9   S10 \\ 1969 \end{array}$
	Raise a mound of stone W. of the cor.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 2, 3, 10 and 11.
	N. 89°41' W., bet. secs. 3 and 10.
	Over rolling land.
39.79	Point for the $\frac{1}{2}$ sec. cor. of secs. 3 and 10.
	Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W</p> $\frac{1}{2} \frac{S 3}{S10}$ <p style="text-align: center;">1970</p>
79.58	The cor. of secs. 3, 4, 9 and 10.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>N. 0°21' W., bet. secs. 3 and 4.</p>
	<p>Over rolling land.</p>
16.80	Wash, 10 lks. wide, 2 ft. deep, drains W.
17.50	Bladed road, bears E. and W.
29.30	Wash, 25 lks. wide, 1 ft. deep, drains W.
40.00	Point for the 1/2 sec. cor. of secs. 3 and 4.
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W 1/2 S 4   S 3 1970</p>
62.20	Wash, 110 lks. wide, 3 ft. deep, drains W.
78.12	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.
	<p style="text-align: center;">T35N R15W S33   S34 S 4   S 3 T34N 1956</p>
	<p>Land, rolling. Soil, gravelly loam. Timber, joshua trees. Undergrowth, creosote bush, sagebrush and cacti.</p>
	<p>From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W S32   S33 S 5   S 4 T33N 1932</p>
	<p>N. 0°03' W., bet. secs. 32 and 33.</p>
	<p>Over rolling land.</p>
40.00	Point for the 1/2 sec. cor. of secs. 32 and 33.
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
80.00	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S32   S33                      1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Point for the cor. of secs. 28, 29, 32 and 33.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
40.01	<p style="text-align: center;">T34N R15W  <u>S29   S28</u>                      S32   S33                      1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Land, rolling.                      Soil, gypsum.                      No timber; undergrowth, sagebrush.</p>
80.02	<p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>N. 89°51' W., bet. secs. 28 and 33.</p> <p>Over rolling land.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 28 and 33.</p> <p>Set the iron post 17 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
80.02	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S28}{S33}</math>                      1969</p> <p>The cor. of secs. 28, 29, 32 and 33.</p> <p>Land, rolling.                      Soil, gypsum.                      No timber; undergrowth, sagebrush.</p>
40.00	<p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over rolling land.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 28 and 29.</p> <p>Set the iron post 14 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
80.00	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S29   S28                      1969</p> <p>Deposit glass in the hole alongside the iron post.</p> <p>Point for the cor. of secs. 20, 21, 28 and 29.</p>

Subdivision, T..34 N., R. 15 W.

CHAINS		
	<p>Set the iron post 3 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{S20}{S29}   \frac{S21}{S28}</math>                      1969</p> <p>from which</p> <p style="text-align: center;">U.S.C.&amp;G.S. triangulation station "BURRO", bears S. 89°52' E., 20.57 chs. dist., monumented by a standard disc set in a drill hole, marked BURRO 1953, Latitude 36°19'30.623" N., Longitude 113°54'37.930" W.</p> <p>Land, rolling.                      Soil, gypsum and gravelly loam.                      No timber; undergrowth, sagebrush, creosote bush, cacti and yucca.</p>	
<p>40.03</p>	<p>From the cor. of secs. 21, 22, 27. and 28.</p> <p>N. 89°51' W., bet. secs. 21 and 28,</p> <p>Over rolling land.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 21 and 28.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{4} \frac{S21}{S28}</math>                      1970</p> <p>Raise a mound of stone N. of the cor.</p>	
<p>80.06</p>	<p>The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, sagebrush and cacti.</p>	
<p>10.00</p>	<p>N. 0°03' W., bet. secy. 20 and 21.</p> <p>Over rolling land.</p> <p>Wash, 15 lks. wide, 1' ft. deep, drains SW.</p>	
<p>18.60</p>	<p>Track road, bears N. 60° E., and S. 60° W.</p>	
<p>23.00</p>	<p>Bladed road, bears E. and W.</p>	
<p>40.00</p>	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 20 and 21.</p> <p>Set the iron post 6 ins. in the ground, mound with stone to the top, brass cap mkd.</p>	

Subdivision, T. 34 N., R. 15 W.

CHAINS		
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S20   S21                      1969</p>	
60.50	Track road, bears E. and W.	
80.00	Point for the cor. of secs. 16, 17, 20 and 21.	
	<p>Set the iron post 6 ins. in the ground, mound with stone to the top, brass cap mkd.</p>	
	<p style="text-align: center;">T34N R15W                      S17   S16                      S20   S21                      1969</p>	
	<p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>	
	From the cor. of secs. 15, 16, 21 and 22.	
	N. 89°53' W , bet. secs. 16 and 21.	
	Over rolling land.	
24.30	Wash, 20 lks. wide, 1 ft. deep, drains NW.	
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21.	
	<p>Set the iron post 4 ins. in the ground, mound with stone to the top, brass cap mkd.</p>	
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S16}{S21}</math>                      1969</p>	
46.50	Track road, bears N. and S.	
80.04	The cor. of secs. 16, 17, 20 and 21.	
	<p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>	
	N. 0°03' W., bet. secs. 16 and 17.	
	Over rolling land.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 17.	
	<p>Set the iron post 10 ins. in the ground, mound with stone to the top, brass cap mkd.</p>	
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>                      S17   S16                      1969</p>	

Subdivision, T. 34 N., R. 15 W.

CHAINS	
48.40	Wash, 20 lks. wide, 1 ft. deep, drains W.
66.80	Wash, 10 lks. wide, 1 ft. deep, drains W.
78.90	Wash, 30 lks. wide, 1 ft. deep, drains W.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T34N R15W $\begin{array}{c c} \text{S } 8 & \text{S } 9 \\ \hline \text{S } 17 & \text{S } 16 \end{array}$ 1969
	Raise a mound of stone W. of the cor.
	Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 9, 10, 15 and 16.
	N. 89°56' W., bet. secs. 9 and 16.
	Over rolling land.
8.90	Bulldozed road, bears N. and S.
15.10	Wash, 25 lks. wide, 1 ft. deep, drains Westerly.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 9 and 16.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T34N R15W $\frac{1}{2} \frac{\text{S } 9}{\text{S } 16}$ 1970
	Raise a mound of stone N. of the cor.
65.10	Wash, 15 lks. wide, 1 ft. deep, drains Westerly.
78.00	Wash, 20 lks. wide, 1 ft. deep, drains Westerly.
80.00	The cor. of secs. 8, 9, 16 and 17.
	Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.
	N. 0°03' W., bet. secs. 8 and 9.
	Over rolling land.
12.70	Wash, 20 lks. wide, 1 ft. deep, drains W.
34.30	Wash, 15 lks. wide, 1 ft. deep, drains W.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
39.50	Wash, 20 lks. wide, 1 ft. deep, drains W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 9.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T34N R15W $\frac{1}{4}$ S 8   S 9 1969
64.30	Wash, 10 lks. wide, 1 ft. deep, drains W.
70.10	Wash, 20 lks. wide, 1 ft. deep, drains W.
79.50	Bladed road, bears NE. and SW.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T34N R15W <u>S 5   S 4</u> <u>S 8   S 9</u> 1969
	Raise a mound of stone W. of the cor.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 3, 4, 9 and 10.
	N. 89°57' W., bet. secs. 4 and 9.
	Over rolling land.
2.00	Wash, 30 lks. wide, 1 ft. deep, drains NW.
8.80	Same wash, 30 lks. wide, 1 ft. deep, drains SW.
23.40	Same wash, 30 lks. wide, 1 ft. deep, drains NW.
31.90	Same wash, 30 lks. wide, 1 ft. deep, drains SW.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9.
	Set the iron post 5 ins. in the ground, mound with stone to the top, brass cap mkd.
	T34N R15W $\frac{1}{4}$ <u>S 4</u> <u>S 9</u> 1970
41.70	Wash, 30 lks. wide, 1 ft. deep, drains SW.
55.20	Wash, 40 lks. wide, 1 ft. deep, drains N.
62.50	Wash, 45 lks. wide, 1 ft. deep, drains SW.
79.50	Bladed road, bears NE. and SW.
79.96	The cor. of secs. 4, 5, 8 and 9.

## Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
<p>10.50 12.90 38.00 40.00</p>	<p>N. 0°03' W., bet. secs. 4 and 5. Over rolling land. Enter wash area, drains SW. Leave wash area, drains SW. Enter wash area, drains SW. Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 4 and 5. Set the iron post 15 ins. in the ground, mound with stone to the top, brass cap mkd.  T34N R15W <math>\frac{1}{2}</math> S 5   S 4 1969</p>
<p>46.50 55.80 72.80</p>	<p>Leave wash area, drains SW. Track road, bears NE. and SW. Point selected for the witness closing corner of secs. 4 and 5. Set the iron post 24 ins. in the ground, brass cap mkd.  S 5   S 4 T34N   R15W C C W C 1970</p>
<p>78.00</p>	<p>Raise a mound of stone S. of the cor. True point for the closing cor. of secs. 4 and 5 on the N. bdy. of the Tp., falls in Grand Wash, where a monument cannot be safely perpetuated. from which  The true point for the cor. of secs. 4, 5, 32 and 33, Tps. 34 and 35 N., R. 15 W., bears West, 62 lks. dist.  The witness cor. of secs. 4, 5, 32 and 33, Tps. 34 and 35 N., R. 15 W., bears East, 4.38 chs. dist., monumented by an iron post, 2 ins. diam., firmly set, projecting 4 ins. above ground, with a mound of stone W. This monument now functions as the witness cor. of secs. 32 and 33 only, T. 35 N., R. 15 W., remarked.  T35N R15W W S32   S33 C 1970 1956  Move the mound of stone to the N. of the witness cor.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W S31   S32 S 6   S 5 T33N 1932</p>
	<p>N. 0°03' W., bet. secs. 31 and 32.</p>
	<p>Over rolling land.</p>
3.40	<p>Track road, bears E. and W.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 31 and 32.</p> <p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W 1/4 S31   S32 1969</p>
69.40	<p>Bulldozed road, bears E. and W.</p>
73.00	<p>Bulldozed road, bears S. 80° E. and N. 80° W.</p>
80.00	<p>Point for the cor. of secs. 29, 30, 31 and 32.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W S30   S29 S31   S32 1969</p>
	<p>from which</p> <p style="padding-left: 40px;">A bench mark set in solid rock, bears S. 6°57' W., 9.60 chs. dist., brass cap mkd.</p>
	<p style="text-align: center;">V54   — 1934</p>
	<p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 28, 29, 32 and 33.</p> <p>N. 89°51' W., bet. secs. 29 and 32.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	Over rolling land.
24.00	Wash, 15 lks. wide, 1 ft. deep, drains SW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.
	Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W</p> $\frac{1}{4} \frac{S29}{S32}$ <p style="text-align: center;">1969</p>
80.00	The cor. of secs. 29, 30, 31 and 32.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
	N. 89°48' W., bet. secs. 30 and 31.
	Over rolling land.
2.80	Track road, bears NE. and SW.
5.80	Wash, 20 lks. wide, 1 ft. deep, drains SW.
7.50	Bulldozed road, bears SE. and NW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.
	Set the iron post 5 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W</p> $\frac{1}{4} \frac{S30}{S31}$ <p style="text-align: center;">1969</p>
78.84	The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N</p> <p style="text-align: center;">R16W R15W</p> $\frac{S25}{S36} \frac{S30}{S31}$ <p style="text-align: center;">1932</p>
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 29, 30, 31 and 32.
	N. 0°03' W., bet. secs. 29 and 30.

Subdivision, T. 34 N., R. 15 W.

CHAINS		
	Over rolling land.	
3.60	Wash, 15 lks. wide, 1 ft. deep, drains SW.	
5.20	Track road, bears NE. and SW.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30. Set the iron post 24 ins. in the ground, brass cap mkd.  T34N R15W $\frac{1}{4}$ S30 S29 1969	
80.00	Point for the cor. of secs. 19, 20, 29 and 30. Set the iron post over an X chiseled in solid rock, mound with stone to the top, brass cap mkd.  T34N R15W S19 S20 S30 S29 1969  Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.	
	From the cor. of secs. 20, 21, 28 and 29. N. 89°48' W., bet. secs. 20 and 29. Over rolling land.	
19.10	Track road, bears NE. and SW.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 29. Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.  T34N R15W $\frac{1}{4}$ S20 S29 1970	
53.40	Track road, bears N. and S.	
80.00	The cor. of secs. 19, 20, 29 and 30. Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.	
40.00	N. 89°46' W., bet. secs. 19 and 30. Over rolling land. Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.	

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Set the iron post 8 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S19}{S30}</math>                      1970</p>
58.80	<p>Bulldozed road, bears NE. and SW.</p>
78.70	<p>The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N                      R16W R15W  <math>\frac{S24}{S25}   \frac{S19}{S30}</math>                      1932</p>
	<p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 19, 20, 29 and 30.</p>
	<p>N. 0°03' W., bet. secs. 19 and 20.</p>
	<p>Over rolling land.</p>
13.20	<p>Bulldozed road, bears N. 70° E. and S. 70° W.</p>
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 19 and 20.</p>
	<p>Set the iron post over an X chiseled in solid rock, mound with stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math>  <math>S19   S20</math>                      1969</p>
57.70	<p>Wash, 10 lks. wide, 1 ft. deep, drains W.</p>
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W  <math>\frac{S18}{S19}   \frac{S17}{S20}</math>                      1969</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, rolling.                      Soil, gravelly loam.</p>
	<p>No timber; undergrowth, creosote bush, cacti and yucca.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>From the cor. of secs. 16, 17, 20 and 21.                      N. 89°50' W., bet. secs. 17 and 20.                      Over rolling land.</p>
40.01	<p>Point for the ¼ sec. cor. of secs. 17 and 20.</p>
	<p>Set the iron post 4 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W</p>
	<p style="text-align: center;">¼ <math>\frac{S17}{S20}</math></p>
	<p style="text-align: center;">1969</p>
75.60	<p>Track road, bears SE. and NW.</p>
80.02	<p>The cor. of secs. 17, 18, 19 and 20.</p>
	<p>Land, rolling.</p>
	<p>Soil, gravelly loam.</p>
	<p>No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>N. 89°47' W., bet. secs. 18 and 19.</p>
	<p>Over rolling land.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 18 and 19.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T34N R15W</p>
	<p style="text-align: center;">¼ <math>\frac{S18}{S19}</math></p>
	<p style="text-align: center;">1969</p>
	<p>Raise a mound of stone N. of the cor.</p>
63.90	<p>Wash, 15 lks. wide, 1 ft. deep, drains S. 85° W.</p>
78.58	<p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N</p>
	<p style="text-align: center;">R16W R15W</p>
	<p style="text-align: center;"><math>\frac{S13}{S24}   \frac{S18}{S19}</math></p>
	<p style="text-align: center;">1932</p>
	<p>Land, rolling.</p>
	<p>Soil, gravelly loam.</p>
	<p>No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor. of secs. 17, 18, 19 and 20.</p>
	<p>N. 0°03' W., bet. secs. 17 and 18.</p>
5.60	<p>Track road, bears E. and W.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
8.70	Wash, 15 lks. wide, 1 ft. deep, drains W.
21.10	Wash, 20 lks. wide, 1 ft. deep, drains NW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 18.
	Set the iron post 10 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N. R15W  <math>\frac{1}{4}</math>  S18   S17  1969</p>
45.00	Wash, 15 lks. wide, 1 ft. deep, drains W.
65.60	Wash, 20 lks. wide, 2 ft. deep, drains W.
78.88	Wash, 10 lks. wide, 1 ft. deep, drains W.
80.00	Point for the cor. of secs. 7, 8, 17 and 18.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W  S 7   S 8  S18   S17  1969</p>
	Raise a mound of stone W. of the cor.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.
	From the cor. of secs. 8, 9, 16 and 17.
	N. 89°51' W., bet. secs. 8 and 17.
	Over rolling land.
9.70	Wash, 10 lks. wide, 1 ft. deep, drains N. 85° W. from S. 80° E.
40.01	Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17.
	Set the iron post 18 ins. in the ground, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4}</math> <math>\frac{S 8}{S17}</math>  1970</p>
44.90	Same wash, 10 lks. wide, 1 ft. deep, drains S. 85° W.
80.02	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling.
	Soil, gravelly loam.
	No timber; undergrowth, creosote bush, cacti and yucca.

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>N. 89°45' W., bet. secs. 7 and 18. Over rolling land.</p>
32.90	Left bank of Grand Wash, bears NE. and SW.
39.00	Right bank of Grand Wash, bears NE. and SW.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 18.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4} \frac{S 7}{S 18}</math>                      1970</p>
	Raise a mound of stone N. of the cor.
74.50	Track road, bears NE. and SW.
78.54	<p>The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p>
	<p style="text-align: center;">T34N                      R16W R15W  <math>\frac{S 12}{S 13}   \frac{S 7}{S 18}</math>                      1932</p>
	<p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
	From the cor. of secs. 7, 8, 17 and 18.
	N. 0°03' W., bet. secs. 7 and 8.
	Over rolling land.
19.60	Left bank of Grand Wash, bears NE. and SW.
23.30	Right bank of Grand Wash, bears NE. and SW.
34.80	Wash, 25 lks. wide, 2 ft. deep, drains W.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 8.
	Set the iron post over an X chiseled on solid rock, mound with stone to the top, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{1}{4} \frac{S 7}{S 8}</math>                      1969</p>
80.00	Point for the cor. of secs. 5, 6, 7 and 8.
	Set the iron post 21 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T34N R15W  <math>\frac{S 6}{S 7}   \frac{S 5}{S 8}</math>                      1969</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>From the cor.. of secs.. 4, 5, 8 and 9.</p> <p>N. 89°49' W., bet. secs. 5 and 8.</p> <p>Over rolling land.</p>
12.50	Wash, 20 lks. wide, 1 ft. deep, drains SW.
13.70	Bulldozed road, bears N. and S.
14.20	Left bank of Grand Wash, bears N. and S.
20.70	Right bank of Grand Wash, bears N. and S.
21.40	Ascend E. slope of mesa.
26.20	Top of mesa, bears N. and S.
31.40	Bladed road, bears N. and S.
33.20	Track road, bears N. and S.
39.98	Point for the ¼ sec. cor. of secs. 5 and 8.
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T34N R15W  <math>\frac{1}{4} \frac{S 5}{S 8}</math>                      1969</p>
62.80	Track road, bears N. and S.
79.96	The cor. of secs. 5, 6, 7 and 8.
	<p>Land, rolling. Soil, gravelly loam. No timber; undergrowth, creosote bush, cacti and yucca.</p>
	<p>N. 89°43' W.; bet. secs. 6 and 7.</p> <p>Over rolling land.</p>
16.20	Track road, bears NE. and SW.
34.60	Wash, 20 lks. wide, 1 ft. deep, drains SW.
37.20	Cliff, 50 ft. high, bears N. and S.
40.00	Point for the ¼ sec. cor. of secs. 6 and 7.
	<p>Set the iron post 18 ins. in the ground, mound with stone to the top, brass cap mkd.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS	
78.37	<p style="text-align: center;">T34N R15W  <math>\frac{1}{2}</math> <math>\frac{S\ 6}{S\ 7}</math>                      1969</p> <p>The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T34N                      R16W R15W  <math>\frac{S\ 1\  S\ 6}{S12\  S\ 7}</math>                      1932</p> <p>Land, rolling.                      Soil, gravelly loam.                      No timber; undergrowth, creosote bush, cacti and yucca.</p>
21.40	<p>From the cor. of secs. 5, 6, 7 and 8.</p>
31.10	<p>N. 0°03' W., bet. secs. 5 and 6.</p>
39.60	<p>Over rolling land.</p>
40.00	<p>Track road, bears NE. and SW.</p>
77.57	<p>Bladed road, bears E. and W.</p>
77.57	<p>Wash, 10 lks. wide, 1 ft. deep, drains W.</p>
77.57	<p>Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 5 and 6.</p>
77.57	<p>Set the iron post 6 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
77.57	<p style="text-align: center;">T34N R15W  <math>\frac{1}{2}</math>                      S 6   S 5                      1969</p>
77.57	<p>Intersect the N. bdy. of the Tp.</p>
77.57	<p>Point for the closing cor. of secs. 5 and 6.</p>
77.57	<p>Set the iron post 4 ins. in the ground, mound with stone to the top, brass cap mkd.</p>
77.57	<p style="text-align: center;">T35N R15W  <math>\frac{S32}{S\ 6\  S\ 5}</math>                      T34N R15W                      C C                      1970</p>
77.57	<p>from which</p>
77.57	<p>The cor. of secs. 31, 32, 5 and 6, bears West 74 lks. dist., monumented by an iron post 2 ins.</p>

Subdivision, T. 34 N., R. 15 W.

CHAINS

diam., firmly set in a mound of stone to the top. The monument now functions as the cor. of secs. 31 and 32 only, T. 35 N., R. 15 W., remarked.

T35N R15W  
S31|S32  
 S 6  
 T34N R15W  
 1970  
 1956

Land, rolling.  
 Soil, gravelly loam.  
 No timber; undergrowth, creosote bush, cacti and yucca.

The point for the  $\frac{1}{4}$  sec. cor. of sec. 5 only, is on the N. bdy. of the Tp., at mid-point between the closing corners.

Set the iron post 20 ins. in the ground, brass cap mkd.

$\frac{1}{4}$  S 5  
 T34N R15W  
 1970

from which

The  $\frac{1}{4}$  sec. cor. of secs. 5 and 32, Tps. 34 and 35 N., R. 15 W., bears West 68 lks. dist., monumented by an iron post, 1 in. diam., firmly set, projecting 6 ins. above ground, mound of stone N. This monument now functions as the  $\frac{1}{4}$  sec. cor. of sec. 32 only, T. 35 N., R. 15 W., remarked.

T35N R15W  
 $\frac{1}{4}$  S32  
 1970  
 1956

Raise a mound of stone S. of the cor.

The point for the  $\frac{1}{4}$  sec. cor. of sec. 6 only, is on the N. bdy. of the Tp., at 40.00 chs. in Westing from the closing cor. of secs. 5 and 6, T. 34 N., R. 15 W.

Set the iron post 24 ins. in the ground, brass cap mkd.

$\frac{1}{4}$  S 6  
 T34N R15W  
 1970

from which

The  $\frac{1}{4}$  sec. cor. of secs. 6 and 31, Tps. 34 and 35 N., R. 15 W., bears West 74 lks. dist., monumented by an iron post, 1 in. diam., firmly set,

## Subdivision, T. 34 N., R. 15 W.

## CHAINS

projecting 10 ins. above ground, mound of stone N. This monument now functions as the  $\frac{1}{4}$  sec. cor. of sec. 31 only, T. 35 N., R. 15 W., re-marked.

T35N R15W  
 $\frac{1}{4}$  S31  
 1970  
 1956

Raise a mound of stone S. of the cor.

## GENERAL DESCRIPTION

Township 34 North, Range 15 West is located about 40 miles south of Mesquite, Nevada. The township is traversed by a number of roads which vary from jeep trails to partially maintained roads.

The elevation ranges from about 2800 ft. above sea level on the east boundary of the township to about 2000 ft. along the west boundary of the township. The drainage is from east to west. The land is mostly rolling. The soil is mostly gravelly loam except for a gypsum deposit in the central south portion of the township. Timber consists of joshua trees in the eastern portion of the township; vegetation consists of creosote bush, sagebrush, cacti and yucca.

Grazing is the principle use of the land. There is no evidence of mining claims or mining activity in the township. There are no occupied dwellings in the township.



37

CERTIFICATE OF SURVEY

~~XX~~ (We), Louis D. Gilbert and Ira M. Thiessen, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 24th day of July, 1969, ~~XX~~ (We) have completed the survey of the subdivisional lines and established certain corners of minimum control along the North boundary of Township 34 North, Range 15 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~(me)~~, (us) and under ~~(my)~~ (our) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

July 1, 1970 \_\_\_\_\_  
 (Date) Louis D. Gilbert  
 (Cadastral Surveyor)

July 1, 1970 \_\_\_\_\_  
 (Date) Ira M. Thiessen  
 (Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL  
 Date SEP 15 1972

BUREAU OF LAND MANAGEMENT  
 Washington, D.C.

The foregoing field notes of the completion survey of the subdivisional lines and the establishment of certain corners of minimum control along the North boundary of Township 34 North, Range 15 West, Gila and Salt River Meridian, Arizona,

executed by Louis D. Gilbert and Ira M. Thiessen having been critically examined and found correct, are hereby approved.

JAN 31 1973 \_\_\_\_\_  
 (Date) Clark I. Sumner  
 (Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in \_\_\_\_\_, is a true copy of the original field notes.

\_\_\_\_\_  
 (Date) \_\_\_\_\_ (Chief, Division of Cadastral Survey) GPO 849-626