

1A

BOOK 4975

INDEX DIAGRAM

Township 5 South, Range 1 West,

6 41	41 5 40	29 4 29	22 3 21	15 2 14	8 1 7
7 38	39 8 38	28 9 28	21 10 20	14 11 13	7 12 6
18 36	37 17 36	27 16 26	19 15 19	13 14 12	5 13 5
19 34	35 20 34	26 21 25	18 22 18	11 23 11	4 24 4
30 32	33 29 31	24 28 24	17 27 16	10 26 10	3 25 2
31	31 32	23 33	15 34	9 35	1 36

Township 5 South, Range 1 West
Gila and Salt River Meridian, Arizona

CHAINS

The north boundary was surveyed in 1871 by S. W. Foreman. The east boundary was surveyed in 1883 by J. B. McLaughlin. The east boundary was resurveyed in 1914 by W. H. Thorn and W. K. Kierulff. The north boundary was resurveyed in 1916 by W. G. Shapcott. The south boundary (the First Standard Parallel South) was surveyed in 1938 by H. M. Muscott. The west boundary was surveyed concurrently under this same Group No., by Louis D. Gilbert, and described in the field notes of the east boundary of Township 5 South, Range 2 West.

The following field notes are those of the survey of the subdivisional lines in Township 5 South, Range 1 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated January 20, 1970. The direction of all lines were determined by solar observations and all lines refer to the true meridian.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast corner of the Township, as determined by traverse from USC&GS Triangulation Station Ocapos, located in the southeast portion of section 18, Township 5 South, Range 2 West is: Latitude, 32°56'31.2" North and Longitude, 112°18'20.0" West.

The mean magnetic declination was found to be 14½° East.

Survey of the Subdivisional Lines
Township 5 South, Range 1 West

Beginning at the Stan. cor. of secs. 35 and 36, on the S. bdy. of the Tp., monumented by an iron post, 2 ins. in diam., firmly set in a mound of stone, brass cap mkd.

S C
T5S R1W
S35|S36
1938

from which the original bearing trees:

A palo verde, 6 ins. diam., bears N. 43¾° E., 52 lks. dist., mkd. with illegible scribe marks.

A palo verde, 8 ins. diam., bears N. 61° W., 42 lks. dist., no legible markings.

N. 0°01' W., bet. secs. 35 and 36.

Over mountainous land, through scattered timber.

7.10 Rocky spur, slopes W.

19.00 Enter nearly level land.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
36.00	Enter mountainous land.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36.</p> <p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S35 S36 1970</p>
49.10	Ravine, drains N. 70° W.
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W S26 S25 S35 S36 1970</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set in a mound of stone with brass cap mkd.</p> <p style="text-align: center;">T5S R1W R1E S25 S30 S36 S31 GSRM 1914</p> <p>from which the remains of the orig. bearing trees:</p> <p style="padding-left: 40px;">A stump hole, of an uprooted palo verde, 6 ins. diam., bears N. 79° E., 69 lks. dist. No mks. visible.</p> <p style="padding-left: 40px;">A stump hole, of an uprooted palo verde, 5 ins. diam., bears S. 36° W., 78 lks. dist. No mks. visible.</p> <p>S. 89°59' W., bet. secs. 25 and 36.</p> <p>Over rolling land, through scattered timber.</p>
13.70	Spur, slopes NW.
28.50	Wash, 10 lks. wide, 1 ft. deep, drains irregularly N.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
39.99	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36.</p> <p>Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S25}{S36}$ 1970</p> <p>Set a palo verde post, 4 ft. long, 6 ins. diam., alongside the iron post.</p>
40.30	Sandy wash, 15 lks. wide, 6 ins. deep, drains N. 15° W. for 1.00 ch. dist., thence irregularly N.
59.10	Wash, 20 lks. wide, with 4 ft. banks, drains N. 75° E.
79.98	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, rolling. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, cacti and creosote bush.</p>
	<p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>Over rolling land, through scattered timber.</p>
1.50	Ravine, drains N. 80° E.
8.00	Ravine, drains E.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.</p> <p>Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S26}{S25}$ 1970</p>
44.60	Wash, 30 lks. wide, 3 ft. deep, drains NE.
63.90	Wash, 20 lks. wide, 2 ft. deep, drains N. 30° W.
80.00	<p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S. R1W $\frac{S23}{S26}$ $\frac{S24}{S25}$ 1970</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS		
	<p>Land, rolling: Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.</p>	
	<p>From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., projecting 14 ins. above ground, firmly set, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R1W R1E <u>S24 S19</u> <u>S25 S30</u> 1914</p>	
	<p>S. 89°58' W., bet. secs. 24 and 25.</p>	
	<p>Over nearly level land, through scattered timber.</p>	
16.50	<p>Wash, 30 lks. wide, 2 ft. deep, drains N. 15° W.</p>	
17.10	<p>Wash, 20 lks. wide, 1 ft. deep, drains N.</p>	
29.40	<p>Enter rolling land.</p>	
39.60	<p>Spur, slopes NE.</p>	
39.96	<p>Point for the ¼ sec. cor. of secs. 24 and 25.</p>	
	<p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T5S.R1W <u> S24</u> ¼ <u> S25</u> 1970.</p>	
46.20	<p>Ridge, bears S. 10° E. and N. 10° W.</p>	
57.60	<p>Draw, drains irregularly S. 80° W.</p>	
72.00	<p>Enter nearly level land.</p>	
79.92	<p>The cor. of secs. 23, 24, 25 and 26.</p>	
	<p>Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, scattered creosote bush and cacti.</p>	
	<p>N. 0°01' W., bet. secs. 23 and 24.</p>	
	<p>Over rolling land, through scattered timber.</p>	
40.00	<p>Point for the ¼ sec. cor. of secs. 23 and 24.</p>	
	<p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p>	

Subdivision of T. 5 S., R. 1 W.

CHAINS		
	<p style="text-align: center;">T5S R1W $\frac{1}{2}$ S23 S24 1970</p>	
60.00	Enter nearly level land.	
80.00	Point for the cor. of secs. 13, 14, 23 and 24.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T5S R1W S14 S13 S23 S24 1970</p>	
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.	
	<p>Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, palo verde. Undergrowth, creosote bush and cacti.</p>	
	<p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp.; monumented by an iron post, 3 ins. diam., firmly set in a mound of stone, with mound of stone W., brass cap mkd.</p>	
	<p style="text-align: center;">T5S R1W R1E S13 S18 S24 S19 1914</p>	
	N. 89°57' W., bet. secs. 13 and 24.	
	Over nearly level land, through scattered timber.	
39.93	Point for the $\frac{1}{2}$ sec. cor. of secs. 13 and 24.	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ S13 S24 1970</p>	
	Raise a mound of stone N. of the iron post.	
79.86	The cor. of secs. 13, 14, 23 and 24.	
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush.</p>	
	N. 0°01' W., bet. secs. 13 and 14.	

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	Over nearly level land, through scattered timber.
34.40	Track road, bears E. and W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 14.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R1W $\frac{1}{4}$ S14 S13 1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
69.50	Wash, 100 lks. wide, 2 ft. deep, drains NE.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R1W S11 S12 S14 S13 1970
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
	Land, nearly level. Soil, sandy loam. Timber, palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.
	T5S R1W R1E S12 S 7 S13 S18 1914
	S. 89°59' W., bet. secs. 12 and 13.
	Over nearly level land, through scattered timber.
11.00	Wash, 5 lks. wide, 3 ft. deep, drains N.
39.90	Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R1W $\frac{1}{4}$ <u>S12</u> S13 1970

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.
53.50	Wash, 80 lks. wide, 2 ft. deep, drains N. 80° E.
58.70	Wash, 140 lks. wide, 2½ ft. deep, drains N. 80° E.
72.50	Wash, 110 lks. wide, 2½ ft. deep, drains N. 20° E.
79.80	The cor. of secs. 11, 12, 13 and 14.
	Land, nearly level. Soil, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°01' W., bet. secs. 11 and 12.
	Over nearly level land, through scattered timber.
40.00	Point for the ¼ sec. cor. of secs. 11 and 12.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ S11 S12 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
79.75	Wash, 20 lks. wide, 2 ft. deep, drains NE.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W S 2 S 1 S11 S12 1970</p>
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.
	Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 7 ins. above ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W R1E S 1 S 6 S12 S 7 1914</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS		
	<p>S. 89°59' W., bet. secs. 1 and 12.</p> <p>Over nearly level land, through scattered timber.</p> <p>3.40 Wash, 20 lks. wide, with 4 ft. banks, drains N. 25° E.</p> <p>8.30 Wash, 20 lks. wide, with 3 ft. banks, drains N. 25° E.</p> <p>16.55 Wash, 8 lks. wide, 2 ft. deep, drains N. 25° W.</p> <p>23.40 Wash, 8 lks. wide, 2 ft. deep, drains N.</p> <p>39.85 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S 1}{S 12}$ 1970</p> <p>Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.</p> <p>43.97 Track road, bears SE. and NW.</p> <p>52.20 Wash, 7 lks. wide, 1 ft. deep, drains N.</p> <p>79.55 Wash, 15 lks. wide, 2 ft. deep, drains NE.</p> <p>79.70 The cor. of secs. 1, 2, 11 and 12.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>N. 0°17' W., bet. secs. 1 and 2.</p> <p>Over nearly level land, through scattered timber.</p> <p>24.30 Bladed road, bears S. 60° E. and N. 60° W.</p> <p>40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S 2 S 1 1970</p> <p>Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.</p> <p>80.03 The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 4 ins. above ground, brass cap mkd.</p>	

Subdivision of T. 5 S., R. 1 W.

CHAINS

T4S R1W
S35 | S36
S 2 | S 1
 T5S
 1916

Land, nearly level.
 Soil, rocky, sandy loam.
 Timber, scattered palo verde and ironwood.
 Undergrowth, creosote bush and cacti.

From the Stan. cor. of secs. 34 and 35, on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, brass cap mkd.

T5S R1W
 S C
S34 | S35
 1938

from which

A palo verde, 8 ins. diam., bears N. 23½° E., 127 lks. dist., mkd. with illegible scribe markings.

A palo verde, 8 ins. diam., bears N. 81½° W., 142 lks. dist., mkd. with illegible scribe markings.

N. 0°01' W., bet. secs. 34 and 35.

Over nearly level land, through scattered timber.

10.60 Wash, 20 lks. wide, with 5 ft. banks, drains E.

40.00 Point for the ¼ sec. cor. of secs. 34 and 35.

Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.

T5S R1W
 ½
S34 | S35
 1970

63.00 Wash, 20 lks. wide, 1 ft. deep, drains NW.

73.50 Wash, 20 lks. wide, 3 ft. deep, drains NW.

77.90 Wash, 70 lks. wide, 3 ft. deep, drains NW.

80.00 Point for the cor. of secs. 26, 27, 34 and 35.

Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.

T5S R1W
S27 | S26
S34 | S35
 1970

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 25, 26, 35 and 36. S. 89°56' W., bet. secs. 26 and 35. Over mountainous land, through scattered timber.</p>
2.60	Ravine, drains NE.
7.10	Spur, slopes NE.
22.60	Rocky ridge, bears irregularly N. and S.
39.95	Point for the ¼ sec. cor. of secs. 26 and 35. Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T5S R1W ¼ $\frac{S26}{S35}$ 1970</p>
48.80	Enter gently rolling land.
48.90	Wash, 30 lks. wide, 2 ft. deep, drains SW.
71.50	Wash, 15 lks. wide, 1 ft. deep, drains N. 10° W.
79.90	The cor. of secs. 26, 27, 34 and 35. Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	<p>N. 0°01' W., bet. secs. 26 and 27. Over nearly level land, through scattered timber.</p>
39.10	Wash, 10 lks. wide, 3 ft. deep, drains W.
40.00	Point for the ¼ sec. cor. of secs. 26 and 27. Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T5S R1W ¼ $\frac{S27}{S26}$ 1970</p>
68.50	Enter rolling land.
80.00	Point for the cor. of secs. 22, 23, 26 and 27.

Subdivision of T. 5 S., R. 1 W.

CHAINS

Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.

T5S R1W
 $\frac{S22}{S27} | \frac{S23}{S26}$
 1970

Land, nearly level to rolling.
 Soil, rocky, sandy loam.
 Timber, scattered palo verde and ironwood.
 Undergrowth, creosote bush and cacti.

From the cor. of secs. 23, 24, 25 and 26.

West, bet. secs. 23 and 26.

Over gently rolling land, through scattered timber.

11.80 Wash, 10 lks. wide, 3 ft. deep, drains N.

24.90 Wash, 20 lks. wide, with 4 ft. banks, drains N. 20° W.

37.90 Wash, 20 lks. wide, 3 ft. deep, drains N.

40.01 Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26.

Set the iron post 22 ins. in the ground, brass cap mkd.

T5S R1W
 $\frac{1}{4} \frac{S23}{S26}$
 1970

Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.

70.00 Enter rolling land.

78.00 Spur, slopes N.

80.02 The cor. of secs. 22, 23, 26 and 27.

Land, nearly level to rolling.
 Soil, rocky, sandy loam.
 Timber, scattered palo verde and ironwood.
 Undergrowth, creosote bush and cacti.

N. 0°01' W., bet. secs. 22 and 23.

Over rolling land.

15.00 Enter nearly level land.

19.70 Wash, 100 lks. wide, 2 ft. deep, drains NE.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 23.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
80.00	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{2}$ S22 S23 1970</p> <p>Set a wooden post, 4 ft. long, 5 ins. diam., alongside the iron post.</p> <p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W S15 S14 S22 S23 1970</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
21.10 30.90 34.90 36.90 39.99	<p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>S. 89°56' W., bet. secs. 14 and 23.</p> <p>Over nearly level land.</p> <p>Enter rolling land.</p> <p>Ridge, bears N. and S.; curving S. 30° E.</p> <p>Enter nearly level land.</p> <p>Wash, 50 lks. wide, 4 ft. deep, drains N.</p> <p>Point for the $\frac{1}{2}$ sec. cor. of secs. 14 and 23.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{2}$ $\frac{S14}{S23}$ 1970</p> <p>Raise a mound of stone N. of the iron post.</p>
43.10 79.98	<p>Wash, 50 lks. wide, 4 ft. deep, drains NE.</p> <p>The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, nearly level to rolling. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	N. 0°01' W., bet. secs. 14 and 15.
	Over nearly level land, through scattered timber.
1.40	Wash, 10 lks. wide, 1 ft. deep, drains NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ S15 S14 1970</p>
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
59.40	Jeep trail, bears E. and W.
73.90	Wash, 7 lks. wide, 1 ft. deep, drains N. 20° E.
75.40	Wash, 9 lks. wide, 3 ft. deep, drains E.
77.50	Track road, bears S. 85° E. and W.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W <u>S10 S11</u> <u>S15 S14</u> 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, scattered palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 11, 12, 13 and 14.
	S. 89°59' W., bet. secs. 11 and 14.
	Over nearly level land, through scattered timber.
31.70	Enter rolling land.
40.01	Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ <u>S11</u> <u>S14</u> 1970</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS		
56.10	Enter nearly level land, through scattered timber and undergrowth.	
65.20	Wash, 15 lks. wide, with 4 ft. banks, drains N. 20° W.	
70.30	Wash, 10 lks. wide, with 4 ft. banks, drains N. 20° W.	
77.10	Wash, 15 lks. wide, with 4 ft. banks, drains N. 20° W.	
80.02	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, nearly level to rolling. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
40.00	<p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Over nearly level land, through scattered timber.</p> <p>Point for the ¼ sec. cor. of secs. 10 and 11.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>	
80.00	<p style="text-align: center;">T5S R1W ¼ S10 S11 1970</p> <p>Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W S 3 S 2 S10 S11 1970</p> <p>Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
22.60	<p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>S. 89°59' W., bet. secs. 2 and 11.</p> <p>Over nearly level land, through scattered timber.</p> <p>Wash, 20 lks. wide, 1 ft. deep, drains NE.</p>	
40.03	Point for the ¼ sec. cor. of secs. 2 and 11.	

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S 2}{S11}$ 1970</p>
	Raise a mound of stone N. of the iron post.
69.70	Wash, 25 lks. wide, 2 ft. deep, drains N. 20° E.
80.06	The cor. of secs. 2, 3, 10 and 11.
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, scattered palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	N. 0°11' W., bet. secs. 2 and 3.
	Over nearly level land, through scattered timber.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ S 3 S 2 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
79.96	The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 14 ins. above ground, brass cap mkd.
	<p style="text-align: center;">T4S R1W S34 S35 S 3 S 2 T5S 1916</p>
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, scattered palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the Stan. cor. of secs. 33 and 34, on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, brass cap mkd.
	<p style="text-align: center;">S C T5S R1W S33 S34 1938</p>
	from which

Subdivision of T. 5 S., R. 1 W.

CHAINS		
	<p>A palo verde, 8 ins. diam., bears N. $76\frac{1}{2}^{\circ}$ W., 44 lks. dist., mkd. with an overgrown blaze.</p> <p>N. $0^{\circ}02'$ W., bet. secs. 33 and 34.</p> <p>Over mountainous land, through scattered timber.</p>	
17.00	Enter rolling land.	
27.60	Draw, drains NE.	
37.60	Wash, 10 lks. wide, 1 ft. deep, drains E.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34.	
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p>T5S R1W $\frac{1}{4}$ S33 S34 1970</p>	
50.00	Enter nearly level land.	
61.20	Wash, 30 lks. wide, 2 ft. deep, drains E.	
80.00	Point for the cor. of secs. 27, 28, 33 and 34.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	<p>T5S R1W S28 S27 S33 S34 1970</p>	
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.	
	<p>Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>S. $89^{\circ}58'$ W., bet. secs. 27 and 34.</p> <p>Over gently rolling land, through scattered timber.</p>	
1.00	Wash, 20 lks. wide, 3 ft. deep, drains N. 10° W.	
2.15	Wash, 30 lks. wide, 3 ft. deep, drains N.	
15.80	Wash, 35 lks. wide, 2 ft. deep, drains NE.	
31.00	Wash, 15 lks. wide, with 4 ft. banks, drains N.	
40.06	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34.	

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S27}{S34}$ 1970</p>
50.10	Wash, 20 lks. wide, 2 ft. deep, drains N. 5° E.
58.50	Wash, 60 lks. wide, 2 ft. deep, drains N. 5° E., curving NE.
65.80	Wash, 50 lks. wide, 1 ft. deep, drains SE.
72.20	Same wash as one at 58.50, drains S. 70° E.
80.12	The cor. of secs. 27, 28, 33 and 34.
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over nearly level land; through scattered timber.</p>
3.60	Wash, 80 lks. wide, 3 ft. deep, drains S. 70° E.
23.50	Jeep trail, bears N. 30° E. and S. 30° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 28.
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S28 S27}{1970}$</p>
46.90	Wash, 20 lks. wide, 1 ft. deep, drains NE.
69.90	Track road, bears N. 30° E. and S. 30° W.
80.00	Point for the cor. of secs. 21, 22, 27 and 28.
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{S21 S22}{S28 S27}$ 1970</p>
	<p>Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	From the cor. of secs. 22, 23, 26 and 27.
	S. 89°58' W., bet. secs. 22 and 27.
	Over nearly level land, through scattered timber.
4.70	Wash, 60 lks. wide, 3 ft. deep, drains N. 15° W.
39.50	Wash, 10 lks. wide, 3 ft. deep, drains N. 25° E.
40.06	Point for the ¼ sec. cor. of secs. 22 and 27.
	Set the iron post 18 ins. in the ground, mound of stone to top, brass cap mkd.
	$\begin{array}{c} \text{T5S R1W} \\ \frac{1}{4} \frac{\text{S22}}{\text{S27}} \\ 1970 \end{array}$
64.70	Wash, 20 lks. wide, 3 ft. deep, drains N. 40° E.
74.30	Track road, bears N. 60° E. and S. 60° W.
80.12	The cor. of secs. 21, 22, 27 and 28.
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, scattered palo verde and ironwood.
	Undergrowth, creosote bush and cañti.
	N. 0°02' W., bet. secs. 21 and 22.
	Over nearly level land, through scattered timber.
0.30	Wash, 10 lks. wide, 1 ft. deep, drains N. 60° E.
22.20	Wash, 10 lks. wide, with 4 ft. banks, drains NW.
24.40	Wash, 30 lks. wide, 3 ft. deep, drains NE.
40.00	Point for the ¼ sec. cor. of secs. 21 and 22.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T5S R1W} \\ \frac{1}{4} \\ \text{S21} \text{S22} \\ 1970 \end{array}$
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
47.70	Wash, 10 lks. wide, 2 ft. deep, drains E.
80.00	Point for the cor. of secs. 15, 16, 21 and 22.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T5S R1W} \\ \text{S16} \text{S15} \\ \text{S21} \text{S22} \\ 1970 \end{array}$

Subdivision of T. 5 S., R. 1 W.

CHAINS		
	<p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
<p>16.90 17.30 32.00 40.08</p>	<p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>S. 89°58' W., bet. secs. 15 and 22.</p> <p>Over nearly level land, through scattered timber.</p> <p>Wash, 15 lks. wide, 2 ft. deep, drains N.</p> <p>Wash, 15 lks. wide, 1 ft. deep, drains N. 10° E.</p> <p>Jeep trail, bears irregularly N. and S.</p> <p>Point for the ¼ sec. cor. of secs. 15 and 22.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W S15 ¼ S22 1970</p> <p>from which</p> <p style="padding-left: 40px;">A stock pond, 4.00 chs. in diam., bears S. 30½° W., 21.50 chs. dist.</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>	
<p>42.10 48.20 80.16</p>	<p>Track road, bears irregularly N. and S.</p> <p>Wash, 10 lks. wide, 2 ft. deep, drains irregularly N.</p> <p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
<p>40.00</p>	<p>N. 0°02' W., bet. secs. 15 and 16.</p> <p>Over nearly level land, through scattered timber.</p> <p>Point for the ¼ sec. cor. of secs. 15 and 16.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W ¼ S16 S15 1970</p>	

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Raise a mound of stone W. of the iron post.</p>
43.90	Wash, 10 lks. wide, 1 ft. deep, drains NE.
61.50	Wash, 10 lks. wide, 1 ft. deep, drains N. 65° E.
80.00	Point for the cor. of secs. 9, 10, 15 and 16.
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p>T5S R1W $\frac{S\ 9}{S16} \frac{S10}{S15}$ 1970</p>
	<p>Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, treosote bush and cacti.</p>
	<p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>S. 89°58' W., bet. secs. 10 and 15.</p> <p>Over nearly level land, through scattered timber.</p>
2.10	Track road, bears SE. and NW.
25.30	Wash, 10 lks. wide, 2 ft. deep, drains N.
30.40	Track road, bears N. 30° E. and S. 30° W.
40.09	Point for the ¼ sec. cor. of secs. 10 and 15.
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p>T5S R1W $\frac{1}{4} \frac{S10}{S15}$ 1970</p>
	<p>from which</p> <p>The SE. cor. of a fenced stock pond, rectangular in shape, 5.00 chs. by 4.00 chs. in size, with the longer sides bearing N. and S., bears N. 65¼° E., 16.20 chs. dist.</p> <p>Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.</p>
55.80	Wash, 20 lks. wide, 3 ft. deep, drains N. 10° W.
58.00	Wash, 20 lks. wide, with 4 ft. banks, drains N. 10° E.
75.20	Wash, 20 lks. wide, 2 ft. deep, drains N.
80.18	The cor. of secs. 9, 10, 15 and 16.

Subdivision of T. 5 S., R. 1 W.

CHAINS		
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>N. 0°02' W., bet. secs. 9 and 10.</p>	
	<p>Over nearly level land, through scattered timber.</p>	
10.90	<p>Wash, 40 lks. wide, 2 ft. deep, drains NE.</p>	
40.00	<p>Point for the ¼ sec. cor. of secs. 9 and 10.</p>	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R1W ¼ S 9 S10 1970</p>	
44.20	<p>Wash, 30 lks. wide, 2 ft. deep, drains N. 70° E.</p>	
80.00	<p>Point for the cor. of secs. 3, 4, 9 and 10.</p>	
	<p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R1W S 4 S 3 S 9 S10 1970</p>	
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>From the cor. of secs. 2, 3, 10 and 11.</p>	
	<p>West, bet. secs. 3 and 10.</p>	
	<p>Over gently rolling land, through scattered timber.</p>	
9.20	<p>Wash, 20 lks. wide, 3 ft. deep, drains N. 20° E.</p>	
40.13	<p>Point for the ¼ sec. cor. of secs. 3 and 10.</p>	
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R1W S 3 ¼ S10 1970</p>	
	<p>Set a wooden post, 5 ft. long, 6 ins. diam., alongside the iron post.</p>	
42.90	<p>Wash, 20 lks. wide, 3 ft. deep, drains N.</p>	

Subdivision of T. 5 S., R. 1 W.

CHAINS	
50.60	Wash, 20 lks. wide, 2 ft. deep, drains N. 10° E.
53.00	Wash, 10 lks. wide, 1 ft. deep, drains N.
72.20	Wash, 30 lks. wide, 2 ft. deep, drains N. 10° E.
80.26	The cor. of secs. 3, 4, 9 and 10.
	Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°03' E., bet. secs: 3 and 4.
	Over rolling land, through scattered timber.
4.00	Spur, slopes E.
9.20	Enter nearly level land.
40.00	Point for the ¼ sec. cor. of secs. 3 and 4.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T5S R1W} \\ \frac{1}{4} \\ \text{S } 4 \frac{1}{2} \text{ S } 3 \\ 1970 \end{array}$
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
74.20	Wash, 20 lks. wide, 2 ft. deep, drains N. 65° W.
79.30	Wash, 20 lks. wide, 2 ft. deep, drains N. 30° E.
79.99	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.
	$\begin{array}{c} \text{T4S R1W} \\ \text{S33} \frac{1}{2} \text{ S34} \\ \text{S } 4 \frac{1}{2} \text{ S } 3 \\ \text{T5S} \\ 1916 \end{array}$
	from which the original bearing trees:
	A mesquite, 14 ins. diam., bears N. 38½° E., 108 lks. dist., no legible markings.
	A mesquite, 18 ins. diam., bears S. 74° E., 125 lks. dist., no legible markings.
	An ironwood, 34 ins. diam., bears S. 9½° W., 190 lks. dist., mkd. T5SR1WS4BT.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the Stan. cor. of secs. 32 and 33 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">S C T5S R1W <u>S32 S33</u> 1938</p> <p>There is no remaining evidence of the orig. bearing trees. N. 0°02' W., bet. secs. 32 and 33. Over rolling land, through scattered timber.</p>
6.20	Fence, bears E. and W.
6.60	Wash, 40 lks. wide, 1 ft. deep, drains NE.
15.60	Wash, 10 lks. wide, 1 ft. deep, drains S. 70° E.
29.20	Wash, 80 lks. wide, 1 ft. deep, drains N. 60° E.
30.20	Enter nearly level land.
40.00	Point for the ¼ sec. cor. of secs. 32 and 33.
	<p>Set the iron post 8 ins. in the ground to bed rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W ¼ <u>S32 S33</u> 1970</p> <p>from which</p> <p style="text-align: center;">A mine shaft, about 70 ft. deep, bears N. 13°26' E., 23.64 chs. dist.</p>
55.40	Draw, drains E.
59.50	Jeep trail, bears NE. and SW.
80.00	Point for the cor. of secs. 28, 29, 32 and 33.
	<p>Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W <u>S29 S28</u> <u>S32 S33</u> 1970</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 27, 28, 33 and 34.</p>
	<p>S. 89°59' W., bet. secs. 28 and 33.</p>
	<p>Over nearly level land, through scattered timber.</p>
19.40	<p>Wash, 40 lks. wide, with 4 ft. banks, drains N. 35° E.</p>
27.00	<p>Jeep trail, bears S. 10° E. and N. 10° W.</p>
37.20	<p>Wash, 10 lks. wide, 1 ft. deep, drains N.</p>
40.01	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 33. Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.</p>
	<p>T5S R1W $\frac{1}{4}$ $\frac{S28}{S33}$ 1970</p>
52.50	<p>Ridge, bears N. and S., curving S. 10° W.</p>
58.10	<p>Wash, 10 lks. wide, 2 ft. deep, drains N. 10° W.</p>
62.30	<p>Ridge, bears N. and S.</p>
66.90	<p>Wash, 5 lks. wide, 3 ft. deep, drains N. 10° W.</p>
67.80	<p>Wash, 20 lks. wide, 1 ft. deep, drains N. 5° E.</p>
72.30	<p>Ridge, bears N. and S.</p>
75.20	<p>Track road, bears N. 10° E. and S. 10° W.</p>
76.80	<p>Wash, 10 lks. wide, 2 ft. deep, drains irregularly N. 10° E.</p>
80.02	<p>The cor. of secs. 28, 29, 32 and 33. Land, mostly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 28 and 29.</p>
	<p>Over nearly level land, through scattered timber.</p>
0.30	<p>Wash, 20 lks. wide, 1 ft. deep, drains NE.</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
13.80	Wash, 30 lks. wide, 1 ft. deep, drains NE.
26.00	Track road, bears SE. and NW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 29.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ S29 S28 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
48.30	Wash, 10 lks. wide, 1 ft. deep, drains N. 80° E.
80.00	Point for the cor. of secs. 20, 21, 28 and 29.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W S20 S21 S29 S28 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	From the cor. of secs. 21, 22, 27 and 28.
	S. 89°59' W., bet. secs. 21 and 28.
	Over gently rolling land, through scattered timber.
0.10	Wash, 10 lks. wide, 1 ft. deep, drains N. 70° E.
21.40	Wash, 5 lks. wide, 1 ft. deep, drains N. 35° E.
40.01	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S21}{S28}$ 1970</p>
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
42.00	Wash, 20 lks. wide, 1 ft. deep, drains N. 10° E.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
61.30	Wash, 20 lks. wide, 1 ft. deep, drains N.
64.10	Wash, 10 lks. wide, 2 ft. deep, drains NE.
80.02	The cor. of secs. 20, 21, 28 and 29.
	Land, gently rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°02' W., bet. secs. 20 and 21.
	Over nearly level land, through scattered timber.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T5S R1W} \\ \frac{1}{4} \\ \text{S20 S21} \\ \hline 1970 \end{array}$
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
40.40	Wash, 10 lks. wide, 1 ft. deep, drains N. 50° E.
80.00	Point for the cor. of secs. 16, 17, 20 and 21.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T5S R1W} \\ \text{S17 S16} \\ \hline \text{S20 S21} \\ \hline 1970 \end{array}$
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, scattered palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 15, 16, 21 and 22.
	N. 89°58' W., bet. secs. 16 and 21.
	Over nearly level land, through scattered timber.
6.80	Wash, 20 lks. wide, 2 ft. deep, drains N.
34.90	Wash, 20 lks. wide, 1 ft. deep, drains N.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S16}{S21}$ 1970</p> <p>Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.</p>
43.40	Wash, 10 lks. wide, 1 ft. deep, drains N. 10° E.
65.90	Wash, 30 lks. wide, 1 ft. deep, drains N.
79.98	The cor. of secs. 16, 17, 20 and 21.
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 16 and 17.</p> <p>Over nearly level land, through scattered timber.</p>
24.00	Enter mountainous land.
28.70	Draw, drains S. 80° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 17.
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S17 S16 1970</p>
44.50	Draw, drains SW.
48.50	Saddle in ridge, bears E. and W.
60.50	Draw, drains N. 85° W.
67.00	Draw, drains W.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.
	<p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S 8 S 9 S17 S16 1970</p> <p>Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>N. 89°59' W., bet. secs. 9 and 16.</p> <p>Over nearly level land, through scattered timber.</p>
5.00	Wash, 30 lks. wide, 3 ft. deep, drains NE., curving N. 20° W.
12.10	Wash, 15 lks. wide, 1 ft. deep, drains irregularly N. 30° E.
39.60	Wash, 30 lks. wide, 3 ft. deep, drains S. 70° E.
39.98	Point for the ¼ sec. cor. of secs. 9 and 16.
	<p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S\ 9}{S16}$ 1970</p>
49.80	Enter rolling land.
57.90	Spur, slopes NE.
79.96	The cor. of secs. 8, 9, 16 and 17.
	<p>Land, nearly level to rolling.</p> <p>Soil, rocky, sandy loam.</p> <p>Timber, scattered palo verde and ironwood.</p> <p>Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 8 and 9.</p> <p>Over rolling land, through scattered timber.</p>
11.40	Wash, 20 lks. wide, with 4 ft. banks, drains W.
19.80	Draw, drains SW.
22.00	Enter mountainous land.
40.00	Point for the ¼ sec. cor. of secs. 8 and 9.
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S 8 S 9 1970</p>
47.50	Enter nearly level land.
59.90	Wash, 10 lks. wide, 1 ft. deep, drains NE.
74.10	Wash, 10 lks. wide, 2 ft. deep, drains E.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
77.00	Wash, 10 lks. wide, 1 ft. deep, drains N. 15° E.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{S}{S} \frac{4}{S} \frac{4}{S} \frac{9}{S}$ 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
	Land, rolling, mountainous to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 3, 4, 9 and 10.
	S. 89°57' W., bet. secs. 4 and 9.
	Over rolling land, through scattered timber.
4.00	Spur, slopes S. 10° W.
14.50	Enter gently rolling land.
22.70	Jeep trail, bears irregularly SE. and NW.
27.60	Wash, 10 lks. wide, 1 ft. deep, drains NW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9.
	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4} \frac{S}{S} \frac{4}{S} \frac{9}{S}$ 1970</p>
	Set a wooden post, 4 ft. long, 4 ins. diam.; alongside the iron post.
68.00	Wash, 10 lks. wide, 2 ft. deep, drains N. 15° W.
79.20	Small wash, drains N.
80.00	The cor. of secs. 4, 5, 8 and 9.
	Land, rolling to gently rolling. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°01' E., bet. secs. 4 and 5.
	Over nearly level land, through scattered timber.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
0.20	Wash, 10 lks. wide, 1 ft. deep, drains N. 15° W., curving to N. 10° E.
18.60	Wash, 20 lks. wide, 1 ft. deep, drains N. 10° E. from S. 30° W.
23.70	Jeep trail, bears S. 80° E. and N. 80° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5. Set the iron post 22 ins. in the ground, brass cap mkd.
	T5S R1W $\frac{1}{4}$ S 5 S 4 1970
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
43.70	Jeep trail, bears N. 58°18' E. and S. 58°18' W.
44.10	Telephone line, bears N. 58°18' E. and S. 58°18' W.
44.20	R-O-W fence, bears N. 58°18' E. and S. 58°18' W.
44.30	Telegraph line, bears N. 58°18' E. and S. 58°18' W.
45.80	Southern Pacific Railroad track, bears N. 58°18' E. and S. 58°18' W.
46.40	Track road, parallels the Railroad track.
46.60	Telephone line, parallels the Railroad track.
47.60	R-O-W fence, parallels the Railroad track.
48.00	Graded road (Gila Bend-Maricopa), parallels the Railroad track.
50.00	Wash, 30 lks. wide, 2 ft. deep, drains NE.
80.00	The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. in diam., firmly set, projecting 10 ins. above ground with brass cap mkd.
	T4S R1W <u>S32 S33</u> S 5 S 4 T5S 1916
	Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>From the Stan. cor. of secs. 31 and 32, on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, brass cap mkd.</p> <p style="text-align: center;">S C T5S R1W <u>S31 S32</u> 1938</p> <p>There is no remaining evidence of the original bearing trees.</p> <p>N. 0°03' W., bet. secs. 31 and 32.</p> <p>Over mountainous land, through scattered timber.</p>
11.50	Spur, slopes SW.
29.70	Spur, slopes SE., desc. steep N. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R1W $\frac{1}{2}$ <u>S31 S32</u> 1970
64.00	Draw, drains N. 60° E.; asc. S. slope.
72.00	Spur, slopes N. 80° E., desc. N. slope.
80.00	Point for the cor. of secs. 29, 30, 31 and 32.
	Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R1W <u>S30 S29</u> <u>S31 S32</u> 1970
	<p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 28, 29, 32 and 33.</p> <p>N. 89°58' W., bet. secs. 29 and 32.</p> <p>Over rolling land, through scattered timber.</p>
0.20	Wash, 20 lks. wide, 1 ft. deep, drains NE.
12.20	Wash, 30 lks. wide, with 8 ft. banks, drains N., curving NE.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
38.40	Wash, 20 lks. wide, 1 ft. deep, drains N., curving NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R1W $\frac{1}{4}$ $\frac{S29}{S32}$ 1970
51.20	Wash, 10 lks. wide, 1 ft. deep, drains N.
61.50	Wash, 30 lks. wide, 3 ft. deep, drains N. 25° W.
66.00	Enter mountainous land.
80.00	The cor. of secs. 29, 30, 31 and 32.
	Land, rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	S. 89°57' W., bet. secs. 30 and 31.
	Over mountainous land, through scattered timber.
1.20	Wash, 15 lks. wide, 3 ft. deep, drains N. 85° E.
9.30	Rocky spur, slopes E., curving NE.
11.80	Spur, slopes N.
17.70	Spur, slopes irregularly N.
27.00	Draw, drains irregularly N.
30.80	Spur, slopes N.
32.90	Draw, drains N. 10° E.
37.10	Rocky wash, 10 lks. wide, 2 ft. deep, drains N. 5° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R1W $\frac{1}{4}$ $\frac{S30}{S31}$ 1970
44.10	Spur, slopes irregularly N.
49.50	Wash, in bottom of canyon, 15 lks. wide, with 4 ft. banks, drains N. 15° E., curving NE.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
62.50	Spur, slopes N.
69.60	Draw, drains N.
79.50	Spur, slopes N.
79.96	The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., monumented by an iron post as described in the field notes of the survey of the E. bdy. of Tp. 5 S., R. 2 W., concurrently surveyed under this same Group No.
	Land, mountainous. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 29, 30, 31 and 32.
	N. 0°03' W., bet. secs. 29 and 30.
	Over mountainous land, through scattered timber.
0.10	Wash, 10 lks. wide, 2 ft. deep, drains Easterly.
8.00	Spur, slopes S. 80° E.
23.80	Wash, 25 lks. wide, 1 ft. deep, drains N. 30° E., curving N.
27.80	Wash, 20 lks. wide, 1 ft. deep, drains N. 70° E.; enter gently rolling land.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T5S R1W $\frac{1}{4}$ S30 S29 1970
	Raise a mound of stone W. of the iron post.
42.60	Wash, 30 lks. wide, 1 ft. deep, drains NW.
48.00	Wash, 110 lks. wide, 1 ft. deep, drains N. 85° E.
80.00	Point for the cor. of secs. 19, 20, 29 and 30.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R1W S19 S20 S30 S29 1970

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 20, 21, 28 and 29. S. 89°56' W., bet. secs. 20 and 29. Over gently rolling land, through scattered timber.</p>
5.60	Wash, 5 lks. wide, 1 ft. deep, drains N. 10° E.
20.50	Track road, bears irregularly N. and S.
35.30	Wash, 5 lks. wide, 2 ft. deep, drains N. 15° E., 2.00 chs. dist., thence irregularly N.
40.00	Point for the ¼ sec. cor. of secs. 20 and 29. Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T5S R1W S20 ¼ ——— S29 1970</p>
	<p>Raise a mound of stone N. of the iron post.</p>
42.10	Wash, 15 lks. wide, 2 ft. deep, drains irregularly NE.
50.30	Wash, 40 lks. wide, 1 ft. deep, drains N. 60° E., 1.50 chs. dist., thence irregularly N.
80.00	The cor. of secs. 19, 20, 29 and 30. Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.
	<p>S. 89°58' W., bet. secs. 19 and 30. Over gently rolling land, through scattered timber.</p>
2.40	Wash, 20 lks. wide, 1 ft. deep, drains irregularly N.
5.80	Wash, 5 lks. wide, 1 ft. deep, drains NE.
9.00	Jeep trail, bears N. 15° E. and S. 15° W.
10.20	Wash, 20 lks. wide, 2 ft. deep, drains N.
23.00	Wash, 10 lks. wide, 3 ft. deep, drains NW.
30.70	Wash, 80 lks. wide, 1 ft. deep, drains N.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.</p> <p>Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ $\frac{S19}{S30}$ 1970</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
61.10	<p>Wash, 20 lks. wide, 2 ft. deep, drains N.</p>
79.50	<p>Wash, 30 lks. wide, 1 ft. deep, drains irregularly N.</p>
79.85	<p>The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., monumented by an iron post as described in the field notes of the survey of the E. bdy. of Tp. 5 S., R. 2 W., concurrently surveyed under this same Group No.</p> <p>Land, gently rolling. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°03' W., bet. secs. 19 and 20.</p> <p>Over nearly level land, through scattered timber.</p>
1.00	<p>Wash, 10 lks. wide, 2 ft. deep, drains NE.</p>
8.00	<p>Wash, 25 lks. wide, 1 ft. deep, drains N. 75° E., 2.00 chs. dist., thence N.</p>
14.10	<p>Same wash, 20 lks. wide, 1 ft. deep, drains irregularly N.</p>
20.10	<p>Same wash, 10 lks. wide, 2 ft. deep, drains N. 15° W.</p>
21.60	<p>Same wash, 15 lks. wide, 1 ft. deep, drains NE.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S19 S20 1970</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
70.20	<p>Wash, 15 lks. wide, 1 ft. deep, drains irregularly NW.</p>
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{S18}{S19} \frac{S17}{S20}$ 1970</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>S. 89°56' W., bet. secs. 17 and 20.</p> <p>Over nearly level land, through scattered timber.</p>
28.40	Wash, 10 lks. wide, 2 ft. deep, drains N., 2.00 chs. dist., thence NW.
35.10	Wash, 15 lks. wide, 1 ft. deep, drains N.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 20.
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4} \frac{S17}{S20}$ 1970</p> <p>from which</p> <p style="text-align: center;">A stock pond, 5.50 chs. diam., bears S. 28$\frac{1}{2}$° W., 23.00 chs. dist.</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
46.70	Wash, 15 lks. wide, 1 ft. deep, drains irregularly N.
54.10	Track road, bears N. and S.
70.40	Wash, 10 lks. wide, 1 ft. deep, drains N.
79.98	The cor. of secs. 17, 18, 19 and 20.
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>West, bet. secs. 18 and 19.</p> <p>Over nearly level land, through scattered timber.</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
14.80	Wash, 20 lks. wide, 1 ft. deep, drains irregularly N.
23.00	Wash, 10 lks. wide, with 4 ft. banks, drains N.
34.10	Wash, 15 lks. wide, 2 ft. deep, drains N. 10° W.
40.00	Point for the ¼ sec. cor. of secs. 18 and 19.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	T5S R1W
	¼ <u>S18</u>
	S19
	1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
71.90	Wash, 20 lks. wide, 2 ft. deep, drains N. 5° W.
79.74	The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., monumented by an iron post as described in the field notes of the survey of the E. bdy. of Tp. 5 S., R. 2 W., concurrently surveyed under this same Group No.
	Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 17, 18, 19 and 20.
	N. 0°03' W., bet. secs. 17 and 18.
	Over nearly level land, through scattered timber.
14.70	Track road, bears S. 70° E. and N. 70° W.
40.00	Point for the ¼ sec. cor. of secs. 17 and 18.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T5S R1W
	¼ <u>S18</u> S17
	1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
77.40	Wash, 10 lks. wide, 1 ft. deep, drains N. 10° W.
80.00	Point for the cor. of secs. 7, 8, 17 and 18.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T5S R1W
	S 7 S 8
	S18 S17
	1970

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	<p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush, cacti and catclaw.</p>
	<p>From the cor. of secs. 8, 9, 16 and 17.</p>
	<p>N. 89°59' W., bet. secs. 8 and 17.</p>
	<p>Over rolling land, through scattered timber.</p>
6.70	<p>Enter nearly level land.</p>
25.10	<p>Wash, 10 lks. wide, 3 ft. deep, drains irregularly N.</p>
33.20	<p>Wash, 15 lks. wide, 1 ft. deep, drains N. 5° W.</p>
39.98	<p>Point for the ¼ sec. cor. of secs. 8 and 17.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R1W $\frac{1}{4} \frac{S 8}{S17}$ 1970</p>
	<p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
71.80	<p>Wash, 20 lks. wide, 1 ft. deep, drains N., 2.00 chs. dist., curving NW.</p>
76.40	<p>Wash, 20 lks. wide, 1 ft. deep, drains N. 10° W.</p>
79.96	<p>The cor. of secs. 7, 8, 17 and 18.</p>
	<p>Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 89°57' W., bet. secs. 7 and 18.</p>
	<p>Over nearly level land, through scattered timber.</p>
3.25	<p>Wash, 10 lks. wide, 1 ft. deep, drains N. 20° E.</p>
14.30	<p>Wash, 15 lks. wide, 1 ft. deep, drains irregularly N.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 7 and 18.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R1W $\frac{1}{4} \frac{S 7}{S18}$ 1970</p>

Subdivision of T. 5 S., R. 1 W.

CHAINS	
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
49.40	Wash, 15 lks. wide, 2 ft. deep, drains irregularly N.
68.60	Wash, 10 lks. wide, 2 ft. deep, drains N.
79.65	The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., monumented by an iron post as described in the field notes of the survey of the E. bdy. of Tp. 5 S., R. 2 W., concurrently surveyed under this same Group No. Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 7, 8, 17 and 18. N. 0°03' W., bet. secs. 7 and 8. Over nearly level land, through scattered timber.
6.40	Wash, 20 lks. wide, 1 ft. deep, drains irregularly N.
10.10	Same wash, 25 lks. wide, 1 ft. deep, drains N. 10° W., 1.00 ch. dist., curving irregularly N. 35° W.
40.00	Point for the ½ sec. cor. of secs. 7 and 8. Set the iron post 22 ins. in the ground, brass cap mkd. T5S R1W ½ S 7 S 8 1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
72.00	Wash, 10 lks. wide, 1 ft. deep, drains N. 5° W., curving N. 30° E.
74.00	Same wash, 10 lks. wide, 1 ft. deep, drains N. 30° E.
74.10	Track road, bears N. 58°11' E. and S. 58°11' W.
74.35	Telephone line, bears N. 58°11' E. and S. 58°11' W.
74.50	R-0-W fence, bears N. 58°11' E. and S. 58°11' W.
74.70	Telegraph line, bears N. 58°11' E. and S. 58°11' W.
75.00	Wash, 20 lks. wide, 1 ft. deep, drains N. 58° E., 2.50 chs. dist., to main drainage ditch, draining N. 10° W.
76.30	Southern Pacific Railroad track, bears N. 58°11' E. and S. 58°11' W.
76.65	Track road, parallels the Railroad track.
77.05	Telephone line, parallels the Railroad track.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
78.10	R-0-W fence, parallels the Railroad track.
78.60	Graded road (Gila Bend-Maricopa), parallels the Railroad track.
80.00	Point for the cor. of secs. 5, 6, 7 and 8.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{S\ 6}{S\ 7} \frac{S\ 5}{S\ 8}$ 1970</p>
	Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.
	Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 4, 5, 8 and 9.
	West, bet. secs. 5 and 8.
	Over nearly level land, through scattered timber.
11.50	Wash, 15 lks. wide, 1 ft. deep, drains N. 5° E.
30.20	Wash, 15 lks. wide, 1 ft. deep, drains N. 10° W.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{4} \frac{S\ 5}{S\ 8}$ 1970</p>
	Set a wooden post, 4 ft. long, 4 ins. diam.; alongside the iron post.
54.50	Wash, 10 lks. wide, 2 ft. deep, drains N.
70.60	Track road, bears N. 58°11' E. and S. 58°11' W.
71.00	Telephone line, bears N. 58°11' E. and S. 58°11' W.
71.15	R-0-W fence, bears N. 58°11' E. and S. 58°11' W.
71.40	Telegraph line, bears N. 58°11' E. and S. 58°11' W.
72.00	Drainage ditch, 40 lks. wide, 3 ft. deep, drains N.
74.05	Southern Pacific Railroad track, bears N. 58°11' E. and S. 58°11' W.
74.80	Track road, parallels the Railroad track.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
75.20	Telephone line, parallels the Railroad track.
76.90	R-0-W fence, parallels the Railroad track.
77.80	Graded road (Gila Bend-Maricopa), parallels the Railroad track, bears N. 58°11' E. and S. 58°11' W.
79.50	Wash, 25 lks. wide, 1 ft. deep, drains irregularly N.
79.96	The cor. of secs. 5, 6, 7 and 8. Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and dense cacti.
	N. 89°59' W., bet. secs. 6 and 7. Over nearly level land, through scattered timber.
6.90	Drainage ditch, 10 lks. wide, 2 ft. deep, drains N. 10° E.
36.70	Wash, 20 lks. wide, 2 ft. deep, drains N.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 6 and 7. Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R1W $\frac{1}{2}$ $\frac{S 6}{S 7}$ 1970</p>
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
63.70	Wash, 85 lks. wide, 2 ft. deep, drains N. 10° E., curving NE.
79.57	The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., monumented by an iron post, as described in the field notes of the survey of the E. bdy. of Tp. 5 S., R. 2 W., concurrently surveyed under this same Group No. Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 5, 6, 7 and 8. N. 0°01' W., bet. secs. 5 and 6. Over nearly level land, through scattered timber.
2.40	Wash, 20 lks. wide, 2 ft. deep, drains N. 10° W.
27.10	Same wash, 15 lks. wide, 3 ft. deep, drains NE.

Subdivision of T. 5 S., R. 1 W.

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R1W $\frac{1}{4}$ S 6 S 5 1970</p> <p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p>
40.80	<p>Wash, 10 lks. wide, 3 ft. deep, drains N. 60° E.</p>
80.01	<p>The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T4S R1W <u>S31 S32</u> S 6 S 5 T5S 1916</p> <p>There is no remaining evidence of the original bearing trees.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
General Description	
<p>The land encompassed by this survey varies from rolling to nearly level, to mountainous. Elevations range from 1403 feet to 3272 feet above sea level. The soil is sandy loam and rocky, supporting a fair growth of creosote bush, cacti, sparse grass and scattered palo verde and ironwood trees.</p> <p>The Southern Pacific Railroad enters the township on the west boundary of Section 7 and leaves the township on the north boundary of Section 4. Drainage within the township is in a northerly direction.</p> <p>There is no one living within the surveyed area. Two earthen stock tanks were the only noticeable water supply.</p> <p>At the time of survey, no livestock was seen within the Tp., however, a few Big Horn Sheep, deer, jackrabbits and an abundance of rattlesnakes were noted.</p> <p>There is one inactive mine located in the Northwest portion of Section 33, but no evidence of recent mineral activity.</p>	

44

CERTIFICATE OF SURVEY

(I) (~~WE~~), Louis D. Gilbert, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20th day of January, 1970, (I) (~~WE~~) have surveyed the subdivisional lines of Township 5 South, Range 1 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), (~~us~~) and under (my) (~~our~~) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

November 4, 1970
(Date)

Louis D. Gilbert
(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date FEB 22 1973

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the survey of the subdivisional lines of Township 5 South, Range 1 West, of the Gila and Salt River Meridian, Arizona,

executed by Louis D. Gilbert

having been critically examined and found correct, are hereby approved.

MAY 29 1973
(Date)

Clark F. Gunn
(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849-626