

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Of the Dependent Resurvey of a Portion of

the North and West Boundaries and

a Portion of the Subdivisional Lines

Informational Traverse of the Present Right

and Left Banks of the Salt River

Survey of the Medial Line (South Boundary of

the Salt River Indian Reservation)

Survey of the East Boundary of the

Salt River Indian Reservation

and Meanders of the Salt River in Section 4

Township 2 North, Range 7 East

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Paul G. Bauer

Cadastral Surveyor

Harry K. Smith

Cadastral Surveyor

supplemental

Under/special instructions dated January 15, 19 74, approved January 16, 1974,

_____, which provided for the surveys included under U.S. Survey/Group
Number 372, and assignment instructions dated January 15, 19 74.

Survey commenced January 17, 19 74

Survey completed September 6, 19 74

50000000

1A

BOOK 5063

INDEX DIAGRAM

Township 2 North, Range 7 East,

		2			
6	12 5 6	4	3	2	1
11					
7	8	9	10	11	12
8					
3 18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Traverse of the Present Right Bank of the Salt River - Page 13
 Traverse of the Present Left Bank of the Salt River - Page 20
 Survey, South Boundary, Salt River Indian Reservation

Pages

- 26 In Sec. 18
- 34 In Sec. 7
- 43 In Sec. 6
- 50 In Sec. 5
- 60 In Sec. 4

Survey, East Boundary, Salt River Indian Reservation - Page 66

Meanders, Section 4 - Page 66

Dependent Resurvey and Survey of T. 2 N., R. 7 E.,
Gila and Salt River Mer., Arizona

CHAINS

The history of surveys of Township 2 North, Range 7 East, Gila and Salt River Meridian, Arizona, is as follows:

That portion of the west boundary south of the Salt River was surveyed in 1868 by George P. Ingalls. The right bank of the Salt River through the township was surveyed in 1888 by L. D. Chillson. That portion of the west boundary north of the Salt River, that portion of the north boundary west of the Salt River and the subdivisional lines north and west of the Salt River were surveyed in 1911 by R. A. Farmer, who in the same year, resurveyed the right bank of the Salt River and subdivided the sections north and west of the Salt River.

The south 3 miles of the west boundary were resurveyed in 1900 by Homer Santee. The south boundary was surveyed in 1921 by Sydney E. Blout. The south 4 miles of the west boundary and portions of the subdivisional lines north and west of the Salt River were resurveyed, the east boundary, the north boundary east of the Salt River, the meanders of the left and right banks of the Salt River through sections 1, 2 and 4, meanders of the left bank of a slough in section 4, meanders of part of the right bank of the Salt River in section 5, meanders of the left bank of the Salt River through sections 5, 6, 7 and 18 and meanders of the islands in the Salt River in sections 4, 5, 7 and 18 were surveyed in 1930-32 by Theodore Vander Meer. A portion of the north boundary was resurveyed in 1949 by Ty White and Claude F. Warner.

The following field notes are those of the dependent resurvey of a portion of the north boundary; a portion of the west boundary and subdivisional lines; an informative traverse of the present right and left banks of the Salt River, and a survey of the medial line (south boundary of the Salt River Indian Reservation), the survey of the east boundary of the Salt River Indian Reservation and meanders of the Salt River in Sec. 4, Township 2 North, Range 7 East, G. & S. R. M., Arizona.

The survey was executed in accordance with specifications set forth in the Manual of Surveying Instructions, 1947 and the Supplemental Special Instructions for Group No. 372, Arizona, dated January 15, 1974.

Preliminary to the resurvey executed under these supplemental instructions, the original surveys were retraced and search was made for all corners and other calls of the record. Identified corners were restored and monumented in their original position; lost corner points were determined by proportionate measurement based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of lines were determined by solar instrument methods and by means of fore- and backsights and angular deflections from azimuths obtained by direct solar observations.

Dependent Resurvey and Survey of T. 2 N., R. 7 E.,
Gila and Salt River Mer., Arizona

CHAINS

The geographic position of the southeast corner of section 18, as calculated by traverse from U.S.C. & G.S. triangulation station, Granite Reef, in section 13, T. 2 N., R. 6 E., is as follows:

Latitude 33° 30' 35" N. Longitude 111° 39' 56" W.

The mean magnetic declination is 14° E.

Dependent Resurvey of a Portion of the North Boundary of
T. 2 N., R. 7 E., Gila and Salt River Meridian, Arizona

(Restoring the resurvey executed by Ty White and
Claude F. Warner of the S. bdy. of
T. 3 N., R. 7 E.; in 1949)

Beginning at the cor. of secs. 4, 5, 32 and 33, Tps. 2
and 3 N., R. 7 E., monumented with an iron post, 2 ins.
diam., projecting 6 ins. above the ground, brass cap mkd.

T 3 N	R 7 E
S 32	S 33
S 5	S 4
T 2 N	R 7 E
1949	

A mound of stone, 3 ft. base, 1 ft. high is W of the cor.
S. 89°44' E., along the N. bdy. of sec. 4.

Over gently rolling bottom land, through medium timber
and undergrowth.

0.95 Fence, bears N. 25° E. and S. 25° W.

1.00 The meander cor. of secs. 4 and 33, on the right bank of a
slough, monumented with a steel fence post projecting 4
ft. above a mound of stone, 2 ft. base, 6 ins. high.
This position is harmoniously related to existing survey
cors. and is accepted as the best available evidence of
the original cor. position; not remonumented.

S. 89°44' E., beginning new measurement.


1.50 Right bank of slough, bears NE and SW.

3.70 Left bank of slough, bears NE and SW.

3.76 The meander cor. of sec. 4 only, on the left bank of a
slough, monumented with an iron post, 1 in. diam., pro-
jecting 1 in. above ground, with brass cap mkd.

Dependent Resurvey of a Portion of the N. Bdy. of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS



N. 89°58' E., beginning new measurement.

23.17 Intersect the CC of secs. 4 and 33 monumented by an iron post, 2½ ins. diam., described in field notes of the concurrent survey of T. 3 N., R. 7 E.

30.20 The ¼ sec. cor. of sec. 4 only, monumented with an iron post, 1 in. diam., projecting 3 ins. above ground, with brass cap mkd. as described in the official record of the 1930-1932 completion survey. A mound of stone, 2½ ft. base, 1½ ft. high, is S of the cor.

Land, gently rolling bottom land.
Soil, sandy and gravelly.
Timber, mesquite, cottonwood and palo-verde.
Undergrowth, arrow weed, catclaw and cacti.

Dependent Resurvey of a Portion of the W. Bdy. of
T. 2 N., R. 7 E., Gila and Salt River Meridian, Arizona

(Restoring the resurvey executed by
Theodore Vander Meer in 1930-1932)

Beginning at the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., monumented with an iron post, 2 ins. diam., projecting 5 ins. above ground, with brass cap mkd. as described in the official record of the 1930-1932 re-survey of the W. bdy. of T. 2 N., R. 7 E.

The cor. is in a fenceline bearing irregularly N and S.
N. 2°37' E., bet. secs. 13 and 18 on the W. bdy. of the Tp.

Over rolling land, through scattering timber and medium undergrowth, along the W. side of a fenceline.

6.10 Fence cor.; fence extends N. 20° E. and S. 2°37' W.

10.00 Center of Bush Highway, asphalt surfaced, bears N. 18° E. and S. 18° W.

12.70 Sandy wash, 30 lks. wide, 6 ins. deep, drains N. 20° W.; thence over nearly level land.

Dependent Resurvey of a Portion of the W. Bdy. of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
19.50	Fence cor.; fences extend N. 2°37' E. and N. 80° E.; thence along fenceline.	
19.90	Fence cor.; fences extend N. 2°40' E., S. 2°37' W., and West.	
25.00	Point for the witness point of secs. 13 and 18.	
	Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, surrounded by concrete, brass cap mkd.	
	W P T 2 N R 6 E R 7 E S 13 S 18 1974	
	Cor. is 4 lks. W of a fenceline, bearing N. 2°37' E. and S. 2°40' W.	
25.11	Point for the witness meander cor. of secs. 13 and 18 at proportionate dist., originally set on the left bank; there is no remaining evidence of the original cor. Not monumented.	
25.20	Enter river bottom, edge bears N. 80° E. and S. 80° W.; thence through dense salt cedar.	
26.90	N. end of fenceline extending S. 2°37' W.; enter marsh area, bears E and W.	
32.78	Present left bank of the Salt River, bears S. 84°27' E. and N. 84°27' W.; thence over flowing water.	
35.68	Intersect the medial line of the Salt River.	
	from which	
	The point for Angle Point 48, in sec. 18, T. 2 N., R. 7 E., bears N. 88°08' E., 2.685 chs. dist.; hereinafter described.	
	The point for Angle Point 47 in sec. 13, T. 2 N., R. 6 E., bears S. 88°08' W., 3.38 chs. dist.; described in the field notes of the concurrent survey of T. 2 N., R. 6 E.	
38.90	Present right bank of the Salt River, bears N. 79°11' E. and S. 79°11' W.; thence through mesquite timber.	
39.95	Center of old unused Arizona Canal, 30 lks. wide, drains W.	

Dependent Resurvey of a Portion of the W. Bdy. of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
40.35	<p>The 1/4 sec. cor. of secs. 13 and 18, monumented with an iron post, 36 ins. long, 1 in. diam., buried 2 ins. below the earth's surface. The brass cap was erroneously mkd. as a cor. of minimum control for T. 2 N., R. 7 E., in the 1930-1932 resurvey. Set as 1/4 cor. and MC in 1910-11 survey.</p> <p>At the cor. point</p> <p>Reset the iron post, 28 ins. in the ground, surrounded by concrete, brass cap mkd.</p> <p style="text-align: center;">T 2 N R 6 E R 7 E 1/4 S 13 S 18 1974 1930</p> <p>There is no evidence of the original bearing trees from which new bearing trees</p> <p style="padding-left: 40px;">A mesquite, 6 ins. diam., bears N. 86 1/2° E., 68.5 lks. dist., mkd. 1/4 S18 BT.</p> <p style="padding-left: 40px;">A mesquite, 8 ins. diam., bears N. 72° W., 72.5 lks. dist., mkd. 1/4 S13 BT.</p> <p>The west pole of twin telephone poles, bears N. 35° E., 81 lks. dist.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°33' E., beginning new measurement.</p> <p>Over nearly level land, through medium timber and undergrowth.</p>
19.99	<p>The N. 1/16 sec. cor. of secs. 13 and 18, monumented with an iron post, 1 in. diam., projecting 5 ins. above ground with brass cap mkd.</p> <p style="text-align: center;">N 1/16 S 13 S 18 1930</p> <p>Remark the brass cap to read</p> <p style="text-align: center;">T 2 N R 6 E R 7 E N 1/16 S 13 S 18 1974 1930</p>

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer.; Arizona

CHAINS	
	<p>(Restoring portions of the survey executed by Robert A. Farmer in 1911 and the survey executed by Theodore Vander Meer in 1930-32)</p> <hr/> <p>Beginning at the meander cor. of secs. 4 and 5, set on the right bank of the old right channel of the Salt River, monumented with an iron post, 3 ft. long, 1 in. diam., set 3 ins. below the earth's surface and in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. as described in the official record of the 1930-1932 survey. (This meander cor. was set in 1932, S. 0°01' E., 15.61 chs. dist., from the cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp.)</p> <p>At the corner point</p> <p>Reset the same iron post, 26 ins. in the ground and in a mound of stone, 2 ft. base to top; add the mks. 1974 to the brass cap.</p> <p>S. 0°12' E., on the E. bdy. of sec. 5.</p> <p>Over bottom land, through medium timber and dense under- growth.</p>
0.20	Right bank of the old right channel of the Salt River, bears E and W.
1.70	Left bank of the old right channel of the Salt River, bears E and W.
2.10	Point for the witness meander cor. of secs. 4 and 5 at proportionate dist. There is no remaining evidence of the original corner. This witness meander cor. was set in 1932 for witness cor. to meander cors. on the N. and S. sides of an island. Witnessed S. 0°01' E., 51 lks. dist. and N. 0°01' W., 2.39 chs. dist. Not monumented.
4.38	Point for the witness point of secs. 4 and 5 on the right bank of the Salt River.
	Set an iron post, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	<p>W P T 2 N R 7 E S 5 S 4 1974</p>
	Raise a mound of stone, 2½ ft. base, 1 ft. high, W of the cor.
4.48	Present right bank of the Salt River, bears S. 48°31' E. and N. 42°32' W.
6.09	Point for the witness point of secs. 4 and 5, on the South Boundary of the Salt River Indian Reservation at the intersection of the medial line of the Salt River, hereinafter described.

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
7.56	Point for the meander cor. of secs. 4 and 5 on the left bank of the left channel of the Salt River, at proportionate distance, is in the river; there is no remaining evidence of the original cor. Not monumented.
8.10	Present left bank of the Salt River, bears S. 34°55' E. and N. 34°55' W.
9.58	Point for the witness point of secs. 4 and 5 on the left bank of the Salt River. Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, surrounded by concrete, with brass cap mkd. <div style="text-align: center;"> W P T 2 N R 7 E S 5 S 4 1974 </div>
9.90	Raise a mound of stone, 2½ ft. base, 1 ft. high, W of the cor. Unimproved dirt road, bears SE and NW; enter Coon Bluff Forest Camp, bears SE and NW.
16.30	Unimproved dirt road, bears S. 60° E. and N. 60° W.
17.90	South edge of Coon Bluff Forest Camp, at the foot of a near vertical cliff, 100 ft. high. Ascend over mountainous land, bears S. 60° E. and N. 60° W., through scattering timber and medium undergrowth.
19.20	Top of ascent; rocky spur, slopes NE.
23.20	Draw, drains NE.
24.41	Point for the ¼ sec. cor. of sec. 5 only, at proportionate dist.; there is no remaining evidence of the original cor. Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 2 N R 7 E ¼ S 5 1974 </div>
25.18	Raise a mound of stone, 2 ft. base, 1 ft. high, W of the cor. The cor. is on a steep W. slope, 10 lks. above the base. The ¼ sec. cor. of sec. 4 only, monumented with an iron post, 1 in. diam., projecting 6 ins. above ground, with brass cap mkd. as described in the official record of the 1930-1932 survey.

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS																			
	<p>The cor. is on a steep NW slope.</p> <p>Land, N. 18.00 chs., flat bottom land; remainder, mountainous.</p> <p>Soil, N. 18.00 chs., sandy loam; remainder, rocky.</p> <p>Timber, N. 11.00 chs., salt cedar and mesquite; remainder, mesquite and palo-verde.</p> <p>Undergrowth, N. 11.00 chs., arrow weed; remainder, cacti and catclaw.</p>																		
	<p>From the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., projecting 3 ins. above the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">S 12</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 7</td> </tr> <tr> <td style="padding: 0 5px;">T 2 N</td> <td style="border-left: 1px solid black; padding: 0 5px;">R 7 E</td> </tr> <tr> <td style="padding: 0 5px;">R 6 E</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 18</td> </tr> </table> <p>Remark the brass cap to read</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">T 2 N</td> <td></td> </tr> <tr> <td style="padding: 0 5px;">R 6 E</td> <td style="padding: 0 5px;">R 7 E</td> </tr> <tr> <td style="padding: 0 5px;">S 12</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 7</td> </tr> <tr> <td style="padding: 0 5px;">S 13</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 18</td> </tr> <tr> <td style="padding: 0 5px;">1974</td> <td></td> </tr> <tr> <td style="padding: 0 5px;">1911</td> <td></td> </tr> </table> <p>S. 89°59' E., bet. secs. 7 and 18.</p> <p>Over level land, through medium to dense timber and undergrowth:</p> <p>2.10 Access road for telephone line, bears N and S.</p> <p>2.15 Telephone line, bears N and S.</p> <p>10.00 A local surveyor's pipe, 1 in. diam., projecting 6 ins. above the ground, bears North, 2 lks. dist.</p> <p>19.98 The W. 1/16 sec. cor. of secs. 7 and 18, monumented with an iron post, 1 in. diam., projecting 10 ins. above the ground, with brass cap mkd. as described in the official record of the 1911 survey and the 1930-1932 resurvey of the E-½ of the W-½ mile.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°57' E., beginning new measurement.</p> <p>3.10 Unimproved dirt road, bears S. 10° E. and N. 10° W.</p> <p>9.99 A local surveyor's pipe, 1 in. diam., projecting 4 ins. above ground, bears North, 1 lk. dist.</p> <p>15.50 Unimproved dirt road, bears irregularly N and S.</p>	S 12	S 7	T 2 N	R 7 E	R 6 E	S 18	T 2 N		R 6 E	R 7 E	S 12	S 7	S 13	S 18	1974		1911	
S 12	S 7																		
T 2 N	R 7 E																		
R 6 E	S 18																		
T 2 N																			
R 6 E	R 7 E																		
S 12	S 7																		
S 13	S 18																		
1974																			
1911																			

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS											
16.00	Low ridge, bears N and S., descend 10 ft. to river bottom; thence through heavy mesquite.										
19.98	The $\frac{1}{4}$ sec. cor. of secs. 7 and 18, monumented by an iron post, 1 in. diam., set flush with the ground, with brass cap mkd. as described in the official record of the 1930-1932 resurvey of the E- $\frac{1}{2}$ of the W- $\frac{1}{2}$ mile. Add the mks. for T. 2 N., R. 7 E.; the cap is now mkd. <div style="text-align: center;"> <table border="0"> <tr><td>T 2 N</td><td>R 7 E</td></tr> <tr><td>$\frac{1}{4}$</td><td><u>S 7</u></td></tr> <tr><td></td><td>S 18</td></tr> <tr><td></td><td>1974</td></tr> <tr><td></td><td>1930</td></tr> </table> </div> from which an original bearing tree A mesquite, 12 ins. diam., bears S. 19° W., 26 lks. dist., mkd. with an overgrown blaze. (Record bearing, S. 22° W.) Raise a mound of stone, 2 ft. base, 6 ins. high, N of the cor. <hr style="width: 20%; margin: 10px auto;"/> N. 89°57' E., beginning new measurement.	T 2 N	R 7 E	$\frac{1}{4}$	<u>S 7</u>		S 18		1974		1930
T 2 N	R 7 E										
$\frac{1}{4}$	<u>S 7</u>										
	S 18										
	1974										
	1930										
3.50	Point for the witness point of secs. 7 and 18, on the right bank of the Salt River. Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, surrounded by concrete, with brass cap mkd. <div style="text-align: center;"> <table border="0"> <tr><td>W P</td></tr> <tr><td>T 2 N</td><td>R 7 E</td></tr> <tr><td><u>S 7</u></td></tr> <tr><td>S 18</td></tr> <tr><td>1974</td></tr> </table> </div> from which A mesquite, 10 ins. diam., bears N. 30°30' E., 33 lks. dist., mkd. WP S7 BT. A mesquite, 7 ins. diam., bears S. 56° W., 13.5 lks. dist., mkd. WP S18 BT.	W P	T 2 N	R 7 E	<u>S 7</u>	S 18	1974				
W P											
T 2 N	R 7 E										
<u>S 7</u>											
S 18											
1974											
3.69	Present right bank of the Salt River, bears N. 15°13' E. and S. 15°24' W.										
4.44	Point for the meander cor. of secs. 7 and 18 at proportionate dist., as set by Robert A. Farmer in 1911 falls in the Salt River. Not monumented.										

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer.; Arizona

CHAINS		
6.00	Point for the witness point of secs. 7 and 18, on the South Boundary of the Salt River Indian Reservation at the intersection of the medial line of the Salt River; hereinafter described.	
8.26	Present left bank of the Salt River, bears N. 12°34' E. and S. 12°34' W.	
8.40	Point for the witness point of secs. 7 and 18, on the east side of the Salt River. Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.	
	W P T 2 N R 7 E S 7 <hr style="width: 50px; margin: 0 auto;"/> S 18 1974	
	from which	
	A mesquite, 7 ins. diam., bears N. 76° E., 63 lks. dist., mkd. WP S7 BT.	
	A mesquite, 8 ins. diam., bears S. 44° E., 37 lks. dist., mkd. WP S18 BT.	
11.01	Point for the witness meander cor. set in 1932 for the left bank of the right channel and the right bank of the middle channel (E. and W. sides of an island). There is no remaining evidence of the original cor. Not monumented. (This witness meander cor. was originally witnessed East 2.98 chs. dist. and West 1.30 chs. dist. from the true points). Thence, through dense undergrowth, bears N. 20° E. and S. 20° W.	
12.60	Center of dry channel, 90 lks. wide, drains S. 20° W.	
17.00	Unimproved dirt road, bears N, curving westerly, and S, curving easterly. Thence, through medium to scattered timber and undergrowth.	
22.43	Point for the witness meander cor. at proportionate dist., originally set for meander cors. on E and W sides of island; there is no remaining evidence of the original cor. Not monumented.	
27.60	Old fenceline, bears irregularly N and S.	
27.63	Point for the meander cor. of secs. 7 and 18 at proportionate dist., originally set on the left bank of the Salt River; there is no remaining evidence of the original cor. Not monumented.	

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
36.20	Enter rolling land, bears N. 25° E. and S. 25° W.
38.75	Center of Bush Highway, asphalt surfaced, bears N. 55° E., curving easterly and S. 55° W., curving southerly.
40.05	The cor. of secs. 7 and 18 only, monumented with an iron post, 2 ins. diam., projecting 8 ins. above the ground, with brass cap mkd. as described in the official record of the 1930-1932 survey and with a mound of stone, 2½ ft. base, 1 ft. high, W of the cor.
	Land, flat to rolling. Soil, sandy loam. Timber, mesquite, palo-verde, salt cedar and cottonwood. Undergrowth, creosote bush, arrow weed, catclaw and cacti.
	From the ¼ sec. cor. of secs. 6 and 7, monumented with an iron post, 1 in. diam., projecting 3 ins. above the ground, with brass cap mkd. as described in the official record of the 1911 survey.
	S. 89°58' E., bet. secs. 6 and 7.
	Over gently rolling land, through scattering timber and medium undergrowth.
4.00	Power transmission line, bears N and S.
4.30	Graded road, bears N and S.
5.90	Unimproved dirt road, bears N. 20° E. and S. 20° W.
7.10	Fence, bears N. 15° E. and S. 15° W.
11.43	Point for the meander cor. of secs. 6 and 7 at proportionate dist., originally set on the right bank of the Salt River in 1911. There is no remaining evidence of the original cor. Not monumented.
11.53	Point for the witness point of secs. 6 and 7, on the West side of the Salt River.
	Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	W P T 2 N R 7 E S 6 S 7 1974
	from which
	A mesquite, 10 ins. diam., bears S. 40½° W., 78 lks. dist., mkd. S7 WP BT.
	A mesquite, 10 ins. diam., bears N. 35° W., 48 lks. dist., mkd. S6 WP BT.

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
11.80	Partially downed fence, bears N. 20° E. and S. 20° W.	
11.96	Present right bank of the Salt River, bears N. 3°27' W. and S. 14°30' W.	
14.14	Point for the witness point of secs. 6 and 7 on the South Boundary of the Salt River Indian Reservation at the intersection of the medial line of the Salt River; hereinafter described.	
16.57	Present left bank of the Salt River, bears N. 23°53' W. and S. 23°53' E.; thence over low sand bar, subject to overflow.	
26.23	<p>The witness meander cor. of secs. 6 and 7 on the left bank of the Salt River, monumented with an iron post, 1 in. diam., projecting 5 ins. above the ground, with brass cap mkd. as described in the official record of the 1930-1932 survey.</p> <p>The cor. is on solid ground at the E. edge of a sandy wash area.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, mesquite, palo-verde and cottonwood. Undergrowth, creosote bush, salt cedar and cacti.</p>	
	<p>From the ¼ sec. cor. of secs. 5 and 6, monumented with an iron post, 3 ft. long, 1 in. diam., set 6 ins. below the earth's surface, with brass cap mkd. as described in the official record of the 1930-1932 survey.</p> <p>Reset the iron post, 24 ins. in the ground and in a mound of stone, 2½ ft. base to top.</p> <p>from which new bearing trees</p> <p style="padding-left: 40px;">A mesquite, 6 ins. diam., bears S. 65° E., 132 lks. dist., mkd. ¼ S5 BT.</p> <p style="padding-left: 40px;">A mesquite, 16 ins. diam., bears S. 26° W., 12 lks. dist., mkd. ¼ S6 BT.</p> <p>Add the mks. 1974 to the brass cap.</p> <p>S. 0°06' E., bet. secs. 5 and 6.</p> <p>Over gently rolling, sandy bottom land, subject to overflow, through scattering timber and undergrowth.</p>	
7.82	Present right bank of the Salt River, bears N. 67°59' E. and S. 67°59' W.	

Dependent Resurvey of a Portion of the Subdivisional Lines of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
9.72	Point for the witness point of secs. 5 and 6, on the south boundary of the Salt River Indian Reservation at the intersection of the medial line of the Salt River; hereinafter described.
12.27	Present left bank of the Salt River, bears N. 84°27' E. and S. 84°27' W.; thence, through dense salt cedar and arrow weed.
14.59	Point for the meander cor. of secs. 5 and 6, at proportionate dist.; there is no remaining evidence of the original cor. Not monumented.
16.80	Draw, drains W.
18.60	Fence, bears N. 25° E. and S. 25° W. Thence, through medium undergrowth.
30.50	Unimproved dirt road, bears S. 15° E. and N. 15° W., curving northwesterly.
32.90	Unimproved dirt road, bears NE and SW.
39.88	<p>The cor. of secs. 5, 6, 7 and 8, monumented with an iron post, 2 ins. diam., projecting 12 ins. above the ground, with brass cap mkd. as described in the official record of the 1930-1932 survey and with a mound of stone, 3 ft. base, 1 ft. high, W of the cor.</p> <p>Land, gently rolling. Soil, sandy loam. Timber, mesquite, salt cedar, palo-verde and cottonwood. Undergrowth, arrow weed, creosote bush and cacti.</p>
<p>The Informative Traverse of the Right Bank of the Salt River in Part of T. 2 N., R. 7 E., Gila and Salt River Meridian, Arizona, used to determine the medial line, the South Boundary of the Salt River Indian Reservation.</p>	
<p>The Executive Order of June 14, 1879 established the south boundary of the Salt River Indian Reservation through Township 2 North, Ranges 6 and 7 East and into Township 3 North, Range 7 East as following the middle of the Salt River to a point where the easterly line of Camp McDowell Military Reservation, if prolonged south would strike said river.</p> <p>To determine the medial line of the Salt River, an informational traverse was made of the present banks of the river, correlated with current aerial photos; and the medial line then established at mid-point between the banks. Temporary points were established but not monumented along the informative traverse line as determining points for calculating the position of the medial line which was referenced by iron posts set back on the banks in secure locations.</p>	

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS

Beginning at the intersection of the line bet. secs. 13 and 18, Tps. 2 N., Rs. 6 and 7 E., and the present right bank of the Salt River, from which the $\frac{1}{4}$ sec. cor. of secs. 13 and 18, Tps. 2 N., Rs. 6 and 7 E., bears N. $2^{\circ}37'$ E., 1.45 chs. dist., heretofore described.

Thence upstream with the informative traverse of the present right bank of the Salt River in sec. 18.

Along the edge of a well defined bank, 2 to 6 ft. high, through medium to dense timber and undergrowth.

N. $79^{\circ}11'$ E., 1.31 chs. At end of course.

Point used for determining
Angle Point 48 on the medial
line.

N. $80^{\circ}08'$ E., 12.21 chs. At end of course.

Point used for determining
Angle Point 49 on the medial
line.

N. $75^{\circ}18'$ E., 5.415 chs. At end of course.

Point used for determining
Angle Point 50 on the medial
line.

N. $73^{\circ}20'$ E., 5.925 chs. At end of course.

Point used for determining
Angle Point 51 on the medial
line.

N. $73^{\circ}18'$ E., 4.67 chs. At end of course.

Point used for determining
Angle Point 52 on the medial
line.

N. $58^{\circ}13'$ E., 7.25 chs. At end of course.

Point used for determining
Angle Point 53 on the medial
line.

N. $27^{\circ}50'$ E., 4.04 chs. At end of course.

Point used for determining
Angle Point 54 on the medial
line.

N. $15^{\circ}38'$ E., 6.29 chs. At end of course.

Point used for determining
Angle Point 55 on the medial
line.

N. $13^{\circ}55'$ E., 12.35 chs. At end of course.

Point used for determining
Angle Point 56 on the medial
line.

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
N. 15°24' E., 9.59 chs.	Intersect the sec. line bet. secs. 7 and 18. From this point, the ¼ sec. cor. of 7 and 18, bears S. 89°57' W., 3.69 chs. dist.
Thence in sec. 7.	
Along a well defined bank, 4 to 10 ft. high, through medium to dense undergrowth and timber.	
N. 15°13' E., 11.99 chs.	At end of course. Point used for determining Angle Point 57 on the medial line.
N. 17°33' E., 5.30 chs.	At end of course. Point used for determining Angle Point 58 on the medial line.
N. 16°28' E., 6.79 chs.	At end of course. Point used for determining Angle Point 59 on the medial line.
N. 15°20' E., 5.48 chs.	At end of course. Point used for determining Angle Point 60 on the medial line.
N. 14°55' E., 4.91 chs.	At end of course. Point used for determining Angle Point 61 on the medial line.
N. 14°53' E., 3.68 chs.	At end of course. Point used for determining Angle Point 62 on the medial line.
N. 7°17' E., 8.095 chs.	At end of course. Point used for determining Angle Point 63 on the medial line.
N. 2°48' W., 8.12 chs.	At end of course. Point used for determining Angle Point 64 on the medial line. This point is located at the most southwesterly end of an old stone and concrete

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
		diversion dam, 8 ft. high, 3 ft. wide, mkd. as a bearing object to Angle Point 64 hereinafter described. Thence along the bank side of the same diversion dam.
N. 28°11' W.,	3.06 chs.	At end of course.
		Point used for determining Angle Point 65 on the medial line. This point is located at the most northwesterly end of the same diversion dam, and is mkd. as a bearing object to Angle Point 65; hereinafter described. Thence along a well defined bank, 4 to 12 ft. high.
N. 13°31' W.,	0.66 chs.	
N. 4°05' W.,	3.69 chs.	At end of course.
		Point used for determining Angle Point 66 on the medial line.
N. 3°23' E.,	10.505 chs.	At end of course.
		Point used for determining Angle Point 67 on the medial line.
N. 32°38' W.,	3.60 chs.	At end of course.
		Point used for determining Angle Point 68 on the medial line.
N. 1°39' E.,	5.38 chs.	At end of course.
		Point used for determining Angle Point 69 on the medial line.
N. 14°30' E.,	1.27 chs.	At end of course.
		Intersect the sec. line bet. secs. 6 and 7.
		From this point, the witness point of secs. 6 and 7 set on the right bank, bears N. 89° 58' W., .43 chs. dist.; heretofore described.
Thence in sec. 6.		
Along a well defined bank, 2 to 12 ft. high, through medium to heavy timber and undergrowth.		

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
N. 3°27' W., 3.20 chs.	At end of course.
	Point used for determining Angle Point 70 on the medial line.
N. 1°35' E., 2.775 chs.	At end of course.
	Point used for determining Angle Point 71 on the medial line.
N. 7°16' E., 5.50 chs.	At end of course.
	Point used for determining Angle Point 72 on the medial line.
N. 27°12' E., 3.41 chs.	
N. 16°42' E., 7.47 chs.	At end of course.
	Point used for determining Angle Point 73 on the medial line.
N. 34°21' E., 1.80 chs.	
N. 44°18' E., 7.465 chs.	At end of course.
	Point used for determining Angle Point 74 on the medial line.
N. 37°06' E., 5.13 chs.	At end of course.
	Point used for determining Angle Point 75 on the medial line.
N. 81°21' E., 1.86 chs.	
S. 70°09' E., 2.95 chs.	
S. 74°05' E., 3.35 chs.	
S. 83°14' E., 3.02 chs.	At end of course.
	Point used for determining Angle Point 76 on the medial line.
N. 67°59' E., 3.69 chs.	At end of course.
	Intersect the sec. line bet. secs. 5 and 6.
	From this point, the $\frac{1}{4}$ sec. cor. of secs. 5 and 6, bears N. 0°06' W., 7.82 chs. dist.; heretofore described.

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
	Thence in sec. 5.	
	Along a well defined cut bank, 2 to 10 ft. high, through medium timber and medium to dense undergrowth.	
	N. 67°59' E., 4.93 chs.	
	N. 75°39' E., 6.08 chs.	At end of course.
		Point used for determining Angle Point 77 on the medial line.
	N. 45°05' E., 9.03 chs.	At end of course.
		Point used for determining Angle Point 78 on the medial line.
	N. 74°17' E., 3.54 chs.	
	N. 73°05' E., 5.46 chs.	At 2.75 chs., right bank of the Verde River bears N. 15° E., curving westerly.
		At 5.25 chs., left bank of the Verde River bears N. 5° W.
		At end of course.
		Point used for determining Angle Point 79 on the medial line.
	N. 68°17' E., 16.36 chs.	At end of course.
		Point used for determining Angle Point 80 on the medial line.
	N. 69°49' E., 8.87 chs.	At end of course.
		Point used for determining Angle Point 81 on the medial line.
	N. 69°42' E., 6.585 chs.	At end of course.
		Point used for determining Angle Point 82 on the medial line.
	N. 69°19' E., 5.82 chs.	At end of course.
		Point used for determining Angle Point 83 on the medial line.
	N. 62°37' E., 7.15 chs.	At end of course.
		Point used for determining Angle Point 84 on the medial line.
	N. 55°13' E., 3.22 chs.	At end of course.
		Point used for determining Angle Point 85 on the medial line.

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
S. 85°52' E., 4.27 chs.	At end of course.	Point used for determining Angle Point 86 on the medial line.
S. 70°08' E., 5.66 chs.	At end of course.	Point used for determining Angle Point 87 on the medial line.
S. 42°32' E., 1.18 chs.	At end of course.	Intersect the sec. line bet. secs. 4 and 5.
From this point, the witness point of secs. 4 and 5, set on the right bank, bears N. 0°12' W., 10 lks. dist.; heretofore described.		
Thence in sec. 4.		
Along a well defined cut bank, 2 to 6 ft. high, through medium timber and medium to dense undergrowth.		
S. 48°31' E., 2.44 chs.	At end of course.	Point used for determining Angle Point 88 on the medial line.
S. 78°23' E., 5.56 chs.	At end of course.	Point used for determining Angle Point 89 on the medial line.
N. 86°43' E., 4.94 chs.		
S. 88°57' E., 1.12 chs.	At end of course.	Point used for determining Angle Point 90 on the medial line.
N. 69°11' E., 2.28 chs.	At end of course.	Point used for determining Angle Point 91 on the medial line.
N. 46°41' E., 1.94 chs.	At end of course.	Point used for determining Angle Point 92 on the medial line.
N. 62°31' E., 10.35 chs.	At end of course.	Point used for determining Angle Point 93 on the medial line.

Traverse of the Right Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS	
	<p>Intersect the easterly boundary of the Salt River Indian Reservation.</p> <p>From this point, the witness meander cor. of sec. 4 set on the right bank, bears N. 6° 42' E., 25 lks. dist.; hereinafter described.</p>
	<p>The Informative Traverse of the Left Bank of the Salt River in Part of T. 2 N., R. 7 E., Gila and Salt River Meridian, Arizona, used to determine the medial line, the South Boundary of the Salt River Indian Reservation</p>
	<p>Beginning at the intersection of the line bet. secs. 13 and 18, Tps. 2 N., Rs. 6 and 7 E., and the present left bank of the Salt River, from which the ¼ sec. cor. of secs. 13 and 18, Tps. 2 N., Rs. 6 and 7 E., bears N. 2°37' E., 7.57 chs. dist., heretofore described.</p>
	<p>S. 84°27' E., 4.08 chs. At end of course.</p> <p>Point used for determining Angle Point 48 on the medial line.</p>
	<p>N. 84°39' E., 7.27 chs.</p>
	<p>S. 77°15' E., 4.79 chs. At end of course.</p> <p>Point used for determining Angle Point 49 on the medial line.</p>
	<p>N. 86°13' E., 6.19 chs.</p>
	<p>N. 80°29' E., 2.70 chs. At end of course.</p> <p>Point used for determining Angle Point 50 on the medial line.</p>
	<p>N. 73°09' E., 6.46 chs. At end of course.</p> <p>Point used for determining Angle Point 51 on the medial line.</p>
	<p>N. 54°10' E., 4.99 chs. At end of course.</p> <p>Point used for determining Angle Point 52 on the medial line.</p>
	<p>N. 27°53' E., 6.25 chs. At end of course.</p> <p>Point used for determining Angle Point 53 on the medial line.</p>
	<p>N. 24°27' E., 9.01 chs. At end of course.</p> <p>Point used for determining Angle Point 54 on the medial line.</p>

Traverse of the Left Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
N. 13°29' E., 8.05 chs.	At end of course.	
		Point used for determining Angle Point 55 on the medial line.
N. 15°57' E., 9.89 chs.	At end of course.	
		Point used for determining Angle Point 56 on the medial line.
N. 12°15' E., 11.31 chs.		
N. 12°34' E., 0.54 chs.	At end of course.	
		Intersect the sec. line bet. secs. 7 and 18.
		From this point, the witness point of secs. 7 and 18, set on the left bank, bears N. 89°57' E., 14 lks. dist.; heretofore described.
Thence in sec. 7.		
Along a well defined cut bank, 2 to 8 ft. high, through medium timber and medium to dense undergrowth.		
N. 12°34' E., 10.74 chs.	At end of course.	
		Point used for determining Angle Point 57 on the medial line.
N. 30°10' E., 5.53 chs.	At end of course.	
		Point used for determining Angle Point 58 on the medial line.
N. 12°56' E., 6.79 chs.	At end of course.	
		Point used for determining Angle Point 59 on the medial line.
N. 1°49' E., 4.95 chs.	At end of course.	
		Point used for determining Angle Point 60 on the medial line.
N. 32°09' E., 1.905 chs.		

Traverse of the Left Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
N. 38°35' E., 4.75 chs.	At end of course.	Point used for determining Angle Point 61 on the medial line.
N. 11°22' E., 3.69 chs.	At end of course.	Point used for determining Angle Point 62 on the medial line.
N. 3°02' W., 8.65 chs.	At end of course.	Point used for determining Angle Point 63 on the medial line.
N. 11°54' W., 8.07 chs.	At end of course.	Point used for determining Angle Point 64 on the medial line.
N. 11°08' W., 4.02 chs.	At end of course.	Point used for determining Angle Point 65 on the medial line.
N. 10°45' W., 3.21 chs.	At end of course.	Point used for determining Angle Point 66 on the medial line.
N. 3°00' E., 10.10 chs.	At end of course.	Point used for determining Angle Point 67 on the medial line.
N. 2°14' E., 3.44 chs.	At end of course.	Point used for determining Angle Point 68 on the medial line.
N. 2°20' E., 5.51 chs.	At end of course.	Point used for determining Angle Point 69 on the medial line.

Traverse of the Left Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS

N. 23°53' W., 1.52 chs. At end of course.
Intersect the sec. line bet. secs. 6 and 7.
From this point, the witness meander cor. of secs. 6 and 7, set on the left bank of the Salt River by Theodore Vander Meer in the 1930-1932 survey, bears S. 89°58' E., 9.66 chs. dist., heretofore described.

Thence in sec. 6.
Along a well defined cut bank, 3 to 7 ft. high, through medium timber and medium to dense undergrowth.

N. 23°53' W., 3.395 chs. At end of course.
Point used for determining Angle Point 70 on the medial line.

N. 28°51' E., 3.72 chs. At end of course.
Point used for determining Angle Point 71 on the medial line.

N. 18°19' W., 4.48 chs. At end of course.
Point used for determining Angle Point 72 on the medial line.

N. 15°17' E., 11.13 chs. At end of course.
Point used for determining Angle Point 73 on the medial line.

N. 44°42' E., 5.06 chs. At end of course.
Point used for determining Angle Point 74 on the medial line.

N. 50°33' E., 3.62 chs.

N. 68°11' E., 3.38 chs. At end of course.
Point used for determining Angle Point 75 on the medial line.

Traverse of the Left Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
S. 86°57' E., 4.29 chs.		
S. 76°26' E., 3.17 chs.		
S. 85°18' E., 2.04 chs.	At end of course.	
	Point used for determining	
	Angle Point 76 on the medial	
	line.	
N. 84°27' E., 2.56 chs.	At end of course.	
	Intersect the sec. line bet.	
	secs. 5 and 6.	
	From this point, the $\frac{1}{2}$ sec.	
	cor. of secs. 5 and 6, bears	
	N. 0°06' W., 12.27 chs. dist.;	
	heretofore described.	
	Thence in sec. 5.	
	Along a well defined bank, 2 to 8 ft. high, through	
	medium timber and medium to dense undergrowth.	
N. 84°27' E., 1.58 chs.		
N. 60°35' E., 11.15 chs.	At end of course.	
	Point used for determining	
	Angle Point 77 on the medial	
	line.	
N. 63°04' E., 11.70 chs.	At end of course.	
	Point used for determining	
	Angle Point 78 on the medial	
	line.	
N. 64°30' E., 5.15 chs.	At end of course.	
	Point used for determining	
	Angle Point 79 on the medial	
	line.	
N. 65°45' E., 16.53 chs.	At end of course.	
	Point used for determining	
	Angle Point 80 on the medial	
	line.	
N. 74°23' E., 10.30 chs.	At end of course.	
	Point used for determining	
	Angle Point 81 on the medial	
	line.	

Traverse of the Left Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
N. 70°24' E., 4.98 chs.	At end of course.	
		Point used for determining
		Angle Point 82 on the medial
		line.
N. 75°19' E., 3.56 chs.		
S. 84°57' E., 3.545 chs.	At end of course.	
		Point used for determining
		Angle Point 83 on the medial
		line.
N. 44°08' E., 7.02 chs.	At end of course.	
		Point used for determining
		Angle Point 84 on the medial
		line.
N. 37°14' E., 3.74 chs.	At end of course.	
		Point used for determining
		Angle Point 85 on the medial
		line.
N. 88°24' E., 3.50 chs.	At end of course.	
		Point used for determining
		Angle Point 86 on the medial
		line.
S. 71°10' E., 4.45 chs.	At end of course.	
		Point used for determining
		Angle Point 87 on the medial
		line.
S. 34°55' E., 3.73 chs.	At end of course.	
		Intersect the sec. line bet.
		secs. 4 and 5.
		From this point, the witness
		point of secs. 4 and 5, set
		on the left side, bears S.
		0°12' E., 1.48 chs. dist.;
		heretofore described.
	Thence in sec. 4.	
	Along a well defined cut bank, 2 to 12 ft. high, through	
	medium to scattered timber and undergrowth.	

Traverse of the Left Bank of the Salt River in Part of
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS		
S. 34°55' E., 1.60 chs.	At end of course.	
		Point used for determining Angle Point 88 on the medial line.
S. 86°49' E., 7.28 chs.	At end of course.	
		Point used for determining Angle Point 89 on the medial line.
N. 86°36' E., 4.15 chs.	At end of course.	
		Point used for determining Angle Point 90 on the medial line.
N. 59°37' E., 4.585 chs.	At end of course.	
		Point used for determining Angle Point 91 on the medial line.
N. 60°47' E., 1.51 chs.	At end of course.	
		Point used for determining Angle Point 92 on the medial line.
N. 64°06' E., 9.11 chs.	At end of course.	
		Point used for determining Angle Point 93 (the SE. cor. of the Salt River Indian Reservation).
		From this point, the witness meander cor., bears N. 6°42' E., 2.95 chs. dist.; hereinafter described.
<p>Survey of the South Boundary of the Salt River Indian Reservation through Township 2 North, Range 7 East, Gila and Salt River Meridian, Arizona</p>		
<p>The medial line (the South Boundary of the Salt River Indian Reservation) as surveyed is not a permanently fixed boundary as its location is subject to movement in order to accomodate to the middle of the Salt River, which is designated in the Executive Order of June 14, 1879 as the South Boundary of the reservation.</p>		

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

The South Boundary of the Salt River Indian Reservation through T. 2 N., R. 7 E., was determined by use of the informative traverse, correlated with current aerial photos, of the right and left banks of the Salt River, considering the channels, their depth and nature and the river changes, this is considered the best solution for placing the boundary in its intended position. This survey is made by calculating the course's and distance's based on the informative traverses, and refer to the true cardinal directions.

From the point for the witness point of secs. 13 and 18, T. 2 N., Rs. 6 and 7 E., which is located at the intersection of the medial line of the Salt River and the sec. line bet. secs. 13 and 18. This point is located in the bed of the river.

From this point, the present right bank, bears N. 2°37' E., 3.22 chs. dist.; bank bears N. 79°11' E. and S. 79°11' W.

From the same point, the $\frac{1}{4}$ sec. cor. of secs. 13 and 18, T. 2 N., Rs. 6 and 7 E., bears N. 2°37' E., 4.67 chs. dist.; heretofore described.

From the same point, the present left bank, bears S. 2°37' W., 2.90 chs. dist.; bank bears S. 84°27' E. and N. 84°27' W.

Thence upstream with the calculated survey of the medial line of the Salt River in sec. 18, the Salt River contains a substantial flow of water and no monuments were established within the river bed.

N. 88°08' E., 2.685 chs. Point for Angle Point 48.

from which

The determining point on the right bank, bears N. 20°18' W., 3.60 chs. dist.

The determining point on the left bank, bears S. 20°18' E., 3.60 chs. dist.

An iron post, 28 ins. long, 2½ ins. diam., set 20 ins. in the ground, for a reference monument, bears S. 20°18' E., 3.899 chs. dist., with brass cap mkd. T2N R7E AP 48 S18 RM 257.3 FT. 1974 and an arrow pointing to the cor. point.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

from the reference monu-
ment

A cottonwood, 24 ins
diam., bears
N. 83° E., 25 lks
dist., mkd. RM
S18 BT.

N. 85°54' E., 12.00 chs. Point for Angle Point 49.

from which

The determining point on
the right bank, bears
N. 14°27' W., 4.76
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, for a refer-
ence monument, bears
N. 14°27' W., 4.962
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 49 S18 RM 327.5 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 8 ins.
diam., bears
N. 30° E., 72
lks. dist., mkd.
RM S18 BT.

A mesquite, 6 ins.
diam., bears
N. 38°30' W., 75
lks. dist., mkd.
RM S18 BT.

Deposit glass at the base
of the iron post.

The determining point on
the left bank, bears
S. 14°27' E., 4.76
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

	CHAINS		
		<p>An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears S. 14°27' E., 4.962 chs. dist., with brass cap mkd. T2N R7E AP 49 S18 RM 327.5 FT. 1974 and an arrow pointing to the cor. point.</p>	
		<p>N. 81°00' E., 7.12 chs.</p>	<p>Point for Angle Point 50. from which</p> <p>The determining point on the right bank, bears N. 31°31' W., 5.71 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, for a reference monument, bears N. 31°31' W., 5.914 chs. dist., with brass cap mkd. T2N R7E SRIR AP 50 S18 RM 390.3 FT. 1974 and an arrow pointing to the cor. point.</p> <p>The determining point on the left bank, bears S. 31°31' E., 5.71 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears S. 31°31' E., 5.864 chs. dist., with brass cap mkd. T2N R7E AP 50 S18 RM 387 FT. 1974 and an arrow pointing to the cor. point.</p>
		<p>N. 73°14' E., 6.19 chs.</p>	<p>Point for Angle Point 51. from which</p>

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
	<p>The determining point on the right bank, bears N. 34°07' W., 5.78 chs. dist.</p> <p>The determining point on the left bank, bears S. 34°07' E., 5.78 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 34°07' E., 5.879 chs. dist., mkd. T2N R7E AP 51 S18 RM 388 FT. and an arrow pointing to the cor. point.</p>	
	<p>N. 63°24' E., 4.765 chs. Point for Angle Point 52 on the medial line.</p> <p>from which</p> <p>The determining point on the right bank, bears N. 37°14' W., 5.01 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, surrounded by concrete, for a reference monument, bears N. 37°14' W., 5.576 chs. dist., with brass cap mkd. T2N R7E SRIR AP 52 S18 RM 368 FT. 1974 and an arrow pointing to the cor. point.</p> <p>The determining point on the left bank, bears S. 37°14' E., 5.01 chs. dist.</p>	
	<p>N. 44°12' E., 6.52 chs. Point for Angle Point 53.</p> <p>from which</p>	

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

The determining point on
the right bank, bears
N. 24°15' W., 3.44
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 24°15' W., 3.741
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 53 S18 RM 246.9 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 5 ins.
diam., bears N.
88° W., 27 lks.
dist., mkd. RM
S18 BT.

The determining point on
the left bank, bears
S. 24°15' E., 3.44
chs. dist.

N. 25°30' E., 6.52 chs. Point for Angle Point 54.

from which

The determining point on
the right bank, bears
N. 70°39' W., 2.48
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, for a refer-
ence monument, bears
N. 70°39' W., 2.676
chs. dist., mkd. T2N
R7E SRIR AP 54 S18 RM
176.6 FT. 1974 and an
arrow pointing to the
cor. point.

from the reference monu-
ment

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

A mesquite, 12 ins.
diam., bears N.
37° E., 43 lks.
dist., mkd. RM
S18 BT.

The determining point on
the left bank, bears
S. 70°39' E., 2.48
chs. dist.

N: 14°26' E., 7.17 chs. Point for Angle Point 55.

from which

The determining point on
the right bank, bears
S. 88°25' W., 2.43
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, for a refer-
ence monument, bears
S. 88°25' W., 3.077
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 55 S18 RM 203.1 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 6 ins.
diam., bears
N. 34° E., 20.5
lks. dist., mkd.
RM S18 BT.

A mesquite, 14 ins.
diam., bears
West, 70 lks.
dist., mkd. RM
S18 BT.

The determining point on
the left bank, bears
N. 88°25' E., 2.43
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 20 ins. in the
ground, for a refer-
ence monument, bears
N. 88°25' E., 2.627
chs. dist., with
brass cap mkd. T2N
R7E AP 55 S18 RM
173.4 FT. 1974 and an
arrow pointing to the
cor. point.

from the reference monu-
ment

A salt cedar, 5 ins.
diam., bears N.
21° E., 9 lks.
dist., mkd. RM
S18 BT.

A salt cedar, 4 ins.
diam., bears S.
40° W., 7 lks.
dist., mkd. with
an X at breast
height and BT at
the base.

N. 14°49' E., 11.12 chs. Point for Angle Point 56.

from which

The determining point on
the right bank, bears
N. 63°04' W., 2.58
chs. dist.

The determining point on
the left bank, bears
S. 63°04' E., 2.58
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 63°04' E., 2.831
chs. dist., with
brass cap mkd. T2N
R7E AP 56 S18 RM
186.8 FT. 1974 and an
arrow pointing to the
cor. point.

from the reference monu-
ment

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
	<p>N. 13°49' E., 10.73 chs.</p>	<p>A salt cedar, 5 ins. diam., bears S. 56° W., 45 lks. dist., mkd. RM S18 BT.</p> <p>Intersect the sec. line bet. secs. 7 and 18.</p> <p>from which</p> <p>The present right bank, bears S. 89°57' W., 2.31 chs. dist.</p> <p>The witness point of secs. 7 and 18, set on the right side of the river, bears S. 89° 57' W., 2.50 chs. dist.; heretofore described.</p> <p>The present left bank, bears N. 89°57' E., 2.26 chs. dist.</p> <p>The witness point of secs. 7 and 18, set on the left side of the river, bears N. 89° 57' E., 2.40 chs. dist.; heretofore described.</p>
	<p>Thence in sec. 7.</p> <p>N. 13°49' E., 11.35 chs.</p>	<p>Point for Angle Point 57.</p> <p>from which</p> <p>The determining point on the right bank, bears N. 73°56' W., 1.96 chs. dist.</p> <p>The determining point on the left bank, bears S. 73°56' E., 1.96 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 20 ins. in the ground, for a reference monument, bears S. 73°56' E., 2.308 chs. dist., with brass cap mkd. T2N R7E AP 57 S7 152.3 FT. 1974 and an arrow pointing to the cor. point.</p>

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		from the reference monument
		A mesquite, 8 ins. diam., bears N. 78° E., 50 lks. dist., mkd. RM S7 BT.
		Deposit broken glass at the base of the iron post.
	N. 24°00' E., 5.39 chs.	Point for Angle Point 58.
		from which
		The determining point on the right bank, bears N. 74°40' W., 2.56 chs. dist.
		The determining point on the left bank, bears S. 74°40' E., 2.56 chs. dist.
	N. 14°42' E., 6.79 chs.	Point for Angle Point 59.
		from which
		The determining point on the right bank, bears N. 74°40' W., 2.35 chs. dist.
		The determining point on the left bank, bears S. 74°40' E., 2.35 chs. dist.
		An iron post, 28 ins. long, 2½ ins. diam., set 20 ins. in the ground, for a reference monument, bears S. 74°40' E., 2.503 chs. dist., with brass cap mkd. T2N R7E AP 59 S7 165.2 FT. 1974 and an arrow pointing to the cor. point.
	N. 8°55' E., 5.18 chs.	Point for Angle Point 60.
		from which

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
	<p>The determining point on the right bank, bears N. 64°03' W., 1.80 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 20 ins. in the ground, for a reference monument, bears N. 64°03' W., 2.405 chs. dist., with brass cap mkd. T2N R7E SRIR AP 60 S7 RM 158.7 FT. 1974 and an arrow pointing to the cor. point.</p> <p>from the reference monument</p> <p>A mesquite, 6 ins. diam., bears N. 8° W., 35.5 lks. dist., mkd. RM S7 BT.</p> <p>The determining point on the left bank, bears S. 64°03' E., 1.80 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 20 ins. in the ground, for a reference monument, bears S. 64°03' E., 2.105 chs. dist., with brass cap mkd. T2N R7E AP 60 S7 RM 138.9 FT. 1974 and an arrow pointing to the cor. point.</p>	
	<p>N. 27°29' E., 5.68 chs.</p>	<p>Point for Angle Point 61.</p> <p>from which</p> <p>The determining point on the right bank, bears N. 80°30' W., 3.02 chs. dist.</p>

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

The determining point on
the left bank, bears
S. 80°30' E., 3.02
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 20 ins. in the
ground, for a refer-
ence monument, bears
S. 80°30' E., 3.273
chs. dist., with brass
cap mkd. T2N R7E AP
61 S7 RM 216 FT. 1974
and an arrow pointing
to the cor. point.

N. 13°08' E., 3.68 chs.

Point for Angle Point 62.

from which

The determining point on
the right bank, bears
N. 81°00' W., 2.91
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 81°00' W., 3.109
chs. dist., with
brass cap mkd. T2N
R7E SRIR AP 62 S7 RM
205.2 FT. 1974 and an
arrow pointing to the
cor. point.

from the reference monu-
ment

A mesquite, 8 ins.
diam., bears S.
88° W., 106 lks.
dist., mkd. RM
S7 BT.

Raise a mound of stone,
2 ft. base, 6 ins.
high, W of the cor.

The determining point on
the left bank, bears
S. 81°00' E., 2.91
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 81°00' E., 3.029
chs. dist., with brass
cap mkd. T2N R7E AP 62
S7 RM 199.9 FT. 1974
and an arrow pointing
to the cor. pt.

N. 1°57' E., 8.34 chs. Point for Angle Point 63.

from which

The determining point on
the right bank, bears
N. 85°33' W., 2.14
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 85°33' W., 2.537
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 63 S7 RM 167.4 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 24 ins.
diam., bears S.
18° W., 135 lks.
dist., mkd. RM
S7 BT.

A mesquite, 8 ins.
diam., bears N.
27° W., 44 lks.
dist., mkd. RM
S7 BT.

The determining point on
the left bank, bears
S. 85°33' E., 2.14
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 24 ins. in the
ground, surrounded by
concrete, for a refer-
ence monument, bears
S. $85^{\circ}33'$ E., 2.347
chs. dist., with
brass cap mkd. T2N
R7E AP 63 S7 RM 154.9
FT. 1974 and an arrow
pointing to the cor.
point.

N. $7^{\circ}19'$ W., 8.07 chs. Point for Angle Point 64.

from which

The determining point on
the right bank, bears
N. $79^{\circ}43'$ W., 1.522
chs. dist., mkd. by
XBO chiseled in the
SW end of an old dam
constructed of rock
and concrete.

The determining point on
the left bank, bears
S. $79^{\circ}43'$ E., 1.522
chs. dist.

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. $79^{\circ}43'$ E., 1.672
chs. dist., with
brass cap mkd. T2N
R7E AP 64 S7 RM 110.4
FT. 1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 4
ins. diam.,
bears S. 72° E.,
20 lks. dist.,
mkd. X at breast
height and BT at
the base.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
N. 18°28' W., 3.50 chs.	Point for Angle Point 65.	
	from which	
	The determining point on the right bank, bears S. 79°03' W., 1.864 chs. dist., mkd. by XBO chiseled in the NW end of an old dam constructed of rocks and concrete.	
	The determining point on the left bank, bears N. 79°03' E., 1.864 chs. dist.	
N. 7°47' W., 3.77 chs.	Point for Angle Point 66.	
	from which	
	The determining point on the right bank, bears N. 82°26' W., 1.755 chs. dist.	
	The determining point on the left bank, bears S. 82°26' E., 1.755 chs. dist.	
	An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears S. 82°26' E., 1.955 chs. dist., with brass cap mkd. T2N R7E AP 66 S7 RM 129 FT. 1974 and an arrow pointing to the cor. point.	
N. 3°11' E., 10.21 chs.	Point for Angle Point 67.	
	from which	
	The determining point on the right bank, bears N. 78°36' W., 1.73 chs. dist.	

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

The determining point on
the left bank, bears
S. 78°36' E., 1.73
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 78°36' E., 2.032
chs. dist., with brass
cap mkd. T2N R7E AP 67
S7 RM 134.1 FT. 1974
and an arrow pointing
to the cor. point.

N. 15°37' W., 3.36 chs. Point for Angle Point 68.

from which

The determining point on
the right bank, bears
N. 87°03' W., 2.74
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 87°03' W., 3.24
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 68 S7 RM 213.8 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 18 ins.
diam., bears S.
4° W., 40 lks.
dist., mkd. RM
S7 BT.

A mesquite, 14 ins.
diam., bears S.
62° W., 77.5 lks.
dist., mkd. RM
S7 BT.

Deposit broken glass at
the base of the iron
post.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		<p>The determining point on the left bank, bears S. 87°03' E., 2.74 chs. dist.</p>
N. 1°59' E., 5.44 chs.		<p>Point for Angle Point 69.</p>
		<p>from which</p>
		<p>The determining point on the right bank, bears N. 88°21' W., 2.77 chs. dist.</p>
		<p>The determining point on the left bank, bears S. 88°21' E., 2.77 chs. dist.</p>
		<p>An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears S. 88°21' E., 3.173 chs. dist., with brass cap mkd. T2N R7E AP 69 S7 RM 209.4 FT. 1974 and an arrow pointing to the cor. point.</p>
N. 11°47' W., 1.34 chs.		<p>Intersect the sec. line bet. secs. 6 and 7.</p>
		<p>from which</p>
		<p>The right bank, bears N. 89°58' W., 2.18 chs. dist.</p>
		<p>The witness point of secs. 6 and 7, on the right side of the river, bears N. 89°58' W., 2.61 chs. dist.; heretofore described.</p>
		<p>The present left bank, bears S. 89°58' E., 2.43 chs. dist.</p>
		<p>The meander cor. of secs. 6 and 7, set by Theodore Vander Meer in the 1930-1932 survey, bears S. 89°58' E., 12.09 chs. dist.; heretofore described.</p>

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

Thence in sec. 6.

N. $11^{\circ}47'$ W., 3.22 chs. Point for Angle Point 70.

from which

The determining point on
the right bank, bears
N. $88^{\circ}21'$ W., 1.71
chs. dist.

The determining point on
the left bank, bears
S. $88^{\circ}21'$ E., 1.71
chs. dist.

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. $88^{\circ}21'$ E., 1.914
chs. dist., with brass
cap mkd. T2N R7E AP 70
S6 RM 126.3 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A salt cedar, 5 ins.
diam., bears N.
 10° E., 3 lks.
dist., mkd. RM
S6 BT.

A salt cedar, 15
ins. diam., bears
S. 30° W., 4 lks.
dist., mkd. RM
S6 BT.

N. $17^{\circ}15'$ E., 3.16 chs. Point for Angle Point 71.

from which

The determining point on
the right bank, bears
S. $85^{\circ}44'$ W., 2.58
chs. dist.

The determining point on
the left bank, bears
N. $85^{\circ}44'$ E., 2.58
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. $85^{\circ}44'$ E., 2.979
chs. dist., with brass
cap mkd. T2N R7E AP 71
S6 RM 196.6 FT. 1974
and an arrow pointing
to the cor. point.

N. $4^{\circ}12'$ W., 4.87 chs. Point for Angle Point 72.

from which

The determining point on
the right bank, bears
N. $74^{\circ}53'$ W., 1.57
chs. dist.

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. $74^{\circ}53'$ W., 1.773
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 72 S6 RM 117 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 10 ins.
diam., bears N.
 87° W., 22 lks.
dist., mkd. RM
S6 BT.

Deposit broken glass at
the base of the iron
post.

The determining point on
the left bank, bears
S. $74^{\circ}53'$ E., 1.57
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 74°53' E., 1.873
chs. dist., with
brass cap mkd. T2N
R7E AP 72 S6 RM 123.6
FT. 1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 4 ins
diam., bears N.
15° W., 44 lks.
dist., mkd. RM
S6 BT.

N. 17°36' E., 10.98 chs.

Point for Angle Point 73.

from which

The determining point on
the right bank, bears
N. 83°11' W., 1.14
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 83°11' W., 1.34
chs. dist., with
brass cap mkd. T2N
R7E SRIR AP 73 S6 RM
88.4 FT. 1974 and an
arrow pointing to the
cor. point.

Deposit broken glass at
the base of the iron
post.

The determining point on
the left bank, bears
S. 83°11' E., 1.14
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 83°11' E., 1.34
chs. dist., with brass
cap mkd. T2N R7E AP 73
S6 RM 88.4 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A salt cedar, 6 ins.
diam., bears N.
55° E., 28 lks.
dist., mkd. RM
S6 BT.

N. 44°41' E., 9.03 chs. Point for Angle Point 74.

from which

The determining point on
the right bank, bears
N. 59°28' W., 1.31
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 59°28' W., 1.512
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 74 S6 RM 99.8 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 6 ins.
diam., bears
S. 81°30' W., 18
lks. dist., mkd.
RM S6 BT.

A mesquite, 8 ins.
diam., bears
N. 45° W., 15.5
lks. dist., mkd.
RM S6 BT.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

The determining point on
the left bank, bears
S. 59°28' E., 1.31
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 20 ins. in the
ground, for a refer-
ence monument, bears
S. 59°28' E., 1.512
chs. dist., with brass
cap mkd. T2N R7E AP 74
S6 RM 99.8 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A salt cedar, 6 ins.
diam., bears N.
82° E., 28 lks.
dist., mkd. RM
S6 BT.

A salt cedar, 4 ins.
diam., bears S.
3°30' W., 29 lks.
dist., mkd. RM
S6 BT.

Raise a mound of stone,
2 ft. base, 1 ft. high,
S of the iron post.

N. 49°23' E., 4.105 chs. Point for Angle Point 75.

from which

The determining point on
the right bank, bears
N. 28°58' W., 2.38
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, for a refer-
ence monument, bears
N. 28°58' W., 2.582
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 75 S6 RM 170.4 FT.
1974 and an arrow
pointing to the cor.
point.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

from the reference monu-
ment

A palo-verde, 5 ins.
diam., bears N.
18° E., 95 lks.
dist., mkd. RM S6
BT.

The determining point on
the left bank, bears
S. 28°58' E., 2.38
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 28°58' E., 2.682
chs. dist., with brass
cap mkd. T2N R7E AP 75
S6 RM 177 FT. and an
arrow pointing to the
cor. point.

from the reference monu-
ment

A salt cedar, 5 ins.
diam., bears S.
43° E., 38 lks.
dist., mkd. RM
S6 BT.

A salt cedar, 6 ins.
diam., bears S.
73° W., 40.5 lks.
dist., mkd. RM
S6 BT.

Raise a mound of stone, 2
ft. base, 1 ft. high, S
of the iron post.

S. 81°12' E., 10.24 chs. Point for Angle Point 76.

from which

The determining point on
the right bank, bears
N. 14°50' W., 1.71
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, and in a col-
lar of stone, 2 ft.
base to top, for a
reference monument,
bears N. 14°50' W.,
1.912 chs. dist., with
brass cap mkd. T2N R7E
SRIR AP 76 S6 RM 126.2
FT. 1974 and an arrow
pointing to the cor.
point.

The determining point on
the left bank, bears
S. 14°50' E., 1.71
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 14°50' E., 2.512
chs. dist., with brass
cap mkd. T2N R7E AP 76
S6 RM 165.8 FT. 1974
and an arrow pointing
to the cor. point.

Raise a mound of stone,
2 ft. base, 1 ft. high,
S of the iron post.

N. 69°03' E., 3.20 chs. Intersect the sec. line bet.
secs. 5 and 6.

from which

The right bank, bears N.
0°06' W., 1.90 chs.
dist.

The ¼ sec. cor. of secs.
5 and 6, set in the
1930-1932 survey by
Theodore Vander Meer,
bears N. 0°06' W.,
9.72 chs. dist.; here-
tofore described.

The left bank, bears S.
0°06' E., 2.55 chs.
dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

Thence in sec. 5.

N. 69°03' E., 11.64 chs. Point for Angle Point 77.

from which

The determining point on
the right bank, bears
N. 20°50' W., 1.16
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, for a refer-
ence monument, bears
N. 20°50' W., 1.362
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 77 S5 RM 89.9 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 7 ins.
diam., bears S.
53° W., 7.5 lks.
dist., mkd. RM
S5 BT.

The determining point on
the left bank, bears
S. 20°50' E., 1.16
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 20°50' E., 1.502
chs. dist., with brass
cap mkd. T2N R7E AP 77
S5 RM 99.1 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A palo-verde, 10
ins. diam., bears
S. 50° W., 125
lks. dist., mkd.
RM S5 BT.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

N. 55°15' E., 10.24 chs. Point for Angle Point 78.

from which

The determining point on
the right bank, bears
N. 56°16' W., 2.93
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, surrounded by
concrete, for a refer-
ence monument, bears
N. 56°16' W., 3.026
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 78 S5 RM 199.7 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 6 ins.
diam., bears
North, 12.5 lks.
dist., mkd. RM
S5 BT.

The determining point on
the left bank, bears
S. 56°16' E., 2.93
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 6 ins. in the
ground and in a mound
of stone concreted
together, 3 ft. base,
18 ins. high, for a
reference monument,
bears S. 56°16' E.,
3.596 chs. dist.,
with brass cap mkd.
T2N R7E AP 78 S5 RM
237.3 FT. 1974 and an
arrow pointing to the
cor. point.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		from the reference monument
		A mesquite, 12 ins. diam., bears N. 39° E., 13 lks. dist., mkd. RM S5 BT.
	N. 70°16' E., 7.06 chs.	Point for Angle Point 79.
		from which
		The determining point on the right bank, bears N. 13°49' W., 1.84 chs. dist.
		An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears N. 13°49' W., 2.044 chs. dist., with brass cap mkd. T2N R7E SRIR AP 79 S5 RM 134.9 FT. 1974 and an arrow pointing to the cor. point.
		The determining point on the left bank, bears S. 13°49' E., 1.84 chs. dist.
		An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, surrounded by concrete, for a reference monument, bears S. 13°49' E., 2.124 chs. dist., with brass cap mkd. T2N R7E AP 79 S5 RM 140.2 FT. 1974 and an arrow pointing to the cor. point.
		from the reference monument
		A mesquite, 5 ins. diam., bears N. 54° E., 28 lks. dist., mkd. RM S5 BT.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		<p>A mesquite, 13 ins. diam., bears S. 26° E., 91 lks. dist., mkd. RM S5 BT.</p>
	N. 67°00' E., 16.44 chs.	<p>Point for Angle Point 80. from which</p> <p>The determining point on the right bank, bears N. 14°45' W., 1.47 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears N. 14°45' W., 1.622 chs. dist., with brass cap mkd. T2N R7E SRIR AP 80 S5 RM 107 FT. 1974 and an arrow pointing to the cor. point.</p> <p>from the reference monument</p> <p>A salt cedar, 6 ins. diam., bears S. 88° E., 17.5 lks. dist., mkd. RM S5 BT.</p> <p>A salt cedar, 5 ins. diam., bears N. 74° W., 24 lks. dist., mkd. RM S5 BT.</p> <p>The determining point on the left bank, bears S. 14°45' E., 1.47 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, surrounded by concrete, for a reference monument, bears S. 14°45' E., 1.632 chs. dist., with brass cap mkd. T2N R7E AP 80 S5 RM 107.7 FT. 1974 and an arrow pointing to the cor. point.</p>

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		<p>from the reference monument</p> <p>A salt cedar, 7 ins. diam., bears S. 19° E., 41 lks. dist., mkd. RM S5 BT.</p> <p>A mesquite, 10 ins. diam., bears S. 79° E., 137 lks. dist., mkd. RM S5 BT.</p>
	N. 72°16' E., 9.58 chs.	<p>Point for Angle Point 81.</p> <p>from which</p> <p>The determining point on the right bank, bears N. 36°48' W., 1.96 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears N. 36°48' W., 2.157 chs. dist., with brass cap mkd. T2N R7E SRIR AP 81 S5 RM 142.4 FT. 1974 and an arrow pointing to the cor. point.</p> <p>The determining point on the left bank, bears S. 36°48' E., 1.96 chs. dist.</p> <p>An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, surrounded by concrete, for a reference monument, bears S. 36°48' E., 2.187 chs. dist., with brass cap mkd. T2N R7E AP 81 S5 RM 144.3 FT. 1974 and an arrow pointing to the cor. point.</p>

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

from the reference monu-
ment

A mesquite, 6 ins.
diam., bears S.
6°30' E., 6.5
lks. dist., mkd.
RM S5 BT.

A mesquite, 7 ins.
diam., bears S.
58° W., 62 lks.
dist., mkd. RM
S5 BT.

N. 70°00' E., 5.78 chs. Point for Angle Point 82.

from which

The determining point on
the right bank, bears
N. 12°58' W., 1.92
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 12°58' W., 2.073
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 82 S5 RM 136.8 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 6 ins.
diam., bears S.
64° E., 7 lks.
dist., mkd. RM
S5 BT.

A salt cedar, 5 ins.
diam., bears N.
55° W., 16 lks.
dist., mkd. RM
S5 BT.

The determining point on
the left bank, bears
S. 12°58' E., 1.92
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 8 ins. in the
ground, surrounded by
concrete and in a
mound of stone, con-
creted together, 3 ft.
base to top, for a
reference monument,
bears S. 12°58' E.,
2.162 chs. dist., with
brass cap mkd. T2N R7E
AP 82 S5 RM 142.7 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 6 ins.
diam., bears N.
80° E., 36 lks.
dist., mkd. RM
S5 BT.

A mesquite, 6 ins.
diam., bears N.
82°30' W., 52 lks.
dist., mkd. RM
S5 BT.

N. 77°59' E., 6.35 chs. Point for Angle Point 83.

from which

The determining point on
the right bank, bears
N. 24°37' W., 2.87
chs. dist.

The determining point on
the left bank, bears
S. 24°37' E., 2.87
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, surrounded by
concrete, for a refer-
ence monument, bears
S. 24°37' E., 3.118
chs. dist., with brass
cap mkd. T2N R7E AP 83
S5 RM 205.8 FT. 1974
and an arrow pointing
to the cor. point.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		from the reference monument
		A mesquite, 4 ins. diam., bears N. 88° W., 8 lks. dist., mkd. RM S5 BT.
	N. 53°28' E., 6.99 chs.	Point for Angle Point 84.
		from which
		The determining point on the right bank, bears N. 15°02' W., 1.79 chs. dist.
		An iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument, bears N. 15°02' W., 1.993 chs. dist., with brass cap mkd. T2N R7E SRIR AP 84 S5 RM 131.5 FT. 1974 and an arrow pointing to the cor. point.
		from the reference monument
		A mesquite, 14 ins. diam., bears N. 85° E., 21.5 lks. dist., mkd. RM S5 BT.
		A mesquite, 7 ins. diam., bears S. 68° W., 56.5 lks. dist., mkd. RM S5 BT.
		The determining point on the left bank, bears S. 15°02' E., 1.79 chs. dist.
		An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, surrounded by concrete, for a reference monument, bears S. 15°02' E., 2.293 chs. dist., with brass cap mkd. T2N R7E AP 84 S5 RM 151.3 FT. 1974 and an arrow pointing to the cor. point.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS		
		from the reference monument
		A mesquite, 8 ins. diam., bears N. 11°30' E., 36 lks. dist., mkd. RM S5 BT.
		A mesquite, 8 ins. diam., bears S. 41° W., 100 lks. dist., mkd. RM S5 BT.
	N. 45°33' E., 3.44 chs.	Point for Angle Point 85.
		from which
		The determining point on the right bank, bears N. 13°12' W., 1.19 chs. dist.
		The determining point on the left bank, bears S. 13°12' E., 1.19 chs. dist.
	S. 88°27' E., 3.88 chs.	Point for Angle Point 86.
		from which
		The determining point on the right bank, bears N. 6°17' E., 0.97 chs. dist.
		The determining point on the left bank, bears S. 6°17' W., 0.97 chs. dist.
		An iron post, 28 ins. long, 2½ ins. diam., set 24 ins. in the ground, surrounded by concrete, for a reference monument, bears S. 6°17' W., 1.095 chs. dist., with brass cap mkd. T2N R7E AP 86 S5 RM 72.3 FT. 1974 and an arrow pointing to the cor. point.
		from the reference monument

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

A mesquite, 5 ins.
diam., bears S.
52° E., 62 lks.
dist., mkd. RM
S5 BT.

A salt cedar, 4 ins.
diam., bears N.
64° W., 18 lks.
dist., mkd. RM
S5 BT.

S. 70°35' E., 5.05 chs. Point for Angle Point 87.
from which

The determining point on
the right bank, bears
N. 42°47' E., 0.97
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 42°47' E., 1.175
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 87 S5 RM 77.6 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 7 ins.
diam., bears S.
10° E., 17.5 lks.
dist., mkd. RM
S5 BT.

The determining point on
the left bank, bears
S. 42°47' W., 0.97
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, surrounded by
concrete, for a refer-
ence monument, bears
S. 42°47' W., 1.175
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 87 S5 RM 77.6 FT.
1974 and an arrow
pointing to the cor.
point.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

from the reference monu-
ment

A mesquite, 16 ins.
diam., bears S.
64° W., 47 lks.
dist., mkd. RM
S5 BT.

A mesquite, 4 ins.
diam., bears N.
44° W., 5 lks.
dist., mkd. RM
S5 BT.

S. 39°37' E., 2.30 chs. Intersect the line bet. secs.
4 and 5.

from which

The right bank, bears N.
0°12' W., 1.61 chs.
dist.

The witness point of secs.
4 and 5, on the right
side of the river,
bears N. 0°12' W., 1.71
chs. dist.; heretofore
described.

The left bank, bears S.
0°12' E., 2.01 chs.
dist.

The witness point of secs.
4 and 5, set on the
left side of the
river, bears S. 0°12'
E., 3.49 chs. dist.;
heretofore described.

Thence in sec. 4.

S. 39°37' E., 2.15 chs. Point for Angle Point 88.

from which

The determining point on
the right bank, bears
N. 15°18' E., 1.71
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, for a refer-
ence monument, bears
N. 15°18' E., 1.815
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 88 S5 RM 119.8 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 3 ins.
diam., bears S.
54° E., 22 lks.
dist., mkd. X at
breast height and
BT at the base.

The determining point on
the left bank, bears
S. 15°18' W., 1.71
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 24 ins. in the
ground, surrounded by
concrete, for a refer-
ence monument, bears
S. 15°18' W., 2.395
chs. dist., with brass
cap mkd. T2N R7E AP 88
S4 RM 158.1 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A mesquite, 15 ins.
diam., bears S.
41° E., 143 lks.
dist., mkd. RM
S4 BT.

A mesquite, 8 ins.
diam., bears S.
27° W., 70 lks.
dist., mkd. RM
S4 BT.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

S. 83°10' E., 6.40 chs. Point for Angle Point 89.

from which

The determining point on
the right bank, bears
N. 19°29' W., 1.38 chs.
dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 19°29' W., 1.476
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 89 S4 RM 97.4 FT.
1974 and an arrow
pointing to the cor.
point.

The determining point on
the left bank, bears
S. 19°29' E., 1.38 chs.
dist.

N. 86°54' E., 5.06 chs. Point for Angle Point 90.

from which

The determining point on
the right bank, bears
N. 22°39' E., 1.39
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 20 ins. in the
ground, for a refer-
ence monument, bears
N. 22°39' E., 1.494
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 90 S4 RM 98.6 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A salt cedar, 12
ins. diam., bears
N. 76° W., 19 lks.
dist., mkd. RM
S4 BT.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

The determining point on
the left bank, bears
S. $22^{\circ}39'$ W., 1.39
chs. dist.

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 24 ins. in the
ground, surrounded by
concrete, for a refer-
ence monument, bears
S. $22^{\circ}39'$ W., 1.799
chs. dist., with brass
cap mkd. T2N R7E AP 90
S4 RM 118.7 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A mesquite, 8 ins.
diam., bears S.
 $56^{\circ}15'$ E., 31
lks. dist., mkd.
RM S4 BT.

N. $60^{\circ}21'$ E., 3.53 chs. Point for Angle Point 91.

from which

The determining point on
the right bank, bears
N. $30^{\circ}52'$ W., 0.75
chs. dist.

An iron post, 28 ins.
long, $2\frac{1}{2}$ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. $30^{\circ}52'$ W., 0.87
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 91 S4 RM 57.4 FT.
1974 and an arrow
pointing to the cor.
point.

The determining point on
the left bank, bears
S. $30^{\circ}52'$ E., 0.75
chs. dist.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

N. 52°50' E., 1.71 chs. Point for Angle Point 92.

from which

The determining point on
the right bank, bears
N. 19°39' W., 1.00
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
N. 19°39' W., 1.35
chs. dist., with brass
cap mkd. T2N R7E SRIR
AP 92 S4 RM 89.1 FT.
1974 and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 7 ins.
diam., bears N.
11°30' E., 27
lks. dist., mkd.
RM S4 BT.

The determining point on
the left bank, bears
S. 19°39' E., 1.00
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 19°39' E., 1.17
chs. dist., with brass
cap mkd. T2N R7E AP 92
S4 RM 77.2 FT. 1974
and an arrow pointing
to the cor. point.

from the reference monu-
ment

A mesquite, 3 ins.
diam., bears S.
82°30' E., 20
lks. dist., mkd.
X at breast height
and BT at the
base.

Survey of the South Boundary of the Salt River Indian
Reservation through Township 2 North, Range 7 East,
Gila and Salt River Mer., Arizona

CHAINS

N. 62°15'30" E., 9.73 chs. Point for Angle Point 93
identical with the SE. cor.
of the Salt River Indian
Reservation.

from which

The determining point on
the right bank, bears
N. 6°42' E., 1.35
chs. dist.

The witness meander cor.
of sec. 4 on the
right bank, bears N.
6°42' E., 1.60 chs.
dist.; hereinafter
described.

The determining point on
the left bank, bears
S. 6°42' W., 1.35
chs. dist.

An iron post, 28 ins.
long, 2½ ins. diam.,
set 22 ins. in the
ground, for a refer-
ence monument, bears
S. 6°42' W., 1.40
chs. dist., with
brass cap mkd. T2N
R7E AP 93 S4 RM 92.4
FT. and an arrow
pointing to the cor.
point.

from the reference monu-
ment

A mesquite, 12 ins.
diam., bears S.
15° W., 105 lks.
dist., mkd. RM
S4 BT.

A mesquite, 10 ins.
diam., bears S.
76° E., 142.7
lks. dist., mkd.
RM S4 BT.

Survey of the East Boundary of the Salt River Indian
Reservation through T. 2 N., R. 7 E.,
Gila and Salt River Mer., Arizona

CHAINS


From the closing cor. of secs. 4 and 33, at the intersection of the N. bdy. of the Tp. and the east bdy. of the Salt River Indian Reservation described in the concurrent field notes of the survey of the east boundary of the Salt River Indian Reservation through T. 3 N., R. 7 E., G. & S. R. M., Arizona.

S. 6°42' W., in sec. 4, along the east boundary of the Salt River Indian Reservation on a prolongation of the same boundary through T. 3 N., R. 7 E.

Over nearly level land, through scattering timber and medium undergrowth.

15.32 Point selected for the witness meander cor. on the present right bank of the Salt River.

Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground, and in a mound of stone, 2½ ft. base to top, with brass cap mkd.



15.57 Present right bank of the Salt River, bears N. 68°01' E. and S. 62°31' W. True point for the meander cor. of Sec. 4.

16.92 Intersect the medial line of the Salt River, the South East corner of the Salt River Indian Reservation, identical with Angle Point 93, heretofore described.

From this point, the present left bank, bears S. 6°42' W., 1.35 chs. dist. Point for the meander cor., not monumented.

From this same point, an iron post, 28 ins. long, 2½ ins. diam., set 22 ins. in the ground, for a reference monument bears S. 6°42' W., 1.40 chs. dist., heretofore described.

Land, gently rolling.

Soil, sandy loam.

Timber, mesquite, cottonwood and willows.

Undergrowth, mesquite, cat claw, salt cedar and cacti.

Meanders of the Salt River through Part of Section 4,
T. 2 N., R. 7 E., Gila and Salt River Meridian, Arizona

From the meander cor. of secs. 4 and 33 on the N. bdy. of the Tp. and on the right bank of the Salt River, monumented with an iron post, 1 in. diam., set in a mound of stone, 3 ft. base, 2 ft. high, brass cap mkd.

Meanders of the Salt River through Part of Section 4,
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS

$$\begin{array}{r} T\ 3\ N \\ S\ 33 \\ \hline S\ 4 \\ T\ 2\ N \\ R\ 7\ E \\ 1932 \end{array} \quad M\ C$$

from which

The $\frac{1}{4}$ sec. cor. of sec. 4 only, bears West 15.97 chs. dist., heretofore described.

Thence downstream with the meanders of the right bank of the Salt River, in sec. 4; along a well defined bank, 2 to 6 ft. high, through heavy mesquite, salt cedars and willows.

S. 50°32' W., 5.55 chs.

S. 43°52' W., 6.01 chs.

S. 56°57' W., 2.00 chs.

S. 59°19' W., 3.50 chs.

S. 68°01' W., 12.60 chs.

The true point for the meander cor. of sec. 4, on the right bank of the Salt River and the East bdy. of the Salt River Indian Reservation From which the witness meander cor., bears N. 6°42' E., 25 lks. dist., heretofore described.

Land, nearly level.
Soil, gravelly loam.
Timber, mesquite.
Undergrowth, willows and salt cedars.

From the meander cor. of secs. 4 and 33 on the N. bdy. of the Tp., and on the left bank of the Salt River, monumented by an iron post, 1 in. diam., set 2 ins. below the surface, brass cap mkd.

$$\begin{array}{r} T\ 3\ N \\ S\ 33 \\ \hline S\ 4 \\ T\ 2\ N \\ R\ 7\ E \\ 1932 \end{array} \quad M\ C$$

Reset the iron post, 1 in. diam., 36 ins. long, 27 ins. in the ground, add date 1974 to the brass cap.

Meanders of the Salt River through Part of Section 4,
T. 2 N., R. 7 E., Gila and Salt River Mer., Arizona

CHAINS

from which

The cor. of secs. 3 and 4, bears East, 18.51 chs. dist., monumented by an iron post, 2 ins. diam., firmly set, mkd. and witnessed as described in the official record.

new bearing trees

A mesquite, 8 ins. diam., bears N. 76° E., 30 lks. dist., mkd. MC S33 BT.

A mesquite, 10 ins. diam., bears S. 2° W., 103 lks. dist., mkd. MC S4 BT.

Raise a mound of stone, 2 ft. base, 1½ ft. high, E. of the cor.

Thence downstream with the meanders of the left bank of the Salt River in sec. 4; along a well defined bank, 1 to 3 ft. high through heavy mesquite, salt cedars and willows.

S. 39°45' W., 2.97 chs.

S. 66°59' W., 7.16 chs.

S. 50°00' W., 8.73 chs. Bank becomes 3 to 5 ft. high.

S. 61°49' W., 3.10 chs.

S. 64°52' W., 14.08 chs. Intersect the point for the meander cor. on the left bank of the Salt River, on an extension of the E. bdy. of the Salt River Indian Reservation. From this point, the witness meander cor. on the right bank of the Salt River, bears N. 6°42' E., 2.95 chs. dist., heretofore described.

Land, nearly level.

Soil, gravelly loam.

Timber, mesquite.

Undergrowth, willows and salt cedar.

GENERAL DESCRIPTION

The land included in this survey is about 12 miles northeast of Mesa, Arizona. Most of the area is drained by the Salt River which enters the township on the north boundary of Section 4, meandering southwest through Sections 5, 6 and 7 and leaving near the ¼ sec. cor. of Sections 13 and 18 on the west boundary. The elevation ranges from about 1310 ft. to 1780 ft. above sea level. The Bush Highway enters the surveyed area along the range line between Tps. 2 North, Ranges 6 and 7 East, traversing northeasterly through Sections 7, 8 and 18 and leaving near the corner of Sections 9 and 10 on the north bdy. of the Tp. A good dirt road roughly parallels the Salt River, along the west side, through Sections 6 and 7.

GENERAL DESCRIPTION of T. 2 N., R. 7 E.,
Gila and Salt River Mer., Arizona

CHAINS

There are two partially developed recreation areas within the surveyed area--Coon Bluff Forest Camp located on the Salt River in Section 4, extending into Section 5 and the Phon D. Sutton recreation area in Section 5. Many of the survey corners set along this area were set in cement in an attempt to keep loss through vandalism at a minimum.

Vegetation varies from creosote brush, catclaw and cacti at the higher elevations to heavy weeds along and near the Salt River. Palo-verde is found throughout the higher elevations with heavy growth of mesquite, willows and cottonwoods along and in close proximity to the river.

No recent mining activity was noted in the area surveyed.

The mean magnetic declination was found to be 14°00' E.

CERTIFICATE OF SURVEY

~~We~~ (We), Paul G. Bauer and Harry K. Smith, HEREBY
 Supplemental
 CERTIFY upon honor that, in pursuance of special instructions bearing date of the 15th day
 of January, 1974, ~~We~~ (We) have made a dependent resurvey of a por-
 tion of the north and west boundaries and a portion of the subdivisional
 lines; an informational traverse of the present right and left banks of
 the Salt River, surveyed the south and east boundaries of the Salt River
 Indian Reservation and meandered a portion of the Salt River in Sec. 4,
 Township 2 North, Range 7 East,

of the Gila and Salt River Meridian, in the State of Arizona, which
 are represented in the foregoing field notes as having been executed by ~~We~~ (us) and under ~~Our~~
 (our) direction; and that said survey has been made in strict conformity with said special instruc-
 tions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in
 specific manner described in the foregoing field notes.

December 9, 1974

(Date)

Paul G. Bauer

(Cadastral Surveyor)

December 9, 1974

(Date)

Harry K. Smith

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
 Washington, D.C.

The foregoing field notes of the resurvey of a portion of the north and west
 boundaries, informational traverse of the present banks of the Salt
 River, the survey of the south and east boundaries of the Salt River
 Indian Reservation and meanders of a portion of the Salt River in
 Sec. 4, T. 2 N., R. 7 E., Gila and Salt River Meridian, Arizona,
 and the resurvey of a portion of the subdivisional lines,

executed by Paul G. Bauer and Harry K. Smith

having been critically examined and found correct, are hereby approved.

JUL 25 1978

(Date)

Donald W. Fisher

(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in
 , is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849-626