

Form 9600-9
(December 1979)
(formerly 9180-6)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

BOOK 5158

FIELD NOTES

1

OF THE

DEPENDENT RESURVEY OF A PORTION OF THE

EAST AND NORTH BOUNDARIES OF THE TOWNSHIP,

A PORTION OF THE SUBDIVISIONAL LINES,

AND A PORTION OF THE SUBDIVISION LINES

WITHIN SECTIONS 1, 5, AND 8;

THE METES AND BOUNDS SURVEY OF PARCEL L,

WITHIN SECTION 17

AND

THE METES AND BOUNDS SURVEY OF TRACTS 47, 48, AND 49

TOWNSHIP 8 SOUTH, RANGE 16 WEST

Of the GILA AND SALT RIVER Meridian,

In the State of ARIZONA

EXECUTED BY

PAUL J. FISHER

CADASTRAL SURVEYOR

Under special instructions dated OCTOBER 14, 19 69, approved OCTOBER 27, 1969,
 AND SUPPLEMENTAL SPECIAL INSTRUCTIONS DATED OCTOBER 20, 1980, APPROVED OCTOBER
27, 1980, which provided for the surveys included under ~~XXXXXX~~ Group
 Number 517, and assignment instructions dated OCTOBER 14, 19 80.

Survey commenced APRIL 15, 19 81

Survey completed APRIL 21, 19 81

INDEX DIAGRAM

Township 8 SOUTH, Range 16 WEST

6	5	4	3	2	1 3 2
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Dependent Resurvey Subdivision Lines

- Section 1 . . . p. 6
- Section 5 . . . p. 8
- Section 8 . . . p. 9

Metes and Bounds Survey of Parcel L, Section 17 . . . p. 10

Metes and Bounds Survey of Tracts

- Tract 47 . . . p. 11
- Tract 48 . . . p. 12
- Tract 49 . . . p. 13

Township 8 South, Range 16 West,
of the Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the east and north boundaries of the township, a portion of the subdivisional lines, and a portion of the subdivision lines within secs. 1, 5, and 8; the metes-and-bounds survey of Parcel L, within section 17, and the metes-and-bounds survey of Tracts 47, 48, and 49, Township 8 South, Range 16 West, of the Gila and Salt River Meridian, Arizona.

History of Previous Surveys: The east boundary was surveyed by Theodore F. White, U. S. Deputy Surveyor, in 1877. The south, west, and north boundaries, and the subdivisional lines were surveyed by John L. Harris, U. S. Deputy Surveyor, in 1878, as shown upon the official plat approved April 1, 1878. A portion of the subdivisional lines were dependently resurveyed; a portion of the subdivision lines within sections 4 and 8, and surveyed the metes-and-bounds survey of Tracts 37 and 38, by Clark Gumm, Cadastral Engineer in 1952, as shown upon the official plat accepted July 7, 1952. A portion of the subdivisional lines were dependently resurveyed; a portion of the subdivision lines within section 17 were surveyed by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1952, as shown upon the official plat, examined and approved by the Bureau of Reclamation, Washington, D. C., July 17, 1953, and was accepted by the Chief, Branch of Surveys (Cadastral), Bureau of Land Management, July 17, 1953. A portion of the subdivisional lines were dependently resurveyed; a portion of the subdivision lines within sections 1, 3, 8, and 17 were surveyed by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1954, as shown upon the official plat, examined and approved by the Bureau of Reclamation, Washington, D. C., March 17, 1955, and was accepted by the Chief, Branch of Surveys (Cadastral), Bureau of Land Management, March 17, 1955. A portion of the north boundary of the township was dependently resurveyed as described in the official field-note record of the dependent resurvey of a portion of the south boundary of Tp. 7 S., R. 16 W., as shown upon the official plat, accepted January 28, 1980. The dependent resurvey of a portion of the west boundary of the township, a portion of the subdivisional lines, and a portion of the subdivision lines within sections 3, 4, 8, and 17; the survey of a portion of the subdivision lines within sections 3, 4, 5, 7, and 8, the metes and bounds survey of Parcel C, section 17, and the metes and bounds survey of Tract 39 through 46 inclusive; executed by Douglas A. Cody, Cadastral Surveyor, in 1974 and 1975, as shown upon the official plat, accepted May 1, 1980.

The dependent resurveys and surveys were executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973 Edition, and the Special Instructions for Group 517, Arizona, dated October 14, 1969, and Supplemental Special Instructions dated October 20, 1980.

The direction of all lines of these surveys were determined from direct altitude observations on the sun for azimuth, and these directions refer to the true meridian. The lines were carried forward by normal transit traverse. Distances are expressed in chains.

4

Township 8 South, Range 16 West,
of the Gila and Salt River Meridian, Arizona

CHAINS

Preliminary to the resurvey the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The geographic position of the north 1/16 sec. cor. of secs. 16 and 17, determined by scaling from a U.S. Geological Survey Quadrangle Map, "Tacna, Arizona, 1965", is as follows: Latitude 32° 44' N., and Longitude 113° 55.1' W.

The mean magnetic declination is 14° East.

Dependent Resurvey of a Portion
of the East Boundary of the Township
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

Restoring the Dependent Resurvey Executed by
Albin H. Wadin, Engineer
Bureau of Reclamation, in 1954

The 1/4 sec. cor. of secs. 1 and 6 on the E. bdy. of the Tp., mkd. with an iron pipe, 1 in. diam., with brass cap 6 ins. below surface of road, mkd.

BUREAU OF RECLAMATION

T8S

R16W|R15W

1/4

S 1|S 6

1954

N. 0° 09' W., through Tp. 8 S., bet., Rs. 15 and 16 W., and bet. secs. 1 and 6.

20.29

The N 1/16 sec. cor. of secs. 1 and 6, marked with an iron pipe, 1 in. diam., with brass cap 10 ins. below surface of road, mkd.

BUREAU OF RECLAMATION

N 1/16

S 1|S 6

1954

N. 0° 07' W., beginning new measurement.

Dependent Resurvey of a Portion
of the East Boundary of the Township
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

CHAINS	
7.55	<p>The point for Cor. 5, lot 6, Cor. 1, lot 7, Tp. 8 S., R. 16 W. and Cor. 4, Lot 13, Cor. 4, lot 14, Tp. 8 S., R. 15 W., at proportionate distance; there is no evidence of the original cor. This cor. of designated to function for Angle Point No. 8, Tract 47 and Cor. 2, lot 19, sec. 6.</p> <p>Set an aluminum rod, 24 ins. long, 5/8 in. diam., with aluminum cap, 3 1/4 ins. diam., 15 ins. below the surface of the road, mkd.</p> <p style="text-align: center;">T8S R16W R15W TR 47 L 19 <u>AP 8 COR 2</u> COR 1 COR 4 L 7 L 14 S 1 S 6</p> <p style="text-align: center;">1981</p>
11.385	<p>The point for Angle Point No. 1, Tract 47 and Cor. 3, lot 18, Cor. 1, lot 19, sec. 6.</p> <p>Set an aluminum rod, 24 ins. long, 5/8 in. diam., with aluminum cap, 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.</p> <p style="text-align: center;">T8S R16W R15W S 1 S 6 L 18 <u> COR 3</u> AP 1 COR 1 TR 47 L 19</p> <p style="text-align: center;">1981</p>
18.01	<p>The point for the cor. of lots 5 and 6, sec. 1, at proportionate dist.; there is no evidence of the original cor. This cor. point not monumented.</p>
18.16	<p>The point for the cor. of lots 12 and 18, sec. 6, monumented with an aluminum rod, set, and described in the field note record of the metes and bounds survey of lot 18, sec. 6, Tp. 8 S., R. 15 W., executed concurrently with this group.</p>
20.28	<p>The cor. of Tps. 7 and 8 S., Rs. 15 and 16 W., marked with an iron pipe, 2 ins. diam., with brass cap 20 ins. below the surface of road, mkd.</p> <p style="text-align: center;">BUREAU OF RECLAMATION <u>S 36 S 31</u> S 1 S 6 T8S R15W</p> <p style="text-align: center;">1954</p>
<p>Dependent Resurvey of a Portion of the North Boundary of the Township Township 8 South, Range 16 West Gila and Salt River Meridian, Arizona</p>	

6

Dependent Resurvey of a Portion
of the North Boundary of the Township
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

CHAINS

S. 89° 51' W., bet. Tps. 7 and 8 S., through R. 16 W.

20.17

The point for the E 1/16 sec. cor. of secs. 1 and 36, at proportionate distance, there is no evidence of the original corner.

Set an aluminum rod, 24 ins. long, 5/8 in. diam., with aluminum cap 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.

T7S R16W
E 1/16 $\frac{S\ 36}{S\ 1}$
T8S
1981

There are no suitable accessories nor locations available for reference monuments.

40.34

The 1/4 sec. cor. of secs. 1 and 36, marked with an iron pipe, 1 in. diam., with brass cap 8 ins. below the surface of the road, mkd.

BUREAU OF RECLAMATION

T7S R16W
1/4 $\frac{S\ 36}{S\ 1}$
T8S R16W

1954

Dependent Resurvey of a Portion
of the Subdivisional Lines
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

Restoring the Dependent Resurvey Executed by
Douglas A. Cody, Cadastral Surveyor in 1974 and 1975

From the N 1/16 sec. cor. of secs. 16 and 17, monumented with an iron post, 2 1/2 ins. diam., set, marked and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.

N. 0° 20' W., bet. secs. 16 and 17.

4.65

The point for Cor. 4, Parcel L, sec. 17.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T8S R16W
PAR L |
COR 4 |
/ |
S 17 | S 16

1981

Dependent Resurvey of a Portion
of the Subdivisional Lines
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

7

CHAINS	
14.045	<p>The point for Cor. 1, Parcel L, sec. 17.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 5 ins. below surface of roadway, mkd.</p> <p style="text-align: center;">T8S R16W S 17 S 16 COR 1 PAR L </p> <p style="text-align: center;">1981</p>
20.01	<p>The cor. of sec. 8, 9, 16, and 17, monumented with an iron post, 2 1/2 ins. diam., set, marked and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p> <hr/> <p>From the cor. of 7, 8, 17, and 18, which is designated to function for Cor. No. 5, Parcel C, sec. 17, Angle Point No. 4, Tract 45, and Angle Point No. 9, Tract 46, marked with an iron pipe, 2 ins. diam., set, marked, and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p> <p>N. 0° 07' W., bet. secs. 7 and 8, which is identical with line 4 - 3, Tract 45 and line 9 - 1, Tract 46.</p>
5.42	<p>Angle Point No. 3, Tract 45 and Angle Point No. 1, Tract 46, monumented with an iron post, 2 1/2 ins. diam., set, marked and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p>
6.78	<p>The point for Angle Point No. 3 Tract 49.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T8S R16W S 7 TR 49 AP 3 S 8</p> <p style="text-align: center;">1981</p>
20.04	<p>The S 1/16 sec. cor. of secs. 7 and 8, monumented with an iron post, 2 1/2 ins. diam., set, marked, and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the Subdivision Lines Within Sections 1, 5, and 8 Township 8 South Range 16 West Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring the Survey Executed by Albin H. Wadin, Engineer Bureau of Reclamation, in 1954</p>

8

Dependent Resurvey of a Portion of the Subdivision Lines
 Within Sections 1, 5, and 8
 Township 8 South, Range 16 West
 Gila and Salt River Meridian, Arizona

CHAINS		
	Thence, in section 1	
	From the 1/4 sec. cor. of secs. 1 and 6 on the E. bdy. of the Tp.	
	S. 89° 56' W., on the E. and W. center line of sec. 1.	
20.06	The point for the C-E 1/16 sec. cor. of sec. 1, not monumented.	
40.12	The center 1/4 sec. cor. of sec. 1, marked with an iron pipe (brass cap missing), 30 ins. long, 1 in. diam., set 27 ins. in ground,	
	At the corner point	
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap flush with the ground, mkd.	
	T8S R16W C 1/4 S 1	
	1981	
	Deposit the iron pipe cor. marker alongside the iron post.	
	—————	
	N. 0° 26' W., on N. and S. center line of sec. 1.	
20.25	The point for the C-N 1/16 sec. cor. of sec. 1, at proportionate dist.; there is no evidence of the original corner.	
	Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.	
	C N 1/16 S 1 C	
	1981	
25.68	The point for the cor. of lots 9, 10, 11, and 12, sec. 1, at proportionate dist.; there is no evidence of the original corner. This cor. point not monumented.	
40.50	The 1/4 sec. cor. of secs. 1 and 36 on the N. bdy of township.	
	—————	
	From the point for the C-E 1/16 sec. cor. of sec. 1.	
	N. 0° 17' W., on the N. and S. center line of the NE 1/4, sec. 1.	
20.27	Intersect the E. and W. center line of the NE 1/4, the point for the NE 1/16 sec. cor. of sec. 1; there is no evidence of the original cor.	

Dependent Resurvey of a Portion of the Subdivision Lines
 Within Sections 1, 5, and 8
 Township 8 South Range 16 West
 Gila and Salt River Meridian, Arizona

	CHAINS	
		<p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 20 ins. below surface of ground, mkd.</p> <p style="text-align: center;">NE 1/16 S 1 1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p>
	27.80	<p>The point for the cor. of lots 6, 7, 8, and 9, sec. 1, at proportionate dist., there is no evidence of the original cor.</p> <p>Lots 6 and 9, sec. 1 are voided; these lots are designated lots 13 and 14, sec. 1 and Tract 47 by this survey.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below surface of ground, mkd.</p> <p style="text-align: center;">T8S R16W TR 47 ----- COR 1 COR 3 L 8 L 7 S 1 1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p> <p>Thence, on a blank line across Tract 47.</p>
	31.64	<p>The point for Angle Point No. 2, Tract 47.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T8S R16W S 1 ----- AP 2 TR 47 1981</p>
	38.27	<p>The point for the cor. of lots 5, 6, 9, and 10, sec. 1, at proportionate dist., there is no evidence of the original cor. This cor. point not monumented.</p>
	40.54	<p>The E 1/16 sec. cor. of secs. 1 and 36 on the N. bdy. of the township.</p> <hr/> <p>From the N 1/16 sec. cor. of secs. 1 and 6 on the E. bdy. of the township.</p> <p>S. 89° 53' W., on the E. and W. center line of the NE 1/4, sec. 1.</p>
	20.11	<p>Intersect the N. and S. center line of the NE 1/4, the NE 1/16 sec. cor. of sec. 1.</p>

10

Dependent Resurvey of a Portion of the Subdivision Lines
 Within Sections 1, 5, and 8
 Township 8 South Range 16 West
 Gila and Salt River Meridian, Arizona

CHAINS		
30.76	<p>The point for cor. of lots 8 and 9, sec. 1, at proportionate dist.; there is no evidence of the original cor.</p> <p>Lot 9, sec. 1 is voided; lot 9 is designated lot 14 and a portion of Tract 47 by this survey.</p> <p>The point for Angle Point No. 5, Tract 47.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 24 ins. below surface of ground, mkd.</p> <p style="text-align: center;"> T8S R16W TR 47 / L 8 AP 5 / COR 3 S 1 1981 </p> <p>There are no suitable accessories nor locations available for reference monuments.</p>	
31.53	<p>The point for Angle Point No. 4, Tract 47.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 20 ins. below surface of ground, mkd.</p> <p style="text-align: center;"> T8S R16W / TR 47 AP 4 S 1 1981 </p> <p>There are no suitable accessories nor locations available for reference monuments.</p>	
40.22	<p>The C-N 1/16 sec. cor. of sec. 1.</p> <hr/> <p>Thence, in section 5</p> <p>From the E 1/16 sec. cor. of secs. 5 and 8, marked with an iron pipe, 1 in. diam., set, marked, and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p> <p>N. 0° 20.5' W., on the N. and S. center line of the SE 1/4 of sec. 5.</p>	
9.97	<p>The point for Angle Point No. 2, Tract 48, on the wall of a concrete lined lateral.</p> <p>At the corner point chisel a cross (+).</p> <p>from which</p> <p style="padding-left: 40px;">An iron post, 28 ins. long, 2 1/2 ins. in diam., set 23 ins. in the ground, for a reference monument, bears N. 45° E., 13.2 ft. dist., with brass cap mkd. RM T8S R16W AP 2 TR 48 13.2 FT 1981, and arrow pointing to the cor.</p>	

Dependent Resurvey of a Portion of the Subdivision Lines
 Within Sections 1, 5, and 8
 Township 8 South Range 16 West
 Gila and Salt River Meridian, Arizona


CHAINS									
	<p>An iron post, 28 ins. long, 2 1/2 ins. in diam., set 22 ins. in the ground, for a reference monument, bears S. 45° E., 13.2 ft. dist., with brass cap mkd. RM T8S R16W 13.2 FT 1981, and arrow pointing to the cor.</p>								
20.00	<p>The true point for the SE 1/16 sec. cor. of sec. 5, at record course and record dist. from the hereinafter described witness cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 89° 52' E., on the E. and W. center line of the SE 1/4 of sec. 5</p>								
0.12	<p>The witness corner SE 1/16 sec. cor. of sec. 5, monumented with an iron post, 2 1/2 ins. diam., set, marked, and described in the field-note record of the 1974 and 1975 survey of a portion of the subdivision lines.</p>								
10.53	<p>The point for Angle Point No. 4, Tract 48.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 22 ins. below surface of the ground, mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto;"> <tr><td colspan="2">T8S R16W</td></tr> <tr><td colspan="2">S 5</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">AP 4</td><td style="border-top: 1px solid black; border-right: 1px solid black; padding-right: 5px;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">TR 48</td><td style="border-top: 1px solid black; border-right: 1px solid black; padding-right: 5px;"></td></tr> </table> </div> <p style="text-align: center;">1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p>	T8S R16W		S 5		AP 4		TR 48	
T8S R16W									
S 5									
AP 4									
TR 48									
20.11	<p>The south 1/16 sec. cor. of secs. 4 and 5, monumented with an iron post, 2 1/2 ins. diam., set, marked, and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>Thence, in section 8</p> <p>From the W 1/16 sec. cor. of secs. 8 and 17, monumented with an iron post, 2 1/2 ins. diam., set, marked, and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines.</p> <p>N. 0° 09' W., on the N. and S. center line of the SW 1/4, sec. 8.</p>								
6.79	<p>The point for Angle Point No. 4, Tract 49.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto;"> <tr><td colspan="2">T8S R16W</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">TR 49</td><td style="border-top: 1px solid black; border-right: 1px solid black; padding-right: 5px;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">AP 4</td><td style="border-top: 1px solid black; border-right: 1px solid black; padding-right: 5px;">S 8</td></tr> </table> </div> <p style="text-align: center;">1981</p>	T8S R16W		TR 49		AP 4	S 8		
T8S R16W									
TR 49									
AP 4	S 8								

12

Dependent Resurvey of a Portion of the Subdivision Lines
 Within Sections 1, 5, and 8
 Township 8 South Range 16 West
 Gila and Salt River Meridian, Arizona

CHAINS		
20.05	The SW 1/16 sec. cor. of sec. 8, monumented with an iron post, 2 1/2 ins. diam., set, marked, and described in the field-note record of the 1974 and 1975 dependent resurvey of a portion of the subdivisional lines, sec. 8.	
<hr/> <p>The Metes and Bounds Survey of Parcel L, Within Section 17 Township 8 South, Range 16 West Gila and Salt River Meridian, Arizona</p> <hr/>		
Beginning at Corner No. 1, Parcel L, section 17.		
N. 89° 13' W., on line 1 - 2, Parcel L, sec. 17.		
6.74	The point for Cor. No. 2, Parcel L, sec. 17. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.	
<p>T8S R16W S 17 COR 2 PAR L 1981</p> <hr/>		
S. 0° 20' E., on line 2 - 3, Parcel L, sec. 17.		
11.895	The point for Cor. No. 3, Parcel L, sec. 17. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.	
<p>T8S R16W S 17 PAR L COR 3 1981</p> <hr/>		
N. 70° 17' E., on line 3 - 4, Parcel L, sec. 17.		
7.145	Cor. No. 4, Parcel L, sec. 17.	
<hr/>		
N. 0° 20' W., on line 4 - 1, Parcel L, sec. 17, which is identical with the sec. line bet. secs. 16 and 17.		
9.395	Cor. No. 1, Parcel L, sec. 17, and the place of beginning.	
<hr/>		

The Metes and Bounds Survey
of Tract 47, 48, and 49
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

	CHAINS		
		<p>Thence, with the survey of Tract 47</p> <p>Beginning at Angle Point No. 1, Tract 47, on the E. bdy. of the township.</p> <p>S. 89° 50' W., on line 1 - 2, Tract 47.</p>	
	20.14	<p>Angle Point No. 2, Tract 47.</p> <hr/> <p>S. 49° 18.5' W., on line 2 - 3, Tract 47.</p>	
	13.295	<p>The point for Angle Point No. 3, Tract 47.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 6 ins. below the surface of the ground, mkd.</p> <div style="text-align: center;"> <p>T8S R16W</p> <p>S 1</p>  <p>TR 47</p> </div> <p>1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p> <hr/> <p>S. 25° 19.5' W., on line 3 - 4, Tract 47.</p>	
	3.015	<p>Angle Point No. 4, Tract 47.</p> <hr/> <p>N. 89° 53' E., on line 4 - 5, Tract 47, which is identical with the E. and W. center line of the NE 1/4 of sec. 1.</p>	
	0.77	<p>Angle Point No. 5, Tract 47.</p> <hr/> <p>N. 49° 18.5' E., on line 5 - 6, Tract 47, which is identical with line 3 - 2, lot 8, sec. 1.</p>	
	9.565	<p>The point for Cor. 2, lot 8 and Cor. 6, lot 9, sec. 1, at proportionate dist., there is no evidence of the original cor.</p> <p>Lot 9, sec. 1 is voided; lot 9 is designated lot 14 and a portion of Tract 47 by this survey.</p> <p>The point for Angle Point No. 6, Tract 47.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 23 ins. below the surface of the ground, mkd.</p>	

The Metes and Bounds Survey
of Tract 47, 48, and 49
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

14

CHAINS

T8S R16W
TR 47
AP 6
COR 2
L 8
S 1

1981

Thence, on line 6 - 7, Tract 47, which is identical with line 2 - 1, lot 8, sec. 1, along the arc of a curve, curve data:

Chord bears N. 69° 34.5' E.
Chord length 3.78 chs. distant
Radius 5.455 chs. distant
Length of arc 3.86 chs. distant

At 3.675 chs. dist. intersect the N. and S. center line of the NE 1/4; Cor. 1, lot 8 and Cor. 3, lot 7, sec. 1.

At the end of the arc of the curve, the point for Cor. 4, lot 6 and Cor. 2, lot 7, sec. 1, at proportionate dist., there is no evidence of the original cor.

Lot 6, sec. 1 is voided; lot 6 is designated lot 13, sec. 1 and a portion of Tract 47 by this survey.

The point for Angle Point No. 7, Tract 47.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., with brass cap 25 ins. below the surface of the ground, mkd.

T8S R16W
TR 47
AP 7
COR 2
L 7
S 1

1981

N. 89° 50' E., on line 7 - 8, Tract 47, which is identical with line 2 - 1, lot 7, sec. 1.

19.955 Angle Point No. 8, Tract 47, which is identical with cor. 1, lot 7, sec. 1.

N. 0° 07' W., on line 8 - 1, Tract 47, which is identical with the E. bdy. of the Tp.

3.835 Angle Point No. 1, Tract 47, and the place of beginning.

Thence, with the survey of Tract 48.

The Metes and Bounds Survey
of Tract 47, 48, and 49
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

CHAINS		
	<p>Beginning at the true point for the SE 1/16 sec. cor. of sec. 5; designate this cor. point to function for Angle Point No. 1, Tract 48.</p> <p>S. 0° 20.5' E., on line 1 - 2, Tract 48, which is identical with the N. and S. center line of the SE 1/4 of sec. 5.</p>	
10.03	<p>Angle Point No. 2, Tract 48.</p> <hr/> <p>N. 89° 52' E., on line 2 - 3, Tract 48.</p>	
10.53	<p>The point for Angle Point No. 3, Tract 48.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T8S R16W TR 48 <u>AP 3 </u> S 5</p> <p style="text-align: center;">1981</p> <hr/> <p>N. 0° 20.5' W., on line 3 - 4, Tract 48.</p>	
10.03	<p>Angle Point No. 4, Tract 48.</p> <hr/> <p>S. 89° 52' W., on line 4 - 1, Tract 48, which is identical with the E. and W. center line of the SE 1/4 of sec. 5.</p>	
10.41	<p>The witness corner SE 1/16 sec. cor. of sec. 5.</p>	
10.53	<p>The true point for the SE 1/16 sec. cor. of sec. 5, which is designated to function for Angle Point No. 1, Tract 48, and the place of beginning.</p> <hr/> <p>Thence, with the survey of Tract 49</p> <p>Beginning at the SW 1/16 sec. cor. of sec. 8, which is designated to function for Angle Point No. 1, Tract 49.</p> <p>N. 89° 26' W., on line 1 - 2, Tract 49, which is identical with the E. and W. center line of the SW 1/4 of sec. 8.</p>	
20.16	<p>The south 1/16 sec. cor. of secs. 7 and 8, which is designated to function for Angle Point No. 2, Tract 49.</p> <hr/> <p>S. 0° 07' E., on line 2 - 3, Tract 49, which is identical with the sec. line bet. secs. 7 and 8.</p>	

16

The Metes and Bounds Survey
of Tract 47, 48, and 49
Township 8 South, Range 16 West
Gila and Salt River Meridian, Arizona

CHAINS		
13.26	Angle Point No. 3, Tract 49.	
	<hr/> <p>S. 89° 26' E., on line 3 - 4, Tract 49.</p>	
20.165	Angle Point No. 4, Tract 49.	
	<hr/> <p>N. 0° 09' W., on line 4 - 1, Tract 49, which is identical with the N. and S. center line of SW 1/4 of sec. 8.</p>	
13.26	The SW 1/16 sec. cor. of sec. 8, which is designated to function for Angle Point No. 1, Tract 49, and the place of beginning.	
	<hr/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <p>The land area within these surveys are nearly level to gently rolling. The soil consists of sandy clay loam; and for the most part the area is under cultivation, except for the federally controlled lands which are undeveloped; with French tamarisk and mesquite trees, and creosote brush (shrub).</p> <p>Improvements located throughout the area, are: Numerous canals and laterals for irrigation and/or drainage purposes; County and farm roads.</p> <hr/>	

CERTIFICATE OF SURVEY

(I) ~~we~~ Paul J. Fisher, HEREBY
 CERTIFY upon honor that, in pursuance of special instructions bearing date of the 14th day
 of October, 1969, ~~by we have~~ and Supplemental Special Instructions
 dated October 20, 1980, (I) have dependently resurveyed a portion of the
 east and north boundaries, a portion of the subdivisional lines, and a
 portion of the subdivision lines within sections 1, 5, and 8; surveyed
 the metes and bounds survey of Parcel L, within section 17, and the metes
 and bounds survey of Tracts 47, 48, and 49, Township 8 South, Range 16
 West,

of the Gila and Salt River Meridian, in the State of Arizona, which
 are represented in the foregoing field notes as having been executed by (me), ~~us~~ and under (my)
~~our~~ direction; and that said survey has been made in strict conformity with said special instruc-
 tions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in
 specific manner described in the foregoing field notes.

July 15, 1981
 (Date)

Paul J. Fisher
 (Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
 Denver, Colorado

The foregoing field notes of the dependent resurvey of a portion of the east and
 north boundaries of the township, a portion of the subdivisional lines, and
 a portion of the subdivision lines within sections 1, 5, and 8; the metes and
 bounds survey of Parcel L, within section 17, and the metes and bounds survey
 of Tracts 47, 48, and 49, Township 8 South, Range 16 West, of the Gila and
 Salt River Meridian, Arizona

executed by Paul J. Fisher, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

NOV 23 1981
 (Date)

Gay S. Speight
 ACTING (Chief, Cadastral Survey Examination and Approval Staff)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in
 , is a true copy of the original field notes.

(Date)

(Chief, Cadastral Survey Examination and Approval Staff)