



INDEX DIAGRAM

TOWNSHIP 14 NORTH, RANGE 27 EAST,

6	29	5	20	4	3	11	2	6	1	4
28		27		19		14		10		6
7		8	18	9	13	10	8	11	5	12
		27		17		13		8		
18	26	17	16	16	11	15		14		13
25		24		15						
19	21	20		21		22		23		24
21										
30		29		28		27		26		25
31		32		33		34		35		36

- Subdivision of section 4 pp. 31-32
- Subdivision of section 6 pp. 32-37
- Subdivision of section 20 pp. 37
- Zuni Pilgrimage Route (Return Trail) pp. 38-40
- Zuni Pilgrimage Route (Kiva Groups Trail) pp. 40-41
- Zuni Pilgrimage Route (Koyemshi Trail) pp. 41-42
- Zuni Pilgrimage Route (Main Trail) pp. 42-43

## T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes are those of the dependent resurvey of a portion of the east boundary, a portion of the subdivisional lines, and a portion of the subdivision of sections 4, 6, and 20; and the survey of the metes-and-bounds survey of the center line of the Zuni Pilgrimage Route, Township 14 North, Range 27 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

The township exterior and subdivisional lines were surveyed by C.B. Foster in 1875. The north and south boundaries were resurveyed by A.P. Johnson in 1882. Portions of the east, north, and west boundaries and certain subdivisional lines were retraced by F. Wayne Forrest and Claude F. Warner in 1944. The north boundary was resurveyed by Jerrold E. Knight in 1968. The south and west boundaries, a portion of the east boundary, and certain subdivisional lines were resurveyed; and sections 4, 6, 20, 22, and 34 were subdivided by Louis D. Gilbert and Paul G. Bauer in 1968-72. The north boundary was concurrently dependently resurveyed by Stephen J. Malloy, under this same group.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated August 4, 1987 for Group No. 697, Arizona.

Preliminary to the survey, the lines of the 1968-72 survey and resurvey were retraced and all monumented corners were recovered. Lost corners not monumented in 1968-72 were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by observations on a U.S. Geological Survey triangulation network, and carried forward by sustained angulation, and refer to the true meridian. Distances and angles were measured electronically using a Zeiss Elta 3 Total Station instrument.

T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

The geographic position of the northeast corner of the township, as shown on the plat of T 15 N, R 27 E, concurrently resurveyed under this same group is:

Latitude: 34°39'34.95" N Longitude: 109°25'14.36" W

The mean magnetic declination, as shown in the field notes approved May 6, 1974, is 14° E.

Dependent Resurvey, Portion of the East Boundary,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

Restoring the resurvey by  
Louis D. Gilbert and Paul G. Bauer, in 1968-72

Beginning at the cor. of secs. 1, 6, 7, and 12, on the E bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the ground, with brass cap mkd.

T14N	
R27E	R28E
S 1	S 6
-----	
S12	S 7
1972	

The cor. is located at corner of fences extending S, W, and N 39° W.

N 11°26' E, bet. secs. 1 and 6.

Over gently rolling land.

50.71

Point for the 1/4 sec. cor. of secs. 1 and 6, at proportionate dist.; there is no remaining evidence of the original cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T14N	
1/4	
R27E	R28E
S 1	S 6
1987	

Dependent Resurvey, Portion of the East Boundary,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the cor.</p>								
<p>101.42</p>	<p>The cor. of Tps. 14 and 15 N, Rs. 27 and 28 E, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p> <hr/> <p>Dependent Resurvey, Portion Subdivisional Lines, T 14 N, R 27 E, Gila and Salt River Meridian, Arizona</p> <hr/> <p>From the cor. of secs. 11, 12, 13, and 14, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 1 in. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>S11</td> <td>S12</td> </tr> <tr> <td>S14</td> <td>S13</td> </tr> <tr> <td colspan="2">1972</td> </tr> </table> </div> <p>The cor. is located at corner of abandoned fences extending N, E, and W.</p> <p>N 2°11.5' W, bet. secs. 11 and 12.</p> <p>Over gently rolling land.</p>	T14N R27E		S11	S12	S14	S13	1972	
T14N R27E									
S11	S12								
S14	S13								
1972									
<p>39.385</p>	<p>The 1/4 sec. cor. of secs. 11 and 12, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td colspan="2">1/4</td> </tr> <tr> <td>S11</td> <td>S12</td> </tr> <tr> <td colspan="2">1972</td> </tr> </table> </div> <p>A mound of stone, 2 1/2 ft. base, 1 ft. high, is W of cor.</p> <p>The cor. is located in an abandoned fence extending N and S.</p> <hr/>	T14N R27E		1/4		S11	S12	1972	
T14N R27E									
1/4									
S11	S12								
1972									

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>N 2°15' W, beginning new measurement.</p> <p>39.26 The cor. of secs. 1, 2, 11, and 12, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, and in a small mound of stone, 2 ft. base, 6 ins. high, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>S 2</td> <td>S 1</td> </tr> <tr> <td>S11</td> <td>S12</td> </tr> <tr> <td colspan="2">1972</td> </tr> </table> </div> <p>The cor. is located at the end of a fence extending E.</p> <hr/> <p>From the cor. of secs. 1, 6, 7, and 12, on the E bdy. of the Tp.</p> <p>S 88°24' W, bet. secs. 1 and 12.</p> <p>Over nearly level land.</p> <p>41.64 The 1/4 sec. cor. of secs. 1 and 12, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>1/4</td> <td><u>S 1</u></td> </tr> <tr> <td></td> <td>S12</td> </tr> <tr> <td colspan="2">1972</td> </tr> </table> </div> <p>The cor. is located in an abandoned fence extending E and W.</p> <hr/> <p>S 88°25' W, beginning new measurement.</p> <p>41.635 The cor. of secs. 1, 2, 11, and 12.</p> <hr/> <p>N 13°03.5' E, bet. secs. 1 and 2</p> <p>Over gently rolling land.</p> <p>52.74 Point for the 1/4 sec. cor. of secs. 1 and 2, at proportionate dist.; there is no remaining evidence of the original cor.</p>	T14N R27E		S 2	S 1	S11	S12	1972		T14N R27E		1/4	<u>S 1</u>		S12	1972	
T14N R27E																	
S 2	S 1																
S11	S12																
1972																	
T14N R27E																	
1/4	<u>S 1</u>																
	S12																
1972																	

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T14N R27E  
1/4  
S 2 | S 1  
1987


Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the cor.

71.145

Point for a witness point on the line bet. secs. 1 and 2, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the witness point.

From this point the 1/4 sec. cor. of secs. 1 and 36, on the N bdy. of the Tp., identical with AP 1, sec. 1, and AP 1, sec. 36, bears N 55°17' E, 57.775 chs. dist., hereinafter described.

105.415

The cor. of secs. 1, 2, 35, and 36, on the N bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., projecting 5 ins. above ground, with a steel fence post near the cor. and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

From the cor. of secs. 11, 12, 13, and 14.

S 89°42' W, bet. secs. 11 and 14.

Over gently rolling land.

40.21

Point for the 1/4 sec. cor. of secs. 11 and 14, at proportionate dist.; there is no remaining evidence of the original cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T14N R27E

1/4 S11  
S14

1987

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the cor.

The cor. is located N, 1.02 chs. dist. from an abandoned fence extending E and W.

80.42

From the cor. of secs. 10, 11, 14, and 15, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above a flat mound of stone, 2 ft. base, with brass cap mkd.

T14N R27E

S10 | S11

S15 | S14

1972

The cor. is located at a corner of fences extending N, E, S, and W.

N 1°09' W, bet. secs. 10 and 11.

Over gently rolling land.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

45.73

The 1/4 sec. cor. of secs. 10 and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above a mound of stone, 3 1/2 ft. base, 1 1/2 ft. high, with brass cap mkd.

T14N R27E  
1/4  
S10 | S11  
1972


The cor. is located 11 lks. E of a fence extending N and S.

N 1°10' W, beginning new measurement.

36.725

Point for a witness point on the line bet. secs. 10 and 11, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the witness point.

From this point AP 1, sec. 9, on the center line of the Zuni Pilgrimage Route (Return Trail), bears S 55°17' W, 146.355 chs. dist., hereinafter described.

The witness point is located in a fence extending N and S.

45.72

The cor. of secs. 2, 3, 10, and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

T14N R27E  
S 3 | S 2  
-----  
S10 | S11  
1972

A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, is W of the cor.

The cor. is located 5 lks. W of a fence extending N and S.

From the cor. of secs. 1, 2, 11, and 12.

N 81°05' W, bet. secs. 2 and 11.

Over gently rolling land.

40.08

Point for the 1/4 sec. cor. of secs. 2 and 11, at proportionate dist.; there is no remaining evidence of the original cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T14N R27E  
1/4 S 2  
    S11  
1987

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the cor.

69.305

Point for a witness point on the line bet. secs. 2 and 11, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T14N R27E  
    W P  
S 2  
-----  
          S11  
1987

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the witness point.</p> <p>From this point AP 1, sec. 9, on the center line of the Zuni Pilgrimage Route (Return Trail), bears S 55°17' W, 159.19 chs. dist., hereinafter described.</p> <p>80.17 The cor. of secs. 2, 3, 10, and 11.</p> <hr/> <p>N 14°28' E, bet. secs. 2 and 3.</p> <p>Over gently rolling land.</p> <p>47.23 Point for the 1/4 sec. cor. of secs. 2 and 3, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 S 3   S 2 1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the cor.</p> <p>94.20 The cor. of secs. 2, 3, 34, and 35, on the N bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 14 ins. above ground, with a mound of stone, 4 ft. base, 2 ft. high W of the cor. and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p> <hr/> <p>From the cor. of secs. 15, 16, 21, and 22, monumented with a brass tablet, 3 ins. diam., set flush in the top of a sandstone boulder, 4 x 3 x 1 ft. high, mkd.</p>	
---------------	--	--

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

T14N R27E  
S16 | S15  
-----  
S21 | S22  
1972

A mound of stone, 3 1/2 ft. base, 2 ft. high, is W of cor.

The cor. is located 23 lks. N of corner of fences extending E, W, and S.

N 1°45' E, bet. secs. 15 and 16.

Over gently rolling land.

41.03 Point for the 1/4 sec. cor. of secs. 15 and 16, at proportionate dist.; there is no remaining evidence of the original cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T14N R27E  
1/4  
S16 | S15  
1987

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the cor.


82.06 The cor. of secs. 9, 10, 15, and 16, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd.

T14N R27E  
S 9 | S10  
-----  
S16 | S15  
1972

A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, is W of the cor.

The cor. is located in a fence extending E and W.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	<p>From the cor. of secs. 10, 11, 14, and 15.</p> <p>S 89°32' W, bet. secs. 10 and 15.</p> <p>Over gently rolling land.</p> <p>39.02 The 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 <math>\frac{S10}{S15}</math> 1972</p> <p>A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, is N of cor.</p> <p>The cor. is located in a fence extending E and W.</p> <p style="text-align: center;">_____</p> <p>S 89°34.5' W, beginning new measurement.</p> <p>39.055 The cor. of secs. 9, 10, 15, and 16.</p> <p style="text-align: center;">_____</p> <p>N 3°51' W, bet. secs. 9 and 10.</p> <p>Over gently rolling land.</p> <p>28.85 Point for a witness point on the line bet. secs. 9 and 10, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T14N R27E WP S 9      S10     R Z 1987</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>
--------	---

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

Set a steel fence post alongside the witness point.

From this point AP 1, sec. 9, on the center line of the Zuni Pilgrimage Route (Return Trail), bears S 55°17' W, 51.07 chs. dist., hereinafter described.

40.355 The 1/4 sec. cor. of secs. 9 and 10, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd.

T14N R27E  
1/4  
S 9 | S10  
1972

A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, is W of cor.

---

N 3°50' W, beginning new measurement.

40.345 The cor. of secs. 3, 4, 9, and 10, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd.

T14N R27E  
S 4 | S 3  
-----  
S 9 | S10  
1972

A mound of stone, 2 ft. base, 1 1/2 ft. high, is W of cor.

---

From the cor. of secs. 2, 3, 10, and 11.

S 81°56' W, bet. secs. 3 and 10.

Over gently rolling land.


41.215 The 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p style="text-align: center;">T14N R27E 1/4 <math>\frac{S\ 3}{S10}</math> 1972</p> <p>A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, is N of cor.</p> <hr/> <p>S 81°59' W, beginning new measurement.</p> <p>41.21 The cor. of secs. 3, 4, 9, and 10.</p> <hr/> <p>From the cor. of secs. 15, 16, 21, and 22.</p> <p>S 88°38.5' W, bet. secs. 16 and 21.</p> <p>Over gently rolling land.</p> <p>38.345 Point for the 1/4 sec. cor. of secs. 16 and 21, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 <math>\frac{S16}{S21}</math> 1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Raise a mound of stone, 2 1/2 ft. base, 2 ft. high, N of cor.</p> <p>Set a steel fence post alongside the cor.</p> <p>The cor. is located 1.91 chs. S of a fence extending E and W.</p> <p>76.69 The cor. of secs. 16, 17, 20, and 21, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 1 in. above ground, with brass cap mkd.</p>
---------------	---

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS




The cor. is located at corner of fences extending N, E, and W; and also on the NE edge of a bladed road, 25 lks. wide, bearing S 55° E and N 55° W.

N 0°52' E, bet. secs. 16 and 17.

Over gently rolling land.

41.37 Point for the 1/4 sec. cor. of secs. 16 and 17, at proportionate dist.; there is no remaining evidence of the original cor.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.




Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the cor.

The cor. is located in a fence extending N and S.

74.19 Point for AP 1, sec. 16, identical with AP 1, sec. 17, on the center line of the Zuni Pilgrimage Route (Return Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p> <p>82.74</p>	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the AP.</p> <p>The AP is located in a fence extending N and S.</p> <p>The cor. of secs. 8, 9, 16, and 17, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>S 8</td> <td>S 9</td> </tr> <tr> <td>S17</td> <td>S16</td> </tr> <tr> <td colspan="2">1972</td> </tr> </table> </div> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is W of cor.</p> <p>The cor. is located at corner of fences extending E, S, and W.</p>	T14N R27E		S 8	S 9	S17	S16	1972		
T14N R27E										
S 8	S 9									
S17	S16									
1972										
<p>38.955</p>	<p>From the cor. of secs. 9, 10, 15, and 16.</p> <p>S 89°11' W, bet. secs. 9 and 16.</p> <p>Over gently rolling land.</p> <p>Point for the 1/4 sec. cor. of secs. 9 and 16, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>1/4</td> <td><u>S 9</u></td> </tr> <tr> <td></td> <td>S16</td> </tr> <tr> <td colspan="2">1987</td> </tr> </table> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the cor.</p> <p>The cor. is located 30 lks. S of a fence extending E and W.</p>	T14N R27E		1/4	<u>S 9</u>		S16	1987		
T14N R27E										
1/4	<u>S 9</u>									
	S16									
1987										


Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

45.17

Point for a witness point on the line bet. secs. 9 and 16, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the witness point.

From this point AP 1, sec. 9, on the center line of the Zuni Pilgrimage Route (Return Trail), bears N 74°40' E, 1.30 chs. dist., hereinafter described.

The witness point is located 38 lks. S of a fence extending E and W.

77.91


The cor. of secs. 8, 9, 16, and 17.

N 2°29' W, bet. secs. 8 and 9.

Over gently rolling land.

46.295

The 1/4 sec. cor. of secs. 8 and 9, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.



A mound of stone, 2 ft. base, 1 ft. high, is W of cor.

The cor. is located 36 lks., N of a track road, bears S 55° E and N 60° W.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>N 2°28' W, beginning new measurement.</p> <p>46.28 The cor. of secs. 4, 5, 8, and 9, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>S 5</td> <td>S 4</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td>S 8</td> <td>S 9</td> </tr> <tr> <td colspan="2">1972</td> </tr> </table> </div> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is W of cor.</p> <hr/> <p>From the cor. of secs. 3, 4, 9, and 10.</p> <p>N 81°55' W, bet. secs. 4 and 9.</p> <p>Over gently rolling land.</p> <p>38.63 Point for the 1/4 sec. cor. of secs. 4 and 9, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td colspan="2">T14N R27E</td> </tr> <tr> <td>1/4</td> <td><math>\frac{S\ 4}{S\ 9}</math></td> </tr> <tr> <td colspan="2">1987</td> </tr> </table> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 1 1/2 ft. high, N of cor.</p> <p>Set a steel fence post alongside the cor.</p> <p>57.945 Point for the W 1/16 sec. cor. of secs. 4 and 9.</p>	T14N R27E		S 5	S 4	<hr/>		S 8	S 9	1972		T14N R27E		1/4	$\frac{S\ 4}{S\ 9}$	1987	
T14N R27E																	
S 5	S 4																
<hr/>																	
S 8	S 9																
1972																	
T14N R27E																	
1/4	$\frac{S\ 4}{S\ 9}$																
1987																	

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E W 1/16 <math>\frac{S 4}{S 9}</math> 1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Raise a mound of stone, 2 ft. base, 2 ft. high, N of cor.</p> <p>Set a steel fence post alongside the cor.</p>
77.26	<p>The cor. of secs. 4, 5, 8, and 9.</p> <hr/> <p>N 11°48' E, bet. secs. 4 and 5.</p> <p>Over gently rolling land.</p>
14.10	<p>Zuni River, 20 lks. wide, course W.</p>
23.605	<p>The S 1/16 sec. cor. of secs. 4 and 5, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E S 1/16 S 5   S 4 1972</p> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is W of cor.</p> <hr/> <p>N 11°46' E, beginning new measurement.</p>
23.61	<p>The 1/4 sec. cor. of secs. 4 and 5, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 S 5   S 4 1972</p>

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona


CHAINS

A mound of stone, 3 ft. base, 1 ft. high, is W of cor.

N 11°49' E, beginning new measurement.

44.955 Point for a witness point on the line bet. secs. 4 and 5, at the intersection with the center line of the Zuni Pilgrimage Route (Main Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the witness point.

From this point AP 1, sec. 4, on the center line of the Zuni Pilgrimage Route (Main Trail), bears S 83°36' E, 5.735 chs. dist., hereinafter described.

47.61 The cor. of secs. 4, 5, 32, and 33, on the N bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.

From the cor. of secs. 19, 20, 29, and 30, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd.



Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	<p>The cor. is located 15 lks. N of the Little Colorado River, 10 lks. wide, course westerly.</p> <p>N 89°00.5' W, bet. secs. 19 and 30.</p> <p>Over gently rolling land.</p> <p>38.29 Point for the 1/4 sec. cor. of secs. 19 and 30, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 <u>S19</u>       S30       1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 3 ft. high, N of cor.</p> <p>Set a steel fence post alongside the cor.</p> <p>The cor. is located 1.80 chs. E of a track road, bears N and S.</p> <p>75.91 The cor. of secs. 19, 24, 25, and 30, on the W bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., projecting 5 ins. above ground, with a steel fence post set alongside the cor., and with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the E bdy. of T 14 N, R 26 E, executed concurrently under this same group.</p> <hr/> <p>From the cor. of secs. 19, 20, 29, and 30.</p> <p>N 2°56' W, bet. secs. 19 and 20.</p> <p>Over nearly level land.</p> <p>40.50 The 1/4 sec. cor. of secs. 19 and 20, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above a mound of stone, 3 ft. base, 1 1/2 ft. high, with brass cap mkd.</p>
--------	--

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p style="text-align: center;">T14N R27E 1/4 S19   S20 1972</p> <p>from which new bearing trees</p> <p>A juniper, 6 ins. diam., bears N 74 1/2° E, 45 lks. dist., mkd. 1/4 S20 BT.</p> <p>A juniper, 8 ins. diam., bears S 41 1/2° E, 54 1/2 lks. dist., mkd. X BT.</p> <hr/> <p>N 2°51' W, beginning new measurement.</p> <p>29.24 Point for a witness point on the line bet. secs. 19 and 20, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E W P S19   ZPR   S20 1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, W of witness point.</p> <p>Set a steel fence post alongside the witness point.</p> <p>From this point AP 1, sec. 20, on the center line of the Zuni Pilgrimage Route (Return Trail), bears N 73°49.5' E, 9.875 chs. dist., hereinafter described.</p> <p>40.465 The cor. of secs. 17, 18, 19, and 20, monumented with an iron post, 2 1/2 ins. diam., firmly set flush with the ground, with brass cap mkd.</p>	
---------------	--	--

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T14N R27E S18   S17 ----- S19   S20 1972</p> <p>from which the bearing trees mkd. in 1972</p> <p style="padding-left: 40px;">A juniper, 14 ins. diam., bears S 12 3/4° E, 31 lks. dist., mkd. S20 BT.</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears N 65 3/4° W, 16 lks. dist., mkd. T14N R27E S18 BT.</p> <hr/> <p>From the cor. of secs. 16, 17, 20, and 21.</p> <p>N 88°15' W, bet. secs. 17 and 20.</p> <p>Over gently rolling land.</p> <p>39.46 The 1/4 sec. cor. of secs. 17 and 20, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 <u>S17</u> S20 1972</p> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is N of cor.</p> <hr/> <p>N 88°13.5' W, beginning new measurement.</p> <p>22.42 Point for a witness point on the line bet. secs. 17 and 20, at the intersection with the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the witness point.</p> <p>From this point AP 1, sec. 20, on the center line of the Zuni Pilgrimage Route (Return Trail), bears S 41°03.5' W, 10.525 chs. dist., hereinafter described.</p>
39.385	<p>The cor. of secs. 17, 18, 19, and 20.</p> <hr/> <p>N 88°05' W, bet. secs. 18 and 19.</p> <p>Over rolling land.</p>
39.45	<p>The 1/4 sec. cor. of secs. 18 and 19, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p> <p>1/4 <u>S18</u></p> <p>          <u>S19</u></p> <p>1972</p> </div> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is N of the cor.</p> <hr/> <p>N 88°07.5' W, beginning new measurement.</p>
38.91	<p>The cor of secs. 13, 18, 19, and 24, on the W bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the E bdy. of T 14 N, R 26 E, executed concurrently under this same group.</p>

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>From the cor. of secs. 17, 18, 19, and 20.</p> <p>N 0°13.5' E, bet. secs. 17 and 18.</p> <p>Over gently rolling land.</p> <p>40.44 The 1/4 sec. cor. of secs. 17 and 18, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E 1/4 S18   S17 1972</p> </div> <p>The cor. is located 72 lks. E of a fence extending N and S.</p> <hr style="width: 20%; margin: auto;"/> <p>N 0°13.5' E, beginning new measurement.</p> <p>40.435 The cor. of secs. 7, 8, 17, and 18, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 1 in. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E S 7   S 8 ----- S18   S17 1972</p> </div> <p>from which the bearing trees mkd. in 1972</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S 43° E, 49 lks. dist., mkd. T14N R27E S17 BT. (Record: S 37° E).</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears N 52 1/2° W, 14 lks. dist., mkd. T14N R27E S7 BT. (Record: N 30° W).</p> <p>A mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, is W of the cor.</p> <p>The cor. is located at corner of fences extending E, S, and W.</p> <hr style="width: 50%; margin-left: 0;"/>
---------------	--

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona


<p>CHAINS</p>	<p>From the cor. of secs. 8, 9, 16, and 17.</p> <p>N 89°35' W, bet. secs. 8 and 17.</p> <p>Over gently rolling land.</p> <p>39.87 The 1/4 sec. cor. of secs. 8 and 17, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 <math>\frac{S}{S}</math> <math>\frac{8}{17}</math> 1972</p> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is N of cor.</p> <p>The cor. is located 93 lks. S of a fence extending E and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N 89°36' W, beginning new measurement.</p> <p>39.86 The cor. of secs. 7, 8, 17, and 18.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the cor. of secs. 4, 5, 8, and 9.</p> <p>N 89°53.5' W, bet. secs. 5 and 8.</p> <p>Over gently rolling land.</p> <p>38.37 The 1/4 sec. cor. of secs. 5 and 8, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 <math>\frac{S}{S}</math> <math>\frac{5}{8}</math> 1972</p> <p>A mound of stone, 3 ft. base, 2 ft. high, is N of cor.</p> <hr style="width: 20%; margin: 10px auto;"/>	
---------------	---	--

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>N 89°53.5' W, beginning new measurement.</p> <p>38.335 The cor. of secs. 5, 6, 7, and 8, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 6</td> <td style="padding: 0 5px;">S 5</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 7</td> <td style="padding: 0 5px;">S 8</td> </tr> </table> <p>1972</p> </div> <p>from which the bearing tree mkd. in 1972</p> <p style="text-align: center;">A juniper, 10 ins. diam. bears N 14° W, 85 lks. dist., mkd T14N R27E S6 BT.</p> <p>A mound of stone, 2 ft. base, 2 ft. high, is N of cor.</p> <hr/> <p>S 81°41' W, bet. secs. 6 and 7.</p> <p>38.715 The 1/4 sec. cor. of secs. 6 and 7, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p> <table style="margin: auto;"> <tr> <td style="padding: 0 5px;">1/4</td> <td style="border-right: 1px solid black; padding: 0 5px;">S 6</td> <td style="padding: 0 5px;">S 7</td> </tr> </table> <p>1972</p> </div> <p>A mound of stone, 3 ft. base, 2 ft. high, is N of cor.</p> <hr/> <p>S 81°39' W, beginning new measurement.</p> <p>36.05 Point for a witness point on the line bet. secs. 6 and 7, at the intersection with the center line of the Zuni Pilgrimage Route (Kiva Groups Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>	S 6	S 5	S 7	S 8	1/4	S 6	S 7
S 6	S 5							
S 7	S 8							
1/4	S 6	S 7						

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post alongside the witness point.

Raise a mound of stone, 2 1/2 ft. base, 2 ft. high, N of witness point.

From this point AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route (Kiva Groups Trail), bears N 46°50' E, 117.175 chs. dist., hereinafter described.

37.755

The cor of secs. 1, 6, 7, and 12, on the W bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the E bdy. of T 14 N, R 26 E, executed concurrently under this same group.


From the cor. of secs. 5, 6, 7, and 8.

N 8°08.5' E, bet. secs. 5 and 6.

Over gently rolling land.

23.275

The S 1/16 sec. cor. of secs. 5 and 6, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd.



A mound of stone, 4 ft. base, 1 ft. high, is W of cor.

N 8°12' E, beginning new measurement.

Dependent Resurvey, Portion Subdivisional Lines,  
T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS 23.255</p>	<p>Point for the 1/4 sec. cor. of secs. 5 and 6, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E 1/4 S 6   S 5 1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the cor.</p>	
<p>45.09</p>	<p>Point for a witness point on the line bet. secs. 5 and 6, at the intersection with the center line of the Zuni Pilgrimage Route (Kiva Groups Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E W P S 6   S5 R Z 1987</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the witness point.</p> <p>From this point AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route at the intersection of the Main Trail, the Kiva Groups Trail and the Koyemshi Trail, bears N 46°50' E, 2.415 chs. dist., hereinafter described.</p>	
<p>47.545</p>	<p>Point for a witness point on the line bet. secs. 5 and 6, at the intersection with the center line of the Zuni Pilgrimage Route (Koyemshi Trail).</p>	



Dependent Resurvey of a Portion of the  
 Subdivision of Sec. 4,  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>N 12°53.5' E, on the N and S center line of sec. 4.                  Over gently rolling land.</p> <p>50.535 The 1/4 sec. cor of secs. 4 and 33, on the N bdy. of the Tp., monumentd with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with a mound of stone, 3 ft. base, 1 ft. high, N of cor., and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p> <hr/> <p>From the center 1/4 sec. cor. of sec. 4.                  N 86°10' W, on the E and W center line of sec. 4.                  Over gently rolling land.</p> <p>19.955 The center W 1/16 sec. cor. of sec. 4, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E                  W 1/16                  C ——— C                  S 4                  1972</p> <p>A mound of stone, 3 ft. base, 1 ft. high, is N of cor.</p> <hr/> <p>N 86°12.5' W, beginning new measurement.</p> <p>19.965 The 1/4 sec. cor. of secs. 4 and 5.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the                  Subdivision of Sec. 6,                  T 14 N, R 27 E, Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring the Survey by Paul G. Bauer and                  Louis D. Gilbert, in 1968-72.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 6 and 7.</p>
---------------	---

Dependent Resurvey of a Portion of the  
 Subdivision of Sec. 6,  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>N 5°57.5' E, on the N and S center line of sec. 6.</p> <p>Over gently rolling nearly level land.</p> <p>24.63 The center S 1/16 sec. cor. of sec. 6, monumented with an iron post, 2 1/2 ins. diam., firmly set in a mound of stone, 2 1/2 ft. base, 6 ins. high, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p> <p>C</p> <p>S 1/16   S 6</p> <p>C</p> <p>1972</p> <hr style="width: 20%; margin: 0 auto;"/> </div> <p>N 5°59' E, beginning new measurement.</p> <p>6.83 Point for a witness point on the N and S center line of sec. 6, at the intersection with the center line of the Zuni Pilgrimage Route (Kiva Groups Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p> <p>W P</p> <p>C</p> <p>S 6   R</p> <p>P</p> <p>Z</p> <p>C</p> <p>1987</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post near the witness point.</p> <p>From this point AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route at the intersection of the Main Trail, the Kiva Groups Trail and the Koyemshi Trail, bears N 46°50' E, 63.79 chs. dist., hereinafter described.</p> <p>24.64 Point for the center 1/4 sec. cor. of sec. 6, at the intersection with the E and W center line of sec. 6.</p>
---------------	--



Dependent Resurvey of a Portion of the  
 Subdivision of Sec. 6,  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>From this point AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route at the intersection of the Main Trail, the Kiva Groups Trail and the Koyemshi Trail, bears S 61°04.8' E, 45.33 chs. dist., hereinafter described.</p>
<p>24.92</p>	<p>The 1/4 sec. cor of secs. 6 and 31, on the N bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with a mound of stone, 3 ft. base, 2 ft. high, N of cor., and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p>
	<p>From the 1/4 sec. cor. of secs. 5 and 6.          S 86°11' W, on the E and W center line of sec. 6.          Over nearly level land.</p>
<p>21.51</p>	<p>Point for a witness point on the E and W center line of sec. 6, at the intersection with the center line of the Zuni Pilgrimage Route (Kiva Groups Trail).          Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="771 1165 1120 1417" data-label="Diagram"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.          Set a steel fence post near the witness point.</p> <p>From this point AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route at the intersection of the Main Trail, the Kiva Groups Trail and the Koyemshi Trail, bears N 46°50' E, 36.105 chs. dist., hereinafter described.</p>
<p>39.885</p>	<p>The center 1/4 sec. cor. of sec. 6.</p>


Dependent Resurvey of a Portion of the  
 Subdivision of Sec. 6,  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS                  59.875</p>	<p>The center W 1/16 sec. cor. of sec. 6, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">                     T14N R27E                      C <math>\frac{W \ 1/16}{S \ 6}</math> C                      1972                 </p> <hr/> <p>S 86°11.5' W, beginning new measurement.</p>
<p>19.055</p>	<p>The 1/4 sec. cor. of secs. 1 and 6, on the W bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 14 ins. above ground, with a mound of stone, 2 ft. base, 1 ft. high, W of the cor., and with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the E bdy. of T 14 N, R 26 E, executed concurrently under this same group.</p>
<p>20.32</p>	<p>From the center N 1/16 sec. cor. of sec. 6.</p> <p>S 88°20' W, on the E and W center line of the NW 1/4 of sec. 6.</p> <p>Over nearly level land.</p>
	<p>The NW 1/16 sec. cor. of sec. 6, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">                     T14N R27E                      NW 1/16                      S 6                      1972                 </p> <p>A mound of stone, 2 ft. base, 1 ft. high, is W of cor.</p> <hr/> <p>N 4°58' E, on the N and S center line of of the NW 1/4 of sec. 6.</p>


Dependent Resurvey of a Portion of the  
 Subdivision of Sec. 6,  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

<p>CHAINS                  25.465</p>	<p>The W 1/16 sec. cor of secs. 6 and 31, on the N bdy. of the Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with a mound of stone, 3 ft. base, 2 ft. high, N of the cor. and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p> <hr/> <p>Dependent Resurvey of a Portion of the                  Subdivision of Sec. 20,                  T 14 N, R 27 E, Gila and Salt River Meridian, Arizona</p> <hr/> <p>Restoring the Survey by Paul G. Bauer and                  Louis D. Gilbert, in 1968-72.</p> <hr/> <p>From the center 1/4 sec. cor. of sec. 20, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">T14N R27E                  C 1/4 + S20                  1972</p> <p>A mound of stone, 2 ft. base, 1 1/2 ft. high, is W of cor.</p> <p>N 2°12' W, on the N and S center line of sec. 20.</p> <p>Over rolling land.</p>
<p>40.175</p>	<p>The 1/4 sec. cor. of secs. 17 and 20.</p>
<p>38.915</p>	<p>The 1/4 sec. cor. of secs. 19 and 20.</p>

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Return Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From the witness point on the line bet. secs. 19 and 24, on the W bdy. of the Tp., monumentd with a stainless steel post, 2 1/2 ins. diam., projecting 4 ins. above ground, with a steel fence post set alongside, and with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the E bdy. of T 14 N, R 26 E, executed concurrently under this same group.</p> <p>N 73°49.5' E, on the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Over gently rolling land.</p>
79.165	The witness point on the line bet. secs. 19 and 20, hereinbefore described.
89.04	<p>Point for AP 1, sec. 20, on the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p>  <p>S20 AP1</p> <p>ZPR</p> <p>1987</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Set a steel fence post alongside the AP.</p> <p>The AP is located in a fence extending N and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N 41°03.5' E, on the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Over gently rolling land.</p>
10.525	The witness point on the line bet. secs. 17 and 20, hereinbefore described.
106.385	AP 1, sec. 16, indential with AP 1, sec. 17, on the line bet. secs. 16 and 17.

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Return Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS  34.08  35.38	<p>N 74°40' E, on the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>The witness point on the line bet. secs. 9 and 16, hereinbefore described.</p> <p>Point for AP 1, sec. 9 on the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T14N R27E</p>  <p>ZPR 1987</p> </div> <p>from which</p> <p>An aluminum post, 36 ins. long, 3/4 in. diam., set 30 ins. in the ground, for a reference monument, bears East, 50.0 ft. dist., with cap mkd. T14N R27E S9 RM 50.0 FT TO CORNER 1987 and an arrow pointing to the cor. Set a steel fence post alongside the RM. The RM is located in a fence extending E and W.</p> <p>An aluminum post, 36 ins. long, 3/4 in. diam., set 30 ins. in the ground, for a reference monument, bears S 89 1/2° W, 50.0 ft. dist., with cap mkd. T14N R27E S9 RM 50.0 FT TO CORNER 1987, and an arrow pointing to the cor. Set a steel fence post alongside the RM. The RM is located in a fence extending E and W.</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>The AP is located in a fence extending E and W and in a track road bearing N and S.</p> <hr style="width: 20%; margin: 10px auto;"/>
----------------------------------	--

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Return Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	
	<p>N 55°17' E, on the center line of the Zuni Pilgrimage Route (Return Trail).</p> <p>Over gently rolling land.</p>
51.07	<p>The witness point on the line bet. secs. 9 and 10, hereinbefore described.</p>
146.355	<p>The witness point on the line bet. secs. 10 and 11, hereinbefore described.</p>
159.19	<p>The witness point on the line bet. secs. 2 and 11, hereinbefore described.</p>
262.03	<p>The witness point on the line bet. secs. 1 and 2, hereinbefore described.</p>
319.805	<p>The 1/4 sec. cor. of secs. 1 and 36, on the N bdy. of the Tp., now also designated AP 1, sec. 1, identical with AP 1, sec. 36, monumented with a stainless steel post, 2 1/2 ins. diam., projecting 5 ins. above ground, with a steel fence post set near the cor., and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p>
<p>Metes-and-Bounds Survey,            Zuni Pilgrimage Route (Kiva Groups Trail)            T 14 N, R 27 E, Gila and Salt River Meridian, Arizona</p>	
<p>From the witness point on the line bet. secs. 7 and 12, on the W bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., projecting 5 ins. above ground, with a steel fence post set alongside and a mound of stone 2 1/2 ft. base, 2 1/2 ft. high to the W, and with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the E bdy. of T 14 N, R 26 E, executed concurrently under this same group.</p>	
<p>N 46°50' E, on the center line of the Zuni Pilgrimage Route (Kiva Groups Trail).</p>	
<p>Over gently rolling land.</p>	

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Kiva Groups Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS  
 2.355

The witness point on the line bet. secs. 6 and 7, hereinbefore described.

55.74

The witness point on the N and S center line of sec. 6, located 6.83 chs. dist., N 5°59' E, from the center S 1/16 sec. cor. of sec. 6, hereinbefore described.

83.425

The witness point on the E and W center line of sec. 6, hereinbefore described.


117.115

The witness point on the line bet. secs. 5 and 6, located 21.835 chs. dist., N 8°12' E, from the 1/4 sec. cor. of secs. 5 and 6, hereinbefore described.

119.53

Point for AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route at the intersection of the Main Trail, the Kiva Groups Trail and the Koyemshi Trail.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post near the AP

---

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Koyemshi Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

---

From the witness point on the line bet. secs. 6 and 31, on the N bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., projecting 4 ins. above ground, with a steel fence post set alongside, and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.

S 61°04.8' E, on the center line of the Zuni Pilgrimage Route (Koyemshi Trail).

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Koyemshi Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS	<p>Over gently rolling land.</p> <p>2.94 The witness point on the N and S center line of sec. 6, located 23.49 chs. dist., N 5° 56' E, from the center N 1/16 sec. cor. of sec. 6, hereinbefore described.</p> <p>46.66 The witness point on the line bet. secs. 5 and 6, located 22.805 chs. dist., S 8° 12' W, from the cor. of secs. 5, 6, 31, and 32, on the N bdy. of the Tp., hereinbefore described.</p> <p>48.27 AP 1, sec. 5, on the center line of the Zuni Pilgrimage Route at the intersection of the Main Trail, the Kiva Groups Trail and the Koyemshi Trail, hereinbefore described.</p> <hr/> <p style="text-align: center;">Metes-and-Bounds Survey,                  Zuni Pilgrimage Route (Main Trail)                  T 14 N, R 27 E, Gila and Salt River Meridian, Arizona</p> <hr/> <p>From AP 1, sec. 5, T 14 N, R 27 E, hereinbefore described.</p> <p>N 39°02' E, on the center line of the Zuni Pilgrimage Route (Main Trail).</p> <p>Over gently rolling land.</p> <p>30.07 The witness point on the line between secs. 5 and 32, on the N bdy. of the Tp., located 17.095 chs. dist., N 89° 59' E, from the cor. of secs. 5, 6, 31, and 32, monumented with a stainless steel post 2 1/2 ins. diam., projecting 4 ins. above ground, with a steel fence post set alongside, and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.</p> <hr/>
--------	--

Metes-and-Bounds Survey,  
 Zuni Pilgrimage Route (Main Trail)  
 T 14 N, R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

From the witness point on the line between secs. 5 and 32, on the N bdy. of the Tp., located 23.71 chs. dist., S 89°59' W, from the cor. of secs. 4, 5, 32, and 33, monumented with a stainless steel post, 2 1/2 ins. diam., projecting 4 ins. above ground, with a steel fence post set alongside, and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.


S 83°36' E, on the center line of the Zuni Pilgrimage Route (Main Trail).

Over gently rolling land.

23.305 The witness point on the line bet. secs. 4 and 5, hereinbefore described.

29.04 Point for AP 1, sec. 4 on the center line of the Zuni Pilgrimage Route (Main Trail).

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Set a steel fence post near the AP.

N 68°36' E, on the center line of the Zuni Pilgrimage Route (Main Trail).

Over gently rolling land.

8.90 The witness point on the line between secs. 4 and 33, on the N bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., projecting 4 ins. above ground, with a steel fence post set alongside, and with brass cap mkd. as described in the field notes of the dependent resurvey of the S bdy. of T 15 N, R 27 E, executed concurrently under this same group.

T 14 N., R 27 E, Gila and Salt River Meridian, Arizona

CHAINS

## GENERAL DESCRIPTION

The land encompassed in this survey is located about twelve miles northwest of St. Johns, Arizona. The area is drained by the Little Colorado River which flows westerly through the southern portion of the township and the Zuni River which flows westerly through the northern portion of the township. The area is gently rolling with a mean elevation of about 5500 ft. above sea level.

The area is reached by dirt roads from the south off of U.S. Highway No. 180.

The mean magnetic declination, as shown in the field notes approved May 6, 1974, is 14° E.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Donald L. Brewer	Crew Chief, Surveying Technician
Mark A. Leonard	Survey Aid
David G. Jaramillo	Survey Aid

## CERTIFICATE OF SURVEY

I, Duane R. Garoutte, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 4th day of August, 1987, I have dependently resurveyed a portion of the east boundary, a portion of the subdivisional lines, and a portion of the subdivision of sections 4, 6, and 20; and surveyed the metes-and-bounds survey of the center line of the Zuni Pilgrimage Route, in Township 14 North, Range 27 East, of the Gila and Salt River Meridian, in the state of Arizona which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

OCT 21 1987

---

 (Date)

---

*Duane R. Garoutte*  
 (Cadastral Surveyor)

---

 (Date)

---

 (Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
 Arizona State Office  
 Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the east boundary, a portion of the subdivisional lines, and a portion of the subdivision of sections 4, 6, and 20; and the survey of the metes-and-bounds survey of the center line of the Zuni Pilgrimage Route in Township 14 North, Range 27 East, Gila and Salt River Meridian, executed by Duane R. Garoutte, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

OCT 27 1987

---

 (Date)

---

*James P. Helley*  
 (Chief Cadastral Surveyor of Arizona)

---

 CERTIFICATE OF TRANSCRIPT
 

---

I Certify that the foregoing transcript of the field notes of the above-described surveys in T 14 N, R 27 E, Gila and Salt River Meridian, Arizona is a true copy of the original field notes.

---

 (Date)

---

 (Chief Cadastral Surveyor of Arizona)