

ORIGINAL

BOOK 5444

1

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE

DEPENDENT RESURVEY

OF A PORTION OF THE WEST BOUNDARY, A PORTION OF THE SUBDIVISIONAL LINES,

A PORTION OF MINERAL SURVEY 3842, PORTIONS OF THE SUBDIVISION

OF CERTAIN SECTIONS AND A PORTION OF THE METES-AND-BOUNDS SURVEYS,

AND

THE METES-AND-BOUNDS SURVEY OF THE MOUNT NUTT WILDERNESS AREA BOUNDARY

IN TOWNSHIP 19 NORTH, RANGE 19 WEST

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY
Olian T. Shockley, Cadastral Surveyor

Under Special Instructions dated October 24, 1991, approved October 24, 1991,
which provided for the surveys included under Group Number 738 and assignment
instructions dated October 24, 1991.

Survey commenced April 20, 1992

Survey completed July 6, 1992

BOOK 5444

2

INDEX DIAGRAM

TOWNSHIP 19 NORTH, RANGE 19 WEST

6	5	4	10	3	2	1
17				9		
7	8	9	10	5	11	12
15	14		8			
18	17	13	16	7	15	14
			12			
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

Dep. Res. Portion of MS 3842
 Dep. Res. Subdivision Section 7
 Dep. Res. Subdivision Section 8
 Dep. Res. of 1984 Metes-and-Bounds Survey
 Metes-and-Bounds Survey MNWA

pp. 17-21
 pp. 21-24
 pp. 24-25
 pp. 26-28
 pp. 28-46

BOOK 5444

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of a portion of the west boundary, a portion of the subdivisional lines, a portion of Mineral Survey 3842, portions of the subdivision of certain sections and a portion of the metes-and-bounds surveys, and the metes-and-bounds survey of the Mount Nutt Wilderness Area Boundary, Township 19 North, Range 19 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this resurvey is as follows: The west boundary, the east half of the north boundary, and a portion of the subdivisional lines were surveyed by William B. Alexander, in 1910-12. The west boundary was retraced by Guy H. Richardson, in 1915. The west half the north boundary was retraced and surveyed by Hugo Price, in 1915. Mineral Survey 3842 was surveyed by L.H. Foster in 1922. The west and north boundaries, a portion of the subdivisional lines, and Mineral Survey 3842 were dependently resurveyed and sections 7 and 8 were subdivided and metes-and-bounds surveys in section 7 were conducted by Dennis K. McKay in, 1984-90.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated October 24, 1991, for Group No. 738, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The purpose of this survey was to determine the boundary of Mount Nutt Wilderness Area.

The directions of all lines were determined by direct hour angle observations on the sun and Sirius, and refer to the true meridian. Distances and angles were measured with a Zeiss Elta 3 total station instrument.

The geographic position of the northeast corner of section 4, as determined and published by the U.S. Geological Survey, is as follows:

Latitude: 35°04'08.936" N. Longitude: 114°17'52.006" W. NAD27

The mean magnetic declination, as taken from the quadrangle map MOUNT NUTT, ARIZ., published by U.S. Geological Survey, is 15° E.

Dependent Resurvey of a Portion of the West Boundary,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

Restoring the resurvey executed by
Dennis K. McKay, in 1984-90

Beginning at the 1/4 sec. cor. of secs. 7 and 12, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam, firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with a mound of stone to the W., 3 ft. base, 1 ft. high, with brass cap mkd. T19N 1/4 R20W R19W S12 S7 1984.

Add the marks 1992 on the brass cap.

Cor. is located on the steep east slope of a ridge, bears NNE and SSW.


From this cor. point, U.S. Coast and Geodetic Survey triangulation station, "OBS 1948", with published latitude of 35°02'48.461" N. and longitude of 114°21'50.452" W., NAD27, bears S. 89°14' W., 62.25 chs. dist., monumented with a drill hole, 1 in. diam., atop a granite boulder 6 X 6 X 4 ft. high.

N. 0°07' E., bet. secs. 7 and 12.

16.32

Point for AP 1 on the Mount Nutt Wilderness Area Bdy., identical with AP 49, T. 19 N., R. 20 W., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 38 lks. N. of an underground natural gas pipeline, bears ESE and WNW.

41.21

The cor. of secs. 1, 6, 7, and 12, monumented with a stainless steel post, 2 1/2 ins. diam., projecting 24 ins. above ground, firmly set, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd. T19N R20W R19W S1 S6 S7 S12 1984.

Dependent Resurvey of a Portion of the West Boundary,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

Add the marks 1992 on the brass cap.


Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

Restoring the resurvey executed by
Dennis K. McKay, in 1984-90

From the cor. of secs. 10, 11, 14, and 15, monumented with an aluminum post, 1 in. diam., 28 ins. long, firmly set, projecting 13 ins. above ground, in a mound of stone, 4 ft. base, 2 ft. high, with a mound of stone to the W., 3 ft. base, 2 ft. high, with aluminum cap mkd. T19N R19W S10 S11 S14 S15 1984. The original malpais stone, 22 X 10 X 8 ins., with 2 grooves on a face and 4 grooves on another face is located alongside the post, in the mound of stone.

At the cor. point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Bury the original stone alongside the stainless steel post, and remove the aluminum post from the area.

Cor. is located on the N. edge of a trail road, bears E.

N. 0°12' W., bet. secs. 10 and 11.

27.23 Point for AP 42 on the Mount Nutt Wilderness Area Bdy.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.89	<div style="text-align: center;"> <p>T19N R19W MNWA AP42 S10 S11 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 42 lks. N. of the N. edge of a trail road, bears E. and W.</p> <p>The 1/4 sec. cor. of secs. 10 and 11, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 26 ins. above ground, supported in a mound of stone, 3 ft. base, 2 ft. high, witnessed by a steel fence post, with brass cap mkd. T19N R19W 1/4 S10 S11 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°05' W., beginning new measurement.</p>
25.20	<p>Point for a witness point on line bet. secs. 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>WP T19N R19W S10 S11 MNWA 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located on a gentle east facing slope.</p>
31.76	<p>Point for a witness point on line bet. secs. 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>WP T19N R19W S10 S11 MNWA 1992</p> </div>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located on a gentle east facing slope.</p>								
39.88	<p>The cor. of secs. 2, 3, 10, and 11, monumented with an aluminum post, 1 in. diam., 28 ins. long, firmly set, projecting 22 ins. above ground, supported in a mound of stone, 4 ft. base, 1 ft. high, with a mound of stone to the W., 4 ft. base, 1 ft. high, with aluminum cap mkd. T19N R19W S3 S2 S11 S10 1984. The original malpais stone, 18 X 12 X 7 ins., with 2 grooves on one face and 5 grooves on another face is located alongside the post, in the mound of stone.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 0 5px;">T19N</td> <td style="padding: 0 5px;">R19W</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 3</td> <td style="padding: 0 5px;">S 2</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S10</td> <td style="padding: 0 5px;">S11</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 0 5px;">1992</td> </tr> </table> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Deposit the original stone alongside the stainless steel post, in the collar of stone and remove the aluminum post from the area.</p> <p>Cor. is located 12 lks. S. of the S. edge of Navajo Road, bears E. and W.; and in the projection the E. edge of Centennial Road.</p> <p>From this cor. point, U.S. Coast and Geodetic Survey triangulation station, "FIG SPRING 1948", with published latitude of 35°03'20.589" N. and longitude of 114°14'20.335" W., NAD27, bears N. 87°44'36" E. (forward bearing), 186.62 chs. dist., monumented with a standard brass tablet, set in a concrete cylinder, firmly set, projecting 4 ins. above ground, with top mkd. FIG SPRING 1948 and a triangle.</p> <hr style="width: 50%; margin: 10px auto;"/> <p>From the cor. of secs. 15, 16, 21, and 22, monumented with an aluminum post, 1 in. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd. T19N R19W S16 S15 S22 S21 1984.</p> <p>Add the marks 1992 on the aluminum cap.</p>	T19N	R19W	S 3	S 2	S10	S11	1992	
T19N	R19W								
S 3	S 2								
S10	S11								
1992									

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.97	<p>N. 0°04' W., bet secs. 15 and 16.</p> <p>The 1/4 sec. cor. of secs. 15 and 16, monumented with an aluminum post, 1 in. diam., firmly set, projecting 21 ins. above ground, supported in a mound of stone, 4 ft. base, to top, witnessed by a steel fence post, with aluminum cap mkd. T19N R19W 1/4 S16 S15 1984.</p> <p>Add the marks 1992 on the aluminum cap.</p> <hr/>
3.01	<p>N. 0°03' W., beginning new measurement.</p> <p>Point for a witness point at intersection with the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>WP</p> <p>T19N R19W</p> <p>MN WA</p> <p>S16 S15</p> <p>1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case in a drill hole, in granite bedrock, beneath the stainless steel post.</p> <p>Cor. is located 38 lks. N. of an underground natural gas pipeline, bears E. and W.</p> <p>From this cor. point, AP 21 on the bdy. of Mount Nutt Wilderness Area, bears N. 83°25' W., 15.29 chs. dist.</p>
39.94	<p>The cor. of secs. 9, 10, 15, and 16, monumented with an aluminum post, 1 in. diam., firmly set, projecting 26 ins. above ground, supported in a mound of stone, 3 ft. base, to top, witnessed by a steel fence post, with aluminum cap mkd. T19N R19W S9 S10 S15 S16 1984.</p> <p>Add the marks 1992 on the aluminum cap</p> <hr/> <p>From the 1/4 sec. cor. of secs. 10 and 15, monumented with an aluminum post, 1 in. diam., firmly set, projecting 3 ins. above ground, with aluminum cap mkd. T19N R19W 1/4 S10 S15 1984.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
24.05	<p>Add the marks 1992 on the aluminum cap</p> <p>S. 89°52' W., bet. secs. 10 and 15.</p> <p>Point for AP 30, on the Mount Nutt Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> </div>
39.88	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 106 lks. W. of the W. edge of the Gold Trail Mine Road, bears SSW and N., in curve.</p> <p>The cor. of secs. 9, 10, 15, and 16, hereinbefore described.</p>
39.83	<p>N. 0°03' W., bet. secs. 9 and 10.</p> <p>The 1/4 sec. cor. of secs. 9 and 10, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 20 ins. above ground, supported in a mound of stone, 4 ft. base, to top, witnessed by a steel fence post, with a mound of stone to the W., 4 ft. base, 3 ft. high, with brass cap mkd. T19N R19W 1/4 S9 S10 1990.</p>
14.70	<p>From the cor. of secs. 2, 3, 10, and 11, hereinbefore described.</p> <p>S. 89°57' W., bet. secs. 3 and 10, along the S. edge of Navajo Road.</p> <p>Point for a witness point on line bet. secs. 3 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> </div>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 23 lks. S. of the S. edge of Navajo Road, bears E. and W.</p>
39.87	<p>The 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 4 ft. base, 1 ft. high, witnessed by a steel fence post, with brass cap mkd. T19N R19W 1/4 S3 S10 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <p>Cor. is located 11 lks. S. of the S. edge of Navajo Road, bears E. and W.</p> <hr/> <p>S. 89°57' W., beginning new measurement.</p>
39.88	<p>The cor. of secs. 3, 4, 9, and 10, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 3 ft. base, 2 ft. high, with a mound of stone to the W., 4 ft. base, 3 ft. high, with brass cap mkd. T19N R19W S4 S3 S10 S9 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <p>Cor. is located 2 lks. S. of the base of a cliff, 20 ft. high, bears E. and W.</p> <hr/> <p>N. 0°35' W., bet. secs. 3 and 4.</p>
7.55	<p>Point for a witness point on line bet. secs. 3 and 4.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, in granite bedrock, with top mkd.</p> <div style="text-align: center;"> <p>WP</p> <p>T19N R19W</p> <p>S 4 S 3</p> <p>MNWA </p> <p>1992</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located on the E. side of a rocky spur.</p>
8.50	<p>Point for a witness point on line bet. secs. 3 and 4.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, in granite bedrock, with top mkd.</p> <p style="text-align: center;">WP1 T19N R19W S 4 S 3 MNA 1992</p> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located on the E. side of a rocky spur.</p>
39.94	<p>The 1/4 sec. cor. of secs. 3 and 4, monumented with an aluminum post, 1 in. diam., 28 ins. long, firmly set, projecting 15 ins. above ground, in a mound of stone, 3 ft. base, 1 ft. high, with a mound of stone to the W., 3 ft. base, 2 ft. high, witnessed by a steel fence post, with aluminum cap mkd. T19N R19W 1/4 S4 S3 1984. The original malpais stone, 18 X 11 X 4 ins., mkd. 1/4 on one face, is located alongside the post, in the mound of stone.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T19N R19W 1/4 S 4 S 3 1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Bury the original stone alongside the stainless steel post, and remove the aluminum post from the area.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°03' W., beginning new measurement.</p>
6.36	<p>Point for a witness point on line bet. secs. 3 and 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
41.54	<p style="text-align: center;"> WP2 T19N R19W S 4 S 3 MNWA 1992 </p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located atop a low ridge, bears E. and W., in a saddle.</p> <p>The cor. of secs. 3, 4, 33, and 34, identical with USGS triangulation station "33-T20NR19W", on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 36 ins. above ground, supported in a mound of stone, 5 ft. base, to top, with brass cap mkd., T20N R19W S33 S34 S3 S4 T19N 1984 1915 as described in the field notes of the dep. res. of the S. bdy., T. 20 N., R. 19 W., executed concurrently under this same group.</p> <hr/> <p style="text-align: center;"> Restoring the survey executed by William B. Alexander, in 1910-12 </p> <hr/> <p>From the cor. of secs. 15, 16, 21, and 22.</p> <p>S. 89°54' W., bet. secs. 16 and 21.</p>
39.95	<p>The 1/4 sec. cor. of secs. 16 and 21, monumented with a basalt stone, 12 x 12 x 12 ins., firmly set, projecting 6 ins. above ground, with a scattered mound of stone to the N., 3 ft. base, 3 ft. high, mkd. with 1/4 on the N. face.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;"> T19N R19W S16 1/4 — S21 1993 </p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Bury the original stone alongside the stainless steel post.</p> <hr/>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.60	<p>S. 89°52' W., beginning new measurement.</p> <p>The cor. of secs. 16, 17, 20, and 21, monumented with an aluminum post, 1 in. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W S17 S16 S21 S20 1984.</p> <p>Add the marks 1992 on the aluminum cap</p> <hr/>
40.10	<p>N. 0°04' E., bet. secs. 16 and 17.</p> <p>The 1/4 sec. cor. of secs. 16 and 17, monumented with a granite stone, 20 x 20 x 8 ins., firmly set, projecting 12 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W 1/4 S17 S16 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <hr/>
23.22	<p>N. 0°03' W., beginning new measurement.</p> <p>Point for AP 15 on the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNWA AP15 S17 S16 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 30 lks. N. of an underground natural gas pipeline, bears SE and NW.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS													
39.93	<p>The cor. of secs. 8, 9, 16, and 17, monumented with an aluminum post, 1 in. diam., firmly set, projecting 20 ins. above ground, supported in a mound of stone, 3 ft. base, to top, with aluminum cap mkd. T19N R19W S8 S9 S16 S17 1984.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T19N R19W</td> <td></td> </tr> <tr> <td>S 8</td> <td>S 9</td> </tr> <tr> <td colspan="2" style="text-align: center;"> </td> </tr> <tr> <td>S17</td> <td>S16</td> </tr> <tr> <td colspan="2" style="text-align: center;">1992</td> </tr> </table> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Remove the aluminum post from the area.</p> <hr/> <p style="text-align: center;">Restoring the resurvey executed by Dennis K. McKay, in 1984-90</p> <hr/>	T19N R19W		S 8	S 9			S17	S16	1992			
T19N R19W													
S 8	S 9												
S17	S16												
1992													
20.98	<p>N. 89°46' W., bet. secs. 8 and 17.</p> <p>Point for AP 14 on the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T19N R19W</td> <td></td> </tr> <tr> <td></td> <td>MNWA</td> </tr> <tr> <td>S 8</td> <td>AP14</td> </tr> <tr> <td colspan="2" style="text-align: center;"> </td> </tr> <tr> <td colspan="2" style="text-align: center;">S17</td> </tr> <tr> <td colspan="2" style="text-align: center;">1992</td> </tr> </table> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 30 lks. N. of an underground natural gas pipeline, bears SE and NW.</p>	T19N R19W			MNWA	S 8	AP14			S17		1992	
T19N R19W													
	MNWA												
S 8	AP14												
S17													
1992													

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
31.41	<p>The witness cor. to the 1/4 sec. cor. of secs. 8 and 17, monumented with a brass tablet, 3 1/4 ins. diam., cemented atop a level bench, on a sandstone rock formation, with top mkd. WC T19N R19W 1/4 S8 S17 1984 and an arrow pointing to the cor.</p> <p>Add the marks 1992 on the brass cap.</p> <hr/>
	<p>N. 89°47' W., beginning new measurement.</p>
8.49	<p>True point for the 1/4 sec. cor. of secs. 8 and 17, at proportionate distance. Point falls in a wash, not monumented.</p>
48.42	<p>The cor. of secs. 7, 8, 17, and 18, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd. T19N R19W S7 S8 S17 S18 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <hr/>
	<p>West, bet. secs. 7 and 18.</p>
19.98	<p>The E. 1/16 sec. cor. of secs. 7 and 18, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 12 ins. above ground, in a mound of stone, 4 ft. base, to top, witnessed by a steel fence post, with brass cap mkd. T19N R19W E 1/16 S7 S18 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <hr/>
	<p>N. 89°59' W., beginning new measurement.</p>
19.98	<p>The 1/4 sec. cor. of secs. 7 and 18, monumented with an aluminum post, 1 in. diam., firmly set, projecting 4 ins. above ground, with a mound of stone to N., 4 ft. base, 22 ins. high, with aluminum cap mkd. T19N R19W 1/4 S7 S18 1984. Add the marks 1992 on the brass cap, from which</p>
	<p>A power pole, bears S. 14° E., 22 1/2 lks. dist., lines extend ESE and WNW.</p> <hr/>
	<p>From the cor. of secs. 7, 8, 17, and 18.</p>
	<p>N. 0°11' E. bet. secs. 7 and 8.</p>
16.77	<p>A rebar, 5/8 in. diam., firmly set, projecting 15 ins. above ground, unknown origin, bears S. 89°58' E., 5 1/2 lks. dist.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS					
19.97	<p>The S. 1/16 sec. cor. of secs. 7 and 8, monumented with an aluminum post, 1 in. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 3 ft. base, to top, with aluminum cap mkd. T19N R19W S1/16 S7 S8 1984.</p> <p>Add the marks 1992 on the aluminum cap</p> <p>Cor. is located 3 lks. W. of a barbed wire fence, 4 strand, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°10' E., beginning new measurement.</p>				
1.80	<p>AP 1 of the 1984-90 metes-and-bounds survey in sec. 7, monumented with an aluminum post, 1 in. diam., firmly set, projecting 18 ins. above ground, supported in a mound of stone, 3 ft. base, to top, with an aluminum cap mkd. T19N R19W S7 AP1 S8 1984.</p> <p>Add the marks 1992 on the aluminum cap</p> <p>Cor. is located in the projection of two barbed wire fences, 4 strands bear S. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°10' E., beginning new measurement.</p>				
1.58	<p>Point for AP 11, on the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T19N R19W MNWA AP11</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 7</td> <td style="padding: 0 5px;">S 8</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 0 5px;">1992</td> </tr> </table> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 38 lks. N. of an underground natural gas pipeline, bears E. and W.</p>	S 7	S 8	1992	
S 7	S 8				
1992					
15.43	<p>Point for a witness point on line bet. secs. 7 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 9 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.</p>				

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
18.17	<p style="text-align: center;">WP T19N R19W MNWA S 7 S 8 1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case, in the drill hole, in bedrock, beneath the stainless steel post.</p> <p>The 1/4 sec. cor. of secs. 7 and 8, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd. T19N R19W 1/4 S7 S8 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <p>Cor. is located on the steep W. slope of ridge, bears N. and S.; and on the E. edge of a ravine, drains N.</p>
38.75	<p>From the 1/4 sec. cor. of secs. 6 and 7, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 30 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd. T19N R19W 1/4 S6 S7 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <p>N. 89°48' W., bet. secs. 6 and 7.</p> <p>The cor. of secs. 1, 6, 7, and 12, on the W. bdy. of the Tp., hereinbefore described.</p>
	<p style="text-align: center;">Dependent Resurvey of a Portion of Mineral Survey 3842, T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring the resurvey executed by Dennis K. McKay, in 1984</p> <hr/> <p style="text-align: center;">GOLD TRAIL LODE</p> <p>From cor. 1, M.S. 3842, Gold Trail lode, monumented with an aluminum post, 1 in. diam., firmly set, projecting 28 ins. above ground, supported in a mound of stone, 4 ft. base, 24 ins. high, with aluminum cap mkd. T19N R19W S10 MS3842 1 GT 1984.</p> <p>At the cor. point</p>

BOOK 5444

Dependent Resurvey of a Portion of Mineral Survey 3842,

<p>CHAINS</p>	<p>T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W S10 MS3842 1 GT 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Remove the aluminum post from the area.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 9 and 10, bears N. 58°35' W., 9.195 chs. dist. hereinbefore described.</p> <p>N. 48°49' E. on line 1-2.</p> <p>4.544 The NW End Center, M.S. 3842, Gold Trail lode, monumented with an aluminum post, 1 in. diam., firmly set, projecting 27 ins. above ground, supported in a mound of stone, 4 ft. base, 24 ins. high, with aluminum cap mkd. T19N R19W S10 MS3842 NW END C GT 1984.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 4 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W S10 MNWA MS3842 NW END C GT 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Remove the aluminum post from the area.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 48°52' E., beginning new measurement.</p> <p>4.556 Cor. 2, M.S. 3842, Gold Trail lode, monumented with an aluminum post, 1 in. diam., firmly set, projecting 26 ins. above ground, supported in a mound of stone, 3 ft. base, 24 ins. high, with aluminum cap mkd. T19N R19W S10 MS3842 2 GT 1984.</p>
---------------	--

Dependent Resurvey of a Portion of Mineral Survey 3842,

CHAINS T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

At the cor. point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 11 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.

T19N R19W
S10
2
MS3842
GT
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Remove the aluminum post from the area.

S. 41°07' E., on line 2-3.

21.27 Point for AP 37, on the Mount Nutt Wilderness Area Bdy.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, in a supporting mound of stone, 6 ft. base, to top, with brass cap mkd.

T19N R19W
MNA
MS3842 AP37
GT S10
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 106 lks. N. of Gold Trail road, bears E. and W.

22.735 Cor. 3, M.S. 3842, Gold Trail lode, identical with cor. 3, MS 3842, South Gold Trail Road, monumented with an aluminum post, 1 in. diam., firmly set, projecting 28 ins. above ground, supported in a mound of stone, 7 ft. base, to top, witnessed by a steel fence post, with aluminum cap mkd. T19N R19W MS3842 S10 3 GT 3 MS3842 SGT 1984.

Add the marks 1992 on the aluminum cap

BOOK 5444

Dependent Resurvey of a Portion of Mineral Survey 3842,


<p>CHAINS</p>	<p>T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona</p> <p>S. 48°57' W., on line 3-4, identical with line 3-2, MS 3842, South Gold Trail Road lode.</p> <p>4.536 The SE End Center, M.S. 3842, Gold Trail lode, identical with the NW End Center of MS 3842, South Gold Trail Road, monumented with an aluminum post, 1 in. diam., firmly set, projecting 27 ins. above ground, supported in a mound of stone, 4 ft. base, 24 ins. high, with aluminum cap erroneously mkd. T19N R19W S10 MS3842 SE END C GT MS3842 NW END C SGT 1984.</p> <p>Remark the brass cap to read</p> <div style="text-align: center;"> <p>T19N R19W</p> <p>MS3842</p> <p>SE END C</p> <p>GT MS3842</p> <p>NW END C</p> <p>SGT</p> <p>1992</p> <p>1984</p> </div> <p>S. 48°48' W., beginning new measurement.</p> <p>4.544 Cor. 4, M.S. 3842, Gold Trail lode, identical with cor. 2, M.S. 3842, South Gold Trail lode, monumented with an aluminum post, 1 in. diam., firmly set, projecting 27 ins. above ground, supported in a mound of stone, 5 ft. base, 24 ins. high, with aluminum cap erroneously mkd. T19N R19W MS3842 GT S10 4 2 MS 3842 SGT 1984.</p> <p>Remark the brass cap to read</p> <div style="text-align: center;"> <p>T19N R19W</p> <p>MS3842</p> <p>GT</p> <p>S10 4</p> <p>2 MS3842</p> <p>SGT</p> <p>1984</p> <p>1992</p> </div> <p>N. 41°10' W., on line 4-1.</p> <p>8.24 Point for AP 36, on the Mount Nutt Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 13 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
---------------	--

BOOK 5444

Dependent Resurvey of a Portion of Mineral Survey 3842,

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 38 lks. W. of Gold Trail road, bears ENE and W, in curve; and 32 lks. E. of the center of a wash, 45 lks. wide, 6 ft. deep, drains SSE.

22.73

Cor. 1, Gold Trail, MS 3842, hereinbefore described.

Dependent Resurvey of a Portion of the
Subdivision of Section 7
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

Restoring the survey executed by
Dennis K. McKay, in 1984-90

From 1/4 sec. cor. of secs. 7 and 18.

N. 0°12' E., on the N. and S. center line of sec. 7.

19.60

The center S 1/16 sec. cor. of sec. 7, monumented with an aluminum post, 1 in. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W C S 1/16 S7 C 1984.

Add the marks 1992 on the aluminum cap

Cor. is located on a rock ledge, at the base of a cliff.

N. 0°12' E., beginning new measurement.

19.59

The center 1/4 sec. cor. of sec. 7, monumented with an aluminum post, 1 in. diam., firmly set, projecting 30 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W C 1/4 S 7 1984.

Add the marks 1992 on the aluminum cap



Dependent Resurvey of a Portion of the
Subdivision of Section 7

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>N. 0°12' E., beginning new measurement.</p>
4.09	<p>Point for a witness point at intersection with the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>WP T19N R19W C MN WA S 7 C 1992</p> </div>
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 42 lks. N. of an underground natural gas pipeline, bears ESE and WNW.</p>
40.35	<p>The 1/4 sec. cor. of secs. 6 and 7.</p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 7 and 8.</p> <p>S. 88°56' W., on the E. and W. center line of sec. 7.</p>
19.97	<p>The center E 1/16 sec. cor. of sec. 7, monumented with an aluminum post, 1 in. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W E 1/16 C C S7 1984.</p> <p>Add the marks 1992 on the aluminum cap</p> <hr/>
9.12	<p>S. 88°54' W., beginning new measurement.</p> <p>Point for a witness point at intersection with the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the
Subdivision of Section 7

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;"> WP T19N R19W MNWA  S 7 1992 </p> <p>Cor. is located 42 lks. N. of an underground natural gas pipeline, bears ESE and WNW.</p>
19.98	<p>The center 1/4 sec. cor. of sec. 7.</p> <hr style="width: 20%; margin: auto;"/>
	<p>S. 88°56' W., beginning new measurement.</p>
38.71	<p>The 1/4 sec. cor. of secs. 7 and 12, on the W. bdy. of the Tp.</p> <hr style="width: 60%; margin: auto;"/>
	<p style="text-align: center;">SE 1/4</p> <hr style="width: 20%; margin: auto;"/>
	<p>From the SE 1/16 sec. cor. of sec. 7, monumented with an aluminum tablet, 3 1/4 ins. diam., cemented atop an exposed rock outcrop, mkd. T19N R19W SE 1/16 S7 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <p>N. 0°11' E., on the N. and S. center line of the SE 1/4 of sec. 7.</p>
15.335	<p>Point for a witness point at intersection with the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;"> WP T19N R19W E MN WA  S 7 E 1992 </p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>

Dependent Resurvey of a Portion of the
Subdivision of Section 7


T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Cor. is located 38 lks. N. of the N. edge of an underground natural gas pipeline scar, bears ENE and WSW.</p>
19.785	<p>The center E. 1/16 sec. cor. of sec. 7.</p> <hr/> <p>From the S. 1/16 sec. cor. of secs. 7 and 8.</p> <p>S. 89°29' W. on the E. and W. center line of the SE 1/4 of sec. 7.</p>
9.96	<p>A witness point, monumented with an aluminum post, 1 in. diam., firmly set, projecting 8 ins. above ground, with aluminum cap mkd. T19N R19W WP S7 1984.</p> <p>Add the marks 1992 on the brass cap.</p>
13.73	<p>A witness point, monumented with an aluminum post, 1 in. diam., firmly set, projecting 21 ins. above ground, supported in a mound of stone, 3 ft. base, to top, with an aluminum cap mkd. T19N R19W WP S7 1984.</p> <p>Add the marks 1992 on the brass cap.</p>
19.98	<p>The SE 1/16 sec. cor. of sec. 7.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the Subdivision of Section 8 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring the survey executed by Dennis K. McKay, in 1984-90</p> <hr/> <p>From 1/4 sec. cor. of secs. 8 and 17.</p> <p>N. 0°02' W., on the N. and S. center line of sec. 8.</p>
13.36	<p>Point for AP 12 on the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the
Subdivision of Section 8

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 33 lks. N. of an underground natural gas pipeline, bears E. and W.

39.90

The center 1/4 sec. cor. of sec. 8, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd. T19N R19W C 1/4 S8 1984.


Add the marks 1992 on the brass cap.

N. 89°43' W., on the E. and W. center line of sec. 8.

38.92

Point for a witness point on the E. and W. center line of sec. 8.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a rock outcrop, with top mkd.



Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case in the drill hole, beneath the brass tablet.

Cor. is located atop a ridge, 12 lks. E. of a narrow, vertical rock outcrop, 6 lks. wide, 10 ft. high, bears NNE and SSW.



39.77

The 1/4 sec. cor. of secs. 7 and 8.

Dependent Resurvey of a Portion of the Metes-and-Bounds Survey
in Sec. 7, T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	<p style="text-align: center;">Restoring the Survey Executed by Dennis McKay in 1984-90</p> <hr style="width: 20%; margin: auto;"/> <p>From AP 1, on line bet. secs. 7 and 8, hereinbefore described.</p> <p>N. 89°59' W., on line 1-2.</p> <p>6.928 AP 2, monumented with an aluminum post, 1 in. diam., firmly set, projecting 18 ins. above ground, supported in a mound of stone, 3 ft. base, to top, with aluminum cap mkd. T19N R19W S7 AP2 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <hr style="width: 20%; margin: auto;"/> <p>North, on line 2-3.</p> <p>4.923 Point for AP 9, on the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, in a supporting mound of stone, 6 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 14 lks. S. of a fence post, barbed wire fence, 5 strand, bears S.</p> <p>7.918 AP 3, monumented with an aluminum post, 1 in. diam., 28 ins. long, firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W S7 AP3 1984. A rebar, 5/8 in. diam., 24 ins. long, was found in the aluminum post.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, with brass cap mkd.</p>
--------	---

Dependent Resurvey of a Portion of the Metes-and-Bounds Survey
in Sec. 7, T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T19N R19W MNSA</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case, in a drill hole, in the bedrock, beneath the stainless steel post.</p> <p>Deposit the rebar in the mound of stone.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°57' W., on line 3-4.</p>
<p>4.127</p>	<p>Point for AP 8, on the Mount Nutt Wilderness Area Bdy., on the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNSA</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is locate 5 lks. SSW of a fence cor., barbed wire fence, 5 strand, bears W.</p>
<p>6.817</p>	<p>AP 4, monumented with an aluminum post, 1 in. diam., firmly set, projecting 18 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W S7 AP4 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <p>Cor. is located in the projection of a barbed wire fence, 5 strand, bears E.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 0°03' E., on line 4-5.</p>
<p>9.460</p>	<p>AP 5, monumented with an aluminum post, 1 in. diam., firmly set, projecting 17 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W AP5 S7 1984.</p>

Dependent Resurvey of a Portion of the Metes-and-Bounds Survey
in Sec. 7, T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Add the marks 1992 on the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°48' E., on line 5-6.</p> <p>3.768 AP 6, monumented with an aluminum post, 1 in. diam., firmly set, projecting 24 ins. above ground, supported in a mound of stone, 4 ft. base, to top, with aluminum cap mkd. T19N R19W AP6 S7 1984.</p> <p>Add the marks 1992 on the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 0°10' E., on line 6-7.</p> <p>0.328 The witness point on the E. and W. center line of the SE 1/4 of sec. 7, hereinbefore described.</p> <p>From this cor. point, the S. 1/16 sec. cor. of secs. 7 and 8, bears N. 89°29' E., 9.96 chs. dist., hereinbefore described.</p> <hr style="width: 80%; margin: 20px auto;"/> <p style="text-align: center;">Metes-and Bounds Survey of the Mount Nutt Wilderness Area Boundary T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona</p> <hr style="width: 80%; margin: 20px auto;"/> <p style="text-align: center;">In Sec. 7</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From AP 1, identical with Ap 49, T. 19 N., R. 20 W., on line bet. secs. 7 and 12, on the W. bdy. of the Tp., hereinbefore described.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 7 and 12, bears S. 0°07' W., 16.32 chs. dist.</p> <p>S. 76°20' E., on line 1-2, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>1.26 Point for AP 2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p>T19N R19W MNSA AP 2 S 7 1992</p> </div>
--------	--

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 36 lks. N. of an underground natural gas pipeline, bears ESE and WNW.

S. 68°27' E., on line 2-3, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.

19.07 Point for AP 3.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.

T19N R19W
MNA
AP 3
S 7
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case, in the drill hole, in bedrock, beneath the stainless steel post.

Cor. is located 37 lks. N. of an underground natural gas pipeline, bears E. and WNW.

N. 89°30' E., on line 3-4, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.

4.72 Point for AP 4.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.

T19N R19W
MNA
AP 4
S 7
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case, in a drill hole, in bedrock, beneath the stainless steel post.

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 38 lks. N. of an underground natural gas pipeline, bears E. and W.</p> <hr/> <p>S. 83°52' E., on line 4-5, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p>
<p>4.52</p>	<p>Point for AP 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNWA AP 5</p>  <p>S7 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 37 lks. N. of an underground natural gas pipeline, bears ESE and W.</p> <hr/> <p>S. 70°18' E., on line 5-6, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p>
<p>11.15</p>	<p>The witness point at intersection with the N. and S. center line of sec. 7, hereinbefore described.</p> <p>From this cor. point, the center 1/4 sec. cor. of sec. 7, bears S. 0°12' W., 4.09 chs. dist. hereinbefore described.</p>
<p>22.67</p>	<p>The witness point at intersection with the E. and W. center line of sec. 7, hereinbefore described.</p> <p>From this cor. point, the center E 1/16 sec. cor. of sec. 7, bears N. 88°54' E., 9.12 chs. dist. hereinbefore described.</p>
<p>27.96</p>	<p>Point for AP 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona


CHAINS	
	<p style="text-align: center;">T19N R19W MNWA AP 6  S 7 1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 34 lks. N. of an underground natural gas pipeline, bears ESE and WNW.</p> <hr/> <p>S. 58°52' E., on line 6-7, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p>
4.82	<p>The witness point at intersection with the N. and S. center line of the SE 1/4 of sec. 7, hereinbefore described.</p> <p>From this cor. point, the center E 1/16 sec. cor. of sec. 7, bears N. 0°11' E., 4.45 chs. dist., hereinbefore described.</p>
12.70	<p>Point for AP 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T19N R19W MNWA AP 7  S7 1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 32 lks. N. of an underground natural gas pipeline, bears ESE and WNW.</p> <hr/> <p>S. 57°30' E., on line 7-8, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p>
2.52	<p>AP 8, on line 3-4 of the 1984-90 metes-and-bounds survey in the NE 1/4 of the SE 1/4 of sec. 7, hereinbefore described.</p> <hr/> <p>N. 89°57' E., on a portion of line 4-3, of the 1984-90 metes-and-bounds survey.</p>

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona



CHAINS	
4.127	AP 3, of the 1984-90 metes-and-bounds survey, hereinbefore described. <hr/> South, on a portion of line 3-2, of the 1984-90 metes-and-bounds survey.
2.995	AP 9, hereinbefore described. <hr/> S. 50°22' E., on line 9-10, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.
4.74	Point for AP 10. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd. <div style="text-align: center;"> T19N R19W MNWA S 7 \ AP10 1992 </div> Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post. Cor. is located 35 lks. N. of an underground natural gas pipeline, bears E. and NW.
3.30	<hr/> S. 84°26' E., on line 10-11, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline. AP 11, on the line bet. secs. 7 and 8, hereinbefore described.
	<hr/> N. 0°10' E., on the line bet. secs. 7 and 8.
13.85	The witness point on line bet. secs. 7 and 8, hereinbefore described.
16.59	The 1/4 sec. cor. of secs. 7 and 8, hereinbefore described.
	<hr/> <div style="text-align: center;"> In Sec. 8 </div> <hr/> S. 89°43' E., on the E. and W. center line of sec 8.

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona



CHAINS	
0.85	The witness point on the E. and W. center line of sec. 8, hereinbefore described.
39.77	The center 1/4 sec. cor. of sec. 8, hereinbefore described. <hr/> S. 0°02' E., on the N. and S. center line of sec. 8.
26.54	AP 12, on the N. and S. center line of sec. 8, hereinbefore described. <hr/> S. 60°59' E., on line 12-13, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.
8.01	Point for AP 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd. <div style="text-align: center; margin: 10px 0;"> T19N R19W MNWA  1992 </div> Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post. Cor. is located 32 lks. N. of an underground natural gas pipeline, bears SE and WNW.
15.29	AP 14, on the line bet. secs. 8 and 17, hereinbefore described. <hr/> S. 89°46' E., on the line bet. secs. 8 and 17.
20.98	The cor. of secs. 8, 9, 16 and 17, hereinbefore described. <hr/> In Sec. 16 <hr/> S. 0°03' E., on the line bet. secs. 16 and 17.

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
16.71	AP 15, on the line bet. secs. 16 and 17, hereinbefore described.
	<hr/> S. 51°18' E., on line 15-16, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.
6.51	Point for AP 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, encircled with a collar of stone, with brass cap mkd.
	<div style="text-align: center;"> <p>T19N R19W MNSA</p>  <p>1992</p> </div>
	Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case, in a drill hole, in the bedrock beneath the stainless steel post.
	Cor. is located 32 lks. N. of an underground natural gas pipeline, bears ESE and NW.
	<hr/> S. 61°01' E., on line 16-17, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.
2.21	Point for AP 17.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.
	<div style="text-align: center;"> <p>T19N R19W MNSA</p>  <p>1992</p> </div>
	Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case, in a drill hole, in the bedrock beneath the stainless steel post.
	Cor. is located 34 lks. N. of an underground natural gas pipeline, bears ESE and WNW.

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
17.19	<p>S. 68°47' E., on line 17-18, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Point for AP 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNSA</p>  <p>1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 35 lks. N. of an underground natural gas pipeline, bears ESE and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/>
8.51	<p>S. 68°48' E., on line 18-19, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Point for AP 19.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNSA</p>  <p>1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 37 lks. N. of an underground natural gas pipeline, bears E. and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/>
15.46	<p>S. 83°10' E., on line 19-20, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Point for AP 20.</p>

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
22 ins. in the ground, with brass cap mkd.

T19N R19W
MNSA

AP20
S16

1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic
case beneath the stainless steel post.

Cor. is located 38 lks. N. of an underground natural gas
pipeline, bears E. and W.

S. 83°30' E., on line 20-21, along the northern right-of-way of
the Transwestern Topock Interconnect Pipeline.

19.05 Point for AP 21.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
24 ins. in the ground, with brass cap mkd.

T19N R19W
MNSA
AP21

S16
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic
case beneath the stainless steel post.



Cor. is located 38 lks. N. of an underground natural gas
pipeline, bears E. and W.

S. 83°25' E., on line 21-22, along the northern right-of-way of
the Transwestern Topock Interconnect Pipeline.



15.29 The witness point at intersection with the line bet. secs. 15 and
16, hereinbefore described.

From this cor. point, the 1/4 sec. cor. of secs. 15 and 16, bears
S. 0°03' E., 3.01 chs. dist., hereinbefore described.

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
27.88	<p style="text-align: center;">In Sec. 15</p> <hr style="width: 20%; margin: auto;"/> <p>S. 83°25' E., continuing on line 21-22, beginning new measurement.</p> <p>Point for AP 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNSA AP22</p>  <p>S15 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 38 lks. N. of an underground natural gas pipeline, bears E. and W.</p>
22.44	<hr style="width: 20%; margin: auto;"/> <p>S. 83°26' E., on line 22-23, along the northern right-of-way of the Transwestern Topock Interconnect Pipeline.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W</p> <p>MNSA</p>  <p>S15 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 38 lks. N. of an underground natural gas pipeline, bears E. and W.; and 67 lks. W. of the W. edge of the Gold Trail Road, bears SE and NW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 43°14' W., on line 23-24.</p>

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona



CHAINS	
4.02	<p>Point for AP 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W</p>  <p>1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. W. of the W. edge of the Gold Trail Road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/>
9.85	<p>Point for AP 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W</p>  <p>1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of the W. edge of the Gold Trail Road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/>
6.45	<p>Point for AP 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="841 302 1024 457" style="text-align: center;"> <p>T19N R19W MNWA AP26 S15 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of the W. edge of the Gold Trail Road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 68°16' W., on line 26-27.</p>
<p>12.66</p>	<p>Point for AP 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 932 1024 1129" style="text-align: center;"> <p>T19N R19W MNWA AP27 S15 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. W. of the W. edge of the Gold Trail Road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 62°07' W., on line 27-28.</p>
<p>5.51</p>	<p>Point for AP 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, in a supporting mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div data-bbox="841 1633 1024 1831" style="text-align: center;"> <p>T19N R19W MNWA AP28 S15 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.35	<p>Cor. is located 50 lks. W. of the W. edge of the Gold Trail Road, bears SE and NW.</p> <hr/> <p>N. 37°36' W., on line 28-29.</p> <p>Point for AP 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W</p>  <p>1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of the W. edge of the Gold Trail Road, bears SSE and NNW.</p> <hr/>
15.55	<p>N. 5°31' W., on line 29-30.</p> <p>AP 30, on line bet. secs. 10 and 15, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 9, 10, 15, and 16, bears S. 89°52' W., 15.83 chs. dist., hereinbefore described.</p> <hr/>
8.11	<p style="text-align: center;">In Sec. 10</p> <hr/> <p>N. 19°45' W., on line 30-31.</p> <p>Point for AP 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W</p>  <p>1992</p> </div>

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 71 lks. W. of the W. edge of the Gold Trail Road, bears N. and S.

N. 8°39' W., on line 31-32.

2.69 Point for AP 32.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T19N R19W
MNWA /
AP32 S10
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of the W. edge of the Gold Trail Road, bears N. and S.; and 12 lks. E. of a volcanic boulder, 18 X 10 X 9 ft. high.

N. 6°12' E., on line 32-33.

4.10 Point for AP 33.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T19N R19W
MNWA /
AP33 S10
1992

Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.

Cor. is located 90 lks. W. of the W. edge of the Gold Trail Road, bears NNE and SSW.

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>N. 12°49' E., on line 33-34.</p> <p>3.93 Point for AP 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T19N R19W</p> <p style="text-align: center;">MNWA AP34 / S10</p> <p style="text-align: center;">1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 96 lks. W. of the W. edge of the Gold Trail Road, bears E. and SW, in curve; and 8 lks. S. of a volcanic boulder, 10 X 10 X 8 ft. high.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 82°00' E., on line 34-35.</p> <p>2.10 Point for AP 35.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop an exposed rock formation, with top mkd.</p> <p style="text-align: center;">T19N R19W</p> <p style="text-align: center;">MNWA AP35 / S10</p> <p style="text-align: center;">1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 59 lks. W. of the W. edge of the Gold Trail Road, bears N. and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 12°53' E., on line 35-36.</p> <p>5.74 AP 36, on line 4-1 of Gold Trail lode, MS 3842, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 41°10' W., on a portion of line 4-1, Gold Trail lode, MS 3842.</p>
--------	---

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
14.49	<p>Cor. 1, Gold Trail lode, MS 3842, hereinbefore described.</p> <hr/> <p>N. 48°49' E., on line 1-2, Gold Trail lode, MS 3842.</p>
4.544	<p>The NW End Center, Gold Trail lode, MS 3842, hereinbefore described.</p> <hr/> <p>N. 48°52' E., on line 1-2, Gold Trail lode, MS 3842.</p>
4.556	<p>Cor. 2, Gold Trail lode, MS 3842, hereinbefore described.</p> <hr/> <p>S. 41°07' E., on a portion of line 2-3, Gold Trail lode, MS 3842.</p>
21.27	<p>AP 37, on line 2-3, Gold Trail lode, MS 3842, hereinbefore described.</p> <hr/> <p>N. 74°24' E., on line 37-38.</p>
21.72	<p>Point for AP 38.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T19N R19W MNWA AP38</p> <hr style="width: 50px; margin: 0 auto;"/> <p>S10 1992</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 55 lks. N. of the N. edge of the Gold Trail Road, bears NE and SW; and 40 lks. S. of the center of a dry wash, 20 lks. wide, 18 ins. deep, drains NE.</p> <hr/>
7.25	<p>Point for AP 39.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 Mount Nutt Wilderness Area Boundary
 T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T19N R19W MNWA AP39</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S10 1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 55 lks. N. of the N. edge of the Gold Trail Road, bears E. and W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 83°30' E., on line 39-40.</p>
10.26	<p>Point for AP 40.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T19N R19W MNWA AP40</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S10 1992</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located 73 lks. N. of the N. edge of the Gold Trail Road, bears E. and W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 63°34' E., on line 40-41.</p>
7.05	<p>Point for AP 41.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T19N R19W MNWA AP41</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S10 1992</p>

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the N. edge of the Gold Trail Road, bears E. and W.; and 55 lks. S. of the center of a dry wash, 50 lks. wide, 4 ft. deep, drains. E.

	N. 83°22' E., on line 41-42.
6.52	AP 42, on the line bet. secs. 10 and 11, hereinbefore described.

	N. 0°12' W., on line bet. secs. 10 and 11.
12.66	The 1/4 sec. cor. of secs. 10 and 11, hereinbefore described.

	N. 0°05' W., on line bet. secs. 10 and 11.
25.20	The witness point on line bet. secs. 10 and 11, hereinbefore described.
31.75	The witness point on line bet. secs. 10 and 11, hereinbefore described.
39.88	The cor. of secs. 2, 3, 10 and 11, hereinbefore described.

	S. 89°57' W., on line bet. secs. 3 and 10.
14.70	The witness point on line bet. secs. 3 and 10, hereinbefore described.
38.97	The 1/4 sec. cor. of secs. 3 and 10, hereinbefore described.

	S. 89°57' W., on line bet. secs. 3 and 10.
39.88	The cor. of secs. 3, 4, 9 and 10, hereinbefore described.

	In Sec. 4

	N. 0°35' W., on line bet. secs. 3 and 4.
7.55	The witness point on line bet. secs. 3 and 4, hereinbefore described.

Metes-and-Bounds Survey of the
Mount Nutt Wilderness Area Boundary
T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.50	The witness point on line bet. secs. 3 and 4, hereinbefore described.
39.94	The 1/4 sec. cor. of secs. 3 and 4, hereinbefore described. <hr/> N. 0°03' W., on line bet. secs. 3 and 4.
6.36	The witness point on line bet. secs. 3 and 4, hereinbefore described.
41.54	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., hereinbefore described.
<p>Description of Mount Nutt Wilderness Area Boundary T. 21 N., R. 19 W., Gila and Salt River Meridian, Arizona</p>	
<p>The following description is for informational purposes only.</p>	
<p>Beginning at Angle Point 1, identical with Angle Point 49, T. 19 N., R. 20 W., on line bet. secs. 7 and 12, on the W. Bdy. of the Tp.</p> <p>thence S. 76°20' E., 1.26 chs. dist. to Angle Point 2; thence S. 68°27' E., 19.07 chs. dist. to Angle Point 3; thence N. 89°30' E., 4.72 chs. dist. to Angle Point 4; thence S. 83°52' E., 4.52 chs. dist. to Angle Point 5; thence S. 70°18' E., 27.96 chs. dist. to Angle Point 6; thence S. 58°52' E., 12.70 chs. dist. to Angle Point 7; thence S. 57°30' E., 2.52 chs. dist. to Angle Point 8, on line 3-4 of the 1984-90 metes-and-bounds survey in sec. 7; thence N. 89°57' E., on line 4-3 of the 1984-90 metes-and-bounds survey in sec. 7, 4.127 chs. dist. to Angle Point 3 of the 1984-90 metes-and-bounds survey in sec. 7; thence South, on line 3-2 of the 1984-90 metes-and-bounds survey in sec. 7, 2.995 chs. dist. to Angle Point 9; thence S. 50°22' E., 4.74 chs. dist. to Angle Point 10; thence S. 84°26' E., 3.30 chs. dist. to Angle Point 11, on the line bet. secs. 7 and 8; thence N. 0°10' E., on the line bet. secs. 7 and 8, 16.59 chs. dist. to the 1/4 sec. cor. of secs. 7 and 8; thence S. 89°43' E., on the E. and W. center line of sec. 8, 39.77 chs. dist. to the center 1/4 sec. cor. of sec. 8; thence S. 0°02' E., on the N. and S. center line of sec. 8, 26.54 chs. dist. to Angle Point 12; thence S. 60°59' E., 8.01 chs. dist. to Angle Point 13; thence S. 51°20' E., 15.29 chs. dist. to Angle Point 14, on the line bet. secs. 8 and 17;</p>	

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

thence S. 89°46' E., on the line bet. secs. 8 and 17, 20.98 chs. dist. to the cor. of secs. 8, 9, 16, and 17;

thence S. 0°03' E., on the line bet. secs. 16 and 17, 16.71 chs. dist. to Angle Point 15;

thence S. 51°18' E., 6.51 chs. dist. to Angle Point 16;

thence S. 61°01' E., 2.21 chs. dist. to Angle Point 17;

thence S. 68°47' E., 17.19 chs. dist. to Angle Point 18;

thence S. 68°48' E., 8.51 chs. dist. to Angle Point 19;

thence S. 83°10' E., 15.46 chs. dist. to Angle Point 20;

thence S. 83°30' E., 19.05 chs. dist. to Angle Point 21;

thence S. 83°25' E., 43.17 chs. dist. to Angle Point 22;

thence S. 83°26' E., 22.44 chs. dist. to Angle Point 23;

thence N. 43°14' W., 4.02 chs. dist. to Angle Point 24;

thence N. 39°23' W., 9.85 chs. dist. to Angle Point 25;

thence N. 36°09' W., 6.45 chs. dist. to Angle Point 26;

thence N. 68°16' W., 12.66 chs. dist. to Angle Point 27;

thence N. 62°07' W., 5.51 chs. dist. to Angle Point 28;

thence N. 37°36' W., 5.35 chs. dist. to Angle Point 29;

thence N. 5°31' W., 15.55 chs. dist. to Angle Point 30, on the line bet. secs. 10 and 15;

thence N. 19°45' W., 8.11 chs. dist. to Angle Point 31;

thence N. 8°39' W., 2.69 chs. dist. to Angle Point 32;

thence N. 6°12' E., 4.10 chs. dist. to Angle Point 33;

thence N. 12°49' E., 3.93 chs. dist. to Angle Point 34;

thence N. 82°00' E., 2.10 chs. dist. to Angle Point 35;

thence N. 12°53' E., 5.74 chs. dist. to Angle Point 36, on line 4-1, Gold Trail lode, M.S. 3842;

thence N. 41°10' W., on line 4-1, Gold Trail lode, M.S. 3842, 14.49 chs. dist. to cor. 1, Gold Trail lode, M.S. 3842;

thence N. 48°49' E., on line 1-2, Gold Trail lode, M.S. 3842, 4.544 chs. dist. to the NW. end center of Gold Trail lode, M.S. 3842;

thence N. 48°52' E., on the same line, 4.556 chs. dist. to cor. 2, Gold Trail lode, M.S. 3842;

thence S. 41°07' E., on line 2-3, Gold Trail lode, M.S. 3842, 21.27 chs. dist. to Angle Point 37;

thence N. 74°24' E., 21.72 chs. dist. to Angle Point 38;

thence S. 89°54' E., 7.25 chs. dist. to Angle Point 39;

thence S. 83°30' E., 10.26 chs. dist. to Angle Point 40;

thence S. 63°34' E., 7.05 chs. dist. to Angle Point 41;

thence N. 83°22' E., 6.52 chs. dist. to Angle Point 42, on the line bet. secs. 10 and 11;

thence N. 0°12' W., on the line bet. secs. 10 and 11, 12.66 chs. dist. to the 1/4 sec. cor. of secs. 10 and 11;

thence N. 0°05' W., on the line bet. secs. 10 and 11, 39.88 chs. dist. to the cor. of secs. 2, 3, 10, and 11;

thence S. 89°57' W., on the line bet. secs. 3 and 10, 39.87 chs. dist. to the 1/4 sec. cor. of secs. 3 and 10;

thence S. 89°57' W., on the line bet. secs. 3 and 10, 39.88 chs. dist. to the cor. of secs. 3, 4, 9, and 10;

BOOK 5444

T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona

CHAINS

thence N. 0°35' W., on the line bet. secs. 3 and 4, 39.94 chs.
dist. to the 1/4 sec. cor. of secs. 3 and 4;
thence N. 0°03' W., on the line bet. secs. 3 and 4, 41.54 chs.
dist. to the cor. of secs. 3, 4, 33, and 34, on the N. Bdy.
of the Tp.

GENERAL DESCRIPTION

The land encompassed in this survey is located approximately 18.4 miles southwest of Kingman, Arizona. The general elevation varies from 2800 to 4000 ft. above sea level. The land is rugged and broken with numerous sheer cliffs, spires, and exposed volcanic outcrops. The vegetation consists of cactus, creosote, and sparse native grasses. The Transwestern Topock Interconnect Pipeline, an underground natural gas pipeline, passes through sections 8, 7, 15, 16, and 17, the Four Corners Oil Pipeline roughly parallels this pipeline to the south.

Primary access is by way of Arizona State Highway 66, formerly old U.S. Route 66. Secondary access is by way of various unimproved trail roads.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Cheryl A. Baier	Surveying Technician
Gordon R. Bubel	" "
Steven J. Buchanan	" "
Ted E. Cazier	" "
Belle A. Craig	" "
Larry Dieter	" "
Ralph Hollins	Surveying Aide
Steven R. Walton Jr.	" "

CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 24th day of October, 1991, I have dependently resurveyed a portion of the west boundary, a portion of the subdivisional lines, a portion of mineral survey 3842, portions of the subdivision of certain sections and a portion of the metes-and-bounds surveys, and conducted a metes-and-bounds survey of the Mount Nutt Wilderness Area Boundary in Township 19 North, Range 19 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

07/31/1995

(Date)

Olian T. Shockley

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Arizona State Office
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the west boundary, a portion of the subdivisional lines, a portion of mineral survey 3842, portions of the subdivision of certain sections and a portion of the metes-and-bounds surveys, and the metes-and-bounds survey of the Mount Nutt Wilderness Area Boundary in Township 19 North, Range 19 West, Gila and Salt River Meridian, Arizona, executed by Olian T. Shockley, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

OCT 5 1995

(Date)

Dale T. Wilson

(Acting Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 19 N., R. 19 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~~~(Acting Chief Cadastral Surveyor of Arizona)~~