

BOOK 5468

1

ORIGINAL

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES  
OF THE

---

DEPENDENT RESURVEY OF

---

A PORTION OF THE SOUTH AND EAST BOUNDARIES

---

AND A PORTION OF THE SUBDIVISIONAL LINES,

---

AND

---

THE METES-AND-BOUNDS SURVEY OF THE

---

NORTH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY

---

TOWNSHIP 3 SOUTH, RANGE 4 WEST

---

Of the Gila and Salt River Meridian,  
In the State of Arizona

---

EXECUTED BY  
Olian T. Shockley, Cadastral Surveyor

---

Under Special Instructions dated October 21, 1993, approved October 21, 1993,  
which provided for the surveys included under Group Number 762 and assignment  
instructions dated October 22, 1993.

Survey commenced April 26, 1994  
Survey completed October 17, 1994

BOOK 5468  
INDEX DIAGRAM

TOWNSHIP 3 SOUTH, RANGE 4 WEST,

|    |    |    |    |    |    |
|----|----|----|----|----|----|
| 6  | 5  | 4  | 3  | 2  | 1  |
| 7  | 8  | 9  | 10 | 11 | 12 |
| 18 | 17 | 16 | 15 | 14 | 13 |
| 19 | 20 | 21 | 22 | 23 | 24 |
| 30 | 29 | 28 | 27 | 26 | 25 |
| 31 | 32 | 33 | 34 | 35 | 36 |

5  
5  
6  
4

## BOOK 5468

T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes are those of the dependent resurvey of a portion of the south and east boundaries and a portion of the subdivisional lines, and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, Township 3 South, Range 4 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The exterior boundaries and subdivisional lines were surveyed by Solomon W. Foreman in 1871. The exterior boundaries and subdivisional lines were resurveyed by Benjamin J. Kinsey and Karl L. Siebecker in 1930-31. The cor. of secs. 1, 2, 35, and 36, on the south boundary of the township, was utilized in the dependent resurvey of the subdivisional lines of Township 4 South, Range 4 West by Paul L. Reeves in 1978.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the 1/4 sec. cor. of secs. 1 and 36, on the south boundary of the township, as determined from a tie made to U.S. Geological Survey triangulation station "BUMP 1949", located in the NE quarter of section 31, Township 4 South, Range 3 West, is as follows:

Latitude: 33°06'57.61" N. Longitude: 112°37'22.95" W. NAD 27

The mean magnetic declination as taken from quadrangle map MARGIES PEAK, ARIZ., published in 1973 by U.S. Geological Survey, is 13 1/2° E.

## BOOK 5468

Dependent Resurvey of a Portion of the South Boundary  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>Restoring the resurvey executed by<br/>Benjamin J. Kinsey and Karl L. Siebecker, in 1930-31</p> <hr/>   |
|        | <p>Beginning at the 1/4 sec. cor. of sec. 1 and 36, on the S. bdy of the Tp., monumented with an iron post, 1 in. diam, firmly set, projecting 10 ins. above ground, with a mound of stone to the N., 3 ft. base, 2 ft. high, with brass cap mkd. 1/4 S36 S1 1931.</p> <p>Add the marks T3S R4W T4S 1994 on the brass cap.</p> <p>From this cor. point, U.S. Geological Survey triangulation station "BUMP 1949", with published latitude of 33°02'29.493" N. and longitude of 112°35'56.571" W., NAD27, bears S. 15°10'57" E., (forward bearing), 425.45 chs. dist., monumented with a standard brass disk, 3 1/2 ins. diam., cemented flush with the surface of exposed granite bedrock, with top of disk mkd. BUMP 1949 and a triangle.</p> <p>N. 89°49' W., bet. secs. 1 and 36.</p>   |
| 9.41   | <p>Point for A.P. 9 of the North Maricopa Mountains Wilderness Area Bdy., identical with A.P. 1, T. 4 S., R. 4 W., hereinafter described.</p>  |
| 40.00  | <p>The cor. of secs. 1, 2, 35, and 36, monumented with an iron post, 2 diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T3S R4W S35 S36 S1 S2 T4S 1931, from which the 1931 bearing trees</p> <p style="padding-left: 40px;">A paloverde, 16 ins. diam., bears S. 56° E., 179 lks. dist., with no visible marks. (1978 Record: S. 55° E., 180 lks. dist.)</p> <p style="padding-left: 40px;">A paloverde, 20 ins. diam., bears S. 59 1/2° W., 186 1/2 lks. dist., mkd. T4S R4W BT on the opposite side of the trunk. (1978 Record: S. 57° W., 185 lks. dist.)</p> <p style="padding-left: 40px;">An ironwood, 12 ins. diam., bears N. 75° W., 199 lks. dist., mkd. T W S35 BT.</p> <p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located 5.31 chs. E. of the center of a power line, 5 strands, bears N. 0°05' E. and S. 0°05' W.</p> <hr/> |

## BOOK 5468

Dependent Resurvey of a Portion of the East Boundary  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p style="text-align: center;">Restoring the resurvey executed by<br/>Benjamin J. Kinsey and Karl L. Siebecker, in 1930-31</p> <hr style="width: 20%; margin: auto;"/> <p>From the cor. of secs. 25 and 36 only, on the E. bdy. of the Tp., monumented with an iron post, 2 ins. diam, firmly set, projecting 22 ins. above ground, in a mound of stone, 5 ft. base, 1 ft. high, with brass cap mkd. T3S R4W S25 S36 1930.</p> <p>Add the marks R3W S31 1994 on the brass cap.</p> <p>N. 0°19' W., along the E. bdy. of sec. 25.</p> |
| 2.74   | <p>The closing cor. of secs. 30 and 31, monumented with an iron post, 2 ins. diam., firmly set, projecting 22 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S T3S R4W S25 S30 S31 CC R3W 1931.</p> <p>Add the marks 1994 on the brass cap.</p>   |
| 39.99  | <p>The 1/4 sec. cor. of sec. 25 only, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. 1/4 S25 1930, from which the remains of the 1930 bearing tree</p> <p style="padding-left: 40px;">A stump hole, with a dead paloverde alongside, 10 ins. diam., bears N. 85 1/2° W., 99 lks. dist., no marks visible.</p> <p>Add the marks T3S R4W R3W 1994 on the brass cap.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°15' W., beginning new measurement.</p>             |
| 12.21  | <p>Point for A.P. 1 of the North Maricopa Mountains Wilderness Area Bdy., identical with A.P. 214, T. 3 S., R. 3 W., hereinafter described.</p>  |
| 39.91  | <p>The cor. of secs. 24 and 25 only, monumented with an iron post, 2 ins. diam, firmly set, projecting 20 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. T3S R4W R3W S24 S25 S30 1930.</p> <p>Add the marks 1994 on the brass cap.</p> <hr style="width: 80%; margin: auto;"/> <p>N. 0°30' W., along the E. bdy. of sec. 24.</p>  |

## BOOK 54 68

Dependent Resurvey of a Portion of the East Boundary  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 39.98  | <p>The 1/4 sec. cor. of sec. 24 only, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S24 1930.</p> <p>Add the marks T3S R4W R3W 1994 on the brass cap.</p> <p>From this cor. point, U.S. Geological Survey triangulation station "SKULL 1949", with published latitude of 33°09'32.757" N. and longitude of 112°36'19.115" W., NAD27, bears N. 48°55' E., 57.715 chs. dist., monumented with a standard brass disk, 3 1/2 ins. diam., cemented flush with the surface of exposed bedrock, with top of disk mkd. SKULL 1949 and a triangle.</p> <hr/> <p>Dependent Resurvey of a Portion of the Subdivisional Lines<br/>T. 3 S., R. 4. W., Gila and Salt River Meridian, Arizona</p> <hr/> <p>Restoring the resurvey executed by<br/>Benjamin J. Kinsey and Karl L. Siebecker, in 1930-31</p> <hr/> <p>From the 1/4 sec. cor. of secs. 25 and 36, monumented with an iron post, 1 in. diam, firmly set, projecting 12 ins. above ground, with a mound of stone to the N., 3 ft. base, 1 ft. high, with brass cap mkd. 1/4 S25 S36 1931.</p> <p>Add the marks T3S R4W 1994 on the brass cap.</p> <p>N. 88°42' W., bet. secs. 25 and 36.</p> |
| 7.02   | <p>Point for a witness point at intersection with line 8-9 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>   |
| 41.71  | <p>The cor. of secs. 25, 26, 35, and 36, monumented with an iron post, 2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T3S R4W S35 S36 S1 S2 T4S 1931, from which the remaining 1931 bearing tree</p> <p>A forked paloverde, 14 ins. diam., bears N. 72 1/2° E., 159 lks. dist., with no visible marks.</p> <p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located 5.31 chs. E. of the center of a power line, 5 strands, bears N. 0°05' E. and S. 0°05' W.</p> <hr/>   |

BOOK<sup>7</sup> 5468


Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS

In Sec. 25

From A.P. 1, identical with A.P. 214, T. 3 S., R. 3 W., on line bet. secs. 25 and 30, on the E. bdy. of the Tp.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. S. of a trail road, bears ENE and W., in curve.


From this cor. point, the cor. of secs. 24 and 25 only, hereinbefore described, bears N. 0°15' W., 27.70 chs. dist.

S. 75°27' W., on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.

SSE of a trail road.

6.20 Point for A.P. 2.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.

## BOOK 5468

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>S. 83°30' W., on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>   |
| 10.60  | <p>Point for A.P. 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R4W<br/>S25<br/>-----<br/>AP3<br/>NMMWA<br/>1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears E. and W.</p> <p style="text-align: center;">-----</p> <p>N. 89°06' W., on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p> |
| 9.35   | <p>Point for A.P. 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R4W<br/>S25<br/>-----<br/>AP4<br/>NMMWA<br/>1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears E. and W.</p> <p style="text-align: center;">-----</p> <p>N. 84°13' W. on line 4-5 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>  |

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 9.99   | <p>Point for A.P. 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,<br/>25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R4W<br/>S25<br/>/</p> <p>AP5<br/>NMMWA<br/>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath<br/>the stainless steel post.</p> <p>Cor. is located 50 lks. S. of a trail road, bears E. and WNW, in<br/>curve.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 72°24' W., on line 5-6 of the North Maricopa Mountains<br/>Wilderness Area Bdy.</p> <p>SSW of a trail road.</p> |
| 5.75   | <p>Point for A.P. 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,<br/>24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R4W<br/>S25<br/>/</p> <p>AP6<br/>NMMWA<br/>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath<br/>the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears ESE and WNW.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 77°31' W., on line 6-7 of the North Maricopa Mountains<br/>Wilderness Area Bdy.</p> <p>SSW of a trail road.</p>              |
| 5.24   | <p>Point for A.P. 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,<br/>25 ins. in the ground, with brass cap mkd.</p>  |

## BOOK 5468

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <div data-bbox="868 296 1031 449" data-label="Diagram"> <p>T3S R4W<br/>S25<br/>AP7 NMMWA<br/>1994</p> </div> <p data-bbox="410 485 1414 546">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 579 1395 609">Cor. is located 45 lks. S. of a trail road, bears ESE and WNW.</p> <hr data-bbox="711 636 1143 642"/> <p data-bbox="410 674 1317 735">N. 70°29' W., on line 7-8 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 768 725 798">SSW of a trail road.</p> <p data-bbox="266 835 677 865">2.12 Point for A.P. 8.</p> <p data-bbox="410 898 1346 959">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>  |
|        | <div data-bbox="868 995 1047 1148" data-label="Diagram"> <p>T3S R4W<br/>S25<br/>AP8 NMMWA<br/>1994</p> </div> <p data-bbox="410 1184 1414 1245">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 1278 1395 1308">Cor. is located 60 lks. S. of a trail road, bears ESE and WNW.</p> <hr data-bbox="711 1335 1143 1341"/> <p data-bbox="410 1373 1300 1434">S. 0°05' W., on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 1470 709 1499">E. of a power line.</p> <p data-bbox="248 1533 1352 1593">26.545 Point for a witness point on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 1627 1346 1688">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> |

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 53.09  | <div style="text-align: center;"> <p>WP<br/>T3S R4W<br/>S25   NMMWA<br/>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40.00 chs. S. 89°55' E. of a power line, 5 strands, bears N. 0°05' E. and S. 0°05' W.</p> <p>Point for a witness point at intersection with line bet. secs. 25 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>  |
| 95.51  | <div style="text-align: center;"> <p>WP<br/>T3S R4W<br/>S25   NMMWA<br/>S36  <br/>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40.00 chs. S. 89°55' E. of a power line, 5 strands, bears N. 0°05' E. and S. 0°05' W.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 25 and 36, hereinbefore described, bears S. 88°42' E., 7.02 chs. dist.</p> <p style="text-align: center;">In Sec. 36</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 8-9.</p> <p>Point for a witness point on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> |

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 133.93 | <div style="text-align: center; margin-bottom: 10px;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40.00 chs. S. 89°55' E. of a power line, 5 strands, bears N. 0°05' E. and S. 0°05' W.</p> <p>Point for A.P. 9, identical with A.P. 1, T. 4 S., R. 4 W., on line bet. secs. 1 and 36, on the S. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass capmkd.</p> <div style="text-align: center; margin-top: 10px;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40.00 chs. S. 89°55' E. of a power line, 5 strands, bears N. 0°05' E. and S. 0°05' W.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 1 and 36, hereinbefore described, bears S. 89°49' E., 9.41 chs. dist.</p> <hr style="border: 0.5px solid black; margin: 10px 0;"/> <p style="text-align: center; margin: 0;">GENERAL DESCRIPTION</p> <p>The land encompassed in this survey is located approximately 44 miles SW of Phoenix, Arizona and approximately 15 miles north-northeast of Gila Bend, Arizona. The general elevation is 1000 feet above sea level. The land is flat to gently rolling, broken with numerous dry washes and drains. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses. Primary access is by way of United States Highway 80. Secondary access is by way of various unimproved trail roads.</p> <hr style="border: 0.5px solid black; margin: 10px 0;"/> |

## BOOK 5468

T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS

Description of the North Maricopa Mountains Wilderness Area Bdy.  
T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona

The following description is for informational purposes only.

Beginning at Angle Point 1, identical with Angle Point 214,  
T. 3 S., R. 3 W., on the line bet. secs. 25 and 30, on the E.  
bdy. of the Tp.;

thence S. 75°27' W., 6.20 chs. dist. to Angle Point 2;  
thence S. 83°30' W., 10.60 chs. dist. to Angle Point 3;  
thence N. 89°06' W., 9.35 chs. dist. to Angle Point 4;  
thence N. 84°13' W., 9.99 chs. dist. to Angle Point 5;  
thence N. 72°24' W., 5.75 chs. dist. to Angle Point 6;  
thence N. 77°31' W., 5.24 chs. dist. to Angle Point 7;  
thence N. 70°29' W., 2.12 chs. dist. to Angle Point 8;  
thence S. 0°05' W., 133.93 chs. dist. to Angle Point 9,  
identical with Angle Point 1, T. 4 S., R. 4 W., on the line  
bet. secs. 1 and 36, on the S. bdy. of the Tp.

BOOK 5468

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

| NAMES              | CAPACITY             |
|--------------------|----------------------|
| Cheryl A. Baier    | Surveying Technician |
| Gordon R. Bube1    | " "                  |
| Jeff A. Hill       | " "                  |
| Lawrence T. Kempe  | " "                  |
| Wallace R. Ott Jr. | " "                  |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |
|                    |                      |

BOOK 5468  
CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the south and east boundaries and a portion of the subdivisional lines, and conducted a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 4 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

August 28, 1996  
(Date)

Olian T. Shockley  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Arizona State Office  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the south and east boundaries and a portion of the subdivisional lines, and a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 4 West, Gila and Salt River Meridian, Arizona, executed by Olian T. Shockley, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

September 17, 1996  
(Date)

Jerry A. Talbot  
(Acting Chief Cadastral Surveyor of Arizona)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 3 S., R. 4 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Acting Chief Cadastral Surveyor of Arizona)